

NOTE: PLACE TEMPORARY ROCK SEDIMENT DAMS TYPE - B AND TEMPORARY ROCK SILT CHECKS TYPE - A AT DRAINAGE OUTLETS.


CLEARING AND GRUBBING EROSION CONTROL FOR CONSTRUCTION SHEET 5

# SITE 2

-L2- CURVE DATA

|                                     |                                     |
|-------------------------------------|-------------------------------------|
| PI Sta 24+80.58                     | PI Sta 38+39.50                     |
| $\Delta = 19^{\circ}05'29.7''$ (RT) | $\Delta = 25^{\circ}53'53.1''$ (LT) |
| D = 1'45'00.0"                      | D = 1'59'59.5"                      |
| L = 1,090.95'                       | L = 1,295.00'                       |
| T = 550.58'                         | T = 658.75'                         |
| R = 3,274.05'                       | R = 2,865.00'                       |

|                                 |                           |
|---------------------------------|---------------------------|
| PROJECT REFERENCE NO.<br>R-4733 | SHEET NO.<br>EC-6/CONST.5 |
| RW SHEET NO.                    |                           |
| ROADWAY DESIGN ENGINEER         | HYDRAULICS ENGINEER       |



MATCH LINE -L2- STA 28+00 SEE SHEET 5A

-BL- 1 5+00.00 POT  
-L2- 29+18.31  
OFFSET 64.19' RT.  
-BL-EXT- EXTI 13+00.35 POT

-L2- PT Sta.30+20.95  
-L2- PC Sta.31+80.75

BM #1 ELEV. 271.01  
-BL- STA 8+09.14 25.10 RT  
-L2- STA 32+28.75 81.64 RT  
SPIKE SET IN BASE OF 8' SOURWOOD

-BL- 2 8+56.00 PINC  
-L2- 32+74.35  
OFFSET 56.25' RT.

-BL- 3 12+54.86 PINC  
-L2- 36+65.77  
OFFSET 57.15' RT.

BM #2 ELEV. 2724.72  
-BL- STA 13+50.12 26.82 RT  
-L2- STA 37+59.95 79.46 RT  
SPIKE IN BASE OF 10' WALNUT  
24' FROM GUARDRAIL

-BL- 4 15+94.35 PINC  
-L2- 39+98.91  
OFFSET 55.33' RT.

END PROJECT R-4733  
L2- POC STA. 40+50.00  
SITE 2