



STATE	PROJECT NO.	SHEET NO.	TOTAL SHEETS
N.C.	7CR.10011.6, ETC	7	15


7CR.10011.6, 7CR.20011.6, 7CR.300101.6,
7CR.300105.6, 7CR.300107.6, 7CR.300116.6,
7CR.300123.6




TYPICAL SECTION NO. 9




TYPICAL SECTION NO. 10




TYPICAL SECTION NO. 11




TYPICAL SECTION NO. 12



TYPICAL SECTION NO. 13



TYPICAL SECTION NO. 14



TYPICAL SECTION NO. 15

PAVEMENT SCHEDULE

C1	PROP. APPROX. 1½" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B, AT AN AVERAGE RATE OF 168 LBS. PER SQ. YD.	E	PROP. APPROX. 8" ASPHALT CONCRETE BASE COURSE, TYPE B25.0B, AT AN AVERAGE RATE OF 912 LBS. PER SQ. YD.		
C2	PROP. APPROX. 1½" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5C, AT AN AVERAGE RATE OF 168 LBS. PER SQ. YD.	F	ASPHALT SURFACE TREATMENT, NO. 78M STONE		
C3	PROP. APPROX. 1¼" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B, AT AN AVERAGE RATE OF 140 LBS. PER SQ. YD.	R1	EXISTING 2-6 CURB AND GUTTER	R2	EXISTING CONCRETE ISLAND
D	PROP. APPROX. 3" ASPHALT INTERMEDIATE COURSE, TYPE I19.0B, AT AN AVERAGE RATE OF 342 LBS. PER SQ. YD.	T	EARTH MATERIAL (SHOULDER RECONSTRUCTION)	U	EXISTING PAVEMENT.