


Profile -L- CENTERLINE



BRIDGE HYDRAULIC DATA

DESIGN DISCHARGE	= 8100 CFS
DESIGN FREQUENCY	= 25 YRS
DESIGN HW ELEVATION	= 868.7 FT
BASE DISCHARGE	= 11600 CFS
BASE FREQUENCY	= 100 YRS
BASE HW ELEVATION	= 870.8 FT
OVERTOPPING DISCHARGE	= 17600 CFS
OVERTOPPING FREQUENCY	= 500 YRS
OVERTOPPING ELEVATION	= 884.3 FT
DATE OF SURVEY	= F.I.
W.S. ELEVATION AT DATE OF SURVEY	= 859.4 FT
* @ SAG STA. 18+70 +/-	

PRELIMINARY PLANS
 DO NOT USE FOR CONSTRUCTION
INCOMPLETE PLANS
 DO NOT USE FOR R/W ACQUISITION

** DESIGN EXCEPTIONS NEEDED
 A) K= 41 & 40 FOR SAG VC
 B) MAX GRADE = 10/3000 %

NOTES: THERE WILL BE NO BRIDGE DECK
 DRAINS PLACED OVER HUNTING CREEK (NWS).
 PROVIDE 6" DECK DRAINS @ 12' CENTERS
 OUTSIDE LIMITS OF HUNTING CREEK.
 (N) DECK DRAINS BETWEEN STA 16+80
 AND STA 17+85