

County : Wake

| Line # | Item Number | Sec # | Description | Quantity | Unit Cost | Amount |
|----------------------|--------------|-------|---|--------------|-----------|--------|
| ROADWAY ITEMS | | | | | | |
| 0001 | 0000100000-N | 800 | MOBILIZATION | Lump Sum | L.S. | |
| 0002 | 0029000000-N | SP | REINFORCED BRIDGE APPROACH FILL, STATION ***** (12+90.00) | Lump Sum | L.S. | |
| 0003 | 0043000000-N | 226 | GRADING | Lump Sum | L.S. | |
| 0004 | 0050000000-M | 226 | SUPPLEMENTARY CLEARING & GRUB- BING | 0.4 HA | | |
| 0005 | 0057000000-M | 226 | UNDERCUT EXCAVATION | 200 M3 | | |
| 0006 | 0134000000-M | 240 | DRAINAGE DITCH EXCAVATION | 145 M3 | | |
| 0007 | 0195000000-M | 265 | SELECT GRANULAR MATERIAL | 100 M3 | | |
| 0008 | 0196000000-M | 270 | FABRIC FOR SOIL STABILIZATION | 100 M2 | | |
| 0009 | 0318000000-M | 300 | FOUNDATION CONDITIONING MATE- RIAL, MINOR STRS | 58 MTN | | |
| 0010 | 0343000000-M | 310 | 375MM SIDE DRAIN PIPE | 30 M | | |
| 0011 | 0344000000-M | 310 | 450MM SIDE DRAIN PIPE | 15.6 M | | |
| 0012 | 0372000000-M | 310 | 450MM RC PIPE CULVERTS, CLASS III | 122.6 M | | |
| 0013 | 0588000000-M | 310 | 450MM CS PIPE CULVERTS, 1.63MM THICK | 7.2 M | | |
| 0014 | 0708000000-M | 310 | 400MM BIT COAT CS PIPE CUL- VERTS, TYPE B 1.63MM THICK | 8.4 M | | |
| 0015 | 0806000000-M | 310 | 400MM BIT COAT CS PIPE ELBOWS, TYPE B 1.63MM THICK | 2 EA | | |
| 0016 | 0995000000-M | 340 | PIPE REMOVAL | 75.6 M | | |
| 0017 | 1121000000-M | 520 | AGGREGATE BASE COURSE | 1,530 MTN | | |
| 0018 | 1220000000-M | 545 | INCIDENTAL STONE BASE | 75 MTN | | |

County : Wake

| Line # | Item Number | Sec # | Description | Quantity | Unit Cost | Amount |
|--------|--------------|-------|---|------------|-----------|--------|
| 0019 | 1489000000-M | 610 | ASPHALT CONC BASE COURSE, TYPE B25.0B | 546 MTN | | |
| 0020 | 1498000000-M | 610 | ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0B | 801 MTN | | |
| 0021 | 1519000000-M | 610 | ASPHALT CONC SURFACE COURSE, TYPE S9.5B | 775 MTN | | |
| 0022 | 1560000000-M | 620 | ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22 | 108 MTN | | |
| 0023 | 1693000000-M | 654 | ASPHALT PLANT MIX PAVEMENT REPAIR | 75 MTN | | |
| 0024 | 2000000000-N | 806 | RIGHT OF WAY MARKERS | 7 EA | | |
| 0025 | 2022000000-M | 815 | SUBDRAIN EXCAVATION | 55.2 M3 | | |
| 0026 | 2033000000-M | 815 | SUBDRAIN FINE AGGREGATE | 41.4 M3 | | |
| 0027 | 2044000000-M | 815 | 150MM PERFORATED SUBDRAIN PIPE | 100 M | | |
| 0028 | 2055000000-M | 815 | 150MM SUBDRAIN PIPE WYES, TEES, & ELBOWS | 9 EA | | |
| 0029 | 2066000000-N | 815 | CONCRETE PAD FOR SUBDRAIN PIPE OUTLET | 1 EA | | |
| 0030 | 2077000000-M | 815 | 150MM OUTLET PIPE (SUBDRAINS) | 2 M | | |
| 0031 | 2253000000-M | 840 | PIPE COLLARS | 0.66 M3 | | |
| 0032 | 2286000000-N | 840 | MASONRY DRAINAGE STRUCTURES | 4 EA | | |
| 0033 | 2366000000-N | 840 | FRAME WITH TWO GRATES, STD 840.24 | 2 EA | | |
| 0034 | 2367000000-N | 840 | FRAME WITH TWO GRATES, STD 840.29 | 2 EA | | |
| 0035 | 2556000000-M | 846 | SHOULDER BERM GUTTER | 21 M | | |
| 0036 | 3030000000-M | 862 | STEEL BM GUARDRAIL | 80.01 M | | |
| 0037 | 3150000000-N | 862 | ADDITIONAL GUARDRAIL POSTS | 5 EA | | |

County : Wake

| Line # | Item Number | Sec # | Description | Quantity | Unit Cost | Amount |
|--------|--------------|-------|---|----------|-----------|--------|
| 0038 | 3215000000-N | 862 | GUARDRAIL ANCHOR UNITS, TYPE III | 4 | EA | |
| 0039 | 3270000000-N | SP | GUARDRAIL ANCHOR UNITS, TYPE 350 | 4 | EA | |
| 0040 | 3380000000-M | 862 | TEMPORARY STEEL BM GUARDRAIL | 76.2 | M | |
| 0041 | 3387000000-N | 862 | GUARDRAIL ANCHOR UNITS, TYPE ***** TEMPORARY (III) | 4 | EA | |
| 0042 | 3389100000-N | SP | GUARDRAIL ANCHOR UNITS, TYPE 350 TEMPORARY | 4 | EA | |
| 0043 | 3649000000-M | 876 | PLAIN RIP RAP, CLASS B | 142 | MTN | |
| 0044 | 3656000000-M | 876 | FILTER FABRIC FOR DRAINAGE | 670 | M2 | |
| 0045 | 3659000000-N | SP | PREFORMED SCOUR HOLES WITH LEVEL SPREADER APRON | 4 | EA | |
| 0046 | 4412000000-M | SP | WORK ZONE SIGNS (STATIONARY) | 14 | M2 | |
| 0047 | 4412100000-M | SP | WORK ZONE SIGNS (PORTABLE) | 9 | M2 | |
| 0048 | 4412200000-M | SP | WORK ZONE SIGNS (BARRICADE MOUNTED) | 4 | M2 | |
| 0049 | 4430000000-N | 1130 | DRUMS | 20 | EA | |
| 0050 | 4435000000-N | 1135 | CONES | 17 | EA | |
| 0051 | 4446100000-M | SP | BARRICADES (TYPE III) | 100 | M | |
| 0052 | 4450000000-N | 1150 | FLAGGER | 32 | HR | |
| 0053 | 4650000000-N | 1251 | TEMPORARY RAISED PAVEMENT MARKERS | 76 | EA | |
| 0054 | 4685000000-M | 1205 | THERMOPLASTIC PAVEMENT MARKING LINES (100MM, 2.3MM) | 850 | M | |
| 0055 | 4686000000-M | 1205 | THERMOPLASTIC PAVEMENT MARKING LINES (100MM, 3.1MM) | 850 | M | |

County : Wake

| Line # | Item Number | Sec # | Description | Quantity | Unit Cost | Amount |
|--------|--------------|-------|---|------------|-----------|--------|
| 0056 | 4810000000-M | 1205 | PAINT PAVEMENT MARKING LINES (100MM) | 5,340 M | | |
| 0057 | 4900000000-N | 1252 | PERMANENT RAISED PAVEMENT MARKERS | 40 EA | | |
| 0058 | 5300000000-M | 1505 | FOUNDATION CONDITIONING MATE- RIAL, UTILITIES CLASS ***** (VI) | 22 MTN | | |
| 0059 | 5306000000-M | SP | BEDDING MATERIAL, UTILITIES CLASS ***** (IV) | 22 MTN | | |
| 0060 | 5714000000-M | 1520 | ***MM DI SEWER PIPE, CLASS *** (200MM, 50 2.41 MPA WP) | 24.8 M | | |
| 0061 | 5714000000-M | 1520 | ***MM DI SEWER PIPE, CLASS *** (450MM, 50 2.41MPA WP) | 69.5 M | | |
| 0062 | 5776000000-M | 1525 | 1500MM DIA PRECAST CONC SEWER MANHOLE 0-1.8M DEPTH | 1 EA | | |
| 0063 | 5780000000-M | 1525 | PRECAST CONC MANHOLE WALL, ***MM DIA, OVER 1.8M HT (1500M) | 1.6 M | | |
| 0064 | 5798000000-M | 1530 | FILL OR REMOVE ABANDONED ***MM PIPE, ***** (450MM, CLAY SEWER PIPE) | 76 M | | |
| 0065 | 5816000000-N | 1530 | BREAK DOWN, PLUG, & FILL ABAN- DONED UTILITY MANHOLE | 2 EA | | |
| 0066 | 6000000000-M | 1605 | TEMPORARY SILT FENCE | 300 M | | |
| 0067 | 6006000000-M | 1610 | STONE FOR EROSION CONTROL, CLASS A | 100 MTN | | |
| 0068 | 6009000000-M | 1610 | STONE FOR EROSION CONTROL, CLASS B | 800 MTN | | |
| 0069 | 6012000000-M | 1610 | SEDIMENT CONTROL STONE | 230 MTN | | |
| 0070 | 6015000000-M | 1615 | TEMPORARY MULCHING | 1.5 HA | | |
| 0071 | 6018000000-M | 1620 | SEED FOR TEMPORARY SEEDING | 75 KG | | |

County : Wake

| Line # | Item Number | Sec # | Description | Quantity | Unit Cost | Amount |
|--------|--------------|-------|---------------------------------------|-------------|-----------|--------|
| 0072 | 6021000000-M | 1620 | FERTILIZER FOR TEMPORARY SEED- ING | 0.5 MTN | | |
| 0073 | 6029000000-M | SP | SAFETY FENCE | 100 M | | |
| 0074 | 6030000000-M | 1630 | SILT EXCAVATION | 2,100 M3 | | |
| 0075 | 6036000000-M | 1631 | MATTING FOR EROSION CONTROL | 1,300 M2 | | |
| 0076 | 6038000000-M | SP | PERMANENT SOIL REINFORCEMENT MAT | 90 M2 | | |
| 0077 | 6042000000-M | 1632 | 6.4MM HARDWARE CLOTH | 20 M | | |
| 0078 | 6084000000-M | 1660 | SEEDING & MULCHING | 1.5 HA | | |
| 0079 | 6087000000-M | 1660 | MOWING | 1 HA | | |
| 0080 | 6090000000-M | 1661 | SEED FOR REPAIR SEEDING | 25 KG | | |
| 0081 | 6093000000-M | 1661 | FERTILIZER FOR REPAIR SEEDING | 0.25 MTN | | |
| 0082 | 6096000000-M | 1662 | SEED FOR SUPPLEMENTAL SEEDING | 50 KG | | |
| 0083 | 6108000000-M | 1665 | FERTILIZER TOPDRESSING | 2.25 MTN | | |
| 0084 | 6114000000-N | SP | SPECIALIZED HAND MOWING | 2 HR | | |
| 0085 | 6117000000-N | 1675 | RESPONSE FOR EROSION CONTROL | 16 EA | | |
| 0086 | 6123000000-M | 1670 | REFORESTATION | 0.75 HA | | |

STRUCTURE ITEMS

| | | | | | | |
|------|--------------|-----|--|----------|------|--|
| 0087 | 8007000000-N | SP | CONSTRUCTION, MAINTENANCE, & REMOVAL OF TEMP STRUCTURE AT STA ***** (12+90.000 -L-) | Lump Sum | L.S. | |
| 0088 | 8035000000-N | 402 | REMOVAL OF EXISTING STRUCTURE AT STATION ***** (12+90.000 -L-) | Lump Sum | L.S. | |

County : Wake

| Line # | Item Number | Sec # | Description | Quantity | Unit Cost | Amount |
|--------|--------------|-------|--|-------------|-----------|--------|
| 0089 | 8096000000-M | SP | PILE EXCAVATION IN SOIL | 13.3 M | | |
| 0090 | 8097000000-M | SP | PILE EXCAVATION NOT IN SOIL | 11.9 M | | |
| 0091 | 8119000000-M | 412 | UNCLASSIFIED STRUCTURE EXCAVATION | 422 M3 | | |
| 0092 | 8147000000-M | 420 | REINFORCED CONCRETE DECK SLAB | 363.5 M2 | | |
| 0093 | 8161000000-M | 420 | GROOVING BRIDGE FLOORS | 445 M2 | | |
| 0094 | 8182000000-M | 420 | CLASS A CONCRETE (BRIDGE) | 50.7 M3 | | |
| 0095 | 8210000000-N | 422 | BRIDGE APPROACH SLABS, STATION ***** (12+90.000 -L-) | Lump Sum | L.S. | |
| 0096 | 8217000000-M | 425 | REINFORCING STEEL (BRIDGE) | 4,481 KG | | |
| 0097 | 8274000000-M | 430 | MODIFIED 1600MM PRESTRESSED CONC GIRDERS | 156.2 M | | |
| 0098 | 8364000000-M | 450 | HP310X79 STEEL PILES | 114.7 M | | |
| 0099 | 8391000000-N | 450 | STEEL PILE POINTS | 6 EA | | |
| 0100 | 8503000000-M | 460 | CONCRETE BARRIER RAIL | 62.73 M | | |
| 0101 | 8608000000-M | 876 | PLAIN RIP RAP CLASS II (600MM THICK) | 405 MTN | | |
| 0102 | 8622000000-M | 876 | FILTER FABRIC FOR DRAINAGE | 413 M2 | | |
| 0103 | 8657000000-N | 430 | ELASTOMERIC BEARINGS | Lump Sum | L.S. | |
| 0104 | 8692000000-N | SP | EVAZOTE JOINT SEALS | Lump Sum | L.S. | |

0730/Jan11/Q25752.95/D451670600000/E104

Total Amount Of Bid For Entire Project :

C201416 (B-3376)
Wake County

2/16/99

Contract No: C201416
County: Wake

ACCEPTED BY THE
DEPARTMENT OF TRANSPORTATION

Contract Officer

Date

Execution of Contract and Bonds
Approved as to Form:

Attorney General