8/17/99

PROJECT REFERENCE NO.	SHEET NO.
B-3682 & W-3413	U0-5

UTILITIES BY OTHERS

NOTE:
ALL PROPOSED UTILITY WORK SHOWN ON THIS SHEET WILL BE DONE BY OTHERS

-L-
PI Sta 84+88.84
Δ = 0° 43' 26.8" (LT)
D = 1° 00' 00.0"
L = 72.41'
T = 36.21'
R = 5,729.58'
SE= N/C

-L-
PI Sta 89+51.33
Δ = 29° 20' 29.7" (LT)
D = 7° 30' 00.0"
L = 391.22'
T = 200.00'
R = 763.94'
SE= 0.08 FT/FT
R0= 200'

NAD 83

MATCHLINE -L- STA. 84+00.00

MATCHLINE -L- STA. 96+00.00 SEE SHEET U0-6

PCSta 84+52.63

PTSta 85+25.04

PCSta 87+51.33

PTSta 91+42.55

85 90 95

17 18 19 20 22

TROTT PROPERTIES, LLC.
DB 1513 PG 494
DB 265 PG 525
MB 26 PG 86

EDWARD TROTT, JR.
DB 697 PG 869

BL-24 PINC 82+60.93=
-L- STA 86+89.53 (-12.95 LT)

BL-25 PINC 87+46.26=
-L- STA 91+88.95 (-12.05 LT)

N 85° 42' 17" E 1103.25

S 73° 25' 43" E

N 56° 21' 47" E

S 18° 27' 09" E 242.39'

S 15° 15' 22" E 208.17'

N 73° 34' 38" E 154.18'

S 14° 12' 36" E 808.14'

+00.00 -L- 53.00

+50.00 -L- 40.00

+25.04 -L- 40.00

+51.33 -L- 40.00

+00.00 -L- 50.00

+50.00 -L- 50.00

+42.55 -L- 40.00

+52.00 -L- 50.00

+99.00 -L- 50.00

+99.00 -L- 58.00

+42.55 -L- 40.00

+16.00 -L- 50.00

+00.00 -L- 50.00

+50.00 -L- 58.00

+25.04 -L- 40.00

+51.33 -L- 40.00

+75.25 -L- 40.00

+75.00 -L- 55.00

+77.16 -L- 54.89

+94 190'

+36 185'

+94.00 -L- 190.00

+36.00 -L- 185.00

+7.32 -L- 40.00

+19.00 -L- 53.00

SPECIAL CUT DITCH SEE DETAIL A

SPECIAL LATERAL 'V' DITCH SEE DETAIL E

BASE DITCH SEE DETAIL L DDE 33cy

CL B RIPRAP 5 TONS 17 SY FF

PROP. U/G TEL. CABLES

PROP. O/H POWER & CATV LINES

REMOVE

REM.

ABANDON

PLOW 1' INSIDE R/W AT 3' RT OF BL

NEW 3" CPS MON. W3413-5 ELEV.= 34.37'

DIRECTIONAL BORE 1' BELOW DITCH

0.07' RIP TO R/W

0.00' R/W TO EIP

DETAIL A
SPECIAL CUT DITCH
(Not to Scale)
Natural Ground · 4:1 · D · 4:1 · Front Ditch Slope
Min. D = 1.0 Ft.

FROM STA 84+50 TO STA 90+50 -L- (RT)
FROM STA 92+00 TO STA 94+00 -L- (RT)
FROM STA 86+50 TO STA 88+00 -L- (LT)
FROM STA 93+00 TO STA 93+50 -L- (LT)

DETAIL E
SPECIAL LATERAL 'V' DITCH
(Not to Scale)
Natural Ground · 4:1 · D · 4:1 · Fill Slope
Min. D = 1.0 Ft.

FROM STA 91+00 TO 91+50 -L- (RT)

DETAIL L
STANDARD BASE DITCH
(Not to Scale)
Natural Ground · VARIES · D · VARIES · Natural Ground
Min. D = 1.0 Ft.
B = 3.0 Ft.

STA 85+00 -L- (RT)

07-DEC-2004 12:40
R:\Utilities Rdy Ut\Proj\B3682 U0\B3682_ut_UC_Rdwy08_U005.psh
mmoss AT DS21281