

EB1-A

SOIL TEST RESULTS															
SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			%	%
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-1	3.6M LT	13+83.3	0.75-1.20	A-2-4(0)	20	6	32.3	41.0	6.5	20.2	95	82	29	17.2	-
SS-2	3.6M LT	13+83.3	2.27-2.72	A-6(2)	37	14	27.7	34.9	5.1	32.3	100	87	40	-	-
SS-3	3.6M LT	13+83.3	3.79-4.24	A-2-6(0)	29	13	33.5	45.3	3.0	18.2	100	87	23	-	-
SS-28	3.6M LT	13+83.3	8.44-8.89	A-7-6(35)	67	41	2.8	21.6	21.0	54.5	100	99	80	41.9	-
SS-29	3.6M LT	13+83.3	9.20-9.65	A-7-6(22)	65	40	10.3	23.0	24.2	42.4	84	78	60	-	-
SS-30	3.6M LT	13+83.3	12.24-12.69	A-2-5(0)	41	NP	32.5	40.4	12.9	14.1	100	83	32	-	-

EB1-B

SOIL TEST RESULTS															
SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			%	%
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-13	5.3M RT	13+88.3	1.74-2.19	A-6(3)	38	18	24.2	39.0	4.4	32.3	100	87	39	-	-
SS-14	5.3M RT	13+88.3	3.26-3.71	A-2-4(0)	24	4	30.1	48.5	9.3	12.1	100	91	25	-	-
SS-15	5.3M RT	13+88.3	4.78-5.16	A-6(5)	38	21	22.6	39.8	9.3	28.3	100	91	43	-	-
SS-16	5.3M RT	13+88.3	10.44-10.89	A-2-5(0)	42	8	39.2	29.5	17.2	14.1	87	65	32	-	-
SS-17	5.3M RT	13+88.3	11.63-12.08	A-2-4(0)	24	NP	46.1	34.1	13.7	6.1	80	55	20	-	-

BI-A

SOIL TEST RESULTS															
SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			%	%
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-4	5.3M LT	14+23.4	1.65-2.10	A-6(4)	39	15	23.0	32.5	6.1	38.4	100	91	47	-	-
SS-5	5.3M LT	14+23.4	4.75-5.05	A-2-6(0)	27	12	35.2	38.4	8.3	18.2	99	84	31	-	-
SS-6	5.3M LT	14+23.4	6.21-6.66	A-7-6(30)	71	45	9.1	26.1	22.4	42.4	98	93	67	49.7	-
SS-7	5.3M LT	14+23.4	9.25-9.70	A-7-6(28)	65	41	4.6	26.3	20.6	48.5	97	94	70	-	-
SS-8	5.3M LT	14+23.4	10.77-11.22	A-2-4(0)	30	NP	39.6	38.8	13.5	8.1	71	53	19	-	-
SS-9	5.3M LT	14+23.4	12.29-12.74	A-7-5(2)	41	11	23.2	38.8	36.0	2.0	100	88	44	-	-
SS-10	5.3M LT	14+23.4	13.81-14.26	A-7-6(5)	53	26	27.3	38.4	22.2	12.1	97	84	39	-	-
SS-11	5.3M LT	14+23.4	15.33-15.78	A-2-4(0)	37	NP	42.4	40.8	10.7	6.1	96	76	21	-	-
SS-12	5.3M LT	14+23.4	19.89-20.34	A-2-4(0)	29	NP	33.7	39.6	18.6	8.1	91	74	29	-	-

BI-B

SOIL TEST RESULTS															
SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			%	%
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-18	5.4M RT	14+27.8	3.18-3.63	A-2-6(0)	30	11	35.2	41.6	5.1	18.2	100	78	27	-	-
SS-19	5.4M RT	14+27.8	4.70-5.15	A-6(2)	35	19	30.7	36.8	6.3	26.3	100	89	37	-	-
SS-20	5.4M RT	14+27.8	7.60-8.05	A-2-4(0)	31	NP	29.3	46.1	18.6	6.1	100	83	34	-	-
SS-21	5.4M RT	14+27.8	9.12-9.57	A-2-4(0)	33	NP	28.3	53.7	13.9	4.0	98	83	28	-	-

EB2-A

SOIL TEST RESULTS															
SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			%	%
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-25	3.7M LT	14+63.3	4.72-5.17	A-2-7(3)	42	26	39.2	30.7	9.9	20.2	97	81	31	-	-
SS-26	3.7M LT	14+63.3	6.24-6.69	A-7-6(12)	55	27	21.0	16.0	20.6	42.4	81	67	54	29.3	-
SS-27	3.7M LT	14+63.3	7.00-7.37	A-7-6(35)	69	43	8.1	18.6	28.9	44.4	98	95	77	-	-

EB2-B

SOIL TEST RESULTS															
SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			%	%
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-22	5.5M RT	14+67.6	1.62-2.07	A-6(4)	40	19	26.1	34.1	7.5	32.3	98	88	42	23.4	-
SS-23	5.5M RT	14+67.6	3.14-3.59	A-2-4(0)	23	6	44.8	38.8	2.2	14.1	100	81	18	-	-
SS-24	5.5M RT	14+67.6	4.66-5.11	A-1-b(0)	21	NP	35.2	44.2	8.5	12.1	55	43	14	-	-