


PROJECT REFERENCE NO. R-2352R	SHEET NO. 37
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER
PRELIMINARY PLANS DO NOT USE FOR CONSTRUCTION	
CONST. REV. _____	
R/W REV. _____	

-Y11-REV

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	LL	PL. I.	% BY WEIGHT				% PASSING SIEVES			% MOISTURE	% ORGANIC
							C. SAND	F. SAND	SILT	CLAY	10	40	200		
S-354	CL	13+60	0.00-1.50	A-4(2)	24	9	10.9	42.2	20.6	26.3	98	93	54		
S-355	CL	13+60	2.00-3.00	A-2-4(0)	22	NP	26.7	46.3	21.0	61	96	79	35		
S-356	CL	13+60	3.00-4.00	A-4(0)	22	NP	26.7	43.8	23.4	61	90	74	36		
S-357	4m LT	14+20	0.00-1.09	A-6(7)	32	12	10.3	28.1	33.3	28.3	99	93	69		
S-358	4m LT	14+20	3.60-4.60	A-4(0)	25	5	22.8	37.6	23.4	16.2	91	79	44		
SS-341	CL	15+00	2.35-2.80	A-7-5(16)	60	18	6.7	23.5	49.5	20.3	100	98	74	61.6	
SS-342	CL	15+00	3.87-4.32	A-7-5(18)	67	21	8.9	25.9	44.9	20.3	100	98	70	68.3	
SS-338	CL	15+62	0.83-1.28	A-7-5(8)	48	13	6.7	38.5	22.4	32.4	100	99	61	29.7	
SS-339	CL	15+62	5.39-5.84	A-4(0)	37	NP	10.5	49.6	33.7	61	100	97	49		
SS-340	CL	15+62	8.43-8.88	A-4(0)	29	NP	12.0	53.1	30.9	41	100	97	44		


-Y11-REV POT 12+34.166 LA=
-Y11- PC 12+34.166 LB=
EL. 63.755
PI=12+45.000
EL=63.110
VC=110 m

PI+14+78.000
EL+62.562
VC+200 m



SEE NEXT PAGE FOR SOIL TEST RESULTS

-Y11-REV



- ① SOFT WEATHERED ROCK (GRANITIC SCHIST)
- ② COASTAL PLAIN: RED-BROWN, STIFF, MOIST, SILTY SANDY CLAY, LOW PLASTICITY

\$\$\$SYTIME\$\$\$\$
 \$\$\$DOWNS\$\$\$\$
 \$\$\$FILENAME\$\$\$\$