



-L2LT-



- (A) ALLUVIAL TAN, BROWN, GRAY, AND ORANGE, INTERBEDDED LOOSE TO MEDIUM DENSE, SAND AND STIFF, SANDY SILT WITH GRAVEL, DRY TO SATURATED
- (B) RESIDUAL TAN, BROWN, AND ORANGE, MEDIUM STIFF TO HARD, DRY TO WET, SILTY SANDY CLAY, CLAY, AND SANDY SILT
- (C) RESIDUAL, RED-ORANGE TO TAN, MEDIUM STIFF TO VERY STIFF, DRY TO WET, SILTY CLAY AND SANDY SILTY CLAY

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	PL. I.	% BY WEIGHT				% PASSING SIEVES			% MOISTURE
							C. SAND	F. SAND	SILT	CLAY	10	40	200	
SS-228	0	108+57	1.02-1.47	A-6(8)	39	16	12.9	33.7	24.7	28.6	100	92	62	26.2
SS-229	0	108+57	2.54-2.99	A-4(2)	36	5	11.2	42.1	32.3	14.3	100	95	58	32.5
SS-22	0	108+86	0.92-1.22	A-7-6-(13)	59	34	30.9	21.0	9.7	38.4	100	79	51	
SS-23	0	108+86	2.44-2.74	A-5(0)	46	NP	19.2	39.0	25.7	16.2	100	93	49	
SS-24	0	108+86	3.40-3.70	A-7-5(4)	43	12	23.0	29.9	20.8	26.3	97	83	52	
SS-534	2	109+41	1.17-1.62	A-2-4(0)	19	NP	51.9	40.7	4.0	3.1	97	74	11	
SS-535	2	109+41	2.69-3.14	A-4(0)	27	5	16.9	52.3	13.5	17.3	100	95	40	
SS-536	2	109+41	4.21-4.66	A-1-b(0)	21	NP	50.7	32.8	10.5	6.1	62	41	13	
SS-537	2	109+41	5.95-6.18	A-2-4(0)	25	NP	46.8	34.2	15.0	4.1	100	74	24	
SS-538	2	109+41	7.25-7.70	A-2-4(0)	28	NP	48.6	35.6	11.7	4.1	100	72	22	
SS-32	1	110+28	0.93-1.38	A-7-5(33)	74	27	4.6	7.5	37.4	50.5	100	97	90	
SS-33	1	110+28	2.45-2.90	A-7-5(24)	64	21	7.1	10.5	44.0	38.4	100	96	85	
SS-34	1	110+28	3.97-4.42	A-7-5(17)	58	21	15.6	16.0	46.3	22.2	100	89	73	
SS-35	1	110+28	10.05-10.50	A-5(2)	51	NP	30.1	15.2	40.6	14.1	100	77	58	
SS-36	1	110+28	11.57-12.02	A-2-4(0)	29	NP	50.1	19.4	20.4	10.1	100	57	34	