

PAVEMENT SCHEDULE	
A1	360mm PCCP
A2	CONCRETE SHOULDERS ADJACENT TO 360mm PAVEMENT
C1	30mm TYPE SF9.5A
C2	35mm TYPE SF9.5A
C3	50mm TYPE SF9.5A
C4	70mm TYPE SF9.5A
C5	VAR. DEPTH TYPE S9.5C
C6	100mm TYPE SI2.5C
C7	VAR. DEPTH TYPE SI2.5C
C8	13mm TYPE S4.75A
D1	65mm TYPE I19.0C
D2	80mm TYPE I19.0C
D3	100mm TYPE I19.0C
D4	VAR. DEPTH TYPE I19.0C
E1	100mm TYPE B25.0B
E2	120mm TYPE B25.0B
E3	VAR. DEPTH TYPE B25.0B
E4	100mm TYPE B25.0C
E5	140mm TYPE B25.0C
E6	VAR. DEPTH TYPE B25.0C
J1	200mm ABC
J2	250mm ABC
J3	270mm ABC
J4	VAR. DEPTH ABC
K	SUBGRADE STABILIZATION
P	PRIME COAT
R	SINGLE FACED BARRIER
T	EARTH MATERIAL
U	EXISTING PAVEMENT
W	WEDGING


PROJECT REFERENCE NO. **R-2552AA** SHEET NO. **2-B**

ROADWAY DESIGN ENGINEER **W. MUMFORD** PAVEMENT DESIGN ENGINEER **CLARK S. MORRISON**

METRIC

SEAL 289247
3/16/05

SEAL 22886
3/16/05



TYPICAL SECTION NO. 1


USE TYPICAL SECTION NO. 1 AS FOLLOWS:

- LREV- STA. 11+04.621 RT. TO STA. 13+58.173 RT. (BEGIN BRIDGE)
- LREV- STA. 11+04.621 LT. TO STA. 13+34.174 LT. (BEGIN BRIDGE)
- LREV- STA. 15+41.827 RT. (END BRIDGE) TO -L- STA. 28+00.000 RT.
- LREV- STA. 15+17.827 LT. (END BRIDGE) TO -L- STA. 28+00.000 LT.

NOTES: SEE CROSS-SECTIONS AND STD. NO. 225.09 FOR SLOPE TRANSITIONS UNDER BRIDGES AT THE FOLLOWING LOCATIONS:

- L- STA. 26+00.000 RT. TO STA. 28+00.000 RT. (FUTURE)
- L- STA. 27+20.000 LT. TO STA. 28+00.000 LT. (TRANSITION CONTINUES ON R-2552AB)

SEE CROSS-SECTIONS FOR SPECIAL GRADING AROUND BRIDGE END BENT -L- STA. 27+40.000 RT. STA. 27+80.000 RT.



TYPICAL SECTION NO. 2

USE TYPICAL SECTION NO. 2 AS FOLLOWS:


- IY1- STA. 10+40.000 EB TO STA. 36+40.000 EB
- IY1- STA. 10+40.000 WB TO STA. 41+60.000 WB

NOTES: SEE CROSS-SECTIONS AND STD. NO. 225.09 FOR SLOPE TRANSITION UNDER BRIDGE AT THE FOLLOWING LOCATION:

- IY1- STA. 19+00.000 LT. TO STA. 21+00.000 LT.

SEE CROSS-SECTIONS AND STD. NO. 225.07 FOR SLOPE TRANSITION UNDER BRIDGE AT THE FOLLOWING LOCATION:

- IY1- STA. 27+40.000 LT. TO STA. 30+20.000 LT.



PARTIAL TYPICAL SECTION NO. 2A

USE TYPICAL SECTION NO. 2A IN CONJUNCTION WITH TYPICAL SECTION NO. 2 AS FOLLOWS:

(SEE STD. NO. 862.01, SHEET 1 OF 11)

- IY1- AT -Y2- BRIDGE
- IY1- AT -LPB- & -FLYLEREV- BRIDGES
- IY1- STA. 16+80.000 (SIGN SUPPORT)