



### SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	LL	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C. SAND	F. SAND	SILT	CLAY	10	40	200		
SS-481	CL	18+07	0.88-1.31	A-6(4)	28	13	27.7	22.9	19.3	30.1	100	83	53	-	-
SS-482	CL	18+07	2.40-2.85	A-4(0)	38	NP	34.7	31.1	24.1	10.0	97	78	40	-	-
SS-483	CL	18+07	3.92-4.37	A-5(0)	45	NP	24.7	32.3	32.9	10.0	98	84	51	-	-
SS-484	CL	18+07	5.44-5.99	A-2-4(0)	32	NP	47.4	25.5	21.1	6.0	92	59	30	-	-
S-474	CL	18+80	0.15-1.00	A-4(0)	25	10	37.1	28.7	18.1	16.1	95	75	37	-	-
S-475	CL	18+80	2.60-3.00	A-4(0)	30	8	43.6	23.3	17.1	16.1	97	67	37	-	-
SS-469	CL	19+40	0.15-0.60	A-2-4(0)	15	NP	45.0	31.3	13.7	10.0	100	73	27	-	-
SS-470	CL	19+40	1.17-1.62	A-7-6(17)	62	39	32.1	17.7	14.1	36.1	99	78	53	-	-
SS-471	CL	19+40	2.64-3.14	A-7-5(4)	49	12	30.5	28.3	31.1	10.0	100	81	49	-	-
SS-472	CL	19+40	4.21-4.66	A-4(1)	36	10	37.6	27.5	24.9	10.0	98	74	41	-	-
SS-473	CL	19+40	7.25-7.70	A-4(0)	40	NP	37.8	30.7	23.5	8.0	98	72	37	-	-
SS-252	CL	15+30	4.09-4.59	A-2-4(0)	20	NP	45.6	20.7	19.7	14.1	89	56	34	-	-
SS-253	CL	14+60	1.00-1.45	A-4(0)	35	NP	38.6	26.3	23.1	12.0	100	75	40	-	-
SS-254	CL	14+60	4.04-4.49	A-4(0)	38	NP	37.3	28.9	25.7	8.0	99	77	39	-	-
SS-250	CL	15+30	0.26-0.60	A-4(0)	20	NP	36.1	33.1	18.7	12.0	100	79	37	-	-
SS-251	CL	15+30	2.57-3.02	A-2-5(0)	42	NP	47.6	20.5	23.9	8.0	96	61	34	-	-
SS-247	CL	21+40	0.15-0.60	A-2-4(0)	15	NP	41.4	39.0	9.5	10.1	93	72	23	-	-
SS-248	CL	21+40	1.08-1.53	A-7-6(11)	53	26	30.2	19.9	15.7	34.2	100	81	54	-	-
SS-249	CL	21+40	2.60-3.05	A-4(0)	35	NP	35.4	29.4	19.1	16.1	100	76	41	-	-
S-150	7 LT	21+90	0.00-2.95	A-7-6(8)	41	22	29.8	22.0	11.9	36.3	99	80	51	-	-
S-151	7 LT	21+90	2.95-4.80	A-4(2)	39	8	34.1	21.4	20.4	24.2	100	78	48	-	-
S-152	7 LT	21+90	4.80-5.12	A-2-4(0)	30	4	48.0	22.2	15.7	14.1	100	66	34	-	-