

EB1-A

SOIL TEST RESULTS															
SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-32	11.3 LT	18+19.3	3.85-4.30	A-7-5(58)	100	51	3.0	9.7	20.6	66.7	100	98	90	53.1	-
SS-33	11.3 LT	18+19.3	8.41-8.86	A-7-5(13)	67	16	9.3	33.1	23.2	34.3	100	94	66	-	-

EB1-B

SOIL TEST RESULTS															
SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-1	12.3 RT	18+28.8	0.83-1.28	A-7-6(7)	46	23	31.1	23.0	1.4	44.4	100	82	48	22.5	-
SS-2	12.3 RT	18+28.8	2.35-2.80	A-7-5(23)	71	34	13.1	25.1	9.3	52.5	96	86	66	-	-
SS-3	12.3 RT	18+28.8	5.39-5.84	A-7-5(12)	59	16	6.7	37.2	29.9	26.3	100	99	65	63.6	-
SS-4	12.3 RT	18+28.8	6.91-7.36	A-5(0)	53	NP	15.6	44.2	22.0	18.2	100	95	48	-	-
SS-5	12.3 RT	18+28.8	9.95-10.40	A-7-5(13)	64	17	5.7	35.4	28.7	30.3	100	98	66	69.3	-
SS-6	12.3 RT	18+28.8	12.99-13.44	A-5(0)	43	NP	18.6	45.7	15.6	20.2	100	92	43	63.7	-
SS-7	12.3 RT	18+28.8	16.03-16.48	A-5(0)	42	NP	25.1	44.0	14.7	16.2	100	89	38	40.0	-
SS-8	12.3 RT	18+28.8	20.59-21.04	A-2-5(0)	44	NP	27.9	43.8	14.0	14.3	100	93	35	-	-
SS-9	12.3 RT	18+28.8	25.15-25.60	A-4(0)	38	NP	24.4	45.7	17.8	12.1	100	90	37	-	-
SS-10	12.3 RT	18+28.8	28.19-28.64	A-4(0)	29	NP	14.7	54.3	18.8	12.1	100	96	38	23.2	-

BI-A

SOIL TEST RESULTS															
SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-41	11.3 LT	18+55.5	0.96-1.41	A-2-7(1)	43	26	71.2	9.6	1.0	18.2	96	38	19	8.8	-
SS-42	11.3 LT	18+55.5	2.48-2.93	A-7-5(44)	84	41	4.2	11.1	24.0	60.6	100	98	87	42.7	-
S-83	11.3 LT	18+55.5	3.50-4.00	A-7-6(15)	58	29	18.4	25.9	15.4	40.4	99	90	59	-	-
ST-1	11.3 LT	18+55.5	3.57-4.18	A-7-5(15)	61	24	11.7	31.5	20.4	36.4	100	96	63	-	-
S-84	11.3 LT	18+55.5	5.50-6.00	A-7-5(9)	50	18	18.0	31.1	18.6	32.3	100	93	57	-	-
SS-43	11.3 LT	18+55.5	7.04-7.49	A-4(0)	34	NP	12.7	60.0	19.2	8.1	100	98	36	44.0	-
SS-44	11.3 LT	18+55.5	10.08-10.53	A-7-5(2)	44	11	9.5	57.2	23.2	10.1	100	98	43	-	-
SS-27	11.3 LT	18+55.5	14.49-14.94	A-5(0)	51	NP	16.0	42.4	21.4	20.2	100	94	50	-	-
SS-28	11.3 LT	18+55.5	16.01-16.46	A-2-5(0)	42	NP	29.3	45.3	15.4	10.1	100	85	32	26.6	-
SS-29	11.3 LT	18+55.5	20.57-21.02	A-4(0)	24	NP	14.7	52.1	19.0	14.1	100	97	36	-	-
SS-30	11.3 LT	18+55.5	25.13-25.58	A-4(0)	34	NP	6.9	50.9	30.1	121.1	100	99	5.3	-	-
SS-31	11.3 LT	18+55.5	29.69-30.14	A-4(0)	31	NP	25.5	40.8	17.6	16.2	100	88	41	23.9	-

B1-B

SOIL TEST RESULTS															
SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-11	12.3 RT	18+65.0	3.82-4.27	A-7-5(2)	54	18	39.4	21.0	7.3	32.3	85	89	42	23.5	-
SS-12	12.3 RT	18+65.0	6.86-7.31	A-7-5(3)	53	14	27.1	35.8	12.9	24.2	100	89	42	43.4	-
SS-13	12.3 RT	18+65.0	8.38-8.83	A-7-5(5)	49	13	21.8	30.7	25.3	22.2	100	91	42	-	-
SS-14	12.3 RT	18+65.0	11.42-11.87	A-5(0)	48	NP	29.7	40.8	13.3	16.2	100	86	37.0	43.8	-
SS-15	12.3 RT	18+65.0	17.50-17.95	A-7-5(11)	55	19	4.0	45.3	26.5	24.2	100	99	60	-	-
SS-16	12.3 RT	18+65.0	25.10-25.55	A-4(0)	33	NP	27.3	44.0	16.6	12.1	100	83	36	27.3	-
SS-17	12.3 RT	18+65.0	28.14-28.59	A-4(0)	26	NP	26.5	40.0	17.4	16.2	100	87	41	-	-

EB2-A

SOIL TEST RESULTS															
SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-34	11.3 LT	18+90.1	5.36-5.81	A-6(1)	38	12	38.6	27.1	14.1	20.2	97	74	37	40.6	-
SS-35	11.3 LT	18+90.1	6.88-7.33	A-7-5(23)	67	23	5.7	25.5	40.6	28.3	100	96	78	-	-
SS-36	11.3 LT	18+90.1	12.96-13.41	A-2-5(0)	45	NP	28.7	43.4	11.7	16.2	100	83	34	48.7	-
SS-37	11.3 LT	18+90.1	17.52-17.97	A-4(1)	39	9	28.1	37.8	18.0	16.2	100	89	40	-	-
SS-38	11.3 LT	18+90.1	23.60-24.05	A-4(0)	33	NP	23.2	48.1	18.6	16.2	100	89	100	-	-

EB2-B

SOIL TEST RESULTS															
SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-18	12.3 RT	19+00.4	0.88-1.33	A-7-5(19)	68	38	30.3	10.5	4.6	54.5	93	72	56	25.3	-
SS-19	12.3 RT	19+00.4	2.40-2.85	A-7-5(31)	72	32	7.5	13.1	6.7	72.7	100	95	81	-	-
SS-20	12.3 RT	19+00.4	5.44-5.89	A-5(3)	49	10	20.8	37.2	19.8	22.2	100	93	47	52.7	-
SS-21	12.3 RT	19+00.4	10.00-10.45	A-7-5(5)	72	32	7.5	13.1	6.7	72.7	100	90	47	51.5	-
SS-22	12.3 RT	19+00.4	13.04-13.49	A-2-4(0)	29	3	40.4	29.5	13.9	16.2	98	70	35	-	-
SS-23	12.3 RT	19+00.4	14.56-15.01	A-6(8)	38	12	7.5	38.6	35.8	18.2	100	94	69	-	-
SS-24	12.3 RT	19+00.4	16.08-16.53	A-4(0)	36	NP	9.5	55.4	23.0	12.1	100	92	53	37.3	-
SS-25	12.3 RT	19+00.4	20.64-21.09	A-4(2)	38	8	26.5	32.7	18.6	22.2	100	86	47	41.3	-
SS-26	12.3 RT	19+00.4	26.72-27.17	A-4(0)	33	2	17.2	46.7	20.0	16.2	100	95	44	34.1	-