



SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	LL	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C. SAND	F. SAND	SILT	CLAY	10	40	200		
SS-71	CL	37+20	1.08-1.53	A-2-4(0)	24	7	44.8	23.1	19.8	12.3	96	64	35	25.1	-
SS-72	CL	37+20	2.58-3.03	A-6(4)	30	12	17.0	33.6	26.9	22.5	100	92	55	-	-
SS-73	CL	37+20	4.10-4.55	A-4(3)	35	5	13.9	27.0	26.3	32.8	100	94	63	-	-
SS-74	CL	37+20	7.14-7.59	A-4(0)	31	NP	36.0	34.6	21.2	8.2	99	78	36	-	-
SS-75	30 RT	37+26	1.12-1.57	A-2-4(0)	22	NP	45.6	32.8	9.3	12.3	100	81	24	23.8	-

Ⓟ ALLUVIAL: GRAY, VERY LOOSE, MOIST TO WET SILTY SAND, UNDERLAIN BY GRAY, VERY SOFT TO SOFT, WET SILTY SANDY CLAY, LOW PLASTICITY

RESIDUAL: TAN AND ORANGE, MED. STIFF TO VERY STIFF, WET SANDY SILT, TRACE MICA

SS-71
SS-72
SS-73
SS-74

SS-75

