



4" x 8" CONCRETE CURB
SEE STD. DWG. 846.01




SECTION A-A
SHOULDER BERM GUTTER
SEE STD. DWG. 846.01


NOTE:
CONSTRUCT WIDTH AND SHAPE OF PROPOSED 4" CONCRETE PAVED DITCH AS SHOWN OR AS DIRECTED BY THE ENGINEER.
JOINT SPACING MAY BE ALTERED IF REQUIRED BY THE ENGINEER.
FILL ALL CONSTRUCTION JOINTS WITH JOINT FILLER AND SEALER.



CONCRETE DITCH
SEE STD. DWG. 850.01



ISOMETRIC VIEW OF TRANSITIONING 4' CONCRETE DITCH TO CONCRETE BERM CURB



PROJECT SERVICES UNIT
STANDARDS AND SPECIAL DESIGN
Office 919-250-4128 FAX 919-250-4119

DETAIL OF 4'-0" CONCRETE DITCH
TRANSITION TO CONCRETE BERM CURB

ORIGINAL BY: nbritt	DATE: 01-25-05
MODIFIED BY: <i>Paul S. Wood</i>	DATE: 1/31/05
CHECKED BY: <i>Paul S. Wood</i>	DATE: 1/31/05
FILE SPEC.: defalls/nbritt/english/bridge/b3709pavedditchto curb.dgn	

28 JAN-2005 10:58 defalls/nbritt/english/bridge/b3709 paved ditch to curb.dgn nbritt