




UTILITIES BY OTHERS

NOTE:
ALL PROPOSED UTILITY WORK
SHOWN ON THIS SHEET WILL
BE DONE BY OTHERS

DATUM DESCRIPTION
THE LOCALIZED COORDINATE SYSTEM DEVELOPED FOR THIS PROJECT IS BASED ON THE STATE PLANE COORDINATES ESTABLISHED BY NCDOT FOR MONUMENT "B3834-1" WITH NAD 83 STATE PLANE GRID COORDINATES OF NORTHING: 7888267.36(FI) EASTING: 1681692.59(FI) THE AVERAGE COMBINED GRID FACTOR USED ON THIS PROJECT (GROUND TO GRID) IS: 0.999906610 THE N.C. LAMBERT GRID BEARING AND LOCALIZED HORIZONTAL GROUND DISTANCE FROM "B3834-1" TO L- STATION 10+75.00 IS 400.33' AT A BEARING OF S 4° 53' 27.39" E ALL LINEAR DIMENSIONS ARE LOCALIZED HORIZONTAL DISTANCES VERTICAL DATUM USED IS NGVD 29



STATION	B	D	d	W	STONE	FF
16+88 LT	3.75'	2.67'	0.5'	4.0'	11 TONS	24 SY

-L-
PI Sta 15+94.91
Δ = 33° 12' 47.2" (RT)
D = 4' 30" 00.0"
L = 738.07'
T = 379.73'
R = 1,273.24'
SE = 0.06
DS = 45 mph

17-MAR-2005 10:07 P:\Utilities\B3834\04\util\UO1.psh.dgn

