

PAVEMENT MARKING SCHEDULE

SYMBOL	DESCRIPTION	BREAKDOWN		TOTAL	SYMBOL	DESCRIPTION	BREAKDOWN		TOTAL
FINAL PAVEMENT MARKINGS					TEMPORARY PAVEMENT MARKINGS				
TA	THERMOPLASTIC (4", 90 MILS) WHITE EDGELINE	3488	LF	TOTAL 3488 LF	PA	PAINT (4") WHITE EDGELINE	52000	LF	TOTAL 109,520 LF
TC	THERMOPLASTIC (4", 120 MILS) 10 FT. WHITE SKIP	2100	LF		PB	YELLOW EDGELINE	8400	LF	
TD	2 FT. WHITE MINISKIP	270	LF	PD	2 FT. WHITE MINISKIP	970	LF	TOTAL 480 LF	
TE	WHITE SOLID LANE LINE	2750	LF	PE	WHITE SOLID LANE LINE	3750	LF		
TI	YELLOW DOUBLE CENTER	1540	LF	PI	YELLOW DOUBLE CENTER	44,400	LF	TOTAL 480 LF	
TT	THERMOPLASTIC (8", 90 MILS) YELLOW DIAGONAL	45	LF	PAINT MARKING SYMBOLS					
TV	THERMOPLASTIC (8", 120 MILS) WHITE CROSSWALK LINE	746	LF	TOTAL 45 LF	PQ	PAINT (8") WHITE EDGELINE	480	LF	TOTAL 1484 LF
T2	THERMOPLASTIC (24", 120 MILS) WHITE STOPBAR	550	LF		P4	PAINT (24") WHITE STOPBAR	1484	LF	
UA	THERMOPLASTIC PAVEMENT MARKING SYMBOLS (90 MILS) LEFT TURN ARROW	28	EA	TOTAL 550 LF	QA	LEFT TURN ARROW	42	EA	TOTAL 102 EA
UB	RIGHT TURN ARROW	9	EA		QB	RIGHT TURN ARROW	10	EA	
UC	STRAIGHT ARROW	32	EA	QC	STRAIGHT ARROW	20	EA	TOTAL 402 EA	
UE	COMBO.STRAIGHT/RIGHT	14	EA	QE	COMBO.STRAIGHT/RIGHT	30	EA		
MA	PERMANENT RAISED PAVEMENT MARKERS YELLOW & YELLOW	20	EA	TOTAL 83 EA	MARKERS				
MB	CRYSTAL & RED	268	EA		TEMPORARY RAISED PAVEMENT MARKERS				
TOTAL 288 EA					MH	YELLOW & YELLOW	308	EA	TOTAL 1500 LF
TOTAL 1500 LF					MI	CRYSTAL & RED	94	EA	
TOTAL 1500 LF					COLD APPLIED PAVEMENT MARKING LINES TYPE IV (4")				
TOTAL 1500 LF					RA	WHITE EDGELINE	1500	LF	

I6-MAR-2006 14:42
 \\lets-gofso3\N\2904\T\office\trafficcontrol\top\2904_tc.pml.dgn
 K:\roadwell_AT_WZTC224240




APPROVED:	DATE: <u>2/2/06</u>	PAVEMENT MARKING SCHEDULE	
	SCALE: NONE		REVISIONS
	DATE: FEB. 06		
	DWG. BY: KPB		
	DESIGN BY: KPB		
REVIEWED BY: JWG			

SEE SHEET PM-1 FOR PAVEMENT MARKING SCHEDULE .

SEE ROADWAY STANDARD DRAWING NO. 1205.07 FOR PEDESTRIAN CROSSWALKS.



SEE ROADWAY STANDARD DRAWING NO. 1250.01 AND 1251.01 FOR PAVEMENT MARKER SPACING AND RAISED PAVEMENT MARKERS.

STA. 15+90.64 -L- BEGIN STATE PROJECT R-2904
TIE TO EXISTING



I:\MAR-2006\1411\lets-cof503\2904\Trafficcontrol\top\2904_tc_pm2.dgn
 K:\roadwell\AT\WZTC224240

APPROVED:	DATE: 12/20/06	FINAL PATTERN	
SEAL:	SCALE: NONE		
	DATE: FEB. 06		
	DWG. BY: KPB		
	DESIGN BY: KPB		
	REVIEWED BY: JWG		



STA. 57+38.87 -L-
 END STATE PROJECT R-2904

SEE SHEET PM-1 FOR PAVEMENT MARKING SCHEDULE .
 SEE ROADWAY STANDARD DRAWING NO. 1250.01 AND 1251.01 FOR PAVEMENT MARKER SPACING AND RAISED PAVEMENT MARKERS.
 * INSTALL "END OF ROAD OBJECT MARKERS" AS SHOWN ON ROADWAY STANDARD DRAWING No. 1264.01 AND 1264.02.

APPROVED: <i>[Signature]</i> DATE: 2/20/06	FINAL PATTERN	
SCALE: NONE		REVISIONS
DATE: FEB. 06		
DWG. BY: KPB		
DESIGN BY: KPB		
REVIEWED BY: JWG		

I:\MAP-2006\1411\1411-cc-fs03\2904\Traffic\TrafficControl\Top\R2904_Lc_pm3.dgn
 K:\Roadwell_AT\WZTC224240