


12CR.301816.3 12CR.10551.3
 12CR.20181.4 12CR.20551.4


PROJ. REFERENCE NO.	SHEET NO.	TOTAL SHEETS
	6	7
STATE PROJ. NO.	F. A. PROJ. NO.	DESCRIPTION

PAVEMENT SCHEDULE	
A	PROP. APPROX. 1½" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B, AT AN AVERAGE RATE OF 168 LBS. PER SQ. YD.
B	PROP. APPROX. 2½" ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE I19.0B, AT AN AVERAGE RATE OF 285 LBS. PER SQ. YD.
C	MILLING ASPHALT PAVEMENT 1½" DEPTH.
D	SHOULDER RECONSTRUCTION
E	ASPHALT MAT COAT #6


NOTE: PAVEMENT EDGE SLOPES ARE 1:1 UNLESS SHOWN OTHERWISE.
 * MILL BRIDGE APPROACHES 100' TO PROVIDE A SMOOTH TRANSITION AS DIRECTED.




TYPICAL SECTION NO. 1




TYPICAL SECTION NO. 4




TYPICAL SECTION NO. 5




TYPICAL SECTION NO. 2



TYPICAL SECTION NO. 6



TYPICAL SECTION NO. 3



TYPICAL SECTION NO. 7