5/28/99

PROJECT REFERENCE NO.	SHEET NO.
U-4439A&B	X-1

STATE OF NORTH CAROLINA
DIVISION OF HIGHWAYS

INDEX OF CROSS SECTION SHEETS

	EARTHWORK VOLUMES	X–2 TO X–3
–L–	CURTIS RD	X–4 TO X–30
–Y1–	US 17	X–31 TO X–39
–Y2–	ROBERT WILSON BLVD	X–40 TO X–41
–Y3–	'A' STREET	X–42 TO X–43
–Y4–	SCHMIDT ROAD	X–44 TO X–45

02/02/2005
08:19:47 PM
N:\roadway\xsc\u4439_rdy_xpl_index.dgn

PROJ. REFERENCE NO.	SHEET NO.
U-4439A&B	X-2

STATE OF NORTH CAROLINA
DIVISION OF HIGHWAYS

CROSS-SECTION SUMMARY

NOTE: EMBANKMENT COLUMN INCLUDES BACKFILL FOR UNDERCUT

Approximate quantities only. Unclassified excavation, borrow excavation, shoulder borrow, fine grading, clearing and grubbing, breaking of existing pavement and removal of existing pavement will be paid for at the lump sum price for "Grading".

Station	Left	Left	Right	Right
L	Uncl. Exc. (cu. yd.)	Embt. (cu. yd.)	Uncl. Exc. (cu. yd.)	Embt. (cu. yd.)
11+50.00000	0	0	0	0
12+00.00000	1	2	24	1
12+50.00000	1	22	12	18
13+00.00000	0	56	19	42
13+50.00000	0	70	23	73
14+00.00000	0	80	18	94
14+50.00000	0	94	25	104
15+00.00000	0	96	17	123
15+50.00000	0	101	11	136
16+00.00000	1	132	11	135
16+50.00000	8	108	10	125
17+00.00000	10	53	16	90
17+50.00000	7	47	19	49
18+00.00000	11	38	18	35
18+50.00000	14	30	16	32
19+00.00000	12	29	14	31
19+50.00000	12	29	16	27
20+00.00000	14	27	14	27
20+50.00000	11	31	11	28
21+00.00000	12	40	10	27
21+50.00000	15	40	10	26
22+00.00000	15	34	11	24
22+50.00000	16	29	21	21
23+00.00000	18	29	39	23
23+50.00000	16	29	56	22
24+00.00000	18	29	52	22
24+50.00000	15	34	29	30
25+00.00000	9	45	15	39
25+50.00000	8	57	10	44
26+00.00000	10	64	8	44
26+50.00000	13	67	9	43
27+00.00000	15	79	19	55
27+50.00000	12	76	31	56
28+00.00000	7	61	69	22
28+50.00000	2	67	101	2
29+00.00000	0	66	66	5
29+50.00000	0	63	28	6
30+00.00000	1	67	21	7
30+50.00000	7	68	10	27
31+00.00000	20	56	1	72
31+50.00000	37	35	0	49
32+00.00000	45	34	0	0
32+50.00000	31	48	0	32
33+00.00000	12	68	0	74
33+50.00000	8	74	0	86
34+00.00000	16	55	0	88
34+50.00000	27	30	0	79
35+00.00000	33	29	0	62
35+50.00000	21	45	0	47
36+00.00000	9	52	0	31
36+50.00000	10	47	0	17
37+00.00000	12	45	0	13
37+50.00000	12	47	1	9

Station	Left	Left	Right	Right
L	Uncl. Exc. (cu. yd.)	Embt. (cu. yd.)	Uncl. Exc. (cu. yd.)	Embt. (cu. yd.)
38+00.00000	10	51	1	9
38+50.00000	8	55	1	9
39+00.00000	7	57	0	11
39+50.00000	9	59	0	12
40+00.00000	12	61	0	11
40+50.00000	11	64	1	8
41+00.00000	11	71	1	8
41+50.00000	11	78	1	8
42+00.00000	13	80	1	7
42+50.00000	15	80	1	7
43+00.00000	16	78	2	6
43+50.00000	16	73	2	5
44+00.00000	16	59	2	4
44+50.00000	16	50	2	4
45+00.00000	17	56	2	6
45+50.00000	15	64	2	4
46+00.00000	10	71	2	3
46+50.00000	9	72	2	3
47+00.00000	9	69	2	4
47+50.00000	9	67	3	3
48+00.00000	11	59	3	3
48+50.00000	11	51	2	4
49+00.00000	10	55	2	3
49+50.00000	9	54	2	3
50+00.00000	7	49	2	4
50+50.00000	13	45	2	4
51+00.00000	17	44	1	7
51+50.00000	11	46	0	11
52+00.00000	8	47	0	9
52+50.00000	7	45	1	5
53+00.00000	6	47	3	2
53+50.00000	6	55	3	1
54+00.00000	6	61	3	2
54+50.00000	9	60	2	3
55+00.00000	11	59	2	4
55+50.00000	9	62	2	5
56+00.00000	13	64	3	7
56+50.00000	18	60	7	9
57+00.00000	16	65	10	13
57+50.00000	13	78	9	17
58+00.00000	9	85	8	18
58+50.00000	8	87	8	16
59+00.00000	8	87	8	17
59+50.00000	8	89	5	19
60+00.00000	12	89	2	11
60+50.00000	11	89	1	2
61+00.00000	9	88	0	0
61+50.00000	10	84	1	5
62+00.00000	10	85	2	12
62+50.00000	11	87	1	12
63+00.00000	9	86	1	9
63+50.00000	9	81	3	6
64+00.00000	14	71	6	2

Station	Left	Left	Right	Right
L	Uncl. Exc. (cu. yd.)	Embt. (cu. yd.)	Uncl. Exc. (cu. yd.)	Embt. (cu. yd.)
64+50.00000	17	66	4	1
65+00.00000	17	69	1	1
65+50.00000	15	70	2	3
66+00.00000	14	67	2	4
66+50.00000	14	65	4	5
67+00.00000	15	68	3	8
67+50.00000	22	68	3	8
68+00.00000	14	33	3	2
68+50.00000	80	54	0	0
69+00.00000	160	60	6	4
69+50.00000	136	62	12	9
70+00.00000	93	108	14	10
70+50.00000	70	106	16	13
71+00.00000	67	99	27	8
71+50.00000	73	86	25	9
72+00.00000	91	81	13	23
72+50.00000	77	56	13	28
73+00.00000	30	19	13	25

Station	Median	Median
L	Uncl. Exc. (cu. yd.)	Embt. (cu. yd.)
11+50.00000	0	0
12+00.00000	22	5
12+50.00000	22	14
13+00.00000	17	14
13+50.00000	15	22
14+00.00000	0	21
14+50.00000	1	11
15+00.00000	3	21
15+50.00000	4	16
16+00.00000	4	14
16+50.00000	2	16
17+00.00000	1	8

PROJ. REFERENCE NO.	SHEET NO.
U-4439A&B	X-3

STATE OF NORTH CAROLINA
DIVISION OF HIGHWAYS

NOTE: EMBANKMENT COLUMN INCLUDES BACKFILL FOR UNDERCUT

CROSS-SECTION SUMMARY

Station	Uncl. Exc.	Embt
Y1	(cu. yd.)	(cu. yd.)
13+00.00	0	0
13+50.00	5	10
14+00.00	15	26
14+50.00	22	41
15+00.00	24	55
15+50.00	19	73
16+00.00	14	87
16+50.00	15	84
17+00.00	15	73
17+50.00	12	56
18+00.00	10	41
18+50.00	11	39
19+00.00	9	45
19+50.00	10	48
20+00.00	10	50
20+50.00	13	38
21+00.00	15	17
21+50.00	20	5

Station	Uncl. Exc.	Embt
Y1	(cu. yd.)	(cu. yd.)
24+00.00	0	0
24+50.00	3	30
25+00.00	2	43
25+50.00	2	48
26+00.00	2	71
26+50.00	3	76
27+00.00	4	80
27+50.00	4	105
28+00.00	6	118
28+50.00	8	101
29+00.00	10	68
29+50.00	11	43
30+00.00	11	35
30+50.00	10	21
31+00.00	8	9
31+50.00	5	4

Station	Uncl. Exc.	Embt
Y2	(cu. yd.)	(cu. yd.)
10+50.00	0	0
10+75.00	0	17
11+00.00	0	5
11+25.00	1	2
11+50.00	2	1
11+75.00	1	1

Station	Uncl. Exc.	Embt
Y3	(cu. yd.)	(cu. yd.)
10+50.00	0	0
11+00.00	38	9
11+50.00	68	28
12+00.00	75	43
12+50.00	82	47
13+00.00	70	47
13+50.00	42	56
14+00.00	43	43
14+50.00	47	43
15+00.00	44	80

Station	Uncl. Exc.	Embt
Y4	(cu. yd.)	(cu. yd.)
10+50.00	0	0
11+00.00	12	2
11+50.00	97	2
12+00.00	93	5
12+50.00	7	9
13+00.00	7	9
13+50.00	8	4
14+00.00	7	3

8/23/99

0 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4439A&B	X-4

12+50.00

SBL1

34.86

34.95

34.45

0.0250 0.0250 0.0200 0.0200 0.0250 0.0292

4:1 5:1 4.794:1 4:1

S.S. 30.705

D.P. 32.383

S.S. 31.459

12+50.00

12+00.00

SBL1

35.98

35.82

35.5

0.0319 0.0250 0.0250 0.0200 0.0200 0.0150 0.0150

4:1 1 5:1 4.425:1 5:1

S.S. 34.271

D.P. 35.340

S.S. 36.222

12+00.00

11+50.00

11+00.00

SBL1

1+50.00

35.99

36.69

36.40

0.037 0.0182 0.0137 0.0200 0.0200 0.0200 0.0017 0.0017

5:1 4.788:1 5:1

D.P. 35.061

S.S. 37.682

SBL1

1+00.00

37.80

37.35

37.15

0.0107 0.0012 0.0012 0.0130 0.0130 0.0330

S.S. 37.25

11+50.00

11+00.00

02/02/2005
03:24:48 PM
I:\roadway\xs\u4439_rdy_xpl1.dgn

8/23/99

0 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4439A&B	X-5

150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150

40 30

-SBL1-
14+50.00

33.57 33.25

0.0250 0.0250 5.56:1 7:1 0.0250 0.0250 4:1 3:1

S.S. 31.235

S.S. 29.101 D.P. 31.30 S.D. 29.12

32.52

14+50.00

-SBL1-
14+00.00

33.72 33.40

0.0250 0.0250 0.037 0.0200 0.0200 0.0200 0.0112 4:1 3:1

S.S. 31.474

S.S. 28.391 S.D. 29.12

32.70

14+00.00

-SBL1-
13+50.00

33.97 33.57

0.0250 0.0250 5.7:1 5.68:1 0.0200 0.0200 0.0055 4:1 3:1

S.S. 30.385

S.S. 29.975 D.P. 31.620 S.D. 29.2

32.94

13+50.00

-SBL1-
13+00.00

34.17 34.02

0.0250 0.0250 5.2:1 5.45:1 0.0200 0.0200 0.0222 4:1 3:1

S.S. 31.011

S.S. 29.606 D.P. 31.770 S.D. 29.12

32.43

13+00.00

02/22/2005 09:52:18 M:\se\u4439_rdy.xpl1.dgn

8/23/99

0 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4439A&B	X-6

150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150

40 30 20

SBL1
16+50.42

99.22
32.65
32.24

S.S. 30.460
3:1
4:1
0.0250
0.0117
4:1 6.36:1
0.0091
0.0103
4:1
3:1
S.S. 31.035
D.P. 31.790
S.D. 28.750
S.D. 29.18

16+50.00

SBL1
16+00.20

11.56
32.80
32.32

S.S. 27.195
3:1
4:1
0.0250
0.0250
3.28:1 4:1:1
0.0252
0.0252
4:1
3:1
S.S. 30.412
D.P. 30.85
S.D. 26.600
S.D. 29.12

16+00.00

SBL1
15+50.08

33.26
32.95
32.39

S.S. 29.318
4:1
0.0250
0.0250
4.4:1
5.49:1
0.0251
0.0251
4:1
3:1
S.S. 30.493
D.P. 31.00
S.D. 29.12

15+50.00

SBL1
15+00.02

33.10
32.42

S.S. 29.152
4:1
0.0250
0.0250
5.15:1
6.43:1
0.0251
0.0251
4:1
3:1
S.S. 30.427
D.P. 31.15
S.D. 29.12

15+00.00

150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150

02/02/2005
03:24:49 PM
\\ss\u4439_rdy_xpl1.dgn

8/23/99

0 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4439A&B	X-7

150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150

40 30 20

SBL1–
18+51.63

S.S. 31.135 3:1 4:1 0.0250 32.67 32.36 0.0252 4:1 3:1 S.S. 30.466
29.536 32.31 S.D. 29.42

18+50.00

SBL1–
18+01.41

S.S. 30.923 3:1 4:1 0.0250 32.59 32.28 0.0249 4:1 3:1 S.S. 31.451
S.D. 29.390 32.18 S.D. 29.36

18+00.00

SBL1–
17+51.08

S.S. 30.316 3:1 4:1 0.0250 32.66 32.35 0.0217 0.0243 0.0229 4:1 3:1 S.S. 31.306
S.D. 29.145 32.22 S.D. 29.30

17+50.00

SBL1–
17+00.74

S.S. 30.928 3:1 4:1 0.0250 32.81 32.50 0.0050 0.028 0.0076 0.0062 4:1 3:1 S.S. 31.228
S.D. 28.904 D.P. 32.39 32.27 S.D. 29.24

17+00.00

–L–

150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150

02/02/2005
03:24:49 PM
c:\projects\xsc\u4439_rdy_xpl_l.dgn

8/23/99

0 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4439A&B	X-8

20150.00

-SBL1-
20+01.85

S.S. 31.235
3:1
4:1
0.0250
30.360
33.66
33.68
S.S. 31.417
30.305
33.14
32.83
0.0250
S.S. 31.830
29.86
S.S. 31.442
S.D. 29.70

20100.00

-SBL1-
19+51.63

S.S. 31.325
29.349
32.98
32.67
32.58
0.0250
0.0251
S.S. 31.336
S.D. 29.54

19150.00

-SBL1-
19+01.77

S.S. 30.746
29.593
32.82
32.52
32.46
0.0250
0.0251
S.S. 30.913
S.D. 29.48

19100.00

02/02/2005
c:\projects\xsc\u4439_rdy_xpl1.dgn
03:24:49 PM

8/23/99

0 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4439A&B	X-9

23+00.00

S.S. 31.313
3:1
4:1
0.0250
0.0250
S.S. 32.027
3:1
29.571
28.29
32.96

S.S. 31.685
3:1
4:1
0.0250
0.0250
S.S. 31.459
3:1
29.380
29.04
32.90

22+60.00

S.S. 31.665
3:1
4:1
0.0250
0.0250
S.S. 31.938
3:1
30.104
29.80
32.36

22+00.00

S.S. 32.082
3:1
4:1
0.0250
0.0250
S.S. 31.712
3:1
30.225
29.93
32.52

21+50.00

S.S. 31.844
3:1
4:1
0.0250
0.0250
S.S. 31.922
3:1
30.244
29.94
32.65

21+00.00

-L-

02/02/2005
c:\projects\xsec\u4439_rdy_xpl_1.dgn
03:24:49 PM

8/23/99

0 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4439A&B	X-10

25+50.00

S.S. 28.338
S.D. 27.200
0.0250
31.12
30+47
S.S. 28.985
S.D. 27.950
0.0250
31.43
30+80
S.D. 26.86
S.D. 27.08

25+00.00

S.S. 29.767
S.D. 28.700
0.0250
31.75
31+34
S.S. 28.932
S.D. 27.23

24+50.00

S.S. 30.593
28.238
0.0250
32.07
31+66
S.S. 29.821
S.D. 27.38

24+00.00

S.S. 30.901
29.254
0.0250
32.38
31+80
S.D. 27.53

23+50.00

02/02/2005
01:09:00 pm
03:24:49 PM
c:\projects\u4439\dsc\u4439_rdy_xpl1.dgn

8/23/99

0 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4439A&B	X-11

28+00.00

S.S. 26.399
S.D. 25.950
0.0250
0.0100
0.0100
0.025
0.022
GUARDHOUSE PARKING LOT
27.76
29.99
2762

S.S. 26.766
S.D. 25.736
0.0250
0.0225
S.D. 26.07
36.02
2960

27+50.00

S.S. 27.120
S.D. 25.641
0.0250
0.0250
S.S. 28.319
S.D. 25.94
30.19
2768

27+00.00

S.S. 27.240
S.D. 25.800
0.0250
0.0250
S.D. 26.42
30.48
2787

26+50.00

S.S. 28.231
S.D. 26.900
0.0250
0.0250
S.D. 26.64
30.80
3018

26+00.00

File: c:\projects\u4439_rdy_xpl1.dgn
02/02/2005

8/23/99

PROJ. REFERENCE NO.	SHEET NO.
U-4439A&B	X-12

0 10

150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150

30 20

30.35
29.96
S.S. 25.84
4:1
0.0300
0.0100
4:1
3:1
S.S. 28.50
27.39

29+75.00

30.30
29.97
S.S. 25.833
4:1
0.0300
0.0100
4:1
3:1
27.34

29+50.00

30.27
30.02
S.S. 26.076
4:1
0.0300
EOT
EOT
0.0100
0.0100
4:1
3:1
S.S. 28.858
27.215
GUARDHOUSE FINISHED FLOOR ELEVATION 30.02

29+40.00

30.19
29.87
S.S. 26.453
4:1
0.0282
0.0100
4:1
3:1
26.79

29+00.00

30.07
29.55
S.S. 26.229
4:1
0.0250
0.0100
0.0100
0.031
0.031
GUARDHOUSE PARKING LOT

28+50.00

150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150

02/02/2005
02:52:50 PM
c:\projects\u4439\xsc\u4439_rdy_xpl1.dgn

8/23/99

0 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4439A&B	X-13



02/02/2005
03:24:50 PM
x:\esc\u4439_rdy_xpl1.dgn

8/23/99

0 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4439A&B	X-14



02/02/2005
03:24:58 PM
c:\projects\xsc\u4439_rdy_xpl1.dgn

8/23/99

0 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4439A&B	X-15



02/02/2005
c:\projects\xs\u4439_rdy_xpl1.dgn
03:24:50 PM

8/23/99

0 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4439A&B	X-16



02/02/2005
C:\projects\xsc\u4439_rdy_xpl_1.dgn
03:24:50 PM

8/23/99

0 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4439A&B	X-17

43100.00

S.S. 29.159
S.D. 27.640
0.0300
0.0300
4:1
3:1
3:1
32.99
32.70

42150.00

S.S. 29.221
S.D. 27.740
0.0300
0.0300
4:1
3:1
3:1
33.06
32.85

42100.00

S.S. 29.204
S.D. 27.840
0.0300
0.0300
4:1
3:1
3:1
33.08
32.88

41150.00

S.S. 29.121
S.D. 27.940
0.0300
0.0300
4:1
3:1
3:1
32.98
32.81

41100.00

S.S. 29.283
S.D. 28.040
0.0300
0.0300
4:1
3:1
3:1
33.08
32.72

02/02/2005
03:24:50 PM
x:\sc\u4439_rdy_xpl1.dgn

8/23/99

0 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4439A&B	X-18

150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150

40
30

S.S. 28.376
-3:1
S.D. 27.140
4:1
0.0300
0.0300
4:1
32.16
32.09

45150.00

S.S. 28.291
-3:1
S.D. 27.240
4:1
0.0300
0.0300
4:1
32.31
32.06

45100.00

S.S. 28.290
-3:1
S.D. 27.340
4:1
0.0300
0.0300
4:1
32.46
32.22

44150.00

S.S. 29.193
-3:1
S.D. 27.440
4:1
0.0300
0.0300
4:1
32.63
32.42

44100.00

S.S. 29.015
-3:1
S.D. 27.540
4:1
0.0300
0.0300
4:1
32.73
32.60

43150.00

-L-

150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150

02/02/2005
03:24:51 PM
C:\projects\xsc\u4439_rdy_xpll.dgn

8/23/99

PROJ. REFERENCE NO.	SHEET NO.
U-4439A&B	X-19

0 10

48+00.00

S.S. 28.112
S.D. 26.640
3:1
4:1
0.0300
0.0300
4:1
39.47
30.78

47+50.00

S.S. 28.094
S.D. 26.740
3:1
4:1
0.0300
0.0300
4:1
35.35
30.09

47+00.00

S.S. 28.089
S.D. 26.840
3:1
4:1
0.0300
0.0300
4:1
31.69
30.33

46+50.00

S.S. 28.063
S.D. 26.940
3:1
4:1
0.0300
0.0300
4:1
28.36
30.52

46+00.00

S.S. 28.086
S.D. 27.040
3:1
4:1
0.0300
0.0300
4:1
26.26
30.71

02/02/2005
03:23:51 PM
c:\projects\xsc\u4439_rdy_xpl_1.dgn

8/23/99

0 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4439A&B	X-20

150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150

30 20

S.S. 27.363
3:1
4:1
0.0300
0.0300
4:1
28.90
25.537
6582
50150.00

30 20

S.S. 27.323
3:1
4:1
0.0300
0.0300
4:1
29.40
S.D. 26.240
2907
50100.00

30 20

S.S. 27.335
3:1
4:1
0.0300
0.0300
4:1
29.85
S.D. 26.340
2954
49150.00

30 20

S.S. 27.663
3:1
4:1
0.0300
0.0300
4:1
30.24
S.D. 26.640
2939
49100.00

30 20

S.S. 27.579
3:1
4:1
0.0300
0.0300
4:1
30.60
S.D. 26.540
3039
48150.00

150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150

02/02/2005
03:24:51 PM
c:\projects\xsc\u4439_rdy_xpl1.dgn

8/23/99

0 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4439A&B	X-21



02/02/2005
03:21:51 PM
...\xsec\u4439_rdy_xpl1.dgn

8/23/99

0 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4439A&B	X-22

150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150

30 20

55150.00

S.S. 23.526
S.D. 22.400
3:1
4:1
0.0250
0.0250
4:1
20.50
25.41

55100.00

S.S. 23.798
S.D. 22.550
3:1
4:1
0.0250
0.0250
4:1
20.50
25.52

54150.00

S.S. 23.946
S.D. 22.700
3:1
4:1
0.0250
0.0250
4:1
20.50
25.68

54100.00

S.S. 23.860
S.D. 22.850
3:1
4:1
0.0250
0.0250
20.65
25.87

54100.00

S.S. 24.013
S.D. 23.000
3:1
4:1
0.0250
0.0250
20.80
26.0

53450.00

02/02/2005
03:24:51 PM
P:\...\xs\u4439_rdy_xpl1.dgn

8/23/99

0 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4439A&B	X-23

150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150

30 20

S.S. 22.805 3:1 A1 0.0250 0.0250 4:1 3:1 S.S. 22.449
S.D. 21.650 S.D. 21.320
25.45 25.20

58100.00

30 20

S.S. 23.390 3:1 A1 0.0250 0.0250 4:1 3:1 S.S. 22.827
S.D. 21.800 S.D. 21.710
25.09 25.10

57150.00

30 20

S.S. 23.432 3:1 A1 0.0250 0.0250 4:1 3:1 S.S. 23.284
S.D. 21.950 S.D. 22.100
25.75 25.30

57100.00

30 20

S.S. 24.103 3:1 A1 0.0250 0.0250 4:1 3:1 S.S. 23.260
S.D. 22.100 S.D. 22.250
25.99 25.39

56150.00

30 20

S.S. 23.909 3:1 A1 0.0250 0.0250 4:1 3:1 S.S. 22.836
S.D. 22.250 S.D. 22.400
26.05 25.41

56100.00

150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150

02/02/2005
03:24:51 PM
\\xsc\u4439_rdy_xpl1.dgn

8/23/99

0 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4439A&B	X-24

150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150

30 20

S.S. 22.007
3:1
4:1
S.D. 20.900
0.0250
0.0250
24.70
23.22
DRIVEWAY

60150.00

S.S. 22.452
S.D. 21.050
0.0250
0.0250
24.85
23.23
S.D. 20.730

60100.00

S.S. 22.295
S.D. 21.200
0.0250
0.0250
25.00
23.34
S.S. 21.332
S.D. 20.870

59150.00

S.S. 22.406
S.D. 21.350
0.0250
0.0250
25.15
23.47
S.S. 22.167
S.D. 21.020

59100.00

S.S. 22.602
S.D. 21.500
0.0250
0.0250
25.30
23.60
S.S. 22.922
S.D. 21.170

02/02/2005
03:23:50 PM
\xsc\u4439_rdy_xpl1.dgn

8/23/99

0 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4439A&B	X-25

150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150

30 / 20

S.S. 21.224
3:1
4:1
0.0250
0.0250
24.04
23.29
S.D. 20.150
S.D. 20.010

63100.00

S.S. 21.660
S.S. 20.595
24.42
23.29
S.D. 20.300
S.D. 20.140

62150.00

S.S. 21.805
S.S. 20.930
24.29
23.09
S.D. 20.450
S.D. 20.270

62100.00

S.S. 21.888
24.38
23.23
S.D. 20.600

61150.00

S.S. 21.968
24.54
23.38
S.D. 20.750
DRIVEWAY

02/02/2005
03:24:52 PM
\\psc\u4439_rdy_xpl_1.dgn

8/23/99

0 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4439A&B	X-26

150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150

30
20

S.S. 21.277
S.D. 19.550
0.0250
0.0250
-L- 22+36
65100.00

S.S. 21.349
S.D. 19.700
0.0250
0.0250
DRIVEWAY
-L- 22+47
64150.00

S.S. 21.626
S.D. 19.850
0.0250
0.0250
0.0250
-L- 22+63
64100.00

S.S. 21.289
S.D. 20.000
0.0250
0.0250
0.0250
-L- 22+81
63150.00

02/02/2005
03:24:59 PM
x:\sc\u4439_rdy_xpl1.dgn

8/23/99

0 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4439A&B	X-27



02/02/2005
03:24:52 PM
L:\roadway\xsc\u4439_rdy_xpl1.dgn

8/23/99

0 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4439A&B	X-28

150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150

30 20 10

S.S. 20.013
3:1 3:1
S.D. 16.003
0.0250
22.79
2196
0.0250
4:1 3:1
S.S. 21.275
19.358

70100.00

S.S. 21.397
3:1 3:1
S.D. 16.066
0.0250
22.96
2206
0.0250
4:1 3:1
S.S. 21.169
19.490

69150.00

S.S. 21.660
3:1 3:1
S.D. 16.128
0.0250
23.02
2209
0.0250
4:1 3:1
S.S. 21.313
19.589

69100.00

S.S. 21.985
3:1 3:1
S.D. 16.190
0.0250
23.06
2218
0.0250
–Y4–

68150.00

–Y3–
0.0250
23.22
2237
0.0250
–Y4–

02/02/2005
03:24:52 PM
x:\sc\u4439_rdy_xpl.dgn

8/23/99

0 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4439A&B	X-29

150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150

20 10 30 20 10

S.S. 21.108
S.D. 15.592
22.13
22.96
0.0200
0.0200
S.S. 21.462
S.D. 18.689

72150.00

S.S. 21.310
S.D. 15.754
22.26
22.95
0.0250
0.0250
S.S. 21.462
S.D. 18.830

72100.00

S.S. 20.815
S.D. 15.817
22.39
22.78
0.0250
0.0250
S.S. 21.327
18.944

71+50.00

S.S. 20.350
S.D. 15.879
22.53
22.74
0.0250
0.0250
DRIVEWAY

71+00.00

S.S. 20.342
S.D. 15.941
22.66
22.81
0.0250
0.0250
S.S. 21.269
19.227

70+50.00

3:1 4:1

02/02/2005
03:24:29 PM
x:\sc\u4439_rdy_xpl_1.dgn

8/23/99

0 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4439A&B	X-30

150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150

20
10

20.5

74150.00

21.2

74100.00

20
10

22.8

73150.00

22.00

4:1
0.0200
3:1
S.S. 21.299
S.O. 18.530
S.O. 15.630

73100.00

150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150

02/02/2005
03:24:52 PM
\\ssc\u4439_rdg_xpl_1.dgn

8/23/99

0 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4439A&B	X-31

13+00.00

12+50.00

12+00.00

11+50.00

11+00.00

10+50.00

10+00.00

2996

2953

2956

2938

2912

2879

2821

S.D. 28300

02/02/2005
02:58:53 PM
c:\projects\xsc\u4439_rdy_xpl_gl.dgn

8/23/99

PROJ. REFERENCE NO.	SHEET NO.
U-4439A&B	X-32

0 10

190 180 170 160 150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110

40
30

S.S. 30.769
3:1
5:1
S.D. 29.700
3060
16+00.00
S.S. 30.471
3:1
5:1
S.D. 29.550
3031
15+50.00
S.S. 30.219
3:1
5:1
S.D. 29.100
3002
15+00.00
S.S. 30.147
3:1
5:1
S.D. 28.900
3016
14+50.00
S.S. 30.148
3:1
5:1
S.D. 28.700
3027
14+00.00
S.S. 28.815
3:1
5:1
S.D. 28.500
2956
13+50.00

-Y1-

02/02/2005
03:24:53 PM
\\sec\u4439_rdy_xpl_gl.dgn

8/23/99

0 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4439A&B	X-33

190 180 170 160 150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110

40
30

10+00.00

5:1
3:1
S.S. 32.350
S.D. 30.000
3.72
3.56

18+50.00

5:1
3:1
S.S. 31.681
S.D. 30.000
3.68
3.50

18+00.00

5:1
3:1
S.S. 31.271
S.D. 30.000
3.28
3.09

17+50.00

5:1
3:1
S.S. 31.062
S.D. 30.000
3.06
2.89

17+00.00

5:1
3:1
S.S. 30.992
S.D. 29.850
2.99
2.86

16+50.00

-Y1-

02/02/2005
03:24:53 PM
...\xsc\u4439_rdy_xpl_y1.dgn

8/23/99

0 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4439A&B	X-34

22+50.00

22+00.00

21+50.00

21+00.00

20+50.00

20+00.00

19+50.00

-Y1-

02/02/2005
c:\projects\xsc\u4439_rdy_xpl.gl.dgn
03:24:53 PM

8/23/99

0 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4439A&B	X-35

190 180 170 160 150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110

40
30

3:1

S.S. 32.064

3482

25+50.00

3489

25+00.00

3539

24+50.00

3500

24+00.00

3536

23+50.00

3538

23+00.00

-Y1-

02/02/2005
c:\projects\xsec\u4439_rdy_xpl_y1.dgn
03:24:53 PM

8/23/99

0 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4439A&B	X-36

S.S. 32.623

3:1

3373

28+00.00

S.S. 32.486

3:1

3296

27+50.00

S.S. 32.183

3:1

3305

27+00.00

S.S. 32.747

3:1

3342

26+50.00

S.S. 32.378

3:1

3423

26+00.00

-Y1-

02/02/2005
03:25:54 PM
\\Xsec\u4439_rdy_xpl_gl.dgn

8/23/99

0 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4439A&B	X-37

190 180 170 160 150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110

40
30

3:1
S.S. 34.420

34+50
30+50.00

40
30

3:1
S.S. 33.054

33+37
30+00.00

40
30

3:1
S.S. 32.427

32+24
29+50.00

40
30

3:1
S.S. 32.871

32+21
29+00.00

40
30

3:1
S.S. 32.279

31+39
28+50.00

–Y1–

190 180 170 160 150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110

02/02/2005
03:24:54 PM
\\sc\u4439_rdy_xsl_gl.dgn

8/23/99

0 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4439A&B	X-38

190 180 170 160 150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110

30

3190

33+50.00

3181

33+00.00

3225

32+50.00

3263

32+00.00

3328

31+50.00

3695

31+00.00

34.672

5.5.

3:1

-Y1-

02/02/2005
03:24:54 PM
...sse\u4439_rdy_xpl_gl.dgn

8/23/99

0 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4439A&B	X-39



02/02/2005
03:29:54 PM
x:\rdy\xpl_gl.dgn
x:\sc\u4439_rdy_xpl_gl.dgn

8/23/99

0 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4439A&B	X-40

150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150

30 20

29.79
2835
0.0250 0.0250
11+50.00

30 20

29.06
2656
0.0250 0.0250
11+25.00

30 20

29.54
2782
A1 0.0250 0.0150 –SBL2–
11+00.00

30 20

30.25
2762
A3 0.0150 0.0105 –SBL2–
10+75.00

30 20

31.20
2980
A1 0.0004 –SBL2–
10+50.00

150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150

–Y2–

02/02/2005
I:\projects\xsc\u4439_rdy_xpl_y2.dgn
03:24:55 PM

8/23/99

PROJ. REFERENCE NO.	SHEET NO.
U-4439A&B	X-41

0 10

150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150

30
20

12+75.00

28+47

30
20

12+50.00

28+49

30
20

12+25.00

28+22

30
20

12+00.00

28+22

30
20

28+57

0.0200

0.0340

11+75.00

-Y2-

02/02/2005
03:22:58 PM
\\ss\u4439\rdy_xpl_y2.dgn


SUBSTATION FENCE CORNER
@ 13+23.69 38.52' RT.
S.S. 21.295
S.D. 19.290
0.0250
22.27
Z010
0.0250
R=50
4:1
S.S. 20.719
13+00.00
S.S. 21.443
S.D. 19.400
0.0250
22.34
Z016
0.0250
4:1
3:1
S.S. 20.761
S.D. 18.200
12+50.00
S.S. 21.540
S.D. 19.550
0.0250
22.48
Z023
0.0250
4:1
3:1
S.S. 21.537
S.D. 18.350
12+00.00
S.S. 21.678
S.D. 19.700
0.0250
22.49
Z028
0.0250
3.31:1
4:1
3:1
S.S. 21.559
S.D. 18.500
11+50.00
S.S. 20.747
S.D. 19.850
0.0250
22.31
Z022
0.0250
3.69:1
4:1
3:1
S.S. 21.639
S.D. 18.650
11+00.00
S.D. 20.000
0.0400
22.42
Z029
0.0200
4.95:1
S.D. 18.800
10+50.00
20.108
Z099
18.874
10+00.00
Y3
30
20
90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90
0
10
PROJ. REFERENCE NO.
U-4439A&B
SHEET NO.
X-42









Y3

90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90

0 10

PROJ. REFERENCE NO. U-4439A&B

SHEET NO. X-43



PROJ. REFERENCE NO.	SHEET NO.
U-4439A&B	X-44

8/23/99

0 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4439A&B	X-45

30 20 30 20 30 20

90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90

0.20

15+00.00

2.39

15+00.00

20.81

14+90.00

Y4

02/02/2005
C:\projects\xsc\u4439_rdy_xpl_y4.dgn
03:24:56 PM