



STATE OF NORTH CAROLINA  
DEPARTMENT OF TRANSPORTATION

MICHAEL F. EASLEY  
GOVERNOR

LYNDO TIPPETT  
SECRETARY

March 9, 2007

**Addendum No. 2**

RE: Contract ID: C201744

WBS# 34934.3.3

Wake County (U-3344A)

SR-3015 (Airport Blvd.) From NC-54

To McCrimmon Parkway at Mooresville.

**March 20, 2007 Letting**

To Whom It May Concern:

Reference is made to the proposal form recently furnished to you on this project.

The following revisions have been made to the proposal:

On Page Nos. 54 and 55, the project special provision entitled "Utilities By Others" has been revised. Please void Page Nos. 54 and 55 in your proposal and staple the revised Page Nos. 54, 54-A and 55 thereto.

The completion date has been reevaluated in light of the revised Utility By Others project special provisions and it has been determined that no change will be made in the completion date.

Sincerely,

A handwritten signature in black ink, appearing to read "R. A. Garris".

R. A. Garris, PE  
Contract Officer

**Addendum No. 2**  
**Page No. 2 (C201744)**  
**Wake County (U-3344A)**

RAG/jag/pa  
Attachment

cc: Mr. W. S. Varnedoe, PE  
Mr. E. C. Powell, PE  
Mr. J. W. Bowman, PE  
Ms. D. M. Barbour, PE  
Mr. Art McMillan, PE  
Mr. Victor Barbour, PE  
Mr. Stuart Bourne, PE  
Mr. Mark Staley (2)  
Mr. Robert Memory  
Mr. R. E. Davenport, Jr., PE  
Ms. Norma Smith  
Ms. Marsha Byrd  
Mr. Ronnie Higgins  
Ms. Taylor Mishoe  
Ms. Marsha Sample  
Project File (2)

PROJECT SPECIAL PROVISIONS

Utility

UTILITIES BY OTHERS

General:

The following utility companies have facilities that will be in conflict with the construction of this project.

- A) Progress Energy - Distribution
- B) Bell South - Telephone
- C) Progress Telecom - Communications
- D) Public Service NC - Gas
- E) Time Warner - CATV
- F) Town of Cary - Communications
- G) ITC/Deltacom - Communications

The conflicting facilities of these concerns will be adjusted prior to the date of availability, unless otherwise noted and are therefore listed in these special provisions for the benefit of the Contractor. All utility work listed herein will be done by the utility owner. All utilities are shown on the plans from the best available information.

The Contractor's attention is directed to Article 105-8 of the Standard Specifications.

Utilities Requiring Adjustment:

- A) Progress Energy - Distribution

- 1) See Utilities by Others Plans.

NOTE: Progress Energy will complete relocations of their existing power distribution facilities to the new temporary location as shown on the utilities by others plans by the date of availability. After the project is completed Progress Energy will relocate the temporary power distribution facilities to the new permanent location as shown on the utilities by others plans.

- B) Bell South - Telephone

- 1) See Utilities by Others Plans.

NOTE: All buried telephone cables and fiber optic cables will remain in place to be adjusted as necessary. The contractor shall give Bell South one week notice prior

to installation of drainage structures right of line -L- from Station 13+00 to Station 20+00 and then allow Bell South two weeks to complete any adjustments necessary to correct any conflicts with the proposed drainage. The removal of the existing Controlled Environmental Vault left of line -L- at Station 14+70 will be completed by Bell South by May 15, 2007.

C) Progress Telecom - Communications

- 1) See Utilities by Others Plans

NOTE: Progress Telecom will complete relocations of their existing communications facilities to the new location in joint use with Progress Energy as shown on the utilities by others plans by the date of availability.

D) Public Service NC - Gas

- 1) See Utilities by Others Plans

NOTE: Public Service will complete relocations of their existing buried gas facilities to the new locations as shown on the utilities by others plans by the date of availability with the exception of the installation at the proposed reinforced concrete box culvert which will be coordinated with the contractor.

The contractor shall give Public Service NC a minimum of two weeks notice prior to beginning construction of the proposed reinforced concrete box culvert at Station 37+45 -L- and then allow PSNC one week to cut and cap the existing gas line on each side of the proposed culvert construction site. After completion of the proposed RCBC, the contractor shall give PSNC a minimum of two weeks notice and then allow PSNC one week to reconnect and install the new gas line section over the proposed RCBC prior to the contractor placing backfill over the proposed RCBC in the location of the new section of gas line.

E) Time Warner - CATV

- 1) See Utilities by Others Plans

F) Town of Cary - Communications

- 1) See Utilities by Others Plans

NOTE: Town of Cary will complete relocations of their existing Communications facilities to the new location in joint use with Progress Energy as shown on the utilities by others plans by the date of availability.

G) ITC/Deltacom - Communications

1) See Utilities by Others Plans

NOTE: Contractor shall give ITC/Deltacom one week notice prior to installation of drainage structures left of line -L- from Station 25+00 to Station 35+00 and then allow ITC/Deltacom one week to install a new conduit system in joint use with the proposed drainage.

Contractor shall give ITC/Deltacom one week notice prior to completing rough grading right of line -L- from Station 39+00 to Station 42+00 and then allow ITC/Deltacom one week to install new conduit system by directional bore after completion of rough grading.

NOTE: All other utilities will remain in place and will be adjusted as necessary.