

**PRELIMINARY SITE ASSESSMENT
PARCEL 6, HILLARY MCKAY PROPERTY
2483 US HIGHWAY 1
RICHMOND COUNTY, NORTH CAROLINA
WBS ELEMENT: 34438.1.1; NCDOT PROJECT: R-2502 A**

Prepared for:
NC Department of Transportation
Geotechnical Engineering Unit
GeoEnvironmental Section
1589 Mail Service Center
Raleigh, North Carolina 27699-1589

Prepared by:
Solutions-IES
1101 Nowell Road
Raleigh, North Carolina 27607

Solutions-IES Project No. 3260.06A3.NDOT

September 20, 2006

Dottie Schmitt

Dottie Schmitt
Environmental Specialist



Sheri L. Knox, P.E.
Project Manager

TABLE OF CONTENTS

1.0	INTRODUCTION.....	1
2.0	BACKGROUND AND SITE DESCRIPTION.....	1
3.0	FIELD ACTIVITIES.....	2
4.0	SAMPLING RESULTS.....	3
5.0	DISCUSSION AND CONCLUSIONS.....	3

FIGURES

FIGURE 1 – SITE LOCATION MAP

FIGURE 2 – SITE MAP

FIGURE 3 – SOIL BORING LOCATIONS

APPENDICES

APPENDIX A – PHOTOGRAPHS

APPENDIX B – GEOPHYSICAL INVESTIGATION

APPENDIX C – BORING LOGS

APPENDIX D – GPS COORDINATES OF BORING LOCATIONS

APPENDIX E – LABORATORY ANALYTICAL REPORTS

1.0 INTRODUCTION

The North Carolina Department of Transportation (NCDOT) is widening the existing alignment of US Highway 1 near the towns of Marston and Hoffman, located in Richmond County, North Carolina. Acquisition of properties within the right-of-way is necessary prior to road construction. On July 19, 2006, Solutions-IES submitted a proposal (NC06554P) to conduct Preliminary Site Assessments (PSAs) on ten parcels of land located within the proposed right-of-way that are of concern to the NCDOT. This report summarizes the results of field activities conducted during the PSA for a portion of the property identified by NCDOT as Parcel 6, Hillary McKay Property (**Figure 1**). The right-of-way portion of this property (i.e., the Study Area) is more clearly identified on **Figure 2**. The scope of work executed at the Study Area was performed in general accordance with Solutions-IES proposal NC06554P and was initiated based on a Notice to Proceed issued by the NCDOT Geotechnical Engineering Unit on July 20, 2006 under contract 7000007053, dated June 5, 2006.

2.0 BACKGROUND AND SITE DESCRIPTION

The subject property is located at 2483 US Highway 1, on the north side of US Highway 1, east of Mercer Street in Richmond County, North Carolina (site). According to Solutions-IES field observations, the site contains two abandoned buildings, one garage and one vacant house. A concrete loading dock is located at the back of the garage, on the northwest side of the building. The surface of the site is primarily covered with grass. Photographs of the site are presented in **Appendix A**.

According to information provided in a Phase I Site Assessment (S&ME, Inc. "Limited Phase I Environmental Site Assessment", February 5, 1999), the property formerly operated as a gasoline station and automotive garage. A 700-gallon underground storage tank (UST) and its associated pump island were located south of the garage, approximately 38 feet north of the centerline of US Highway 1, within the existing right-of-way. Reportedly, the UST was removed in the late 1980s or early 1990s. As a UST had previously been located on the site, there is a possibility that petroleum fuels were used on the property. Therefore, there is a possibility that these constituents may have been released from to the subsurface in the vicinity of the proposed right-of-way.

3.0 FIELD ACTIVITIES

Prior to mobilizing to the site to conduct subsurface sampling, Solutions-IES contacted North Carolina One Call to locate underground utilities in the proposed right-of-way. Pyramid Environmental & Engineering, P.C. (Pyramid) was contracted to perform an electromagnetic survey of the subsurface in the proposed right-of-way and easement area. Pyramid surveyed the site on July 27, 2006 and August 16, 2006. The electromagnetic survey equipment (EM61) and ground penetrating radar (GPR) identified various magnetic anomalies within the study area but did not suggest the presence of metallic tanks, such as USTs. The EM61 images are included in **Appendix B**, Figures 2 and 3. A GPR image was not included in the report.

After reviewing the background information and geophysical data, Solutions-IES elected to analyze soil samples collected at designated locations within the Study Area for total petroleum hydrocarbons (TPH). These activities were conducted on August 24, 2006. A total of seven soil borings (borings P6-B1 through P6-B7) were advanced at the site in the locations depicted on **Figure 3**. These borings were labeled with the prefix “P6” to identify their location on Parcel 6. All seven borings were advanced with a truck-mounted Geoprobe[®] to a total depth of 8 feet below ground surface (ft bgs).

Soil samples were obtained from each boring using a MacroCore[®] sampler fitted with single-use, disposable polyvinyl chloride (PVC) liners. Each liner was 4 feet in length. Upon retrieval, a portion of each soil sample was placed in a resealable plastic bag. The bag was sealed and placed at ambient temperature for field screening with a flame ionization detector (FID). The remaining portion of each 2-foot interval was left in the PVC liner, wrapped in plastic and placed on ice for possible laboratory analysis.

Volatile organic compounds (VOCs) were allowed to accumulate in the headspace of each bag for approximately 20 minutes, after which time the headspace of each sealed bag was scanned with the FID. The FID readings were entered on the boring logs along with the soil description and indications of staining or odors, if present. Soils from the borings at the Parcel 6 Study Area generally consisted of fine silty sand (SM). Logs for each boring are presented in **Appendix C**. The GPS coordinates for the borings are provided in **Appendix D**.

Headspace screening of the soil samples with the FID did not indicate the presence of volatile vapors. No distinguishable odors were noted in these samples.

Soil samples for laboratory analysis were retained from each boring at the 6-8 foot interval. The samples selected for analysis were from the deepest interval sampled. The samples were placed in laboratory-supplied containers and stored on ice pending shipment to Prism Laboratories, Inc. in Charlotte, NC. Sample information was recorded on the chain-of-custody and the samples were submitted for chemical analysis of total petroleum hydrocarbons (TPH) gasoline range organics (GRO) by Modified EPA Method 5030/8015 and TPH diesel range organics (DRO) by Modified EPA Method 3550/8015.

4.0 SAMPLING RESULTS


Analytical data for the soil samples obtained from the site revealed no detections of TPH DRO or TPH GRO at concentrations above the laboratory reporting limits. Laboratory reports associated with these samples are presented in **Appendix E**.

5.0 DISCUSSION AND CONCLUSIONS

The geophysical survey conducted at the site did not reveal buried metallic equipment such as USTs within the Study Area. The survey did suggest metallic anomalies consistent with the presence miscellaneous buried metal debris.

Solutions-IES installed seven soil borings at the site to determine the presence or absence of petroleum contamination in the Study Area at Parcel 6, as well as document soil conditions. Analytical data for soil samples submitted for chemical analysis showed that TPH GRO and TPH DRO were not detectable above the laboratory reporting limits. Based on current information, additional assessment is not recommended.

FIGURES



1:10,000

REFERENCE:
 USGS 7.5 MINUTE TOPOGRAPHIC MAP
 MARSTON, NORTH CAROLINA, 1949, PHOTOREVISED 1982.
 DRG digital map from N.C. Geological Survey, 1997)

SITE LOCATION MAP
 PARCEL 6
 HILLARY MCKAY PROPERTY
 RICHMOND COUNTY, NORTH CAROLINA
 STATE PROJECT NO. R-2502 A, WBS ELEMENT# 34438.1.1



1101 Nowell Road, Raleigh, NC 27609 Phone (919) 873-1060, Fax (919) 873-1074	
Created by: RT	Project: 3260.06A3.NDOT
Checked by: SK	Date: SEPTEMBER 2006
File: Figure 1.mxd	
Software: ESRI ArcMap 9.1	FIGURE 1

PROJECT NUMBER
3268.0643.NDOT


DRAFTER
RT

CHECKED BY
SK

PROJECT MANAGER
SK

DATE
AUGUST 2006


FILE
FIG2.DGN




STUDY AREA



NOTES:



NOTE: BASEMAP PROVIDED BY NCDOT



PARCEL 6
 HILLARY NCKAY PROPERTY
 RICHMOND COUNTY, NORTH CAROLINA
 STATE PROJECT NO. R-2502 A
 WBS ELEMENT* 34438.1.1

SITE MAP

FIGURE
2

Solutions-IES
 Industrial & Environmental Services
 1101 NOVELL ROAD
 RALEIGH, NORTH CAROLINA 27607
 TEL.: (919) 873-1060 FAX.: (919) 873-1074

PROJECT NUMBER
3268.0643.N001

DRAFTER
RT

CHECKED BY
SK

PROJECT MANAGER
SK

DATE
AUGUST 2006

FILE
F103.DGN

SR 1482 CASHION ST.

SR 1482 CASHION ST. 19' BST

18'

STUDY AREA

R
W

P6-B1

P6-B2

P6-B3

P6-B4

P6-B5

P6-B7

P6-B6

ISBKD

WD DK

48' BK

10' BST

6

6

7

8

10

9

36' WD RAIL

36' WD RAIL

36' WD RAIL

36' WD RAIL

36' WD RAIL

36' WD RAIL

36' WD RAIL

US 1 36' BST

US 1 36' BST

TO ROCKINGHAM

TO PINEBLUFF

ISFD 36' CONC

HTR

CONC

ISBLK BUS

ISF BUS ABAND

ISBK BUS

ISF BUS ABAND

GR

GUY

Solutions-IES
Industrial & Environmental Services
1101 NDWELL ROAD
RALEIGH, NORTH CAROLINA 27607
TEL.: (919) 873-1060 FAX.: (919) 873-1074

NOTES:



NOTE: BASEMAP PROVIDED BY NCDOT

PARCEL 6
HILLARY MCKAY PROPERTY
RICHMOND COUNTY, NORTH CAROLINA
STATE PROJECT NO. R-2502 A
WBS ELEMENT: 34438.1.1

LEGEND
P6-B1 ● SOIL BORING LOCATION

SOIL BORING LOCATIONS

FIGURE:
3

APPENDIX A
PHOTOGRAPHS



Photograph 1– View of Parcel 6 from east to west along US Highway 1.



Photograph 2– View of Parcel 6 from west to east along US Highway 1.

APPENDIX B

GEOPHYSICAL INVESTIGATION

GEOPHYSICAL INVESTIGATION REPORT

***GEOPHYSICAL SURVEYS FOR THE
DETECTION OF METALLIC USTS***

US 1 from SR 1001 to the Richmond County Line

Richmond, North Carolina

State Project Number U-3459

September 1, 2006


**Report prepared for: Sheri Knox, PE
Solutions IES
1101 Nowell Rd.
Raleigh, NC 27607**

Prepared by:



Douglas Canavello, PG

Reviewed by:



Tim Leatherman, PG

**PYRAMID ENVIRONMENTAL & ENGINEERING, P.C.
700 NORTH EUGENE ST.
GREENSBORO, NC 27401
(336) 335-3174**

Solutions IES
GEOPHYSICAL SURVEYS FOR THE DETECTION OF METALLIC USTS
US 1 from SR 1001 to the Richmond County Line
State Project Number U-3456

TABLE OF CONTENTS

- 1.0 INTRODUCTION
- 2.0 FIELD METHODOLOGY
- 3.0 DISCUSSION OF RESULTS
 - 3.1 Parcel 6 – Hillary McKay Property
 - 3.2 Parcel 9 – K.J. Lewis Property
 - 3.3 Parcel 21 – James Brigman Property
 - 3.4 Parcel 48 – Roy Barry Bostick Property
 - 3.5 Parcel 50 – Pansy Ernest Property
 - 3.6 Parcel 51 – Church of Deliverance Property
 - 3.7 Parcel 61 – Cooper & Brown Inc. Property
 - 3.8 Parcel 70 – Delia Lassiter Property
 - 3.9 Parcel 22 – Ivey Little Property
 - 3.10 Parcel 68 – James Pugh Property
- 4.0 SUMMARY & CONCLUSIONS
- 5.0 LIMITATIONS

FIGURES

- Figure 1 Site & Geophysical Equipment Photos
- Figure 2 Parcel 6 – Hillary McKay Property – EM61 Bottom Coil Results
- Figure 3 Parcel 6 – Hillary McKay Property – EM61 Differential Results
- Figure 4 Parcel 9 – K.J. Lewis Property – EM61 Bottom Coil Results
- Figure 5 Parcel 9 – K.J. Lewis Property – EM61 Differential Results
- Figure 6 Parcel 9 – K.J. Lewis Property – Photo & GPR Image of UST Locations
- Figure 7 Parcel 21 – James Brigman Property – EM61 Bottom Coil Results
- Figure 8 Parcel 21 – James Brigman Property – EM61 Differential Results

- Figure 9 Parcel 21 – James Brigman Property – Photo & GPR Image of UST Locations
Figure 10 Parcel 48 – Roy Barry Bostick Property – EM61 Metal Detection Results
Figure 11 Parcels 50 & 51 – Earnest & Church Properties – EM61 Bottom Coil Results

FIGURES (continued)

- Figure 12 Parcels 50 & 51 – Earnest & Church Properties – EM61 Bottom Coil Results
Figure 13 Parcels 50 & 51 – Earnest & Church Properties – Photo & GPR Image of UST Locations
Figure 14 Parcel 61 – Cooper & Brown Inc. Property – EM61 Bottom Coil Results
Figure 15 Parcel 61 – Cooper & Brown Inc. Property – EM61 Differential Results
Figure 16 Parcel 70 – Delia Lassiter Property – EM61 Bottom Coil Results
Figure 17 Parcel 70 – Delia Lassiter Property – EM61 Differential Results
Figure 18 Parcel 22 – Ivey Little Property – EM61 Bottom Coil Results
Figure 19 Parcel 22 – Ivey Little Property – EM61 Differential Results
Figure 20 Parcel 68 – James Pugh Property – EM61 Metal Detection Results

1.0 INTRODUCTION

Pyramid Environmental & Engineering, PC conducted geophysical investigations for Solutions IES during the period of July 26 through August 28, 2006, within the proposed Right-of-Way (ROW) areas at 10 sites located in Richmond County, North Carolina. The work was done as part of the North Carolina Department of Transportation (NCDOT) road-widening project under State Project number U-3459. The sites are located along the northern or western sides of US 1 from SR 1001 to the Richmond County Line. The geophysical surveys were conducted to determine if unknown metallic underground storage tanks (UST's) were present beneath the proposed ROW area of each site.

Solutions IES representative Ms. Sheri Knox, PE provided maps during the week of July 24, 2006 that outlined the geophysical survey area of each site. Ms. Knox also provided project management during the geophysical investigation of the sites. Geophysical surveys were conducted within the proposed ROW areas at the following 10 sites that are listed from the southern-most site to the northern-most site.

<u>Property Owner</u>	<u>Parcel</u>	<u>Present Use of Property</u>
Hillary McKay Property	(Parcel 6)	Grass-covered lot with garage
K.J. Lewis Property	(Parcel 9)	Vacant, wooded lot
James Brigman Property	(Parcel 21)	Vacant, grass-covered Lot
Roy Barry Bostick Property	(Parcel 48)	Grass-covered lot and garage
Pansy Ernest Property	(Parcel 50)	Grass-covered lot with vacant store
Church of Deliverance Prop.	(Parcel 51)	Asphalt lot with active church
Cooper & Brown Inc. Prop.	(Parcel 61)	Vacant lot and commercial building

Delia Lassiter Property	(Parcel 70)	Vacant lot and building
Ivey Little Property	(Parcel 22)	Vacant lot and building
James Pugh Property	(Parcel 68)	Vacant, wooded lot

Photographs of the above sites along with photographs of the geophysical equipment used for this project are presented in **Figure 1**.

2.0 FIELD METHODOLOGY

Prior to conducting the geophysical investigations, a 10-foot by 10-foot or 10-foot by 20-foot survey grid was established across the proposed ROW areas of the 10 sites using water-based marking paint or pin flags. These marks were used as X-Y coordinates for location control when collecting the geophysical data and establishing base maps for the geophysical results.

The geophysical investigations consisted of electromagnetic (EM) induction-metal detection surveys and ground penetrating radar (GPR) surveys. The EM surveys were performed using a Geonics EM61-MK1 metal detection instrument. According to the instrument specifications, the EM61 can detect a metal drum down to a maximum depth of approximately 8 feet. The EM61 data were digitally collected at each site along parallel northerly-southerly or easterly-westerly trending survey lines spaced five feet apart. The data were downloaded to a computer and reviewed in the field and office using the Geonics DAT61W and Surfer for Windows Version 7.0 software programs.

Contour plots of the EM61 bottom coil results and the EM61 differential results for each site are included in this report. The bottom coil results represent the most sensitive component of the EM61 instrument and detect metal objects regardless of size. The bottom coil response can be used to

delineate metal conduits or utility lines, small, isolated metal objects, and areas containing insignificant metal debris.

The differential results are obtained from the difference between the top and bottom coils of the EM61 instrument. The differential results focus on the larger metal objects such as drums and USTs and ignore the smaller insignificant metal objects.

GPR surveys were conducted across selected EM61 differential anomalies and steel-reinforced concrete using a GSSI SIR-2000 unit equipped with a 400 MHz antenna. Surveys were also performed across several areas where parked vehicles that obstructed the EM61 survey had since been removed. GPR data were digitally collected in a continuous mode along X and/or Y survey lines, spaced two to five feet apart using a vertical scan of 512 samples, at a rate of 48 scans per second. An 80 MHz high pass filter and an 800 MHz low pass filter were used during data acquisition with the 400 MHz antenna. GPR data were collected down to a maximum depth of approximately five feet, based on an estimated two-way travel time of 9 nanoseconds per foot.

The GPR data were downloaded to a field computer and later reviewed in the office using Radprint and Radan 5.0 software programs. The locations of GPR survey areas or individual GPR survey lines are shown as solid, purple polygons or solid purple lines, respectively, on the EM61 differential contour plots. The approximate perimeters of probable or possible USTs, based on the geophysical results, were marked and labeled in the field using orange, water-based marking paint and pin flags (when possible). The approximate locations of probable or possible USTs are shown as magenta-colored rectangles on the EM61 bottom coil and differential contour plots.

During the weeks of August 7, August 14, and August 28, preliminary contour plots of the EM61 bottom coil and the differential results were emailed to Ms. Knox.

3.0 DISCUSSION OF RESULTS

3.1 Parcel 6 – Hillary McKay Property

The Hillary McKay Property (Parcel 6) contains a former auto repair garage and a vacant wooden building. The ROW area consists of a flat-lying grass surface. The bottom coil results and the differential results are presented in **Figures 2 and 3**, respectively. GPR surveys conducted around the perimeter of the garage and wooden building, suggest that the EM61 anomalies surrounding the two buildings are in response to the structures and perhaps buried miscellaneous metal debris. The remaining EM61 anomalies are probably in response to buried miscellaneous metal debris. The geophysical results suggest that the proposed ROW area at Parcel 6 does not contain metallic UST's.

3.2 Parcel 9 – K.J. Lewis Property

The K.J. Lewis property (Parcel 9) is located immediately north of the Mercer Road and US 1 intersection, approximately 200 feet northeast of Parcel 6. The property consists of an abandoned building along the edge of US 1, which is surrounded by dense wooded terrain. A former pump island area is located in front of the building. The EM61 bottom coil results and the differential results are presented in **Figures 4 and 5**, respectively. Due to limited access to the site, the geophysical investigation was limited to the front portion of the property that is located along US 1.

The geophysical investigation detected the probable presence of two USTs located adjacent to the pump island area. The first UST is centered near grid coordinates X=84 Y=27, and buried approximately 1.5 feet below surface. The second UST is centered near grid coordinates X=103 Y=27, and is buried approximately 2.0 feet below surface. This latter UST appears to be partially beneath the former pump island area. The approximate locations of the USTs are shown as magenta-colored rectangles in Figures 4 and 5. Based on the GPR results, the probable USTs are approximately 10 feet long and 4 feet wide. A photograph showing the approximate locations of the two probable USTs and the image of GPR survey lines Y=27.5, which intersects the probable USTs, are presented in **Figure 6**.

The EM61 differential anomaly centered near grid coordinates X=118 Y=29, may possibly be in response to a UST or large metal object. However, GPR surveys could not be conducted across this EM anomaly due to the limited access caused by the dense wooded terrain. The approximate location of this possible UST is shown as a dashed, magenta-colored rectangle in Figures 4 and 5, and in the site photograph that is presented in Figure 6.

The remaining portion of the geophysical survey area does not appear to contain significant, buried, metal objects.

3.3 Parcel 21 – James Brigman Property

The James Brigman property (Parcel 21) consists of an open, grass and asphalt-covered lot located along the western side of US 1. The EM61 bottom coil results and the differential results are presented in **Figures 7 and 8**, respectively.

GPR surveys conducted across the linear, EM61 bottom coil anomalies that intersect grid coordinates X=62 Y=70, X=66 Y=94, X=84 Y=94, and X=87.5 Y=75, suggest the anomalies are probably in response to buried utility lines or conduits. GPR data also suggest that the high amplitude anomalies centered near grid coordinates X=77 Y=84, and X=93 Y=66, are probably in response to buried miscellaneous metal objects or junction areas for the conduits or utility lines.

GPR surveys conducted across the large, high amplitude anomaly centered near X=45 Y=75, detected the probable presence of four metallic USTs. The four probable USTs are centered near grid coordinates X=43 Y=80, X=50 Y=80, X=42 Y=73, and X=48 Y=73. Based on the GPR data, the USTs appear to be approximately 9 feet long and 3.5 to 4 feet wide and buried approximately 1.5 to 2.0 feet below surface. The approximate locations of the probable USTs are shown as magenta-colored rectangles in Figures 7 and 8. A photograph showing the approximate locations of the four probable USTs and the image of GPR survey lines Y=80, which intersects the two probable USTs centered near X=43 Y=80, and X=50 Y=80, are presented in **Figure 9**.

The remaining EM61 anomalies recorded within the proposed ROW area are probably in response to miscellaneous metal debris.

3.4 Parcel 48 – Roy Barry Bostick Property

The Roy Barry Bostick property (Parcel 48) consists of a red, brick building surrounded by flat-lying grass-covered terrain. The parcel is located along the northwestern side of US 1 approximately 300 feet southwest of the US 1 and Tilley Street intersection. The EM61 bottom coil results and the differential results are presented in **Figure 10**.

GPR surveys conducted across the EM61 anomaly centered near grid coordinates X=295 Y=60, suggest that the anomaly is probably in response to one or more large diameter (12 or more inches) conduits buried approximately 1.0 feet below surface. There is a possibility (although unlikely) that the anomaly may be in response to a very small UST centered near grid coordinates X=290 Y=59. The location of the possible, but unlikely UST is shown as a magenta-colored square in Figure 10.

GPR surveys conducted along the edge of the brick building suggest that the EM61 anomalies recorded in this area are probably in response to the building and/or buried miscellaneous debris. The remaining EM61 anomalies recorded within the proposed ROW area at Parcel 48 are probably in response to known cultural features and/or buried miscellaneous debris.

3.5 Parcel 50 – Pansy Ernest Property

The Pansy Ernest property (Parcel 50) is located on the western corner of the Tilley Street and US1 intersection. The parcel contains the former Little Grace’s Variety store surrounded by a flat-lying grass-covered, terrain. An occupied house is located immediately west of the property. The EM61 bottom coil results and the differential results are presented in **Figures 11 and 12**, respectively. Please note that Figures 11 and 12 also contain the EM61 results for Church of Deliverance property (Parcel 51).

GPR surveys conducted across the backyard of Parcel 50 suggest the linear EM61 bottom coil anomalies intersecting grid coordinates X=570 Y=115, X=570 Y=126, X=580 Y=90, and X=586 Y=125, are probable in response to buried conduits or lines. Similarly, the locations of the linear EM61 anomalies intersecting grid coordinates X= 622 Y=80, X=622 Y=120, and X=640 Y=35, suggest these anomalies are probably in response to buried utility lines.

GPR surveys conduct across the high amplitude anomalies centered near grid coordinates X=575 Y=105, and X=590 Y=113, suggest the anomalies are probably in response to the “junction” of conduits and/or other miscellaneous objects. Although not confirmed by the GPR results, the EM61 anomaly located at X=575 Y=105, may be in response to a possible septic tank.

GPR surveys conducted across the EM61 anomaly centered near grid coordinates X=567 Y=55, detected the probably presence of two USTs buried approximately 0.75 feet below surface. The approximate locations of the probably USTs are shown as magenta-colored rectangles in Figures 11 and 12 and each UST appears to be approximately eight feet long and three feet wide. A photograph showing the approximate locations of the two probable USTs and the image of GPR survey line Y=55, which intersects the probable USTs, are presented in **Figure 13**.

The remaining EM61 anomalies recorded within the proposed ROW area at Parcel 50 are probably in response to known cultural features or buried miscellaneous metal debris.

3.6 Parcel 51 – Church of Deliverance Property

The Church of Deliverance property (Parcel 51) contains an active church building surrounded by a grass, gravel or asphalt-covered parking area. The property is located on the northern corner of the Tilley Street and US 1 intersection immediately across the street from the Pansy Ernest property (Parcel 50). The EM61 bottom coil results and the differential results for Parcel 51 are presented in **Figures 11 and 12**, respectively along with the EM61 results for Parcel 50.

The linear EM61 bottom coil anomalies intersecting grid coordinates X=670 Y=50, X=700 Y=30, and X=700 Y=65, are probably in response to buried utility lines or conduits. GPR surveys conducted across the EM61 differential anomaly centered near X=705 Y=105, and along the front edge of the church building suggest the anomalies are probably in response to miscellaneous debris and the building, respectively.

The remaining EM61 anomalies recorded within the proposed ROW area at Parcel 51 are probably in response to known cultural features or miscellaneous buried debris. The geophysical results also suggest that the proposed ROW area does not contain metallic USTs.

3.7 Parcel 61 – Cooper & Brown Inc. Property

The Cooper & Brown Inc. property (Parcel 61) is located on the western side of the US 1 and Little Road intersection. The proposed ROW area of Parcel 61 contains a vacant business building surrounded by flat-lying grass or asphalt surfaces. A concrete pad is located in front of the building and probably identifies the former pump island area. An occupied house lies to the northwest of the proposed ROW area.

The EM61 bottom coil results and the differential results are presented in **Figures 14 and 15**, respectively. The linear EM61 bottom coil anomalies intersecting grid coordinates X=130 Y=34, X=142 Y=105, X=186 Y=100, X=210 Y=42, and X=213 Y=83, are probably in response to buried utility lines or conduits. The high amplitude anomalies centered near grid coordinates X=75 Y=67, and X=80 Y=50, are probably in response to steel reinforced concrete. GPR surveys conducted across these two areas did not detect the presence of USTs.

GPR surveys conducted across the high amplitude anomaly centered near X=226 Y=116, suggest the anomaly is probably in response to steel reinforced concrete and/or to the metal conduits that are visible at the surface. GPR surveys conducted along the perimeter of the building suggest that the EM61 anomalies are probably in response to the building and/or to miscellaneous debris. The remaining EM61 anomalies are probably in response to known cultural features and/or to buried miscellaneous metal debris.

The geophysical results suggest that the proposed ROW area at Parcel 61 does not contain metallic USTs.

3.8 Parcel 70 – Delia Lassiter Property

The Delia Lassiter Property (Parcel 70) contains a vacant building surrounded primarily by grass yard and an asphalt driveway. An occupied house lies immediately north of the proposed ROW area. The EM61 bottom coil results and the differential results are presented in **Figures 16 and 17**, respectively.

The linear EM61 anomaly intersecting grid coordinates X=90 Y=110, is probably in response to a buried utility line or conduit. The remaining EM anomalies are probably in response to known cultural features or to buried miscellaneous debris. The geophysical results suggest that the proposed ROW area at the Delia Lassiter property does not contain metallic USTs.

3.9 Parcel 22 – Ivey Little Property

The Ivey Little property (Parcel 22) is located along the northwest side of US 1 and consists of a vacant building surrounded by a gravel-covered driveway and grass-covered fields. The EM61 bottom coil results and the differential results are presented in **Figures 18 and 19**, respectively.

The linear EM61 anomaly intersecting grid coordinates X=354 Y=35, is probably in response to a buried utility line or conduit. The remaining EM anomalies are probably in response to known cultural features or to buried miscellaneous debris. The geophysical results suggest that the proposed ROW area at the Ivey Little property does not contain metallic USTs.

3.10 Parcel 68 – James Pugh Property

The James Pugh Property (Parcel 68) is a former gas station site located on the northern side of US 1, approximately 0.25 miles west of the US 1 and Special Forces Way intersection. The site consists primarily of grass, trees and brush with a former pump island pad located near the edge of US 1. The EM61 bottom coil results and the differential results are presented in **Figure 20**.

GPR surveys conducted across the EM61 anomalies centered grid coordinates X=305 Y=35, and X=321 Y=37, suggest the anomalies are probably in response to the pump island pad and to the

buried pump island-related equipment. GPR surveys conducted across the EM61 anomaly centered near grid coordinates X=534 Y=92, suggest the anomaly is probably in response to buried miscellaneous debris or object. The remaining EM61 anomalies are probably in response to known cultural features and miscellaneous metal debris.

The geophysical investigation conducted at Parcel 68 suggests that the proposed ROW area does not contain metallic USTs.

4.0 SUMMARY & CONCLUSIONS

Our evaluation of the EM61 and GPR data collected across the proposed ROW areas at the 10 sites along US 1 in Richmond County, North Carolina provides the following summary and conclusions:

- The EM61 and GPR surveys provided reliable results for the detection of metallic USTs within the surveyed portions of the proposed ROW areas of each site.
- GPR surveys were conducted across selected EM61 differential anomalies and across areas containing steel reinforced concrete.
- Linear EM61 anomalies at the 10 sites are probably in response to buried utility lines and/or conduits. The majority of non-linear anomalies are probably in response to known cultural features or miscellaneous metal objects.

- The geophysical results suggest the proposed ROW areas at the following properties do not contain metallic USTs:

Hillary McKay Property	(Parcel 6)
Church of Deliverance Property	(Parcel 51)
Cooper & Brown Inc. Property	(Parcel 61)
Delia Lassiter Property	(Parcel 70)
Ivey Little Property	(Parcel 22)
James Pugh Property	(Parcel 68)



- K.J. Lewis Property (Parcel 9): Geophysical results suggest the probable presence of two USTs located adjacent to the pump island area. The first UST is centered near grid coordinates X=84 Y=27, and buried approximately 1.5 feet below surface. The second UST is centered near grid coordinates X=103 Y=27, and is buried approximately 2.0 feet below surface. The EM61 differential anomaly centered near grid coordinates X=118 Y=29, may possibly be in response to a UST or large metal object. However, GPR surveys could not be conducted across this EM anomaly due to the limited access caused by the dense wooded terrain.
- James Brigman Property (Parcel 21): Geophysical results detected the probable presence of four metallic USTs centered near grid coordinates X=43 Y=80, X=50 Y=80, X=42 Y=73, and X=48 Y=73. Based on the GPR data, the USTs appear to be approximately 9 feet long and 3.5 to 4 feet wide and buried approximately 1.5 to 2.0 feet below surface.

- Roy Barry Bostick Property (Parcel 48): GPR surveys conducted across the EM61 anomaly centered near grid coordinates X=295 Y=60, suggest that the anomaly is probably in response to one or more large diameter (12 or more inches) conduits buried approximately 1.0 feet below surface. There is a possibility (although unlikely) that the anomaly may be in response to a very small UST centered near grid coordinates X=290 Y=59.



- Pansy Ernest Property (Parcel 50): Geophysical results suggest the probable presence of two USTs centered near grid coordinates X=567 Y=55, and buried approximately 0.75 feet below surface. The USTs appear to be approximately eight feet long and three feet wide.


5.0 LIMITATIONS

EM61 and GPR surveys have been performed and this report prepared for Solutions IES in accordance with generally accepted guidelines for EM61 and GPR surveys. It is generally recognized that the results of the EM61 and GPR are non-unique and may not represent actual subsurface conditions. The EM61 and GPR results obtained for this project do not conclusively define the locations of all metallic USTs but only suggest where some of the metallic USTs may be present. The EM61 and GPR anomalies, interpreted as probable or possible USTs or tanks, may be attributed to other surface or subsurface conditions or cultural interference.




FIGURES





LEGEND

- EM61 SURVEY AREA: EM DATA ACQUIRED ALONG NORTHEAST-SOUTHWEST TRENDING LINES SPACED 5 FEET APART
- PROPERTY LINE (APPROX.)
- GUY WIRE
- UTILITY POLE



Note: The contour plot shows the bottom coil (most sensitive) response of the EM61 instrument in millivolts (mV). The bottom coil response shows buried metallic objects regardless of size. The EM metal detection data were collected on July 27, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on August 16, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.


The geophysical investigation suggests that the survey area does not contain metallic USTs.



CLIENT	SOLUTIONS IES		DATE	08/01/06	DRWN	MJD
SITE	PARCEL 6 - HILLARY MCKAY PROPERTY		LAY		CHKD	
CITY	MARSTON	STATE	NORTH CAROLINA	DWG		
TITLE	GEOPHYSICAL RESULTS		J-NO	2006-200	FIGURE	


**EM61
BOTTOM COIL
RESULTS**

FIGURE 2



LEGEND

- EM61 SURVEY AREA: EM DATA ACQUIRED ALONG NORTHEAST-SOUTHWEST TRENDING LINES SPACED 5 FEET APART
- PROPERTY LINE (APPROX.)
- + GUY WIRE
- UTILITY POLE
- APPROX. LOCATION OF GPR SURVEY LINE




Note: The contour plot shows the differential results of the EM61 metal detection survey in millivolts (mV). The differential response focuses on larger, buried metallic objects such as drums and USTs and ignores smaller miscellaneous, buried, metal debris. The EM metal detection data were collected on July 27, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on August 16, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.

The geophysical investigation suggests that the survey area does not contain metallic USTs.

	CLIENT	SOLUTIONS IES		DATE	08/01/06	DRWN	MJD
	SITE	PARCEL 6 - HILLARY MCKAY PROPERTY		LAY		CHKD	
	CITY	MARSTON	STATE	NORTH CAROLINA	DWG		
	TITLE	GEOPHYSICAL RESULTS		J-NO	2006-200	FIGURE	

**EM61
DIFFERENTIAL
RESULTS**

FIGURE 3




EM61 ANOMALIES PROBABLY IN RESPONSE TO MISC. METAL DEBRIS/OBJECTS

GPR DATA SUGGEST EM61 ANOMALIES ARE IN RESPONSE TO TWO USTS BURIED APPROX. 1.5 TO 2.0 FEET BELOW SURFACE

EM61 ANOMALY POSSIBLY IN RESPONSE TO EDGE OF UST. GPR SURVEYS COULD NOT BE CONDUCTED ACROSS THIS ANOMALY

LINEAR EM61 ANOMALY PROBABLY IN RESPONSE TO PARKING CURBS ALONG EDGE OF PARKING LOT



Note: The contour plot shows the bottom coil (most sensitive) response of the EM61 instrument in millivolts (mV). The bottom coil response shows buried metallic objects regardless of size. The EM metal detection data were collected on August 15, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on August 16, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.

GPR surveys suggest that the EM61 anomalies recorded adjacent to the former pump island area are probably in response to metallic USTs.

LEGEND


- EM61 SURVEY AREA: EM DATA ACQUIRED ALONG EASTERLY-WESTERLY OR NORTHERLY- SOUTHERLY TRENDING LINES SPACED 5 FEET APART
- UTILITY POLE
- TRAFFIC SIGN
- POSSIBLE UST, AS SUGGESTED BY EM61 ANOMALY
- PROBABLE UST, AS SUGGESTED BY GPR SURVEYS



CLIENT	SOLUTIONS IES		DATE	08/17/06	DRWN	MJD
SITE	PARCEL 9 - K. J. LEWIS PROPERTY		LAY		CHKD	
CITY	MARSTON	STATE	NORTH CAROLINA	DWG		
TITLE	GEOPHYSICAL RESULTS		J.NO.	2006-200	FIGURE	


EM61
BOTTOM COIL
RESULTS

FIGURE 4



LEGEND

- EM61 SURVEY AREA: EM DATA ACQUIRED ALONG EASTERLY-WESTERLY OR NORTHERLY-SOUTHERLY TRENDING LINES SPACED 5 FEET APART
- UTILITY POLE
- TRAFFIC SIGN
- GPR SURVEY AREA
- POSSIBLE UST, AS SUGGESTED BY EM61 ANOMALY
- PROBABLE UST, AS SUGGESTED BY GPR SURVEYS



Note: The contour plot shows the differential results of the EM61 metal detection survey in millivolts (mV). The differential response focuses on larger, buried metallic objects such as drums and USTs and ignores smaller miscellaneous, buried, metal debris. The EM metal detection data were collected on August 15, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on August 16, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.

GPR surveys suggest that the EM61 anomalies recorded adjacent to the former pump island area are probably in response to metallic USTs.



CLIENT	SOLUTIONS IES		DATE	08/17/06	DRAWN	MJD
SITE	PARCEL 9 - K. J. LEWIS PROPERTY		LAY		CHKD	
CITY	MARSTON	STATE	NORTH CAROLINA		DWG	
TITLE	GEOPHYSICAL RESULTS		J.NO.	2006-200	FIGURE	


GRAPHIC SCALE IN FEET

**EM61
DIFFERENTIAL
RESULTS**

FIGURE 5



The photograph shows the locations of two probable USTs and one possible UST buried 1.5 to 2.0 feet below surface, as suggested by the geophysical results at Parcel 9.




The GPR image obtained along a portion of survey line Y=27.5, shows the anomalies that are probably in response to USTs near X=84 and X=103, and buried approximately 1.5 and 2.0 feet below surface, respectively. The location of this GPR image is shown with a solid purple line in the above photograph.



CLIENT	SOLUTIONS IES	DATE	08/26/05	BY	DRWN
SITE	PARCEL 9 - K. J. LEWIS PROPERTY	DATE		DATE	
CITY	MARSTON	STATE	NORTH CAROLINA	DATE	
TITLE	GEOPHYSICAL RESULTS	SCALE	2006-200	REVISION	


PHOTO & GPR IMAGE
OF UST LOCATIONS
(Parcel 9)

FIGURE 6




LEGEND

- EM61 SURVEY AREA: EM DATA ACQUIRED ALONG NORTHERLY- SOUTHERLY TRENDING LINES SPACED 5 FEET APART
- UTILITY POLE
- CABLE BOX
- PROBABLE UST, AS SUGGESTED BY GPR SURVEYS



APPROXIMATE NORTH



Note: The contour plot shows the bottom coil (most sensitive) response of the EM61 instrument in millivolts (mV). The bottom coil response shows buried metallic objects regardless of size. The EM metal detection data were collected on August 15, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on August 16, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.

GPR surveys suggest that the large, high amplitude, EM61 anomaly in the southwest portion of the survey area is probably in response to four metallic USTs.




CLIENT	SOLUTIONS IES		DATE	08/17/06	DRWN	MJD
SITE	PARCEL 21 - JAMES BRIGMAN PROPERTY		LAY		CHKD	
CITY	MARSTON	STATE	NORTH CAROLINA	DWG		
TITLE	GEOPHYSICAL RESULTS		J.NO.	2006-200	FIGURE	

GRAPHIC SCALE IN FEET



**EM61
BOTTOM COIL
RESULTS**

FIGURE 7



LEGEND

- EM61 SURVEY AREA: EM DATA ACQUIRED ALONG NORTHERLY- SOUTHERLY TRENDING LINES SPACED 5 FEET APART
- UTILITY POLE
- CABLE BOX
- PROBABLE UST, AS SUGGESTED BY GPR SURVEYS



Note: The contour plot shows the differential results of the EM61 metal detection survey in millivolts (mV). The differential response focuses on larger, buried metallic objects such as drums and USTs and ignores smaller miscellaneous, buried, metal debris. The EM metal detection data were collected on August 15, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on August 16, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.

GPR surveys suggest that the large, high amplitude, EM61 anomaly in the southwest portion of the survey area is probably in response to four metallic USTs.



CLIENT	SOLUTIONS IES		DATE	08/17/06	DRWN	MJD
SITE	PARCEL 21 - JAMES BRIGMAN PROPERTY		LAY		CHKD	
CITY	MARSTON	STATE	NORTH CAROLINA	DWG		
TITLE	GEOPHYSICAL RESULTS		J-NO	2006-200	FIGURE	


GRAPHIC SCALE IN FEET

EM61 DIFFERENTIAL RESULTS


FIGURE 8




The photograph shows the location of four probable USTs buried 1.75 to 2.0 feet below surface, as suggested by the geophysical results at Parcel 21.



The GPR image obtained along a portion of survey line Y=80, shows the anomalies that are probably in response to USTs near X=43 and X=50, and buried approximately 2.0 and 1.5 feet below surface, respectively. The location of this GPR image is shown with a solid purple line in the above photograph.




LEGEND	
	UTILITY CABLE BOX
	GUY WIRE
	UTILITY POLE
	PROBABLE CONDUIT OR POSSIBLE UST



CLIENT	SOLUTIONS IES	DATE	08/17/06	DRWN	MJD
SITE	PARCEL 48 - ROY BARRY BOSTICK PROPERTY	LAY		CHKD	
CITY	HOFFMAN	STATE	NORTH CAROLINA	DWG	
TITLE	GEOPHYSICAL RESULTS	J.N.O.	2006-200	FIGURE	


EM61 METAL DETECTION RESULTS

FIGURE 10



Note: The contour plot shows the bottom coil (most sensitive) response of the EM61 instrument in millivolts (mV). The bottom coil response shows buried metallic objects regardless of size. The EM metal detection data were collected on July 26, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on July 28, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.

The majority of linear EM61 bottom coil anomalies shown above, are probably in response to buried utility lines or conduits. Negative EM anomalies (shaded in green) are probably in response to metallic surface objects. The geophysical investigation detected two probable USTs on Parcel 50.




LEGEND	
	EM61 SURVEY AREA: EM DATA ACQUIRED ALONG NORTHEAST-SOUTHWEST TRENDING LINES SPACED 5 FEET APART
	STORM SEWER GRATE
	PHONE CABLE BOX
	GUY WIRE
	UTILITY POLE
	TRAFFIC SIGN
	STORM SEWER GRATE
	VENT/FILL PORT
	METAL POLE
	PROBABLE UST AS SUGGESTED BY THE GEOPHYSICAL RESULTS



CLIENT	SOLUTIONS IES		DATE	08/01/06	DRWN	MJD
SITE	PARCELS 50 & 51 (ERNEST & CHURCH PROPERTIES)		LAY		CHKD	
CITY	HOFFMAN	STATE	NORTH CAROLINA		DWG	
TITLE	GEOPHYSICAL RESULTS		J-NO.	2006-200	FIGURE	

**EM61
BOTTOM COIL
RESULTS**


FIGURE 11



Note: The contour plot shows the differential results of the EM61 metal detection survey in millivolts (mV). The differential response focuses on larger, buried metallic objects such as drums and USTs and ignores smaller miscellaneous, buried, metal debris. The EM metal detection data were collected on July 26, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on July 28, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.

The majority of linear EM61 bottom coil anomalies shown above, are probably in response to buried utility lines or conduits. Negative EM anomalies (shaded in green) are probably in response to metallic surface objects. The geophysical investigation detected two probable USTs on Parcel 50.

LEGEND	
	EM61 SURVEY AREA: EM DATA ACQUIRED ALONG NORTHEAST-SOUTHWEST TRENDING LINES SPACED 5 FEET APART
	STORM SEWER GRATE
	PHONE CABLE BOX
	GUY WIRE
	UTILITY POLE
	TRAFFIC SIGN
	STORM SEWER GRATE
	VENT/FILL PORT
	METAL POLE
	GPR SURVEY AREA
	PROBABLE UST AS SUGGESTED BY THE GEOPHYSICAL RESULTS




CLIENT	SOLUTIONS IES		DATE	08/01/06	DRWN	MJD
SITE	PARCELS 50 & 51 (ERNEST & CHURCH PROPERTIES)		LAY		CHKD	
CITY	HOFFMAN	STATE	NORTH CAROLINA		DWG	
TITLE	GEOPHYSICAL RESULTS		J-NO.	2006-200	FIGURE	

**EM61
DIFFERENTIAL
RESULTS**



FIGURE 12



The photograph shows the location of two probable USTs buried approx. 0.75 feet below surface, as suggested by the geophysical results at Parcel 50.



The GPR image obtained along survey line Y=55 shows the anomalies that are probably in response to USTs near X=566 and X=570, and buried approximately 0.75 feet below surface. The location of this GPR image is shown with a solid purple line in the above photograph.



Note: The contour plot shows the bottom coil (most sensitive) response of the EM61 instrument in millivolts (mV). The bottom coil response shows buried metallic objects regardless of size. The EM metal detection data were collected on July 27, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on August 16, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.

The geophysical results suggest that the proposed ROW area does not contain metallic USTs.


LEGEND	
	EM61 SURVEY AREA: EM DATA ACQUIRED ALONG NORTHEAST-SOUTHWEST TRENDED LINES SPACED 5 FEET APART
	STORM SEWER GRATE
	CONCRETE BLOCK
	GUY WIRE
	UTILITY POLE
	TRAFFIC SIGN
	EDGE OF CULVERT
	CONCRETE ABUTMENT



CLIENT	SOLUTIONS IES		DATE	08/01/06	DRWN	MJD
SITE	PARCEL 61 - COOPER & BROWN INC. PROPERTY		LAY		CHKD	
CITY	HOFFMAN	STATE	NORTH CAROLINA	DWG		
TITLE	GEOPHYSICAL RESULTS		JNO.	2006-200	FIGURE	

EM61
BOTTOM COIL
RESULTS

FIGURE 14



Note: The contour plot shows the differential results of the EM61 metal detection survey in millivolts (mV). The differential response focuses on larger, buried metallic objects such as drums and USTs and ignores smaller miscellaneous, buried, metal debris. The EM metal detection data were collected on July 27, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on August 16, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.

The geophysical results suggest the proposed ROW area does not contain metallic USTs.


LEGEND	
	EM61 SURVEY AREA: EM DATA ACQUIRED ALONG NORTHEAST-SOUTHWEST TRENDING LINES SPACED 5 FEET APART
	STORM SEWER GRATE
	CONCRETE BLOCK
	GUY WIRE
	UTILITY POLE
	TRAFFIC SIGN
	EDGE OF CULVERT
	CONCRETE ABUTMENT
	GPR SURVEY LINE
	GPR SURVEY AREA



CLIENT	SOLUTIONS IES		DATE	08/01/06	DRWN	MJD
SITE	PARCEL 61 - COOPER & BROWN INC. PROPERTY		LAY		CHKD	
CITY	HOFFMAN	STATE	NORTH CAROLINA		DWG	
TITLE	GEOPHYSICAL RESULTS		JNO.	2006-200	FIGURE	


GRAPHIC SCALE IN METERS

EM61 DIFFERENTIAL RESULTS



LEGEND

- EM61 SURVEY AREA: EM DATA ACQUIRED ALONG NORTHERLY-SOUTHERLY TRENDING LINES SPACED 5 FEET APART
- ELECTRICAL OR UTILITY BOX
- WATER METER OR VALVE COVER
- GUY WIRE
- UTILITY POLE
- TRAFFIC SIGN
- MAIL BOX



Note: The contour plot shows the bottom coil (most sensitive) response of the EM61 instrument in millivolts (mV). The bottom coil response shows buried metallic objects regardless of size. The EM metal detection data were collected on July 27 and August 14, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on July 28, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.


The geophysical investigation suggests that the survey area does not contain metallic USTs.




CLIENT	SOLUTIONS IES		DATE	08/17/06	DRWN	MJD
SITE	PARCEL 70 - DELIA LASSITER PROPERTY		LAY		CHKD	
CITY	HOFFMAN	STATE	NORTH CAROLINA	DWG		
TITLE	GEOPHYSICAL RESULTS		J-NO	2006-200	FIGURE	

**EM61
BOTTOM COIL
RESULTS**

FIGURE 16



LEGEND	
	EM61 SURVEY AREA: EM DATA ACQUIRED ALONG NORTHERLY-SOUTHERLY TRENDING LINES SPACED 5 FEET APART
	ELECTRICAL OR UTILITY BOX
	WATER METER OR VALVE COVER
	GUY WIRE
	UTILITY POLE
	TRAFFIC SIGN
	MAIL BOX



Note: The contour plot shows the differential results of the EM61 metal detection survey in millivolts (mV). The differential response focuses on larger, buried metallic objects such as drums and USTs and ignores smaller miscellaneous, buried, metal debris. The EM metal detection data were collected on July 27 and August 14, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on July 28, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.


The geophysical investigation suggests that the survey area does not contain metallic USTs.



CLIENT	SOLUTIONS IES		DATE	08/17/06	DRWN	MJD
SITE	PARCEL 70 - DELIA LASSITER PROPERTY		LAY		CHKD	
CITY	HOFFMAN	STATE	NORTH CAROLINA	DWG		
TITLE	GEOPHYSICAL RESULTS		J-NO	2006-200	FIGURE	


GRAPHIC SCALE IN FEET

EM61
DIFFERENTIAL
RESULTS



LEGEND

- EM61 SURVEY AREA: EM DATA ACQUIRED ALONG NORTHEAST-SOUTHWEST TRENDING LINES SPACED 5 FEET APART
- PHONE CABLE BOX
- + GUY WIRE
- UTILITY POLE



Note: The contour plot shows the bottom coil (most sensitive) response of the EM61 instrument in millivolts (mV). The bottom coil response shows buried metallic objects regardless of size. The EM metal detection data were collected on July 27, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on July 28, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.


The geophysical investigation suggests that the survey area does not contain metallic USTs.



CLIENT	SOLUTIONS IES		DATE	08/01/06	DRWN	MJD
SITE	PARCEL 22 - IVEY LITTLE PROPERTY		LAY		CHKD	
CITY	HOFFMAN	STATE	NORTH CAROLINA	DWG		
TITLE	GEOPHYSICAL RESULTS		J-NO.	2006-200	FIGURE	

**EM61
BOTTOM COIL
RESULTS**

FIGURE 18




Note: The contour plot shows the differential results of the EM61 metal detection survey in millivolts (mV). The differential response focuses on larger, buried metallic objects such as drums and USTs and ignores smaller miscellaneous, buried, metal debris. The EM metal detection data were collected on July 27, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on July 28, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.

The geophysical investigation suggests that the survey area does not contain metallic USTs.

LEGEND	
	EM61 SURVEY AREA: EM DATA ACQUIRED ALONG NORTHEAST-SOUTHWEST TRENDING LINES SPACED 5 FEET APART
	PHONE CABLE BOX
	GUY WIRE
	UTILITY POLE





APPROXIMATE NORTH




CLIENT	SOLUTIONS IES		DATE	08/01/06	DRWN	MJD
SITE	PARCEL 22 - IVEY LITTLE PROPERTY		LAY		CHKD	
CITY	HOFFMAN	STATE	NORTH CAROLINA	DWG		
TITLE	GEOPHYSICAL RESULTS		J-NO	2006-200	FIGURE	

EM61
DIFFERENTIAL
RESULTS



LEGEND	
	EM61 SURVEY AREA: EM DATA ACQUIRED ALONG EASTERLY-WESTERLY TRENDING LINES SPACED 5 FEET APART
	RIGHT-OF-WAY MARKER
	GUY WIRE
	UTILITY POLE
	TRAFFIC SIGN



Note: The contour plots show the bottom coil (most sensitive) response of the EM61 instrument and the differential response in millivolts (mV). The bottom coil response shows buried metallic objects regardless of size. The differential response focuses on larger, buried metallic objects such as drums and USTs and ignores smaller miscellaneous, buried, metal debris. The EM metal detection data were collected on August 14 & 28, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on August 15 & 28, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.

The geophysical investigation suggests that the survey area does not contain metallic USTs.



CLIENT	SOLUTIONS IES		DATE	08/17/06	DRAWN	MJD
SITE	PARCEL 68 - JAMES PUGH PROPERTY		LAY		CHECKED	
CITY	HOFFMAN	STATE	NORTH CAROLINA	DWG		
TITLE	GEOPHYSICAL RESULTS		J.NO.	2006-200	FIGURE	

EM61 METAL DETECTION RESULTS

APPENDIX C
BORING LOGS

Log of Soil Boring: P6-B1

Project: Richmond County PSA's
 Client: NCDOT
 WBS # 34438.1.1
 State Project # R-2502B
 Drilling Method: Direct Push
 Sampler Type: Macro Core
 Logged By: K.B

Solutions-IES Project No.: 3260.06A3.NDOT
 County: Richmond
 Boring Date: 08/24/06
 Site: Parcel 6
 Checked By: *JD*

Boring Number: 1

Initial Water Level: NA
 Stabilized Water Level: NA
 Cave In Depth: NA

Total Depth of Boring: 8' bgs

SUBSURFACE PROFILE			SAMPLE		PID Field Screen • ppm • 250 500 750	FID Field Screen ■ ppm ■ 250 500 750	Lab Sample Depth	Well Data
Depth ft. bgs	USCS Symbol	Description	Sample Interval	% Recovery				
0		Ground Surface						
1	<i>SM</i>	Moist, brown, fine silty sand		100	0			
2	<i>SM</i>	Moist, brown and tan, fine silty sand						
3	<i>SM</i>	Moist, orange, fine silty sand		100	0			
4								
5				100	0			
6								
7				100	0			
8								
9								
10								
11								
12								
13								
14								
15								
16								

Solutions-IES, Inc.
 1101 Nowell Road
 Raleigh, NC 27607
 (919) 873-1060



Log of Soil Boring: P6-B2

Project: Richmond County PSA's
 Client: NCDOT
 WBS # 34438.1.1
 State Project # R-2502B
 Drilling Method: Direct Push
 Sampler Type: Macro Core
 Logged By: K.B

Solutions-IES Project No.: 3260.06A3.NDOT
 County: Richmond
 Boring Date: 08/24/06
 Site: Parcel 6
 Checked By: *JK*

Boring Number: 2

Initial Water Level: NA
 Stabilized Water Level: NA
 Cave In Depth: NA

Total Depth of Boring: 8' bgs

SUBSURFACE PROFILE			SAMPLE		PID Field Screen ● ppm ● 250 500 750	FID Field Screen ■ ppm ■ 250 500 750	Lab Sample Depth	Well Data
Depth ft. bgs	USCS Symbol	Description	Sample Interval	% Recovery				
0		Ground Surface						
0 - 1	SM	Moist, brown, fine silty sand		100	0			
1 - 2	SM	Moist, tan and brown, fine silty sand						
2 - 3	SM	Moist, orange, fine silty sand		100	0			
3 - 4								
4 - 5	SM	Moist, tan, fine silty sand		100	0			
5 - 6								
6 - 7				100	0			
7 - 8								
8 - 9								
9 - 10								
10 - 11								
11 - 12								
12 - 13								
13 - 14								
14 - 15								
15 - 16								

Log of Soil Boring: P6-B3

Project: Richmond County PSA's
 Client: NCDOT
 WBS # 34438.1.1
 State Project # R-2502B
 Drilling Method: Direct Push
 Sampler Type: Macro Core
 Logged By: K.B

Solutions-IES Project No.: 3260.06A3.NDOT
 County: Richmond
 Boring Date: 08/24/06
 Site: Parcel 6
 Checked By: *JD*

Boring Number: 3

Initial Water Level: NA
 Stabilized Water Level: NA
 Cave In Depth: NA

Total Depth of Boring: 8' bgs

SUBSURFACE PROFILE			SAMPLE		PID Field Screen ppm ● 250 500 750 ●	FID Field Screen ppm ■ 250 500 750 ■	Lab Sample Depth	Well Data
Depth ft. bgs	USCS Symbol	Description	Sample Interval	% Recovery				
0		Ground Surface						
1	<i>SM</i>	Moist, brown, fine silty sand	0 - 1	100	0			
2	<i>SM</i>	Moist, orange, fine silty sand	1 - 2	100	0			
3			2 - 3	100	0			
4			3 - 4	100	0			
5	<i>SM</i>	Moist, tan, fine silty sand	4 - 5	100	0			
6			5 - 6	100	0			
7			6 - 7	100	0			
8			7 - 8	100	0			
9								
10								
11								
12								
13								
14								
15								
16								

Solutions-IES, Inc.
 1101 Nowell Road
 Raleigh, NC 27607
 (919) 873-1060



Log of Soil Boring: P6-B4

Project: Richmond County PSA's
 Client: NCDOT
 WBS # 34438.1.1
 State Project # R-2502B
 Drilling Method: Direct Push
 Sampler Type: Macro Core
 Logged By: K.B

Solutions-IES Project No.: 3260.06A3.NDOT
 County: Richmond
 Boring Date: 08/24/06
 Site: Parcel 6
 Checked By: *JD*

Boring Number: 4

Initial Water Level: NA
 Stabilized Water Level: NA
 Cave In Depth: NA

Total Depth of Boring: 8' bgs

SUBSURFACE PROFILE			SAMPLE		PID Field Screen ● ppm ● 250 500 750	FID Field Screen ■ ppm ■ 250 500 750	Lab Sample Depth	Well Data
Depth ft. bgs	USCS Symbol	Description	Sample Interval	% Recovery				
0		Ground Surface						
1	SM	Moist, brown, fine silty sand	0 - 1	100	0			
2	SM	Moist, tan, fine silty sand	1 - 2					
3	SM	Moist, orange, fine silty sand	2 - 3	100	0			
4	SM	Moist, tan and orange, fine silty sand	3 - 4					
5			4 - 5	100	0			
6	SM	Moist, tan, fine silty sand	5 - 6					
7			6 - 7	100	0			
8			7 - 8					
9								
10								
11								
12								
13								
14								
15								
16								

Solutions-IES, Inc.
 1101 Nowell Road
 Raleigh, NC 27607
 (919) 873-1060



Log of Soil Boring: P6-B5

Project: Richmond County PSA's

Solutions-IES Project No.: 3260.06A3.NDOT

Boring Number: 5

Client: NCDOT

WBS # 34438.1.1

State Project # R-2502B

Drilling Method: Direct Push

Sampler Type: Macro Core

Logged By: K.B

County: Richmond

Boring Date: 08/24/06

Site: Parcel 6

Checked By: *JD*

Initial Water Level: NA

Stabilized Water Level: NA

Cave In Depth: NA

Total Depth of Boring: 8' bgs

SUBSURFACE PROFILE			SAMPLE		PID Field Screen ppm ● 250 500 750	FID Field Screen ppm ■ 250 500 750	Lab Sample Depth	Well Data
Depth ft. bgs	USCS Symbol	Description	Sample Interval	% Recovery				
0		Ground Surface						
1	SM	Moist, brown, fine silty sand		100	●			
2	SM	Moist, tan and brown, fine silty sand						
3	SM	Moist, orange, fine silty sand		100	●			
5	SM	Moist, tan, fine silty sand		100	●			
7				100	●			
8								
9								
10								
11								
12								
13								
14								
15								
16								

Solutions-IES, Inc.
1101 Nowell Road
Raleigh, NC 27607
(919) 873-1060



Log of Soil Boring: P6-B6

Project: Richmond County PSA's
 Client: NCDOT
 WBS # 34438.1.1
 State Project # R-2502B
 Drilling Method: Direct Push
 Sampler Type: Macro Core
 Logged By: K.B

Solutions-IES Project No.: 3260.06A3.NDOT
 County: Richmond
 Boring Date: 08/24/06
 Site: Parcel 6
 Checked By: JD

Boring Number: 6

Initial Water Level: NA
 Stabilized Water Level: NA
 Cave In Depth: NA

Total Depth of Boring: 8' bgs

SUBSURFACE PROFILE			SAMPLE		PID Field Screen • ppm • 250 500 750	FID Field Screen ■ ppm ■ 250 500 750	Lab Sample Depth	Well Data
Depth ft. bgs	USCS Symbol	Description	Sample Interval	% Recovery				
0		Ground Surface						
1	SM	Moist, brown, fine silty sand	0-1	100	0			
2	SM	Moist, tan and orange, fine silty sand	1-2	100	0			
3	SM	Moist, orange, fine silty sand	2-3	100	0			
5	SM	Moist, tan, fine silty sand	3-5	100	0			
7			5-7	100	0			
8								
9								
10								
11								
12								
13								
14								
15								
16								

Solutions-IES, Inc.
 1101 Nowell Road
 Raleigh, NC 27607
 (919) 873-1060



Log of Soil Boring: P6-B7

Project: Richmond County PSA's
 Client: NCDOT
 WBS # 34438.1.1
 State Project # R-2502B
 Drilling Method: Direct Push
 Sampler Type: Macro Core
 Logged By: K.B

Solutions-IES Project No.: 3260.06A3.NDOT
 County: Richmond
 Boring Date: 08/24/06
 Site: Parcel 6
 Checked By: *JD*

Boring Number: 7

Initial Water Level: NA
 Stabilized Water Level: NA
 Cave In Depth: NA

Total Depth of Boring: 8' bgs

SUBSURFACE PROFILE			SAMPLE		PID Field Screen ● ppm ● 250 500 750	FID Field Screen ■ ppm ■ 250 500 750	Lab Sample Depth	Well Data
Depth ft. bgs	USCS Symbol	Description	Sample Interval	% Recovery				
0		Ground Surface						
1	SM	Moist, brown, fine silty sand	0 - 1	100	0			
2	SM	Moist, brown and orange, fine silty sand	1 - 2					
3	SM	Moist, orange, fine silty sand	2 - 3	100	0			
4								
5	SM	Moist, tan, fine silty sand	3 - 5	100	0			
6								
7				100	0			
8								
9								
10								
11								
12								
13								
14								
15								
16								

Solutions-IES, Inc.
 1101 Nowell Road
 Raleigh, NC 27607
 (919) 873-1060



APPENDIX D

GPS COORDINATES OF BORING LOCATIONS

Appendix D
GPS Coordinates of Boring Locations
Parcel 6-Hillary McKay Property
2483 U.S. Highway 1
Richmond County, North Carolina
WBS Element: 34438.1.1; NCDOT Project R-2502A


Boring Identification	Northing	Easting
P6-B1	34.98782848	-79.58251954
P6-B2	34.98779445	-79.58267167
P6-B3	34.98766788	-79.58259934
P6-B4	34.98774667	-79.5826254
P6-B5	34.98776956	-79.58256019
P6-B6	34.98790962	-79.58254695
P6-B7	34.9878838	-79.58240119

Notes:

Coordinates referenced to North American Datum, 1983.

APPENDIX E

LABORATORY ANALYTICAL REPORTS



PRISM
LABORATORIES, INC.

Case Narrative

Date: 09/05/06
Company: N. C. Department of Transportation
Contact: Sheri Knox
Address: c/o Solution - IES
 1101 Nowell Road
 Raleigh, NC 27607

Client Project ID: NCDOT Parcel 6
Prism COC Group No: G0806790
Collection Date(s): 08/24/06
Lab Submittal Date(s): 08/25/06

Client Project Name Or No: Richmond Co. WBS# 34438.1.1

This data package contains the analytical results for the project identified above and includes a Case Narrative, Laboratory Report and Quality Control Data totaling 10 pages. A chain-of-custody is also attached for the samples submitted to Prism for this project.

Data qualifiers are flagged individually on each sample. A key reference for the data qualifiers appears at the end of this case narrative. Quality control statements and/or sample specific remarks are included in the sample comments section of the laboratory report for each sample affected.

Semi Volatile Analysis

No Anomalies Reported

Volatile Analysis

No Anomalies Reported

Metals Analysis

N/A

Wet Lab and Micro Analysis

N/A

Please call if you have any questions relating to this analytical report.

Date Reviewed by: Paula A. Gilleland

Project Manager: Angela D. Overcash

Signature: Paula A. Gilleland

Signature: Angela D. Overcash


Review Date: 09/05/06

Approval Date: 09/05/06

Data Qualifiers Key Reference:

- B: Compound also detected in the method blank.
- #: Result outside of the QC limits.
- DO: Compound diluted out.
- E: Estimated concentration, calibration range exceeded.
- J: The analyte was positively identified but the value is estimated below the reporting limit.
- H: Estimated concentration with a high bias.
- L: Estimated concentration with a low bias.
- M: A matrix effect is present.

Notes: This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc. The results in this report relate only to the samples submitted for analysis.



NC Certification No. 402
 SC Certification No. 99012
 NC Drinking Water Cert. No. 37735

Laboratory Report

09/01/06

N. C. Department of Transportation
 Attn: Sheri Knox
 c/o Solution - IES
 1101 Nowell Road
 Raleigh, NC 27607

Project Name: Richmond Co.
 Project ID: NCDOT Parcel 6
 Project No.: WBS# 34438.1.1
 Sample Matrix: Soil

Client Sample ID: P6.B1 6-8
 Prism Sample ID: 159512
 COC Group: G0806790
 Time Collected: 08/24/06 8:00
 Time Submitted: 08/25/06 15:35

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

Percent Solids Determination

Percent Solids	97.1	%			1	SM2540 G	08/29/06 14:30	lbrown	
----------------	------	---	--	--	---	----------	----------------	--------	--

Diesel Range Organics (DRO) by GC-FID

Diesel Range Organics (DRO)	BRL	mg/kg	7.2	1.8	1	8015B	08/28/06 21:21	lvogel	Q17363
-----------------------------	-----	-------	-----	-----	---	-------	----------------	--------	--------

Sample Preparation: 49.64 g / 2 mL 3550B 08/28/06 9:00 dpope P16217

Surrogate	% Recovery	Control Limits
o-Terphenyl	109	48 - 130

Sample Weight Determination

Weight 1	5.31	g			1	GRO	08/28/06 0:00	lbrown	
Weight 2	5.18	g			1	GRO	08/28/06 0:00	lbrown	

Gasoline Range Organics (GRO) by GC-FID

Gasoline Range Organics (GRO)	BRL	mg/kg	7.2	2.8	50	8015B	08/31/06 4:54	grappaccioli	Q17406
-------------------------------	-----	-------	-----	-----	----	-------	---------------	--------------	--------

Surrogate	% Recovery	Control Limits
aaa-TFT	102	55 - 129

Sample Comment(s):

BRL = Below Reporting Limit

J = Estimated value between the Reporting Limit and the MDL

The results in this report relate only to the samples submitted for analysis and meet state certification requirements other than NELAC certification except for those instances indicated in the case narrative and/or test comments.

All results are reported on a dry-weight basis

Angela D. Overcash, V.P. Laboratory Services

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

449 Springbrook Road - P.O. Box 240543 - Charlotte, NC 28224-0543

Phone: 704/529-6364 - Toll Free Number: 1-800/529-6364 - Fax: 704/525-0409



NC Certification No. 402
SC Certification No. 99012
NC Drinking Water Cert. No. 37735

Laboratory Report

09/01/06

N. C. Department of Transportation
Attn: Sheri Knox
c/o Solution - IES
1101 Nowell Road
Raleigh, NC 27607

Project Name: Richmond Co.
Project ID: NCDOT Parcel 6
Project No.: WBS# 34438.1.1
Sample Matrix: Soil

Client Sample ID: P6.B2 6-8
Prism Sample ID: 159513
COC Group: G0806790
Time Collected: 08/24/06 8:10
Time Submitted: 08/25/06 15:35

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

Percent Solids Determination

Percent Solids	92.2	%			1	SM2540 G	08/29/06 14:30	lbrown	
----------------	------	---	--	--	---	----------	----------------	--------	--

Diesel Range Organics (DRO) by GC-FID

Diesel Range Organics (DRO)	BRL	mg/kg	7.6	1.8	1	8015B	08/28/06 21:59	lvogel	Q17363
-----------------------------	-----	-------	-----	-----	---	-------	----------------	--------	--------

Sample Preparation: 50.37 g / 2 mL 3550B 08/28/06 9:00 dpope P16217

Surrogate	% Recovery	Control Limits
o-Terphenyl	107	48 - 130

Sample Weight Determination

Weight 1	5.02	g			1	GRO	08/28/06 0:00	lbrown	
Weight 2	4.80	g			1	GRO	08/28/06 0:00	lbrown	

Gasoline Range Organics (GRO) by GC-FID

Gasoline Range Organics (GRO)	BRL	mg/kg	7.6	3.0	50	8015B	08/31/06 5:36	grappaccioli	Q17406
-------------------------------	-----	-------	-----	-----	----	-------	---------------	--------------	--------

Surrogate	% Recovery	Control Limits
aaa-TFT	97	55 - 129

Sample Comment(s):

BRL = Below Reporting Limit

J = Estimated value between the Reporting Limit and the MDL

The results in this report relate only to the samples submitted for analysis and meet state certification requirements other than NELAC certification except for those instances indicated in the case narrative and/or test comments.

All results are reported on a dry-weight basis

Angela D. Overcash, V.P. Laboratory Services

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

449 Springbrook Road - P.O. Box 240543 - Charlotte, NC 28224-0543

Phone: 704/529-6364 - Toll Free Number: 1-800/529-6364 - Fax: 704/525-0409



NC Certification No. 402
 SC Certification No. 99012
 NC Drinking Water Cert. No. 37735

Laboratory Report

09/01/06

N. C. Department of Transportation
 Attn: Sheri Knox
 c/o Solution - IES
 1101 Nowell Road
 Raleigh, NC 27607

Project Name: Richmond Co.
 Project ID: NCDOT Parcel 6
 Project No.: WBS# 34438.1.1
 Sample Matrix: Soil

Client Sample ID: P6.B3 6-8
 Prism Sample ID: 159514
 COC Group: G0806790
 Time Collected: 08/24/06 8:25
 Time Submitted: 08/25/06 15:35

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

Percent Solids Determination

Percent Solids	96.3	%			1	SM2540 G	08/29/06 14:30	lbrown	
----------------	------	---	--	--	---	----------	----------------	--------	--

Diesel Range Organics (DRO) by GC-FID

Diesel Range Organics (DRO)	BRL	mg/kg	7.3	1.8	1	8015B	08/28/06 23:14	jvogel	Q17363
-----------------------------	-----	-------	-----	-----	---	-------	----------------	--------	--------

Sample Preparation: 49.96 g / 2 mL 3550B 08/28/06 9:00 dpope P16217

Surrogate	% Recovery	Control Limits
o-Terphenyl	110	48 - 130

Sample Weight Determination

Weight 1	5.14	g			1	GRO	08/28/06 0:00	lbrown	
Weight 2	4.96	g			1	GRO	08/28/06 0:00	lbrown	

Gasoline Range Organics (GRO) by GC-FID

Gasoline Range Organics (GRO)	BRL	mg/kg	7.3	2.8	50	8015B	08/31/06 6:19	grappaccioli	Q17406
-------------------------------	-----	-------	-----	-----	----	-------	---------------	--------------	--------

Surrogate	% Recovery	Control Limits
aaa-TFT	107	55 - 129

Sample Comment(s):

BRL = Below Reporting Limit

J = Estimated value between the Reporting Limit and the MDL

The results in this report relate only to the samples submitted for analysis and meet state certification requirements other than NELAC certification except for those instances indicated in the case narrative and/or test comments.

All results are reported on a dry-weight basis

Angela D. Overcash, V.P. Laboratory Services

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

449 Springbrook Road - P.O. Box 240543 - Charlotte, NC 28224-0543

Phone: 704/529-6364 - Toll Free Number: 1-800/529-6364 - Fax: 704/525-0409



NC Certification No. 402
 SC Certification No. 99012
 NC Drinking Water Cert. No. 37735

Laboratory Report

09/01/06

N. C. Department of Transportation
 Attn: Sheri Knox
 c/o Solution - IES
 1101 Nowell Road
 Raleigh, NC 27607

Project Name: Richmond Co.
 Project ID: NCDOT Parcel 6
 Project No.: WBS# 34438.1.1
 Sample Matrix: Soil

Client Sample ID: P6.B4 6-8
 Prism Sample ID: 159515
 COC Group: G0806790
 Time Collected: 08/24/06 8:35
 Time Submitted: 08/25/06 15:35

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

Percent Solids Determination

Percent Solids	97.2	%			1	SM2540 G	08/29/06 14:30	lbrown	
----------------	------	---	--	--	---	----------	----------------	--------	--

Diesel Range Organics (DRO) by GC-FID

Diesel Range Organics (DRO)	BRL	mg/kg	7.2	1.7	1	8015B	08/28/06 23:51	lvogel	Q17363
-----------------------------	-----	-------	-----	-----	---	-------	----------------	--------	--------

Sample Preparation: 49.93 g / 2 mL 3550B 08/28/06 9:00 dpope P16217

Surrogate	% Recovery	Control Limits
o-Terphenyl	106	48 - 130

Sample Weight Determination

Weight 1	4.85	g			1	GRO	08/28/06 0:00	lbrown	
----------	------	---	--	--	---	-----	---------------	--------	--

Weight 2	4.98	g			1	GRO	08/28/06 0:00	lbrown	
----------	------	---	--	--	---	-----	---------------	--------	--

Gasoline Range Organics (GRO) by GC-FID

Gasoline Range Organics (GRO)	BRL	mg/kg	7.2	2.8	50	8015B	08/31/06 7:03	grappaccioli	Q17406
-------------------------------	-----	-------	-----	-----	----	-------	---------------	--------------	--------

Surrogate	% Recovery	Control Limits
aaa-TFT	108	55 - 129

Sample Comment(s):

BRL = Below Reporting Limit

J = Estimated value between the Reporting Limit and the MDL

The results in this report relate only to the samples submitted for analysis and meet state certification requirements other than NELAC certification except for those instances indicated in the case narrative and/or test comments.


All results are reported on a dry-weight basis

Angela D. Overcash, V.P. Laboratory Services

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

449 Springbrook Road - P.O. Box 240543 - Charlotte, NC 28224-0543

Phone: 704/529-6364 - Toll Free Number: 1-800/529-6364 - Fax: 704/525-0409



NC Certification No. 402
 SC Certification No. 99012
 NC Drinking Water Cert. No. 37735

Laboratory Report

09/01/06

N. C. Department of Transportation
 Attn: Sheri Knox
 c/o Solution - IES
 1101 Nowell Road
 Raleigh, NC 27607

Project Name: Richmond Co.
 Project ID: NCDOT Parcel 6
 Project No.: WBS# 34438.1.1
 Sample Matrix: Soil

Client Sample ID: P6.B5 6-8
 Prism Sample ID: 159516
 COC Group: G0806790
 Time Collected: 08/24/06 8:45
 Time Submitted: 08/25/06 15:35

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

Percent Solids Determination

Percent Solids	97.4	%			1	SM2540 G	08/29/06 14:30	lbrown	
----------------	------	---	--	--	---	----------	----------------	--------	--

Diesel Range Organics (DRO) by GC-FID

Diesel Range Organics (DRO)	BRL	mg/kg	7.2	1.7	1	8015B	08/29/06 0:29	jvogel	Q17363
-----------------------------	-----	-------	-----	-----	---	-------	---------------	--------	--------

Sample Preparation: 49.58 g / 2 mL 3550B 08/28/06 9:00 dpope P16217

Surrogate	% Recovery	Control Limits
o-Terphenyl	116	48 - 130

Sample Weight Determination

Weight 1	5.31	g			1	GRO	08/28/06 0:00	lbrown	
----------	------	---	--	--	---	-----	---------------	--------	--

Weight 2	5.07	g			1	GRO	08/28/06 0:00	lbrown	
----------	------	---	--	--	---	-----	---------------	--------	--

Gasoline Range Organics (GRO) by GC-FID

Gasoline Range Organics (GRO)	BRL	mg/kg	7.2	2.8	50	8015B	08/31/06 7:46	grappaccioli	Q17406
-------------------------------	-----	-------	-----	-----	----	-------	---------------	--------------	--------

Surrogate	% Recovery	Control Limits
aaa-TFT	103	55 - 129

Sample Comment(s):

BRL = Below Reporting Limit

J = Estimated value between the Reporting Limit and the MDL

The results in this report relate only to the samples submitted for analysis and meet state certification requirements other than NELAC certification except for those instances indicated in the case narrative and/or test comments.

All results are reported on a dry-weight basis

Angela D. Overcash, V.P. Laboratory Services

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

449 Springbrook Road - P.O. Box 240543 - Charlotte, NC 28224-0543

Phone: 704/529-6364 - Toll Free Number: 1-800/529-6364 - Fax: 704/525-0409



NC Certification No. 402
 SC Certification No. 99012
 NC Drinking Water Cert. No. 37735

Laboratory Report

09/01/06

N. C. Department of Transportation
 Attn: Sheri Knox
 c/o Solution - IES
 1101 Nowell Road
 Raleigh, NC 27607

Project Name: Richmond Co.
 Project ID: NCDOT Parcel 6
 Project No.: WBS# 34438.1.1
 Sample Matrix: Soil

Client Sample ID: P6.B6 6-8
 Prism Sample ID: 159517
 COC Group: G0806790
 Time Collected: 08/24/06 9:00
 Time Submitted: 08/25/06 15:35

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

Percent Solids Determination

Percent Solids	85.5	%			1	SM2540 G	08/29/06 14:30	lbrown	
----------------	------	---	--	--	---	----------	----------------	--------	--

Diesel Range Organics (DRO) by GC-FID

Diesel Range Organics (DRO)	BRL	mg/kg	8.2	2.0	1	8015B	08/29/06 1:06	jvoegel	Q17363
-----------------------------	-----	-------	-----	-----	---	-------	---------------	---------	--------

Sample Preparation: 49.5 g / 2 mL 3550B 08/28/06 9:00 dpope P16217

Surrogate	% Recovery	Control Limits
o-Terphenyl	106	48 - 130

Sample Weight Determination

Weight 1	5.17	g			1	GRO	08/28/06 0:00	lbrown	
----------	------	---	--	--	---	-----	---------------	--------	--

Weight 2	5.06	g			1	GRO	08/28/06 0:00	lbrown	
----------	------	---	--	--	---	-----	---------------	--------	--

Gasoline Range Organics (GRO) by GC-FID

Gasoline Range Organics (GRO)	BRL	mg/kg	8.2	3.2	50	8015B	09/01/06 4:59	grappaccioli	Q17439
-------------------------------	-----	-------	-----	-----	----	-------	---------------	--------------	--------

Surrogate	% Recovery	Control Limits
aaa-TFT	91	55 - 129

Sample Comment(s):

BRL = Below Reporting Limit

J = Estimated value between the Reporting Limit and the MDL

The results in this report relate only to the samples submitted for analysis and meet state certification requirements other than NELAC certification except for those instances indicated in the case narrative and/or test comments.


All results are reported on a dry-weight basis

Angela D. Overcash, V.P. Laboratory Services

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

449 Springbrook Road - P.O. Box 240543 - Charlotte, NC 28224-0543

Phone: 704/529-6364 - Toll Free Number: 1-800/529-6364 - Fax: 704/525-0409



NC Certification No. 402
 SC Certification No. 99012
 NC Drinking Water Cert. No. 37735

Laboratory Report

09/01/06

N. C. Department of Transportation
 Attn: Sheri Knox
 c/o Solution - IES
 1101 Nowell Road
 Raleigh, NC 27607

Project Name: Richmond Co.
 Project ID: NCDOT Parcel 6
 Project No.: WBS# 34438.1.1
 Sample Matrix: Soil

Client Sample ID: P6.B7 6-8
 Prism Sample ID: 159518
 COC Group: G0806790
 Time Collected: 08/24/06 9:10
 Time Submitted: 08/25/06 15:35

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

Percent Solids Determination

Percent Solids	98.0	%			1	SM2540 G	08/29/06 14:30	lbrown	
----------------	------	---	--	--	---	----------	----------------	--------	--

Diesel Range Organics (DRO) by GC-FID

Diesel Range Organics (DRO)	BRL	mg/kg	7.1	1.7	1	8015B	08/29/06 1:43	jvogel	Q17363
-----------------------------	-----	-------	-----	-----	---	-------	---------------	--------	--------

Sample Preparation: 50 g / 2 mL 3550B 08/28/06 9:00 dpope P16217

Surrogate	% Recovery	Control Limits
o-Terphenyl	108	48 - 130

Sample Weight Determination

Weight 1	4.25	g			1	GRO	08/28/06 0:00	lbrown	
Weight 2	3.53	g			1	GRO	08/28/06 0:00	lbrown	

Gasoline Range Organics (GRO) by GC-FID

Gasoline Range Organics (GRO)	BRL	mg/kg	7.1	2.8	50	8015B	08/31/06 17:14	grappaccioli	Q17439
-------------------------------	-----	-------	-----	-----	----	-------	----------------	--------------	--------

Surrogate	% Recovery	Control Limits
aaa-TFT	109	55 - 129

Sample Comment(s):

BRL = Below Reporting Limit

J = Estimated value between the Reporting Limit and the MDL

The results in this report relate only to the samples submitted for analysis and meet state certification requirements other than NELAC certification except for those instances indicated in the case narrative and/or test comments.

All results are reported on a dry-weight basis

Angela D. Overcash, V.P. Laboratory Services

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

449 Springbrook Road - P.O. Box 240543 - Charlotte, NC 28224-0543

Phone: 704/529-6364 - Toll Free Number: 1-800/529-6364 - Fax: 704/525-0409



NC Certification No. 402
 SC Certification No. 99012
 NC Drinking Water Cert. No. 37735

Level II QC Report

9/1/2006

N. C. Department of Transportation
 Attn: Sheri Knox
 c/o Solution - IES
 1101 Nowell Road
 Raleigh, NC 27607

Project Name: Richmond Co.
 Project ID: NCDOT Parcel 6
 Project No.: WBS# 34438.1.1

COC Group Number: G0806790
 Date/Time Submitted: 8/25/2006 15:35

Diesel Range Organics (DRO) by GC-FID, method 8015B

Method Blank									
	Result	RL	Control Limit	Units	QC Batch ID				
Diesel Range Organics (DRO)	ND	7	<3.5	mg/kg	Q17363				

Laboratory Control Sample									
	Result	Spike Amount	Units	Recovery %	Recovery Range %	QC Batch ID			
Diesel Range Organics (DRO)	42.43	40	mg/kg	106	53 - 118	Q17363			

Matrix Spike									
Sample ID:	Result	Spike Amount	Units	Recovery %	Recovery Range %	QC Batch ID			
159518 Diesel Range Organics (DRO)	38.73	40	mg/kg	97	52 - 119	Q17363			

Matrix Spike Duplicate									
Sample ID:	Result	Spike Amount	Units	Recovery %	Recovery Range %	RPD %	RPD Range %	QC Batch ID	
159518 Diesel Range Organics (DRO)	36.69	40	mg/kg	92	52 - 119	5	0 - 25	Q17363	

Gasoline Range Organics (GRO) by GC-FID, method 8015B

Method Blank									
	Result	RL	Control Limit	Units	QC Batch ID				
Gasoline Range Organics (GRO)	ND	7	<3.5	mg/kg	Q17406				


Laboratory Control Sample									
	Result	Spike Amount	Units	Recovery %	Recovery Range %	QC Batch ID			
Gasoline Range Organics (GRO)	45	50	mg/kg	90	67 - 116	Q17406			

Matrix Spike									
Sample ID:	Result	Spike Amount	Units	Recovery %	Recovery Range %	QC Batch ID			
159499 Gasoline Range Organics (GRO)	51.7	50	mg/kg	103	57 - 113	Q17406			

Matrix Spike Duplicate									
Sample ID:	Result	Spike Amount	Units	Recovery %	Recovery Range %	RPD %	RPD Range %	QC Batch ID	
159499 Gasoline Range Organics (GRO)	51.85	50	mg/kg	104	57 - 113	0	0 - 23	Q17406	

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

449 Springbrook Road - P.O. Box 240543 - Charlotte, NC 28224-0543
 Phone: 704/529-6364 - Toll Free Number: 1-800/529-6364 - Fax: 704/525-0409



NC Certification No. 402
 SC Certification No. 99012
 NC Drinking Water Cert. No. 37735

Level II QC Report

9/1/2006

N. C. Department of Transportation
 Attn: Sheri Knox
 c/o Solution - IES
 1101 Nowell Road
 Raleigh, NC 27607

Project Name: Richmond Co.
 Project ID: NCDOT Parcel 6
 Project No.: WBS# 34438.1.1

COC Group Number: G0806790
 Date/Time Submitted: 8/25/2006 15:35

Gasoline Range Organics (GRO) by GC-FID, method 8015B

Method Blank						QC Batch ID
	Result	RL	Control Limit	Units		
Gasoline Range Organics (GRO)	ND	7	<3.5	mg/kg		Q17439

Laboratory Control Sample							QC Batch ID
	Result	Spike Amount	Units	Recovery %	Recovery Range %		
Gasoline Range Organics (GRO)	43.95	50	mg/kg	88	67 - 116		Q17439

Matrix Spike							QC Batch ID
Sample ID:	Result	Spike Amount	Units	Recovery %	Recovery Range %		
159757 Gasoline Range Organics (GRO)	42.5	50	mg/kg	85	57 - 113		Q17439

Matrix Spike Duplicate									QC Batch ID
Sample ID:	Result	Spike Amount	Units	Recovery %	Recovery Range %	RPD %	RPD Range %		
159757 Gasoline Range Organics (GRO)	42.55	50	mg/kg	85	57 - 113	0	0 - 23		Q17439

#-See Case Narrative

