

**PRELIMINARY SITE ASSESSMENT
PARCEL 48, ROY BARRY BOSTICK PROPERTY
3569 US HIGHWAY 1
RICHMOND COUNTY, NORTH CAROLINA
WBS ELEMENT: 34438.1.1; NCDOT PROJECT: R-2502 A**

Prepared for:
NC Department of Transportation
Geotechnical Engineering Unit
GeoEnvironmental Section
1589 Mail Service Center
Raleigh, North Carolina 27699-1589

Prepared by:
Solutions-IES
1101 Nowell Road
Raleigh, North Carolina 27607

Solutions-IES Project No. 3260.06A3.NDOT

September 28, 2006

Dottie Schmitt

Dottie Schmitt
Environmental Specialist



Sheri L. Knox, P.E.
Project Manager

TABLE OF CONTENTS

1.0	INTRODUCTION	1
2.0	BACKGROUND AND SITE DESCRIPTION	1
3.0	FIELD ACTIVITIES	2
4.0	SAMPLING RESULTS	3
5.0	DISCUSSION AND CONCLUSIONS.....	3

TABLES

TABLE 1 – SUMMARY OF FIELD SCREENING RESULTS FOR SOIL

TABLE 2 – SUMMARY OF SOIL ANALYTICAL RESULTS

FIGURES

FIGURE 1 – SITE LOCATION MAP

FIGURE 2 – SITE MAP

FIGURE 3 – SOIL BORING LOCATIONS AND EXTENT OF SOIL IMPACTS

APPENDICES

APPENDIX A – PHOTOGRAPHS

APPENDIX B – GEOPHYSICAL INVESTIGATION

APPENDIX C – BORING LOGS

APPENDIX D – GPS COORDINATES OF BORING LOCATIONS

APPENDIX E – LABORATORY ANALYTICAL REPORTS

1.0 INTRODUCTION

The North Carolina Department of Transportation (NCDOT) is widening the existing alignment of US Highway 1 near the towns of Marston and Hoffman, located in Richmond County, North Carolina. Acquisition of properties within the right-of-way is necessary prior to road construction. On July 19, 2006, Solutions-IES submitted a proposal (NC06554P) to conduct Preliminary Site Assessments (PSAs) on ten parcels of land located within the proposed right-of-way that are of concern to the NCDOT. This report summarizes the results of field activities conducted during the PSA for a portion of the property identified by NCDOT as Parcel 48, Roy Barry Bostick Property (**Figure 1**). The right-of-way portion of this site (Study Area) is more clearly identified on **Figure 2**. The scope of work executed at the site was performed in general accordance with Solutions-IES proposal NC06554P and was initiated based on a Notice to Proceed issued by the NCDOT Geotechnical Engineering Unit on July 20, 2006 under contract 7000007053, dated June 5, 2006.

2.0 BACKGROUND AND SITE DESCRIPTION

The subject property is located at 3569 US Highway 1, on the north side of US Highway 1, approximately 300 feet west of Tilley Street in Richmond County, North Carolina (site). According to field observations, the site contains one building and a propane tank. The surface of the site is covered with a mixture of grass and brush. Photographs of the Study Area at the site are presented in **Appendix A**. According to information provided in a Phase I Site Assessment (S&ME, Inc. "Limited Phase I Environmental Site Assessment", February 5, 1999), the buildings on the property were used to house a towing company that performed intermittent vehicle maintenance and race car assembly. Reportedly, an aboveground storage tank was located north of the building and used to store waste oil. However, the facility was not listed in the North Carolina Department of Environment and Natural Resources (NCDENR) underground storage tank (UST) database as of 1999.

If vehicle assembly and maintenance were performed on the site in the past, petroleum fuels may have been used on the property. In addition, it is possible that waste oil was also stored on the property. Therefore, there is a possibility that these constituents may have been released to the subsurface in the vicinity of the proposed right-of-way.

3.0 FIELD ACTIVITIES

Prior to mobilizing to the site to conduct subsurface sampling, Solutions-IES contacted North Carolina One Call to locate underground utilities in the study area of the site. Pyramid Environmental & Engineering, P.C. (Pyramid) was contracted to perform an electromagnetic survey of the subsurface in the proposed right-of-way and easement area. The electromagnetic survey equipment (EM61) identified various magnetic anomalies within the Study Area, including the possible presence of a small underground storage tank (UST) along the southwest corner of the building. The EM61 images are included in **Appendix B**, Figure 10.

After reviewing the background information and geophysical data, Solutions-IES elected to analyze soil samples collected at designated locations within the Study Area for total petroleum hydrocarbons (TPH). Chromium and lead were also analyzed due to the possibility of a waste oil release. These activities were conducted on August 22, 2006. No evidence of a UST system (i.e., vent pipes and/or pump islands) was observed within the proposed right-of-way. A total of 10 soil borings (borings P48-B1 through P48-B10) were advanced at the site in the locations depicted on **Figure 3**. These borings were labeled with the prefix "P48" to identify their location on Parcel 48. The borings were advanced with a truck-mounted Geoprobe[®] to a total depth of between 8 and 12 feet below ground surface (ft bgs). Borings P48-B1 AND P48-B2 were located at the southwest corner of the building, in the vicinity of the suspected small buried, metallic tank. Borings P48-B3 through P48-B10 were located near the northern boundary of the proposed right-of-way, approximately 50 to 65 feet apart.

Soil samples were obtained from each boring using a MacroCore[®] sampler fitted with single-use, disposable polyvinyl chloride (PVC) liners. Each liner was 4 feet in length. Upon retrieval, a portion of each 2-foot interval was placed in a resealable plastic bag. The bag were sealed and placed at ambient temperature for field screening with a flame ionization detector (FID). The remaining portion of each 2-foot interval was left in the PVC liner, wrapped in plastic and placed on ice for possible laboratory analysis.

Volatile organic compounds (VOCs) were allowed to accumulate in the headspace of the bag for approximately 20 minutes, after which time the headspace was scanned with the FID. The FID readings were recorded in the field logbook along with the soil description and indications of staining or odors, if present. Logs for each boring are presented in **Appendix C**. Soils from the

borings within the right-of-way of Parcel 48 generally consisted of fine silty sand (SM) and clayey sand (SC). The GPS coordinates for the borings are provided in **Appendix D**.

Headspace screening of the soil samples with the FID revealed the presence of low levels of volatile vapors in several of the samples. Concentrations ranged from no detections to 4.7 parts per million (ppm) in sample P48-B1 (8-10 ft bgs). These measurements are presented in **Table 1**. No distinguishable odors were noted in these samples.

Soil samples for laboratory analysis were retained from each boring at the sample intervals identified in **Table 1**. These samples were selected for analysis as they presented the highest FID measurements within the borings, or, if no volatile vapors were present, were obtained from the deepest interval sampled. The samples were placed in laboratory-supplied containers and stored on ice pending shipment to Prism Laboratories, Inc. in Charlotte, NC. Sample information was recorded on the chain-of-custody and the samples were submitted for chemical analysis of TPH gasoline range organics (GRO) by Modified EPA Method 5035/8015, TPH diesel range organics (DRO) by Modified EPA Method 3550/8015, and chromium and lead by EPA Method 6010B.

4.0 SAMPLING RESULTS

TPH DRO was detected in six of the 10 samples at concentrations above the laboratory reporting limit. Chromium and lead were detected above the laboratory reporting limit in the 10 soil samples collected. These data are summarized in **Table 2**. Laboratory reports associated with these samples are presented in **Appendix E**.

5.0 DISCUSSION AND CONCLUSIONS

The geophysical survey at the site revealed the potential presence of one small, buried metallic UST in the southwestern corner of the garage. The survey also identified metallic anomalies consistent with the presence of buried conduits and/or utilities. Solutions-IES installed 10 soil borings (P48-B1 – P48-B10) to determine the presence or absence of petroleum, chromium, and lead contamination within the Study Area, as well as to document soil conditions.

According to the laboratory analytical results, TPH DRO was detected above laboratory reporting limits in six soil samples. Four of these six samples exceeded the action level of 10 milligrams per kilogram (mg/kg) described for tank closure (*Guidelines for Tank Closure, North Carolina*

Underground Storage Tank Section (Guidelines), North Carolina Underground Storage Tank Section, State of North Carolina Department of Environment and Natural Resources [NCDENR] Division of Waste Management, September 2003). The detected values of TPH DRO range from 7.6 mg/kg (P48-B8 6-8 ft bgs) to 24 mg/kg (P48-B9 6-8 ft bgs). The presence of TPH DRO in soil is typically associated with a release of petroleum hydrocarbons such as diesel fuel. TPH GRO was not detected above the laboratory reporting limit in the 10 soil samples collected from the Study Area. The detected concentrations of chromium and lead did not exceed their respective regulatory limits provided in *Guidelines for Assessment and Corrective Action*, (North Carolina Underground Storage Tank Sections, NCDENR Division of Waste Management, April 2001).

Because soil samples P48-B5, P48-B6, P48-B7 and P48-B9 contained concentrations of TPH DRO greater than the action level for tank closure provided in the Guidelines, an area of impacted soils was estimated along the northern boundary of the Study Area (**Figure 3**). The analytical data suggest that petroleum impacts may extend over an area of approximately 30 feet wide by 300 feet long. From information obtained on Parcel 61, which was also along this alignment and assessed separately but as part of this project, the depth to groundwater was assumed to be approximately 11 ft bgs. Using this depth in the calculations, an estimate of the volume of impacted soil is approximately 3,700 cubic yards of soil.

Soil samples P48-B8 and P48-B10 contained TPH DRO at concentrations greater than the laboratory reporting limit, but less than the action level of 10 mg/kg. Because of these detected concentrations, proper transportation and disposal practices should be used in handling soil that may be excavated in the vicinity of these borings. During roadway construction, the NCDOT transportation/disposal contractor may use different criteria for estimating the area of impacted soil.

TABLES

TABLE 1
SUMMARY OF FIELD SCREENING RESULTS FOR SOIL
Parcel 48, Roy Barry Bostick Property
Richmond County, North Carolina
WBS Element: 34438.1.1; NCDOT Project: R-2502 A
Sample Collection Date: August 22, 2006

Sample Depth Below Ground Surface	Soil Borings									
	P48-B1	P48-B2	P48-B3	P48-B4	P48-B5	P48-B6	P48-B7	P48-B8	P48-B9	P48-B10
	FID Reading (ppm)									
0 - 2 feet	2.6	ND	ND	ND	0.1	ND	ND	ND	ND	0.2
2 - 4 feet	3.1	ND	0.4	0.2	0.2	0.2	ND	ND	ND	0.6
4 - 6 feet	3.6	ND	0.5	0.5	0.3	0.4	ND	ND	ND	0.6
6 - 8 feet	3.3	0.4	0.3	0.3	1.0	0.7	0.1	ND	0.5	1.0
8 - 10 feet	4.7	2.8	NS	NS	NS	NS	NS	NS	NS	NS
10 - 12 feet	4.5	1.2	NS	NS	NS	NS	NS	NS	NS	NS

Notes:

FID = Flame Ionization Detector

FID readings were obtained with a Photovac MicroFID Flame Ionization Detector

ND = Not detected

NS = No sample taken

ppm = parts per million

Samples denoted by shaded cells were submitted for laboratory analysis.

TABLE 2
SUMMARY OF SOIL ANALYTICAL RESULTS
Parcel 48, Roy Barry Bostick Property
Richmond County, North Carolina
WBS Element: 34438.1.1; NCDOT Project: R-2502 A

Sample ID			P48-B1 8-10	P48-B2 8-10	P48-B3 4-6	P48-B4 4-6	P48-B5 6-8	P48-B6 6-8	P48-B7 6-8	P48-B8 6-8	P48-B9 6-8	P48-B10 6-8
Depth (ft bgs)			8-10	8-10	4-6	4-6	6-8	6-8	6-8	6-8	6-8	6-8
Date Collected			8/22/2006	8/22/2006	8/22/2006	8/22/2006	8/22/2006	8/22/2006	8/22/2006	8/22/2006	8/22/2006	8/22/2006
Parameter	Regulatory Limit	Units										
TOTAL PETROLEUM HYDROCARBONS (EPA Method 5035/8015B for TPH-GRO, EPA Method 3550B/8015B for TPH-DRO)												
TPH-DRO ¹	10	mg/kg	<7.7	<7.6	<7.5	<7.2	13	17	12	7.6	24	8.8
TPH-GRO ¹	10	mg/kg	<7.7	<7.6	<7.5	<7.2	<7.9	<7.8	<7.7	<7.6	<7.7	<7.6
INORGANIC COMPOUNDS (EPA Method 6010B)												
Chromium ²	27	mg/kg	11	13	2.7	3.5	13	17	15	11	19	15
Lead ²	270	mg/kg	4.4	4.6	2.2	2.5	4.0	4.8	4.3	3.4	3.5	5.1

NOTES:

Bold values indicate detected concentrations

DRO = Diesel Range Organics

ft bgs = feet below ground surface

GRO = Gasoline Range Organics

mg/kg = milligrams per kilogram


Shaded values exceed Regulatory Limits

TPH = Total Petroleum Hydrocarbons

¹Regulatory limit for TPH-DRO and TPH-GRO are tank closure limits provided from "Guidelines for Tank Closure", North Carolina Underground Storage Tank Section, State of North Carolina Department of Environment and Natural Resources [NCDENR] Division of Waste Management, September, 2003.

²Regulatory limit for Chromium and Lead are MSCC values from "Guidelines for Assessment and Corrective Action", North Carolina Underground Storage Tank Section, NCDENR Division of Waste Management, April 2001. MSCCs are Soil-to-Groundwater Maximum Soil Contaminant Concentrations.

FIGURES




1:10,000

SITE LOCATION MAP
PARCEL 48
ROY BARRY BOSTICK PROPERTY
RICHMOND COUNTY, NORTH CAROLINA
STATE PROJECT NO. R-2502 A, WBS ELEMENT# 34438.1.1



1101 Nowell Road, Raleigh, NC 27609 Phone (919) 873-1060, Fax (919) 873-1074	
Created by: RT	Project: 3260.06A3.NDOT
Checked by: SK	Date: SEPTEMBER 2006
File: Figure 1.mxd	
Software: ESRI ArcMap 9.1	FIGURE 1

PROJECT NUMBER 3268-RBR3.0001
 DRAFTER RT
 CHECKED BY SK
 PROJECT MANAGER SK
 DATE AUGUST 2006
 FILE FIG2.DGN



Solutions-IES
 Industrial & Environmental Services
 1101 NOWELL ROAD
 RALEIGH, NORTH CAROLINA 27607
 TEL: 1919 873-1060 FAX: 1919 873-1074

NOTES:
 0 40 80
 SCALE IN FEET
 NOTE: BASEMAP PROVIDED BY NCDOT

PARCEL 48
 ROY BARRY BOSTICK PROPERTY
 RICHMOND COUNTY, NORTH CAROLINA
 STATE PROJECT NO. R-2502 A
 WBS ELEMENT 34438.1.1

SITE MAP
 FIGURE 2

PROJECT NUMBER 3260.06A3.NDOT
 DRAFTER RT
 CHECKED BY SK
 PROJECT MANAGER SK
 DATE AUGUST 2006
 FIG3.DGN
 FILE


Sample ID	Depth (ft bgs)	Date Collected	P48-B1 8-10	P48-B2 8-10	P48-B3 4-6	P48-B4 4-6	P48-B5 6-8	P48-B6 6-8	P48-B7 6-8	P48-B8 6-8	P48-B9 6-8	P48-B10 6-8
Parameter	Regulatory Limit	Units										
TOTAL PETROLEUM HYDROCARBONS (EPA Method 5035/8015B for TPH-GRO, EPA Method 3550B/8015B for TPH-DRO)												
TPH-DRO ¹	10	mg/kg	<7.7	<7.6	<7.5	<7.2	13	17	12	7.6	24	8.8
TPH-GRO ¹	10	mg/kg	<7.7	<7.6	<7.5	<7.2	<7.9	<7.8	<7.7	<7.6	<7.7	<7.6
INORGANIC COMPOUNDS (EPA Method 6010B)												
Chromium ²	27	mg/kg	11	13	2.7	3.5	13	17	15	11	19	15
Lead ²	270	mg/kg	4.4	4.6	2.2	2.5	4.0	4.8	4.3	3.4	3.5	5.1

NOTES:
 Bold values indicate detected concentrations
 DRO = Diesel Range Organics
 ft bgs = feet below ground surface
 GRO = Gasoline Range Organics
 mg/kg = milligrams per kilogram

Shaded values exceed Regulatory Limits
 TPH = Total Petroleum Hydrocarbons

¹Regulatory limit for TPH-DRO and TPH-GRO are tank closure limits provided from "Guidelines for Tank Closure", North Carolina Underground Storage Tank Section, State of North Carolina Department of Environment and Natural Resources [NCDENR] Division of Waste Management, September, 2003.

ROY BARRY BOSTICK
 DB 706 PG 255
 DB 766 PG 414
 DB 103 PG 342
 PLAT SLIDE 597-A
 PLAT SLIDE 627-F



LEGEND

P48-B1 SOIL BORING LOCATION

Solutions-IES
 Industrial & Environmental Services
 1101 NOVELL ROAD
 RALEIGH, NORTH CAROLINA 27607
 TEL. (919) 973-1060 FAX. (919) 973-1074

NOTES:
 SCALE IN FEET
 NOTE: BASEMAP PROVIDED BY NCDOT

PARCEL 48
 ROY BARRY BOSTICK PROPERTY
 RICHMOND COUNTY, NORTH CAROLINA
 STATE PROJECT NO. R-2502 A
 WBS ELEMENT: 34438.1.1

SOIL BORING LOCATIONS
 AND
 EXTENT OF SOIL IMPACTS

FIGURE:
 3

APPENDIX A
PHOTOGRAPHS



Photograph 1. Parcel 48 looking east to west along US Highway 1.



Photograph 2. Parcel 48 looking northwest along side of garage. Potential location of buried metallic UST identified by flags in foreground.



Photograph 3. Parcel 48 looking northeast toward garage (location of soil borings P48B3 through P48B7 identified with orange flags). US Highway 1 is located to the right of the photograph.



Photograph 4. Parcel 48 looking east behind garage. Propane tank located just behind building.

APPENDIX B
GEOPHYSICAL INVESTIGATION

GEOPHYSICAL INVESTIGATION REPORT

***GEOPHYSICAL SURVEYS FOR THE
DETECTION OF METALLIC USTS***

US 1 from SR 1001 to the Richmond County Line

Richmond, North Carolina

State Project Number U-3459

September 1, 2006


**Report prepared for: Sheri Knox, PE
Solutions IES
1101 Nowell Rd.
Raleigh, NC 27607**

Prepared by:



Douglas Canavello, PG

Reviewed by:



Tim Leatherman, PG

**PYRAMID ENVIRONMENTAL & ENGINEERING, P.C.
700 NORTH EUGENE ST.
GREENSBORO, NC 27401
(336) 335-3174**

Solutions IES
GEOPHYSICAL SURVEYS FOR THE DETECTION OF METALLIC USTS
US 1 from SR 1001 to the Richmond County Line
State Project Number U-3456

TABLE OF CONTENTS

- 1.0 INTRODUCTION
- 2.0 FIELD METHODOLOGY
- 3.0 DISCUSSION OF RESULTS
 - 3.1 Parcel 6 – Hillary McKay Property
 - 3.2 Parcel 9 – K.J. Lewis Property
 - 3.3 Parcel 21 – James Brigman Property
 - 3.4 Parcel 48 – Roy Barry Bostick Property
 - 3.5 Parcel 50 – Pansy Ernest Property
 - 3.6 Parcel 51 – Church of Deliverance Property
 - 3.7 Parcel 61 – Cooper & Brown Inc. Property
 - 3.8 Parcel 70 – Delia Lassiter Property
 - 3.9 Parcel 22 – Ivey Little Property
 - 3.10 Parcel 68 – James Pugh Property
- 4.0 SUMMARY & CONCLUSIONS
- 5.0 LIMITATIONS

FIGURES

- Figure 1 Site & Geophysical Equipment Photos
- Figure 2 Parcel 6 – Hillary McKay Property – EM61 Bottom Coil Results
- Figure 3 Parcel 6 – Hillary McKay Property – EM61 Differential Results
- Figure 4 Parcel 9 – K.J. Lewis Property – EM61 Bottom Coil Results
- Figure 5 Parcel 9 – K.J. Lewis Property – EM61 Differential Results
- Figure 6 Parcel 9 – K.J. Lewis Property – Photo & GPR Image of UST Locations
- Figure 7 Parcel 21 – James Brigman Property – EM61 Bottom Coil Results
- Figure 8 Parcel 21 – James Brigman Property – EM61 Differential Results

- Figure 9 Parcel 21 – James Brigman Property – Photo & GPR Image of UST Locations
Figure 10 Parcel 48 – Roy Barry Bostick Property – EM61 Metal Detection Results
Figure 11 Parcels 50 & 51 – Earnest & Church Properties – EM61 Bottom Coil Results

FIGURES (continued)

- Figure 12 Parcels 50 & 51 – Earnest & Church Properties – EM61 Bottom Coil Results
Figure 13 Parcels 50 & 51 – Earnest & Church Properties – Photo & GPR Image of UST Locations
Figure 14 Parcel 61 – Cooper & Brown Inc. Property – EM61 Bottom Coil Results
Figure 15 Parcel 61 – Cooper & Brown Inc. Property – EM61 Differential Results
Figure 16 Parcel 70 – Delia Lassiter Property – EM61 Bottom Coil Results
Figure 17 Parcel 70 – Delia Lassiter Property – EM61 Differential Results
Figure 18 Parcel 22 – Ivey Little Property – EM61 Bottom Coil Results
Figure 19 Parcel 22 – Ivey Little Property – EM61 Differential Results
Figure 20 Parcel 68 – James Pugh Property – EM61 Metal Detection Results

1.0 INTRODUCTION

Pyramid Environmental & Engineering, PC conducted geophysical investigations for Solutions IES during the period of July 26 through August 28, 2006, within the proposed Right-of-Way (ROW) areas at 10 sites located in Richmond County, North Carolina. The work was done as part of the North Carolina Department of Transportation (NCDOT) road-widening project under State Project number U-3459. The sites are located along the northern or western sides of US 1 from SR 1001 to the Richmond County Line. The geophysical surveys were conducted to determine if unknown metallic underground storage tanks (UST's) were present beneath the proposed ROW area of each site.

Solutions IES representative Ms. Sheri Knox, PE provided maps during the week of July 24, 2006 that outlined the geophysical survey area of each site. Ms. Knox also provided project management during the geophysical investigation of the sites. Geophysical surveys were conducted within the proposed ROW areas at the following 10 sites that are listed from the southern-most site to the northern-most site.

<u>Property Owner</u>	<u>Parcel</u>	<u>Present Use of Property</u>
Hillary McKay Property	(Parcel 6)	Grass-covered lot with garage
K.J. Lewis Property	(Parcel 9)	Vacant, wooded lot
James Brigman Property	(Parcel 21)	Vacant, grass-covered Lot
Roy Barry Bostick Property	(Parcel 48)	Grass-covered lot and garage
Pansy Ernest Property	(Parcel 50)	Grass-covered lot with vacant store
Church of Deliverance Prop.	(Parcel 51)	Asphalt lot with active church
Cooper & Brown Inc. Prop.	(Parcel 61)	Vacant lot and commercial building

Delia Lassiter Property	(Parcel 70)	Vacant lot and building
Ivey Little Property	(Parcel 22)	Vacant lot and building
James Pugh Property	(Parcel 68)	Vacant, wooded lot

Photographs of the above sites along with photographs of the geophysical equipment used for this project are presented in **Figure 1**.

2.0 FIELD METHODOLOGY

Prior to conducting the geophysical investigations, a 10-foot by 10-foot or 10-foot by 20-foot survey grid was established across the proposed ROW areas of the 10 sites using water-based marking paint or pin flags. These marks were used as X-Y coordinates for location control when collecting the geophysical data and establishing base maps for the geophysical results.

The geophysical investigations consisted of electromagnetic (EM) induction-metal detection surveys and ground penetrating radar (GPR) surveys. The EM surveys were performed using a Geonics EM61-MK1 metal detection instrument. According to the instrument specifications, the EM61 can detect a metal drum down to a maximum depth of approximately 8 feet. The EM61 data were digitally collected at each site along parallel northerly-southerly or easterly-westerly trending survey lines spaced five feet apart. The data were downloaded to a computer and reviewed in the field and office using the Geonics DAT61W and Surfer for Windows Version 7.0 software programs.

Contour plots of the EM61 bottom coil results and the EM61 differential results for each site are included in this report. The bottom coil results represent the most sensitive component of the EM61 instrument and detect metal objects regardless of size. The bottom coil response can be used to

delineate metal conduits or utility lines, small, isolated metal objects, and areas containing insignificant metal debris.

The differential results are obtained from the difference between the top and bottom coils of the EM61 instrument. The differential results focus on the larger metal objects such as drums and USTs and ignore the smaller insignificant metal objects.

GPR surveys were conducted across selected EM61 differential anomalies and steel-reinforced concrete using a GSSI SIR-2000 unit equipped with a 400 MHz antenna. Surveys were also performed across several areas where parked vehicles that obstructed the EM61 survey had since been removed. GPR data were digitally collected in a continuous mode along X and/or Y survey lines, spaced two to five feet apart using a vertical scan of 512 samples, at a rate of 48 scans per second. An 80 MHz high pass filter and an 800 MHz low pass filter were used during data acquisition with the 400 MHz antenna. GPR data were collected down to a maximum depth of approximately five feet, based on an estimated two-way travel time of 9 nanoseconds per foot.

The GPR data were downloaded to a field computer and later reviewed in the office using Radprint and Radan 5.0 software programs. The locations of GPR survey areas or individual GPR survey lines are shown as solid, purple polygons or solid purple lines, respectively, on the EM61 differential contour plots. The approximate perimeters of probable or possible USTs, based on the geophysical results, were marked and labeled in the field using orange, water-based marking paint and pin flags (when possible). The approximate locations of probable or possible USTs are shown as magenta-colored rectangles on the EM61 bottom coil and differential contour plots.

During the weeks of August 7, August 14, and August 28, preliminary contour plots of the EM61 bottom coil and the differential results were emailed to Ms. Knox.

3.0 DISCUSSION OF RESULTS

3.1 Parcel 6 – Hillary McKay Property

The Hillary McKay Property (Parcel 6) contains a former auto repair garage and a vacant wooden building. The ROW area consists of a flat-lying grass surface. The bottom coil results and the differential results are presented in **Figures 2 and 3**, respectively. GPR surveys conducted around the perimeter of the garage and wooden building, suggest that the EM61 anomalies surrounding the two buildings are in response to the structures and perhaps buried miscellaneous metal debris. The remaining EM61 anomalies are probably in response to buried miscellaneous metal debris. The geophysical results suggest that the proposed ROW area at Parcel 6 does not contain metallic UST's.

3.2 Parcel 9 – K.J. Lewis Property

The K.J. Lewis property (Parcel 9) is located immediately north of the Mercer Road and US 1 intersection, approximately 200 feet northeast of Parcel 6. The property consists of an abandoned building along the edge of US 1, which is surrounded by dense wooded terrain. A former pump island area is located in front of the building. The EM61 bottom coil results and the differential results are presented in **Figures 4 and 5**, respectively. Due to limited access to the site, the geophysical investigation was limited to the front portion of the property that is located along US 1.

The geophysical investigation detected the probable presence of two USTs located adjacent to the pump island area. The first UST is centered near grid coordinates X=84 Y=27, and buried approximately 1.5 feet below surface. The second UST is centered near grid coordinates X=103 Y=27, and is buried approximately 2.0 feet below surface. This latter UST appears to be partially beneath the former pump island area. The approximate locations of the USTs are shown as magenta-colored rectangles in Figures 4 and 5. Based on the GPR results, the probable USTs are approximately 10 feet long and 4 feet wide. A photograph showing the approximate locations of the two probable USTs and the image of GPR survey lines Y=27.5, which intersects the probable USTs, are presented in **Figure 6**.

The EM61 differential anomaly centered near grid coordinates X=118 Y=29, may possibly be in response to a UST or large metal object. However, GPR surveys could not be conducted across this EM anomaly due to the limited access caused by the dense wooded terrain. The approximate location of this possible UST is shown as a dashed, magenta-colored rectangle in Figures 4 and 5, and in the site photograph that is presented in Figure 6.

The remaining portion of the geophysical survey area does not appear to contain significant, buried, metal objects.

3.3 Parcel 21 – James Brigman Property

The James Brigman property (Parcel 21) consists of an open, grass and asphalt-covered lot located along the western side of US 1. The EM61 bottom coil results and the differential results are presented in **Figures 7 and 8**, respectively.

GPR surveys conducted across the linear, EM61 bottom coil anomalies that intersect grid coordinates X=62 Y=70, X=66 Y=94, X=84 Y=94, and X=87.5 Y=75, suggest the anomalies are probably in response to buried utility lines or conduits. GPR data also suggest that the high amplitude anomalies centered near grid coordinates X=77 Y=84, and X=93 Y=66, are probably in response to buried miscellaneous metal objects or junction areas for the conduits or utility lines.

GPR surveys conducted across the large, high amplitude anomaly centered near X=45 Y=75, detected the probable presence of four metallic USTs. The four probable USTs are centered near grid coordinates X=43 Y=80, X=50 Y=80, X=42 Y=73, and X=48 Y=73. Based on the GPR data, the USTs appear to be approximately 9 feet long and 3.5 to 4 feet wide and buried approximately 1.5 to 2.0 feet below surface. The approximate locations of the probable USTs are shown as magenta-colored rectangles in Figures 7 and 8. A photograph showing the approximate locations of the four probable USTs and the image of GPR survey lines Y=80, which intersects the two probable USTs centered near X=43 Y=80, and X=50 Y=80, are presented in **Figure 9**.

The remaining EM61 anomalies recorded within the proposed ROW area are probably in response to miscellaneous metal debris.

3.4 Parcel 48 – Roy Barry Bostick Property

The Roy Barry Bostick property (Parcel 48) consists of a red, brick building surrounded by flat-lying grass-covered terrain. The parcel is located along the northwestern side of US 1 approximately 300 feet southwest of the US 1 and Tilley Street intersection. The EM61 bottom coil results and the differential results are presented in **Figure 10**.

GPR surveys conducted across the EM61 anomaly centered near grid coordinates X=295 Y=60, suggest that the anomaly is probably in response to one or more large diameter (12 or more inches) conduits buried approximately 1.0 feet below surface. There is a possibility (although unlikely) that the anomaly may be in response to a very small UST centered near grid coordinates X=290 Y=59. The location of the possible, but unlikely UST is shown as a magenta-colored square in Figure 10.

GPR surveys conducted along the edge of the brick building suggest that the EM61 anomalies recorded in this area are probably in response to the building and/or buried miscellaneous debris. The remaining EM61 anomalies recorded within the proposed ROW area at Parcel 48 are probably in response to known cultural features and/or buried miscellaneous debris.

3.5 Parcel 50 – Pansy Ernest Property

The Pansy Ernest property (Parcel 50) is located on the western corner of the Tilley Street and US1 intersection. The parcel contains the former Little Grace’s Variety store surrounded by a flat-lying grass-covered, terrain. An occupied house is located immediately west of the property. The EM61 bottom coil results and the differential results are presented in **Figures 11 and 12**, respectively. Please note that Figures 11 and 12 also contain the EM61 results for Church of Deliverance property (Parcel 51).

GPR surveys conducted across the backyard of Parcel 50 suggest the linear EM61 bottom coil anomalies intersecting grid coordinates X=570 Y=115, X=570 Y=126, X=580 Y=90, and X=586 Y=125, are probable in response to buried conduits or lines. Similarly, the locations of the linear EM61 anomalies intersecting grid coordinates X= 622 Y=80, X=622 Y=120, and X=640 Y=35, suggest these anomalies are probably in response to buried utility lines.

GPR surveys conduct across the high amplitude anomalies centered near grid coordinates X=575 Y=105, and X=590 Y=113, suggest the anomalies are probably in response to the “junction” of conduits and/or other miscellaneous objects. Although not confirmed by the GPR results, the EM61 anomaly located at X=575 Y=105, may be in response to a possible septic tank.

GPR surveys conducted across the EM61 anomaly centered near grid coordinates X=567 Y=55, detected the probably presence of two USTs buried approximately 0.75 feet below surface. The approximate locations of the probably USTs are shown as magenta-colored rectangles in Figures 11 and 12 and each UST appears to be approximately eight feet long and three feet wide. A photograph showing the approximate locations of the two probable USTs and the image of GPR survey line Y=55, which intersects the probable USTs, are presented in **Figure 13**.

The remaining EM61 anomalies recorded within the proposed ROW area at Parcel 50 are probably in response to known cultural features or buried miscellaneous metal debris.

3.6 Parcel 51 – Church of Deliverance Property

The Church of Deliverance property (Parcel 51) contains an active church building surrounded by a grass, gravel or asphalt-covered parking area. The property is located on the northern corner of the Tilley Street and US 1 intersection immediately across the street from the Pansy Ernest property (Parcel 50). The EM61 bottom coil results and the differential results for Parcel 51 are presented in **Figures 11 and 12**, respectively along with the EM61 results for Parcel 50.

The linear EM61 bottom coil anomalies intersecting grid coordinates X=670 Y=50, X=700 Y=30, and X=700 Y=65, are probably in response to buried utility lines or conduits. GPR surveys conducted across the EM 61 differential anomaly centered near X=705 Y=105, and along the front edge of the church building suggest the anomalies are probably in response to miscellaneous debris and the building, respectively.

The remaining EM61 anomalies recorded within the proposed ROW area at Parcel 51 are probably in response to known cultural features or miscellaneous buried debris. The geophysical results also suggest that the proposed ROW area does not contain metallic USTs.

3.7 Parcel 61 – Cooper & Brown Inc. Property

The Cooper & Brown Inc. property (Parcel 61) is located on the western side of the US 1 and Little Road intersection. The proposed ROW area of Parcel 61 contains a vacant business building surrounded by flat-lying grass or asphalt surfaces. A concrete pad is located in front of the building and probably identifies the former pump island area. An occupied house lies to the northwest of the proposed ROW area.

The EM61 bottom coil results and the differential results are presented in **Figures 14 and 15**, respectively. The linear EM61 bottom coil anomalies intersecting grid coordinates X=130 Y=34, X=142 Y=105, X=186 Y=100, X=210 Y=42, and X=213 Y=83, are probably in response to buried utility lines or conduits. The high amplitude anomalies centered near grid coordinates X=75 Y=67, and X=80 Y=50, are probably in response to steel reinforced concrete. GPR surveys conducted across these two areas did not detect the presence of USTs.

GPR surveys conducted across the high amplitude anomaly centered near X=226 Y=116, suggest the anomaly is probably in response to steel reinforced concrete and/or to the metal conduits that are visible at the surface. GPR surveys conducted along the perimeter of the building suggest that the EM61 anomalies are probably in response to the building and/or to miscellaneous debris. The remaining EM61 anomalies are probably in response to known cultural features and/or to buried miscellaneous metal debris.

The geophysical results suggest that the proposed ROW area at Parcel 61 does not contain metallic USTs.

3.8 Parcel 70 – Delia Lassiter Property

The Delia Lassiter Property (Parcel 70) contains a vacant building surrounded primarily by grass yard and an asphalt driveway. An occupied house lies immediately north of the proposed ROW area. The EM61 bottom coil results and the differential results are presented in **Figures 16 and 17**, respectively.

The linear EM61 anomaly intersecting grid coordinates X=90 Y=110, is probably in response to a buried utility line or conduit. The remaining EM anomalies are probably in response to known cultural features or to buried miscellaneous debris. The geophysical results suggest that the proposed ROW area at the Delia Lassiter property does not contain metallic USTs.

3.9 Parcel 22 – Ivey Little Property

The Ivey Little property (Parcel 22) is located along the northwest side of US 1 and consists of a vacant building surrounded by a gravel-covered driveway and grass-covered fields. The EM61 bottom coil results and the differential results are presented in **Figures 18 and 19**, respectively.

The linear EM61 anomaly intersecting grid coordinates X=354 Y=35, is probably in response to a buried utility line or conduit. The remaining EM anomalies are probably in response to known cultural features or to buried miscellaneous debris. The geophysical results suggest that the proposed ROW area at the Ivey Little property does not contain metallic USTs.

3.10 Parcel 68 – James Pugh Property

The James Pugh Property (Parcel 68) is a former gas station site located on the northern side of US 1, approximately 0.25 miles west of the US 1 and Special Forces Way intersection. The site consists primarily of grass, trees and brush with a former pump island pad located near the edge of US 1. The EM61 bottom coil results and the differential results are presented in **Figure 20**.

GPR surveys conducted across the EM61 anomalies centered grid coordinates X=305 Y=35, and X=321 Y=37, suggest the anomalies are probably in response to the pump island pad and to the

buried pump island-related equipment. GPR surveys conducted across the EM61 anomaly centered near grid coordinates X=534 Y=92, suggest the anomaly is probably in response to buried miscellaneous debris or object. The remaining EM61 anomalies are probably in response to known cultural features and miscellaneous metal debris.

The geophysical investigation conducted at Parcel 68 suggests that the proposed ROW area does not contain metallic USTs.

4.0 SUMMARY & CONCLUSIONS

Our evaluation of the EM61 and GPR data collected across the proposed ROW areas at the 10 sites along US 1 in Richmond County, North Carolina provides the following summary and conclusions:

- The EM61 and GPR surveys provided reliable results for the detection of metallic USTs within the surveyed portions of the proposed ROW areas of each site.
- GPR surveys were conducted across selected EM61 differential anomalies and across areas containing steel reinforced concrete.
- Linear EM61 anomalies at the 10 sites are probably in response to buried utility lines and/or conduits. The majority of non-linear anomalies are probably in response to known cultural features or miscellaneous metal objects.

- The geophysical results suggest the proposed ROW areas at the following properties do not contain metallic USTs:



Hillary McKay Property	(Parcel 6)
Church of Deliverance Property	(Parcel 51)
Cooper & Brown Inc. Property	(Parcel 61)
Delia Lassiter Property	(Parcel 70)
Ivey Little Property	(Parcel 22)
James Pugh Property	(Parcel 68)

- K.J. Lewis Property (Parcel 9): Geophysical results suggest the probable presence of two USTs located adjacent to the pump island area. The first UST is centered near grid coordinates X=84 Y=27, and buried approximately 1.5 feet below surface. The second UST is centered near grid coordinates X=103 Y=27, and is buried approximately 2.0 feet below surface. The EM61 differential anomaly centered near grid coordinates X=118 Y=29, may possibly be in response to a UST or large metal object. However, GPR surveys could not be conducted across this EM anomaly due to the limited access caused by the dense wooded terrain.
- James Brigman Property (Parcel 21): Geophysical results detected the probable presence of four metallic USTs centered near grid coordinates X=43 Y=80, X=50 Y=80, X=42 Y=73, and X=48 Y=73. Based on the GPR data, the USTs appear to be approximately 9 feet long and 3.5 to 4 feet wide and buried approximately 1.5 to 2.0 feet below surface.



- Roy Barry Bostick Property (Parcel 48): GPR surveys conducted across the EM61 anomaly centered near grid coordinates X=295 Y=60, suggest that the anomaly is probably in response to one or more large diameter (12 or more inches) conduits buried approximately 1.0 feet below surface. There is a possibility (although unlikely) that the anomaly may be in response to a very small UST centered near grid coordinates X=290 Y=59.
- Pansy Ernest Property (Parcel 50): Geophysical results suggest the probable presence of two USTs centered near grid coordinates X=567 Y=55, and buried approximately 0.75 feet below surface. The USTs appear to be approximately eight feet long and three feet wide.

5.0 LIMITATIONS

EM61 and GPR surveys have been performed and this report prepared for Solutions IES in accordance with generally accepted guidelines for EM61 and GPR surveys. It is generally recognized that the results of the EM61 and GPR are non-unique and may not represent actual subsurface conditions. The EM61 and GPR results obtained for this project do not conclusively define the locations of all metallic USTs but only suggest where some of the metallic USTs may be present. The EM61 and GPR anomalies, interpreted as probable or possible USTs or tanks, may be attributed to other surface or subsurface conditions or cultural interference.



FIGURES





Parcel 6 - Hillary McKay Property



Parcel 9 - K.J. Lewis Property



Parcel 21 - James Brigman Property



Parcel 48 - Roy Barry Bostick Property



Parcel 50 - Pansy Earnest Property



Parcel 51 - Church of Deliverance Property



Parcel 61 - Cooper & Brown Property



Parcel 70 - Delia Lassiter Property



Parcel 22 - Ivey Little Property



Parcel 68 - James Pugh Property

GEOPHYSICAL EQUIPMENT



The photo shows the Geonics EM61 metal detector that was used to conduct the metal detection survey at the sites in Richmond County, North Carolina.



The photos show the SIR-2000 GPR system equipped with a 400 MHz antenna that was used to conduct the ground penetrating radar investigation at the sites in Richmond County, North Carolina.

SITE PHOTOGRAPHS


This figure shows the photographs of the ten sites located near Marston and Hoffman, North Carolina where geophysical investigations were conducted within the ROW areas for the detection of metallic USTs.

SITE PHOTOS

FIGURE 1

MJD		DATE		FIGURE	
08/31/06		LNO.	DWS	2006-200	
DRWN	CHKD	LVT	DWS	LNO.	FIGURE
SOLUTIONS IES	US 1 - RICHMOND COUNTY SITES	MARSTON & HOFFMAN	NORTH CAROLINA	GEOPHYSICAL RESULTS	
CLIENT	SITE	CITY	STATE	TITLE	


PYRAMID
ENVIRONMENTAL & ENGINEERING, P.C.



APPROXIMATE NORTH

LEGEND

- EM61 SURVEY AREA: EM DATA ACQUIRED ALONG NORTHEAST-SOUTHWEST TRENDING LINES SPACED 5 FEET APART
- PROPERTY LINE (APPROX.)
- + GUY WIRE
- UTILITY POLE



Note: The contour plot shows the bottom coil (most sensitive) response of the EM61 instrument in millivolts (mV). The bottom coil response shows buried metallic objects regardless of size. The EM metal detection data were collected on July 27, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on August 16, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.


The geophysical investigation suggests that the survey area does not contain metallic USTs.



CLIENT	SOLUTIONS IES		DATE	08/01/06	DRWN	MJD
SITE	PARCEL 6 - HILLARY MCKAY PROPERTY		LAY		CHKD	
CITY	MARSTON	STATE	NORTH CAROLINA	DWG		
TITLE	GEOPHYSICAL RESULTS		J-NO	2006-200	FIGURE	


EM61
BOTTOM COIL
RESULTS

FIGURE 2



LEGEND

- EM61 SURVEY AREA: EM DATA ACQUIRED ALONG NORTHEAST-SOUTHWEST TRENDING LINES SPACED 5 FEET APART
- PROPERTY LINE (APPROX.)
- GUY WIRE
- UTILITY POLE
- APPROX. LOCATION OF GPR SURVEY LINE



Note: The contour plot shows the differential results of the EM61 metal detection survey in millivolts (mV). The differential response focuses on larger, buried metallic objects such as drums and USTs and ignores smaller miscellaneous, buried, metal debris. The EM metal detection data were collected on July 27, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on August 16, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.



The geophysical investigation suggests that the survey area does not contain metallic USTs.



CLIENT	SOLUTIONS IES		DATE	08/01/06	DRWN	MJD
SITE	PARCEL 6 - HILLARY MCKAY PROPERTY		LAY		CHKD	
CITY	MARSTON	STATE	NORTH CAROLINA	DWG		
TITLE	GEOPHYSICAL RESULTS		J-NO.	2006-200	FIGURE	

**EM61
DIFFERENTIAL
RESULTS**

FIGURE 3



Note: The contour plot shows the bottom coil (most sensitive) response of the EM61 instrument in millivolts (mV). The bottom coil response shows buried metallic objects regardless of size. The EM metal detection data were collected on August 15, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on August 16, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.

GPR surveys suggest that the EM61 anomalies recorded adjacent to the former pump island area are probably in response to metallic USTs.

LEGEND

- EM61 SURVEY AREA: EM DATA ACQUIRED ALONG EASTERLY-WESTERLY OR NORTHERLY- SOUTHERLY TRENDING LINES SPACED 5 FEET APART
- UTILITY POLE
- TRAFFIC SIGN
- POSSIBLE UST, AS SUGGESTED BY EM61 ANOMALY
- PROBABLE UST, AS SUGGESTED BY GPR SURVEYS




CLIENT	SOLUTIONS IES		DATE	08/17/06	DRWN	MJD
SITE	PARCEL 9 - K. J. LEWIS PROPERTY		LAY		CHKD	
CITY	MARSTON	STATE	NORTH CAROLINA		DWG	
TITLE	GEOPHYSICAL RESULTS		J.NO.	2006-200	FIGURE	

GRAPHIC SCALE IN FEET


**EM61
BOTTOM COIL
RESULTS**

FIGURE 4



LEGEND

- EM61 SURVEY AREA: EM DATA ACQUIRED ALONG EASTERLY-WESTERLY OR NORTHERLY-SOUTHERLY TRENDING LINES SPACED 5 FEET APART
- UTILITY POLE
- TRAFFIC SIGN
- GPR SURVEY AREA
- POSSIBLE UST, AS SUGGESTED BY EM61 ANOMALY
- PROBABLE UST, AS SUGGESTED BY GPR SURVEYS



Note: The contour plot shows the differential results of the EM61 metal detection survey in millivolts (mV). The differential response focuses on larger, buried metallic objects such as drums and USTs and ignores smaller miscellaneous, buried, metal debris. The EM metal detection data were collected on August 15, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on August 16, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.

GPR surveys suggest that the EM61 anomalies recorded adjacent to the former pump island area are probably in response to metallic USTs.




CLIENT	SOLUTIONS IES		DATE	08/17/06	DRWN	MJD
SITE	PARCEL 9 - K. J. LEWIS PROPERTY		LAY		CHKD	
CITY	MARSTON	STATE	NORTH CAROLINA		DWG	
TITLE	GEOPHYSICAL RESULTS		J.NO.	2006-200	FIGURE	

**EM61
DIFFERENTIAL
RESULTS**

FIGURE 5



The photograph shows the locations of two probable USTs and one possible UST buried 1.5 to 2.0 feet below surface, as suggested by the geophysical results at Parcel 9.




The GPR image obtained along a portion of survey line Y=27.5, shows the anomalies that are probably in response to USTs near X=84 and X=103, and buried approximately 1.5 and 2.0 feet below surface, respectively. The location of this GPR image is shown with a solid purple line in the above photograph.



CLIENT	SOLUTIONS IES		DATE	08/26/05	BY	DRWN
SITE	PARCEL 9 - K. J. LEWIS PROPERTY		DATE		BY	DRWN
CITY	MARSTON	STATE	NORTH CAROLINA		DATE	
TITLE	GEOPHYSICAL RESULTS		SCALE	2006-200	REVISION	



PHOTO & GPR IMAGE
OF UST LOCATIONS
(Parcel 9)

FIGURE 6



LEGEND

- EM61 SURVEY AREA: EM DATA ACQUIRED ALONG NORTHERLY- SOUTHERLY TRENDING LINES SPACED 5 FEET APART
- UTILITY POLE
- CABLE BOX
- PROBABLE UST, AS SUGGESTED BY GPR SURVEYS



Note: The contour plot shows the bottom coil (most sensitive) response of the EM61 instrument in millivolts (mV). The bottom coil response shows buried metallic objects regardless of size. The EM metal detection data were collected on August 15, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on August 16, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.


GPR surveys suggest that the large, high amplitude, EM61 anomaly in the southwest portion of the survey area is probably in response to four metallic USTs.



CLIENT	SOLUTIONS IES		DATE	08/17/06	DRWN	MJD
SITE	PARCEL 21 - JAMES BRIGMAN PROPERTY		LAY		CHKD	
CITY	MARSTON	STATE	NORTH CAROLINA	DWG		
TITLE	GEOPHYSICAL RESULTS		J.NO.	2006-200	FIGURE	



**EM61
BOTTOM COIL
RESULTS**

FIGURE 7



LEGEND

- EM61 SURVEY AREA: EM DATA ACQUIRED ALONG NORTHERLY- SOUTHERLY TRENDING LINES SPACED 5 FEET APART
- UTILITY POLE
- CABLE BOX
- PROBABLE UST, AS SUGGESTED BY GPR SURVEYS



Note: The contour plot shows the differential results of the EM61 metal detection survey in millivolts (mV). The differential response focuses on larger, buried metallic objects such as drums and USTs and ignores smaller miscellaneous, buried, metal debris. The EM metal detection data were collected on August 15, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on August 16, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.

GPR surveys suggest that the large, high amplitude, EM61 anomaly in the southwest portion of the survey area is probably in response to four metallic USTs.



CLIENT	SOLUTIONS IES		DATE	08/17/06	DRWN	MJD
SITE	PARCEL 21 - JAMES BRIGMAN PROPERTY		LAY		CHKD	
CITY	MARSTON	STATE	NORTH CAROLINA	DWG		
TITLE	GEOPHYSICAL RESULTS		J.ND	2006-200	FIGURE	


GRAPHIC SCALE IN FEET

EM61 DIFFERENTIAL RESULTS


FIGURE 8




The photograph shows the location of four probable USTs buried 1.75 to 2.0 feet below surface, as suggested by the geophysical results at Parcel 21.



The GPR image obtained along a portion of survey line Y=80, shows the anomalies that are probably in response to USTs near X=43 and X=50, and buried approximately 2.0 and 1.5 feet below surface, respectively. The location of this GPR image is shown with a solid purple line in the above photograph.




LEGEND	
	UTILITY CABLE BOX
	GUY WIRE
	UTILITY POLE
	PROBABLE CONDUIT OR POSSIBLE UST



CLIENT	SOLUTIONS IES	DATE	08/17/06	DRWN	MJD
SITE	PARCEL 48 - ROY BARRY BOSTICK PROPERTY	LAY		CHKD	
CITY	HOFFMAN	STATE	NORTH CAROLINA	DWG	
TITLE	GEOPHYSICAL RESULTS	J.N.O.	2006-200	FIGURE	


**EM61
METAL DETECTION
RESULTS**

FIGURE 10



Note: The contour plot shows the bottom coil (most sensitive) response of the EM61 instrument in millivolts (mV). The bottom coil response shows buried metallic objects regardless of size. The EM metal detection data were collected on July 26, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on July 28, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.

The majority of linear EM61 bottom coil anomalies shown above, are probably in response to buried utility lines or conduits. Negative EM anomalies (shaded in green) are probably in response to metallic surface objects. The geophysical investigation detected two probable USTs on Parcel 50.




LEGEND	
	EM61 SURVEY AREA: EM DATA ACQUIRED ALONG NORTHEAST-SOUTHWEST TRENDING LINES SPACED 5 FEET APART
	STORM SEWER GRATE
	PHONE CABLE BOX
	GUY WIRE
	UTILITY POLE
	TRAFFIC SIGN
	STORM SEWER GRATE
	VENT/FILL PORT
	METAL POLE
	PROBABLE UST AS SUGGESTED BY THE GEOPHYSICAL RESULTS



CLIENT	SOLUTIONS IES		DATE	08/01/06	DRWN	MJD
SITE	PARCELS 50 & 51 (ERNEST & CHURCH PROPERTIES)		LAY		CHKD	
CITY	HOFFMAN	STATE	NORTH CAROLINA		DWG	
TITLE	GEOPHYSICAL RESULTS		J-NO.	2006-200	FIGURE	

**EM61
BOTTOM COIL
RESULTS**

FIGURE 11




Note: The contour plot shows the differential results of the EM61 metal detection survey in millivolts (mV). The differential response focuses on larger, buried metallic objects such as drums and USTs and ignores smaller miscellaneous, buried, metal debris. The EM metal detection data were collected on July 26, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on July 28, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.

The majority of linear EM61 bottom coil anomalies shown above, are probably in response to buried utility lines or conduits. Negative EM anomalies (shaded in green) are probably in response to metallic surface objects. The geophysical investigation detected two probable USTs on Parcel 50.

LEGEND

EM61 SURVEY AREA: EM DATA ACQUIRED ALONG NORTHEAST-SOUTHWEST TRENDING LINES SPACED 5 FEET APART	TRAFFIC SIGN
STORM SEWER GRATE	STORM SEWER GRATE
PHONE CABLE BOX	VENT/FILL PORT
GUY WIRE	METAL POLE
UTILITY POLE	GPR SURVEY AREA
	PROBABLE UST AS SUGGESTED BY THE GEOPHYSICAL RESULTS




CLIENT	SOLUTIONS IES		DATE	08/01/06	DRWN	MJD
SITE	PARCELS 50 & 51 (ERNEST & CHURCH PROPERTIES)		LAY		CHKD	
CITY	HOFFMAN	STATE	NORTH CAROLINA		DWG	
TITLE	GEOPHYSICAL RESULTS		J-NO.	2006-200	FIGURE	

EM61 DIFFERENTIAL RESULTS



FIGURE 12



The photograph shows the location of two probable USTs buried approx. 0.75 feet below surface, as suggested by the geophysical results at Parcel 50.



The GPR image obtained along survey line Y=55 shows the anomalies that are probably in response to USTs near X=566 and X=570, and buried approximately 0.75 feet below surface. The location of this GPR image is shown with a solid purple line in the above photograph.



Note: The contour plot shows the bottom coil (most sensitive) response of the EM61 instrument in millivolts (mV). The bottom coil response shows buried metallic objects regardless of size. The EM metal detection data were collected on July 27, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on August 16, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.

The geophysical results suggest that the proposed ROW area does not contain metallic USTs.


LEGEND	
	EM61 SURVEY AREA: EM DATA ACQUIRED ALONG NORTHEAST-SOUTHWEST TRENDING LINES SPACED 5 FEET APART
	STORM SEWER GRATE
	CONCRETE BLOCK
	GUY WIRE
	UTILITY POLE
	TRAFFIC SIGN
	EDGE OF CULVERT
	CONCRETE ABUTMENT



CLIENT	SOLUTIONS IES		DATE	08/01/06	DRWN	MJD
SITE	PARCEL 61 - COOPER & BROWN INC. PROPERTY		LAY		CHKD	
CITY	HOFFMAN	STATE	NORTH CAROLINA	DWG		
TITLE	GEOPHYSICAL RESULTS		JNO.	2006-200	FIGURE	

**EM61
BOTTOM COIL
RESULTS**

FIGURE 14



Note: The contour plot shows the differential results of the EM61 metal detection survey in millivolts (mV). The differential response focuses on larger, buried metallic objects such as drums and USTs and ignores smaller miscellaneous, buried, metal debris. The EM metal detection data were collected on July 27, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on August 16, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.

The geophysical results suggest the proposed ROW area does not contain metallic USTs.

LEGEND	
	EM61 SURVEY AREA: EM DATA ACQUIRED ALONG NORTHEAST-SOUTHWEST TRENDING LINES SPACED 5 FEET APART
	STORM SEWER GRATE
	CONCRETE BLOCK
	GUY WIRE
	UTILITY POLE
	TRAFFIC SIGN
	EDGE OF CULVERT
	CONCRETE ABUTMENT
	GPR SURVEY LINE
	GPR SURVEY AREA




CLIENT	SOLUTIONS IES		DATE	08/01/06	DRWN	MJD
SITE	PARCEL 61 - COOPER & BROWN INC. PROPERTY		LAY		CHKD	
CITY	HOFFMAN	STATE	NORTH CAROLINA		DWG	
TITLE	GEOPHYSICAL RESULTS		JNO.	2006-200	FIGURE	

GRAPHIC SCALE IN METERS


EM61 DIFFERENTIAL RESULTS

FIGURE 15



LEGEND

- EM61 SURVEY AREA: EM DATA ACQUIRED ALONG NORTHERLY-SOUTHERLY TRENDING LINES SPACED 5 FEET APART
- ELECTRICAL OR UTILITY BOX
- WATER METER OR VALVE COVER
- + GUY WIRE
- UTILITY POLE
- TRAFFIC SIGN
- MAIL BOX



Note: The contour plot shows the bottom coil (most sensitive) response of the EM61 instrument in millivolts (mV). The bottom coil response shows buried metallic objects regardless of size. The EM metal detection data were collected on July 27 and August 14, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on July 28, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.


The geophysical investigation suggests that the survey area does not contain metallic USTs.




CLIENT	SOLUTIONS IES		DATE	08/17/06	DRWN	MJD
SITE	PARCEL 70 - DELIA LASSITER PROPERTY		LAY		CHKD	
CITY	HOFFMAN	STATE	NORTH CAROLINA	DWG		
TITLE	GEOPHYSICAL RESULTS		J-NO	2006-200	FIGURE	

**EM61
BOTTOM COIL
RESULTS**

FIGURE 16



LEGEND	
	EM61 SURVEY AREA: EM DATA ACQUIRED ALONG NORTHERLY-SOUTHERLY TRENDING LINES SPACED 5 FEET APART
	ELECTRICAL OR UTILITY BOX
	WATER METER OR VALVE COVER
	GUY WIRE
	UTILITY POLE
	TRAFFIC SIGN
	MAIL BOX



Note: The contour plot shows the differential results of the EM61 metal detection survey in millivolts (mV). The differential response focuses on larger, buried metallic objects such as drums and USTs and ignores smaller miscellaneous, buried, metal debris. The EM metal detection data were collected on July 27 and August 14, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on July 28, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.

The geophysical investigation suggests that the survey area does not contain metallic USTs.




CLIENT	SOLUTIONS IES		DATE	08/17/06	DRWN	MJD
SITE	PARCEL 70 - DELIA LASSITER PROPERTY		LAY		CHKD	
CITY	HOFFMAN	STATE	NORTH CAROLINA	DWG		
TITLE	GEOPHYSICAL RESULTS		J-NO	2006-200	FIGURE	

GRAPHIC SCALE IN FEET


EM61
DIFFERENTIAL
RESULTS

FIGURE 17



LEGEND

- EM61 SURVEY AREA: EM DATA ACQUIRED ALONG NORTHEAST-SOUTHWEST TRENDING LINES SPACED 5 FEET APART
- PHONE CABLE BOX
- GUY WIRE
- UTILITY POLE



Note: The contour plot shows the bottom coil (most sensitive) response of the EM61 instrument in millivolts (mV). The bottom coil response shows buried metallic objects regardless of size. The EM metal detection data were collected on July 27, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on July 28, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.


The geophysical investigation suggests that the survey area does not contain metallic USTs.



CLIENT	SOLUTIONS IES		DATE	08/01/06	DRWN	MJD
SITE	PARCEL 22 - IVEY LITTLE PROPERTY		LAY		CHKD	
CITY	HOFFMAN	STATE	NORTH CAROLINA	DWG		
TITLE	GEOPHYSICAL RESULTS		J-NO	2006-200	FIGURE	

**EM61
BOTTOM COIL
RESULTS**

FIGURE 18




Note: The contour plot shows the differential results of the EM61 metal detection survey in millivolts (mV). The differential response focuses on larger, buried metallic objects such as drums and USTs and ignores smaller miscellaneous, buried, metal debris. The EM metal detection data were collected on July 27, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on July 28, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.

The geophysical investigation suggests that the survey area does not contain metallic USTs.




LEGEND

- EM61 SURVEY AREA: EM DATA ACQUIRED ALONG NORTHEAST-SOUTHWEST TRENDED LINES SPACED 5 FEET APART
- PHONE CABLE BOX
- GUY WIRE
- UTILITY POLE



CLIENT	SOLUTIONS IES		DATE	08/01/06	DRWN	MJD
SITE	PARCEL 22 - IVEY LITTLE PROPERTY		LAY		CHKD	
CITY	HOFFMAN	STATE	NORTH CAROLINA	DWG		
TITLE	GEOPHYSICAL RESULTS		J-NO	2006-200	FIGURE	

EM61 DIFFERENTIAL RESULTS



Note: The contour plots show the bottom coil (most sensitive) response of the EM61 instrument and the differential response in millivolts (mV). The bottom coil response shows buried metallic objects regardless of size. The differential response focuses on larger, buried metallic objects such as drums and USTs and ignores smaller miscellaneous, buried, metal debris. The EM metal detection data were collected on August 14 & 28, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on August 15 & 28, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.

The geophysical investigation suggests that the survey area does not contain metallic USTs.

LEGEND	
	EM61 SURVEY AREA: EM DATA ACQUIRED ALONG EASTERLY-WESTERLY TRENDING LINES SPACED 5 FEET APART
	RIGHT-OF-WAY MARKER
	GUY WIRE
	UTILITY POLE
	TRAFFIC SIGN



CLIENT	SOLUTIONS IES		DATE	08/17/06	DRAWN	MJD
SITE	PARCEL 68 - JAMES PUGH PROPERTY		LAY		CHECK	
CITY	HOFFMAN	STATE	NORTH CAROLINA	DWG		
TITLE	GEOPHYSICAL RESULTS		J-NO.	2006-200	FIGURE	

EM61
METAL DETECTION
RESULTS

FIGURE 20

APPENDIX C
BORING LOGS

Log of Soil Boring: P48-B1

Project: Richmond County PSA's
 Client: NCDOT
 WBS # 34438.1.1
 State Project # R-2502A
 Drilling Method: Direct Push
 Sampler Type: Macro Core
 Logged By: K.B

Solutions-IES Project No.: 3260.06A3.NDOT
 County: Richmond
 Boring Date: 08/22/06
 Site: Parcel 48
 Checked By: *JD*

Boring Number: 1
 Initial Water Level: NA
 Stabilized Water Level: NA
 Cave In Depth: NA

Total Depth of Boring: 12' bgs


SUBSURFACE PROFILE			SAMPLE		PID Field Screen • ppm • 250 500 750	FID Field Screen ■ ppm ■ 250 500 750	Lab Sample Depth	Well Data
Depth ft. bgs	USCS Symbol	Description	Sample Interval	% Recovery				
0		Ground Surface						
1	SM	Dry, light brown, fine silty sand	0-1	100	3			
2	SM	Moist, tan, fine silty sand	1-2	100	3			
3	SM	Damp, tan and orange, fine silty sand	2-3	100	4			
4			3-4	100	4			
5	SC	Moist, tan, medium clayey sand	4-5	100	3			
6	SC	Moist, orange and tan, medium clayey sand	5-6	100	3			
7	SC	Damp, brown and orange, medium clayey sand	6-7	100	5			
8	SM	Damp, tan, medium silty sand	7-8	100	5			
9	CL	Moist, orange, sandy clay	8-9	100	5			
10	SC	Moist, tan and orange, clayey sand	9-10	100	5			
11			10-11	100	5			
12			11-12	100	5			
13								
14								
15								
16								

Solutions-IES, Inc.
 1101 Nowell Road
 Raleigh, NC 27607
 (919) 873-1060



Log of Soil Boring: P48-B2

Project: Richmond County PSA's
 Client: NCDOT
 WBS # 34438.1.1
 State Project # R-2502A
 Drilling Method: Direct Push
 Sampler Type: Macro Core
 Logged By: K.B

Solutions-IES Project No.: 3260.06A3.NDOT
 County: Richmond
 Boring Date: 08/22/06
 Site: Parcel 48
 Checked By: 

Boring Number: 2
 Initial Water Level: NA
 Stabilized Water Level: NA
 Cave In Depth: NA
 Total Depth of Boring: 12' bgs

SUBSURFACE PROFILE			SAMPLE		PID Field Screen • ppm • 250 500 750	FID Field Screen ■ ppm ■ 250 500 750	Lab Sample Depth	Well Data
Depth ft. bgs	USCS Symbol	Description	Sample Interval	% Recovery				
0		Ground Surface						
1	SM	Dry, brown, fine silty sand	0-1	100	0			
2	SM	Moist, tan, fine silty sand	1-2	100	0			
3	SC	moist, orange and tan, medium clayey sand	2-3	100	0			
4	SC	Moist, red and orange, fine clayey sand	3-4	100	0			
5			4-5	100	0			
6			5-6	100	0			
7			6-7	100	0			
8			7-8	100	0			
9	SC	Moist, tan and orange, fine clayey sand	8-9	100	3			
10			9-10	100	1			
11			10-11	100	1			
12			11-12	100	1			
13								
14								
15								
16								

Solutions-IES, Inc.
 1101 Nowell Road
 Raleigh, NC 27607
 (919) 873-1060



Log of Soil Boring: P48-B3

Project: Richmond County PSA's
 Client: NCDOT
 WBS # 34438.1.1
 State Project # R-2502A
 Drilling Method: Direct Push
 Sampler Type: Macro Core
 Logged By: K.B

Solutions-IES Project No.: 3260.06A3.NDOT
 County: Richmond
 Boring Date: 08/22/06
 Site: Parcel 48
 Checked By: *JD*

Boring Number: 3
 Initial Water Level: NA
 Stabilized Water Level: NA
 Cave In Depth: NA
 Total Depth of Boring: 8' bgs

SUBSURFACE PROFILE			SAMPLE		PID Field Screen • ppm • 250 500 750	FID Field Screen ■ ppm ■ 250 500 750	Lab Sample Depth	Well Data
Depth ft. bgs	USCS Symbol	Description	Sample Interval	% Recovery				
0		Ground Surface						
1	SM	Dry, tan and brown, fine silty sand		100	0			
2								
3	SM	Moist, tan, fine silty sand		100	0			
4	SC	Moist, orange and tan, medium clayey sand						
5	SM	Moist, tan, medium silty sand		100	1			
6	SC	Damp, orange, medium clayey sand						
7	SC	Moist, red, orange, and tan, sandy clay		100	0			
8								
9								
10								
11								
12								
13								
14								
15								
16								

Solutions-IES, Inc.
 1101 Nowell Road
 Raleigh, NC 27607
 (919) 873-1060



Log of Soil Boring: P48-B4

Project: Richmond County PSA's

Solutions-IES Project No.: 3260.06A3.NDOT

Boring Number: 4

Client: NCDOT

WBS # 34438.1.1

State Project # R-2502A

County: Richmond

Initial Water Level: NA

Drilling Method: Direct Push

Boring Date: 08/22/06

Stabilized Water Level: NA

Sampler Type: Macro Core

Site: Parcel 48

Cave In Depth: NA

Logged By: K.B

Checked By: *[Signature]*

Total Depth of Boring: 8' bgs

SUBSURFACE PROFILE			SAMPLE		PID Field Screen • ppm • 250 500 750	FID Field Screen ■ ppm ■ 250 500 750	Lab Sample Depth	Well Data
Depth ft. bgs	USCS Symbol	Description	Sample Interval	% Recovery				
0		Ground Surface						
1	SM	Moist, brown, fine silty sand		100	0			
2								
3	SM	Moist, orange and tan, medium silty sand		100	0			
4								
5				100	1			
6	SC	Moist, orange and tan, medium clayey sand						
7	CL	Moist, tan and orange, sandy clay		100	0			
8								
9								
10								
11								
12								
13								
14								
15								
16								

Solutions-IES, Inc.
 1101 Nowell Road
 Raleigh, NC 27607
 (919) 873-1060



Log of Soil Boring: P48-B5

Project: Richmond County PSA's

Solutions-IES Project No.: 3260.06A3.NDOT

Boring Number: 5

Client: NCDOT

WBS # 34438.1.1

State Project # R-2502A

County: Richmond

Initial Water Level: NA

Drilling Method: Direct Push

Boring Date: 08/22/06

Stabilized Water Level: NA

Sampler Type: Macro Core

Site: Parcel 48

Cave In Depth: NA

Logged By: K.B

Checked By:

Total Depth of Boring: 8' bgs

SUBSURFACE PROFILE			SAMPLE		PID Field Screen • ppm • 250 500 750	FID Field Screen ■ ppm ■ 250 500 750	Lab Sample Depth	Well Data
Depth ft. bgs	USCS Symbol	Description	Sample Interval	% Recovery				
0		Ground Surface						
1	SM	Moist, brown, fine silty sand	0-1	100	0			
2								
3	SM	Moist, tan, fine silty sand	2-3	100	0			
4								
5	SM	Moist, orange, fine silty sand	4-5	100	0			
6								
7	SM	Damp, orange and tan, medium silty sand	5-6	100	0			
8	SC	Moist, tan and orange, medium clayey sand	6-8	100	1			
9								
10								
11								
12								
13								
14								
15								
16								

Solutions-IES, Inc.
 1101 Nowell Road
 Raleigh, NC 27607
 (919) 873-1060



Log of Soil Boring: P48-B6

Project: Richmond County PSA's
 Client: NCDOT
 WBS # 34438.1.1
 State Project # R-2502A
 Drilling Method: Direct Push
 Sampler Type: Macro Core
 Logged By: K.B


Solutions-IES Project No.: 3260.06A3.NDOT
 County: Richmond
 Boring Date: 08/22/06
 Site: Parcel 48
 Checked By:

Boring Number: 6
 Initial Water Level: NA
 Stabilized Water Level: NA
 Cave In Depth: NA
 Total Depth of Boring: 8' bgs

SUBSURFACE PROFILE			SAMPLE		PID Field Screen • ppm • 250 500 750	FID Field Screen ■ ppm ■ 250 500 750	Lab Sample Depth	Well Data
Depth ft. bgs	USCS Symbol	Description	Sample Interval	% Recovery				
0		Ground Surface						
1	SM	Dry, brown, fine silty sand	0-1	100	0			
3	SM	Moist, tan, fine silty sand	1-3	100	0			
5	SM	Moist, tan and brown, fine silty sand	3-5	100	0			
6	SM	Damp, tan, fine silty sand	5-6	100	0			
7	CL	Moist, tan and orange, sandy clay	6-7	100	1			
8								
9								
10								
11								
12								
13								
14								
15								
16								

Log of Soil Boring: P48-B7

Project: Richmond County PSA's
 Client: NCDOT
 WBS # 34438.1.1
 State Project # R-2502A
 Drilling Method: Direct Push
 Sampler Type: Macro Core
 Logged By: K.B

Solutions-IES Project No.: 3260.06A3.NDOT
 County: Richmond
 Boring Date: 08/22/06
 Site: Parcel 48
 Checked By: 

Boring Number: 7
 Initial Water Level: NA
 Stabilized Water Level: NA
 Cave In Depth: NA
 Total Depth of Boring: 8' bgs

SUBSURFACE PROFILE			SAMPLE		PID Field Screen ● ppm ● 250 500 750	FID Field Screen ■ ppm ■ 250 500 750	Lab Sample Depth	Well Data
Depth ft. bgs	USCS Symbol	Description	Sample Interval	% Recovery				
0		Ground Surface						
1	<i>SM</i>	Dry, brown, fine silty sand	0 - 1	100	0			
2								
3	<i>SM</i>	Moist, tan, fine silty sand	1 - 3	100	0			
4	<i>SM</i>	Moist, light brown, fine silty sand	3 - 4					
5	<i>SM</i>	Damp, orange, medium silty sand	4 - 5	100	0			
6	<i>CL</i>	Moist, grey and orange, sandy clay	5 - 6					
7								
8	<i>SC</i>	Damp, orange and tan, medium clayey sand	6 - 8	100	0			
9								
10								
11								
12								
13								
14								
15								
16								

Solutions-IES, Inc.
 1101 Nowell Road
 Raleigh, NC 27607
 (919) 873-1060



Log of Soil Boring: P48-B8

Project: Richmond County PSA's
 Client: NCDOT
 WBS # 34438.1.1
 State Project # R-2502A
 Drilling Method: Direct Push
 Sampler Type: Macro Core
 Logged By: K.B

Solutions-IES Project No.: 3260.06A3.NDOT
 County: Richmond
 Boring Date: 08/22/06
 Site: Parcel 48
 Checked By: *JD*

Boring Number: 8
 Initial Water Level: NA
 Stabilized Water Level: NA
 Cave In Depth: NA
 Total Depth of Boring: 8' bgs

SUBSURFACE PROFILE			SAMPLE		PID Field Screen ● ppm ● 250 500 750	FID Field Screen ■ ppm ■ 250 500 750	Lab Sample Depth	Well Data
Depth ft. bgs	USCS Symbol	Description	Sample Interval	% Recovery				
0		Ground Surface						
1	SM	Dry, brown, fine silty sand	0-1	100	0			
2								
3	SM	Moist, tan and brown, fine silty sand	2-3	100	0			
4	SM	Moist, tan and orange, fine silty sand	3-4					
5	SC	Moist, tan and orange, fine clayey sand	4-5	100	0			
6	CL	Moist, red, orange and grey, sandy clay	5-6					
7	SC	Moist, orange and red, medium clayey sand	6-7	100	0			
8								
9								
10								
11								
12								
13								
14								
15								
16								

Log of Soil Boring: P48-B9

Project: Richmond County PSA's

Solutions-IES Project No.: 3260.06A3.NDOT

Boring Number: 9

Client: NCDOT

WBS # 34438.1.1

Initial Water Level: NA

State Project # R-2502A

County: Richmond

Stabilized Water Level: NA

Drilling Method: Direct Push

Boring Date: 08/22/06

Cave In Depth: NA

Sampler Type: Macro Core

Site: Parcel 48

Logged By: K.B

Checked By:

Total Depth of Boring: 8' bgs


SUBSURFACE PROFILE			SAMPLE		PID Field Screen • ppm • 250 500 750	FID Field Screen ■ ppm ■ 250 500 750	Lab Sample Depth	Well Data
Depth ft. bgs	USCS Symbol	Description	Sample Interval	% Recovery				
0		Ground Surface						
1	SM	Dry, brown, fine silty sand		100	0			
2								
3				100	0			
4	SM	Moist, orange, fine silty sand						
5	SM	Damp, tan and orange, fine silty sand		100	0			
6	SM	Damp, orange, fine silty sand						
7	SC	Moist, red and orange, medium clayey sand		100	1			
8								
9								
10								
11								
12								
13								
14								
15								
16								

Solutions-IES, Inc.
 1101 Nowell Road
 Raleigh, NC 27607
 (919) 873-1060



Log of Soil Boring: P48-B10

Project: Richmond County PSA's
 Client: NCDOT
 WBS # 34438.1.1
 State Project # R-2502A
 Drilling Method: Direct Push
 Sampler Type: Macro Core
 Logged By: K.B

Solutions-IES Project No.: 3260.06A3.NDOT
 County: Richmond
 Boring Date: 08/22/06
 Site: Parcel 48
 Checked By: 

Boring Number: 10
 Initial Water Level: NA
 Stabilized Water Level: NA
 Cave In Depth: NA
 Total Depth of Boring: 8' bgs

SUBSURFACE PROFILE			SAMPLE		PID Field Screen • ppm 250 500 750	FID Field Screen ■ ppm 250 500 750	Lab Sample Depth	Well Data
Depth ft. bgs	USCS Symbol	Description	Sample Interval	% Recovery				
0		Ground Surface						
0 - 3.2	SM	Dry, brown, fine silty sand	0 - 3.2	100	0			
3.2 - 4.5	SM	Moist, orange and brown, fine silty sand	3.2 - 4.5	100	1			
4.5 - 6.2	SM	Damp, tan, fine silty sand	4.5 - 6.2	100	1			
6.2 - 6.8	SC	Moist, tan and orange, medium clayey sand	6.2 - 6.8	100	1			
6.8 - 8.0	CL	Moist, orange and tan, sandy clay	6.8 - 8.0					
8.0 - 16.0								

Solutions-IES, Inc.
 1101 Nowell Road
 Raleigh, NC 27607
 (919) 873-1060



APPENDIX D

GPS COORDINATES OF BORING LOCATIONS

Appendix D
GPS Coordinates of Boring Locations
Parcel 48, Roy Berry Bostick Property
3569 US Highway 1
Richmond County, North Carolina
WBS Element: 34438.1.1; NCDOT Project R-2502A

Boring Identification	Northing	Easting
P48-B1	35.03043696	-79.5515521
P48-B2	35.0304373	-79.5515407
P48-B3	35.03040595	-79.55157339
P48-B4	35.03027779	-79.55218032
P48-B5	35.03033739	-79.55211452
P48-B6	35.03042573	-79.55188645
P48-B7	35.03052581	-79.55169182
P48-B8	35.03056713	-79.55158277
P48-B9	35.03063109	-79.55151555
P48-B10	35.03069395	-79.55139862

Notes:

Coordinates referenced to North American Datum, 1983.

APPENDIX E
LABORATORY ANALYTICAL REPORTS



Case Narrative

Date: 08/30/06
Company: N. C. Department of Transportation
Contact: Sheri Knox
Address: c/o Solution - IES
1101 Nowell Road
Raleigh, NC 27607

Client Project ID: NCDOT Parcel 48
Prism COC Group No: G0806706
Collection Date(s): 08/22/06
Lab Submittal Date(s): 08/23/06

Client Project Name Or No: Richmond Co. WBS# 34438.1.1

This data package contains the analytical results for the project identified above and includes a Case Narrative, Laboratory Report and Quality Control Data totaling 24 pages. A chain-of-custody is also attached for the samples submitted to Prism for this project.

Data qualifiers are flagged individually on each sample. A key reference for the data qualifiers appears at the end of this case narrative. Quality control statements and/or sample specific remarks are included in the sample comments section of the laboratory report for each sample affected.

Semi Volatile Analysis

No Anomalies Reported

Volatile Analysis

No Anomalies Reported

Metals Analysis

No Anomalies Reported

Wet Lab and Micro Analysis

N/A

Please call if you have any questions relating to this analytical report.

Date Reviewed by: Paula A. Gilleland

Project Manager: Angela D. Overcash

Signature: *Paula A. Gilleland*

Signature: *Paula A. Gilleland for Angela Overcash*

Review Date: 08/30/06

Approval Date: 08/30/06

Data Qualifiers Key Reference:

- B: Compound also detected in the method blank.
- #: Result outside of the QC limits.
- DO: Compound diluted out.
- E: Estimated concentration, calibration range exceeded.
- J: The analyte was positively identified but the value is estimated below the reporting limit.
- H: Estimated concentration with a high bias.
- L: Estimated concentration with a low bias.
- M: A matrix effect is present.

Notes: This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc. The results in this report relate only to the samples submitted for analysis.



NC Certification No. 402
 SC Certification No. 99012
 NC Drinking Water Cert. No. 37735

Laboratory Report

08/30/06

N. C. Department of Transportation
 Attn: Sheri Knox
 c/o Solution - IES
 1101 Nowell Road
 Raleigh, NC 27607

Project Name: Richmond Co.
 Project ID: NCDOT Parcel 48
 Project No.: WBS# 34438.1.1
 Sample Matrix: Soil

Client Sample ID: P48.B1 8-10
 Prism Sample ID: 159238
 COC Group: G0806706
 Time Collected: 08/22/06 10:15
 Time Submitted: 08/23/06 15:10

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

Percent Solids Determination

Percent Solids	90.7	%			1	SM2540 G	08/28/06 16:30	lthao	
----------------	------	---	--	--	---	----------	----------------	-------	--

Diesel Range Organics (DRO) by GC-FID

Diesel Range Organics (DRO)	BRL	mg/kg	7.7	1.9	1	8015B	08/26/06 2:58	jvogel	Q17323
-----------------------------	-----	-------	-----	-----	---	-------	---------------	--------	--------

Sample Preparation: 50.95 g / 2 mL 3550B 08/25/06 10:00 Jvogel P16206

Surrogate	% Recovery	Control Limits
o-Terphenyl	106	48 - 130

Sample Weight Determination

Weight 1	6.38	g			1	GRO	08/25/06 0:00	lbrown	
Weight 2	6.34	g			1	GRO	08/25/06 0:00	lbrown	

Gasoline Range Organics (GRO) by GC-FID

Gasoline Range Organics (GR)	BRL	mg/kg	7.7	3.0	50	8015B	08/29/06 6:07	grappaccioli	Q17340
------------------------------	-----	-------	-----	-----	----	-------	---------------	--------------	--------

Surrogate	% Recovery	Control Limits
aaa-TFT	115	55 - 129

Metals by ICP

Chromium	11	mg/kg	0.82	0.049	3	6010B	08/28/06 23:04	mcampbell	Q17302
Lead	4.4	mg/kg	0.82	0.069	3	6010B	08/28/06 23:04	mcampbell	Q17302

Sample Preparation: 2.02 g / 50 mL 3050B 08/25/06 7:20 jhoppel P16191

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

449 Springbrook Road - P.O. Box 240543 - Charlotte, NC 28224-0543

Phone: 704/529-6364 - Toll Free Number: 1-800/529-6364 - Fax: 704/525-0409



NC Certification No. 402
 SC Certification No. 99012
 NC Drinking Water Cert. No. 37735

Laboratory Report

08/30/06

N. C. Department of Transportation
 Attn: Sheri Knox
 c/o Solution - IES
 1101 Nowell Road
 Raleigh, NC 27607

Project Name: Richmond Co.
 Project ID: NCDOT Parcel 48
 Project No.: WBS# 34438.1.1
 Sample Matrix: Soil

Client Sample ID: P48.B1 8-10
 Prism Sample ID: 159238
 COC Group: G0806706
 Time Collected: 08/22/06 10:15
 Time Submitted: 08/23/06 15:10

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

Sample Comment(s):

BRL = Below Reporting Limit

J = Estimated value between the Reporting Limit and the MDL

The results in this report relate only to the samples submitted for analysis and meet state certification requirements other than NELAC certification except for those instances indicated in the case narrative and/or test comments.

All results are reported on a dry-weight basis

Angela D. Overcash, V.P. Laboratory Services



NC Certification No. 402
 SC Certification No. 99012
 NC Drinking Water Cert. No. 37735

Laboratory Report

08/30/06

N. C. Department of Transportation
 Attn: Sheri Knox
 c/o Solution - IES
 1101 Nowell Road
 Raleigh, NC 27607

Project Name: Richmond Co.
 Project ID: NCDOT Parcel 48
 Project No.: WBS# 34438.1.1
 Sample Matrix: Soil

Client Sample ID: P48.B2 8-10
 Prism Sample ID: 159239
 COC Group: G0806706
 Time Collected: 08/22/06 10:40
 Time Submitted: 08/23/06 15:10

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

Percent Solids Determination

Percent Solids	92.0	%			1	SM2540 G	08/28/06 16:30	lhao	
----------------	------	---	--	--	---	----------	----------------	------	--

Diesel Range Organics (DRO) by GC-FID

Diesel Range Organics (DRO)	BRL	mg/kg	7.6	1.8	1	8015B	08/26/06 3:35	jvogel	Q17323
-----------------------------	-----	-------	-----	-----	---	-------	---------------	--------	--------

Sample Preparation: 49.96 g / 2 mL 3550B 08/25/06 10:00 Jvogel P16206

Surrogate	% Recovery	Control Limits
o-Terphenyl	108	48 - 130

Sample Weight Determination

Weight 1	6.46	g			1	GRO	08/25/06 0:00	lbrown	
Weight 2	5.94	g			1	GRO	08/25/06 0:00	lbrown	

Gasoline Range Organics (GRO) by GC-FID

Gasoline Range Organics (GR)	BRL	mg/kg	7.6	3.0	50	8015B	08/29/06 6:47	grappaccioli	Q17340
------------------------------	-----	-------	-----	-----	----	-------	---------------	--------------	--------

Surrogate	% Recovery	Control Limits
aaa-TFT	124	55 - 129

Metals by ICP

Chromium	13	mg/kg	0.82	0.049	3	6010B	08/28/06 23:24	mcampbell	Q17302
Lead	4.6	mg/kg	0.82	0.068	3	6010B	08/28/06 23:24	mcampbell	Q17302

Sample Preparation: 2 g / 50 mL 3050B 08/25/06 7:20 jhoppel P16191

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

449 Springbrook Road - P.O. Box 240543 - Charlotte, NC 28224-0543

Phone: 704/529-6364 - Toll Free Number: 1-800/529-6364 - Fax: 704/525-0409



NC Certification No. 402
 SC Certification No. 99012
 NC Drinking Water Cert. No. 37735

Laboratory Report

08/30/06

N. C. Department of Transportation
 Attn: Sheri Knox
 c/o Solution - IES
 1101 Nowell Road
 Raleigh, NC 27607

Project Name: Richmond Co.
 Project ID: NCDOT Parcel 48
 Project No.: WBS# 34438.1.1
 Sample Matrix: Soil

Client Sample ID: P48.B2 8-10
 Prism Sample ID: 159239
 COC Group: G0806706
 Time Collected: 08/22/06 10:40
 Time Submitted: 08/23/06 15:10

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

Sample Comment(s):

BRL = Below Reporting Limit

J = Estimated value between the Reporting Limit and the MDL

The results in this report relate only to the samples submitted for analysis and meet state certification requirements other than NELAC certification except for those instances indicated in the case narrative and/or test comments.

All results are reported on a dry-weight basis

Angela D. Overcash, V.P. Laboratory Services



NC Certification No. 402
 SC Certification No. 99012
 NC Drinking Water Cert. No. 37735

Laboratory Report

08/30/06

N. C. Department of Transportation
 Attn: Sheri Knox
 c/o Solution - IES
 1101 Nowell Road
 Raleigh, NC 27607

Project Name: Richmond Co.
 Project ID: NCDOT Parcel 48
 Project No.: WBS# 34438.1.1
 Sample Matrix: Soil

Client Sample ID: P48.B3 4-6
 Prism Sample ID: 159240
 COC Group: G0806706
 Time Collected: 08/22/06 10:50
 Time Submitted: 08/23/06 15:10

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

Percent Solids Determination

Percent Solids	93.3	%			1	SM2540 G	08/28/06 16:30	lthao	
----------------	------	---	--	--	---	----------	----------------	-------	--

Diesel Range Organics (DRO) by GC-FID

Diesel Range Organics (DRO)	BRL	mg/kg	7.5	1.8	1	8015B	08/26/06 4:12	jvogel	Q17323
-----------------------------	-----	-------	-----	-----	---	-------	---------------	--------	--------

Sample Preparation: 50.03 g / 2 mL 3550B 08/25/06 10:00 Jvogel P16206

Surrogate	% Recovery	Control Limits
o-Terphenyl	102	48 - 130

Sample Weight Determination

Weight 1	6.51	g			1	GRO	08/28/06 0:00	lbrown	
Weight 2	6.27	g			1	GRO	08/28/06 0:00	lbrown	

Gasoline Range Organics (GRO) by GC-FID

Gasoline Range Organics (GR)	BRL	mg/kg	7.5	2.9	50	8015B	08/29/06 7:26	grappaccioli	Q17340
------------------------------	-----	-------	-----	-----	----	-------	---------------	--------------	--------

Surrogate	% Recovery	Control Limits
aaa-TFT	108	55 - 129

Metals by ICP

Chromium	2.7	mg/kg	0.79	0.048	3	6010B	08/28/06 23:31	mcampbell	Q17302
Lead	2.2	mg/kg	0.79	0.067	3	6010B	08/28/06 23:31	mcampbell	Q17302

Sample Preparation: 2.03 g / 50 mL 3050B 08/25/06 7:20 jhoppel P16191

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

449 Springbrook Road - P.O. Box 240543 - Charlotte, NC 28224-0543

Phone: 704/529-6364 - Toll Free Number: 1-800/529-6364 - Fax: 704/525-0409



NC Certification No. 402
 SC Certification No. 99012
 NC Drinking Water Cert. No. 37735

Laboratory Report

08/30/06

N. C. Department of Transportation
 Attn: Sheri Knox
 c/o Solution - IES
 1101 Nowell Road
 Raleigh, NC 27607

Project Name: Richmond Co.
 Project ID: NCDOT Parcel 48
 Project No.: WBS# 34438.1.1
 Sample Matrix: Soil

Client Sample ID: P48.B3 4-6
 Prism Sample ID: 159240
 COC Group: G0806706
 Time Collected: 08/22/06 10:50
 Time Submitted: 08/23/06 15:10

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

Sample Comment(s):

BRL = Below Reporting Limit

J = Estimated value between the Reporting Limit and the MDL

The results in this report relate only to the samples submitted for analysis and meet state certification requirements other than NELAC certification except for those instances indicated in the case narrative and/or test comments.

All results are reported on a dry-weight basis

Angela D. Overcash, V.P. Laboratory Services



NC Certification No. 402
 SC Certification No. 99012
 NC Drinking Water Cert. No. 37735

Laboratory Report

08/30/06

N. C. Department of Transportation
 Attn: Sheri Knox
 c/o Solution - IES
 1101 Nowell Road
 Raleigh, NC 27607

Project Name: Richmond Co.
 Project ID: NCDOT Parcel 48
 Project No.: WBS# 34438.1.1
 Sample Matrix: Soil

Client Sample ID: P48.B4 4-6
 Prism Sample ID: 159241
 COC Group: G0806706
 Time Collected: 08/22/06 11:00
 Time Submitted: 08/23/06 15:10

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

Percent Solids Determination

Percent Solids	96.9	%			1	SM2540 G	08/28/06 16:30	lhao	
----------------	------	---	--	--	---	----------	----------------	------	--

Diesel Range Organics (DRO) by GC-FID

Diesel Range Organics (DRO)	BRL	mg/kg	7.2	1.8	1	8015B	08/26/06 4:50	jvogel	Q17323
-----------------------------	-----	-------	-----	-----	---	-------	---------------	--------	--------

Sample Preparation: 49.7 g / 2 mL 3550B 08/25/06 10:00 Jvogel P16206

Surrogate	% Recovery	Control Limits
o-Terphenyl	105	48 - 130

Sample Weight Determination

Weight 1	6.40	g			1	GRO	08/28/06 0:00	lbrown	
Weight 2	6.22	g			1	GRO	08/28/06 0:00	lbrown	

Gasoline Range Organics (GRO) by GC-FID

Gasoline Range Organics (GR)	BRL	mg/kg	7.2	2.8	50	8015B	08/29/06 8:05	grappaccioli	Q17340
------------------------------	-----	-------	-----	-----	----	-------	---------------	--------------	--------

Surrogate	% Recovery	Control Limits
aaa-TFT	103	55 - 129

Metals by ICP

Chromium	3.5	mg/kg	0.76	0.045	3	6010B	08/28/06 23:37	mcampbell	Q17302
Lead	2.5	mg/kg	0.76	0.063	3	6010B	08/28/06 23:37	mcampbell	Q17302

Sample Preparation: 2.05 g / 50 mL 3050B 08/25/06 7:20 jhoppel P16191



NC Certification No. 402
 SC Certification No. 99012
 NC Drinking Water Cert. No. 37735

Laboratory Report

08/30/06

N. C. Department of Transportation
 Attn: Sheri Knox
 c/o Solution - IES
 1101 Nowell Road
 Raleigh, NC 27607

Project Name: Richmond Co.
 Project ID: NCDOT Parcel 48
 Project No.: WBS# 34438.1.1
 Sample Matrix: Soil

Client Sample ID: P48.B4 4-6
 Prism Sample ID: 159241
 COC Group: G0806706
 Time Collected: 08/22/06 11:00
 Time Submitted: 08/23/06 15:10

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

Sample Comment(s):

BRL = Below Reporting Limit

J = Estimated value between the Reporting Limit and the MDL

The results in this report relate only to the samples submitted for analysis and meet state certification requirements other than NELAC certification except for those instances indicated in the case narrative and/or test comments.

All results are reported on a dry-weight basis

Angela D. Overcash, V.P. Laboratory Services



NC Certification No. 402
 SC Certification No. 99012
 NC Drinking Water Cert. No. 37735

Laboratory Report

08/30/06

N. C. Department of Transportation
 Attn: Sheri Knox
 c/o Solution - IES
 1101 Nowell Road
 Raleigh, NC 27607

Project Name: Richmond Co.
 Project ID: NCDOT Parcel 48
 Project No.: WBS# 34438.1.1
 Sample Matrix: Soil

Client Sample ID: P48.B5 6-8
 Prism Sample ID: 159242
 COC Group: G0806706
 Time Collected: 08/22/06 11:10
 Time Submitted: 08/23/06 15:10

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

Percent Solids Determination

Percent Solids	88.4	%			1	SM2540 G	08/28/06 16:30	lhao	
----------------	------	---	--	--	---	----------	----------------	------	--

Diesel Range Organics (DRO) by GC-FID

Diesel Range Organics (DRO)	13	mg/kg	7.9	2.3	1	8015B	08/28/06 15:04	jvogel	Q17362
-----------------------------	----	-------	-----	-----	---	-------	----------------	--------	--------

Sample Preparation: 25.29 g / 1 mL 3545 08/26/06 11:45 wconder P16210

Surrogate	% Recovery	Control Limits
o-Terphenyl	68	49 - 124

Sample Weight Determination

Weight 1	6.44	g			1	GRO	08/25/06 0:00	lbrown	
Weight 2	6.52	g			1	GRO	08/25/06 0:00	lbrown	

Gasoline Range Organics (GRO) by GC-FID

Gasoline Range Organics (GR)	BRL	mg/kg	7.9	3.1	50	8015B	08/29/06 8:44	grappaccioli	Q17340
------------------------------	-----	-------	-----	-----	----	-------	---------------	--------------	--------

Surrogate	% Recovery	Control Limits
aaa-TFT	117	55 - 129

Metals by ICP

Chromium	13	mg/kg	0.84	0.050	3	6010B	08/28/06 23:43	mcampbell	Q17302
Lead	4.0	mg/kg	0.84	0.071	3	6010B	08/28/06 23:43	mcampbell	Q17302

Sample Preparation: 2.02 g / 50 mL 3050B 08/25/06 7:20 jhoppel P16191

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

449 Springbrook Road - P.O. Box 240543 - Charlotte, NC 28224-0543

Phone: 704/529-6364 - Toll Free Number: 1-800/529-6364 - Fax: 704/525-0409



NC Certification No. 402
 SC Certification No. 99012
 NC Drinking Water Cert. No. 37735

Laboratory Report

08/30/06

N. C. Department of Transportation
 Attn: Sheri Knox
 c/o Solution - IES
 1101 Nowell Road
 Raleigh, NC 27607

Project Name: Richmond Co.
 Project ID: NCDOT Parcel 48
 Project No.: WBS# 34438.1.1
 Sample Matrix: Soil

Client Sample ID: P48.B5 6-8
 Prism Sample ID: 159242
 COC Group: G0806706
 Time Collected: 08/22/06 11:10
 Time Submitted: 08/23/06 15:10

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

Sample Comment(s):

BRL = Below Reporting Limit

J = Estimated value between the Reporting Limit and the MDL

The results in this report relate only to the samples submitted for analysis and meet state certification requirements other than NELAC certification except for those instances indicated in the case narrative and/or test comments.

All results are reported on a dry-weight basis

Angela D. Overcash, V.P. Laboratory Services



NC Certification No. 402
 SC Certification No. 99012
 NC Drinking Water Cert. No. 37735

Laboratory Report

08/30/06

N. C. Department of Transportation
 Attn: Sheri Knox
 c/o Solution - IES
 1101 Nowell Road
 Raleigh, NC 27607

Project Name: Richmond Co.
 Project ID: NCDOT Parcel 48
 Project No.: WBS# 34438.1.1
 Sample Matrix: Soil

Client Sample ID: P48.B6 6-8
 Prism Sample ID: 159243
 COC Group: G0806706
 Time Collected: 08/22/06 11:20
 Time Submitted: 08/23/06 15:10

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

Percent Solids Determination

Percent Solids	90.0	%			1	SM2540 G	08/28/06 16:30	lthao	
----------------	------	---	--	--	---	----------	----------------	-------	--

Diesel Range Organics (DRO) by GC-FID

Diesel Range Organics (DRO)	17	mg/kg	7.8	2.2	1	8015B	08/28/06 15:37	jvogel	Q17362
-----------------------------	----	-------	-----	-----	---	-------	----------------	--------	--------

Sample Preparation: 25.11 g / 1 mL 3545 08/26/06 11:45 wconder P16210

Surrogate	% Recovery	Control Limits
o-Terphenyl	71	49 - 124

Sample Weight Determination

Weight 1	6.20	g			1	GRO	08/25/06 0:00	lbrown	
Weight 2	6.76	g			1	GRO	08/25/06 0:00	lbrown	

Gasoline Range Organics (GRO) by GC-FID

Gasoline Range Organics (GR)	BRL	mg/kg	7.8	3.0	50	8015B	08/29/06 9:23	grappaccioli	Q17340
------------------------------	-----	-------	-----	-----	----	-------	---------------	--------------	--------

Surrogate	% Recovery	Control Limits
aaa-TFT	115	55 - 129

Metals by ICP

Chromium	17	mg/kg	0.81	0.049	3	6010B	08/28/06 23:49	mcampbell	Q17302
Lead	4.8	mg/kg	0.81	0.068	3	6010B	08/28/06 23:49	mcampbell	Q17302

Sample Preparation: 2.05 g / 50 mL 3050B 08/25/06 7:20 jhoppel P16191

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

449 Springbrook Road - P.O. Box 240543 - Charlotte, NC 28224-0543

Phone: 704/529-6364 - Toll Free Number: 1-800/529-6364 - Fax: 704/525-0409



NC Certification No. 402
SC Certification No. 99012
NC Drinking Water Cert. No. 37735

Laboratory Report

08/30/06

N. C. Department of Transportation
Attn: Sheri Knox
c/o Solution - IES
1101 Nowell Road
Raleigh, NC 27607

Project Name: Richmond Co.
Project ID: NCDOT Parcel 48
Project No.: WBS# 34438.1.1
Sample Matrix: Soil

Client Sample ID: P48.B6 6-8
Prism Sample ID: 159243
COC Group: G0806706
Time Collected: 08/22/06 11:20
Time Submitted: 08/23/06 15:10

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

Sample Comment(s):

BRL = Below Reporting Limit

J = Estimated value between the Reporting Limit and the MDL

The results in this report relate only to the samples submitted for analysis and meet state certification requirements other than NELAC certification except for those instances indicated in the case narrative and/or test comments.

All results are reported on a dry-weight basis

Angela D. Overcash, V.P. Laboratory Services



NC Certification No. 402
 SC Certification No. 99012
 NC Drinking Water Cert. No. 37735

Laboratory Report

08/30/06

N. C. Department of Transportation
 Attn: Sheri Knox
 c/o Solution - IES
 1101 Nowell Road
 Raleigh, NC 27607

Project Name: Richmond Co.
 Project ID: NCDOT Parcel 48
 Project No.: WBS# 34438.1.1
 Sample Matrix: Soil

Client Sample ID: P48.B7 6-8
 Prism Sample ID: 159244
 COC Group: G0806706
 Time Collected: 08/22/06 11:30
 Time Submitted: 08/23/06 15:10

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

Percent Solids Determination

Percent Solids	90.7	%			1	SM2540 G	08/28/06 16:30	lhao	
----------------	------	---	--	--	---	----------	----------------	------	--

Diesel Range Organics (DRO) by GC-FID

Diesel Range Organics (DRO)	12	mg/kg	7.7	2.2	1	8015B	08/28/06 16:15	jvogel	Q17362
-----------------------------	----	-------	-----	-----	---	-------	----------------	--------	--------

Sample Preparation: 25.02 g / 1 mL 3545 08/26/06 11:45 wconder P16210

Surrogate	% Recovery	Control Limits
o-Terphenyl	77	49 - 124

Sample Weight Determination

Weight 1	5.61	g			1	GRO	08/25/06 0:00	lbrown	
Weight 2	5.65	g			1	GRO	08/25/06 0:00	lbrown	

Gasoline Range Organics (GRO) by GC-FID

Gasoline Range Organics (GR)	BRL	mg/kg	7.7	3.0	50	8015B	08/29/06 19:59	grappaccioli	Q17375
------------------------------	-----	-------	-----	-----	----	-------	----------------	--------------	--------

Surrogate	% Recovery	Control Limits
aaa-TFT	122	55 - 129

Metals by ICP

Chromium	15	mg/kg	0.82	0.049	3	6010B	08/29/06 0:06	mcampbell	Q17302
Lead	4.3	mg/kg	0.82	0.069	3	6010B	08/29/06 0:06	mcampbell	Q17302

Sample Preparation: 2.02 g / 50 mL 3050B 08/25/06 7:20 jhoppel P16191

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

449 Springbrook Road - P.O. Box 240543 - Charlotte, NC 28224-0543

Phone: 704/529-6364 - Toll Free Number: 1-800/529-6364 - Fax: 704/525-0409



NC Certification No. 402
 SC Certification No. 99012
 NC Drinking Water Cert. No. 37735

Laboratory Report

08/30/06

N. C. Department of Transportation
 Attn: Sheri Knox
 c/o Solution - IES
 1101 Nowell Road
 Raleigh, NC 27607

Project Name: Richmond Co.
 Project ID: NCDOT Parcel 48
 Project No.: WBS# 34438.1.1
 Sample Matrix: Soil

Client Sample ID: P48.B7 6-8
 Prism Sample ID: 159244
 COC Group: G0806706
 Time Collected: 08/22/06 11:30
 Time Submitted: 08/23/06 15:10

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

Sample Comment(s):

BRL = Below Reporting Limit

J = Estimated value between the Reporting Limit and the MDL

The results in this report relate only to the samples submitted for analysis and meet state certification requirements other than NELAC certification except for those instances indicated in the case narrative and/or test comments.

All results are reported on a dry-weight basis

Angela D. Overcash, V.P. Laboratory Services



NC Certification No. 402
 SC Certification No. 99012
 NC Drinking Water Cert. No. 37735

Laboratory Report

08/30/06

N. C. Department of Transportation
 Attn: Sheri Knox
 c/o Solution - IES
 1101 Nowell Road
 Raleigh, NC 27607

Project Name: Richmond Co.
 Project ID: NCDOT Parcel 48
 Project No.: WBS# 34438.1.1
 Sample Matrix: Soil

Client Sample ID: P48.B8 6-8
 Prism Sample ID: 159245
 COC Group: G0806706
 Time Collected: 08/22/06 11:40
 Time Submitted: 08/23/06 15:10

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

Percent Solids Determination

Percent Solids	91.8	%			1	SM2540 G	08/28/06 16:30	lhao	
----------------	------	---	--	--	---	----------	----------------	------	--

Diesel Range Organics (DRO) by GC-FID

Diesel Range Organics (DRO)	7.6	mg/kg	7.6	2.2	1	8015B	08/28/06 16:53	jvogel	Q17362
-----------------------------	-----	-------	-----	-----	---	-------	----------------	--------	--------

Sample Preparation: 25.2 g / 1 mL 3545 08/26/06 11:45 wconder P16210

Surrogate	% Recovery	Control Limits
o-Terphenyl	66	49 - 124

Sample Weight Determination

Weight 1	6.32	g			1	GRO	08/28/06 0:00	lbrown	
Weight 2	6.12	g			1	GRO	08/28/06 0:00	lbrown	

Gasoline Range Organics (GRO) by GC-FID

Gasoline Range Organics (GR)	BRL	mg/kg	7.6	3.0	50	8015B	08/29/06 20:39	grappaccioli	Q17375
------------------------------	-----	-------	-----	-----	----	-------	----------------	--------------	--------

Surrogate	% Recovery	Control Limits
aaa-TFT	113	55 - 129

Metals by ICP

Chromium	11	mg/kg	0.81	0.049	3	6010B	08/29/06 0:12	mcampbell	Q17302
Lead	3.4	mg/kg	0.81	0.068	3	6010B	08/29/06 0:12	mcampbell	Q17302

Sample Preparation: 2.02 g / 50 mL 3050B 08/25/06 7:20 jhoppel P16191

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

449 Springbrook Road - P.O. Box 240543 - Charlotte, NC 28224-0543

Phone: 704/529-6364 - Toll Free Number: 1-800/529-6364 - Fax: 704/525-0409



NC Certification No. 402
 SC Certification No. 99012
 NC Drinking Water Cert. No. 37735

Laboratory Report

08/30/06

N. C. Department of Transportation
 Attn: Sheri Knox
 c/o Solution - IES
 1101 Nowell Road
 Raleigh, NC 27607

Project Name: Richmond Co.
 Project ID: NCDOT Parcel 48
 Project No.: WBS# 34438.1.1
 Sample Matrix: Soil

Client Sample ID: P48.B8 6-8
 Prism Sample ID: 159245
 COC Group: G0806706
 Time Collected: 08/22/06 11:40
 Time Submitted: 08/23/06 15:10

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

Sample Comment(s):

BRL = Below Reporting Limit

J = Estimated value between the Reporting Limit and the MDL

The results in this report relate only to the samples submitted for analysis and meet state certification requirements other than NELAC certification except for those instances indicated in the case narrative and/or test comments.

All results are reported on a dry-weight basis

Angela D. Overcash, V.P. Laboratory Services



NC Certification No. 402
 SC Certification No. 99012
 NC Drinking Water Cert. No. 37735

Laboratory Report

08/30/06

N. C. Department of Transportation
 Attn: Sheri Knox
 c/o Solution - IES
 1101 Nowell Road
 Raleigh, NC 27607

Project Name: Richmond Co.
 Project ID: NCDOT Parcel 48
 Project No.: WBS# 34438.1.1
 Sample Matrix: Soil

Client Sample ID: P48.B9 6-8
 Prism Sample ID: 159246
 COC Group: G0806706
 Time Collected: 08/22/06 11:50
 Time Submitted: 08/23/06 15:10

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

Percent Solids Determination

Percent Solids	91.1	%			1	SM2540 G	08/28/06 16:30	lthao	
----------------	------	---	--	--	---	----------	----------------	-------	--

Diesel Range Organics (DRO) by GC-FID

Diesel Range Organics (DRO)	24	mg/kg	7.7	2.2	1	8015B	08/28/06 17:31	jvogel	Q17362
-----------------------------	----	-------	-----	-----	---	-------	----------------	--------	--------

Sample Preparation: 25.48 g / 1 mL 3545 08/26/06 11:45 wconder P16210

Surrogate	% Recovery	Control Limits
o-Terphenyl	72	49 - 124

Sample Weight Determination

Weight 1	5.35	g			1	GRO	08/25/06 0:00	lbrown	
Weight 2	5.85	g			1	GRO	08/25/06 0:00	lbrown	

Gasoline Range Organics (GRO) by GC-FID

Gasoline Range Organics (GR)	BRL	mg/kg	7.7	3.0	50	8015B	08/29/06 21:21	grappaccioli	Q17375
------------------------------	-----	-------	-----	-----	----	-------	----------------	--------------	--------

Surrogate	% Recovery	Control Limits
aaa-TFT	127	55 - 129

Metals by ICP

Chromium	19	mg/kg	0.81	0.048	3	6010B	08/29/06 0:19	mcampbell	Q17302
Lead	3.5	mg/kg	0.81	0.068	3	6010B	08/29/06 0:19	mcampbell	Q17302

Sample Preparation: 2.04 g / 50 mL 3050B 08/25/06 7:20 jhoppel P16191

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

449 Springbrook Road - P.O. Box 240543 - Charlotte, NC 28224-0543

Phone: 704/529-6364 - Toll Free Number: 1-800/529-6364 - Fax: 704/525-0409



NC Certification No. 402
 SC Certification No. 99012
 NC Drinking Water Cert. No. 37735

Laboratory Report

08/30/06

N. C. Department of Transportation
 Attn: Sheri Knox
 c/o Solution - IES
 1101 Nowell Road
 Raleigh, NC 27607

Project Name: Richmond Co.
 Project ID: NCDOT Parcel 48
 Project No.: WBS# 34438.1.1
 Sample Matrix: Soil

Client Sample ID: P48.B9 6-8
 Prism Sample ID: 159246
 COC Group: G0806706
 Time Collected: 08/22/06 11:50
 Time Submitted: 08/23/06 15:10

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

Sample Comment(s):

BRL = Below Reporting Limit

J = Estimated value between the Reporting Limit and the MDL

The results in this report relate only to the samples submitted for analysis and meet state certification requirements other than NELAC certification except for those instances indicated in the case narrative and/or test comments.

All results are reported on a dry-weight basis

Angela D. Overcash, V.P. Laboratory Services



NC Certification No. 402
 SC Certification No. 99012
 NC Drinking Water Cert. No. 37735

Laboratory Report

08/30/06

N. C. Department of Transportation
 Attn: Sheri Knox
 c/o Solution - IES
 1101 Nowell Road
 Raleigh, NC 27607

Project Name: Richmond Co.
 Project ID: NCDOT Parcel 48
 Project No.: WBS# 34438.1.1
 Sample Matrix: Soil

Client Sample ID: P48.B10 6-8
 Prism Sample ID: 159247
 COC Group: G0806706
 Time Collected: 08/22/06 12:05
 Time Submitted: 08/23/06 15:10

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

Percent Solids Determination

Percent Solids	91.7	%			1	SM2540 G	08/28/06 16:30	lthao	
----------------	------	---	--	--	---	----------	----------------	-------	--

Diesel Range Organics (DRO) by GC-FID

Diesel Range Organics (DRO)	8.8	mg/kg	7.6	2.2	1	8015B	08/28/06 18:09	jvogel	Q17362
-----------------------------	-----	-------	-----	-----	---	-------	----------------	--------	--------

Sample Preparation: 25.38 g / 1 mL 3545 08/26/06 11:45 wconder P16210

Surrogate	% Recovery	Control Limits
o-Terphenyl	72	49 - 124

Sample Weight Determination

Weight 1	5.26	g			1	GRO	08/25/06 0:00	lbrown	
Weight 2	5.31	g			1	GRO	08/25/06 0:00	lbrown	

Gasoline Range Organics (GRO) by GC-FID

Gasoline Range Organics (GR)	BRL	mg/kg	7.6	3.0	50	8015B	08/29/06 22:02	grappaccioli	Q17375
------------------------------	-----	-------	-----	-----	----	-------	----------------	--------------	--------

Surrogate	% Recovery	Control Limits
aaa-TFT	114	55 - 129

Metals by ICP

Chromium	15	mg/kg	0.81	0.048	3	6010B	08/29/06 0:26	mcampbell	Q17302
Lead	5.1	mg/kg	0.81	0.068	3	6010B	08/29/06 0:26	mcampbell	Q17302

Sample Preparation: 2.03 g / 50 mL 3050B 08/25/06 7:20 jhoppel P16191

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

449 Springbrook Road - P.O. Box 240543 - Charlotte, NC 28224-0543

Phone: 704/529-6364 - Toll Free Number: 1-800/529-6364 - Fax: 704/525-0409



NC Certification No. 402
SC Certification No. 99012
NC Drinking Water Cert. No. 37735

Laboratory Report

08/30/06

N. C. Department of Transportation
Attn: Sheri Knox
c/o Solution - IES
1101 Nowell Road
Raleigh, NC 27607

Project Name: Richmond Co.
Project ID: NCDOT Parcel 48
Project No.: WBS# 34438.1.1
Sample Matrix: Soil

Client Sample ID: P48.B10 6-8
Prism Sample ID: 159247
COC Group: G0806706
Time Collected: 08/22/06 12:05
Time Submitted: 08/23/06 15:10

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

Sample Comment(s):

BRL = Below Reporting Limit

J = Estimated value between the Reporting Limit and the MDL

The results in this report relate only to the samples submitted for analysis and meet state certification requirements other than NELAC certification except for those instances indicated in the case narrative and/or test comments.

All results are reported on a dry-weight basis

Angela D. Overcash, V.P. Laboratory Services



NC Certification No. 402
 SC Certification No. 99012
 NC Drinking Water Cert. No. 37735

Level II QC Report

8/30/06

N. C. Department of Transportation
 Attn: Sheri Knox
 c/o Solution - IES
 1101 Nowell Road
 Raleigh, NC 27607

Project Name: Richmond Co.
 Project ID: NCDOT Parcel 48
 Project No.: WBS# 34438.1.1

COC Group Number: G0806706
 Date/Time Submitted: 8/23/06 15:10

Metals by ICP, method 6010B

Method Blank					
	Result	RL	Control Limit	Units	QC Batch ID
Chromium	0.0704	0.25	<0.125	mg/kg	Q17302
Lead	0.0198	0.25	<0.125	mg/kg	Q17302

Laboratory Control Sample						
	Result	Spike Amount	Units	Recovery %	Recovery Range %	QC Batch ID
Chromium	26.0882	25 mg/kg		104	80 - 120	Q17302
Lead	24.586	25 mg/kg		98	80 - 120	Q17302

Matrix Spike						
Sample ID:	Result	Spike Amount	Units	Recovery %	Recovery Range %	QC Batch ID
159238 Chromium	37.9074	24.752 mg/kg		111	75 - 125	Q17302
Lead	30.7541	24.752 mg/kg		108	75 - 125	Q17302

Matrix Spike Duplicate								
Sample ID:	Result	Spike Amount	Units	Recovery %	Recovery Range %	RPD %	RPD Range %	QC Batch ID
159238 Chromium	40.0038	25 mg/kg		119	75 - 125	5	0 - 20	Q17302
Lead	32.8453	25 mg/kg		115	75 - 125	7	0 - 20	Q17302

Diesel Range Organics (DRO) by GC-FID, method 8015B

Method Blank					
	Result	RL	Control Limit	Units	QC Batch ID
Diesel Range Organics (DRO)	ND	7	<3.5	mg/kg	Q17323

Laboratory Control Sample						
	Result	Spike Amount	Units	Recovery %	Recovery Range %	QC Batch ID
Diesel Range Organics (DRO)	40.41	40 mg/kg		101	53 - 118	Q17323

Matrix Spike						
Sample ID:	Result	Spike Amount	Units	Recovery %	Recovery Range %	QC Batch ID
159234 Diesel Range Organics (DRO)	35.86	40 mg/kg		90	52 - 119	Q17323

Matrix Spike Duplicate								
Sample ID:	Result	Spike Amount	Units	Recovery %	Recovery Range %	RPD %	RPD Range %	QC Batch ID
159234 Diesel Range Organics (DRO)	31.83	40 mg/kg		80	52 - 119	12	0 - 25	Q17323



NC Certification No. 402
 SC Certification No. 99012
 NC Drinking Water Cert. No. 37735

Level II QC Report

8/30/06

N. C. Department of Transportation
 Attn: Sheri Knox
 c/o Solution - IES
 1101 Nowell Road
 Raleigh, NC 27607

Project Name: Richmond Co.
 Project ID: NCDOT Parcel 48
 Project No.: WBS# 34438.1.1

COC Group Number: G0806706
 Date/Time Submitted: 8/23/06 15:10

Gasoline Range Organics (GRO) by GC-FID, method 8015B

Method Blank					
	Result	RL	Control Limit	Units	QC Batch ID
Gasoline Range Organics (GRO)	ND	7	<3.5	mg/kg	Q17340

Laboratory Control Sample						
	Result	Spike Amount	Units	Recovery %	Recovery Range %	QC Batch ID
Gasoline Range Organics (GRO)	48.4	50	mg/kg	97	67 - 116	Q17340

Matrix Spike						
Sample ID:	Result	Spike Amount	Units	Recovery %	Recovery Range %	QC Batch ID
159233 Gasoline Range Organics (GRO)	50.4	50	mg/kg	101	57 - 113	Q17340

Matrix Spike Duplicate								
Sample ID:	Result	Spike Amount	Units	Recovery %	Recovery Range %	RPD %	RPD Range %	QC Batch ID
159233 Gasoline Range Organics (GRO)	50.65	50	mg/kg	101	57 - 113	0	0 - 23	Q17340

Diesel Range Organics (DRO) by GC-FID, method 8015B

Method Blank					
	Result	RL	Control Limit	Units	QC Batch ID
Diesel Range Organics (DRO)	ND	7	<3.5	mg/kg	Q17362

Laboratory Control Sample						
	Result	Spike Amount	Units	Recovery %	Recovery Range %	QC Batch ID
Diesel Range Organics (DRO)	57.55	80	mg/kg	72	55 - 109	Q17362

Matrix Spike						
Sample ID:	Result	Spike Amount	Units	Recovery %	Recovery Range %	QC Batch ID
159242 Diesel Range Organics (DRO)	55.75	80	mg/kg	55	50 - 117	Q17362

Matrix Spike Duplicate								
Sample ID:	Result	Spike Amount	Units	Recovery %	Recovery Range %	RPD %	RPD Range %	QC Batch ID
159242 Diesel Range Organics (DRO)	61.05	80	mg/kg	62	50 - 117	9	0 - 24	Q17362



NC Certification No. 402
 SC Certification No. 99012
 NC Drinking Water Cert. No. 37735

Level II QC Report

8/30/06

N. C. Department of Transportation
 Attn: Sheri Knox
 c/o Solution - IES
 1101 Nowell Road
 Raleigh, NC 27607

Project Name: Richmond Co.
 Project ID: NCDOT Parcel 48
 Project No.: WBS# 34438.1.1

COC Group Number: G0806706
 Date/Time Submitted: 8/23/06 15:10

Gasoline Range Organics (GRO) by GC-FID, method 8015B

Method Blank

	Result	RL	Control Limit	Units	QC Batch ID
Gasoline Range Organics (GRO)	ND	7	<3.5	mg/kg	Q17375

Laboratory Control Sample

	Result	Spike Amount	Units	Recovery %	Recovery Range %	QC Batch ID
Gasoline Range Organics (GRO)	48.3	50	mg/kg	97	67 - 116	Q17375

Matrix Spike

Sample ID:		Result	Spike Amount	Units	Recovery %	Recovery Range %	QC Batch ID
159245	Gasoline Range Organics (GRO)	53.45	50	mg/kg	107	57 - 113	Q17375

Matrix Spike Duplicate

Sample ID:		Result	Spike Amount	Units	Recovery %	Recovery Range %	RPD %	RPD Range %	QC Batch ID
159245	Gasoline Range Organics (GRO)	53.65	50	mg/kg	107	57 - 113	0	0 - 23	Q17375

#-See Case Narrative



Full Service Analytical & Environmental Solutions
 449 Springrock Road • P.O. Box 240543 • Charlotte, NC 28224-0543
 Phone: 704/528-6364 • Fax: 704/525-0409

Client Company Name: SOLUTIONS - ICS
 Report To/Contact Name: SHELL KNOX
 Reporting Address: 1101 NEWELL RD
WAKEFORD NC 27607
 Phone: 919 873 1060 Fax (Yes) (No): 919 873 1674
 Email (Yes) (No) Email Address: SKNOX@SOLUTIONS-ICS
 EDD Type: PDF Excel Other
 Site Location Name: NEDOT PROJECT 48
 Site Location Physical Address: LICHMARD CO, NC

CHAIN OF CUSTODY RECORD

PAGE 1 OF 1 QUOTE # TO ENSURE PROPER BILLING: _____

Project Name: NEDOT PROJECT 48 - Richmond Co.
 Short Hold Address: Yes (No) (No) UST Project: Yes (No) (No)
 *Please ATTACH any project specific reporting (QC LEVEL I III IV) provisions and/or QC Requirements
 Invoice To: NEDOT - WBS# 34438.1.1
 Address: STATE ADDRESS 1-2502 HB 5

Purchase Order No./Billing Reference: 3260, 0843, NDOT
 Requested Due Date 1 Day 2 Days 3 Days 4 Days 5 Days 6-9 Days Standard 10 days Rush Next Business Day
 "Working Days" 6-9 Days Standard 10 days Pre-Approved
 Samples received after 15:00 will be processed next business day.
 Turnaround time is based on business days, excluding weekends and holidays.
 (SEE REVERSE FOR TERMS & CONDITIONS REGARDING SERVICES RENDERED BY PRISM LABORATORIES, INC. TO CLIENT)

LAB USE ONLY

Supplies intact upon arrival? YES NO N/A
 Received on weigh/Temp? 9/2 YES NO N/A
 PROPER PRESERVATION indicated? YES NO N/A
 Received within holding time? YES NO N/A
 CUSTOMER SEALING INVOICED? YES NO N/A
 VOLATILES IN WITHOUT HEADSPACE? YES NO N/A
 PROPER CONTAINERS used? YES NO N/A

TO BE FILLED IN BY CLIENT/SAMPLING PERSONNEL
 Certification: NELAC USACE FL NC
 SC OTHER N/A
 Water Chlorinated: YES NO
 Sample Iced Upon Collection: YES NO

CLIENT SAMPLE DESCRIPTION	DATE COLLECTED	TIME COLLECTED MILITARY HOURS	MATRIX (SOIL, WATER OR SLUDGE)	SAMPLE CONTAINER			PRESERVATIVES	ANALYSES REQUESTED			REMARKS	PRISM LAB ID NO.
				*TYPE SEE BELOW	NO.	SIZE		GRD	DDP	PB/CR		
P48, B1, 8.10	8/22/06	1015	SOIL	9	4	402, 302	NEOTRANAL, ABILE	X	X	X		159238
P48, B2, 8.10	8/22/06	1040		9	4			X	X	X		159239
P48, B3, 4.6	8/22/06	1050		9	4			X	X	X		159240
P48, B4, 4.6	8/22/06	1100		9	4			X	X	X		159241
P48, B5, 6.8	8/22/06	1110		9	4			X	X	X		159242
P48, B6, 6.8	8/22/06	1120		9	4			X	X	X		159243
P48, B7, 6.8	8/22/06	1130		9	4			X	X	X		159244
P48, B8, 6.8	8/22/06	1140		9	4			X	X	X		159245
P48, B9, 6.8	8/22/06	1150		9	4			X	X	X		159246
P48, B10, 6.8	8/22/06	1205		9	4			X	X	X		159247

Sampler's Signature: [Signature] Sampled By (Print Name): Kevin Buchanan Affiliation: Solutions-ICS

Upon relinquishing, this Chain of Custody is your authorization for Prism to proceed with the analyses as requested above. Any changes must be submitted in writing to the Prism Project Manager. There will be charges for any changes after analyses have been initialized.

Relinquished By: (Signature) [Signature] Received By: (Signature) [Signature] Date: 8/22/06 Military/Hours: 2801

Relinquished By: (Signature) [Signature] Received By: (Signature) [Signature] Date: 8/22/06 Military/Hours: 2801

Relinquished By: (Signature) [Signature] Received By: (Signature) [Signature] Date: 8/22/06 Military/Hours: 2801

Relinquished By: (Signature) [Signature] Received By: (Signature) [Signature] Date: 8/22/06 Military/Hours: 2801

Additional Comments: _____

Method of shipment: Fed Ex UPS Hand-delivered Prism Field Service Other _____

Groundwater: GND SC NC DRINKING WATER: GND SC SOLID WASTE: GND SC RCRA: GND SC CERCLA: GND SC LANDFILL: GND SC OTHER: GND SC NC FL NC

CONTAINER TYPE CODES: A = Amber G = Glass P = Plastic; TL = Teflon-Lined Cap VOA = Volatile Organics Analysis (Zero Head Space)

PRISM USE ONLY

Site Arrival Time: _____
 Site Departure Time: _____
 Field Technician: _____
 Mileage: _____

SEE REVERSE FOR TERMS & CONDITIONS

ORIGINAL