


**PRELIMINARY SITE ASSESSMENT  
PARCEL 51, HOUSE OF PRAYER  
CHURCH OF DELIVERANCE FOR ALL PEOPLE PROPERTY  
3595 US HIGHWAY 1  
RICHMOND COUNTY, NORTH CAROLINA  
WBS ELEMENT: 34438.1.1; NCDOT PROJECT: R-2502A**

**Prepared for:**  
NC Department of Transportation  
Geotechnical Engineering Unit  
GeoEnvironmental Section  
1589 Mail Service Center  
Raleigh, North Carolina 27699-1589

**Prepared by:**  
Solutions-IES  
1101 Nowell Road  
Raleigh, North Carolina 27607

**Solutions-IES Project No. 3260.06A3.NDOT**

**September 28, 2006**



---

Brian M. Rebar  
Field Services Manager



---

Sheri L. Knox, P.E.  
Project Manager

## TABLE OF CONTENTS

<b>1.0</b>	<b>INTRODUCTION.....</b>	<b>1</b>
<b>2.0</b>	<b>BACKGROUND AND SITE DESCRIPTION.....</b>	<b>1</b>
<b>3.0</b>	<b>FIELD ACTIVITIES.....</b>	<b>1</b>
<b>4.0</b>	<b>SAMPLING RESULTS.....</b>	<b>3</b>
<b>5.0</b>	<b>DISCUSSION AND CONCLUSIONS.....</b>	<b>3</b>

### TABLES

TABLE 1 – SUMMARY OF FIELD SCREENING RESULTS FOR SOIL

TABLE 2 – SUMMARY OF SOIL ANALYTICAL RESULTS

### FIGURES

FIGURE 1 – SITE LOCATION MAP

FIGURE 2 – SITE MAP

FIGURE 3 – BORING LOCATIONS AND ESTIMATED EXTENT OF SOIL  
CONTAMINATION

### APPENDICES

APPENDIX A – PHOTOGRAPHS

APPENDIX B – GEOPHYSICAL INVESTIGATION

APPENDIX C – BORING LOGS

APPENDIX D – GPS COORDINATES OF BORING LOCATIONS

APPENDIX E – LABORATORY ANALYTICAL REPORTS

## **1.0 INTRODUCTION**

The North Carolina Department of Transportation (NCDOT) is widening the existing alignment of US Highway 1 near the towns of Marston and Hoffman, located in Richmond County, North Carolina. Acquisition of properties within the right-of-way is necessary prior to road construction. On July 19, 2006, Solutions-IES submitted a proposal (NC06554P) to conduct Preliminary Site Assessments (PSAs) on ten parcels of land located within the proposed right-of-way that are of concern to the NCDOT. This report summarizes the results of field activities conducted during the PSA for a portion of the property identified by NCDOT as Parcel 51, the House of Prayer Church of Deliverance for All People Property (**Figure 1**). The right-of-way portion of this property (i.e., the Study Area) is more clearly identified on **Figure 2**. The scope of work executed at the Study Area was performed in general accordance with Solutions-IES proposal NC06554P and was initiated based on a Notice to Proceed issued by the NCDOT Geotechnical Engineering Unit on July 20, 2006 under contract 7000007053, dated June 5, 2006.

## **2.0 BACKGROUND AND SITE DESCRIPTION**

The subject property is located at 3595 US Highway 1, just east of Tilley Street in Richmond County, North Carolina (site). According to field observations, a two-story block building is located on the site. The surface of the site is covered with a mixture of concrete, asphalt, gravel and grass. Numerous utilities including buried storm sewer, water, and telecommunication lines as well as overhead electric lines cross the site. Photographs of the Study Area at the site are presented in **Appendix A**.

According to information provided NCDOT, the site probably operated as a gas station in the past. The remains of a pump island were observed beneath a brick planter in front of the building (**Appendix A**, Photograph 1). Since background information indicated the possible presence of a gas station, petroleum constituents may have been released to the subsurface in the vicinity of the proposed right-of-way.

## **3.0 FIELD ACTIVITIES**

Prior to mobilizing to the site to conduct subsurface sampling, Solutions-IES contacted North Carolina One Call to locate underground utilities within the proposed right-of-way at the site. Pyramid Environmental & Engineering, P.C. (Pyramid) was contracted to perform an electromagnetic survey of the subsurface in the proposed right-of-way and easement area. Pyramid surveyed the site on July 26 and 28, 2006. The electromagnetic survey equipment (EM61) identified various magnetic anomalies within

the Study Area, likely from buried utility lines or conduits. Results of the surveys indicated the presence of buried metallic objects and miscellaneous debris, but did not indicate the presence of underground storage tanks (USTs). The EM61 images are included in **Appendix B**, Figures 11 and 12.

After reviewing the background information and geophysical data, Solutions-IES elected to analyze soil samples collected at designated locations within the Study Area for total petroleum hydrocarbons (TPH). These activities were conducted on August 22, 2006. A total of six soil borings (borings P51-B1 through P51-B6) were advanced at the site in the locations depicted on **Figure 3** during this field event. After review of the analytical results from this field event with NCDOT, two additional soil borings were advanced (P51-B7 and P51-B8) on September 6, 2006 to further delineate potential impacts just outside the eastern boundary of the Study Area on the adjacent property. All borings were labeled with the prefix "P51" to associate the samples with Parcel 51. Each of these borings was advanced to a depth of between 8 and 12 feet below ground surface (ft bgs) with a truck-mounted Geoprobe<sup>®</sup>.

Soil samples were obtained from each boring using a MacroCore<sup>®</sup> sampler fitted with single-use, disposable polyvinyl chloride (PVC) liners. Each liner was 4 feet in length. Upon retrieval, a portion of each 2-foot interval was placed in separate resealable plastic bags. These bags were sealed and placed at ambient temperature for field screening with a flame ionization detector (FID). The remaining portion of each 2-foot interval was left in the PVC liner, wrapped in plastic and placed on ice for possible laboratory analysis.

Volatile organic compounds (VOCs) were allowed to accumulate in the headspace of each bag for approximately 20 minutes, after which time the headspace of each sealed bag was scanned with the FID. The FID readings were entered on the boring logs along with the soil description and indications of staining or odors, if present. Logs for each boring are presented in **Appendix C**. Soils collected from the borings within the Study Area of Parcel 51 generally consisted of silty sand (SM) and sandy clay (CL). The GPS coordinates for the borings are provided in **Appendix D**.

Headspace screening of the soil samples with the FID revealed the presence of volatile vapors at low concentrations in several of the samples. Concentrations ranged from not detected to 12 parts per million (P51-B1 at 2 – 4 ft bgs). These measurements are presented in **Table 1**. No distinguishable odors were noted in the samples.

Soil samples for laboratory analysis were obtained from each boring at the sample intervals identified in **Table 1**. These samples were selected for analysis as they presented the highest FID measurements within the borings, or, if no volatile vapors were present, were obtained from deepest depth within the boring. The samples were placed in laboratory-supplied containers and stored on ice pending shipment to Prism Laboratories, Inc. (Prism) in Charlotte, NC. Sample information was recorded on the chain-of-custody and the samples were submitted for chemical analysis of total petroleum hydrocarbons (TPH) gasoline range organics (GRO) by Modified EPA Method 5030/8015 and TPH diesel range organics (DRO) by Modified EPA Method 3545/8015.

#### **4.0 SAMPLING RESULTS**

TPH DRO was detected in 3 of 8 soil samples collected within the Study Area at concentrations ranging from 22 mg/kg (P51-B8 (0-2 ft bgs)) to 850 mg/kg (P51-B6 (2-4 ft bgs)). TPH GRO was not detected in the soil samples at concentrations greater than the laboratory reporting limit. These data are summarized in **Table 2**. Laboratory reports associated with these samples are presented in **Appendix E**.

#### **5.0 DISCUSSION AND CONCLUSIONS**

The geophysical survey conducted at the site did not reveal buried metallic objects such as USTs within the Study Area. The survey did suggest metallic anomalies in locations consistent with the presence of buried utilities (e.g., fiber optic telephone, buried water lines). The outline of a former pump island was observed on the south side of the building. The area is currently used as a concrete planter.

According to the laboratory analytical results, TPH DRO was detected in the soil samples from borings P51-B1, P51-B6, and P51-B8 at concentrations greater than the action level of 10 mg/kg described for tank closure (*Guidelines for Tank Closure, North Carolina Underground Storage Tank Section* (Guidelines), September 2003). The presence of TPH DRO in soil is typically associated with a release of petroleum hydrocarbons.

Based on the analytical results, the location of soil impact identified within the Study Area is likely associated with the former pump island (**Figure 3**) as well as an isolated surficial impact near P51-B8. Based on TPH concentrations detected at concentrations greater than the action level, Solutions-IES estimates the dimensions of the area of impacted soil near the pump island to measure approximately 80 feet by 20 feet. From information obtained on Parcel 61, which was also along this alignment and

assessed separately but as part of this project, the depth to groundwater was assumed to be approximately 11.6 ft bgs. Using this depth in the calculations, the volume of impacted soil is estimated at 690 cubic yards (cy). The area of impact near P51-B8 measures approximately 15 feet in diameter, and based on the surficial depth of 2 feet, the volume of impacted soil is estimated to be approximately 10 cy. Because elevated TPH has been detected in these soils, proper transportation and disposal practices should be used in handling soil that may be excavated in the vicinity of these borings. However, during roadway construction, the NCDOT transportation/disposal contractor may use different criteria for estimating impacted soil.

## **TABLES**

**TABLE 1**  
**SUMMARY OF FIELD SCREENING RESULTS FOR SOIL**  
**Parcel 51, Richmond County, North Carolina**  
**WBS Element: 34438.1.1; State Project: R-2502A**  
**Sample Collection Dates: August 22 and September 6, 2006**

Sample Depth Below Ground Surface	Soil Borings							
	P51-B1	P51-B2	P51-B3	P51-B4	P51-B5	P51-B6	P51-B7	P51-B8
	FID Reading (ppm)							
0 - 2 feet	6.1	ND	ND	ND	ND	0.2	ND	0.2
2 - 4 feet	12	0.1	ND	ND	ND	7.2	0.2	ND
4 - 6 feet	1.1	0.1	0.1	ND	0.3	0.4	0.1	0.1
6 - 8 feet	ND	0.1	ND	ND	ND	0.4	0.1	0.1
8 - 10 feet	2.4	NS	NS	NS	NS	NS	NS	NS
10 - 12 feet	2.8	NS	NS	NS	NS	NS	NS	NS

Notes:

Samples denoted by shaded cells were submitted for laboratory analysis.

NS = not sampled

FID readings were obtained with a Photovac MicroFID Flame Ionization Detector.

ND = not detected

FID = Flame Ionization Detector



**TABLE 2**  
**SUMMARY OF SOIL ANALYTICAL RESULTS**  
**Parcel 51, Richmond County, North Carolina**  
**WBS Element: 34438.1.1; State Project: R-2502A**  
**Sample Collection Dates: August 22 and September 6, 2006**

Sample Information		Total Petroleum Hydrocarbons	
Boring Number	Depth (ft bgs)	Gasoline Range <sup>1</sup> (mg/kg)	Diesel Range <sup>2</sup> (mg/kg)
P51-B1	2 - 4	< 7.4	<b>380</b>
P51-B2	6 - 8	< 8.1	< 8.1
P51-B3	4 - 6	< 7.9	< 7.9
P51-B4	6 - 8	< 7.8	< 7.8
P51-B5	4 - 6	< 7.7	< 7.7
P51-B6	2 - 4	< 7.4	<b>850</b>
P51-B7	2 - 4	< 7.9	< 7.9
P51-B8	0 - 2	< 8.1	<b>22</b>

Notes:

1. Total Petroleum Hydrocarbons (TPH) Method 5030/8015MOD - Gasoline Range Hydrocarbons
2. Total Petroleum Hydrocarbons (TPH) Method 3545/8015MOD - Diesel Range Hydrocarbons


Bold values indicate detected concentrations

Shaded values indicate values that exceeded the action limit of 10 mg/kg for TPH-DRO and TPH-GRO provided from "Guidelines for Tank Closure", North Carolina Underground Storage Tank Section, State of North Carolina Department of Environment and Natural Resources [NCDENR] Division of Waste Management, September, 2003.

mg/kg = milligram per kilogram

ft bgs = feet below ground surface

## **FIGURES**



REFERENCE:  
 USGS 7.5 MINUTE TOPOGRAPHIC MAP  
 HOFFMAN, NORTH CAROLINA, 1949, PHOTOREVISED 1982.  
 DRG digital map from N.C. Geological Survey, 1997)

1:10,000

**SITE LOCATION MAP**  
**PARCEL 51**

HOUSE OF PRAYER CHURCH PROPERTY  
 RICHMOND COUNTY, NORTH CAROLINA  
 STATE PROJECT NO. R-2502 A, WBS ELEMENT# 34438.1.1



1101 Nowell Road, Raleigh, NC 27609 Phone (919) 873-1060, Fax (919) 873-1074	
Created by: RT	Project: 3260.06A3.NDOT
Checked by: SK	Date: SEPTEMBER 2006
File: Figure 1.mxd	
Software: ESRI ArcMap 9.1	<b>FIGURE</b> 1

PROJECT NUMBER  
3260.0643.NDOT


DRAFTER  
RT

CHECKED BY  
SK

PROJECT MANAGER  
SK

DATE  
AUGUST 2006

FILE  
F102.DGN



**Solutions-IES**  
 Industrial & Environmental Services  
 1101 NDWELL ROAD  
 RALEIGH, NORTH CAROLINA 27607  
 TEL. (919) 873-1060 FAX. (919) 873-1074

NOTES:  
 0 40 80  
 SCALE IN FEET  
 NOTE: BASEMAP PROVIDED BY NCDOT

PARCEL 51  
 HOUSE OF PRAYER CHURCH OF DELIVERANCE PROPERTY  
 RICHMOND COUNTY, NORTH CAROLINA  
 STATE PROJECT NO. R-2502 A  
 WBS ELEMENT 34438.1.1

SITE MAP  
 FIGURE 2

PROJECT NUMBER 3260.0643.NDOT

DRAFTER RT

CHECKED BY SK

PROJECT MANAGER SK


DATE AUGUST 2006

FILE F:\G3.DEN

Sample Information		Total Petroleum Hydrocarbons	
Boring Number	Depth (ft bgs)	Gasoline Range (mg/kg)	Diesel Range (mg/kg)
P51-B1	2 - 4	<7.4	380
P51-B2	6 - 8	<8.1	<8.1
P51-B3	4 - 6	<7.9	<7.9
P51-B4	6 - 8	<7.8	<7.8
P51-B5	4 - 6	<7.7	<7.7
P51-B6	2 - 4	<7.4	850
P51-B7	2 - 4	<7.9	<7.9
P51-B8	0 - 2	<8.1	22

Notes:

- Total Petroleum Hydrocarbons (TPH) Method 5030/8015MOD - Gasoline Range Hydrocarbons
  - Total Petroleum Hydrocarbons (TPH) Method 3545/8015MOD - Diesel Range Hydrocarbons
  - Laboratory data qualifiers note that the quality control results were outside the QC limits, possibly due to compound being diluted out.
- Bold values indicate detected concentrations  
 J = Estimated value between the laboratory reporting limit and the method detection limit  
 mg/kg = milligram per kilogram  
 ft bgs = feet below ground surface




### STUDY AREA

APPROXIMATE EXTENT OF IMPACTED SOILS

**LEGEND**

P51-B1 SOIL BORING LOCATION

NOTES:



NOTE: BASEMAP PROVIDED BY NCDOT

PARCEL 51  
 HOUSE OF PRAYER CHURCH OF DELIVERANCE PROPERTY  
 RICHMOND COUNTY, NORTH CAROLINA  
 STATE PROJECT NO. R-2502 A  
 WBS ELEMENT 34438.1.1

SOIL BORING LOCATIONS  
 &  
 ESTIMATED EXTENT OF  
 SOIL CONTAMINATION

FIGURE:  
 3

**Solutions-IES**  
 Industrial & Environmental Services  
 1101 NOVELL ROAD  
 RALEIGH, NORTH CAROLINA 27607  
 TEL.: (919) 873-1060 FAX.: (919) 873-1074

**APPENDIX A**  
**PHOTOGRAPHS**



**Photograph 1** – Looking west beyond Parcel 51. Former pump island located near brick planter/sign in middle of photograph.



**Photograph 2** – View of Parcel 51 from Tilley Street (west of Parcel 51).

**APPENDIX B**

**GEOPHYSICAL INVESTIGATION**



**GEOPHYSICAL INVESTIGATION REPORT**

***GEOPHYSICAL SURVEYS FOR THE  
DETECTION OF METALLIC USTS***

**US 1 from SR 1001 to the Richmond County Line**

**Richmond, North Carolina**

**State Project Number U-3459**


**September 1, 2006**

**Report prepared for: Sheri Knox, PE  
Solutions IES  
1101 Nowell Rd.  
Raleigh, NC 27607**

**Prepared by:**

  
\_\_\_\_\_  
**Douglas Canavello, PG**

**Reviewed by:**

  
\_\_\_\_\_  
**Tim Leatherman, PG**

**PYRAMID ENVIRONMENTAL & ENGINEERING, P.C.  
700 NORTH EUGENE ST.  
GREENSBORO, NC 27401  
(336) 335-3174**

**Solutions IES**  
**GEOPHYSICAL SURVEYS FOR THE DETECTION OF METALLIC USTS**  
**US 1 from SR 1001 to the Richmond County Line**  
**State Project Number U-3456**

TABLE OF CONTENTS

- 1.0 INTRODUCTION
- 2.0 FIELD METHODOLOGY
- 3.0 DISCUSSION OF RESULTS
  - 3.1 Parcel 6 – Hillary McKay Property
  - 3.2 Parcel 9 – K.J. Lewis Property
  - 3.3 Parcel 21 – James Brigman Property
  - 3.4 Parcel 48 – Roy Barry Bostick Property
  - 3.5 Parcel 50 – Pansy Ernest Property
  - 3.6 Parcel 51 – Church of Deliverance Property
  - 3.7 Parcel 61 – Cooper & Brown Inc. Property
  - 3.8 Parcel 70 – Delia Lassiter Property
  - 3.9 Parcel 22 – Ivey Little Property
  - 3.10 Parcel 68 – James Pugh Property
- 4.0 SUMMARY & CONCLUSIONS
- 5.0 LIMITATIONS

FIGURES

- Figure 1 Site & Geophysical Equipment Photos
- Figure 2 Parcel 6 – Hillary McKay Property – EM61 Bottom Coil Results
- Figure 3 Parcel 6 – Hillary McKay Property – EM61 Differential Results
- Figure 4 Parcel 9 – K.J. Lewis Property – EM61 Bottom Coil Results
- Figure 5 Parcel 9 – K.J. Lewis Property – EM61 Differential Results
- Figure 6 Parcel 9 – K.J. Lewis Property – Photo & GPR Image of UST Locations
- Figure 7 Parcel 21 – James Brigman Property – EM61 Bottom Coil Results
- Figure 8 Parcel 21 – James Brigman Property – EM61 Differential Results

- Figure 9 Parcel 21 – James Brigman Property – Photo & GPR Image of UST Locations  
Figure 10 Parcel 48 – Roy Barry Bostick Property – EM61 Metal Detection Results  
Figure 11 Parcels 50 & 51 – Earnest & Church Properties – EM61 Bottom Coil Results

FIGURES (continued)

- Figure 12 Parcels 50 & 51 – Earnest & Church Properties – EM61 Bottom Coil Results  
Figure 13 Parcels 50 & 51 – Earnest & Church Properties – Photo & GPR Image of UST Locations  
Figure 14 Parcel 61 – Cooper & Brown Inc. Property – EM61 Bottom Coil Results  
Figure 15 Parcel 61 – Cooper & Brown Inc. Property – EM61 Differential Results  
Figure 16 Parcel 70 – Delia Lassiter Property – EM61 Bottom Coil Results  
Figure 17 Parcel 70 – Delia Lassiter Property – EM61 Differential Results  
Figure 18 Parcel 22 – Ivey Little Property – EM61 Bottom Coil Results  
Figure 19 Parcel 22 – Ivey Little Property – EM61 Differential Results  
Figure 20 Parcel 68 – James Pugh Property – EM61 Metal Detection Results

## 1.0 INTRODUCTION

Pyramid Environmental & Engineering, PC conducted geophysical investigations for Solutions IES during the period of July 26 through August 28, 2006, within the proposed Right-of-Way (ROW) areas at 10 sites located in Richmond County, North Carolina. The work was done as part of the North Carolina Department of Transportation (NCDOT) road-widening project under State Project number U-3459. The sites are located along the northern or western sides of US 1 from SR 1001 to the Richmond County Line. The geophysical surveys were conducted to determine if unknown metallic underground storage tanks (UST's) were present beneath the proposed ROW area of each site.

Solutions IES representative Ms. Sheri Knox, PE provided maps during the week of July 24, 2006 that outlined the geophysical survey area of each site. Ms. Knox also provided project management during the geophysical investigation of the sites. Geophysical surveys were conducted within the proposed ROW areas at the following 10 sites that are listed from the southern-most site to the northern-most site.

<u>Property Owner</u>	<u>Parcel</u>	<u>Present Use of Property</u>
Hillary McKay Property	(Parcel 6)	Grass-covered lot with garage
K.J. Lewis Property	(Parcel 9)	Vacant, wooded lot
James Brigman Property	(Parcel 21)	Vacant, grass-covered Lot
Roy Barry Bostick Property	(Parcel 48)	Grass-covered lot and garage
Pansy Ernest Property	(Parcel 50)	Grass-covered lot with vacant store
Church of Deliverance Prop.	(Parcel 51)	Asphalt lot with active church
Cooper & Brown Inc. Prop.	(Parcel 61)	Vacant lot and commercial building

Delia Lassiter Property	(Parcel 70)	Vacant lot and building
Ivey Little Property	(Parcel 22)	Vacant lot and building
James Pugh Property	(Parcel 68)	Vacant, wooded lot

Photographs of the above sites along with photographs of the geophysical equipment used for this project are presented in **Figure 1**.

## **2.0 FIELD METHODOLOGY**

Prior to conducting the geophysical investigations, a 10-foot by 10-foot or 10-foot by 20-foot survey grid was established across the proposed ROW areas of the 10 sites using water-based marking paint or pin flags. These marks were used as X-Y coordinates for location control when collecting the geophysical data and establishing base maps for the geophysical results.

The geophysical investigations consisted of electromagnetic (EM) induction-metal detection surveys and ground penetrating radar (GPR) surveys. The EM surveys were performed using a Geonics EM61-MK1 metal detection instrument. According to the instrument specifications, the EM61 can detect a metal drum down to a maximum depth of approximately 8 feet. The EM61 data were digitally collected at each site along parallel northerly-southerly or easterly-westerly trending survey lines spaced five feet apart. The data were downloaded to a computer and reviewed in the field and office using the Geonics DAT61W and Surfer for Windows Version 7.0 software programs.

Contour plots of the EM61 bottom coil results and the EM61 differential results for each site are included in this report. The bottom coil results represent the most sensitive component of the EM61 instrument and detect metal objects regardless of size. The bottom coil response can be used to

delineate metal conduits or utility lines, small, isolated metal objects, and areas containing insignificant metal debris.

The differential results are obtained from the difference between the top and bottom coils of the EM61 instrument. The differential results focus on the larger metal objects such as drums and USTs and ignore the smaller insignificant metal objects.

GPR surveys were conducted across selected EM61 differential anomalies and steel-reinforced concrete using a GSSI SIR-2000 unit equipped with a 400 MHz antenna. Surveys were also performed across several areas where parked vehicles that obstructed the EM61 survey had since been removed. GPR data were digitally collected in a continuous mode along X and/or Y survey lines, spaced two to five feet apart using a vertical scan of 512 samples, at a rate of 48 scans per second. An 80 MHz high pass filter and an 800 MHz low pass filter were used during data acquisition with the 400 MHz antenna. GPR data were collected down to a maximum depth of approximately five feet, based on an estimated two-way travel time of 9 nanoseconds per foot.

The GPR data were downloaded to a field computer and later reviewed in the office using Radprint and Radan 5.0 software programs. The locations of GPR survey areas or individual GPR survey lines are shown as solid, purple polygons or solid purple lines, respectively, on the EM61 differential contour plots. The approximate perimeters of probable or possible USTs, based on the geophysical results, were marked and labeled in the field using orange, water-based marking paint and pin flags (when possible). The approximate locations of probable or possible USTs are shown as magenta-colored rectangles on the EM61 bottom coil and differential contour plots.

During the weeks of August 7, August 14, and August 28, preliminary contour plots of the EM61 bottom coil and the differential results were emailed to Ms. Knox.

### **3.0 DISCUSSION OF RESULTS**

#### **3.1 Parcel 6 – Hillary McKay Property**

The Hillary McKay Property (Parcel 6) contains a former auto repair garage and a vacant wooden building. The ROW area consists of a flat-lying grass surface. The bottom coil results and the differential results are presented in **Figures 2 and 3**, respectively. GPR surveys conducted around the perimeter of the garage and wooden building, suggest that the EM61 anomalies surrounding the two buildings are in response to the structures and perhaps buried miscellaneous metal debris. The remaining EM61 anomalies are probably in response to buried miscellaneous metal debris. The geophysical results suggest that the proposed ROW area at Parcel 6 does not contain metallic UST's.

#### **3.2 Parcel 9 – K.J. Lewis Property**

The K.J. Lewis property (Parcel 9) is located immediately north of the Mercer Road and US 1 intersection, approximately 200 feet northeast of Parcel 6. The property consists of an abandoned building along the edge of US 1, which is surrounded by dense wooded terrain. A former pump island area is located in front of the building. The EM61 bottom coil results and the differential results are presented in **Figures 4 and 5**, respectively. Due to limited access to the site, the geophysical investigation was limited to the front portion of the property that is located along US 1.

The geophysical investigation detected the probable presence of two USTs located adjacent to the pump island area. The first UST is centered near grid coordinates X=84 Y=27, and buried approximately 1.5 feet below surface. The second UST is centered near grid coordinates X=103 Y=27, and is buried approximately 2.0 feet below surface. This latter UST appears to be partially beneath the former pump island area. The approximate locations of the USTs are shown as magenta-colored rectangles in Figures 4 and 5. Based on the GPR results, the probable USTs are approximately 10 feet long and 4 feet wide. A photograph showing the approximate locations of the two probable USTs and the image of GPR survey lines Y=27.5, which intersects the probable USTs, are presented in **Figure 6**.

The EM61 differential anomaly centered near grid coordinates X=118 Y=29, may possibly be in response to a UST or large metal object. However, GPR surveys could not be conducted across this EM anomaly due to the limited access caused by the dense wooded terrain. The approximate location of this possible UST is shown as a dashed, magenta-colored rectangle in Figures 4 and 5, and in the site photograph that is presented in Figure 6.

The remaining portion of the geophysical survey area does not appear to contain significant, buried, metal objects.

### **3.3 Parcel 21 – James Brigman Property**



The James Brigman property (Parcel 21) consists of an open, grass and asphalt-covered lot located along the western side of US 1. The EM61 bottom coil results and the differential results are presented in **Figures 7 and 8**, respectively.

GPR surveys conducted across the linear, EM61 bottom coil anomalies that intersect grid coordinates X=62 Y=70, X=66 Y=94, X=84 Y=94, and X=87.5 Y=75, suggest the anomalies are probably in response to buried utility lines or conduits. GPR data also suggest that the high amplitude anomalies centered near grid coordinates X=77 Y=84, and X=93 Y=66, are probably in response to buried miscellaneous metal objects or junction areas for the conduits or utility lines.

GPR surveys conducted across the large, high amplitude anomaly centered near X=45 Y=75, detected the probable presence of four metallic USTs. The four probable USTs are centered near grid coordinates X=43 Y=80, X=50 Y=80, X=42 Y=73, and X=48 Y=73. Based on the GPR data, the USTs appear to be approximately 9 feet long and 3.5 to 4 feet wide and buried approximately 1.5 to 2.0 feet below surface. The approximate locations of the probable USTs are shown as magenta-colored rectangles in Figures 7 and 8. A photograph showing the approximate locations of the four probable USTs and the image of GPR survey lines Y=80, which intersects the two probable USTs centered near X=43 Y=80, and X=50 Y=80, are presented in **Figure 9**.

The remaining EM61 anomalies recorded within the proposed ROW area are probably in response to miscellaneous metal debris.

### **3.4 Parcel 48 – Roy Barry Bostick Property**

The Roy Barry Bostick property (Parcel 48) consists of a red, brick building surrounded by flat-lying grass-covered terrain. The parcel is located along the northwestern side of US 1 approximately 300 feet southwest of the US 1 and Tilley Street intersection. The EM61 bottom coil results and the differential results are presented in **Figure 10**.

GPR surveys conducted across the EM61 anomaly centered near grid coordinates X=295 Y=60, suggest that the anomaly is probably in response to one or more large diameter (12 or more inches) conduits buried approximately 1.0 feet below surface. There is a possibility (although unlikely) that the anomaly may be in response to a very small UST centered near grid coordinates X=290 Y=59. The location of the possible, but unlikely UST is shown as a magenta-colored square in Figure 10.

GPR surveys conducted along the edge of the brick building suggest that the EM61 anomalies recorded in this area are probably in response to the building and/or buried miscellaneous debris. The remaining EM61 anomalies recorded within the proposed ROW area at Parcel 48 are probably in response to known cultural features and/or buried miscellaneous debris.

### **3.5 Parcel 50 – Pansy Ernest Property**

The Pansy Ernest property (Parcel 50) is located on the western corner of the Tilley Street and US1 intersection. The parcel contains the former Little Grace’s Variety store surrounded by a flat-lying grass-covered, terrain. An occupied house is located immediately west of the property. The EM61 bottom coil results and the differential results are presented in **Figures 11 and 12**, respectively. Please note that Figures 11 and 12 also contain the EM61 results for Church of Deliverance property (Parcel 51).

GPR surveys conducted across the backyard of Parcel 50 suggest the linear EM61 bottom coil anomalies intersecting grid coordinates X=570 Y=115, X=570 Y=126, X=580 Y=90, and X=586 Y=125, are probable in response to buried conduits or lines. Similarly, the locations of the linear EM61 anomalies intersecting grid coordinates X= 622 Y=80, X=622 Y=120, and X=640 Y=35, suggest these anomalies are probably in response to buried utility lines.

GPR surveys conduct across the high amplitude anomalies centered near grid coordinates X=575 Y=105, and X=590 Y=113, suggest the anomalies are probably in response to the “junction” of conduits and/or other miscellaneous objects. Although not confirmed by the GPR results, the EM61 anomaly located at X=575 Y=105, may be in response to a possible septic tank.

GPR surveys conducted across the EM61 anomaly centered near grid coordinates X=567 Y=55, detected the probably presence of two USTs buried approximately 0.75 feet below surface. The approximate locations of the probably USTs are shown as magenta-colored rectangles in Figures 11 and 12 and each UST appears to be approximately eight feet long and three feet wide. A photograph showing the approximate locations of the two probable USTs and the image of GPR survey line Y=55, which intersects the probable USTs, are presented in **Figure 13**.

The remaining EM61 anomalies recorded within the proposed ROW area at Parcel 50 are probably in response to known cultural features or buried miscellaneous metal debris.

### **3.6 Parcel 51 – Church of Deliverance Property**

The Church of Deliverance property (Parcel 51) contains an active church building surrounded by a grass, gravel or asphalt-covered parking area. The property is located on the northern corner of the Tilley Street and US 1 intersection immediately across the street from the Pansy Ernest property (Parcel 50). The EM61 bottom coil results and the differential results for Parcel 51 are presented in **Figures 11 and 12**, respectively along with the EM61 results for Parcel 50.

The linear EM61 bottom coil anomalies intersecting grid coordinates X=670 Y=50, X=700 Y=30, and X=700 Y=65, are probably in response to buried utility lines or conduits. GPR surveys conducted across the EM61 differential anomaly centered near X=705 Y=105, and along the front edge of the church building suggest the anomalies are probably in response to miscellaneous debris and the building, respectively.

The remaining EM61 anomalies recorded within the proposed ROW area at Parcel 51 are probably in response to known cultural features or miscellaneous buried debris. The geophysical results also suggest that the proposed ROW area does not contain metallic USTs.

### **3.7 Parcel 61 – Cooper & Brown Inc. Property**

The Cooper & Brown Inc. property (Parcel 61) is located on the western side of the US 1 and Little Road intersection. The proposed ROW area of Parcel 61 contains a vacant business building surrounded by flat-lying grass or asphalt surfaces. A concrete pad is located in front of the building and probably identifies the former pump island area. An occupied house lies to the northwest of the proposed ROW area.

The EM61 bottom coil results and the differential results are presented in **Figures 14 and 15**, respectively. The linear EM61 bottom coil anomalies intersecting grid coordinates X=130 Y=34, X=142 Y=105, X=186 Y=100, X=210 Y=42, and X=213 Y=83, are probably in response to buried utility lines or conduits. The high amplitude anomalies centered near grid coordinates X=75 Y=67, and X=80 Y=50, are probably in response to steel reinforced concrete. GPR surveys conducted across these two areas did not detect the presence of USTs.

GPR surveys conducted across the high amplitude anomaly centered near X=226 Y=116, suggest the anomaly is probably in response to steel reinforced concrete and/or to the metal conduits that are visible at the surface. GPR surveys conducted along the perimeter of the building suggest that the EM61 anomalies are probably in response to the building and/or to miscellaneous debris. The remaining EM61 anomalies are probably in response to known cultural features and/or to buried miscellaneous metal debris.

The geophysical results suggest that the proposed ROW area at Parcel 61 does not contain metallic USTs.

### **3.8 Parcel 70 – Delia Lassiter Property**

The Delia Lassiter Property (Parcel 70) contains a vacant building surrounded primarily by grass yard and an asphalt driveway. An occupied house lies immediately north of the proposed ROW area. The EM61 bottom coil results and the differential results are presented in **Figures 16 and 17**, respectively.

The linear EM61 anomaly intersecting grid coordinates X=90 Y=110, is probably in response to a buried utility line or conduit. The remaining EM anomalies are probably in response to known cultural features or to buried miscellaneous debris. The geophysical results suggest that the proposed ROW area at the Delia Lassiter property does not contain metallic USTs.

### **3.9 Parcel 22 – Ivey Little Property**

The Ivey Little property (Parcel 22) is located along the northwest side of US 1 and consists of a vacant building surrounded by a gravel-covered driveway and grass-covered fields. The EM61 bottom coil results and the differential results are presented in **Figures 18 and 19**, respectively.

The linear EM61 anomaly intersecting grid coordinates X=354 Y=35, is probably in response to a buried utility line or conduit. The remaining EM anomalies are probably in response to known cultural features or to buried miscellaneous debris. The geophysical results suggest that the proposed ROW area at the Ivey Little property does not contain metallic USTs.

### **3.10 Parcel 68 – James Pugh Property**

The James Pugh Property (Parcel 68) is a former gas station site located on the northern side of US 1, approximately 0.25 miles west of the US 1 and Special Forces Way intersection. The site consists primarily of grass, trees and brush with a former pump island pad located near the edge of US 1. The EM61 bottom coil results and the differential results are presented in **Figure 20**.

GPR surveys conducted across the EM61 anomalies centered grid coordinates X=305 Y=35, and X=321 Y=37, suggest the anomalies are probably in response to the pump island pad and to the

buried pump island-related equipment. GPR surveys conducted across the EM61 anomaly centered near grid coordinates X=534 Y=92, suggest the anomaly is probably in response to buried miscellaneous debris or object. The remaining EM61 anomalies are probably in response to known cultural features and miscellaneous metal debris.

The geophysical investigation conducted at Parcel 68 suggests that the proposed ROW area does not contain metallic USTs.

#### **4.0 SUMMARY & CONCLUSIONS**

Our evaluation of the EM61 and GPR data collected across the proposed ROW areas at the 10 sites along US 1 in Richmond County, North Carolina provides the following summary and conclusions:

- The EM61 and GPR surveys provided reliable results for the detection of metallic USTs within the surveyed portions of the proposed ROW areas of each site.
- GPR surveys were conducted across selected EM61 differential anomalies and across areas containing steel reinforced concrete.
- Linear EM61 anomalies at the 10 sites are probably in response to buried utility lines and/or conduits. The majority of non-linear anomalies are probably in response to known cultural features or miscellaneous metal objects.

- The geophysical results suggest the proposed ROW areas at the following properties do not contain metallic USTs:

Hillary McKay Property	(Parcel 6)
Church of Deliverance Property	(Parcel 51)
Cooper & Brown Inc. Property	(Parcel 61)
Delia Lassiter Property	(Parcel 70)
Ivey Little Property	(Parcel 22)
James Pugh Property	(Parcel 68)



- K.J. Lewis Property (Parcel 9): Geophysical results suggest the probable presence of two USTs located adjacent to the pump island area. The first UST is centered near grid coordinates X=84 Y=27, and buried approximately 1.5 feet below surface. The second UST is centered near grid coordinates X=103 Y=27, and is buried approximately 2.0 feet below surface. The EM61 differential anomaly centered near grid coordinates X=118 Y=29, may possibly be in response to a UST or large metal object. However, GPR surveys could not be conducted across this EM anomaly due to the limited access caused by the dense wooded terrain.
- James Brigman Property (Parcel 21): Geophysical results detected the probable presence of four metallic USTs centered near grid coordinates X=43 Y=80, X=50 Y=80, X=42 Y=73, and X=48 Y=73. Based on the GPR data, the USTs appear to be approximately 9 feet long and 3.5 to 4 feet wide and buried approximately 1.5 to 2.0 feet below surface.





- Roy Barry Bostick Property (Parcel 48): GPR surveys conducted across the EM61 anomaly centered near grid coordinates X=295 Y=60, suggest that the anomaly is probably in response to one or more large diameter (12 or more inches) conduits buried approximately 1.0 feet below surface. There is a possibility (although unlikely) that the anomaly may be in response to a very small UST centered near grid coordinates X=290 Y=59.
  
- Pansy Ernest Property (Parcel 50): Geophysical results suggest the probable presence of two USTs centered near grid coordinates X=567 Y=55, and buried approximately 0.75 feet below surface. The USTs appear to be approximately eight feet long and three feet wide.

## **5.0 LIMITATIONS**

EM61 and GPR surveys have been performed and this report prepared for Solutions IES in accordance with generally accepted guidelines for EM61 and GPR surveys. It is generally recognized that the results of the EM61 and GPR are non-unique and may not represent actual subsurface conditions. The EM61 and GPR results obtained for this project do not conclusively define the locations of all metallic USTs but only suggest where some of the metallic USTs may be present. The EM61 and GPR anomalies, interpreted as probable or possible USTs or tanks, may be attributed to other surface or subsurface conditions or cultural interference.



# FIGURES





Parcel 6 - Hillary McKay Property



Parcel 9 - K.J. Lewis Property



Parcel 21 - James Brigman Property



Parcel 48 - Roy Barry Bostick Property



Parcel 50 - Pansy Earnest Property



Parcel 51 - Church of Deliverance Property



Parcel 61 - Cooper & Brown Property



Parcel 70 - Delia Lassiter Property



Parcel 22 - Ivey Little Property



Parcel 68 - James Pugh Property

GEOPHYSICAL EQUIPMENT



The photo shows the Geonics EM61 metal detector that was used to conduct the metal detection survey at the sites in Richmond County, North Carolina.



The photos show the SIR-2000 GPR system equipped with a 400 MHz antenna that was used to conduct the ground penetrating radar investigation at the sites in Richmond County, North Carolina.

SITE PHOTOGRAPHS


This figure shows the photographs of the ten sites located near Marston and Hoffman, North Carolina where geophysical investigations were conducted within the ROW areas for the detection of metallic USTs.

SITE PHOTOS

FIGURE 1


MJD	DRWN	CHKD	DATE	L-NO.	FIGURE
08/31/06				2006-200	
SOLUTIONS IES			GRAPHIC SCALE IN FEET		
US 1 - RICHMOND COUNTY SITES			NORTH CAROLINA		
MARSTON & HOFFMAN			GEOPHYSICAL RESULTS		
CLIENT	SITE	CITY	STATE	TITLE	L-NO.

**PYRAMID**  
ENVIRONMENTAL & ENGINEERING, P.C.



**LEGEND**

- EM61 SURVEY AREA: EM DATA ACQUIRED ALONG NORTHEAST-SOUTHWEST TRENDING LINES SPACED 5 FEET APART
- PROPERTY LINE (APPROX.)
- + GUY WIRE
- UTILITY POLE



Note: The contour plot shows the bottom coil (most sensitive) response of the EM61 instrument in millivolts (mV). The bottom coil response shows buried metallic objects regardless of size. The EM metal detection data were collected on July 27, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on August 16, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.


The geophysical investigation suggests that the survey area does not contain metallic USTs.



CLIENT	SOLUTIONS IES		DATE	08/01/06	DRWN	MJD
SITE	PARCEL 6 - HILLARY MCKAY PROPERTY		LAY		CHKD	
CITY	MARSTON	STATE	NORTH CAROLINA	DWG		
TITLE	GEOPHYSICAL RESULTS		J-NO	2006-200	FIGURE	


**EM61  
BOTTOM COIL  
RESULTS**

FIGURE 2



**LEGEND**

- EM61 SURVEY AREA: EM DATA ACQUIRED ALONG NORTHEAST-SOUTHWEST TRENDING LINES SPACED 5 FEET APART
- PROPERTY LINE (APPROX.)
- GUY WIRE
- UTILITY POLE
- APPROX. LOCATION OF GPR SURVEY LINE




Note: The contour plot shows the differential results of the EM61 metal detection survey in millivolts (mV). The differential response focuses on larger, buried metallic objects such as drums and USTs and ignores smaller miscellaneous, buried, metal debris. The EM metal detection data were collected on July 27, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on August 16, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.

The geophysical investigation suggests that the survey area does not contain metallic USTs.

	CLIENT	SOLUTIONS IES		DATE	08/01/06	DRWN	MJD
	SITE	PARCEL 6 - HILLARY MCKAY PROPERTY		LAY		CHKD	
	CITY	MARSTON	STATE	NORTH CAROLINA	DWG		
	TITLE	GEOPHYSICAL RESULTS		J-NO	2006-200	FIGURE	

**EM61  
DIFFERENTIAL  
RESULTS**

FIGURE 3




EM61 ANOMALIES PROBABLY IN RESPONSE TO MISC. METAL DEBRIS/OBJECTS

GPR DATA SUGGEST EM61 ANOMALIES ARE IN RESPONSE TO TWO USTS BURIED APPROX. 1.5 TO 2.0 FEET BELOW SURFACE

EM61 ANOMALY POSSIBLY IN RESPONSE TO EDGE OF UST. GPR SURVEYS COULD NOT BE CONDUCTED ACROSS THIS ANOMALY

LINEAR EM61 ANOMALY PROBABLY IN RESPONSE TO PARKING CURBS ALONG EDGE OF PARKING LOT



Note: The contour plot shows the bottom coil (most sensitive) response of the EM61 instrument in millivolts (mV). The bottom coil response shows buried metallic objects regardless of size. The EM metal detection data were collected on August 15, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on August 16, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.

GPR surveys suggest that the EM61 anomalies recorded adjacent to the former pump island area are probably in response to metallic USTs.

**LEGEND**


- EM61 SURVEY AREA: EM DATA ACQUIRED ALONG EASTERLY-WESTERLY OR NORTHERLY- SOUTHERLY TRENDING LINES SPACED 5 FEET APART
- UTILITY POLE
- TRAFFIC SIGN
- POSSIBLE UST, AS SUGGESTED BY EM61 ANOMALY
- PROBABLE UST, AS SUGGESTED BY GPR SURVEYS



CLIENT	SOLUTIONS IES		DATE	08/17/06	DRWN	MJD
SITE	PARCEL 9 - K. J. LEWIS PROPERTY		LAY		CHKD	
CITY	MARSTON	STATE	NORTH CAROLINA	DWG		
TITLE	GEOPHYSICAL RESULTS		J.NO.	2006-200	FIGURE	


EM61  
BOTTOM COIL  
RESULTS

FIGURE 4



**LEGEND**

- EM61 SURVEY AREA: EM DATA ACQUIRED ALONG EASTERLY-WESTERLY OR NORTHERLY-SOUTHERLY TRENDING LINES SPACED 5 FEET APART
- UTILITY POLE
- TRAFFIC SIGN
- GPR SURVEY AREA
- POSSIBLE UST, AS SUGGESTED BY EM61 ANOMALY
- PROBABLE UST, AS SUGGESTED BY GPR SURVEYS



Note: The contour plot shows the differential results of the EM61 metal detection survey in millivolts (mV). The differential response focuses on larger, buried metallic objects such as drums and USTs and ignores smaller miscellaneous, buried, metal debris. The EM metal detection data were collected on August 15, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on August 16, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.

GPR surveys suggest that the EM61 anomalies recorded adjacent to the former pump island area are probably in response to metallic USTs.




CLIENT	SOLUTIONS IES	DATE	08/17/06	DRAWN	MJD
SITE	PARCEL 9 - K. J. LEWIS PROPERTY	LAY		CHKD	
CITY	MARSTON	STATE	NORTH CAROLINA	DWG	
TITLE	GEOPHYSICAL RESULTS		J.NO.	2006-200	FIGURE

GRAPHIC SCALE IN FEET

**EM61  
DIFFERENTIAL  
RESULTS**



The photograph shows the locations of two probable USTs and one possible UST buried 1.5 to 2.0 feet below surface, as suggested by the geophysical results at Parcel 9.



The GPR image obtained along a portion of survey line Y=27.5, shows the anomalies that are probably in response to USTs near X=84 and X=103, and buried approximately 1.5 and 2.0 feet below surface, respectively. The location of this GPR image is shown with a solid purple line in the above photograph.




CLIENT	SOLUTIONS IES		DATE	08/26/05	BY	DRWN
SITE	PARCEL 9 - K. J. LEWIS PROPERTY		DATE		DATE	
CITY	MARSTON	STATE	NORTH CAROLINA		DATE	
TITLE	GEOPHYSICAL RESULTS		SCALE	2006-200	REVISION	

PHOTO & GPR IMAGE OF UST LOCATIONS (Parcel 9)


FIGURE 6






**LEGEND**

- EM61 SURVEY AREA: EM DATA ACQUIRED ALONG NORTHERLY-SOUTHERLY TRENDING LINES SPACED 5 FEET APART
- UTILITY POLE
- CABLE BOX
- PROBABLE UST, AS SUGGESTED BY GPR SURVEYS



APPROXIMATE NORTH



Note: The contour plot shows the bottom coil (most sensitive) response of the EM61 instrument in millivolts (mV). The bottom coil response shows buried metallic objects regardless of size. The EM metal detection data were collected on August 15, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on August 16, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.

GPR surveys suggest that the large, high amplitude, EM61 anomaly in the southwest portion of the survey area is probably in response to four metallic USTs.




CLIENT	SOLUTIONS IES		DATE	08/17/06	DRWN	MJD
SITE	PARCEL 21 - JAMES BRIGMAN PROPERTY		LAY		CHKD	
CITY	MARSTON	STATE	NORTH CAROLINA	DWG		
TITLE	GEOPHYSICAL RESULTS		J.NO.	2006-200	FIGURE	

GRAPHIC SCALE IN FEET



**EM61  
BOTTOM COIL  
RESULTS**

FIGURE 7



**LEGEND**

- EM61 SURVEY AREA: EM DATA ACQUIRED ALONG NORTHERLY-SOUTHERLY TRENDING LINES SPACED 5 FEET APART
- UTILITY POLE
- CABLE BOX
- PROBABLE UST, AS SUGGESTED BY GPR SURVEYS



Note: The contour plot shows the differential results of the EM61 metal detection survey in millivolts (mV). The differential response focuses on larger, buried metallic objects such as drums and USTs and ignores smaller miscellaneous, buried, metal debris. The EM metal detection data were collected on August 15, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on August 16, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.

GPR surveys suggest that the large, high amplitude, EM61 anomaly in the southwest portion of the survey area is probably in response to four metallic USTs.



CLIENT	SOLUTIONS IES		DATE	08/17/06	DRWN	MJD
SITE	PARCEL 21 - JAMES BRIGMAN PROPERTY		LAY		CHKD	
CITY	MARSTON	STATE	NORTH CAROLINA	DWG		
TITLE	GEOPHYSICAL RESULTS		J-NO	2006-200	FIGURE	


GRAPHIC SCALE IN FEET

EM61 DIFFERENTIAL RESULTS


FIGURE 8




The photograph shows the location of four probable USTs buried 1.75 to 2.0 feet below surface, as suggested by the geophysical results at Parcel 21.



The GPR image obtained along a portion of survey line Y=80, shows the anomalies that are probably in response to USTs near X=43 and X=50, and buried approximately 2.0 and 1.5 feet below surface, respectively. The location of this GPR image is shown with a solid purple line in the above photograph.




LEGEND	
	UTILITY CABLE BOX
	GUY WIRE
	UTILITY POLE
	PROBABLE CONDUIT OR POSSIBLE UST



CLIENT	SOLUTIONS IES	DATE	08/17/06	DRWN	MJD
SITE	PARCEL 48 - ROY BARRY BOSTICK PROPERTY	LAY		CHKD	
CITY	HOFFMAN	STATE	NORTH CAROLINA	DWG	
TITLE	GEOPHYSICAL RESULTS	J.N.O.	2006-200	FIGURE	


**EM61  
METAL DETECTION  
RESULTS**

FIGURE 10



Note: The contour plot shows the bottom coil (most sensitive) response of the EM61 instrument in millivolts (mV). The bottom coil response shows buried metallic objects regardless of size. The EM metal detection data were collected on July 26, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on July 28, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.

The majority of linear EM61 bottom coil anomalies shown above, are probably in response to buried utility lines or conduits. Negative EM anomalies (shaded in green) are probably in response to metallic surface objects. The geophysical investigation detected two probable USTs on Parcel 50.




LEGEND	
	EM61 SURVEY AREA: EM DATA ACQUIRED ALONG NORTHEAST-SOUTHWEST TRENDING LINES SPACED 5 FEET APART
	STORM SEWER GRATE
	PHONE CABLE BOX
	GUY WIRE
	UTILITY POLE
	TRAFFIC SIGN
	STORM SEWER GRATE
	VENT/FILL PORT
	METAL POLE
	PROBABLE UST AS SUGGESTED BY THE GEOPHYSICAL RESULTS



CLIENT	SOLUTIONS IES		DATE	08/01/06	DRWN	MJD
SITE	PARCELS 50 & 51 (ERNEST & CHURCH PROPERTIES)		LAY		CHKD	
CITY	HOFFMAN	STATE	NORTH CAROLINA		DWG	
TITLE	GEOPHYSICAL RESULTS		J-NO.	2006-200	FIGURE	

EM61  
BOTTOM COIL  
RESULTS


FIGURE 11



Note: The contour plot shows the differential results of the EM61 metal detection survey in millivolts (mV). The differential response focuses on larger, buried metallic objects such as drums and USTs and ignores smaller miscellaneous, buried, metal debris. The EM metal detection data were collected on July 26, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on July 28, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.

The majority of linear EM61 bottom coil anomalies shown above, are probably in response to buried utility lines or conduits. Negative EM anomalies (shaded in green) are probably in response to metallic surface objects. The geophysical investigation detected two probable USTs on Parcel 50.

LEGEND	
	EM61 SURVEY AREA: EM DATA ACQUIRED ALONG NORTHEAST-SOUTHWEST TRENDING LINES SPACED 5 FEET APART
	STORM SEWER GRATE
	PHONE CABLE BOX
	GUY WIRE
	UTILITY POLE
	TRAFFIC SIGN
	STORM SEWER GRATE
	VENT/FILL PORT
	METAL POLE
	GPR SURVEY AREA
	PROBABLE UST AS SUGGESTED BY THE GEOPHYSICAL RESULTS




CLIENT	SOLUTIONS IES		DATE	08/01/06	DRWN	MJD
SITE	PARCELS 50 & 51 (ERNEST & CHURCH PROPERTIES)		LAY		CHKD	
CITY	HOFFMAN	STATE	NORTH CAROLINA		DWG	
TITLE	GEOPHYSICAL RESULTS		J-NO.	2006-200	FIGURE	

**EM61  
DIFFERENTIAL  
RESULTS**



FIGURE 12



The photograph shows the location of two probable USTs buried approx. 0.75 feet below surface, as suggested by the geophysical results at Parcel 50.



The GPR image obtained along survey line Y=55 shows the anomalies that are probably in response to USTs near X=566 and X=570, and buried approximately 0.75 feet below surface. The location of this GPR image is shown with a solid purple line in the above photograph.



Note: The contour plot shows the bottom coil (most sensitive) response of the EM61 instrument in millivolts (mV). The bottom coil response shows buried metallic objects regardless of size. The EM metal detection data were collected on July 27, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on August 16, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.

The geophysical results suggest that the proposed ROW area does not contain metallic USTs.

LEGEND	
	EM61 SURVEY AREA: EM DATA ACQUIRED ALONG NORTHEAST-SOUTHWEST TRENDING LINES SPACED 5 FEET APART
	STORM SEWER GRATE
	CONCRETE BLOCK
	GUY WIRE
	UTILITY POLE
	TRAFFIC SIGN
	EDGE OF CULVERT
	CONCRETE ABUTMENT




CLIENT	SOLUTIONS IES		DATE	08/01/06	DRWN	MJD
SITE	PARCEL 61 - COOPER & BROWN INC. PROPERTY		LAY		CHKD	
CITY	HOFFMAN	STATE	NORTH CAROLINA	DWG		
TITLE	GEOPHYSICAL RESULTS		JNO.	2006-200	FIGURE	

**EM61  
BOTTOM COIL  
RESULTS**

FIGURE 14





Note: The contour plot shows the differential results of the EM61 metal detection survey in millivolts (mV). The differential response focuses on larger, buried metallic objects such as drums and USTs and ignores smaller miscellaneous, buried, metal debris. The EM metal detection data were collected on July 27, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on August 16, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.

The geophysical results suggest the proposed ROW area does not contain metallic USTs.

LEGEND	
	EM61 SURVEY AREA: EM DATA ACQUIRED ALONG NORTHEAST-SOUTHWEST TRENDING LINES SPACED 5 FEET APART
	STORM SEWER GRATE
	CONCRETE BLOCK
	GUY WIRE
	UTILITY POLE
	TRAFFIC SIGN
	EDGE OF CULVERT
	CONCRETE ABUTMENT
	GPR SURVEY LINE
	GPR SURVEY AREA




CLIENT	SOLUTIONS IES		DATE	08/01/06	DRWN	MJD
SITE	PARCEL 61 - COOPER & BROWN INC. PROPERTY		LAY		CHKD	
CITY	HOFFMAN	STATE	NORTH CAROLINA		DWG	
TITLE	GEOPHYSICAL RESULTS		JNO.	2006-200	FIGURE	


GRAPHIC SCALE IN METERS

### EM61 DIFFERENTIAL RESULTS

FIGURE 15



LEGEND	
	EM61 SURVEY AREA: EM DATA ACQUIRED ALONG NORTHERLY-SOUTHERLY TRENDING LINES SPACED 5 FEET APART
	ELECTRICAL OR UTILITY BOX
	WATER METER OR VALVE COVER
	GUY WIRE
	UTILITY POLE
	TRAFFIC SIGN
	MAIL BOX




Note: The contour plot shows the bottom coil (most sensitive) response of the EM61 instrument in millivolts (mV). The bottom coil response shows buried metallic objects regardless of size. The EM metal detection data were collected on July 27 and August 14, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on July 28, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.

The geophysical investigation suggests that the survey area does not contain metallic USTs.




CLIENT	SOLUTIONS IES		DATE	08/17/06	DRWN	MJD
SITE	PARCEL 70 - DELIA LASSITER PROPERTY		LAY		CHKD	
CITY	HOFFMAN	STATE	NORTH CAROLINA		DWG	
TITLE	GEOPHYSICAL RESULTS		J-NO	2006-200	FIGURE	

EM61  
BOTTOM COIL  
RESULTS



LEGEND	
	EM61 SURVEY AREA: EM DATA ACQUIRED ALONG NORTHERLY-SOUTHERLY TRENDING LINES SPACED 5 FEET APART
	ELECTRICAL OR UTILITY BOX
	WATER METER OR VALVE COVER
	GUY WIRE
	UTILITY POLE
	TRAFFIC SIGN
	MAIL BOX



Note: The contour plot shows the differential results of the EM61 metal detection survey in millivolts (mV). The differential response focuses on larger, buried metallic objects such as drums and USTs and ignores smaller miscellaneous, buried, metal debris. The EM metal detection data were collected on July 27 and August 14, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on July 28, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.

The geophysical investigation suggests that the survey area does not contain metallic USTs.




CLIENT	SOLUTIONS IES		DATE	08/17/06	DRWN	MJD
SITE	PARCEL 70 - DELIA LASSITER PROPERTY		LAY		CHKD	
CITY	HOFFMAN	STATE	NORTH CAROLINA		DWG	
TITLE	GEOPHYSICAL RESULTS		J-NO	2006-200	FIGURE	

GRAPHIC SCALE IN FEET

EM61  
DIFFERENTIAL  
RESULTS


FIGURE 17



LEGEND	
	EM61 SURVEY AREA: EM DATA ACQUIRED ALONG NORTHEAST-SOUTHWEST TRENDING LINES SPACED 5 FEET APART
	PHONE CABLE BOX
	GUY WIRE
	UTILITY POLE



APPROXIMATE NORTH



Note: The contour plot shows the bottom coil (most sensitive) response of the EM61 instrument in millivolts (mV). The bottom coil response shows buried metallic objects regardless of size. The EM metal detection data were collected on July 27, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on July 28, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.


The geophysical investigation suggests that the survey area does not contain metallic USTs.



CLIENT	SOLUTIONS IES		DATE	08/01/06	DRWN	MJD
SITE	PARCEL 22 - IVEY LITTLE PROPERTY		LAY		CHKD	
CITY	HOFFMAN	STATE	NORTH CAROLINA	DWG		
TITLE	GEOPHYSICAL RESULTS		J-NO	2006-200	FIGURE	

GRAPHIC SCALE IN FEET


EM61  
BOTTOM COIL  
RESULTS



LEGEND	
	EM61 SURVEY AREA: EM DATA ACQUIRED ALONG NORTHEAST-SOUTHWEST TRENDING LINES SPACED 5 FEET APART
	PHONE CABLE BOX
	GUY WIRE
	UTILITY POLE



APPROXIMATE NORTH






Note: The contour plot shows the differential results of the EM61 metal detection survey in millivolts (mV). The differential response focuses on larger, buried metallic objects such as drums and USTs and ignores smaller miscellaneous, buried, metal debris. The EM metal detection data were collected on July 27, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on July 28, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.

The geophysical investigation suggests that the survey area does not contain metallic USTs.



CLIENT	SOLUTIONS IES		DATE	08/01/06	DRWN	MJD
SITE	PARCEL 22 - IVEY LITTLE PROPERTY		LAY		CHKD	
CITY	HOFFMAN	STATE	NORTH CAROLINA	DWG		
TITLE	GEOPHYSICAL RESULTS		J-NO	2006-200	FIGURE	

EM61  
DIFFERENTIAL  
RESULTS



LEGEND	
	EM61 SURVEY AREA: EM DATA ACQUIRED ALONG EASTERLY-WESTERLY TRENDING LINES SPACED 5 FEET APART
	RIGHT-OF-WAY MARKER
	GUY WIRE
	UTILITY POLE
	TRAFFIC SIGN



Note: The contour plots show the bottom coil (most sensitive) response of the EM61 instrument and the differential response in millivolts (mV). The bottom coil response shows buried metallic objects regardless of size. The differential response focuses on larger, buried metallic objects such as drums and USTs and ignores smaller miscellaneous, buried, metal debris. The EM metal detection data were collected on August 14 & 28, 2006 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were acquired on August 15 & 28, 2006 using a Geophysical Survey Systems SIR 2000 instrument with a 400 MHz antenna.

The geophysical investigation suggests that the survey area does not contain metallic USTs.



CLIENT	SOLUTIONS IES		DATE	08/17/06	DRAWN	MJD
SITE	PARCEL 68 - JAMES PUGH PROPERTY		LAY		CHECK	
CITY	HOFFMAN	STATE	NORTH CAROLINA		DWG	
TITLE	GEOPHYSICAL RESULTS		J.NO.	2006-200	FIGURE	

## EM61 METAL DETECTION RESULTS

**APPENDIX C**  
**BORING LOGS**

# Log of Soil Boring: P51-B1

Project: Richmond County PSA's  
 Client: NCDOT  
 WBS # 34438.1.1  
 State Project # R-2502A  
 Drilling Method: Direct Push  
 Sampler Type: Macro Core  
 Logged By: K.B

Solutions-IES Project No.: 3260.06A3.NDOT  
 County: Richmond  
 Boring Date: 08/22/06  
 Site: Parcel 51  
 Checked By: *JD*

Boring Number: 1  
 Initial Water Level: NA  
 Stabilized Water Level: NA  
 Cave In Depth: 5.5' bgs  
 Total Depth of Boring: 12' bgs

SUBSURFACE PROFILE			SAMPLE		PID Field Screen • ppm • 250 500 750	FID Field Screen ■ ppm ■ 250 500 750	Lab Sample Depth	Well Data
Depth ft. bgs	USCS Symbol	Description	Sample Interval	% Recovery				
0		Ground Surface						
0		Asphalt						
0.5	SM	Dark brown, fine silty sand		100	6			
2.5	SM	Damp, brown and tan, fine silty sand		100	12			
3.5	SM	Damp, tan and orange, fine silty sand		100	1			
5.5	SM	Wet, tan, fine silty sand		100	0			
6.5	CL	Moist, grey, sandy clay		100	0			
7.5	CL	Moist, tan and orange, sandy clay		100	2			
9.5				100	3			
11.5	SC	Moist, orange, medium clayey sand		100				
12								
13								
14								
15								
16								


**Solutions-IES, Inc.**  
 1101 Nowell Road  
 Raleigh, NC 27607  
 (919) 873-1060





# Log of Soil Boring: P51-B2

Project: Richmond County PSA's  
 Client: NCDOT  
 WBS # 34438.1.1  
 State Project # R-2502A  
 Drilling Method: Direct Push  
 Sampler Type: Macro Core  
 Logged By: K.B

Solutions-IES Project No.: 3260.06A3.NDOT  
 County: Richmond  
 Boring Date: 08/22/06  
 Site: Parcel 51  
 Checked By: 

Boring Number: 2

Initial Water Level: NA  
 Stabilized Water Level: NA  
 Cave In Depth: 4.5' bgs

Total Depth of Boring: 8' bgs

SUBSURFACE PROFILE			SAMPLE		PID Field Screen • ppm • 250 500 750	FID Field Screen ■ ppm ■ 250 500 750	Lab Sample Depth	Well Data
Depth ft. bgs	USCS Symbol	Description	Sample Interval	% Recovery				
0		Ground Surface						
1	SP	Dry, tan and brown, fine sand with gravel		100	0			
2	SM	Moist, tan and brown, fine silty sand		100	0			
3	SM	Damp, tan and brown, fine silty sand		100	0			
4	SM	Damp, tan and brown, fine silty sand		100	0			
5	SM	Damp, tan and brown, fine silty sand		100	0			
6	SM	Wet, brown, fine silty sand		100	0			
7	CL	Moist, grey and orange, sandy clay		100	0			
8								
9								
10								
11								
12								
13								
14								
15								
16								

**Solutions-IES, Inc.**  
 1101 Nowell Road  
 Raleigh, NC 27607  
 (919) 873-1060



# Log of Soil Boring: P51-B3

Project: Richmond County PSA's  
 Client: NCDOT  
 WBS # 34438.1.1  
 State Project # R-2502A  
 Drilling Method: Direct Push  
 Sampler Type: Macro Core  
 Logged By: K.B

Solutions-IES Project No.: 3260.06A3.NDOT  
 Boring Number: 3  
 County: Richmond  
 Boring Date: 08/22/06  
 Site: Parcel 51  
 Checked By: JD

Initial Water Level: NA  
 Stabilized Water Level: NA  
 Cave In Depth: 4.8' bgs  
 Total Depth of Boring: 8' bgs

SUBSURFACE PROFILE			SAMPLE		PID Field Screen • ppm • 250 500 750	FID Field Screen ■ ppm ■ 250 500 750	Lab Sample Depth	Well Data
Depth ft. bgs	USCS Symbol	Description	Sample Interval	% Recovery				
0		Ground Surface						
0 - 3	SM	Dry, brown, fine silty sand	0 - 3	100	0			
3 - 4	SM	Moist, brown and orange, fine silty sand	3 - 4	100	0			
4 - 6	SM	Damp to wet, tan, fine to medium silty sand	4 - 6	100	0			
6 - 7	CL	Moist, grey, sandy clay	6 - 7	100	0			
7 - 8	CL	Moist, grey, red and orange, sandy clay	7 - 8	100	0			
8 - 16								

**Solutions-IES, Inc.**  
 1101 Nowell Road  
 Raleigh, NC 27607  
 (919) 873-1060



# Log of Soil Boring: P51-B4

Project: Richmond County PSA's  
 Client: NCDOT  
 WBS # 34438.1.1  
 State Project # R-2502A  
 Drilling Method: Direct Push  
 Sampler Type: Macro Core  
 Logged By: K.B

Solutions-IES Project No.: 3260.06A3.NDOT  
 County: Richmond  
 Boring Date: 08/22/06  
 Site: Parcel 51  
 Checked By:

Boring Number: 4  
 Initial Water Level: NA  
 Stabilized Water Level: NA  
 Cave In Depth: 7.8' bgs  
 Total Depth of Boring: 8' bgs

SUBSURFACE PROFILE			SAMPLE		PID Field Screen ● ppm ● 250 500 750	FID Field Screen ■ ppm ■ 250 500 750	Lab Sample Depth	Well Data
Depth ft. bgs	USCS Symbol	Description	Sample Interval	% Recovery				
0		Ground Surface						
1	SM	Dry, tan and brown, fine silty sand		100	0			
2								
3	SM	Moist, dark brown, fine silty sand		100	0			
4	SM	Damp, tan and brown, fine silty sand						
5	SC	Damp, orange and tan, medium clayey sand		100	0			
6								
7	CL	Moist, orange, grey and tan, sandy clay		100	0			
8								
9								
10								
11								
12								
13								
14								
15								
16								

**Solutions-IES, Inc.**  
 1101 Nowell Road  
 Raleigh, NC 27607  
 (919) 873-1060



# Log of Soil Boring: P51-B5

Project: Richmond County PSA's  
 Client: NCDOT  
 WBS # 34438.1.1  
 State Project # R-2502A  
 Drilling Method: Direct Push  
 Sampler Type: Macro Core  
 Logged By: K.B

Solutions-IES Project No.: 3260.06A3.NDOT  
 County: Richmond  
 Boring Date: 08/22/06  
 Site: Parcel 51  
 Checked By: *JD*

Boring Number: 5

Initial Water Level: NA  
 Stabilized Water Level: NA  
 Cave In Depth: 4.6' bgs  
 Total Depth of Boring: 8' bgs

SUBSURFACE PROFILE			SAMPLE		PID Field Screen ● ppm ● 250 500 750	FID Field Screen ■ ppm ■ 250 500 750	Lab Sample Depth	Well Data
Depth ft. bgs	USCS Symbol	Description	Sample Interval	% Recovery				
0		Ground Surface						
0 - 1	SM	Dry, brown, fine silty sand		100	0			
1 - 3	SM	Moist, brown, orange and black, fine silty sand		100	0			
3 - 4	SM	Damp, tan, fine silty sand		100	0			
4 - 6	SM	Wet, tan, fine silty sand		100	0			
6 - 7	CL	Moist, grey and orange, sandy clay		100	0			
7 - 8								
8 - 9								
9 - 10								
10 - 11								
11 - 12								
12 - 13								
13 - 14								
14 - 15								
15 - 16								

**Solutions-IES, Inc.**  
 1101 Nowell Road  
 Raleigh, NC 27607  
 (919) 873-1060



# Log of Soil Boring: P51-B6

Project: Richmond County PSA's  
 Client: NCDOT  
 WBS # 34438.1.1  
 State Project # R-2502A  
 Drilling Method: Direct Push  
 Sampler Type: Macro Core  
 Logged By: K.B

Solutions-IES Project No.: 3260.06A3.NDOT  
 County: Richmond  
 Boring Date: 08/22/06  
 Site: Parcel 51  
 Checked By: *LD*

Boring Number: 6

Initial Water Level: NA  
 Stabilized Water Level: NA  
 Cave In Depth: 4.8' bgs  
 Total Depth of Boring: 8' bgs

SUBSURFACE PROFILE			SAMPLE		PID Field Screen • ppm • 250 500 750	FID Field Screen ■ ppm ■ 250 500 750	Lab Sample Depth	Well Data
Depth ft. bgs	USCS Symbol	Description	Sample Interval	% Recovery				
Ground Surface								
0								
1	SM	Dry, brown, fine silty sand		100	0			
2	SC	Moist, brown and tan, fine clayey sand		100	7			
3	SM	Moist, tan, brown and black, fine silty sand		100	0			
4	SM	Moist, tan, fine silty sand		100	0			
5	SC	Moist to damp, brown, medium clayey sand		100	0			
6	SM	Wet, brown, medium silty sand		100	0			
7	CL	Moist, orange and grey, medium sandy clay		100	0			
8								
9								
10								
11								
12								
13								
14								
15								
16								

**Solutions-IES, Inc.**  
 1101 Nowell Road  
 Raleigh, NC 27607  
 (919) 873-1060



# Log of Soil Boring: P51-B7

Project: Richmond County PSA's  
 Client: NCDOT  
 WBS # 34438.1.1  
 State Project # R-2502A  
 Drilling Method: Direct Push  
 Sampler Type: Macro Core  
 Logged By: B.R.

Solutions-IES Project No.: 3260.06A3.NDOT  
 County: Richmond  
 Boring Date: 09/06/06  
 Site: Parcel 51  
 Checked By: JD

Boring Number: 7

Initial Water Level: NA  
 Stabilized Water Level: NA  
 Cave In Depth: 4.5' bgs

Total Depth of Boring: 8' bgs

SUBSURFACE PROFILE			SAMPLE					Lab Sample Depth	Well Data
Depth ft. bgs	USCS Symbol	Description	Sample Interval	% Recovery	PID Field Screen ppm ● 250 500 750	FID Field Screen ppm ■ 250 500 750			
0		Ground Surface							
0		Asphalt / Gravel	0 - 0.5		0				
1	SM	Dry, black, fine silty sand	0.5 - 2.5	100	●				
2									
3	SM	Dry, brown, fine silty sand	2.5 - 4.5	100	●				
4									
5	SM	Wet, brown, fine silty sand	4.5 - 6.5	100	●				
6									
7	CL	Grey and orange, silty clay	6.5 - 8.0	100	●				
8									
9									
10									
11									
12									
13									
14									
15									
16									

**Solutions-IES, Inc.**  
 1101 Nowell Road  
 Raleigh, NC 27607  
 (919) 873-1060



# Log of Soil Boring: P51-B8

Project: Richmond County PSA's  
 Client: NCDOT  
 WBS # 34438.1.1  
 State Project # R-2502A  
 Drilling Method: Direct Push  
 Sampler Type: Macro Core  
 Logged By: B.R.

Solutions-IES Project No.: 3260.06A3.NDOT  
 County: Richmond  
 Boring Date: 09/06/06  
 Site: Parcel 51  
 Checked By: *JD*

Boring Number: 8  
 Initial Water Level: NA  
 Stabilized Water Level: NA  
 Cave In Depth: 4.5' bgs  
 Total Depth of Boring: 8' bgs

SUBSURFACE PROFILE			SAMPLE		PID Field Screen • ppm • 250 500 750	FID Field Screen ■ ppm ■ 250 500 750	Lab Sample Depth	Well Data
Depth ft. bgs	USCS Symbol	Description	Sample Interval	% Recovery				
0		Ground Surface						
0	GP	Dry, brown, sand and gravel	0 - 1	100	0			
1	SM	Dry, brown, fine silty sand	1 - 2					
2	SM	Dry, black, fine silty sand	2 - 3	100	0			
3	SM	Dry, brown, fine silty sand	3 - 4					
4	SM	Wet, brown, fine silty sand	4 - 5	100	0			
5	SC	Dry, grey and orange, silty clay	5 - 8	100	0			
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								

**Solutions-IES, Inc.**  
 1101 Nowell Road  
 Raleigh, NC 27607  
 (919) 873-1060



**APPENDIX D**

**GPS COORDINATES OF BORING LOCATIONS**




**Appendix D**  
**GPS Coordinates of Boring Locations**  
**Parcel 51, House of Prayer Church for All People Property**  
**3595 US Highway 1**  
**Richmond County, North Carolina**  
**WBS Element: 34438.1.1; NCDOT Project R-2502A**

<b>Boring Identification</b>	<b>Northing</b>	<b>Easting</b>
<b>P51-B1</b>	35.03106737	-79.55036237
<b>P51-B2</b>	35.03108614	-79.55033245
<b>P51-B3</b>	35.0310936	-79.55042004
<b>P51-B4</b>	35.03116367	-79.55050813
<b>P51-B5</b>	35.03098874	-79.55046823
<b>P51-B6</b>	35.03106569	-79.55035717
<b>P51-B7</b>	35.03113	-79.550216
<b>P51-B8</b>	35.03116	-79.55025

Notes:

Coordinates referenced to North American Datum, 1983.

**APPENDIX E**  
**LABORATORY ANALYTICAL REPORTS**



**PRISM**  
LABORATORIES, INC.

## Case Narrative

**Date:** 08/30/06  
**Company:** N. C. Department of Transportation  
**Contact:** Sheri Knox  
**Address:** c/o Solution - IES  
 1101 Nowell Road  
 Raleigh, NC 27607

**Client Project ID:** NCDOT Parcel 51  
**Prism COC Group No:** G0806704  
**Collection Date(s):** 08/22/06  
**Lab Submittal Date(s):** 08/23/06

**Client Project Name Or No:** Richmond Co. WBS# 34438.1.1

This data package contains the analytical results for the project identified above and includes a Case Narrative, Laboratory Report and Quality Control Data totaling 9 pages. A chain-of-custody is also attached for the samples submitted to Prism for this project.

Data qualifiers are flagged individually on each sample. A key reference for the data qualifiers appears at the end of this case narrative. Quality control statements and/or sample specific remarks are included in the sample comments section of the laboratory report for each sample affected.

### Semi Volatile Analysis

Analysis Note for Q17317 MS Diesel Range Organics (DRO): Recovery was outside of the control limits.

Analysis Note for Q17317 MSD Diesel Range Organics (DRO): Recovery was outside of the control limits.

### Volatile Analysis

No Anomalies Reported

### Metals Analysis

N/A

### Wet Lab and Micro Analysis

N/A

Please call if you have any questions relating to this analytical report.

**Date Reviewed by:** Paula A. Gilleland

**Project Manager:** Angela D. Overcash

**Signature:** Paula A. Gilleland

**Signature:** [Signature]

**Review Date:** 08/30/06

**Approval Date:** 08/30/06

### **Data Qualifiers Key Reference:**

- B: Compound also detected in the method blank.
- #: Result outside of the QC limits.
- DO: Compound diluted out.
- E: Estimated concentration, calibration range exceeded.
- J: The analyte was positively identified but the value is estimated below the reporting limit.
- H: Estimated concentration with a high bias.
- L: Estimated concentration with a low bias.
- M: A matrix effect is present.

Notes: This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc. The results in this report relate only to the samples submitted for analysis.



NC Certification No. 402  
 SC Certification No. 99012  
 NC Drinking Water Cert. No. 37735

# Laboratory Report

08/30/06

N. C. Department of Transportation  
 Attn: Sheri Knox  
 c/o Solution - IES  
 1101 Nowell Road  
 Raleigh, NC 27607

Project Name: Richmond Co.  
 Project ID: NCDOT Parcel 51  
 Project No.: WBS# 34438.1.1  
 Sample Matrix: Soil

Client Sample ID: P51.B1 2-4  
 Prism Sample ID: 159221  
 COC Group: G0806704  
 Time Collected: 08/22/06 14:15  
 Time Submitted: 08/23/06 15:10

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**Percent Solids Determination**

Percent Solids	94.6	%			1	SM2540 G	08/24/06 14:10	lbrown	
----------------	------	---	--	--	---	----------	----------------	--------	--

**Diesel Range Organics (DRO) by GC-FID**

Diesel Range Organics (DRO)	380	mg/kg	37	11	5	8015B	08/27/06 12:04	jvoget	Q17317
-----------------------------	-----	-------	----	----	---	-------	----------------	--------	--------

Sample Preparation: 25.15 g / 1 mL 3545 08/25/06 13:00 wconder P16198

Surrogate	% Recovery	Control Limits
o-Terphenyl	89	49 - 124

**Sample Weight Determination**

Weight 1	5.72	g			1	GRO	08/25/06 0:00	lbrown	
Weight 2	5.12	g			1	GRO	08/25/06 0:00	lbrown	

**Gasoline Range Organics (GRO) by GC-FID**

Gasoline Range Organics (GR)	BRL	mg/kg	7.4	2.9	50	8015B	08/26/06 2:04	grappaccioli	Q17278
------------------------------	-----	-------	-----	-----	----	-------	---------------	--------------	--------

Surrogate	% Recovery	Control Limits
aaa-TFT	110	55 - 129

**Sample Comment(s):**

*BRL = Below Reporting Limit*

*J = Estimated value between the Reporting Limit and the MDL*

*The results in this report relate only to the samples submitted for analysis and meet state certification requirements other than NELAC certification except for those instances indicated in the case narrative and/or test comments.*

*All results are reported on a dry-weight basis*

Angela D. Overcash, V.P. Laboratory Services

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

449 Springbrook Road - P.O. Box 240543 - Charlotte, NC 28224-0543

Phone: 704/529-6364 - Toll Free Number: 1-800/529-6364 - Fax: 704/525-0409



NC Certification No. 402  
 SC Certification No. 99012  
 NC Drinking Water Cert. No. 37735

# Laboratory Report

08/30/06

N. C. Department of Transportation  
 Attn: Sheri Knox  
 c/o Solution - IES  
 1101 Nowell Road  
 Raleigh, NC 27607

Project Name: Richmond Co.  
 Project ID: NCDOT Parcel 51  
 Project No.: WBS# 34438.1.1  
 Sample Matrix: Soil

Client Sample ID: P51.B2 6-8  
 Prism Sample ID: 159222  
 COC Group: G0806704  
 Time Collected: 08/22/06 14:30  
 Time Submitted: 08/23/06 15:10

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**Percent Solids Determination**

Percent Solids	86.1	%			1	SM2540 G	08/24/06 14:10	lbrown	
----------------	------	---	--	--	---	----------	----------------	--------	--

**Diesel Range Organics (DRO) by GC-FID**

Diesel Range Organics (DRO)	BRL	mg/kg	8.1	2.0	1	8015B	08/25/06 16:28	jvogel	Q17323
-----------------------------	-----	-------	-----	-----	---	-------	----------------	--------	--------

Sample Preparation:			49.72 g	/	2 mL	3550B	08/25/06 10:00	Jvogel	P16206
---------------------	--	--	---------	---	------	-------	----------------	--------	--------

Surrogate	% Recovery	Control Limits
o-Terphenyl	102	48 - 130

**Sample Weight Determination**

Weight 1	6.32	g			1	GRO	08/28/06 0:00	lbrown	
----------	------	---	--	--	---	-----	---------------	--------	--

Weight 2	6.18	g			1	GRO	08/28/06 0:00	lbrown	
----------	------	---	--	--	---	-----	---------------	--------	--

**Gasoline Range Organics (GRO) by GC-FID**

Gasoline Range Organics (GR)	BRL	mg/kg	8.1	3.2	50	8015B	08/26/06 2:44	grappaccioli	Q17278
------------------------------	-----	-------	-----	-----	----	-------	---------------	--------------	--------

Surrogate	% Recovery	Control Limits
aaa-TFT	111	55 - 129

**Sample Comment(s):**

BRL = Below Reporting Limit

J = Estimated value between the Reporting Limit and the MDL

The results in this report relate only to the samples submitted for analysis and meet state certification requirements other than NELAC certification except for those instances indicated in the case narrative and/or test comments.

All results are reported on a dry-weight basis

Angela D. Overcash, V.P. Laboratory Services

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

449 Springbrook Road - P.O. Box 240543 - Charlotte, NC 28224-0543

Phone: 704/529-6364 - Toll Free Number: 1-800/529-6364 - Fax: 704/525-0409



NC Certification No. 402  
 SC Certification No. 99012  
 NC Drinking Water Cert. No. 37735

# Laboratory Report

08/30/06

N. C. Department of Transportation  
 Attn: Sheri Knox  
 c/o Solution - IES  
 1101 Nowell Road  
 Raleigh, NC 27607

Project Name: Richmond Co.  
 Project ID: NCDOT Parcel 51  
 Project No.: WBS# 34438.1.1  
 Sample Matrix: Soil

Client Sample ID: P51.B3 4-6  
 Prism Sample ID: 159223  
 COC Group: G0806704  
 Time Collected: 08/22/06 14:40  
 Time Submitted: 08/23/06 15:10

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**Percent Solids Determination**

Percent Solids	89.0	%			1	SM2540 G	08/24/06 14:10	lbrown	
----------------	------	---	--	--	---	----------	----------------	--------	--

**Diesel Range Organics (DRO) by GC-FID**

Diesel Range Organics (DRO)	BRL	mg/kg	7.9	1.9	1	8015B	08/25/06 17:05	jvogel	Q17323
-----------------------------	-----	-------	-----	-----	---	-------	----------------	--------	--------

Sample Preparation:			49.6 g	/	2 mL	3550B	08/25/06 10:00	Jvogel	P16206
---------------------	--	--	--------	---	------	-------	----------------	--------	--------

Surrogate	% Recovery	Control Limits
o-Terphenyl	98	48 - 130

**Sample Weight Determination**

Weight 1	5.57	g			1	GRO	08/25/06 0:00	lbrown	
----------	------	---	--	--	---	-----	---------------	--------	--

Weight 2	5.68	g			1	GRO	08/25/06 0:00	lbrown	
----------	------	---	--	--	---	-----	---------------	--------	--

**Gasoline Range Organics (GRO) by GC-FID**

Gasoline Range Organics (GR)	BRL	mg/kg	7.9	3.1	50	8015B	08/26/06 3:23	grappaccioli	Q17278
------------------------------	-----	-------	-----	-----	----	-------	---------------	--------------	--------

Surrogate	% Recovery	Control Limits
aaa-TFT	98	55 - 129

**Sample Comment(s):**

*BRL = Below Reporting Limit*

*J = Estimated value between the Reporting Limit and the MDL*

*The results in this report relate only to the samples submitted for analysis and meet state certification requirements other than NELAC certification except for those instances indicated in the case narrative and/or test comments.*

*All results are reported on a dry-weight basis*

Angela D. Overcash, V.P. Laboratory Services

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

449 Springbrook Road - P.O. Box 240543 - Charlotte, NC 28224-0543

Phone: 704/529-6364 - Toll Free Number: 1-800/529-6364 - Fax: 704/525-0409



NC Certification No. 402  
 SC Certification No. 99012  
 NC Drinking Water Cert. No. 37735

# Laboratory Report

08/30/06

N. C. Department of Transportation  
 Attn: Sheri Knox  
 c/o Solution - IES  
 1101 Nowell Road  
 Raleigh, NC 27607

Project Name: Richmond Co.  
 Project ID: NCDOT Parcel 51  
 Project No.: WBS# 34438.1.1  
 Sample Matrix: Soil

Client Sample ID: P51.B4 6-8  
 Prism Sample ID: 159224  
 COC Group: G0806704  
 Time Collected: 08/22/06 14:45  
 Time Submitted: 08/23/06 15:10

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**Percent Solids Determination**

Percent Solids	89.3	%			1	SM2540 G	08/24/06 14:10	lbrown	
----------------	------	---	--	--	---	----------	----------------	--------	--

**Diesel Range Organics (DRO) by GC-FID**

Diesel Range Organics (DRO)	BRL	mg/kg	7.8	1.9	1	8015B	08/25/06 17:42	jvogel	Q17323
-----------------------------	-----	-------	-----	-----	---	-------	----------------	--------	--------

Sample Preparation:			50.23 g	/	2 mL	3550B	08/25/06 10:00	Jvogel	P16206
---------------------	--	--	---------	---	------	-------	----------------	--------	--------

Surrogate	% Recovery	Control Limits
o-Terphenyl	108	48 - 130

**Sample Weight Determination**

Weight 1	6.45	g			1	GRO	08/28/06 0:00	lbrown	
----------	------	---	--	--	---	-----	---------------	--------	--

Weight 2	6.54	g			1	GRO	08/28/06 0:00	lbrown	
----------	------	---	--	--	---	-----	---------------	--------	--

**Gasoline Range Organics (GRO) by GC-FID**

Gasoline Range Organics (GR)	BRL	mg/kg	7.8	3.0	50	8015B	08/28/06 21:09	grappaccioli	Q17340
------------------------------	-----	-------	-----	-----	----	-------	----------------	--------------	--------

Surrogate	% Recovery	Control Limits
aaa-TFT	110	55 - 129

**Sample Comment(s):**

BRL = Below Reporting Limit

J = Estimated value between the Reporting Limit and the MDL

The results in this report relate only to the samples submitted for analysis and meet state certification requirements other than NELAC certification except for those instances indicated in the case narrative and/or test comments.

All results are reported on a dry-weight basis

Angela D. Overcash, V.P. Laboratory Services

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

449 Springbrook Road - P.O. Box 240543 - Charlotte, NC 28224-0543

Phone: 704/529-6364 - Toll Free Number: 1-800/529-6364 - Fax: 704/525-0409



NC Certification No. 402  
 SC Certification No. 99012  
 NC Drinking Water Cert. No. 37735

# Laboratory Report

08/30/06

N. C. Department of Transportation  
 Attn: Sheri Knox  
 c/o Solution - IES  
 1101 Nowell Road  
 Raleigh, NC 27607

Project Name: Richmond Co.  
 Project ID: NCDOT Parcel 51  
 Project No.: WBS# 34438.1.1  
 Sample Matrix: Soil

Client Sample ID: P51.B5 4-6  
 Prism Sample ID: 159225  
 COC Group: G0806704  
 Time Collected: 08/22/06 14:50  
 Time Submitted: 08/23/06 15:10

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**Percent Solids Determination**

Percent Solids	91.2	%			1	SM2540 G	08/24/06 14:10	lbrown	
----------------	------	---	--	--	---	----------	----------------	--------	--

**Diesel Range Organics (DRO) by GC-FID**

Diesel Range Organics (DRO)	BRL	mg/kg	7.7	1.9	1	8015B	08/25/06 18:19	lvogel	Q17323
-----------------------------	-----	-------	-----	-----	---	-------	----------------	--------	--------

Sample Preparation:			50.44 g	/	2 mL	3550B	08/25/06 10:00	Jvogel	P16206
---------------------	--	--	---------	---	------	-------	----------------	--------	--------

Surrogate	% Recovery	Control Limits
o-Terphenyl	99	48 - 130

**Sample Weight Determination**

Weight 1	5.95	g			1	GRO	08/28/06 0:00	lbrown	
----------	------	---	--	--	---	-----	---------------	--------	--

Weight 2	5.54	g			1	GRO	08/28/06 0:00	lbrown	
----------	------	---	--	--	---	-----	---------------	--------	--

**Gasoline Range Organics (GRO) by GC-FID**

Gasoline Range Organics (GR)	BRL	mg/kg	7.7	3.0	50	8015B	08/28/06 21:48	grappaccioli	Q17340
------------------------------	-----	-------	-----	-----	----	-------	----------------	--------------	--------

Surrogate	% Recovery	Control Limits
aaa-TFT	112	55 - 129

**Sample Comment(s):**

*BRL = Below Reporting Limit*

*J = Estimated value between the Reporting Limit and the MDL*

*The results in this report relate only to the samples submitted for analysis and meet state certification requirements other than NELAC certification except for those instances indicated in the case narrative and/or test comments.*

*All results are reported on a dry-weight basis*

Angela D. Overcash, V.P. Laboratory Services

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

449 Springbrook Road - P.O. Box 240543 - Charlotte, NC 28224-0543

Phone: 704/529-6364 - Toll Free Number: 1-800/529-6364 - Fax: 704/525-0409





NC Certification No. 402  
 SC Certification No. 99012  
 NC Drinking Water Cert. No. 37735

# Laboratory Report

08/30/06

N. C. Department of Transportation  
 Attn: Sheri Knox  
 c/o Solution - IES  
 1101 Nowell Road  
 Raleigh, NC 27607

Project Name: Richmond Co.  
 Project ID: NCDOT Parcel 51  
 Project No.: WBS# 34438.1.1  
 Sample Matrix: Soil

Client Sample ID: P51.B6 2-4  
 Prism Sample ID: 159226  
 COC Group: G0806704  
 Time Collected: 08/22/06 15:00  
 Time Submitted: 08/23/06 15:10

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**Percent Solids Determination**

Percent Solids	94.0	%			1	SM2540 G	08/24/06 14:10	lbrown	
----------------	------	---	--	--	---	----------	----------------	--------	--

**Diesel Range Organics (DRO) by GC-FID**

Diesel Range Organics (DRO)	850	mg/kg	370	90	50	8015B	08/27/06 11:59	jvogel	Q17323
-----------------------------	-----	-------	-----	----	----	-------	----------------	--------	--------

Sample Preparation:			49.81	g	/	2 mL	3550B	08/25/06 10:00	Jvogel	P16206
---------------------	--	--	-------	---	---	------	-------	----------------	--------	--------

Surrogate	% Recovery	Control Limits
o-Terphenyl	DO #	48 - 130

**Sample Weight Determination**

Weight 1	5.16	g			1	GRO	08/28/06 0:00	lbrown	
----------	------	---	--	--	---	-----	---------------	--------	--

Weight 2	3.75	g			1	GRO	08/28/06 0:00	lbrown	
----------	------	---	--	--	---	-----	---------------	--------	--

**Gasoline Range Organics (GRO) by GC-FID**

Gasoline Range Organics (GR)	BRL	mg/kg	7.4	2.9	50	8015B	08/29/06 12:02	grappaccioli	Q17340
------------------------------	-----	-------	-----	-----	----	-------	----------------	--------------	--------

Surrogate	% Recovery	Control Limits
aaa-TFT	100	55 - 129

**Sample Comment(s):**

*BRL = Below Reporting Limit*

*J = Estimated value between the Reporting Limit and the MDL*

*The results in this report relate only to the samples submitted for analysis and meet state certification requirements other than NELAC certification except for those instances indicated in the case narrative and/or test comments.*


*All results are reported on a dry-weight basis*

Angela D. Overcash, V.P. Laboratory Services

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

449 Springbrook Road - P.O. Box 240543 - Charlotte, NC 28224-0543

Phone: 704/529-6364 - Toll Free Number: 1-800/529-6364 - Fax: 704/525-0409



NC Certification No. 402  
 SC Certification No. 99012  
 NC Drinking Water Cert. No. 37735

# Level II QC Report

8/30/06

N. C. Department of Transportation  
 Attn: Sheri Knox  
 c/o Solution - IES  
 1101 Nowell Road  
 Raleigh, NC 27607

Project Name: Richmond Co.  
 Project ID: NCDOT Parcel 51  
 Project No.: WBS# 34438.1.1

COC Group Number: G0806704  
 Date/Time Submitted: 8/23/06 15:10

## Gasoline Range Organics (GRO) by GC-FID, method 8015B

Method Blank								
	Result	RL	Control Limit	Units				QC Batch ID
Gasoline Range Organics (GRO)	ND	7	<3.5	mg/kg				Q17278

Laboratory Control Sample								
	Result	Spike Amount	Units	Recovery %	Recovery Range %			QC Batch ID
Gasoline Range Organics (GRO)	45.85	50 mg/kg		92	67 - 116			Q17278

Matrix Spike								
Sample ID:	Result	Spike Amount	Units	Recovery %	Recovery Range %			QC Batch ID
159204 Gasoline Range Organics (GRO)	55.65	50 mg/kg		111	57 - 113			Q17278

Matrix Spike Duplicate								
Sample ID:	Result	Spike Amount	Units	Recovery %	Recovery Range %	RPD %	RPD Range %	QC Batch ID
159204 Gasoline Range Organics (GRO)	56.1	50 mg/kg		112	57 - 113	1	0 - 23	Q17278

## Diesel Range Organics (DRO) by GC-FID, method 8015B

Method Blank								
	Result	RL	Control Limit	Units				QC Batch ID
Diesel Range Organics (DRO)	ND	7	<3.5	mg/kg				Q17317

Laboratory Control Sample								
	Result	Spike Amount	Units	Recovery %	Recovery Range %			QC Batch ID
Diesel Range Organics (DRO)	54.73	80 mg/kg		68	55 - 109			Q17317

Matrix Spike								
Sample ID:	Result	Spike Amount	Units	Recovery %	Recovery Range %			QC Batch ID
159204 Diesel Range Organics (DRO)	66.96	80 mg/kg		27 #	50 - 117			Q17317

Matrix Spike Duplicate								
Sample ID:	Result	Spike Amount	Units	Recovery %	Recovery Range %	RPD %	RPD Range %	QC Batch ID
159204 Diesel Range Organics (DRO)	73.85	80 mg/kg		36 #	50 - 117	10	0 - 24	Q17317



NC Certification No. 402  
 SC Certification No. 99012  
 NC Drinking Water Cert. No. 37735

# Level II QC Report

8/30/06

N. C. Department of Transportation  
 Attn: Sheri Knox  
 c/o Solution - IES  
 1101 Nowell Road  
 Raleigh, NC 27607

Project Name: Richmond Co.  
 Project ID: NCDOT Parcel 51  
 Project No.: WBS# 34438.1.1

COC Group Number: G0806704  
 Date/Time Submitted: 8/23/06 15:10

## Diesel Range Organics (DRO) by GC-FID, method 8015B

Method Blank									
	Result	RL	Control Limit	Units		QC Batch ID			
Diesel Range Organics (DRO)	ND	7	<3.5	mg/kg		Q17323			

Laboratory Control Sample									
	Result	Spike Amount	Units	Recovery %	Recovery Range %	QC Batch ID			
Diesel Range Organics (DRO)	40.41	40 mg/kg		101	53 - 118	Q17323			

Matrix Spike									
Sample ID:	Result	Spike Amount	Units	Recovery %	Recovery Range %	QC Batch ID			
159234 Diesel Range Organics (DRO)	35.86	40 mg/kg		90	52 - 119	Q17323			

Matrix Spike Duplicate									
Sample ID:	Result	Spike Amount	Units	Recovery %	Recovery Range %	RPD %	RPD Range %	QC Batch ID	
159234 Diesel Range Organics (DRO)	31.83	40 mg/kg		80	52 - 119	12	0 - 25	Q17323	

## Gasoline Range Organics (GRO) by GC-FID, method 8015B

Method Blank									
	Result	RL	Control Limit	Units		QC Batch ID			
Gasoline Range Organics (GRO)	ND	7	<3.5	mg/kg		Q17340			

Laboratory Control Sample									
	Result	Spike Amount	Units	Recovery %	Recovery Range %	QC Batch ID			
Gasoline Range Organics (GRO)	48.4	50 mg/kg		97	67 - 116	Q17340			

Matrix Spike									
Sample ID:	Result	Spike Amount	Units	Recovery %	Recovery Range %	QC Batch ID			
159233 Gasoline Range Organics (GRO)	50.4	50 mg/kg		101	57 - 113	Q17340			

Matrix Spike Duplicate									
Sample ID:	Result	Spike Amount	Units	Recovery %	Recovery Range %	RPD %	RPD Range %	QC Batch ID	
159233 Gasoline Range Organics (GRO)	50.65	50 mg/kg		101	57 - 113	0	0 - 23	Q17340	

#-See Case Narrative



Full Service Analytical & Environmental Solutions

449 Springbrook Road • P.O. Box 240543 • Charlotte, NC 28224-0543  
 Phone: 704/529-5364 • Fax: 704/525-0409

Client Company Name: SOLUTIONS-1ES

Report To/Contact Name: Sheel Knox

Reporting Address: 1101 Howell Rd

Raleigh, NC 27607

Phone: 9198731008 Fax (Yes) (No): 9198731074

Email (Yes) (No) Email Address: SKNOX@SOLUTIONS-1ES

EDD Type: PDF Excel Other

Site Location Name: NC007 PARCEL 51

Site Location Physical Address: Richmond Co, NC

# CHAIN OF CUSTODY RECORD

PAGE 1 OF 1 QUOTE # TO ENSURE PROPER BILLING: \_\_\_\_\_

Project Name: NC007 PARCEL 51 - Richmond Co

Short Hold Analysis: (Yes) (No) UST Project: (Yes) (No)

\*Please ATTACH any project specific reporting (QC LEVEL III III IV) provisions and/or QC Requirements

Invoice To: NC007 WBS# 344381.1

Address: STATE PARCEL # 2502 ABR

Purchase Order No./Billing Reference 3260, 06A3, 1107

Requested Due Date  1 Day  2 Days  3 Days  4 Days  5 Days

"Working Days"  6-9 Days  Standard 10 days  Pre-Approved

Samples received after 15:00 will be processed next business day.

Turnaround time is based on business days, excluding weekends and holidays.

(SEE REVERSE FOR TERMS & CONDITIONS REGARDING SERVICES RENDERED BY PRISM LABORATORIES, INC. TO CLIENT)

## LAB USE ONLY

Samples INTACT upon arrival?  YES  NO  N/A

Received ON WETTER Temp? 92  YES  NO  N/A

PROPER PRESERVATIVES indicated?  YES  NO  N/A

Received WITHIN HOLDING TIMES?  YES  NO  N/A

CUSTODY SEALS INTACT?  YES  NO  N/A

VOLATILES rec'd W/OUT HEADSPACE?  YES  NO  N/A

PROPER CONTAINERS used?  YES  NO  N/A

## TO BE FILLED IN BY CLIENT/SAMPLING PERSONNEL

Certification: NELAC USAC FL NC

Water Chlorinated: YES NO

Sample Iced Upon Collection: YES NO

CLIENT SAMPLE DESCRIPTION	DATE COLLECTED	TIME COLLECTED MILITARY HOURS	MATRIX (SOIL, WATER OR SLUDGE)	SAMPLE CONTAINER			PRESERVATIVES	ANALYSES REQUESTED			REMARKS	PRISM LAB ID NO.
				*TYPE SEE BELOW	NO.	SIZE						
P51.B1.2.4	8/22/06	1415	SOIL	G	3	40ml 8.02	MEDIA/NOVOR	X	X			159221
P51.B2.6.8	8/22/06	1430		G	3			X	X			159222
P51.B3.4.6	8/22/06	1440		G	3			X	X			159223
P51.B4.6.8	8/22/06	1445		G	3			X	X			159224
P51.B5.4.6	8/22/06	1452		G	3			X	X			159225
P51.B6.2.4	8/22/06	1500		G	3			X	X			159226

Sampler's Signature: [Signature] Sampled By (Print Name): Kevin Buchanan Affiliation: SOLUTIONS-1ES

Upon relinquishing, this Chain of Custody is your authorization for Prism to proceed with the analyses as requested above. Any changes must be submitted in writing to the Prism Project Manager. There will be charges for any changes after analyses have been initialized.

Relinquished By: (Signature) [Signature] Received By: (Signature) [Signature] Date: 8/24/06 Military/Hours: 1256

Relinquished By: (Signature) [Signature] Received By: (Signature) [Signature] Date: 8/24/06 Military/Hours: 1570

Relinquished By: (Signature) [Signature] Received For Prism Lab Analysis By: [Signature] Date: 8/23/06 Military/Hours: 1570

Method Statement: NOTE: ALL SAMPLE CONTAINERS SHOULD BE TAPED SHUT WITH CUSTODY SEAL FOR TRANSPORTATION TO THE LABORATORY. SAMPLES ARE NOT ACCEPTED AND VERIFIED AGAINST COC UNTIL RECEIVED AT THE LABORATORY.

Additional Comments: 60866704

Fed Ex  UPS  Hand-delivered  Prism Field Service  Other

NPDES:  SC  NC  SC  NC  SC  NC  SC

UST:  SC  NC  SC  NC  SC

GROUNDWATER:  SC  NC  SC

DRINKING WATER:  SC  NC  SC

SOLID WASTE:  SC  NC  SC

RCRA:  SC  NC  SC

CERCLA:  SC  NC  SC

LANDFILL:  SC  NC  SC

OTHER:  SC  NC  SC

**PRISM USE ONLY**

Site Arrival Time: \_\_\_\_\_

Site Departure Time: \_\_\_\_\_

Field Tech Fee: \_\_\_\_\_

Mileage: \_\_\_\_\_

**SEE REVERSE FOR TERMS & CONDITIONS**

ORIGINAL

PRESS DOWN FIRMLY - 3 COPIES



## Case Narrative

**Date:** 09/18/06  
**Company:** N. C. Department of Transportation  
**Contact:** Sheri Knox  
**Address:** c/o Solution - IES  
1101 Nowell Road  
Raleigh, NC 27607

**Client Project ID:** NCDOT Parcel 51  
**Prism COC Group No:** G0906179  
**Collection Date(s):** 09/06/06  
**Lab Submittal Date(s):** 09/11/06

**Client Project Name Or No:** Richmond Co. WBS# 34438.1.1

This data package contains the analytical results for the project identified above and includes a Case Narrative, Laboratory Report and Quality Control Data totaling 4 pages. A chain-of-custody is also attached for the samples submitted to Prism for this project.

Data qualifiers are flagged individually on each sample. A key reference for the data qualifiers appears at the end of this case narrative. Quality control statements and/or sample specific remarks are included in the sample comments section of the laboratory report for each sample affected.

### Semi Volatile Analysis

No Anomalies Reported

### Volatile Analysis

No Anomalies Reported

### Metals Analysis

N/A

### Wet Lab and Micro Analysis

N/A

Please call if you have any questions relating to this analytical report.

**Date Reviewed by:** Paula A. Gilleland

**Project Manager:** Angela D. Overcash

**Signature:** Paula A. Gilleland

**Signature:** Paula A. Gilleland for Angela Overcash

**Review Date:** 09/18/06

**Approval Date:** 09/18/06

### **Data Qualifiers Key Reference:**

- B: Compound also detected in the method blank.
- #: Result outside of the QC limits.
- DO: Compound diluted out.
- E: Estimated concentration, calibration range exceeded.
- J: The analyte was positively identified but the value is estimated below the reporting limit.
- H: Estimated concentration with a high bias.
- L: Estimated concentration with a low bias.
- M: A matrix effect is present.

Notes: This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc. The results in this report relate only to the samples submitted for analysis.



NC Certification No. 402  
 SC Certification No. 99012  
 NC Drinking Water Cert. No. 37735

# Laboratory Report

09/18/06

N. C. Department of Transportation  
 Attn: Sheri Knox  
 c/o Solution - IES  
 1101 Nowell Road  
 Raleigh, NC 27607

Project Name: Richmond Co.  
 Project ID: NCDOT Parcel 51  
 Project No.: WBS# 34438.1.1  
 Sample Matrix: Soil

Client Sample ID: P51-B7-2-4  
 Prism Sample ID: 160588  
 COC Group: G0906179  
 Time Collected: 09/06/06 16:00  
 Time Submitted: 09/11/06 16:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**Percent Solids Determination**

Percent Solids	88.1	%			1	SM2540 G	09/13/06 11:35	lhao	
----------------	------	---	--	--	---	----------	----------------	------	--

**Diesel Range Organics (DRO) by GC-FID**

Diesel Range Organics (DRO)	BRL	mg/kg	7.9	2.3	1	8015B	09/13/06 19:04	jvogel	Q17762
-----------------------------	-----	-------	-----	-----	---	-------	----------------	--------	--------

Sample Preparation: 25.09 g / 1 mL 3545 09/12/06 16:10 wcondor P16335

Surrogate	% Recovery	Control Limits
o-Terphenyl	97	49 - 124

**Sample Weight Determination**

Weight 1	6.41	g			1	GRO	09/18/06 0:00	lbrown	
----------	------	---	--	--	---	-----	---------------	--------	--

Weight 2	6.56	g			1	GRO	09/18/06 0:00	lbrown	
----------	------	---	--	--	---	-----	---------------	--------	--

**Gasoline Range Organics (GRO) by GC-FID**

Gasoline Range Organics (GRO)	BRL	mg/kg	7.9	3.1	50	8015B	09/13/06 15:32	grappaccoli	Q17701
-------------------------------	-----	-------	-----	-----	----	-------	----------------	-------------	--------

Surrogate	% Recovery	Control Limits
aaa-TFT	99	55 - 129

**Sample Comment(s):**

*BRL = Below Reporting Limit*

*J = Estimated value between the Reporting Limit and the MDL*

*The results in this report relate only to the samples submitted for analysis and meet state certification requirements other than NELAC certification except for those instances indicated in the case narrative and/or test comments.*

*All results are reported on a dry-weight basis*

Angela D. Overcash, V.P. Laboratory Services

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

449 Springbrook Road - P.O. Box 240543 - Charlotte, NC 28224-0543

Phone: 704/529-6364 - Toll Free Number: 1-800/529-6364 - Fax: 704/525-0409



NC Certification No. 402  
 SC Certification No. 99012  
 NC Drinking Water Cert. No. 37735

# Laboratory Report

09/18/06

N. C. Department of Transportation  
 Attn: Sheri Knox  
 c/o Solution - IES  
 1101 Nowell Road  
 Raleigh, NC 27607

Project Name: Richmond Co.  
 Project ID: NCDOT Parcel 51  
 Project No.: WBS# 34438.1.1  
 Sample Matrix: Soil

Client Sample ID: P51-B8-0-2  
 Prism Sample ID: 160589  
 COC Group: G0906179  
 Time Collected: 09/06/06 16:30  
 Time Submitted: 09/11/06 16:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**Percent Solids Determination**

Percent Solids	85.9	%			1	SM2540 G	09/13/06 11:35	lthao	
----------------	------	---	--	--	---	----------	----------------	-------	--

**Diesel Range Organics (DRO) by GC-FID**

Diesel Range Organics (DRO)	22	mg/kg	8.1	2.3	1	8015B	09/13/06 21:30	lvogel	Q17762
-----------------------------	----	-------	-----	-----	---	-------	----------------	--------	--------

Sample Preparation: 25.24 g / 1 mL 3545 09/12/06 16:10 wconder P16335

Surrogate	% Recovery	Control Limits
o-Terphenyl	112	49 - 124

**Sample Weight Determination**

Weight 1	6.26	g			1	GRO	09/18/06 0:00	lbrown	
Weight 2	5.98	g			1	GRO	09/18/06 0:00	lbrown	

**Gasoline Range Organics (GRO) by GC-FID**

Gasoline Range Organics (GRO)	BRL	mg/kg	8.1	3.2	50	8015B	09/13/06 16:10	grappaccioli	Q17701
-------------------------------	-----	-------	-----	-----	----	-------	----------------	--------------	--------

Surrogate	% Recovery	Control Limits
aaa-TFT	118	55 - 129

**Sample Comment(s):**

*BRL = Below Reporting Limit*

*J = Estimated value between the Reporting Limit and the MDL*

*The results in this report relate only to the samples submitted for analysis and meet state certification requirements other than NELAC certification except for those instances indicated in the case narrative and/or test comments.*

*All results are reported on a dry-weight basis*

Angela D. Overcash, V.P. Laboratory Services

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

449 Springbrook Road - P.O. Box 240543 - Charlotte, NC 28224-0543

Phone: 704/529-6364 - Toll Free Number: 1-800/529-6364 - Fax: 704/525-0409



NC Certification No. 402  
 SC Certification No. 99012  
 NC Drinking Water Cert. No. 37735

# Level II QC Report

9/18/2006

N. C. Department of Transportation  
 Attn: Sheri Knox  
 c/o Solution - IES  
 1101 Nowell Road  
 Raleigh, NC 27607

Project Name: Richmond Co.  
 Project ID: NCDOT Parcel 51  
 Project No.: WBS# 34438.1.1

COC Group Number: G0906179  
 Date/Time Submitted: 9/11/2006 16:15

## Gasoline Range Organics (GRO) by GC-FID, method 8015B

Method Blank						
	Result	RL	Control Limit	Units		QC Batch ID
Gasoline Range Organics (GRO)	ND	7	<3.5	mg/kg		Q17701

Laboratory Control Sample						
	Result	Spike Amount	Units	Recovery %	Recovery Range %	QC Batch ID
Gasoline Range Organics (GRO)	43.15	50	mg/kg	86	67 - 116	Q17701

Matrix Spike						
Sample ID:	Result	Spike Amount	Units	Recovery %	Recovery Range %	QC Batch ID
160594 Gasoline Range Organics (GRO)	40.5	50	mg/kg	81	57 - 113	Q17701

Matrix Spike Duplicate								
Sample ID:	Result	Spike Amount	Units	Recovery %	Recovery Range %	RPD %	RPD Range %	QC Batch ID
160594 Gasoline Range Organics (GRO)	40.15	50	mg/kg	80	57 - 113	1	0 - 23	Q17701

## Diesel Range Organics (DRO) by GC-FID, method 8015B

Method Blank						
	Result	RL	Control Limit	Units		QC Batch ID
Diesel Range Organics (DRO)	ND	7	<3.5	mg/kg		Q17762

Laboratory Control Sample						
	Result	Spike Amount	Units	Recovery %	Recovery Range %	QC Batch ID
Diesel Range Organics (DRO)	57.15	80	mg/kg	71	55 - 109	Q17762

Matrix Spike						
Sample ID:	Result	Spike Amount	Units	Recovery %	Recovery Range %	QC Batch ID
160597 Diesel Range Organics (DRO)	49.80	80	mg/kg	62	50 - 117	Q17762

Matrix Spike Duplicate								
Sample ID:	Result	Spike Amount	Units	Recovery %	Recovery Range %	RPD %	RPD Range %	QC Batch ID
160597 Diesel Range Organics (DRO)	54.61	80	mg/kg	68	50 - 117	9	0 - 24	Q17762

#-See Case Narrative



# PRISM LABORATORIES, INC.

Full Service Analytical & Environmental Solutions

449 Springbrook Road • P.O. Box 240543 • Charlotte, NC 28224-0543  
 Phone: 704/529-6364 • Fax: 704/525-0409

Client Company Name: Solutions - IES

Report To/Contact Name: Sheri Knox

Reporting Address: 1101 Nowell Road

Raleigh NC 27607

Phone: (919) 873-1060 Fax (Yes) (No): (919) 873-1074

Email (Yes) (No) Email Address: Sknox@Solutions-IES.com

EDD Type: PDF Excel Other

Site Location Name: NCDOT Parcel 51

Site Location Physical Address: Richmond Co., NC

# CHAIN OF CUSTODY RECORD

PAGE 1 OF 1 QUOTE # TO ENSURE PROPER BILLING:

Project Name: NCDOT Parcel 51 - Richmond Co.

Short Hold Analysis: (Yes) (No) (No) UST Project: (Yes) (No) (No)

\*Please ATTACH any project specific reporting (QC LEVEL I III IV) provisions and/or QC Requirements

Invoice To: NCDOT WBS # 34438.11

Address: State Project # 2502 A&B

## LAB USE ONLY

Samples INTACT upon arrival? YES  NO  N/A

Received ON WET ICE? Temp 2.4°

PROPER PRESERVATIVES indicated? YES

RECEIVED WITHIN HOLDING TIMES? YES

CUSTOMY SEALS INTACT? YES

VOLATILES rec'd W/OUT HEADSPACE? YES

PROPER CONTAINERS used? YES

**TO BE FILLED IN BY CLIENT/SAMPLING PERSONNEL**

Certification: NELAC  USACE  FL  NC

SC  OTHER  N/A

Water Chlorinated: YES  NO

Sample Iced Upon Collection: YES  NO

CLIENT SAMPLE DESCRIPTION	DATE COLLECTED	TIME COLLECTED MILITARY HOURS	MATRIX (SOIL, WATER OR SLUDGE)	SAMPLE CONTAINER			PRESERVATIVES	ANALYSES REQUESTED	REMARKS	PRISM LAB ID NO.
				*TYPE SEE BELOW	NO.	SIZE				
P51-B7-2-4	9/6/06	1600	soil	G	3	40ml vial 4 oz. jar	methanol	TRD		164589
P51-B8-0-2	9/6/06	1630	soil	G	3	40ml vial 4 oz. jar	methanol	TRD		164589

Sampler's Signature: B-r Sampled By (Print Name): Prism Lab Affiliation: Solutions-IES

Requested By (Signature): [Signature] Date: 09/28/06 Military Hours: 1510

Relinquished By (Signature): [Signature] Date: 9/14/06 Military Hours: 1340

Relinquished By (Signature): [Signature] Date: 9/14/06 Military Hours: 1615

Additional Comments: \_\_\_\_\_

Method of Shipment: NOT ALL SAMPLES SHOULD BE TAPED SHUT WITH CUSTOMY SEALS FOR TRANSPORTATION TO THE LABORATORY. SAMPLES ARE NOT ACCEPTED AND VERIFIED AGAINST COC UNTIL RECEIVED AT THE LABORATORY.

Fed Ex  UPS  Hand Delivered  Prism Field Service  Other

**PRISM USE ONLY**

Site Arrival Time: \_\_\_\_\_

Site Departure Time: \_\_\_\_\_

Field Tech Fee: \_\_\_\_\_

Mileage: \_\_\_\_\_

NPDES:  NC  SC  NC  SC  NC  SC

UST:  NC  SC  NC  SC  NC  SC

GROUNDWATER:  NC  SC  NC  SC

DRINKING WATER:  NC  SC  NC  SC

SOLID WASTE:  NC  SC  NC  SC

RCRA:  NC  SC  NC  SC

CERCLA:  NC  SC  NC  SC

LANDFILL:  NC  SC  NC  SC

OTHER:  NC  SC  NC  SC

\*CONTAINER TYPE CODES: A = Amber C = Clear G = Glass P = Plastic; TL = Teflon-Lined Cap VOA = Volatile Organics Analysis (Zero Head Space)

SEE REVERSE FOR TERMS & CONDITIONS ORIGINAL