84 M

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

TIP NO. B-4584	PMP - 1	
APPROVED:		
DATE:		
SEAL	CARO	

PAVEMENT MARKING PLAN MOORE COUNTY

LOCATION: REPLACE BRIDGE 11 OVER THE LITTLE RIVER ON SR 1864 (LONG POINT ROAD)

ROADWAY STANDARD DRAWING

PROJECT SERVICES UNIT - N.C. DEPARTMENT OF TRANSPORTATION - RALEIGH, N.C., DATED JULY 2006 ARE APPLICABLE TO THIS PROJECT AND BY REFERENCE HEREBY ARE CONSIDERED A PART OF THESE PLANS:

STD. NO.	TITLE
1205.01	PAVEMENT MARKINGS - LINE TYPES AND OFFSETS
1205.02	PAVEMENT MARKINGS - 2 LANE AND MULTILANE ROADWAYS
1205.12	PAVEMENT MARKINGS - BRIDGES
1250.01	PAVEMENT MARKER SPACING
1251.01	RAISED PAVEMENT MARKERS - TEMPORARY AND PERMANEN
1261.01	GUARDRAIL AND BARRIER DELINEATOR SPACING
1261.02	GUARDRAIL AND BARRIER DELINEATOR TYPES
1262.01	GUARDRAIL END DELINEATION

GENERAL NOTES

THE FOLLOWING GENERAL NOTES APPLY AT ALL TIMES FOR THE DURATION OF THE CONSTRUCTION PROJECT, EXCEPT WHEN OTHERWISE NOTED IN THE PLAN, OR DIRECTED BY THE ENGINEER.

A) INSTALL PAVEMENT MARKINGS AND PAVEMENT MARKERS ON THE FINAL SURFACE AS FOLLOWS:

ROAD NAME

MARKING

MARKER

LONG POINT ROAD

THERMOPLASTIC

RAISED

COLD APPLIED TYPE II

- B) TIE PROPOSED PAVEMENT MARKING LINES TO EXISTING PAVEMENT MARKING LINES.
- C) REMOVE/REPLACE ANY CONFLICTING/DAMAGED PAVEMENT MARKINGS AND MARKERS.
- D) PASSING ZONES WILL BE DETERMINED IN THE FIELD AND MUST BE APPROVED BY THE ENGINEER.
- E) STOPBAR LOCATION AT NON-SIGNALIZED INTERSECTIONS MAY BE ADJUSTED AS DIRECTED BY THE ENGINEER.
- F) REMOVE ALL RESIDUE AND SURFACE LAITANCE BY ACCEPTABLE METHODS ON THE BRIDGE DECK(s) PRIOR TO PLACING COLD APPLIED TYPE II PAVEMENT MARKING.

PLAN PREPARED BY: N.C.D.O.T. SIGNING AND DELINEATION UNIT

RON KING, P.E. STATE SIGNING & DELINEATION ENGINEER GEORGE TERLIZZI SIGNING & DELINEATION DESIGN ENGINEER



INDEX

SHEET NO.

DESCRIPTION

PMP - 1

PAVEMENT MARKING PLAN TITLE SHEET

PMP-2

PAVEMENT MARKING SCHEDULE

PMP-3

PAVEMENT MARKING DETAIL

	TIP NO.	SHEET NO.
В	- 4584	PMP-2
APPROVED:		
DATE:		
SEAL		
	ENTER H CAROL	
	SEAL	
	022959	


SYMBOL	DESCRIPTION	TIP Project # B-4584	PAY ITEM QUANTITY	TOTAL
		FINAL PAVEMENT MARKINGS	201111	
CA CI	WHITE EDGELINE YELLOW DOUBLE CENTER	COLD APPLIED PLASTIC (4") Type2 – Permanent High Performance	350 LF 350 LF	TOTAL 700 LF
TI	YELLOW DOUBLE CENTER	THERMOPLASTIC(4", 120 MILS)	1214 LF	TOTAL 1214 LF
TA	WHITE EDGELINE	THERMOPLASTIC(4", 90 MILS)	1214 LF	TOTAL 1214 LF
MA MB	YELLOW & YELLOW CRYSTAL & RED	MARKERS PERMANENT RAISED PAVEMENT MARKERS	20 EA 20 EA	TOTAL 40 EA

s-B\B4584\Traffic\Signing\CADD\Signing Layout Plans\Pavement Marking Se

TIP NO.	SHEET NO.
B-4584	PMP-3
APPROVED:	
DATE:	
SEAL	
ENTRY H CARO	
SEAL 022959	(6) (0)
M. KI	in the contract of the contrac

NAD 83

20+00



** MATCH EXISTING PAVEMENT MARKINGS

PAVEMENT MARKING DETAIL