

PROJECT SPECIAL PROVISIONS
Utility Construction

Revise the *2006 Standard Specifications* as follows:

Utility Owners' Contact Information:

Page 15-1, Subarticle 1500-2 Cooperation with the Utility Owner, paragraph 2, add the following sentences:

The North Lenoir Water Corporation is owner of the water facilities. The Contractor must contact owner 48 hours in advance of construction and 48 hours in advance of a tie-in. The contact person is Jeff Hardison (252-560-1492).

The Contractor shall provide access for the owner's representatives during construction and provide a set of as-built plans to North Lenoir Water Corporation after all work shown on the Utility Construction Plan is completed.

Page 15-9, Subarticle 1515-2 Materials, add the following sentences:

The proposed utility construction shall meet the applicable requirements (i.e. material specifications, standard details, testing, policies, etc.) of the NCDOT's "Standard Specifications for Roads and Structures" (dated July, 2006) and North Lenoir Water Corporation's "Minimum Contract Requirements for Privately Financed and Constructed Water Line Extensions to North Lenoir Water Corporation System."

Measurement and payment for work will be in accordance with NCDOT's "Standard Specifications for Roads and Structures" (dated July, 2006).

In addition to the water line materials specified under Section 1036, the water line can be High Density Polyethylene (HDPE) pipe conforming to AWWA C906 with an SDR of 9 and pressure rating of 200 # WP.

PROJECT SPECIAL PROVISIONS
Utility

UTILITIES BY OTHERS:

General:

The following utility company has facilities that will be in conflict with the construction of this project:

- A. Tri-County EMC...contact: Mr. Tony Grantham (919-735-2611)

The conflicting facilities will be adjusted prior to date of availability except where noted and are listed in these special provisions for benefit of Contractor. All utility work listed herein will be done by utility owners. All utilities are shown on plans from the best available information. The Contractor's attention is directed to Article 105-8 of the Standard Specifications.

Utilities Requiring Adjustment:

- A. Tri-County EMC is owner of power facilities. See "Utilities by Other Plans" for utility conflicts.