


Lab Report



10/29/01

Page 11 of 24

Solutions - IES
Attn: Walt Beckwith
3722 Benson Dr.
Raleigh, NC 27609

Customer Project ID: NCDOT Camden County
Customer Sample ID: GP-1F (2-4)
Prism Sample ID: AC23314
Login Group: 4363H18
Sample Collection Date/Time: 10/11/01 13:35
Lab Submittal Date/Time: 10/16/01 08:15

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	REPORTING LIMIT	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
TPH - DIESEL RANGE	Less than	mg/kg	10	8015MOD/3550	10/20/01 06:07	GRR
TPH-GASOLINE RANGE / PREP. 5030	Less than	mg/kg	1.0	8015MOD/5030	10/18/01 12:17	JYS
CALCULATIONS BASED ON DRY WT.	78	% DRY WT.	0.01	SM 2540 G	10/16/01 15:55	JLW
PREP. METHOD 3550	Completed			SW846-3550	10/16/01 19:30	JLW

Sample Comments:

Angela D. Overcash, V.P. Laboratory Services

Lab Report



Full Service Analytical & Environmental Solutions

10/29/01

Page 12 of 24

Solutions - IES
Attn: Walt Beckwith
3722 Benson Dr.
Raleigh, NC 27609

Customer Project ID: NCDOT Camden County
Customer Sample ID: GP-2F (2-4)
Prism Sample ID: AC23315
Login Group: 4363H18
Sample Collection Date/Time: 10/11/01 13:55
Lab Submittal Date/Time: 10/16/01 08:15


The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	REPORTING LIMIT	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
TPH - DIESEL RANGE	Less than	mg/kg	10	8015MOD/3550	10/20/01 06:48	GRR
TPH-GASOLINE RANGE / PREP. 5030	Less than	mg/kg	1.0	8015MOD/5030	10/18/01 15:20	JYS
CALCULATIONS BASED ON DRY WT.	80	% DRY WT.	0.01	SM 2540 G	10/16/01 15:55	JLW
PREP. METHOD 3550	Completed			SW846-3550	10/16/01 19:30	JLW

Sample Comments:

Angela D. Overcash, V.P. Laboratory Services

Lab Report



10/29/01

Page 13 of 24

Solutions - IES
Attn: Walt Beckwith
3722 Benson Dr.
Raleigh, NC 27609

Customer Project ID: NCDOT Camden County
Customer Sample ID: GP-4F (2-4)
Prism Sample ID: AC23316
Login Group: 4363H18
Sample Collection Date/Time: 10/11/01 14:45
Lab Submittal Date/Time: 10/16/01 08:15

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	REPORTING LIMIT	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
TPH - DIESEL RANGE	Less than	mg/kg	10	8015MOD/3550	10/20/01 07:30	GRR
TPH-GASOLINE RANGE / PREP. 5030	Less than	mg/kg	1.0	8015MOD/5030	10/18/01 15:57	JYS
CALCULATIONS BASED ON DRY WT.	82	% DRY WT.	0.01	SM 2540 G	10/16/01 15:55	JLW
PREP. METHOD 3550	Completed			SW846-3550	10/16/01 19:30	JLW

Sample Comments:

Angela D. Overcash, V.P. Laboratory Services

Lab Report

10/29/01

Page 14 of 24

Solutions - IES
Attn: Walt Beckwith
3722 Benson Dr.
Raleigh, NC 27609

Customer Project ID: NCDOT Camden County
Customer Sample ID: GP-5F (2-4)
Prism Sample ID: AC23317
Login Group: 4363H18
Sample Collection Date/Time: 10/11/01 15:35
Lab Submittal Date/Time: 10/16/01 08:15

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	REPORTING LIMIT	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
TPH - DIESEL RANGE	12	mg/kg	10	8015MOD/3550	10/22/01 06:49	GRR
TPH-GASOLINE RANGE / PREP. 5030	3.3	mg/kg	1.0	8015MOD/5030	10/18/01 16:33	JYS
CALCULATIONS BASED ON DRY WT.	82	% DRY WT.	0.01	SM 2540 G	10/16/01 15:55	JLW
PREP. METHOD 3550	Completed			SW846-3550	10/16/01 19:30	JLW

Sample Comments:



Angela D. Overcash, V.P. Laboratory Services

Lab Report



11/6/01

Page 15 of 24

Solutions - IES
Attn: Walt Beckwith
3722 Benson Dr.
Raleigh, NC 27609

Customer Project ID: NCDOT Camden County
Customer Sample ID: GW-1F
Prism Sample ID: AC23318
Login Group: 4363H18
Sample Collection Date/Time: 10/11/01 15:55
Lab Submittal Date/Time: 10/16/01 08:15

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	REPORTING LIMIT	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
PREP. METHOD 3510	Completed			SW846-3510	10/16/01 15:15	JMK
BENZENE	4200	ug/L	200	SW846-8260B	10/22/01 19:06	MP
BROMOBENZENE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
BROMOCHLOROMETHANE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
BROMODICHLOROMETHANE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
BROMOFORM	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
BROMOMETHANE	Not detected	ug/L	400	SW846-8260B	10/22/01 19:06	MP
N-BUTYLBENZENE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
SEC-BUTYLBENZENE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
TERT-BUTYLBENZENE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
CHLOROBENZENE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
CHLORODIBROMOMETHANE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
CHLOROETHANE	Not detected	ug/L	400	SW846-8260B	10/22/01 19:06	MP
CHLOROFORM	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
CHLOROMETHANE	Not detected	ug/L	400	SW846-8260B	10/22/01 19:06	MP
2-CHLOROTOLUENE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
4-CHLOROTOLUENE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
1,2-DIBROMO-3-CHLOROPROPANE	Not detected	ug/L	400	SW846-8260B	10/22/01 19:06	MP
1,2-DIBROMOETHANE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
DIBROMOMETHANE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
1,2-DICHLOROBENZENE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
1,3-DICHLOROBENZENE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
1,4-DICHLOROBENZENE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
DICHLORODIFLUOROMETHANE	Not detected	ug/L	400	SW846-8260B	10/22/01 19:06	MP
1,1-DICHLOROETHANE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
1,2-DICHLOROETHANE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
1,1-DICHLOROETHENE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
CIS-1,2-DICHLOROETHENE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
TRANS-1,2-DICHLOROETHENE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
1,2-DICHLOROPROPANE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP

NC Certification No. 402 - SC Certification No. 99012 - NC Drinking Water Cert. No. 37735 - FL Certification No. E87519

Lab Report

11/6/01

Page 16 of 24

Solutions - IES
Attn: Walt Beckwith
3722 Benson Dr.
Raleigh, NC 27609

Customer Project ID: NCDOT Camden County
Customer Sample ID: GW-1F
Prism Sample ID: AC23318
Login Group: 4363H18
Sample Collection Date/Time: 10/11/01 15:55
Lab Submittal Date/Time: 10/16/01 08:15

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	REPORTING LIMIT	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
1,3-DICHLOROPROPANE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
2,2-DICHLOROPROPANE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
1,1-DICHLOROPROPENE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
ETHYLBENZENE	1500	ug/L	200	SW846-8260B	10/22/01 19:06	MP
HEXACHLOROBUTADIENE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
ISOPROPYLBENZENE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
P-ISOPROPYLTOLUENE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
METHYLENE CHLORIDE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
NAPHTHALENE	300	ug/L	200	SW846-8260B	10/22/01 19:06	MP
N-PROPYLBENZENE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
STYRENE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
1,1,1,2-TETRACHLOROETHANE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
1,1,2,2-TETRACHLOROETHANE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
TETRACHLOROETHENE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
TOLUENE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
1,2,3-TRICHLOROBENZENE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
1,2,4-TRICHLOROBENZENE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
1,1,1-TRICHLOROETHANE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
1,1,2-TRICHLOROETHANE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
TRICHLOROETHENE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
TRICHLOROFLUOROMETHANE	Not detected	ug/L	400	SW846-8260B	10/22/01 19:06	MP
1,2,3-TRICHLOROPROPANE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
1,2,4-TRIMETHYLBENZENE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
1,3,5-TRIMETHYLBENZENE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
VINYL CHLORIDE	Not detected	ug/L	400	SW846-8260B	10/22/01 19:06	MP
TOTAL XYLENES	260	ug/L	200	SW846-8260B	10/22/01 19:06	MP
cis-1,3-DICHLOROPROPENE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
trans-1,3-DICHLOROPROPENE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
ACETONE	Not detected	ug/L	2000	SW846-8260B	10/22/01 19:06	MP
2-BUTANONE (MEK)	Not detected	ug/L	400	SW846-8260B	10/22/01 19:06	MP

NC Certification No. 402 - SC Certification No. 99012 - NC Drinking Water Cert. No. 37735 - FL Certification No. E87519

Lab Report

11/6/01

Page 17 of 24

Solutions - IES
Attn: Walt Beckwith
3722 Benson Dr.
Raleigh, NC 27609

Customer Project ID: NCDOT Camden County
Customer Sample ID: GW-1F
Prism Sample ID: AC23318
Login Group: 4363H18
Sample Collection Date/Time: 10/11/01 15:55
Lab Submittal Date/Time: 10/16/01 08:15

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	REPORTING LIMIT	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
CARBON DISULFIDE	Not detected	ug/L	2000	SW846-8260B	10/22/01 19:06	MP
CARBON TETRACHLORIDE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP
2-CHLOROETHYLVINYLEETHER	Not detected	ug/L	400	SW846-8260B	10/22/01 19:06	MP
2-HEXANONE	Not detected	ug/L	400	SW846-8260B	10/22/01 19:06	MP
4-METHYL-2-PENTANONE (MIBK)	Not detected	ug/L	400	SW846-8260B	10/22/01 19:06	MP
MTBE	380	ug/L	200	SW846-8260B	10/22/01 19:06	MP
IPE	Not detected	ug/L	200	SW846-8260B	10/22/01 19:06	MP

2-CHLOROPHENOL	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
BIS(2-CHLOROETHYL)ETHER	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
PHENOL	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
1,3-DICHLOROBENZENE	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
1,2-DICHLOROBENZENE	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
1,4-DICHLOROBENZENE	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
BIS(2-CHLOROISOPROPYL)ETHER	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
2-METHYL PHENOL (O CRESOL)	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
HEXACHLOROETHANE	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
N-NITROSO-DI-N-PROPYLAMINE	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
NITROBENZENE	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
4-METHYL PHENOL (P CRESOL)	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
ISOPHORONE	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
2-NITROPHENOL	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
4-NITROPHENOL	Not detected	ug/L	50	SW846-8270C	10/22/01 12:54	HWC
2,4 DIMETHYL PHENOL	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
BIS(2-CHLOROETHOXY)METHANE	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
1,2,4 TRICHLOROBENZENE	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
NAPHTHALENE	190	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
HEXACHLOROBUTADIENE	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
2-METHYL NAPHTHALENE	40	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
4-CHLORO-3-METHYL PHENOL	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC

NC Certification No. 402 - SC Certification No. 99012 - NC Drinking Water Cert. No. 37735 - FL Certification No. E87519

Lab Report

11/6/01

Page 18 of 24

Solutions - IES
Attn: Walt Beckwith
3722 Benson Dr.
Raleigh, NC 27609

Customer Project ID: NCDOT Camden County
Customer Sample ID: GW-1F
Prism Sample ID: AC23318
Login Group: 4363H18
Sample Collection Date/Time: 10/11/01 15:55
Lab Submittal Date/Time: 10/16/01 08:15

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	REPORTING LIMIT	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
HEXACHLOROCYCLOPENTADIENE	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
2,4,6 TRICHLOROPHENOL	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
2-CHLORONAPHTHALENE	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
2,4,5 TRICHLOROPHENOL	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
ACENAPHTHYLENE	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
DIMETHYL PHTHALATE	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
2,6-DINITROTOLUENE	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
2,4-DICHLOROPHENOL	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
ACENAPHTHENE	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
DIBENZOFURAN	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
2,4 DINITROPHENOL	Not detected	ug/L	50	SW846-8270C	10/22/01 12:54	HWC
2,4 DINITROTOLUENE	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
FLUORENE	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
4-CHLOROPHENYL PHENYL ETHER	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
DIETHYL PHTHALATE	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
4,6-DINITRO-2-METHYL PHENOL	Not detected	ug/L	50	SW846-8270C	10/22/01 12:54	HWC
N-NITROSODIPHENYLAMINE	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
4-BROMOPHENYL PHENYL ETHER	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
HEXACHLOROBENZENE	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
PENTACHLOROPHENOL	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
ANTHRACENE	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
DI-N-BUTYL PHTHALATE	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
FLUORANTHENE	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
PYRENE	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
BUTYL BENZYL PHTHALATE	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
CHRYSENE	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
BENZO(A)ANTHRACENE	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
BIS(2-ETHYLHEXYL)PHTHALATE	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
DI-N-OCTYL PHTHALATE	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
BENZO(B)FLUORANTHENE	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC

NC Certification No. 402 - SC Certification No. 99012 - NC Drinking Water Cert. No. 37735 - FL Certification No. E87519

Lab Report



11/6/01

Page 19 of 24

Solutions - IES
Attn: Walt Beckwith
3722 Benson Dr.
Raleigh, NC 27609

Customer Project ID: NCDOT Camden County
Customer Sample ID: GW-1F
Prism Sample ID: AC23318
Login Group: 4363H18
Sample Collection Date/Time: 10/11/01 15:55
Lab Submittal Date/Time: 10/16/01 08:15

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	REPORTING LIMIT	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
BENZO(K)FLUORANTHENE	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
BENZO(A)PYRENE	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
INDENO(1,2,3-C,D)PYRENE	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
DIBENZO(A,H)ANTHRACENE	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
BENZO(G,H,I)PERYLENE	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC
PHENANTHRENE	Not detected	ug/L	10	SW846-8270C	10/22/01 12:54	HWC

Sample Comments:

This report is a revision and supersedes our previous report dated 10/29/01.

Angela D. Overcash, V.P. Laboratory Services



Full Service Analytical & Environmental Solutions
 449 Springbrook Road • P.O. Box 240543 • Charlotte, NC 28224-0543

Client Company Name: Solutions - IES
 Report To/Contact Name: WALT BECKWITH
 Reporting Address: 3722 Benson Dr
Raleigh, NC 27609

Phone: 919-873-1060 Fax (Yes) (No): 919-873-1074
 Site Location Name: NC DOT Camden County
 Site Location Physical Address:

CHAIN OF CUSTODY RECORD

PAGE 2 OF 2 QUOTE # TO ENSURE PROPER BILLING:

Project Name: NC DOT Camden County

Short Hold Analysis: (Yes) (No) (Yes) (No) (Yes) (No) (No)

*Please ATTACH any project specific reporting provisions and/or QC Requirements

Invoice To: NC DOT 8.T020401 (R-2414B)

Address:

Purchase Order No./Billing Reference 0870.01A3.N DOT

Requested Due Date 1 Day 2 Days 3 Days 4 Days 5 Days
 6-9 Days Standard 10 days

Samples received after 15:00 will be processed next business day.
 Turnaround time is based on business days, excluding weekends and holidays.

(SEE REVERSE SIDE FOR RUSH TURNAROUND FEES)

LAB USE ONLY

Samples INTACT upon arrival? YES NO N/A
 Received ON WET ICE? Temp 5.7°
 PROPER PRESERVATIVES indicated?
 Received WITHIN HOLDING TIMES?
 CUSTODY SEALS INTACT?
 VOLATILES rec'd/W/OUT HEADSPACE?
 PROPER CONTAINERS used?

TO BE FILLED IN BY CLIENT/SAMPLING PERSONNEL

Certification: NELAC _____ USACE _____ FL _____ NC _____
 SC _____ OTHER _____ N/A _____

Water Chlorinated: YES _____ NO _____

Sample Iced Upon Collection: YES _____ NO _____

CLIENT SAMPLE DESCRIPTION	DATE COLLECTED	TIME COLLECTED MILITARY HOURS	MATRIX (SOIL, WATER OR SLUDGE)	SAMPLE CONTAINER			PRESERVATIVES	ANALYSES REQUESTED	REMARKS	SUB LAB CERT. ID NO.	PRISM LAB ID NO.
				*TYPE SEE BELOW	NO.	SIZE					
GP-1F (2-4)	10/11/01	1335	SOIL	G	2	4oz/gal	none	350522 350523 350524 350525 350526 350527 350528 350529 350530 350531 350532 350533 350534 350535 350536 350537 350538 350539 350540 350541 350542 350543 350544 350545 350546 350547 350548 350549 350550 350551 350552 350553 350554 350555 350556 350557 350558 350559 350560 350561 350562 350563 350564 350565 350566 350567 350568 350569 350570 350571 350572 350573 350574 350575 350576 350577 350578 350579 350580 350581 350582 350583 350584 350585 350586 350587 350588 350589 350590 350591 350592 350593 350594 350595 350596 350597 350598 350599 350600	X		23314
GP-2F (2-4)	10/11/01	1355									23315
GP-4F (2-4)	10/11/01	1445									23316
GP-5F (2-4)	10/11/01	1535									23317
GW-1F	10/11/01	1555	water	VOA, A	5	4oz/1L HCL			X		23318
GP-5D (2-4)	10/12/01	1010	SOIL	G	2	4oz/gal	none				23319
GP-5D (2-4)	10/12/01	1010	SOIL	G	2	4oz/gal	none		X		23319
GP-SD (4-6)	10/12/01	1015	SOIL	G	2	4oz/gal	none		X		23320
GW-1D	10/12/01	1015	water	VOA, A	3	4oz/1L HCL			X		23321

Sampler's Signature Christi Zambocki Affiliation Solutions - IES
 Relinquished By: (Signature) Christi Zambocki Date 10-15-01 Military/Hours 02:30
 Relinquished By: (Signature) [Signature] Date 10-15-01 Additional Comments:
 Relinquished By: (Signature) [Signature] Date 10-15-01 Log-in Group No. 4363418

PRISM USE ONLY
 Site Arrival Time:
 Site Departure Time:
 Field Tech Fee:
 Mileage:

NPDES: NC SC US: NC SC DRINKING WATER: NC SC SOLID WASTE: NC SC RCRA: NC SC CERCLA: NC SC LANDFILL: NC SC OTHER: NC SC *CONTAINER TYPE CODES: A = Amber C = Clear G = Glass P = Plastic; TL = Teflon-Lined Cap VOA = Volatile Organics Analysis (Zero Head Space)

SEE REVERSE FOR TERMS & CONDITIONS
 ORIGINAL