

PROJECT SPECIAL PROVISIONS
Utility Construction



Revise the 2012 Standard Specifications as follows:

Utility Owner's Contact Information:

Page 15-1, Subarticle 1500-2 Cooperation with the Utility Owner, paragraph 2, add the following sentences:

1. There is water line on this project that belong to Beaufort County .
The contact person is Mr. Curtis Jett and he can be reached by phone at 252-975-0720.

The Contractor shall provide access for the owner's representatives to all phases of construction and keep all valves and meters accessible during construction. A preconstruction meeting shall be held with Beaufort County, the Utility Contractor and D.O.T prior to any work beginning. The Contractor shall notify the owner two weeks before commencement of any work and three weeks before service interruption.

Page 15-6, 1510-3(B) Subarticle Construction Methods, after line 21, replace the allowable leakage formula with the following:

$$W=LD(\sqrt{P})\div 148,000$$

Page 15-6, 1510-3(B) Subarticle Construction Methods, line 32, delete "concurrently or".

Page 10-58, Subarticle 1036-3(B) Materials, add the following sentences

HDPE water pipe shall be Ductile Iron Pipe Size (DIPS).

PROJECT: B-4418
COUNTY: Beaufort

PROJECT SPECIAL PROVISIONS

Utility

UTILITY CONFLICTS:

General:

The following utility companies have facilities that will be in conflict with the construction of this project:

- A. Tideland EMC (Power)
- B. TriCounty Telecom (Telephone)

The conflicting facilities of these concerns will be adjusted prior to the date of availability, unless otherwise noted and are therefore listed in these special provisions for the benefit of the Contractor. All utility work listed herein will be done by the utility owners. All utilities are shown on the plans from the best available information.

The Contractor's attention is directed to Article 105.8 of the Standard Specifications.

Utilities Requiring Adjustment:

A. Tideland EMC

1. See Utility Conflict Plans by others. The contact person is Mr. Kenneth Neal at 252-943-8507.
kennyneal@tidelandemc.com.

B. TriCounty Telecom (Telephone)

1. See Utility Conflict Plans by others. The contact person is Mr. Cecil Walker at 252-964-8000 (W) or 252-964-9229 (C).
cecelwalker@gotricounty.com