


ROADWAY STANDARD DRAWING

THE FOLLOWING ROADWAY STANDARDS AS APPEAR IN "ROADWAY STANDARD DRAWINGS" - PROJECT SERVICES UNIT - N.C. DEPARTMENT OF TRANSPORTATION - RALEIGH, N.C., DATED JANUARY 2012 ARE APPLICABLE TO THIS PROJECT AND BY REFERENCE HEREBY ARE CONSIDERED A PART OF THESE PLANS:

STD. NO.	TITLE
904.10	ORIENTATION OF GROUND MOUNTED SIGNS
904.50	MOUNTING OF TYPE 'D', 'E', AND 'F' SIGN ON 'U' CHANNEL POSTS






PAVEMENT MARKING LINES

- TA - THERMOPLASTIC (4" WHITE, 90 MILS) EDGE LINE
- TC - THERMOPLASTIC (4" WHITE, 120 MILS) 4" x 10' SKIP
- TD - THERMOPLASTIC (4" WHITE, 120 MILS) 3' x 9' WHITE MINISKIP
- TE - THERMOPLASTIC (4" WHITE, 120 MILS) SOLID LANE LINE
- TF - THERMOPLASTIC (4" YELLOW, 120 MILS) 10' YELLOW SKIP LINE
- TH - THERMOPLASTIC (4" YELLOW, 120 MILS) SINGLE CENTER LINE
- TI - THERMOPLASTIC (4" YELLOW, 120 MILS) DOUBLE CENTER LINE
- TK - THERMOPLASTIC (8" WHITE, 120 MILS) "WIDE" 3' x 9' WHITE MINISKIP
- TL - THERMOPLASTIC (8" WHITE, 120 MILS) "WIDE" SOLID LANE LINE
- TP - THERMOPLASTIC (8" WHITE, 90 MILS) GORELINE
- T2 - THERMOPLASTIC (24" WHITE, 120 MILS) STOP BAR

PAVEMENT MARKING SYMBOLS

- UA - THERMOPLASTIC (LEFT TURN ARROW, 90 MILS)
- UB - THERMOPLASTIC (RIGHT TURN ARROW, 90 MILS)
- UC - THERMOPLASTIC (STRAIGHT ARROW, 90 MILS)
- UD - THERMOPLASTIC (COMBINATION, STRAIGHT & LEFT TURN ARROW, 90 MILS)
- UE - THERMOPLASTIC (COMBINATION, STRAIGHT & RIGHT TURN ARROW, 90 MILS)
- UI - THERMOPLASTIC (ALPHANUMERIC CHARACTER, 120 MILS)
- US - THERMOPLASTIC ('SHARK TEETH' YIELD LINE, 90 MILS)

PAVEMENT MARKER LEGEND

-  CRYSTAL / RED PAVEMENT MARKER
-  YELLOW / YELLOW PAVEMENT MARKER
-  DIRECTION OF TRAFFIC FLOW

SIGNING AND PAVEMENT MARKING NOTES:

- A. ALL PAVEMENT MARKINGS SHALL BE THERMOPLASTIC.
- B. CONTRACTOR SHALL TIE PROPOSED MARKINGS TO EXISTING MARKINGS AT PROJECT LIMITS.
- C. CONTRACTOR SHALL MILL ANY EXISTING MARKINGS IN CONFLICT WITH PROPOSED.
- D. DO NOT PLACE PAVEMENT MARKINGS ON CROSSWALKS.
- E. RAISED REFLECTIVE PAVEMENT MARKERS ARE TO BE PLACED ACCORDING TO NCDOT ROADWAY STANDARD DRAWINGS.
- F. REMOVE AND RESET EXISTING STREET SIGNS.


PAY ITEM NOTES:

1. DISPOSAL OF SUPPORT, U-CHANNEL
2. SIGN ERECTION, RELOCATE TYPE "E" (GROUND MOUNTED)
3. DISPOSAL OF SIGN SYSTEM, U-CHANNEL.


SUMMARY OF QUANTITIES

ITEM NO.		ITEM DESCRIPTION	QUANTITY	UNIT
DESC. NO.	SECT. NO.			
4072000000	903	SUPPORTS, 3-LB STEEL U-CHANNEL	220	LF
4116100000	904	SIGN ERECTION, RELOCATE TYPE E (GROUND MOUNTED)	17	EA
4155000000	907	DISPOSAL OF SIGN SYSTEM, U-CHANNEL	1	EA
4192000000	907	DISPOSAL OF SUPPORT, U-CHANNEL	14	EA

SHEET 1 OF 4


APPROVED:	DATE:		PAVEMENT MARKING AND SIGNING PLAN				
SCALE: 1" = 50' DATE: 06-11-12 DWG. BY: DAS DESIGN BY: JJP REVIEWED BY: CAN			REVISIONS <table border="1"> <tr> <th>NO.</th> <th>DESCRIPTION</th> </tr> <tr> <td> </td> <td> </td> </tr> </table>		NO.	DESCRIPTION	
NO.	DESCRIPTION						

K:\RAL_Roadway\01746003 (Berkeley Blvd)\Plan\TCP\01746003_PM.dgn
 5/1/2013


PROJ. REFERENCE NO.	SHEET NO.
U-3609A	PM-2
 Kimley-Horn and Associates, Inc. P.O. BOX 33068 RALEIGH, N.C. 27636-3068	

MATCH LINE -L- STA 24+00 (SHEET PM-1)



MATCH LINE -L- STA 38+00 (SHEET PM-3)




SHEET 2 OF 4



APPROVED: _____	DATE: _____
	
PAVEMENT MARKING AND SIGNING PLAN	
SCALE: 1" = 50'	REVISIONS
DATE: 06-01-11	
DWG. BY: DAS	
DESIGN BY: JJP	
REVIEWED BY: CAN	

K:\RAL_Roadway\011746003 (Berkeley Blvd)\Plan\TCP\011746003_PM_2.dgn
 2/21/2013




K:\RAL_Roadway\01746003 (Berkeley Blvd)\Plan\CP\01746003_PM_3.dgn

APPROVED: _____	DATE: _____
	
PAVEMENT MARKING AND SIGNING PLAN	
SCALE: 1" = 50'	REVISIONS
DATE: 06-11-12	
DWG. BY: DAS	
DESIGN BY: JJP	
REVIEWED BY: CAN	CADD FILE



END STATE SIGNING & PAVEMENT
MARKING PROJECT U-3609A
-L- STA 71+75.00



K:\RAL_Roadway\01746003 (Berkeley Blvd)\Plan\T\CP\01746003_PM_4.dgn

APPROVED: _____	DATE: _____	PAVEMENT MARKING AND SIGNING PLAN
SCALE: 1" = 50'	REVISIONS	
DATE: 06-11-12		
DWG. BY: DAS		
DESIGN BY: JJP		
REVIEWED BY: CAN	CADD FILE:	