



PRELIMINARY SITE ASSESSMENT

BALLARD LIVING TRUST PROPERTY (PARCEL #8)

6659 US Highway 401

Kipling, NC

State Project: R-5523

WBS Element: 45548.1.1

F&R Project #66R-3222

June 9, 2014

Prepared for:

North Carolina Department of Transportation

Geotechnical Engineering Unit

1020 Birch Ridge Drive

Raleigh, NC 27610



FROEHLING & ROBERTSON, INC.

Engineering Stability Since 1881

310 Hubert Street
Raleigh, North Carolina 27603-2302
T 919.828.3441 | F 919.828.5751
NC License #F-0266

June 9, 2014

North Carolina Department of Transportation
Geotechnical Engineering Unit
1020 Birch Ridge Drive
Raleigh, North Carolina 27610

Attn.: Mr. Craig Haden
GeoEnvironmental Project Manager

Re: State Project: R-5523
WBS Element: 45548.1.1
Realignment of Harnett Central Road at US 401 and Extension of
Smith Road (SR 1575)

Subject: Preliminary Site Assessment
Ballard Living Trust Property (Parcel #18)
6659 US Hwy 401
Kipling, North Carolina
F&R Project #66R-3222

Dear Mr. Haden:

Froehling and Robertson, Inc. (F&R) has completed the authorized Preliminary Site Assessment at the Ballard Living Trust Property in Kipling, North Carolina. The work was performed in general accordance with with F&R's Proposal No. 1466-00642, Revision 3, dated March 6, 2014. Notice to Proceed was issued to F&R on March 17, 2014. This report documents our field activities, presents the results of laboratory analysis and provides recommendations regarding the property.

Please do not hesitate to contact us if you should have any questions regarding this report.

Sincerely,

FROEHLING & ROBERTSON, INC.

Michael S. Sabodish, Jr., Ph.D., P.E.
Engineering and Remediation Services Manager



Christopher J. Burkhardt
Senior Environmental Professional



TABLE OF CONTENTS

	<u>PAGE</u>
1.0 INTRODUCTION.....	1
2.0 GEOPHYSICAL SURVEY.....	1
3.0 SITE ASSESSMENT ACTIVITIES.....	2
4.0 SUBSURFACE CONDITIONS.....	3
5.0 ANALYTICAL RESULTS.....	4
6.0 CONCLUSIONS AND RECOMMENDATIONS.....	5
7.0 LIMITATIONS.....	7
APPENDIX I	FIGURE No. 1 – Site Vicinity Map FIGURE No. 2 – Topographic Map FIGURE No. 3 – Laboratory Results & Boring Location Plan FIGURE No. 4 – Estimated Extents of Soil Contamination
APPENDIX II	GEOPHYSICAL REPORT PREPARED BY SCHNABEL ENGINEERING
APPENDIX III	GEOPROBE LOGS
APPENDIX IV	SITE PHOTOS
APPENDIX V	LABORATORY ANALYTICAL RESULTS



**Preliminary Site Assessment Report
Ballard Living Trust Property (Parcel #8)
Kipling, Harnett County, North Carolina
F&R Project No. 66R-3222**

1.0 Introduction

Froehling and Robertson, Inc. (F&R) has prepared this Preliminary Site Assessment Report (PSA) to document soil assessment activities performed at the Ballard Living Trust Property (currently an automotive repair facility) addressed as 6659 US Highway 401 in Kipling, Harnett County, North Carolina. The site is located in the northwest quadrant of the US Highway 401 and the Kipling Road Intersection. (Appendix I, Figure 1). As indicated in the Request for Proposal (RFP), a service station previously operated at this location. The site is currently being used for vehicle repair use. According to DENR's UST Registry, there are no known USTs, facility IDs or groundwater incidents associated with the property.

This work was performed in general accordance with F&R's Proposal No. 1466-00642, Revision 3, dated March 6, 2014 with Notice to Proceed issued to F&R by the NCDOT on March 17, 2014. The purpose of this report is to document field activities, present the results of laboratory analysis, and provide recommendations regarding the property.

Based on conversations and information provided by the NCDOT, it has been determined that the proposed roadway construction will impact the project site (See Figure No. 3). As such, the NCDOT requested a Preliminary Site Assessment be performed to assess the possibility of encountering petroleum impacted soil from known or unknown USTs which may exist/existed at the project site. The property contains a one-story brick structure with a canopy on the front (eastern) elevation of the building. The area surrounding the structure and fronting US Highway 401 and Kipling Road consist of cleared grassy land. The remainder of the property consists of wooded land. Photos detailing existing site features are attached as Appendix IV of this report.

2.0 Geophysical Survey

Prior to F&R's soil assessment activities, Schnabel Engineering conducted a geophysical survey of the project site to locate suspect metal underground storage tanks (USTs) in the accessible areas of the right-of-way and/or easement. The geophysical work was conducted on April 3 and 8, 2014 under Schnabel's June 2, 2011 contract with NCDOT.



The geophysical investigation consisted of electromagnetic (EM) induction surveys using a Geonics EM61-MK2 instrument. Ground-penetrating radar (GPR) investigations of selected EM61 anomalies were investigated using a Geophysical Survey Systems SIR-3000 system equipped with a 400 MHz antenna. The EM61 data were collected along parallel survey lines spaced approximately 2.5 feet apart, while the GPR data were collected along survey lines spaced 1 to 2 feet apart in orthogonal directions. The data was reviewed in the field to evaluate the possible presence of USTs and later transferred to a desktop computer for further review. Data was collected over most of the planned survey site with the exception of buildings and other obstacles (areas of heavy vegetation, etc.). The EM data include responses from several obvious metallic objects at grade (e.g. signs and guy wires from utility poles), buried utilities, and reinforced concrete.

Based on the results of the EM and GPR geophysical data, Schnabel did not observe anomalies that were interpreted to be the results of metallic USTs within about 6 feet of the ground surface. The complete geophysical report is attached as Appendix II.

3.0 Site Assessment Activities

F&R visited the site on April 10, 2014 to perform the Preliminary Site Assessment. The assessment consisted of advancing 7 borings into the soils at the project site. The borings (B-1 through B-7) were advanced within the right-of-way or PUE, with Boring B-1 located at the northern end of the right-of-way, and B-7 located at the southern end of the right-of-way adjacent to Kipling Road (Appendix I, Figures 3 and 4).

The borings were advanced using direct-push technology (Geoprobe) to depths of 10 feet below ground surface (bgs). Boring locations were determined by F&R staff based on the results of the geophysical survey, site features and proposed construction activities.

Soil sample cores from the borings (B-1 through B-7) were collected in disposable, 4-foot long acetate sleeves. The soil samples were visually/manually classified and screened in the field using a photo-ionization detector (PID) for evidence of petroleum hydrocarbons. Evaluation of VOC concentrations were performed using a MiniRae 2000 PID which produces results in parts per million (ppm). A representative soil sample was collected from one foot sections of each sleeve and placed in a sealable plastic bag and the vapors were then allowed to equilibrate in the headspace of the bag for approximately ten minutes prior to measurement with the PID. The measurements were collected by placing the probe tip into the headspace of the bag. PID measurements can be found in the Geoprobe Logs in Appendix III.



The soil sample which exhibited the highest PID concentration or the sample at boring termination was submitted for laboratory analysis for diesel range organics (DRO), gasoline range organics (GRO), Total BTEX (benzene, toluene, ethylbenzene and xylenes), 16 PAHs (polycyclic aromatic hydrocarbons) and BaP (Benzo(a)pyrene) by Ultraviolet Fluorescence (UVF) technology.

The soil samples were collected in laboratory-supplied sample containers, placed in a cooler with ice, and delivered by courier to QROS in Wilmington, North Carolina following standard chain-of custody procedures.

Upon completion of soil assessment activities, F&R continued to advance Boring B-3 in order to obtain a groundwater sample (Parcel 8 B-3 GW). The boring was advanced using direct-push techniques (GeoProbe) at the approximate locations shown in Figure 3, to a depth of at least 2 feet below the observed groundwater table in order to provide an adequate volume of groundwater for sample collection.

Groundwater was then recovered from the boring locations through the use of a peristaltic pump and polyethylene tubing. Prior to groundwater sample collection, three well volumes of water were purged in order to collect a fresh, representative groundwater sample. F&R collected groundwater samples for subsequent analysis for Volatile Organic Compounds (VOC) by EPA Method 8260 and Semi-volatile Organic Compounds (SVOC) by EPA Method 8270.

The groundwater sample was collected in laboratory-supplied sample containers, placed in a cooler with ice, and delivered by courier to Pace Analytical Services in Huntersville, NC following standard chain-of-custody procedures.

4.0 Subsurface Conditions

As indicated in the attached Geoprobe Logs (Appendix III), subsurface conditions from existing ground surface to boring termination at a depth of 10 feet included various layers of wet, brown, silty fine to medium sand (USCS – SM); wet, tan or tan-orange, sandy silty clay (USCS – CL); and wet, red-tan, sandy clayey silt (USCS – ML).

Most of the borings were terminated in either wet, tan to tan-orange, silty fine to coarse sand (USCS – SM) or wet, red-gray to orange-tan, silty sandy clay (USCS - CL). The groundwater table was encountered at 8 to 9 feet below ground surface at boring locations B-3 and B-4. The groundwater table was not encountered within the other borings advanced during the assessment.



5.0 Analytical Results

Petroleum hydrocarbons identified as DRO were encountered in the soil at six of the boring locations (B-1 through B-6) at depths ranging from one foot (Boring B-1) to at least six feet (Boring B-5) feet below ground surface. The laboratory results indicate the soil sample collected from Boring B-6 exceeded the NC DENR Action level of 10 mg/kg for DRO (25.2 mg/kg DRO). The laboratory results for the soil samples collected at Borings B-1, B-2, B-3, B-4 and B-5 indicated DRO levels just below the NC DENR Action Level (2.6 mg/kg, 2.8 mg/kg, 6.9 mg/kg, 6.2 mg/kg, and 0.8 mg/kg DRO, respectively).

Petroleum hydrocarbons identified as GRO were encountered at two of the boring locations (B-5 and B-6) at depths ranging from four feet (Boring B-6) to at least six feet (Boring B-5) below ground surface. The laboratory results indicate the soil sample collected from Boring B-6 exceeded the NC DENR Action level of 10 mg/kg for GRO (77 mg/kg GRO). The laboratory results for the soil sample collected at Boring B-5 indicated GRO levels below the NC DENR Action Level (0.77 mg/kg GRO).

The laboratory analytical results can be found in the attached Appendix V of this report.

Table 1
Soil Sampling Analytical Results
Ballard Living Trust Property (Parcel #8)
Kipling, Harnett County, North Carolina

Sample ID	Sample Date	Sample Depth (ft bgs)	PID Reading (ppm)	DRO (mg/kg)	GRO (mg/kg)	Total BTEX (mg/kg)	16 EPA PAHs (mg/kg)	BaP (mg/kg)
B-1	4/10/14	1-2	1.8	2.6	<0.1	<0.1	0.16	0.028
B-2	4/10/14	2-3	1.8	2.8	<0.1	<0.2	0.1	0.018
B-3	4/10/14	4-5	198	6.9	<0.3	<0.3	0.12	<0.01
B-4	4/10/14	3-4	16.2	6.2	<0.1	<0.1	0.06	<0.01
B-5	4/10/14	5-6	245	0.8	0.77	<0.1	<0.1	<0.01
B-6	4/10/14	4-5	360	25.2	77	47.1	0.02	<0.01
B-7	4/10/14	4-5	68.0	<0.3	<0.1	<0.1	<0.1	<0.01
NC DENR Action Level				10	10	13.8	7,041.41	0.096

Notes:

ft bgs = feet below ground surface

ppm = parts per million

mg/kg = milligrams/kilogram

NCDENR standard for Total BTEX and 19 PAHs presented as the sum of the individual compounds

Bold indicates soil analytical results above NCDENR Action Levels



Laboratory analytical testing on the groundwater sample (Parcel 8 B-3 GW) detected ethylbenzene, naphthalene, and xylene above the laboratory method detection limit. Ethylbenzene and xylene were found at concentrations below their respective North Carolina Groundwater Quality Standards (GWQS) as established in NCDENR Division of Water Quality (DWQ) NC Administrative Code 15A Subchapter 2L (April 2013). However, Naphthalene was detected at a concentration above the NCAC 2L GWQS.

The laboratory analytical results can be found in the attached Appendix V of this report.

Table 2
Groundwater Sampling Analytical Results
Ballard Living Trust Property (Parcel #8)
Kipling, Harnett County, North Carolina

Sample ID	Sample Date	Ethylbenzene (µg/kg)	Naphthalene (µg/kg)	Xylene (µg/kg)
Parcel 8 B-3 GW	4/10/14	28.1	10.9	55.4
NC Groundwater Quality Standard (GWQS)		600	6	500
Gross Contamination Levels for Groundwater (GCL)		84,500	5,000	85,500

µg/kg = micrograms/kilogram

Bold indicates analytical results above NCAC 2L Groundwater Quality Standards

6.0 Conclusions and Recommendations

F&R conducted a PSA at the Ballard Living Trust Property located at 6659 US Highway 401 in Kipling, Harnett County, North Carolina. A geophysical investigation was performed by Schnabel Engineering to investigate the existence of unknown/known USTs at the site. Based on the results of the geophysical survey, it was determined that USTs were not present at the site, within the surveyed area.

Seven geoprobe borings were advanced during the assessment inside the right-of-way, where grading activities are proposed to realign the existing highway. Based on the results of laboratory testing and observed PID readings, it has been determined that petroleum impacted soils exist in the vicinity of Borings B-1 through B-5 at concentrations above laboratory method detection limit, and at Boring B-6 at concentrations above the NC DENR Action Level of 10 mg/kg (25.2 mg/kg DRO and 77 mg/kg GRO). In addition, petroleum impacted groundwater was identified in the vicinity of Boring B-3, with naphthalene detected above NCAC 2L Groundwater Standards (10.9 mg/kg).



In regards to the proposed construction, it is estimated that petroleum impacted soils are present from existing ground surface to a depth of at least eight feet below existing ground surface in the vicinity of Borings B-1 through B-6 based on laboratory analysis and PID readings.

No below grade utilities appear on the proposed roadway re-alignment plans. However, a proposed right turn lane is depicted, which will likely require re-grading of the existing ground surface during the widening construction. For the purpose of this assessment, we have estimated an average trench width of 17 feet wide and 8 feet deep to account for impacted soils generated during re-grading activities and for unknown below grade utilities that may be installed during construction. The trench width was determined by averaging distances from the existing edge of pavement to the proposed back of curb on the construction drawings.

Based on the depths at which soil contamination was observed, PID readings and our experience, it appears one area of contaminated soil exists at the site as shown in Figure 4. Using the dimensions in the below table, and assuming a 17 foot wide area from edge of existing pavement to the right-of-way, it can be approximated that the quantity of petroleum impacted soil which may be encountered during the above mentioned activities to be approximately 1,387 tons. Petroleum impacted soils that are removed should be properly managed and disposed of in accordance with all NCDENR rules and regulations.

Table 3
Approximate Volume of Petroleum Impacted Soil
Ballard Living Trust Property (Parcel #8)
Kipling, Harnett County, North Carolina

Excavation Location (As Shown on Figure 4)	L x W x D (feet)	Soil Volume (cubic feet)	Soil Volume (tons)
Property frontage from B-1 to B-6	170 x 17 x 8	23,120	1,387
Soil Volume (assuming a soil density of 120 pcf)		Total	1,387

It should be noted that a delineation of the soil contamination was not performed, as this was not included in the proposed scope of work. The above estimates are based on interpretations of soil analytical results, PID readings and our experience with similar petroleum UST releases. The amount of impacted soil can only be determined after excavation or by advancing additional borings at the site to possibly delineate the extents (horizontal and vertical) of contamination.



7.0 Limitations

These services have been performed, under authorization of the North Carolina Department of Transportation for specific application on this project. These services have been performed in accordance with generally accepted environmental and hydrogeological practices. No other warranty, expressed or implied is made. As with any subsurface investigation, actual conditions exist only at the precise locations from which samples were taken. Certain inferences are based on the results of sampling and related testing to form a professional opinion of conditions in areas beyond those from which samples were taken. Our conclusions and recommendations are based upon information provided to us by others, our sampling and testing results and our site observations. We have not verified the completeness or accuracy of the information provided by others, unless otherwise noted. Our observations are based upon conditions readily visible at the site at the time of our site visits.

Froehling & Robertson, Inc. by virtue of providing the services described in this report, does not assume the responsibility of the person(s) in charge of the site, or otherwise undertake responsibility for reporting to any local, state or federal public agencies any conditions at the site that may present a potential danger to public health, safety or the environment. In areas that require notification of local, state, or federal public agencies as required by law, it is the Client's responsibility to so notify.



APPENDIX I

Figure No. 1 – SITE VICINITY MAP

Figure No. 2 – TOPOGRAPHIC MAP

Figure No. 3 – LABORATORY RESULTS & BORING LOCATION PLAN

Figure No. 4 – ESTIMATED EXTENTS OF SOIL CONTAMINATION



SITE VICINITY MAP


North

SINCE

FROEHLING & ROBERTSON, INC.
 Engineering • Environmental • Geotechnical
 310 Hubert Street
 Raleigh, North Carolina 27603-2302 | USA
 T 919.828.3441 | F 919.828.5751
 www.fandr.com

CLIENT: NCDOT	
PROJECT: Ballard Living Trust Property (Parcel #8)	
LOCATION: Kipling, Harnett County, North Carolina	
F&R PROJECT No.: 66R-3222	
DRAWN BY: M. Sabodish	
DATE: June 2014	SCALE: As shown
FIGURE No.:	1

© 2014 Google




TOPOGRAPHIC MAP – 2013 “Lillington, NC” Quadrangle

North ▲

F&R SINCE 1881
FROEHLING & ROBERTSON, INC.
 Engineering • Environmental • Geotechnical
 310 Hubert Street
 Raleigh, North Carolina 27603-2302 | USA
 T 919.828.3441 | F 919.828.5751
 www.fandr.com

CLIENT: NCDOT		FIGURE No.: 2
PROJECT: Ballard Living Trust Property (Parcel #8)		
LOCATION: Kipling, Harnett County, North Carolina		
F&R PROJECT No.: 66R-3222		
DRAWN BY: M. Sabodish		
DATE: June 2014	SCALE as shown	



B-7: 4.0'-5.0'
 DRO=<0.3 mg/kg
 GRO=<0.1 mg/kg
 TOTAL BTEX=<0.1 mg/kg
 16 EPA PAHs=<0.1 mg/kg
 BaP=<0.01 mg/kg

B-6: 4.0'-5.0'
 DRO=25.2 mg/kg
 GRO=77 mg/kg
 TOTAL BTEX=47.1 mg/kg
 16 EPA PAHs=0.02 mg/kg
 BaP=<0.01 mg/kg

B-5: 5.0'-6.0'
 DRO=0.8 mg/kg
 GRO=0.77 mg/kg
 TOTAL BTEX=<0.1 mg/kg
 16 EPA PAHs=<0.1 mg/kg
 BaP=<0.01 mg/kg

B-4: 3.0'-4.0'
 DRO=6.2 mg/kg
 GRO=<0.1 mg/kg
 TOTAL BTEX=<0.1 mg/kg
 16 EPA PAHs=0.06 mg/kg
 BaP=<0.01 mg/kg

B-3: 4.0'-5.0'
 DRO=6.9 mg/kg
 GRO=<0.3 mg/kg
 TOTAL BTEX=<0.3 mg/kg
 16 EPA PAHs=0.12 mg/kg
 BaP=<0.01 mg/kg

B-2: 2.0'-3.0'
 DRO=2.8 mg/kg
 GRO=<0.1 mg/kg
 TOTAL BTEX=<0.2 mg/kg
 16 EPA PAHs=0.1 mg/kg
 BaP=0.018 mg/kg

B-1: 1.0'-2.0'
 DRO=2.6 mg/kg
 GRO=<0.1 mg/kg
 TOTAL BTEX=<0.1 mg/kg
 16 EPA PAHs=0.16 mg/kg
 BaP=0.028 mg/kg

SINCE **FROEHLING & ROBERTSON, INC.**
Engineering Stability Since 1881

 310 Hubert Street
 Raleigh, North Carolina 27603-2302 | USA
 T 919.828.3441 | F 919.828.5751
 www.fandr.com

LEGEND

 Approximate Geoprobe Boring Location

SCALE (FEET)
 0 20' 40'
 1"=40'

ESTIMATED EXTENTS OF SOIL CONTAMINATION

CLIENT: NCDOT
 PROJECT: Ballard Living Trust Property (Parcel #8)
 LOCATION: Kipling, Harnett County, North Carolina
 F&R PROJECT No.: 66R-3222

DRAWN BY: D. Racey	CHECKED BY: M. Sabodish, P.E.	FIGURE No.: 4
DATE: June 2014	SCALE: 1"=40'	



APPENDIX II

GEOPHYSICAL REPORT PREPARED BY SCHNABEL ENGINEERING



April 23, 2014

Mr. Michael Sabodish, Ph.D, PE
Froehling & Robertson, Inc.
310 Hubert Street
Raleigh, NC 27603-2302

RE: State Project: R-5523
 WBS Element: 45548.1.1
 County: Harnett
 Description: Realignment of Harnett Central Road at US 401 and Extension of Smith Road (SR 1575)

**Subject: Project 11821014.35, Report on Geophysical Surveys
 Parcel 8, Ballard Living Trust Property, Kipling, North Carolina**

Dear Dr. Sabodish:

SCHNABEL ENGINEERING SOUTH, PC (Schnabel) is pleased to present this report on the geophysical surveys we performed on the subject property. The report includes two 11x17 inch color figures and two 8.5x11 inch color figures. This study was performed in accordance with our proposal to NCDOT for Geophysical Surveys to Locate Possible USTs, dated March 14, 2014, as approved by Terry Farr (NCDOT) on March 18, 2014, and our existing NCDOT limited services agreement dated June 2, 2011.

INTRODUCTION

The field work described in this report was performed on April 3, 2014 and April 8, 2014, by Schnabel. The purpose of the geophysical surveys was to evaluate the potential presence of metal underground storage tanks (USTs) in the accessible areas of the NCDOT right-of-way and/or easement at Parcel 8. Photographs of the property are included on Figure 1. The property is located in the northwest quadrant of US 401 and Kipling Road intersection in Kipling, NC.

The geophysical surveys consisted of an electromagnetic (EM) induction survey and a ground penetrating radar (GPR) survey. The EM survey was performed using a Geonics EM61-MK2 (EM61) instrument. The EM61 is a time domain metal detector that stores data digitally for later processing and review. Sensitivity to metallic objects is dependent on the size, depth, and orientation of the buried object and the amount of noise (i.e. response from spurious metallic objects) in the area. The EM61 can generally observe a single buried 55 gallon drum at a depth of 10 feet or less. The EM61 makes measurements by creating an

electromagnetic pulse and then measuring the response from metallic objects over time after the pulse is generated. We measured and recorded the response at several time increments after the pulse to help evaluate relative size and depth of metallic objects in the subsurface.

The GPR survey was performed over selected EM61 anomalies using a Geophysical Survey Systems SIR-3000 system equipped with a 400 MHz antenna to further investigate and evaluate EM responses that could indicate a potential UST. The depth penetration of the GPR signal, when using a 400 MHz antenna, is normally limited to 6 feet or less.

Photographs of the equipment used are shown on Figure 2.

FIELD METHODOLOGY

We obtained locations of geophysical data points using a sub-meter Trimble Pro-XRS differential global positioning system (DGPS). References to direction and location in this report are based on the US State Plane 1983 System, North Carolina 3200 Zone, using the NAD 83 datum, with units in US survey feet. We also recorded the locations of existing site features (sign, guy wire, etc.) with the DGPS for later correlation with the geophysical data and a site plan provided by the NCDOT.

The EM61 data were collected along parallel survey lines spaced approximately 2.5 feet apart. The EM61 and DGPS data were recorded digitally using a field computer and later transferred to a desktop computer for data processing. The GPR data were collected along survey lines spaced approximately one to two feet apart in orthogonal directions over anomalous EM readings not attributed to cultural features. The GPR data were reviewed in the field to evaluate the possible presence of USTs. The GPR data also were recorded digitally and later transferred to a desktop computer for further review.

DISCUSSION OF RESULTS

The contoured EM61 data collected over Parcel 8 and the GPR survey locations are shown on Figure 3, EM61 Early Time Gate Response, and Figure 4, EM61 Differential Response. Areas outside the colored, contoured EM61 data were not surveyed. Early time data refer to the response measured at a short time after the initial EM pulse is generated. Early time data typically contain responses from all metal objects, small or large and shallow or deep, within the sensitivity range of the instrument. Differential data represent the difference in response between the top and bottom coils of the EM61 instrument at a later time after the initial pulse than early time data. Differential data naturally tend to filter out the effect of surface and very shallowly buried metallic objects. Typically, the differential response emphasizes anomalies from deeper and larger objects such as USTs.

We were not able to access an area in the northern portion of the planned survey due to the presence of thick vegetation. The EM data contain multiple anomalies that we investigated with GPR (as shown on Figures 3 and 4), all of which appear to be the result of buried utilities, reinforced concrete, or other metal objects at the ground surface or at shallow depths. The geophysical data collected at the site do not indicate the presence of metallic USTs within the areas surveyed.

CONCLUSIONS

As shown in Figures 3 and 4, the EM data we collected over Parcel 8 did not cover a portion of the planned survey area due to the presence of thick vegetation within the planned survey area. The EM data include responses from several visible metallic objects at grade (e.g. guy wire, sign, etc.). We did not observe anomalies in the EM or the GPR geophysical data at the subject property that we interpret to be the results of metallic USTs within about 6 feet of the ground surface.

LIMITATIONS

These services have been performed and this report prepared for Froehling & Robertson, Inc. and the North Carolina Department of Transportation in accordance with generally accepted guidelines for conducting geophysical surveys. It is generally recognized that the results of geophysical surveys are non-unique and may not represent actual subsurface conditions.


We appreciate the opportunity to have provided these services. Please call if you need additional information or have any questions.

Sincerely,

SCHNABEL ENGINEERING SOUTH, PC



James W. Whitt, LG
Senior Staff Geophysicist



Joel C. Daniel, LG
Senior Geophysicist

JWW:JCD

Attachments: Figures (4)

CC: Craig Haden - NCDOT

FILE: G:\2011-SDE-JOBS\11821014_00_NCDOT_2011_GEOTECHNICAL_UNIT_SERVICES\11821014_35_R-5523_HARNETT_COUNTY\REPORT\PARCEL 8\SCHNABEL GEOPHYSICAL REPORT ON PARCEL 8 (R-5523).DOCX

Attachments:

- Figure 1 - Parcel 8 Site Photos
- Figure 2 - Photos of Geophysical Equipment Used
- Figure 3 - EM61 Early Time Gate Response
- Figure 4 - EM61 Differential Response



Parcel 8 (Ballard Living Trust Property), looking northwest



Parcel 8 (Ballard Living Trust Property), looking southwest



STATE PROJECT R-5523
NC DEPT. OF TRANSPORTATION
HARNETT CO., NORTH CAROLINA
PROJECT NO. 11821014.35

PARCEL 8
SITE PHOTOS

FIGURE 1



Geonics EM61-MK2 Metal Detector with Trimble DGPS Unit



GSSI SIR-3000 Ground-Penetrating Radar with 400 MHz Antenna

Note: Stock photographs – not taken on site.






STATE PROJECT R-5523
NC DEPT. OF TRANSPORTATION
HARNETT CO., NORTH CAROLINA
PROJECT NO. 11821014.35

PHOTOS OF
GEOPHYSICAL
EQUIPMENT USED

FIGURE 2

PARCEL 8



EXPLANATION	
	SIGN
	MISCELLANEOUS METALLIC OBJECT
	UTILITY MANHOLE, METER, BOX, ETC.
	GUY WIRE
	EDGE OF NCDOT PROPOSED RW
	PROPERTY LINE
	GPR SURVEY AREA

BASE PLAN FROM NCDOT FILE:
R5523_RDY_PSH6.dgn
(FOR SOME SITE FEATURES)

Note: The contour plot shows the earliest and more sensitive time gate of the EM61 bottom coil/channel in millivolts (mV). The EM data were collected on April 3, 2014, using a Geonics EM61-MK2 instrument. Positioning for the EM61 survey was provided using a submeter Trimble ProXRS DGPS system. Coordinates are in the US State Plane 1983 System, North Carolina Zone 3200, using the NAD 1983 datum. GPR data were acquired on April 8, 2014, using a Geophysical Survey Systems SIR 3000 equipped with a 400 MHz antenna.






STATE PROJECT R-5523
NC DEPARTMENT OF TRANSPORTATION
HARNETT COUNTY, NC
PROJECT NO. 11821014.35

EM61
EARLY TIME GATE
RESPONSE

FIGURE 3

PARCEL 8



EXPLANATION	
	SIGN
	MISCELLANEOUS METALLIC OBJECT
	UTILITY MANHOLE, METER, BOX, ETC.
	GUY WIRE
	EDGE OF NCDOT PROPOSED RW
	PROPERTY LINE
	GPR SURVEY AREA

BASE PLAN FROM NCDOT FILE:
R5523_RDY_PSH6.dgn
(FOR SOME SITE FEATURES)

Note: The contour plot shows the difference, in millivolts (mV), between the readings from the top and bottom coils of the EM61. The difference is taken to reduce the effect of shallow metal objects and emphasize anomalies caused by deeper metallic objects, such as drums and tanks. The EM data were collected on April 3, 2014, using a Geonics EM61-MK2 instrument. Positioning for the EM61 survey was provided using a submeter Trimble ProXRS DGPS system. Coordinates are in the US State Plane 1983 System, North Carolina 3200 Zone, using the NAD 1983 datum. GPR data were acquired on April 8, 2014, using a Geophysical Survey Systems SIR 3000 equipped with a 400 MHz antenna.



STATE PROJECT R-5523
NC DEPARTMENT OF TRANSPORTATION
HARNETT COUNTY, NC
PROJECT NO. 11821014.35

EM61
DIFFERENTIAL
RESPONSE

FIGURE 4



APPENDIX III
GEOPROBE LOGS



Project No: 66R-3222

Elevation: Existing Ground Surface

Drilling Method: Geoprobe

Client: NCDOT

Total Depth: 10.0'

Hammer Type: N/A

Project: R-5523 (Parcel 8)

Boring Location: See Plan

Date Drilled: 4/10/14

City/State: Harnett County, NC

Driller: Regional Probing

Elevation	Depth	Description of Materials (Classification)	*Sample Depth (feet)	PID (ppm)	Remarks
	0.0	Moist, brown, silty fine to medium SAND (SM), with trace organics.	0.0	6.0	
	1.0	Wet, tan, sandy CLAY (CL).	1.0	1.8*	*Sample submitted for laboratory analysis for TPH DRO/GRO, Total BTEX, 16 PAHs, and BaP
			2.0	1.6	
			3.0	1.2	
	4.0	Moist, tan, tan-orange & tan-gray, clayey silty fine to coarse SAND (SM).	4.0	1.3	
			5.0	1.5	
			6.0	1.6	
			7.0	1.3	
			8.0	1.6	
	9.0	Saturated, tan-gray, silty fine to coarse SAND (SM).	9.0	1.1	
	10.0	Geoprobe Boring Terminated at 10.0 feet.	10.0		

GEOPROBE_LOG_R5523_GEOENV_GEOPROBELOGS_PARCEL08.GPJ F&R.GDT 6/6/14

*Geoprobe soil samples were collected by continuous push of a 2 inch ID stainless steel barrel containing a 4 foot long acetate collection sleeve. The 4 foot long soil sample sleeves were cut open and the soil was separated into 1 foot long sample intervals.



Project No: 66R-3222

Elevation: Existing Ground Surface

Drilling Method: Geoprobe

Client: NCDOT

Total Depth: 10.0'

Hammer Type: N/A

Project: R-5523 (Parcel 8)

Boring Location: See Plan

Date Drilled: 4/10/14

City/State: Harnett County, NC

Driller: Regional Probing

Elevation	Depth	Description of Materials (Classification)	*Sample Depth (feet)	PID (ppm)	Remarks
		Moist to wet, brown, silty fine to medium SAND (SM).	0.0	1.2	
			1.0	0.0	
	2.0	Wet, tan, sandy CLAY (CL).	2.0	1.8*	*Sample submitted for laboratory analysis for TPH DRO/GRO, Total BTEX, 16 PAHs, and BaP
	3.0	Moist, tan-orange to tan, silty clayey SAND (SC).	3.0	1.6	
			4.0	0.6	
	5.0	Saturated, tan, clayey SAND (SC).	5.0	2.1	
	6.0	Wet, tan, silty fine to coarse SAND (SM).	6.0	1.8	
			7.0	1.8	
			8.0	1.5	
			9.0	0.9	
	10.0	Geoprobe Boring Terminated at 10.0 feet.	10.0		

GEOPROBE_LOG_R5523_GEOENV_GEOPROBELOGS_PARCEL08.GPJ F&R.GDT 6/6/14

*Geoprobe soil samples were collected by continuous push of a 2 inch ID stainless steel barrel containing a 4 foot long acetate collection sleeve. The 4 foot long soil sample sleeves were cut open and the soil was separated into 1 foot long sample intervals.



Project No: 66R-3222
Client: NCDOT
Project: R-5523 (Parcel 8)
City/State: Harnett County, NC

Elevation: Existing Ground Surface
Total Depth: 10.0'
Boring Location: See Plan

Drilling Method: Geoprobe
Hammer Type: N/A
Date Drilled: 4/10/14
Driller: Regional Probing

Elevation	Depth	Description of Materials (Classification)	*Sample Depth (feet)	PID (ppm)	Remarks
	0.0	Wet, tan, sandy CLAY (CL).	0.0	1.5	
	1.0	Wet, tan, clayey sandy SILT (ML).	1.0	0.5	
	2.0		2.0	2.4	
	3.0	Wet, tan, sandy CLAY (CL).	3.0	1.8	Heavy petroleum odor from 3'-10'
	4.0		4.0	198*	*Sample submitted for laboratory analysis for TPH DRO/GRO, Total BTEX, 16 PAHs, and BaP
	5.0		5.0	130	
	6.0		6.0	336	
	7.0	Wet to saturated, gray, silty medium SAND (SM).	7.0	1286	
	8.0		8.0	1171	Groundwater encountered at 8.0'
	9.0		9.0	1148	
	10.0	Geoprobe Boring Terminated at 10.0 feet.	10.0		Groundwater sample collected and submitted for laboratory analysis for VOCs and SVOCs

GEOPROBE_LOG_R5523_GEOENV_GEOPROBELOGS_PARCEL08.GPJ F&R.GDT 6/6/14

*Geoprobe soil samples were collected by continuous push of a 2 inch ID stainless steel barrel containing a 4 foot long acetate collection sleeve. The 4 foot long soil sample sleeves were cut open and the soil was separated into 1 foot long sample intervals.



Project No: 66R-3222

Elevation: Existing Ground Surface

Drilling Method: Geoprobe

Client: NCDOT

Total Depth: 10.0'

Hammer Type: N/A

Project: R-5523 (Parcel 8)

Boring Location: See Plan

Date Drilled: 4/10/14

City/State: Harnett County, NC

Driller: Regional Probing

Elevation	Depth	Description of Materials (Classification)	*Sample Depth (feet)	PID (ppm)	Remarks
		Wet, gray to orange-tan, sandy silty CLAY (CL).	0.0	1.0	
			1.0	1.4	
			2.0	1.7	
			3.0	16.2*	
		Wet, red-tan, sandy clayey SILT (ML).	4.0	50.5	*Sample submitted for laboratory analysis for TPH DRO/GRO, Total BTEX, 16 PAHs, and BaP Heavy petroleum odor observed from 3'-10'
	5.0		5.0	418	
	6.0		6.0	71.1	
			7.0	423	
		Wet to saturated, red-gray, gray & tan-gray, sandy CLAY (CL).	8.0	47.8	
			9.0	1077	
			9.0	1077	
	10.0	Geoprobe Boring Terminated at 10.0 feet.	10.0		

GEOPROBE_LOG_R5523_GEOENV_GEOPROBELOGS_PARCEL08.GPJ F&R.GDT 6/6/14

*Geoprobe soil samples were collected by continuous push of a 2 inch ID stainless steel barrel containing a 4 foot long acetate collection sleeve. The 4 foot long soil sample sleeves were cut open and the soil was separated into 1 foot long sample intervals.



Project No: 66R-3222

Elevation: Existing Ground Surface

Drilling Method: Geoprobe

Client: NCDOT

Total Depth: 10.0'

Hammer Type: N/A

Project: R-5523 (Parcel 8)

Boring Location: See Plan

Date Drilled: 4/10/14

City/State: Harnett County, NC

Driller: Regional Probing

Elevation	Depth	Description of Materials (Classification)	*Sample Depth (feet)	PID (ppm)	Remarks
	0.0	Wet, tan-gray, silty fine to medium SAND (SM).	0.0	1.0	
	1.0	Wet to saturated, tan, tan-orange & tan-gray, sandy silty CLAY (CL).	1.0	1.2	
			2.0	1.4	
			3.0	2.3	
			4.0	1.9	
			5.0	245*	*Sample submitted for laboratory analysis for TPH DRO/GRO, Total BTEX, 16 PAHs, and BaP Heavy petroleum odor observed from 5'-8'
			6.0	66.8	
			7.0	6.8	
			8.0	4.0	
			9.0	3.6	
	10.0	Geoprobe Boring Terminated at 10.0 feet.	10.0		

GEOPROBE_LOG_R5523_GEOENV_GEOPROBELOGS_PARCEL08.GPJ F&R.GDT 6/6/14

*Geoprobe soil samples were collected by continuous push of a 2 inch ID stainless steel barrel containing a 4 foot long acetate collection sleeve. The 4 foot long soil sample sleeves were cut open and the soil was separated into 1 foot long sample intervals.



Project No: 66R-3222
Client: NCDOT
Project: R-5523 (Parcel 8)
City/State: Harnett County, NC

Elevation: Existing Ground Surface
Total Depth: 10.0'
Boring Location: See Plan

Drilling Method: Geoprobe
Hammer Type: N/A
Date Drilled: 4/10/14
Driller: Regional Probing

Elevation	Depth	Description of Materials (Classification)	*Sample Depth (feet)	PID (ppm)	Remarks
		Wet, gray, silty fine to medium SAND (SM).	0.0	1.0	
	1.0	Wet, tan, silty sandy CLAY (CL).	1.0	1.8	
	2.0	Moist to wet, tan, sandy silty CLAY (CL).	2.0	1.9	
			3.0	2.7	
			4.0	360*	*Sample submitted for laboratory analysis for TPH DRO/GRO, Total BTEX, 16 PAHs, and BaP Heavy petroleum odor observed from 4'-10'
			5.0	1410	
	6.0	Wet, orange-gray, sandy CLAY (CL).	6.0	1346	
	7.0	Moist to wet, gray & red-gray, silty sandy CLAY (CL).	7.0	600	
			8.0	82.1	
			9.0	126	
	10.0	Geoprobe Boring Terminated at 10.0 feet.	10.0		

GEOPROBE_LOG_R5523_GEOENV_GEOPROBELOGS_PARCEL08.GPJ F&R.GDT 6/6/14

*Geoprobe soil samples were collected by continuous push of a 2 inch ID stainless steel barrel containing a 4 foot long acetate collection sleeve. The 4 foot long soil sample sleeves were cut open and the soil was separated into 1 foot long sample intervals.



Project No: 66R-3222
Client: NCDOT
Project: R-5523 (Parcel 8)
City/State: Harnett County, NC

Elevation: Existing Ground Surface
Total Depth: 10.0'
Boring Location: See Plan

Drilling Method: Geoprobe
Hammer Type: N/A
Date Drilled: 4/10/14
Driller: Regional Probing

Elevation	Depth	Description of Materials (Classification)	*Sample Depth (feet)	PID (ppm)	Remarks
		Moist to wet, tan-gray, clayey SAND (SC).	0.0	1.0	
	1.0	Wet, orange-tan, sandy silty CLAY (CL).	1.0	0.8	
			2.0	1.2	
	3.0	Moist, tan-gray & red-gray, silty clayey medium SAND (SC).	3.0	1.3	
			4.0	68.0*	*Sample submitted for laboratory analysis for TPH DRO/GRO, Total BTEX, 16 PAHs, and BaP Petroleum odor observed from 4'-10'
			5.0	72.0	
			6.0	4.3	
	7.0	Moist to wet, tan-gray & red-gray, silty clayey medium SAND (SC).	7.0	194	
			8.0	60.7	
			9.0	28.5	
	10.0	Geoprobe Boring Terminated at 10.0 feet.	10.0		

GEOPROBE_LOG_R5523_GEOENV_GEOPROBELOGS_PARCEL08.GPJ F&R.GDT 6/6/14

*Geoprobe soil samples were collected by continuous push of a 2 inch ID stainless steel barrel containing a 4 foot long acetate collection sleeve. The 4 foot long soil sample sleeves were cut open and the soil was separated into 1 foot long sample intervals.



APPENDIX IV

SITE PHOTOS



Photo #1: Boring locations B-1 and B-2, facing north.



Photo #2: Boring locations B-3 and B-4, facing south.



Photo #3: Boring location B-5, facing west.



Photo #4: Boring locations B-6 and B-7, facing east.



APPENDIX V

LABORATORY ANALYTICAL RESULTS



Hydrocarbon Analysis Results

Client: F&R

Address:

Samples taken

Wednesday, April 09, 2014

Samples extracted

Wednesday, April 09, 2014

Samples analysed

Tuesday, April 15, 2014

Contact: MIKE SABODISH

Operator

RACHEL MENOHER

Project: NCDOT R-5523 WBS 45548 1-1

Matrix	Sample ID	Dilution used	BTEX (C6 - C9)	GRO (C5 - C10)	DRO (C10 - C35)	TPH (C5 - C35)	Total Aromatics (C10-C35)	16 EPA PAHs	BaP	Ratios			HC Fingerprint Match
										% light	% mid	% heavy	
s	PARCEL 13 B-1 9-10	12.0	<0.1	<0.1	4	4	3.7	0.22	<0.01	40.8	37.4	21.7	V.Deg.PHC 92.9%
s	PARCEL 13 B-2 8-9	15.0	<0.1	<0.1	1	1	0.03	<0.1	<0.01	96.5	3.5	0	Deg.Diesel (FCM) 86.3%
s	PARCEL 13 B-3 9-10	13.0	<0.1	0.68	7.6	8.28	3.6	0.15	<0.01	66.4	21.7	12	Deg.Fuel (FCM) 89.6%
s	PARCEL 13 B-4 6-7	11.0	<0.1	<0.1	<0.3	<0.6	<0.1	<0.1	<0.01	0	0	100	TPH not detected
s	PARCEL 8 B-1 1-2	10.0	<0.1	<0.1	2.6	2.6	2.4	0.16	0.028	33	11.8	55.2	V.Deg.PHC 45.4%
s	PARCEL 8 B-2 2-3	12.0	<0.1	<0.1	2.8	2.8	2.7	0.1	0.018	0	79.7	20.3	PAH (PFM)
s	PARCEL 8 B-3 2-3	25.0	<0.3	<0.3	6.9	6.9	2.9	0.12	<0.01	91.8	6.9	1.3	Deg.Diesel (FCM) 76.6%
s	PARCEL 8 B-4 3-4	12.0	<0.1	<0.1	6.2	6.2	1.4	0.06	<0.01	89.1	9.4	1.4	motor oil (PFM) (FCM)
s	PARCEL 8 B-5 5-6	12.0	<0.1	0.77	0.8	1.57	0.54	0.02	<0.01	94.9	5.1	0	Deg.Gas (FCM) 85.7%
s	PARCEL 8 B-6 4-5	12.0	47.1	77	25.2	102.2	15.5	0.44	0.016	99.3	0.6	0	Deg.Gas (FCM) 82.4%
			Initial Calibrator QC check				OK	Final FCM QC Check				OK	101.3 %


Results generated by a QED HC-1 analyser. Concentration values in mg/kg for soil samples and mg/L for water samples. Soil values are not corrected for moisture or stone content

Fingerprints provide a tentative hydrocarbon identification. The abbreviations are:- FCM = Results calculated using Fundamental Calibration Mode : % = confidence for sample fingerprint match to library

(SBS) or (LBS) = Site Specific or Library Background Subtraction applied to result : (PFM) = Poor Fingerprint Match : (T) = Turbid : (P) = Particulate present


V.Deg.PHC 45.4%

PARCEL 8 B-1 1-2




PAH (PFM)

PARCEL 8 B-2 2-3




Deg.Diesel (FCM) 76.6%

PARCEL 8 B-3 2-3




motor oil (PFM) (FCM)

PARCEL 8 B-4 3-4




Deg.Gas (FCM) 85.7%

PARCEL 8 B-5 5-6




Deg.Gas (FCM) 82.4%

PARCEL 8 B-6 4-5



TPH not detected

PARCEL 8 B-7 4-5



April 18, 2014

Chemical Testing Engineer
NCDOT
Materials & Tests Unit
1801 Blue Ridge Road
Raleigh, NC 27607

RE: Project: R-5523 45548.1.1
Pace Project No.: 92197174

Dear Chemical Engineer:

Enclosed are the analytical results for sample(s) received by the laboratory on April 11, 2014. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

Analyses were performed at the Pace Analytical Services location indicated on the sample analyte page for analysis unless otherwise footnoted.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Kevin Herring
kevin.herring@pacelabs.com
Project Manager

Enclosures

cc: Mike Sabodish, Froehling & Robertson



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: R-5523 45548.1.1

Pace Project No.: 92197174

Charlotte Certification IDs

9800 Kincey Ave. Ste 100, Huntersville, NC 28078
North Carolina Drinking Water Certification #: 37706
North Carolina Field Services Certification #: 5342
North Carolina Wastewater Certification #: 12
South Carolina Certification #: 99006001

Florida/NELAP Certification #: E87627
Kentucky UST Certification #: 84
West Virginia Certification #: 357
Virginia/VELAP Certification #: 460221

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: R-5523 45548.1.1

Pace Project No.: 92197174

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
92197174001	PARCEL 8 B-3 GW	EPA 8270	BPJ	74	PASI-C
		EPA 8260	MCK	63	PASI-C
92197174002	PARCEL 14 B-4 GW	EPA 8270	BPJ	74	PASI-C
		EPA 8260	MCK	63	PASI-C

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: R-5523 45548.1.1

Pace Project No.: 92197174

Sample: PARCEL 8 B-3 GW	Lab ID: 92197174001	Collected: 04/10/14 13:05	Received: 04/11/14 15:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic								
Analytical Method: EPA 8270 Preparation Method: EPA 3510								
Acenaphthene	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	83-32-9	
Acenaphthylene	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	208-96-8	
Aniline	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	62-53-3	
Anthracene	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	120-12-7	
Benzo(a)anthracene	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	56-55-3	
Benzo(a)pyrene	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	50-32-8	
Benzo(b)fluoranthene	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	205-99-2	
Benzo(g,h,i)perylene	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	191-24-2	
Benzo(k)fluoranthene	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	207-08-9	
Benzoic Acid	ND ug/L		50.0	1	04/15/14 11:01	04/16/14 20:03	65-85-0	
Benzyl alcohol	ND ug/L		20.0	1	04/15/14 11:01	04/16/14 20:03	100-51-6	
4-Bromophenylphenyl ether	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	101-55-3	
Butylbenzylphthalate	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	85-68-7	
4-Chloro-3-methylphenol	ND ug/L		20.0	1	04/15/14 11:01	04/16/14 20:03	59-50-7	
4-Chloroaniline	ND ug/L		20.0	1	04/15/14 11:01	04/16/14 20:03	106-47-8	
bis(2-Chloroethoxy)methane	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	111-91-1	
bis(2-Chloroethyl) ether	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	111-44-4	
bis(2-Chloroisopropyl) ether	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	108-60-1	
2-Chloronaphthalene	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	91-58-7	
2-Chlorophenol	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	95-57-8	
4-Chlorophenylphenyl ether	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	7005-72-3	
Chrysene	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	53-70-3	
Dibenzofuran	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	132-64-9	
1,2-Dichlorobenzene	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	95-50-1	
1,3-Dichlorobenzene	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	541-73-1	
1,4-Dichlorobenzene	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	106-46-7	
3,3'-Dichlorobenzidine	ND ug/L		20.0	1	04/15/14 11:01	04/16/14 20:03	91-94-1	
2,4-Dichlorophenol	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	120-83-2	
Diethylphthalate	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	84-66-2	
2,4-Dimethylphenol	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	105-67-9	
Dimethylphthalate	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	131-11-3	
Di-n-butylphthalate	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	84-74-2	
4,6-Dinitro-2-methylphenol	ND ug/L		20.0	1	04/15/14 11:01	04/16/14 20:03	534-52-1	
2,4-Dinitrophenol	ND ug/L		50.0	1	04/15/14 11:01	04/16/14 20:03	51-28-5	
2,4-Dinitrotoluene	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	121-14-2	
2,6-Dinitrotoluene	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	606-20-2	
Di-n-octylphthalate	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	117-84-0	
bis(2-Ethylhexyl)phthalate	ND ug/L		6.0	1	04/15/14 11:01	04/16/14 20:03	117-81-7	
Fluoranthene	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	206-44-0	
Fluorene	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	86-73-7	
Hexachloro-1,3-butadiene	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	87-68-3	
Hexachlorobenzene	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	118-74-1	
Hexachlorocyclopentadiene	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	77-47-4	
Hexachloroethane	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	67-72-1	
Indeno(1,2,3-cd)pyrene	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	193-39-5	
Isophorone	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	78-59-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: R-5523 45548.1.1

Pace Project No.: 92197174

Sample: PARCEL 8 B-3 GW	Lab ID: 92197174001	Collected: 04/10/14 13:05	Received: 04/11/14 15:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic Analytical Method: EPA 8270 Preparation Method: EPA 3510								
1-Methylnaphthalene	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	90-12-0	
2-Methylnaphthalene	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	91-57-6	
2-Methylphenol(o-Cresol)	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	95-48-7	
3&4-Methylphenol(m&p Cresol)	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03		
Naphthalene	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	91-20-3	
2-Nitroaniline	ND ug/L		50.0	1	04/15/14 11:01	04/16/14 20:03	88-74-4	
3-Nitroaniline	ND ug/L		50.0	1	04/15/14 11:01	04/16/14 20:03	99-09-2	
4-Nitroaniline	ND ug/L		20.0	1	04/15/14 11:01	04/16/14 20:03	100-01-6	
Nitrobenzene	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	98-95-3	
2-Nitrophenol	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	88-75-5	
4-Nitrophenol	ND ug/L		50.0	1	04/15/14 11:01	04/16/14 20:03	100-02-7	
N-Nitrosodimethylamine	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	62-75-9	
N-Nitroso-di-n-propylamine	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	621-64-7	
N-Nitrosodiphenylamine	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	86-30-6	
Pentachlorophenol	ND ug/L		25.0	1	04/15/14 11:01	04/16/14 20:03	87-86-5	
Phenanthrene	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	85-01-8	
Phenol	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	108-95-2	
Pyrene	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	129-00-0	
1,2,4-Trichlorobenzene	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	120-82-1	
2,4,5-Trichlorophenol	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	95-95-4	
2,4,6-Trichlorophenol	ND ug/L		10.0	1	04/15/14 11:01	04/16/14 20:03	88-06-2	
Surrogates								
Nitrobenzene-d5 (S)	74 %		21-110	1	04/15/14 11:01	04/16/14 20:03	4165-60-0	
2-Fluorobiphenyl (S)	72 %		27-110	1	04/15/14 11:01	04/16/14 20:03	321-60-8	
Terphenyl-d14 (S)	97 %		31-107	1	04/15/14 11:01	04/16/14 20:03	1718-51-0	
Phenol-d6 (S)	35 %		10-110	1	04/15/14 11:01	04/16/14 20:03	13127-88-3	
2-Fluorophenol (S)	45 %		12-110	1	04/15/14 11:01	04/16/14 20:03	367-12-4	
2,4,6-Tribromophenol (S)	80 %		27-110	1	04/15/14 11:01	04/16/14 20:03	118-79-6	
8260 MSV Low Level Analytical Method: EPA 8260								
Acetone	ND ug/L		25.0	1		04/15/14 22:13	67-64-1	
Benzene	ND ug/L		1.0	1		04/15/14 22:13	71-43-2	
Bromobenzene	ND ug/L		1.0	1		04/15/14 22:13	108-86-1	
Bromochloromethane	ND ug/L		1.0	1		04/15/14 22:13	74-97-5	
Bromodichloromethane	ND ug/L		1.0	1		04/15/14 22:13	75-27-4	
Bromoform	ND ug/L		1.0	1		04/15/14 22:13	75-25-2	
Bromomethane	ND ug/L		2.0	1		04/15/14 22:13	74-83-9	
2-Butanone (MEK)	ND ug/L		5.0	1		04/15/14 22:13	78-93-3	
Carbon tetrachloride	ND ug/L		1.0	1		04/15/14 22:13	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		04/15/14 22:13	108-90-7	
Chloroethane	ND ug/L		1.0	1		04/15/14 22:13	75-00-3	
Chloroform	ND ug/L		1.0	1		04/15/14 22:13	67-66-3	
Chloromethane	ND ug/L		1.0	1		04/15/14 22:13	74-87-3	
2-Chlorotoluene	ND ug/L		1.0	1		04/15/14 22:13	95-49-8	
4-Chlorotoluene	ND ug/L		1.0	1		04/15/14 22:13	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		5.0	1		04/15/14 22:13	96-12-8	
Dibromochloromethane	ND ug/L		1.0	1		04/15/14 22:13	124-48-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: R-5523 45548.1.1
Pace Project No.: 92197174

Sample: PARCEL 8 B-3 GW		Lab ID: 92197174001	Collected: 04/10/14 13:05	Received: 04/11/14 15:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level		Analytical Method: EPA 8260						
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		04/15/14 22:13	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		04/15/14 22:13	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		04/15/14 22:13	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		04/15/14 22:13	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		04/15/14 22:13	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	1		04/15/14 22:13	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	1		04/15/14 22:13	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		04/15/14 22:13	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		04/15/14 22:13	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		04/15/14 22:13	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		04/15/14 22:13	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		04/15/14 22:13	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	1		04/15/14 22:13	142-28-9	
2,2-Dichloropropane	ND	ug/L	1.0	1		04/15/14 22:13	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	1		04/15/14 22:13	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		04/15/14 22:13	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		04/15/14 22:13	10061-02-6	
Diisopropyl ether	ND	ug/L	1.0	1		04/15/14 22:13	108-20-3	
Ethylbenzene	28.1	ug/L	1.0	1		04/15/14 22:13	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	1		04/15/14 22:13	87-68-3	
2-Hexanone	ND	ug/L	5.0	1		04/15/14 22:13	591-78-6	
p-Isopropyltoluene	ND	ug/L	1.0	1		04/15/14 22:13	99-87-6	
Methylene Chloride	ND	ug/L	2.0	1		04/15/14 22:13	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		04/15/14 22:13	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	1.0	1		04/15/14 22:13	1634-04-4	
Naphthalene	10.9	ug/L	1.0	1		04/15/14 22:13	91-20-3	
Styrene	ND	ug/L	1.0	1		04/15/14 22:13	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		04/15/14 22:13	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		04/15/14 22:13	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		04/15/14 22:13	127-18-4	
Toluene	ND	ug/L	1.0	1		04/15/14 22:13	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	1.0	1		04/15/14 22:13	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	1.0	1		04/15/14 22:13	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		04/15/14 22:13	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		04/15/14 22:13	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		04/15/14 22:13	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		04/15/14 22:13	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		04/15/14 22:13	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		04/15/14 22:13	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		04/15/14 22:13	75-01-4	
Xylene (Total)	55.4	ug/L	2.0	1		04/15/14 22:13	1330-20-7	
m&p-Xylene	55.4	ug/L	2.0	1		04/15/14 22:13	179601-23-1	
o-Xylene	ND	ug/L	1.0	1		04/15/14 22:13	95-47-6	
Surrogates								
4-Bromofluorobenzene (S)	103 %		70-130	1		04/15/14 22:13	460-00-4	
1,2-Dichloroethane-d4 (S)	95 %		70-130	1		04/15/14 22:13	17060-07-0	
Toluene-d8 (S)	95 %		70-130	1		04/15/14 22:13	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: R-5523 45548.1.1

Pace Project No.: 92197174

QC Batch: MSV/26464

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV Low Level

Associated Lab Samples: 92197174001, 92197174002

METHOD BLANK: 1178873

Matrix: Water

Associated Lab Samples: 92197174001, 92197174002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	1.0	04/15/14 14:16	
1,1,1-Trichloroethane	ug/L	ND	1.0	04/15/14 14:16	
1,1,2,2-Tetrachloroethane	ug/L	ND	1.0	04/15/14 14:16	
1,1,2-Trichloroethane	ug/L	ND	1.0	04/15/14 14:16	
1,1-Dichloroethane	ug/L	ND	1.0	04/15/14 14:16	
1,1-Dichloroethene	ug/L	ND	1.0	04/15/14 14:16	
1,1-Dichloropropene	ug/L	ND	1.0	04/15/14 14:16	
1,2,3-Trichlorobenzene	ug/L	ND	1.0	04/15/14 14:16	
1,2,3-Trichloropropane	ug/L	ND	1.0	04/15/14 14:16	
1,2,4-Trichlorobenzene	ug/L	ND	1.0	04/15/14 14:16	
1,2-Dibromo-3-chloropropane	ug/L	ND	5.0	04/15/14 14:16	
1,2-Dibromoethane (EDB)	ug/L	ND	1.0	04/15/14 14:16	
1,2-Dichlorobenzene	ug/L	ND	1.0	04/15/14 14:16	
1,2-Dichloroethane	ug/L	ND	1.0	04/15/14 14:16	
1,2-Dichloropropane	ug/L	ND	1.0	04/15/14 14:16	
1,3-Dichlorobenzene	ug/L	ND	1.0	04/15/14 14:16	
1,3-Dichloropropane	ug/L	ND	1.0	04/15/14 14:16	
1,4-Dichlorobenzene	ug/L	ND	1.0	04/15/14 14:16	
2,2-Dichloropropane	ug/L	ND	1.0	04/15/14 14:16	
2-Butanone (MEK)	ug/L	ND	5.0	04/15/14 14:16	
2-Chlorotoluene	ug/L	ND	1.0	04/15/14 14:16	
2-Hexanone	ug/L	ND	5.0	04/15/14 14:16	
4-Chlorotoluene	ug/L	ND	1.0	04/15/14 14:16	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	5.0	04/15/14 14:16	
Acetone	ug/L	ND	25.0	04/15/14 14:16	
Benzene	ug/L	ND	1.0	04/15/14 14:16	
Bromobenzene	ug/L	ND	1.0	04/15/14 14:16	
Bromochloromethane	ug/L	ND	1.0	04/15/14 14:16	
Bromodichloromethane	ug/L	ND	1.0	04/15/14 14:16	
Bromoform	ug/L	ND	1.0	04/15/14 14:16	
Bromomethane	ug/L	ND	2.0	04/15/14 14:16	
Carbon tetrachloride	ug/L	ND	1.0	04/15/14 14:16	
Chlorobenzene	ug/L	ND	1.0	04/15/14 14:16	
Chloroethane	ug/L	ND	1.0	04/15/14 14:16	
Chloroform	ug/L	ND	1.0	04/15/14 14:16	
Chloromethane	ug/L	ND	1.0	04/15/14 14:16	
cis-1,2-Dichloroethene	ug/L	ND	1.0	04/15/14 14:16	
cis-1,3-Dichloropropene	ug/L	ND	1.0	04/15/14 14:16	
Dibromochloromethane	ug/L	ND	1.0	04/15/14 14:16	
Dibromomethane	ug/L	ND	1.0	04/15/14 14:16	
Dichlorodifluoromethane	ug/L	ND	1.0	04/15/14 14:16	
Diisopropyl ether	ug/L	ND	1.0	04/15/14 14:16	
Ethylbenzene	ug/L	ND	1.0	04/15/14 14:16	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: R-5523 45548.1.1

Pace Project No.: 92197174

METHOD BLANK: 1178873

Matrix: Water

Associated Lab Samples: 92197174001, 92197174002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Hexachloro-1,3-butadiene	ug/L	ND	1.0	04/15/14 14:16	
m&p-Xylene	ug/L	ND	2.0	04/15/14 14:16	
Methyl-tert-butyl ether	ug/L	ND	1.0	04/15/14 14:16	
Methylene Chloride	ug/L	ND	2.0	04/15/14 14:16	
Naphthalene	ug/L	ND	1.0	04/15/14 14:16	
o-Xylene	ug/L	ND	1.0	04/15/14 14:16	
p-Isopropyltoluene	ug/L	ND	1.0	04/15/14 14:16	
Styrene	ug/L	ND	1.0	04/15/14 14:16	
Tetrachloroethene	ug/L	ND	1.0	04/15/14 14:16	
Toluene	ug/L	ND	1.0	04/15/14 14:16	
trans-1,2-Dichloroethene	ug/L	ND	1.0	04/15/14 14:16	
trans-1,3-Dichloropropene	ug/L	ND	1.0	04/15/14 14:16	
Trichloroethene	ug/L	ND	1.0	04/15/14 14:16	
Trichlorofluoromethane	ug/L	ND	1.0	04/15/14 14:16	
Vinyl acetate	ug/L	ND	2.0	04/15/14 14:16	
Vinyl chloride	ug/L	ND	1.0	04/15/14 14:16	
Xylene (Total)	ug/L	ND	2.0	04/15/14 14:16	
1,2-Dichloroethane-d4 (S)	%	92	70-130	04/15/14 14:16	
4-Bromofluorobenzene (S)	%	105	70-130	04/15/14 14:16	
Toluene-d8 (S)	%	97	70-130	04/15/14 14:16	

LABORATORY CONTROL SAMPLE: 1178874

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	42.0	84	70-130	
1,1,1-Trichloroethane	ug/L	50	40.4	81	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	40.6	81	70-130	
1,1,2-Trichloroethane	ug/L	50	41.6	83	70-130	
1,1-Dichloroethane	ug/L	50	39.7	79	70-130	
1,1-Dichloroethene	ug/L	50	41.6	83	70-132	
1,1-Dichloropropene	ug/L	50	40.8	82	70-130	
1,2,3-Trichlorobenzene	ug/L	50	42.0	84	70-135	
1,2,3-Trichloropropane	ug/L	50	40.9	82	70-130	
1,2,4-Trichlorobenzene	ug/L	50	42.0	84	70-134	
1,2-Dibromo-3-chloropropane	ug/L	50	41.1	82	70-130	
1,2-Dibromoethane (EDB)	ug/L	50	41.9	84	70-130	
1,2-Dichlorobenzene	ug/L	50	41.8	84	70-130	
1,2-Dichloroethane	ug/L	50	39.6	79	70-130	
1,2-Dichloropropane	ug/L	50	43.6	87	70-130	
1,3-Dichlorobenzene	ug/L	50	41.7	83	70-130	
1,3-Dichloropropane	ug/L	50	41.4	83	70-130	
1,4-Dichlorobenzene	ug/L	50	42.2	84	70-130	
2,2-Dichloropropane	ug/L	50	42.2	84	58-145	
2-Butanone (MEK)	ug/L	100	74.5	74	70-145	
2-Chlorotoluene	ug/L	50	41.0	82	70-130	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: R-5523 45548.1.1

Pace Project No.: 92197174

LABORATORY CONTROL SAMPLE: 1178874

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2-Hexanone	ug/L	100	88.5	88	70-144	
4-Chlorotoluene	ug/L	50	42.8	86	70-130	
4-Methyl-2-pentanone (MIBK)	ug/L	100	89.5	90	70-140	
Acetone	ug/L	100	75.3	75	50-175	
Benzene	ug/L	50	42.7	85	70-130	
Bromobenzene	ug/L	50	42.8	86	70-130	
Bromochloromethane	ug/L	50	42.5	85	70-130	
Bromodichloromethane	ug/L	50	41.8	84	70-130	
Bromoform	ug/L	50	41.5	83	70-130	
Bromomethane	ug/L	50	32.1	64	54-130	
Carbon tetrachloride	ug/L	50	45.6	91	70-132	
Chlorobenzene	ug/L	50	40.0	80	70-130	
Chloroethane	ug/L	50	41.6	83	64-134	
Chloroform	ug/L	50	39.5	79	70-130	
Chloromethane	ug/L	50	33.2	66	64-130	
cis-1,2-Dichloroethene	ug/L	50	40.8	82	70-131	
cis-1,3-Dichloropropene	ug/L	50	41.9	84	70-130	
Dibromochloromethane	ug/L	50	41.2	82	70-130	
Dibromomethane	ug/L	50	41.7	83	70-131	
Dichlorodifluoromethane	ug/L	50	46.5	93	56-130	
Diisopropyl ether	ug/L	50	43.6	87	70-130	
Ethylbenzene	ug/L	50	41.5	83	70-130	
Hexachloro-1,3-butadiene	ug/L	50	44.9	90	70-130	
m&p-Xylene	ug/L	100	86.9	87	70-130	
Methyl-tert-butyl ether	ug/L	50	41.0	82	70-130	
Methylene Chloride	ug/L	50	41.2	82	63-130	
Naphthalene	ug/L	50	40.2	80	70-138	
o-Xylene	ug/L	50	42.5	85	70-130	
p-Isopropyltoluene	ug/L	50	43.2	86	70-130	
Styrene	ug/L	50	43.4	87	70-130	
Tetrachloroethene	ug/L	50	43.6	87	70-130	
Toluene	ug/L	50	41.0	82	70-130	
trans-1,2-Dichloroethene	ug/L	50	41.1	82	70-130	
trans-1,3-Dichloropropene	ug/L	50	42.0	84	70-132	
Trichloroethene	ug/L	50	42.0	84	70-130	
Trichlorofluoromethane	ug/L	50	45.6	91	62-133	
Vinyl acetate	ug/L	100	97.5	97	66-157	
Vinyl chloride	ug/L	50	50.7	101	69-130	
Xylene (Total)	ug/L	150	129	86	70-130	
1,2-Dichloroethane-d4 (S)	%			97	70-130	
4-Bromofluorobenzene (S)	%			102	70-130	
Toluene-d8 (S)	%			99	70-130	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: R-5523 45548.1.1

Pace Project No.: 92197174

Parameter	92197352007		MS		MSD		MS		MSD		% Rec	Limits	RPD	Qual
	Units	Result	Spike	Conc.	Spike	Conc.	Result	Result	% Rec	% Rec				
1,1-Dichloroethene	ug/L	ND	50	50	54.3	59.0	109	118	70-166	8				
Benzene	ug/L	ND	50	50	51.2	56.2	102	112	70-148	9				
Chlorobenzene	ug/L	ND	50	50	43.6	47.3	87	95	70-146	8				
Toluene	ug/L	ND	50	50	49.5	54.0	99	108	70-155	9				
Trichloroethene	ug/L	ND	50	50	53.7	58.5	107	117	69-151	9				
1,2-Dichloroethane-d4 (S)	%						109	111	70-130					
4-Bromofluorobenzene (S)	%						104	103	70-130					
Toluene-d8 (S)	%						102	103	70-130					

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: R-5523 45548.1.1

Pace Project No.: 92197174

QC Batch: OEXT/27042

Analysis Method: EPA 8270

QC Batch Method: EPA 3510

Analysis Description: 8270 Water MSSV

Associated Lab Samples: 92197174001, 92197174002

METHOD BLANK: 1178257

Matrix: Water

Associated Lab Samples: 92197174001, 92197174002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	ug/L	ND	10.0	04/16/14 12:20	
1,2-Dichlorobenzene	ug/L	ND	10.0	04/16/14 12:20	
1,3-Dichlorobenzene	ug/L	ND	10.0	04/16/14 12:20	
1,4-Dichlorobenzene	ug/L	ND	10.0	04/16/14 12:20	
1-Methylnaphthalene	ug/L	ND	10.0	04/16/14 12:20	
2,4,5-Trichlorophenol	ug/L	ND	10.0	04/16/14 12:20	
2,4,6-Trichlorophenol	ug/L	ND	10.0	04/16/14 12:20	
2,4-Dichlorophenol	ug/L	ND	10.0	04/16/14 12:20	
2,4-Dimethylphenol	ug/L	ND	10.0	04/16/14 12:20	
2,4-Dinitrophenol	ug/L	ND	50.0	04/16/14 12:20	
2,4-Dinitrotoluene	ug/L	ND	10.0	04/16/14 12:20	
2,6-Dinitrotoluene	ug/L	ND	10.0	04/16/14 12:20	
2-Chloronaphthalene	ug/L	ND	10.0	04/16/14 12:20	
2-Chlorophenol	ug/L	ND	10.0	04/16/14 12:20	
2-Methylnaphthalene	ug/L	ND	10.0	04/16/14 12:20	
2-Methylphenol(o-Cresol)	ug/L	ND	10.0	04/16/14 12:20	
2-Nitroaniline	ug/L	ND	50.0	04/16/14 12:20	
2-Nitrophenol	ug/L	ND	10.0	04/16/14 12:20	
3&4-Methylphenol(m&p Cresol)	ug/L	ND	10.0	04/16/14 12:20	
3,3'-Dichlorobenzidine	ug/L	ND	20.0	04/16/14 12:20	
3-Nitroaniline	ug/L	ND	50.0	04/16/14 12:20	
4,6-Dinitro-2-methylphenol	ug/L	ND	20.0	04/16/14 12:20	
4-Bromophenylphenyl ether	ug/L	ND	10.0	04/16/14 12:20	
4-Chloro-3-methylphenol	ug/L	ND	20.0	04/16/14 12:20	
4-Chloroaniline	ug/L	ND	20.0	04/16/14 12:20	
4-Chlorophenylphenyl ether	ug/L	ND	10.0	04/16/14 12:20	
4-Nitroaniline	ug/L	ND	20.0	04/16/14 12:20	
4-Nitrophenol	ug/L	ND	50.0	04/16/14 12:20	
Acenaphthene	ug/L	ND	10.0	04/16/14 12:20	
Acenaphthylene	ug/L	ND	10.0	04/16/14 12:20	
Aniline	ug/L	ND	10.0	04/16/14 12:20	
Anthracene	ug/L	ND	10.0	04/16/14 12:20	
Benzo(a)anthracene	ug/L	ND	10.0	04/16/14 12:20	
Benzo(a)pyrene	ug/L	ND	10.0	04/16/14 12:20	
Benzo(b)fluoranthene	ug/L	ND	10.0	04/16/14 12:20	
Benzo(g,h,i)perylene	ug/L	ND	10.0	04/16/14 12:20	
Benzo(k)fluoranthene	ug/L	ND	10.0	04/16/14 12:20	
Benzoic Acid	ug/L	ND	50.0	04/16/14 12:20	
Benzyl alcohol	ug/L	ND	20.0	04/16/14 12:20	
bis(2-Chloroethoxy)methane	ug/L	ND	10.0	04/16/14 12:20	
bis(2-Chloroethyl) ether	ug/L	ND	10.0	04/16/14 12:20	
bis(2-Chloroisopropyl) ether	ug/L	ND	10.0	04/16/14 12:20	
bis(2-Ethylhexyl)phthalate	ug/L	ND	6.0	04/16/14 12:20	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: R-5523 45548.1.1

Pace Project No.: 92197174

METHOD BLANK: 1178257

Matrix: Water

Associated Lab Samples: 92197174001, 92197174002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Butylbenzylphthalate	ug/L	ND	10.0	04/16/14 12:20	
Chrysene	ug/L	ND	10.0	04/16/14 12:20	
Di-n-butylphthalate	ug/L	ND	10.0	04/16/14 12:20	
Di-n-octylphthalate	ug/L	ND	10.0	04/16/14 12:20	
Dibenz(a,h)anthracene	ug/L	ND	10.0	04/16/14 12:20	
Dibenzofuran	ug/L	ND	10.0	04/16/14 12:20	
Diethylphthalate	ug/L	ND	10.0	04/16/14 12:20	
Dimethylphthalate	ug/L	ND	10.0	04/16/14 12:20	
Fluoranthene	ug/L	ND	10.0	04/16/14 12:20	
Fluorene	ug/L	ND	10.0	04/16/14 12:20	
Hexachloro-1,3-butadiene	ug/L	ND	10.0	04/16/14 12:20	
Hexachlorobenzene	ug/L	ND	10.0	04/16/14 12:20	
Hexachlorocyclopentadiene	ug/L	ND	10.0	04/16/14 12:20	
Hexachloroethane	ug/L	ND	10.0	04/16/14 12:20	
Indeno(1,2,3-cd)pyrene	ug/L	ND	10.0	04/16/14 12:20	
Isophorone	ug/L	ND	10.0	04/16/14 12:20	
N-Nitroso-di-n-propylamine	ug/L	ND	10.0	04/16/14 12:20	
N-Nitrosodimethylamine	ug/L	ND	10.0	04/16/14 12:20	
N-Nitrosodiphenylamine	ug/L	ND	10.0	04/16/14 12:20	
Naphthalene	ug/L	ND	10.0	04/16/14 12:20	
Nitrobenzene	ug/L	ND	10.0	04/16/14 12:20	
Pentachlorophenol	ug/L	ND	25.0	04/16/14 12:20	
Phenanthrene	ug/L	ND	10.0	04/16/14 12:20	
Phenol	ug/L	ND	10.0	04/16/14 12:20	
Pyrene	ug/L	ND	10.0	04/16/14 12:20	
2,4,6-Tribromophenol (S)	%	87	27-110	04/16/14 12:20	
2-Fluorobiphenyl (S)	%	81	27-110	04/16/14 12:20	
2-Fluorophenol (S)	%	47	12-110	04/16/14 12:20	
Nitrobenzene-d5 (S)	%	84	21-110	04/16/14 12:20	
Phenol-d6 (S)	%	36	10-110	04/16/14 12:20	
Terphenyl-d14 (S)	%	99	31-107	04/16/14 12:20	

LABORATORY CONTROL SAMPLE: 1178258

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	ug/L	50	31.7	63	10-110	
1,2-Dichlorobenzene	ug/L	50	38.5	77	10-110	
1,3-Dichlorobenzene	ug/L	50	36.5	73	10-110	
1,4-Dichlorobenzene	ug/L	50	39.2	78	10-110	
1-Methylnaphthalene	ug/L	50	33.5	67	21-110	
2,4,5-Trichlorophenol	ug/L	50	48.2	96	23-116	
2,4,6-Trichlorophenol	ug/L	50	44.7	89	21-114	
2,4-Dichlorophenol	ug/L	50	37.1	74	22-120	
2,4-Dimethylphenol	ug/L	50	33.8	68	15-109	
2,4-Dinitrophenol	ug/L	250	220	88	10-103	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: R-5523 45548.1.1

Pace Project No.: 92197174

LABORATORY CONTROL SAMPLE: 1178258

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dinitrotoluene	ug/L	50	55.7	111	24-119	
2,6-Dinitrotoluene	ug/L	50	57.6	115	25-116	
2-Chloronaphthalene	ug/L	50	44.1	88	18-110	
2-Chlorophenol	ug/L	50	41.2	82	10-104	
2-Methylnaphthalene	ug/L	50	34.3	69	16-110	
2-Methylphenol(o-Cresol)	ug/L	50	36.4	73	13-110	
2-Nitroaniline	ug/L	100	111	111	20-117	
2-Nitrophenol	ug/L	50	39.3	79	16-108	
3&4-Methylphenol(m&p Cresol)	ug/L	50	27.6	55	14-110	
3,3'-Dichlorobenzidine	ug/L	100	96.0	96	13-131	
3-Nitroaniline	ug/L	100	97.9	98	15-117	
4,6-Dinitro-2-methylphenol	ug/L	100	94.3	94	13-119	
4-Bromophenylphenyl ether	ug/L	50	43.4	87	23-120	
4-Chloro-3-methylphenol	ug/L	100	78.9	79	21-119	
4-Chloroaniline	ug/L	100	63.6	64	10-122	
4-Chlorophenylphenyl ether	ug/L	50	44.3	89	22-112	
4-Nitroaniline	ug/L	100	108	108	14-118	
4-Nitrophenol	ug/L	250	112	45	10-110	
Acenaphthene	ug/L	50	41.8	84	20-105	
Acenaphthylene	ug/L	50	44.1	88	23-106	
Aniline	ug/L	50	26.4	53	10-110	
Anthracene	ug/L	50	45.8	92	25-120	
Benzo(a)anthracene	ug/L	50	47.4	95	21-128	
Benzo(a)pyrene	ug/L	50	48.3	97	25-116	
Benzo(b)fluoranthene	ug/L	50	51.1	102	23-117	
Benzo(g,h,i)perylene	ug/L	50	42.9	86	17-128	
Benzo(k)fluoranthene	ug/L	50	40.4	81	25-127	
Benzoic Acid	ug/L	250	75.4	30	10-110	
Benzyl alcohol	ug/L	100	81.9	82	10-101	
bis(2-Chloroethoxy)methane	ug/L	50	39.1	78	19-107	
bis(2-Chloroethyl) ether	ug/L	50	43.3	87	10-108	
bis(2-Chloroisopropyl) ether	ug/L	50	39.8	80	10-108	
bis(2-Ethylhexyl)phthalate	ug/L	50	56.7	113	16-123	
Butylbenzylphthalate	ug/L	50	58.8	118	20-118	
Chrysene	ug/L	50	46.4	93	24-125	
Di-n-butylphthalate	ug/L	50	50.0	100	23-115	
Di-n-octylphthalate	ug/L	50	52.9	106	20-115	
Dibenz(a,h)anthracene	ug/L	50	45.3	91	18-131	
Dibenzofuran	ug/L	50	48.0	96	23-106	
Diethylphthalate	ug/L	50	44.7	89	24-115	
Dimethylphthalate	ug/L	50	44.9	90	22-113	
Fluoranthene	ug/L	50	48.9	98	24-125	
Fluorene	ug/L	50	46.3	93	24-114	
Hexachloro-1,3-butadiene	ug/L	50	31.0	62	10-110	
Hexachlorobenzene	ug/L	50	46.2	92	22-127	
Hexachlorocyclopentadiene	ug/L	50	30.3	61	10-110	
Hexachloroethane	ug/L	50	42.1	84	10-110	
Indeno(1,2,3-cd)pyrene	ug/L	50	46.1	92	18-130	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: R-5523 45548.1.1

Pace Project No.: 92197174

LABORATORY CONTROL SAMPLE: 1178258

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Isophorone	ug/L	50	36.2	72	23-114	
N-Nitroso-di-n-propylamine	ug/L	50	37.6	75	21-114	
N-Nitrosodimethylamine	ug/L	50	22.2	44	10-110	
N-Nitrosodiphenylamine	ug/L	50	37.5	75	24-123	
Naphthalene	ug/L	50	33.4	67	14-110	
Nitrobenzene	ug/L	50	34.7	69	16-106	
Pentachlorophenol	ug/L	100	90.3	90	10-123	
Phenanthrene	ug/L	50	42.8	86	25-119	
Phenol	ug/L	50	19.9	40	10-110	
Pyrene	ug/L	50	49.3	99	22-127	
2,4,6-Tribromophenol (S)	%			105	27-110	
2-Fluorobiphenyl (S)	%			83	27-110	
2-Fluorophenol (S)	%			50	12-110	
Nitrobenzene-d5 (S)	%			69	21-110	
Phenol-d6 (S)	%			38	10-110	
Terphenyl-d14 (S)	%			101	31-107	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: R-5523 45548.1.1

Pace Project No.: 92197174

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PRL - Pace Reporting Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Acid preservation may not be appropriate for 2-Chloroethylvinyl ether, Styrene, and Vinyl chloride.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-C Pace Analytical Services - Charlotte

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: R-5523 45548.1.1

Pace Project No.: 92197174

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
92197174001	PARCEL 8 B-3 GW	EPA 3510	OEXT/27042	EPA 8270	MSSV/8984
92197174002	PARCEL 14 B-4 GW	EPA 3510	OEXT/27042	EPA 8270	MSSV/8984
92197174001	PARCEL 8 B-3 GW	EPA 8260	MSV/26464		
92197174002	PARCEL 14 B-4 GW	EPA 8260	MSV/26464		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SINCE



1881

®