

PROJECT REFERENCE NO.	SHEET NO.
W-5512	EC-13/CONST.13
RW SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

NOTES: ANY DEVIATION FROM OPTIONS GIVEN WILL REQUIRE PRIOR APPROVAL BY ENGINEER.
ADDITIONAL EROSION CONTROL DEVICES MAY NEED TO BE INSTALLED AS DIRECTED BY THE ENGINEER.

NOTE: PLACE TEMPORARY ROCK SEDIMENT DAMS TYPE - B AND TEMPORARY ROCK SILT CHECKS TYPE - A AT DRAINAGE OUTLETS.



CLEARING AND GRUBBING EROSION CONTROL FOR CONSTRUCTION SHEET 13

-L-
PI Sta 147+28.94
 $\Delta = 42^\circ 25' 45.6" (RT)$
D = 4' 46" 28.7"
L = 888.64'
T = 465.80'
R = 1,200.00'
R.O. = 220'
SE = 0.08

-Y5-
PI Sta 11+77.72
 $\Delta = 11^\circ 59' 53.9" (LT)$
D = 11' 27" 33.0"
L = 104.70'
T = 52.54'
R = 500.00'

-Y6-
PI Sta 10+65.65
 $\Delta = 11^\circ 45' 20.1" (LT)$
D = 28' 38" 52.4"
L = 41.03'
T = 20.59'
R = 200.00'

-DRIVE 12-
PI Sta 10+17.70
 $\Delta = 5^\circ 29' 33.8" (RT)$
D = 229' 10" 59.2"
L = 2.40'
T = 1.20'
R = 25.00'







8.17.799

REVISIONS

MATCH LINE -L- STA 141+50 SEE SHEET 12

MATCH LINE -L- STA 155+00 SEE SHEET 14



NOTE:
SEE SHEETS 20 & 21 FOR -L- PROFILE
SEE SHEET 23 FOR -Y5- & -Y6- PROFILE
SEE SHEET 25 FOR -DRIVE 10- & -DRIVE 11- PROFILE