


ENVIRONMENTALLY SENSITIVE AREA  
SEE PROJECT SPECIAL PROVISIONS

### CLEAN WATER DIVERSION

→ CWD → CWD → CWD → CWD → CWD → CWD → CWD → CWD →

(Not to Scale)



NOTE:  
PLACE TEMPORARY ROCK SEDIMENT DAMS TYPE - B AND TEMPORARY ROCK SILT CHECKS TYPE - A AT DRAINAGE OUTLETS.

NOTE:  
PERIMETER EROSION CONTROL MEASURES SHALL BE INSTALLED DURING CLEARING AND GRUBBING PHASE.


NOTE:  
ALL EROSION CONTROL DEVICES SHOWN ARE LOCATED WITHIN EXISTING RW OR EASEMENT.

NOTE:  
ESTABLISH SUFFICIENT BUFFER FOR WATER COURSE.

PROJECT REFERENCE NO.	SHEET NO.
R-2514D	EC-9/CONST.9
RW SHEET NO.	
ROADSIDE ENVIRONMENTAL PROJECT ENGINEER	
LEVEL III CERTIFIED BY: STACEY H. BAILEY, PE CERTIFICATION NUMBER: 3074 ISSUED: FEBRUARY 02, 2015	
CLEARING AND GRUBBING EROSION CONTROL FOR CONSTRUCTION SHEET 9	

REVISIONS  
R/W REVISION 6-24-14 (DWG) - ADDED PUE TO PARCEL 54 (RICHARD H. PARKER, SR. ET UX) AT THE FOLLOWING LOCATIONS: -Y4- STA. 25+57.00 TO STA. 26+57.00 RT., -Y4- STA. 29+70.00 TO STA. 32+70.00 RT., AND -DRV3- STA. 10+30.00 TO STA. 16+50.72 LT. REVISED THE TOE FROM -DRV3- STA. 10+31.00 TO STA. 16+50.72 LT. ON PARCEL 54 (RICHARD H. PARKER, SR. ET UX).

MATCHLINE  
-L- STA. 368 + 00.00 SEE SHEET 8 STA. 74 + 00.00  
-DRV3- STA. 17 + 00.00



118 x 59 x 3  
2.5 inch Skimmer  
with 2.25 inch  
Orifice Diameter  
53 ft. weir  
ID 9.3

1.5 inch Skimmer  
with 1.5 inch  
Orifice Diameter  
20 ft. weir with  
3 ft. weir height  
ID 9.1  
(See Earthen Dam  
with Skimmer Detail)

PROPOSED LATERAL DITCHES  
CONTAINED WITHIN RIGHTS OF WAY  
PERMANENT DRAINAGE EASEMENTS

NAD 83/NSRS 2007

MATCHLINE -L- STA. 382 + 00.00 SEE SHEET 10

SBG - "SHOULDER BERM GUTTER"

SEE SHEET 35 FOR -L- PROFILE  
SEE SHEET 52 FOR -DRV3- PROFILE  
SEE SHEET 52 FOR -DRV4- PROFILE  
SEE SHEETS S-1 THRU S-? FOR STRUCTURE PLANS

SYSTEMS  
CONSULTING  
INC.