


TYPICAL SECTION

GENERAL NOTES:

- -CONSTRUCT IN ACCORDANCE WITH SECTION 859 OF THE STANDARD SPECIFICATIONS.
- -USE CLASS B CONCRETE.
- -THE DIMENSIONS FOR THE EXISTING BOXES ARE APPROXIMATE AND MAY VARY SLIGHTLY.
- -JUMBO CONCRETE BRICK WILL BE PERMITTED. 4" CONCRETE BRICK OR 8" SOLID CONCRETE BLOCK ARE REQUIRED FOR DRAINAGE STRUCTURE.
- -INCLUDE CONCRETE APRON IN UNIT PRICE BID PER EACH, CONVERT EXISTING DROP INLET TO 2GI AS NEEDED.
- -SPECIAL DESIGN IS REQUIRED FOR USE UNDER PAVEMENT.
- -CONFIRM DIMENSIONS ON EACH INDIVIDUAL FRAME & GRATE PROPOSAL.
- -SEE STD. DRAWING 840.25 FOR MASONRY ANCHORAGE.
- -SEE STD. DRAWING 840.17 FOR CONCRETE APRON.



CONC. APRON

TYPICAL SECTION

CONTRACT STANDARDS AND DEVELOPMENT UNIT Office 919-707-6950 FAX 919-250-4119

DETAIL TO CONVERT EXISTING DI, CB or JB TO 2-GI

RIGINAL BY:_	T.S.S.	DATE:	NOV.1997	
ODIFIED BY:_	T.S.S.	DATE:	FEB.2000	
HECKED BY:		DATE: .		
ILE SPEC : s	jhowerton/Convert	DI to 2GI		