



PLAN OF SIDEWALK

CLASS AA CONCRETE IN SIDEWALK	
SPAN A	52.8
SPAN B	54.1
SPAN C	45.0
SPAN D	50.1
SPAN E	50.1
SPAN F	50.1
SPAN G	50.0
TOTAL	352.2 CY



LEFT SIDEWALK



RIGHT SIDEWALK

NOTES

"U" BARS MAY BE PUSHED INTO GREEN CONCRETE AFTER SPAN HAS BEEN SCREEDED OFF.

DO NOT PLACE THE FIRST SET OF #4 "U" BARS AT EACH END BENT UNTIL JOINT HAS BEEN SAWED. ADHESIVELY ANCHOR THESE BARS IN DRILLED HOLES.

GROOVED CONTRACTION JOINTS, 1/2" IN DEPTH, SHALL BE TOOLED IN ALL EXPOSED FACES OF THE SIDEWALK IN ACCORDANCE WITH ARTICLE 825-10(B) OF THE STANDARD SPECIFICATIONS. THE CONTRACTION JOINTS SHALL BE LOCATED AT A SPACING OF 8 FT. TO 10 FT. BETWEEN EXPANSION JOINTS. NO CONTRACTION JOINTS WILL BE REQUIRED FOR SEGMENTS LESS THAN 10 FEET IN LENGTH.

ALL REINFORCING STEEL IN SIDEWALK SHALL BE EPOXY COATED.

REINFORCING STEEL FOR SIDEWALK IS INCLUDED ON "SUPERSTRUCTURE BILL OF MATERIAL" SHEET.


SECTION THRU SIDEWALK

PROJECT NO. U-5008
MECKLENBURG COUNTY
 STATION: 20+45.05 -L- P.O.T. =
14+54.24 -Y4- P.O.T.

STATE OF NORTH CAROLINA
 DEPARTMENT OF TRANSPORTATION
 RALEIGH

SIDEWALK PLAN AND SECTIONS

REVISIONS					
NO.	BY:	DATE:	NO.	BY:	DATE:
1			3		
2			4		



KCI ASSOCIATES OF NC, P.A.
 9741 SOUTHERN PINE BLVD
 SUITE J
 CHARLOTTE, NC 28273
 704-499-9452
 NC LICENSE No. C-0764

2/18/2015 1:10:07 PM Y:\0-rwings\2011 DWG\Structures\RFC\SH16_U-5008_SD_SW.dgn

DRAWN BY: R.J. FLORY DATE: 8/12/14
 CHECKED BY: R.C. LARSON DATE: 8/20/14

SHEET NO. S-16
 SHEETS 78