



2725 East Millbrook Road
Suite 121
Raleigh, NC 27604
Tel: 919-871-0999
Fax: 919-871-0335
www.atcassociates.com
N.C. Engineering License No. C-1598

November 1, 2012

Mr. Gordon Box
NC Department of Transportation
GeoEnvironmental Section
1589 Mail Service Center
Raleigh, North Carolina, 27699-1589

Reference: Preliminary Site Assessment
Parcel 170
1309 W 14th Avenue, Greenville, NC 27834
State Project: U-3315
WBS Element 35781.1.2
ATC Project No. 45.19873.0007

Dear Mr. Box:

ATC Associates of North Carolina, P.C. (ATC) has prepared this report to document the results of a preliminary site assessment (PSA) conducted at the above referenced site. The assessment was conducted in accordance with the Technical and Cost Proposal submitted to the North Carolina Department of Transportation (NCDOT) on July 27, 2012, and a Notice to Proceed letter issued by the NCDOT on August 16, 2012. This report describes field activities, laboratory results, and conclusions based on the collected data.

1.0 BACKGROUND INFORMATION

According to the request for technical and cost proposal (RFP) dated July 10, 2012, parcel 170 (site) is located at 1309 West 14th Avenue in Greenville, North Carolina. In addition, the RFP states that a retail furniture store (Discount Mattress and Furniture) is the current function on-site. However, it appears as though Sutton Amusement Co. currently operates on-site under the listed address of 1311 West 14th Street. Note that the RFP states Parcel 49 is also located at this address (1311 West 14th Street). The site and surrounding parcels are zoned commercial and historical activities on-site are unknown.

The site lies within the coastal plain of North Carolina and is underlain by the Yorktown formation, which generally consists of fossiliferous clays and sands. The site lies in the Tar-Pamlico river basin and groundwater flows generally to the northeast across the site. A groundwater gradient map for the site and surrounding parcels is included as *Figure 1*.

Due to the partial take status of the site, a soil and groundwater assessment was completed only for the area within the proposed NCDOT right-of-way and/or easement as indicated on the construction plans. A parcel identification map is included as *Figure 2*.

As per the Technical and Cost Proposal, ATC obtained a report provided by Environmental Data Resources, Inc. (EDR) of Milford, Connecticut. The report was reviewed for information regarding reported releases of hazardous substances and petroleum products on or near the site. ATC also reviewed the “unmappable” (also referred to as “orphan”) listings within the database report, cross-referencing available address information and facility names. Unmappable sites are listings that could not be plotted with confidence, but are potentially in the general area of the property in question based on the partial street address, city, or zip code. No unmappable sites were identified by ATC as being within the approximate minimum search distance from Parcel 170 based on the site reconnaissance and/or cross-referencing to mapped listings. In addition, Parcel 170 was not listed on any federal/state/local databases reviewed for this part of the historical assessment. The 1958 Sanborn Map for the site depicts the property building as being used by plumber. The 1957 aerial photograph also depicts a structure that appears to be the current building. Information prior to 1957 depicts the site as vacant. Relevant sections of the EDR report are included in *Appendix A*.

2.0 FIELD ACTIVITIES

2.1 Geophysical Survey

Prior to performing assessment activities, ATC contracted Stantec Consulting Services, Inc. (Stantec) to perform a geophysical survey of the site. The purpose of the survey was to locate USTs and/or other buried structures on the parcel. This was to be done in the area of the proposed NCDOT right of way and included proposed excavations for drainage lines, utilities, and slope stake cuts. The survey was conducted on July 18 through 19, 2012 and included electromagnetic (EM) induction-magnetic detection and ground penetrating radar (GPR) surveys. According to Stantec’s survey, no USTs and/or other buried structures were present on the parcel. However, note that a heating oil UST is located on the adjacent Parcel 49 approximately three feet from the property boundary. According to Parcel 170’s property owner’s brother, Jonathan Sutton, this UST is a heating oil tank that services his Sutton Amusement Co. business. The complete geophysical report is provided in *Appendix B*. Based on the findings of the survey and proposed construction details, ATC performed a drilling event to assess soil and groundwater conditions only in areas within the proposed (by NCDOT) right-of-way and/or easement. Details of the soil and groundwater assessment are included in *Sections 2.2* and *2.3*.

2.2 Soil Assessment

Based on the results of the geophysical survey and in anticipation of a partial take by the NCDOT, a soil assessment was completed on-site. On July 31, 2012, ATC mobilized to the site with South Atlantic Environmental Drilling and Construction Company (SAEDACCO) to conduct sampling activities. Over the course of the event, four borings (SB170-1 through SB170-3 and TW170-1) were advanced using direct-push technology (DPT) drilling techniques. Prior to the drilling, Stantec was contracted to conduct utility clearance in conjunction with the geophysical survey investigation. The NCDOT and North Carolina’s 811 service were also notified prior to field activities.

The locations of the borings are shown on the attached **Figure 3**. Each boring was advanced to a depth of five feet below ground surface (bgs) via hand auger prior to utilizing DPT drilling techniques to complete the sampling. Soil samples were collected every 1 to 3 feet and screened with a photo-ionization detector (PID). Soils encountered consisted primarily of moist, tan to gray silty sands and clays. The highest PID reading collected during the soil assessment was 0.6 parts per million (ppm) in the 0-2.5 feet bgs interval of SB170-3. Boring logs are included in **Appendix C**.

One soil sample from each boring was submitted for laboratory analysis. This was determined by either submitting the interval with the highest PID reading, or, if not applicable, the deepest interval at which proposed construction would take place. Samples were submitted to SGS Analytical Perspectives (SGS) in Wilmington, North Carolina. Following proper chain-of-custody protocol, the samples were placed in laboratory supplied containers in an ice filled cooler for analysis of Total Petroleum Hydrocarbons – Gasoline Range Organics (TPH-GRO) and Diesel Range Organics (TPH-DRO) by EPA Method 8015 Modified. Samples were also analyzed for volatile organic compounds (VOCs) by EPA method 8260B. Note that the samples were analyzed for 8260B based on the parcel's current and potential historical functions. A discussion of the laboratory results is provided in **Section 3.0**.

2.3 Groundwater Assessment

ATC supervised SAEDACCO during the installation of temporary well TW170-1 on August 1, 2012. The boring was advanced to a depth of five feet bgs via hand auger prior to utilizing DPT drilling techniques to complete the well installation activities. Temporary well TW170-1 was installed to a depth of 12 feet bgs using 10 feet of 0.010-inch machine slotted 1-inch poly vinyl chloride (PVC) well screen and solid PVC riser. The annular space of the boring was filled with washed silica sand to an approximate depth of 2 feet bgs. The location of the temporary well is shown on the attached **Figure 3** and a boring log is included in **Appendix C**.

Following the temporary well installation, ATC gauged an approximate depth to water level of 3.61 feet below the top of well casing. A peristaltic pump and dedicated polyethylene tubing were used to purge approximately one gallon prior to collecting a groundwater sample. The sample was submitted to SGS under chain-of-custody protocol for analysis of VOCs by EPA Method 8260B. Following sampling, the top of well casing was surveyed for vertical elevation using standard surveying practices from a temporary benchmark with an arbitrary, assumed elevation of 100.00 feet. This was done in conjunction with adjacent temporary wells installed on the surrounding parcels. Following surveying, the borings were filled with native soil and finished to approximately 6 inches below surface grade with bentonite. The remainder of the boring was then filled using material to match the surrounding surface.

3.0 LABORATORY RESULTS

The results of the laboratory analyses for soil samples collected on-site indicated no detectable concentrations of VOCs, TPH-GRO, and/or TPH-DRO.

The results of laboratory analyses for groundwater sample TW170-1 did not indicate any compounds at concentrations above NC Title 15A NCAC 2L .0202 Groundwater Standards (2L

Standards). Only one compound, chloromethane, was detected above laboratory detection limits but below 2L Standards. The laboratory analytical report is included in *Appendix D* and a summary of the laboratory results for the soil and groundwater sampling are provided in *Tables 1* and *2*, respectively.

4.0 CONCLUSIONS


ATC has completed PSA activities at the Parcel 170 site in Greenville, North Carolina. The results of the assessment indicate that soil and groundwater at the site have not been impacted above applicable standards. Based on a review of the site's historical data, geophysical investigation, and field assessment, ATC does not anticipate construction activities to come into contact with impacted soil and/or groundwater. However, if impacted soil or groundwater is encountered during construction activities, appropriate measures should be taken to ensure worker safety. In addition, any impacted soil or groundwater disturbed during construction should be handled and disposed of in accordance with applicable regulations.

ATC appreciates the opportunity to assist the NCDOT with this project. If you have questions or require additional information, please do not hesitate to contact us at (919) 871-0999.


Sincerely,
ATC Associates of North Carolina, P.C.



Corey M. Scheip
Staff Scientist



Justin C. Ballard, P.G.
Project Geologist



Jeffrey A. Corson
Project Manager

Attachments:

1. Table 1 – Soil Analytical Data
2. Table 2 – Groundwater Analytical Data
3. Figure 1 – Project Groundwater Gradient Map
4. Figure 2 – Parcel Identification Map
5. Figure 3 – Sample Location Map
6. Figure 4 – Soil Analytical Data Map
7. Figure 5 – Groundwater Analytical Data Map
8. Appendix A – EDR Report
9. Appendix B – Geophysical Investigation Report
10. Appendix C – Boring Logs
11. Appendix D – Laboratory Analytical Report

TABLES

TABLE 1

PSA
SOIL ANALYTICAL DATA

PARCEL 170
GREENVILLE, PITT COUNTY, NORTH CAROLINA
ATC PROJECT NO. 45.19873.0007
WBS ELEMENT NO. 35781.1.2

EPA Method:				5030/8015	3550/8015	EPA 8260					
Boring I.D.	Depth (feet)	Sampling Date	PID Reading (ppm)	TPH-GRO	TPH-DRO	Benzene	Toluene	Ethyl benzene	Total Xylenes	MTBE	Naphthalene
SB170-1	6-8	7/31/2012	0	<3.81	<7.7	<0.00529	<0.00529	<0.00529	<0.00529	<0.00529	<0.00529
SB170-2	6-8	7/31/2012	0	<3.67	<7.68	<0.00419	<0.00419	<0.00419	<0.00419	<0.00419	<0.00419
SB170-3	0-2.5	7/31/2012	0.6	<3.21	<7.27	<0.00418	<0.00418	<0.00418	<0.00418	<0.00418	<0.00418
TW170-1	6-8	8/1/2012	0	<3.87	<7.56	<0.00448	<0.00448	<0.00448	<0.00448	<0.00448	<0.00448
NCDENR Action Level				10	10	--	--	--	--	--	--
Soil-to-Groundwater MSCC				--	--	0.0056	4.3	4.9	4.6	0.091	0.16
Residential MSCC				--	--	18	1,200	1,560	3,129	350	313
Industrial/Commercial MSCC				--	--	164	32,000	40,000	81,760	3,100	8,176

Notes:

1. TPH = Total petroleum hydrocarbons.
2. GRO = Gasoline range organics.
3. DRO = Diesel range organics.
4. Concentrations reported in milligrams per kilogram (mg/kg).
5. "<" = not detected at or above the laboratory detection limit.
6. MSCC = Maximum Soil Contaminant Concentration Levels.
7. NE = Not established.
8. NA = Not analyzed.
9. MTBE = Methyl tertiary butyl ether.
10. Values in **BOLD** indicate levels above Soil-to-Groundwater MSCCs and/or the NCDENR Action Level.
11. # = Health based level > 100%.

TABLE 2

PSA
GROUNDWATER ANALYTICAL DATA


PARCEL 170
GREENVILLE, PITT COUNTY, NORTH CAROLINA
ATC PROJECT NO. 45.19873.0007
WBS ELEMENT NO. 35781.1.2

Analytical Method		EPA Method 8260B							
Contaminant of Concern		Benzene	Toluene	Ethylbenzene	Total Xylenes	Total BTEX	MTBE	Naphthalene	Chloromethane
Well ID	Date Collected								
TW170-1	8/1/2012	<1.0	<1.0	<1.0	<2.0	NE	<1.0	<1.0	1.36
2L Standard (mg/l)		1	600	600	500	NE	20	6	3
GCL (mg/l)		5,000	260,000	84,500	85,500	NE	20,000	6,000	3,000

Notes:

1. "<" or ND = Not detected at or above the laboratory detection limit.
2. Concentrations are reported in micrograms per liter ($\mu\text{g/l}$) = parts per billion.
3. Concentrations in bold print equal or exceed the NCDENR 2L Standard (2L).
4. NCDENR = North Carolina Department of Environment and Natural Resources.
5. GCL = Gross Contaminant Level.
6. NE = Not Established.
7. MTBE = Methyl Tertiary Butyl Ether.
8. Gross Contamination Levels for Groundwater are referenced in the Guidelines for Assessment and Corrective Action, November 2008, updated January 2010.
9. BTEX = Benzene, Toluene, Ethylbenzene, Total Xylenes
10. Temporary well TW170-1 was installed, sampled, and abandoned on 8/1/2012.

FIGURES



ATC Associates of North Carolina, P.C.
 RALEIGH, NORTH CAROLINA (919) 871-0999 FAX (919) 871-0335

TITLE: **FIGURE 1**
 PROJECT: **GROUNDWATER GRADIENT MAP**
 STATIONS: **STANTONSBURG ROAD/TENTH STREET CONNECTOR FROM**
MEMORIAL DRIVE (US13) TO EVAN STREET
 GREENVILLE, NC
 NCDOT PROJECT U-3315

CAD FILE	WBS ELEMENT	PREP. BY	REV. BY	DATE	PROJECT NO.
	3578 I. 1.2	CS	JB	10-31-2012	45.19873.0007

NOTES:
 1) WELL TW55-1 NOT USED TO
 CONSTRUCT CONTOURS.

LEGEND



→ (97.11) INFERRED GROUNDWATER FLOW DIRECTION

— GROUNDWATER ELEVATION

--- GROUNDWATER ISOCONTOUR (DASHED WHERE ESTIMATED)

LEGEND

- EXISTING RIGHT OF WAY
- PROPOSED RIGHT OF WAY
- PROPERTY LINE
- U/G CABLE TV
- U/G CABLE TELEPHONE
- U/G CABLE TELEPHONE FIBER OPTIC
- EXISTING HYDRO
- U/G CABLE TV FIBER OPTIC
- PERMANENT UTILITY EASEMENT
- FILL LINE
- CUT LINE
- CHL CHAIN LINK
- CB CATCH BASIN
- RCP REINFORCED CONCRETE PIPE
- EOT EDGE OF TRAVEL
- MH MANHOLE
- TC TERRA COTTA PIPE
- ☐ TRAFFIC SIGNAL POLE



ATC Associates of North Carolina, P.C.
 RALEIGH, NORTH CAROLINA (919) 871-0999 FAX (919) 871-0335



TITLE **FIGURE 2**
 PARCEL IDENTIFICATION MAP
 ANTHONY TODD & JONATHAN KEVIN SUTTON
 PROPERTY - PARCEL 170
 1309 W 14TH AVE
 GREENVILLE NC 27834

CAD FILE	WBS ELEMENT	PREP. BY	REV. BY	SCALE	DATE	PROJECT NO.
	3578 I. 1.2	JB	KN	1"=60'-0"	10-31-2012	45.19873.0007

NOTES:

LEGEND

- EXISTING RIGHT OF WAY
- PROPOSED RIGHT OF WAY
- PROPERTY LINE
- U/G CABLE TV
- U/G CABLE TELEPHONE
- U/G CABLE TELEPHONE FIBER OPTIC
- U/G ELECTRIC
- EXISTING HYDRO
- U/G CABLE TV FIBER OPTIC
- PERMANENT UTILITY EASEMENT
- FILL LINE
- CUT LINE
- CHL CHAIN LINK
- CB CATCH BASIN
- RCP REINFORCED CONCRETE PIPE
- EOT EDGE OF TRAVEL
- MH MANHOLE
- TC TERRA COTTA PIPE
- ☐ TRAFFIC SIGNAL POLE
- ⊙ UTILITY POLE
- ⊙ LIGHT POLE
- SOIL BORING LOCATION
- TEMPORARY WELL LOCATION



ATC Associates of North Carolina, P.C.
 RALEIGH, NORTH CAROLINA (919) 871-0999 FAX (919) 871-0335



TITLE **FIGURE 3**
 SAMPLE LOCATION MAP
 ANTHONY TODD & JONATHAN KEVIN SUTTON
 PROPERTY - PARCEL 170
 1309 W 14TH AVE
 GREENVILLE NC 27834

CAD FILE	WBS ELEMENT	PREP. BY	REV. BY	SCALE	DATE	PROJECT NO.
	3578 I. 1.2	JB	KN	1"=20'-0"	10-31-2012	45.19873.0007

NOTES:

LEGEND

- EXISTING RIGHT OF WAY
- PROPOSED RIGHT OF WAY
- PROPERTY LINE
- U/G CABLE TV
- U/G CABLE TELEPHONE
- U/G CABLE TELEPHONE FIBER OPTIC
- U/G ELECTRIC
- EXISTING HYDRO
- U/G CABLE TV FIBER OPTIC
- PERMANENT UTILITY EASEMENT
- FILL LINE
- CUT LINE
- CHL CHAIN LINK
- CB CATCH BASIN
- RCP REINFORCED CONCRETE PIPE
- EOT EDGE OF TRAVEL
- MH MANHOLE
- TC TERRA COTTA PIPE
- ☐ TRAFFIC SIGNAL POLE
- ⊙ UTILITY POLE
- ⊙ LIGHT POLE
- SOIL BORING LOCATION
- TEMPORARY WELL LOCATION
- ND NO ANALYZED COMPOUNDS DETECTED AT OR ABOVE MSCCS AND/OR NCDENR ACTION LEVELS



ATC Associates of North Carolina, P.C.
 RALEIGH, NORTH CAROLINA (919) 871-0999 FAX (919) 871-0335

SCALE	DATE	PROJECT NO.
1"=20'-0"	10-31-2012	45.19873.0007

TITLE **FIGURE 4**
 SAMPLE LOCATION MAP
 ANTHONY TODD & JONATHAN KEVIN SUTTON
 PROPERTY - PARCEL 170
 1309 W 14TH AVE
 GREENVILLE NC 27834

WBS ELEMENT	PREP. BY	REV. BY
35781.1.2	CS	JB

NOTES:
 1) VALUES IN BOLD INDICATE LEVELS ABOVE SOIL-TO-GROUNDWATER MAXIMUM SOIL CONTAMINANT CONCENTRATIONS (MSCC) AND/OR NCDENR ACTION LEVELS.

20+00
ANTHONY TODD SUTTON & JONATHAN KEVIN SUTTON & M.B. 2 PG. 180 D.B. 1491, PG. 322
WILLIAM GORHAM & WF MALINDA GORHAM D.B. 1669, PG. 524 M.B. 2 PG. 180

49

170



172

173

LEGEND

- EXISTING RIGHT OF WAY
- PROPOSED RIGHT OF WAY
- PROPERTY LINE
- U/G CABLE TV
- U/G CABLE TELEPHONE
- U/G CABLE TELEPHONE FIBER OPTIC
- U/G ELECTRIC
- EXISTING HYDRO
- U/G CABLE TV FIBER OPTIC
- PERMANENT UTILITY EASEMENT
- FILL LINE
- CUT LINE
- CHL CHAIN LINK
- CB CATCH BASIN
- RCP REINFORCED CONCRETE PIPE
- EOT EDGE OF TRAVEL
- MH MANHOLE
- TC TERRA COTTA PIPE
- ☐ TRAFFIC SIGNAL POLE
- ⊙ UTILITY POLE
- ⊙ LIGHT POLE
- SOIL BORING LOCATION
- TEMPORARY WELL LOCATION

		DATE COLLECTED
TW170-1		08/01/12
BENZENE	µg/L	<1.0
TOLUENE	µg/L	<1.0
ETHYLBENZENE	µg/L	<1.0
TOTAL XYLENES	µg/L	<2.0
MTBE	µg/L	<1.0
NAPHTHALENE	µg/L	<1.0
CHLOROMETHANE	µg/L	1.36



RALEIGH, NORTH CAROLINA (919) 871-0999 FAX (919) 871-0335

SCALE	DATE	PROJECT NO.
1"=20'-0"	10-31-2012	45.19873.0007

TITLE **FIGURE 5**
 GROUNDWATER ANALYTICAL DATA MAP
 ANTHONY TODD & JONATHAN KEVIN SUTTON
 PROPERTY - PARCEL 170
 1309 W 14TH AVE
 GREENVILLE NC 27834

WBS ELEMENT	PREP. BY	REV. BY
3578 I. 1.2	CS	JB

NOTES:
 1) VALUES IN BOLD INDICATE LEVELS AT OR ABOVE NC 2L STANDARDS.
 2) TW170-1 SET AT 12' BELOW GROUND SURFACE (BGS) WITH A SCREENED INTERVAL OF 2-12' BGS.

ANTHONY TODD SUTTON & JONATHAN KEVIN SUTTON & M.B. 2 PG. 180 D.B. 1491, PG. 322

WILLIAM GORHAM & WF MALINDA GORHAM D.B. 1669, PG. 524 M.B. 2 PG. 180

49

170

172

173

ISMTLBUS

ISBLKBUS

20+00

DUE

DUE

TWI70-1

SBI70-1

SBI70-2

SBI70-3

15" RCP-IV

24" RCP-IV

24" RCP-IV

30" RCP-IV

36" RCP-IV

30" RCP-IV

CONC

CONC

BST

CB

C&G

10" TC

5s

EXIST R7W

EXIST R7W

EXIST R7W

EXIST R7W

EXIST R7W

EXIST R7W

EXIST R7W

EXIST R7W

APPENDIX A
EDR REPORT

U-3315

West 14th Street

Greenville, NC 27834

Inquiry Number: 3363129.5

July 10, 2012

The EDR Aerial Photo Decade Package



440 Wheelers Farms Road
Milford, CT 06461
800.352.0050
www.edrnet.com

EDR Aerial Photo Decade Package

Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2012 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Date EDR Searched Historical Sources:

Aerial Photography July 10, 2012

Target Property:

West 14th Street


Greenville, NC 27834

<u>Year</u>	<u>Scale</u>	<u>Details</u>	<u>Source</u>
1957	Aerial Photograph. Scale: 1"=500'	Panel #: 35077-E4, Greenville SW, NC; Flight Date: March 10, 1957	EDR
1961	Aerial Photograph. Scale: 1"=1000'	Panel #: 35077-E4, Greenville SW, NC; Flight Date: October 16, 1961	EDR
1974	Aerial Photograph. Scale: 1"=1000'	Panel #: 35077-E4, Greenville SW, NC; Flight Date: April 10, 1974	EDR
1977	Aerial Photograph. Scale: 1"=750'	Panel #: 35077-E4, Greenville SW, NC; Flight Date: January 30, 1977	EDR
1982	Aerial Photograph. Scale: 1"=1000'	Panel #: 35077-E4, Greenville SW, NC; Flight Date: March 29, 1982	EDR
1993	Aerial Photograph. Scale: 1"=500'	Panel #: 35077-E4, Greenville SW, NC; Composite DOQQ - acquisition dates: March 08, 1993	EDR
1999	Aerial Photograph. Scale: 1"=1000'	Panel #: 35077-E4, Greenville SW, NC; Flight Date: September 23, 1999	EDR
2005	Aerial Photograph. Scale: 1"=500'	Panel #: 35077-E4, Greenville SW, NC; Flight Year: 2005	EDR
2006	Aerial Photograph. Scale: 1"=500'	Panel #: 35077-E4, Greenville SW, NC; Flight Year: 2006	EDR
2008	Aerial Photograph. Scale: 1"=500'	Panel #: 35077-E4, Greenville SW, NC; Flight Year: 2008	EDR



INQUIRY #: 3363129.5

YEAR: 1957

 = 500'





INQUIRY #: 3363129.5

YEAR: 1961

| = 1000'





INQUIRY #: 3363129.5

YEAR: 1974

| = 1000'






INQUIRY #: 3363129.5

YEAR: 1977

 = 750'





INQUIRY #: 3363129.5

YEAR: 1982

 = 1000'






INQUIRY #: 3363129.5

YEAR: 1993



 = 500'



INQUIRY #: 3363129.5

YEAR: 1999

| = 1000'





INQUIRY #: 3363129.5

YEAR: 2005

| = 500'





INQUIRY #: 3363129.5

YEAR: 2006


 = 500'





INQUIRY #: 3363129.5

YEAR: 2008

 = 500'



U-3315

West 14th Street

Greenville, NC 27834

Inquiry Number: 3363129.3

July 10, 2012

Certified Sanborn® Map Report



440 Wheelers Farms Road
Milford, CT 06461
800.352.0050
www.edrnet.com

Certified Sanborn® Map Report

7/10/12

Site Name:

U-3315
West 14th Street
Greenville, NC 27834

Client Name:

ATC Associates Inc. #45
2725 East Millbrook Road
Raleigh, NC 27604

EDR Inquiry # 3363129.3

Contact: Jeff Corson



The complete Sanborn Library collection has been searched by EDR, and fire insurance maps covering the target property location provided by ATC Associates Inc. #45 were identified for the years listed below. The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by Sanborn Library LLC, the copyright holder for the collection.

Certified Sanborn Results:

Site Name: U-3315
Address: West 14th Street
City, State, Zip: Greenville, NC 27834
Cross Street:
P.O. # NA
Project: NA
Certification # D067-4C5F-9194



Sanborn® Library search results
Certification # D067-4C5F-9194

Maps Provided:

1958
1946
1929
1923

The Sanborn Library includes more than 1.2 million Sanborn fire insurance maps, which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- Library of Congress
- University Publications of America
- EDR Private Collection

The Sanborn Library LLC Since 1866™

Limited Permission To Make Copies

ATC Associates Inc. #45 (the client) is permitted to make up to THREE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2012 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Sanborn Sheet Thumbnails

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.



1958 Source Sheets




Volume 1, Sheet 23



Volume 1, Sheet 25

1946 Source Sheets



Volume 1, Sheet 23



Volume 1, Sheet 25

1929 Source Sheets



Volume 1, Sheet 23



Volume 1, Sheet 25

1923 Source Sheets




Volume 1, Sheet 16



Volume 1, Sheet 17

1923 Certified Sanborn Map



13
APR. 1923
GREENVILLE
N.C.

SCALE 100 FT. TO AN INCH

This map is a reproduction of the original map as published by the Sanborn Fire Insurance Company. It is not to be used for any other purpose. The Sanborn Fire Insurance Company is not responsible for any errors or omissions.

Certification # D067-4C5F-9194

Scale 100 Ft. to One Inch.

Site Name: U-3315
 Address: West 14th Street
 City, ST, ZIP: Greenville NC 27834
 Client: ATC Associates Inc. #45
 EDR Inquiry: 3363129.3
 Order Date: 7/10/2012 9:52:03 AM
 Certification #: D067-4C5F-9194
 Copyright: 1923



1923 Certified Sanborn Map

The certified Sanborn Map is a reproduction of the original map as published by the Sanborn Fire Insurance Co. of New York, N.Y. The original map was published in 1923 and is a reproduction of the original map as published by the Sanborn Fire Insurance Co. of New York, N.Y. The original map was published in 1923 and is a reproduction of the original map as published by the Sanborn Fire Insurance Co. of New York, N.Y.

Certification # D067-4CSF-9194

Site Name: U-3315
 Address: West 14th Street
 City, ST, ZIP: Greenville NC 27834
 Client: ATC Associates Inc. #45
 EDR Inquiry: 3363129-3
 Order Date: 7/10/2012 9:52:03 AM
 Certification #: D067-4CSF-9194
 Copyright: 1923



APR 1923
GREENVILLE
 N. C.
 SCALE 100 FT. TO AN INCH
 138

19 Scale 100 Ft. to One Inch
 Copyright 1923 by the Sanborn Fire Ins. Co.

1929 Certified Sanborn Map




Copyright © 2012 by Sanborn Map Company. All rights reserved. This map is a reproduction of the original map. It is not to be used for any other purpose. For more information, contact Sanborn Map Company at 1500 North 17th Street, Raleigh, NC 27601. Phone: 919-873-8800. Website: www.sanborn.com

Certification # D067-4C5F-9194

Site Name: U-3315
 Address: West 14th Street
 City, ST, ZIP: Greenville NC 27834
 Client: ATC Associates Inc. #45
 EDR Inquiry: 3363129.3
 Order Date: 7/10/2012 9:52:03 AM
 Certification #: D067-4C5F-9194
 Copyright: 1929



1929 Certified Sanborn Map



The certified herein is a reproduction of a map made by the Sanborn Fire Insurance Company, Inc. for the purpose of showing the location of the property described in the certificate of title. It is not intended to show the location of the property described in the certificate of title. It is not intended to show the location of the property described in the certificate of title. It is not intended to show the location of the property described in the certificate of title.

Certification # D067-4CSF-9194

Site Name: U-3315
 Address: West 14th Street
 City, ST, ZIP: Greenville NC 27834
 Client: ATC Associates Inc.#45
 EDR Inquiry: 3363129-3
 Order Date: 7/10/2012 9:52:03 AM
 Certification #: D067-4CSF-9194
 Copyright: 1929



1946 Certified Sanborn Map



Copyright © 2012 by ATC Associates, Inc. All rights reserved. This map is a reproduction of the original map made by The Sanborn Map Company, Inc. in 1946. It is not to be used for any other purpose without the written permission of ATC Associates, Inc. For more information, please contact ATC Associates, Inc. at 10101 Northpark Drive, Suite 100, Dallas, Texas 75243. Phone: (972) 434-1000. Website: www.atcassociates.com. City of Greenville, North Carolina. 10/10/2012 9:52:03 AM. D067-4C5F-9194

Certification # D067-4C5F-9194

Scale 100 Ft. to One Inch

Site Name: U-3315
 Address: West 14th Street
 City, ST, ZIP: Greenville NC 27834
 Client: ATC Associates Inc. #45
 EDR Inquiry: 3363129.3
 Order Date: 7/10/2012 9:52:03 AM
 Certification #: D067-4C5F-9194
 Copyright: 1946



1946 Certified Sanborn Map

This certified Sanborn map is a reproduction of a map published by the Sanborn Fire Insurance Company, Inc. in 1946. It is a reproduction of a map published by the Sanborn Fire Insurance Company, Inc. in 1946. It is a reproduction of a map published by the Sanborn Fire Insurance Company, Inc. in 1946.

Certification # D067-4CSF-9194



Site Name: U-3315
 Address: West 14th Street
 City, ST, ZIP: Greenville NC 27834
 Client: ATC Associates Inc. #45
 EDR Inquiry: 3363129-3
 Order Date: 7/10/2012 9:52:03 AM
 Certification #: D067-4CSF-9194
 Copyright: 1946



1958 Certified Sanborn Map



Sanborn Fire Insurance Maps are published by the Sanborn Fire Insurance Company, Inc. Copyright 1958. All rights reserved. This map is a reproduction of the original map. It is not to be used for any other purpose without the express written consent of the Sanborn Fire Insurance Company, Inc.


Certification # D067-4C5F-9194

Site Name: U-3315
 Address: West 14th Street
 City, ST, ZIP: Greenville NC 27834
 Client: ATC Associates Inc. #45
 EDR Inquiry: 3363129.3
 Order Date: 7/10/2012 9:52:03 AM
 Certification #: D067-4C5F-9194
 Copyright: 1958

3363129 - 3



1958 Certified Sanborn Map



The certified Sanborn fire insurance map is a valuable tool for determining the location and condition of buildings and structures. It is a valuable tool for determining the location and condition of buildings and structures. It is a valuable tool for determining the location and condition of buildings and structures.

Certification # D067-4CSF-9194

Site Name: U-3315
 Address: West 14th Street
 City, ST, ZIP: Greenville NC 27834
 Client: ATC Associates Inc. #45
 EDR Inquiry: 3363129-3
 Order Date: 7/10/2012 9:52:03 AM
 Certification # D067-4CSF-9194
 Copyright: 1958



APPENDIX B
GEOPHYSICAL REPORT

SUBSURFACE INVESTIGATION REPORT

Electromagnetic Induction, Magnetic Detection & *GPR Survey*

**Sutton, Anthony Todd Property (Parcel 170)
1309 West 14th Street
Greenville, North Carolina**

July 19, 2012

**Report prepared for:
Justin C. Ballard, P.G.
ATC Associates of North Carolina
2725 Millbrook Road, Suite 121
Raleigh, North Carolina 27604**

Investigative Team: Shane Haniford, Joe Chiocca

Reviewed by: Bruce Beavers P.L.S. and Alex Baldwin L.S.S.

**Stantec Consulting Services Inc.
801 Jones Franklin Road, Suite 300
Raleigh, NC 27606
(919) 851-6866**

**ATC Associates of North Carolina
Subsurface Investigation Report
Sutton, Anthony Todd Property (Parcel 170)
1309 West 14th Street
Greenville, North Carolina**

1.0 PURPOSE

Stantec Consulting Services Inc. performed a subsurface investigation utilizing surface Ground Penetrating Radar (GPR), Magnetic Detection and Electromagnetic Induction (EM) to survey the subject site located at 1309 West 14th Street in the city of Greenville, North Carolina and is located less than 100 feet south of the intersection Spruce Street and West 14th Avenue.

This site is currently a furniture retail facility. Previous functions of the building are unclear and may have been an industrial site.

ATC Associates representative Mr. Justin C. Ballard, P.G. provided information and maps identifying the geophysical survey area to Stantec personnel prior to conducting the investigation.

Survey was conducted at the request of Justin C. Ballard, P.G. on July 18th to 19th 2012.

The purpose of this investigation was to:

- Survey for detectable structures (UST) and other subsurface anomalies.

The specified survey area was described as 1309 West 14th Street in the city of Greenville, North Carolina and located less than 100 feet south of the intersection Spruce Street and West 14th Avenue.

A map depicting this area is included herein.

1.1 LIMITING CONDITIONS

In the event portions of the subject site were not accessible due to obstructions and/or stored items, those areas will be noted as inaccessible. An attempt was made to be as thorough as possible in the survey process. The surveyed area was defined, at the time of the investigation,

by the Client. Client representative on site was Aaron Leff with ATC Associates of North Carolina.

In order to accurately conduct a radar survey, linear scans were made across the target area. Confined, obstructed or non-level areas which restrict the scanning pattern can impede the data collected and reduce the accuracy of the desired results.

The assessment of this site is based on our professional evaluation of the data gathered, and our experience with the properties with surface ground penetrating radar within this setting and scope. The evaluation rendered in this report meets the standards of our profession and was conducted in accordance with generally accepted guidelines for EM, Magnetic Detection and GPR surveys. It is generally recognized that the results of the EM, Magnetic Detection and GPR are non-unique and may not represent actual subsurface conditions.

Note: A diligent effort has been made to obtain the highest quality data and make useful interpretations.

Analysis of data was accomplished by visual inspection in the field and then recording the data for post processing.

1.2 APPROACH

Multiple tools involving differing technologies were used in this investigation.

For the GPR analysis, the entire subject survey area was divided logistically into manageable/workable sections.

These isometric sections represent the arrangement of the survey scans. Within these sections, scans were made in an orthogonal pattern on two foot centers. This provided two separate data sets for each section.

For Magnetic Detection and Electromagnetic Induction the area was systematically scanned in such a pattern so to cover over 100% of the accessible portions of the site. This is possible due to the size and shape of the resulting fields produced from the sensors thus resulting in an “overlapping” of each transect covered.

2.0 METHODOLOGY

2.1 EQUIPMENT

Ground Penetrating Radar (GPR)

The GPR method transmits electromagnetic waves, which are pulsed at discrete distance/ time intervals.

The transmitted pulse radiates through the earth whereby a portion of the energy is reflected from interfaces of contrasting electrical properties (e.g. pavement and soil interface, soil stratigraphic changes and buried metallic objects) while the remaining energy continues until reaching additional reflectors where the process is repeated.

Reflected energy is received by the antennae and recorded for later processing and interpretation. Factors such as soil moisture, clay content, and variations in the dielectric constants of materials control the effectiveness of the GPR method. Wet conductive soils severely attenuate GPR signals and thus the effective depth of exploration.

The presence of foreign products leached into the soil can eschew the data collected thereby affecting the images.

GPR energy cannot transmit through ferrous objects since metal acts as a pure reflector.

Stantec employed a MALA X3M/GPR digital radar unit with a 250 MHz center frequency, bistatic antenna to survey the site. The instrument was configured to detect moderately shallow reflectors within the geologic strata. The chosen instrument configuration facilitates the analysis. The GPR system unit was configured for data collection as follows:

- Trigger Source: Cart
- Range: 0-66 ns
- Samples per Scan: 250-512
- Sampling Frequency: 10852.27 to 7234.85 MHz
- Vertical High Pass Filter: 15 Samples
- Vertical Low Pass Filter: 5 Samples
- Point Interval: 0.669 to 0.906 in
- Pulses/Ft: 108.48

Software utilized for the collection and analysis of these data included:
RAMAC Ground Vision GPR Software version 3. 1. 19. (5).

2.2 EQUIPMENT

Electromagnetic (EM) and Magnetic Detection

The magnetic detection method is a Low Frequency (30 to 300 kHz) or Very Low Frequency (below 30 kHz) receiver for detecting electromagnetic fields which radiate off of metallic objects. Magnetic locators operate on a simple principal.

An electronic transmitter and receiving antennae are mounted on a support structure. The two antennae are mounted a fixed distance apart aligned opposing so that the magnetic field measured by one sensor is negative of the magnetic field measured by the other. Each measures the average magnetic field component along their axis i.e. the magnetic field component along the longitudinal axis between the antennae.

This is calibrated in the field to a position (setting) which is neutral to the earth's natural magnetic field. When a metallic object is introduced within this field, it is detected as a differing field. This differing magnetic field is the field of interest.

Stantec employed this method of locating buried metallic objects as a compliment to GPR for the subject site.

Stantec selected the following instruments for this particular task:

- Subsurface Magnetic Locator ML-1M
- Schonstedt GA-52Cx. HeliFlux magnetic field sensors—drive frequency 7.5 KHz.
- RadioDetection 8000 T-10 model utilizing 512 hertz, 8 KHz, 33 KHz, 65 KHz, 50/60 hertz, long wave radio frequencies

3.0 DATA PROCESSING AND ANALYSIS-GPR

Stantec calculated the average radar propagation velocity for the subject sites. This procedure is necessary to provide reasonably accurate depth estimates for reflection events in the subsurface strata.

The average radar velocity for the site was estimated. It should be noted that the dielectric constants and hence the corresponding radar propagation velocities did vary by an order of degree(s) of magnitude across the surveyed area. Additionally, radar propagation velocity decreases with depth in most geologic sections.

Data processing of the GPR data prior to interpretation included band pass filtering, background removal, horizontal smoothing, trace editing, and time gain adjustments. After processing, the data profiles were reviewed for analysis. These processing techniques were applied to the GPR data to provide the highest quality data and therefore facilitate the overall interpretation process.

4.0 RESULTS & CONCLUSIONS

Stantec Consulting Services Inc. has completed a subsurface investigation of the subject site.

Multiple methods and technologies were used where permitted by the environment.

Survey scans were made throughout the targeted area.

The survey revealed anomalies within the subject site.

Target A: A Known UST of approximately six (6) feet by six (6) feet was noted which is also in Parcel 49 report. There are two (2) small metal vent pipes approximately two (2) inches in diameter protruding from the delineated area of the known UST. This anomaly abuts to the face of the exterior wall in which the footings interfere with the readings of the instrumentation used. This discovery was made using magnetics indicating metallic objects and Surface Ground Penetrating Radar. Surface Ground Penetrating Radar data showed a metallic signature and the stratigraphic walls of two different soil conditions. A sketch of this area is included on page 10.

1. Two (2) parallel gas service lines were discovered along the southwest building face entering into the parcel limits from West 14th Ave to the north and traveling in the sidewalk and along the edge of the sidewalk to the gas meter located at the southern corner of the building. A sketch of this area is included on page 10.
2. A water service from the southwest side of the Sutton Amusement building just north of probable UST (Target A) traveling from building northwest into parking lot where signal

ends. Line may continue from that point but no metal signatures found after end of information. A sketch of this area is included on page 10.

3. A water service was detected using Electromagnetic Induction from a water meter located at the north side of building just east of parking lot entrance. Water was detected to run to building from meter using 33 kHz. A sketch of this area is included on page 10.
4. Storm drain was found traveling from building roof drain entering ground to West 14th Ave curb in a westerly direction using ground penetrating radar (GPR). Line is shallow within the first foot of earth. A sketch of this area is included on page 10.
5. Storm drain was found traveling from building roof drain entering ground to West 14th Ave curb in a easterly direction using ground penetrating radar (GPR). Line is shallow within the first foot of earth. A sketch of this area is included on page 10.
6. A water service was detected using Electromagnetic Induction from a water meter located at the north side of building east of parking lot entrance. Water was detected to run to building from meter using 33 kHz. A sketch of this area is included on page 10.




Side view of Parcel 170 facing Parking Lot



Known UST shown with two metal vents physically on Parcel 49




Front of Parcel 170 facing West 14th Avenue



Anomaly showing Probable UST with two spikes at surface metal locations of vents




Stantec



Designed by:

Checked by:



100% RECYCLED PAPER

Field Sketch completed at time of discoveries



APPENDIX C
BORING LOGS



BORING LOG: SB170-1

Client: NCDOT
 Project: U-3315 Parcel 170
 Greenville, Pitt County, North Carolina
 WBS Element 35781.1.2

Date(s) Drilled : 7/31/2012
 Driller : SAEDACCO
 Drilling Method : Direct Push

Boring Diameter : 2.25 Inches
 Sampling Method : Macrocore
 Sampling Interval : Continuous

ATC Project No. 45.19873.0007

Logged By : Aaron Leff

Depth In Feet	USCS	GRAPHIC	DESCRIPTION	PID VOC (ppm)	Sample
0	CG		Concrete and subbase		
1	ML		Gray, sandy SILT, moist	0.0	
3	CL		Soft, gray and tan, silty CLAY, moist	0.0	
5	CL		Gray and tan mottled, silty CLAY, moist	0.0	
7	CL		Gray and tan mottled, silty CLAY, moist	0.0	x
8	SW		Tan, coarse grained SAND, wet		
End of boring at 8' bgs					

Soil sample was collected from 6'-8' bgs interval.



BORING LOG: SB170-2

Client: NCDOT
 Project: U-3315 Parcel 170
 Greenville, Pitt County, North Carolina
 WBS Element 35781.1.2

Date(s) Drilled : 7/31/2012
 Driller : SAEDACCO
 Drilling Method : Direct Push

Boring Diameter : 2.25 Inches
 Sampling Method : Macrocore
 Sampling Interval : Continuous

ATC Project No. 45.19873.0007

Logged By : Aaron Leff

Depth In Feet	USCS	GRAPHIC	DESCRIPTION	PID VOC (ppm)	Sample
0			Grass and gravelly topsoil		
1			Gray and tan, CLAY	0.0	
2					
3					
4	CL			0.0	
5					
6				0.0	
7	ML		Gray, sandy SILT, wet	0.0	x
8	CL		Gray, silty CLAY, moist		
End of boring at 8' bgs					

Soil sample was collected from 6'-8' bgs interval.



BORING LOG: SB170-3

Client: NCDOT
 Project: U-3315 Parcel 170
 Greenville, Pitt County, North Carolina
 WBS Element 35781.1.2

Date(s) Drilled : 7/31/2012
 Driller : SAEDACCO
 Drilling Method : Direct Push

Boring Diameter : 2.25 Inches
 Sampling Method : Macrocore
 Sampling Interval : Continuous

ATC Project No. 45.19873.0007

Logged By : Aaron Leff

Depth In Feet	USCS	GRAPHIC	DESCRIPTION	PID VOC (ppm)	Sample
0	CG		Concrete and subbase		
1	ML		Gray and tan, sandy SILT, moist	0.6	x
2	CL		Gray and tan, sandy, silty CLAY, moist	0.4	
3					
4					
5	ML		Gray, sandy SILT, moist	0.0	
6					
7	SW		Gray, silty, coarse grained SAND, wet	0.0	
8	End of boring at 8' bgs				

Soil sample was collected from 6'-8' bgs interval.



WELL LOG: TW170-1

Client: NCDOT
 Project: U-3315 Parcel 170
 Greenville, Pitt County, North Carolina

Date Drilled : 8/1/2012
 Drilling Company : SAEDACCO
 Drilling Method : Direct-Push

Boring Diameter : 2.25 inches
 Sampling Method : Macrocore
 Sampling Interval : Continuous

WBS Element 35784.1.1.2
 ATC Project No. 45.19873.0007

Logged By : Aaron Leff

DEPTH	USCS	GRAPHIC	DESCRIPTION	PID (ppm)	
0	AR		Concrete and subbase		Well: TW170-1 Top of Casing: Not Surveyed
1	SW		Gray, silty SAND, moist	0.0	
2					
3	CL		Tan and gray, clayey SAND, very moist	0.0	
4					
5	SW		Gray and tan, silty, clayey SAND, very moist	0.0	
6					
7	SW		Gray, silty SAND, saturated		
8			No recovery		
9					
10					
11					
12					

Temporary well TW170-1 set at 12' bgs

Temporary well TW170-1 set at 12 feet bgs and screened from 2-12 feet bgs.
 Soil sample taken at 6-8 feet bgs.
 Depth to water approximately 3.61 feet from top of casing (TOC).
 TOC is approximately 1 foot above ground surface.

APPENDIX D
LABORATORY ANALYTICAL REPORTS



Laboratory Report of Analysis

To: Justin Ballard
ATC Associates
2725 E. Millbrook Rd
Suite 121
Raleigh, NC 27604

Report Number: **31202431**

Client Project: **NCDOT**

Dear Justin Ballard,

Enclosed are the results of the analytical services performed under the referenced project for the received samples and associated QC as applicable. The samples are certified to meet the requirements of the National Environmental Laboratory Accreditation Conference Standards. Copies of this report and supporting data will be retained in our files for a period of five years in the event they are required for future reference. All results are intended to be used in their entirety and SGS is not responsible for use of less than the complete report. Any samples submitted to our laboratory will be retained for a maximum of thirty (30) days from the date of this report unless other arrangements are requested.

If there are any questions about the report or services performed during this project, please call Michael D. Page at (910) 350-1903. We will be happy to answer any questions or concerns which you may have.

Thank you for using SGS North America Inc. for your analytical services. We look forward to working with you again on any additional analytical needs.

Sincerely,
SGS North America Inc.

Digitally signed by: Michael Page
Date: 2012.10.03 15:13:25 -04'00'

Michael D. Page
Project Manager
michael.page@sgs.com

Date

Print Date: 08/09/2012

N.C. Certification # 481

ANALYTICAL PERSPECTIVES IS NOW PART OF SGS, THE WORLD'S LEADING INSPECTION, VERIFICATION, TESTING AND CERTIFICATION COMPANY.

Laboratory Qualifiers

Report Definitions

DL	Method, Instrument, or Estimated Detection Limit per Analytical Method
CL	Control Limits for the recovery result of a parameter
LOQ	Reporting Limit
DF	Dilution Factor
RPD	Relative Percent Difference
LCS(D)	Laboratory Control Spike (Duplicate)
MS(D)	Matrix Spike (Duplicate)
MB	Method Blank

Qualifier Definitions

*	Recovery or RPD outside of control limits
B	Analyte was detected in the Lab Method Blank at a level above the LOQ
U	Undetected (Reported as ND or < DL)
V	Recovery is below quality control limit. The data has been validated based on a favorable signal-to-noise and detection limit
A	Amount detected is less than the Lower Method Calibration Limit
J	Estimated Concentration.
O	The recovery of this analyte in the OPR is above the Method QC Limits and the reported concentration in the sample may be biased high
E	Amount detected is greater than the Upper Calibration Limit
S	The amount of analyte present has saturated the detector. This situation results in an underestimation of the affected analyte(s)
Q	Indicates the presence of a quantitative interference. This situation may result in an underestimation of the affected analyte(s)
I	Indicates the presence of a qualitative interference that could cause a false positive or an overestimation of the affected analyte(s)
DPE	Indicates the presence of a peak in the polychlorinated diphenylether channel that could cause a false positive or an overestimation of the affected analyte(s)
TIC	Tentatively Identified Compound
EMPC	Estimated Maximum possible Concentration due to ion ratio failure
ND	Not Detected
K	Result is estimated due to ion ratio failure in High Resolution PCB Analysis
P	RPD > 40% between results of dual columns
D	Spike or surrogate was diluted out in order to achieve a parameter result within instrument calibration range

Samples requiring manual integrations for various congeners and/or standards are marked and dated by the analyst. A code definition is provided below:

M1	Mis-identified peak
M2	Software did not integrate peak
M3	Incorrect baseline construction (i.e. not all of peak included; two peaks integrated as one)
M4	Pattern integration required (i.e. DRO, GRO, PCB, Toxaphene and Technical Chlordane)
M5	Other - Explained in case narrative

Note Results pages that include a value for "Solids (%)" have been adjusted for moisture content.

Sample Summary

<u>Client Sample ID</u>	<u>Lab Sample ID</u>	<u>Collected</u>	<u>Received</u>	<u>Matrix</u>
SB170-1 (6-8)	31202431008	07/31/2012 11:10	08/01/2012 16:55	Soil-Solid as dry weight
SB170-2 (6-8)	31202431009	07/31/2012 11:30	08/01/2012 16:55	Soil-Solid as dry weight
SB170-3 (0-2.5)	31202431010	07/31/2012 13:20	08/01/2012 16:55	Soil-Solid as dry weight

Results of SB170-1 (6-8)

Client Sample ID: **SB170-1 (6-8)**
 Client Project ID: **NCDOT**
 Lab Sample ID: 31202431008-A
 Lab Project ID: 31202431

Collection Date: 07/31/2012 11:10
 Received Date: 08/01/2012 16:55
 Matrix: Soil-Solid as dry weight
 Solids (%): 77.60

Results by SW-846 8260B

<u>Parameter</u>	<u>Result</u>	<u>Qual</u>	<u>LOQ/CL</u>	<u>Units</u>	<u>DF</u>	<u>Date Analyzed</u>
1,1,1,2-Tetrachloroethane	ND		5.29	ug/Kg	1	08/3/2012 18:00
1,1,1-Trichloroethane	ND		5.29	ug/Kg	1	08/3/2012 18:00
1,1,2,2-Tetrachloroethane	ND		5.29	ug/Kg	1	08/3/2012 18:00
1,1,2-Trichloroethane	ND		5.29	ug/Kg	1	08/3/2012 18:00
1,1-Dichloroethane	ND		5.29	ug/Kg	1	08/3/2012 18:00
1,1-Dichloroethene	ND		5.29	ug/Kg	1	08/3/2012 18:00
1,1-Dichloropropene	ND		5.29	ug/Kg	1	08/3/2012 18:00
1,2,3-Trichlorobenzene	ND		5.29	ug/Kg	1	08/3/2012 18:00
1,2,3-Trichloropropane	ND		5.29	ug/Kg	1	08/3/2012 18:00
1,2,4-Trichlorobenzene	ND		5.29	ug/Kg	1	08/3/2012 18:00
1,2,4-Trimethylbenzene	ND		5.29	ug/Kg	1	08/3/2012 18:00
1,2-Dibromo-3-chloropropane	ND		31.7	ug/Kg	1	08/3/2012 18:00
1,2-Dibromoethane	ND		5.29	ug/Kg	1	08/3/2012 18:00
1,2-Dichlorobenzene	ND		5.29	ug/Kg	1	08/3/2012 18:00
1,2-Dichloroethane	ND		5.29	ug/Kg	1	08/3/2012 18:00
1,2-Dichloropropane	ND		5.29	ug/Kg	1	08/3/2012 18:00
1,3,5-Trimethylbenzene	ND		5.29	ug/Kg	1	08/3/2012 18:00
1,3-Dichlorobenzene	ND		5.29	ug/Kg	1	08/3/2012 18:00
1,3-Dichloropropane	ND		5.29	ug/Kg	1	08/3/2012 18:00
1,4-Dichlorobenzene	ND		5.29	ug/Kg	1	08/3/2012 18:00
2,2-Dichloropropane	ND		5.29	ug/Kg	1	08/3/2012 18:00
2-Butanone	ND		26.5	ug/Kg	1	08/3/2012 18:00
2-Chlorotoluene	ND		5.29	ug/Kg	1	08/3/2012 18:00
2-Hexanone	ND		13.2	ug/Kg	1	08/3/2012 18:00
4-Chlorotoluene	ND		5.29	ug/Kg	1	08/3/2012 18:00
4-Isopropyltoluene	ND		5.29	ug/Kg	1	08/3/2012 18:00
4-Methyl-2-pentanone	ND		13.2	ug/Kg	1	08/3/2012 18:00
Acetone	ND		52.9	ug/Kg	1	08/3/2012 18:00
Benzene	ND		5.29	ug/Kg	1	08/3/2012 18:00
Bromobenzene	ND		5.29	ug/Kg	1	08/3/2012 18:00
Bromochloromethane	ND		5.29	ug/Kg	1	08/3/2012 18:00
Bromodichloromethane	ND		5.29	ug/Kg	1	08/3/2012 18:00
Bromoform	ND		5.29	ug/Kg	1	08/3/2012 18:00
Bromomethane	ND		5.29	ug/Kg	1	08/3/2012 18:00
n-Butylbenzene	ND		5.29	ug/Kg	1	08/3/2012 18:00
Carbon disulfide	ND		5.29	ug/Kg	1	08/3/2012 18:00
Carbon tetrachloride	ND		5.29	ug/Kg	1	08/3/2012 18:00
Chlorobenzene	ND		5.29	ug/Kg	1	08/3/2012 18:00
Chloroethane	ND		5.29	ug/Kg	1	08/3/2012 18:00
Chloroform	ND		5.29	ug/Kg	1	08/3/2012 18:00
Chloromethane	ND		5.29	ug/Kg	1	08/3/2012 18:00
Dibromochloromethane	ND		5.29	ug/Kg	1	08/3/2012 18:00
Dibromomethane	ND		5.29	ug/Kg	1	08/3/2012 18:00
Dichlorodifluoromethane	ND		5.29	ug/Kg	1	08/3/2012 18:00

Results of SB170-1 (6-8)

Client Sample ID: **SB170-1 (6-8)**
 Client Project ID: **NCDOT**
 Lab Sample ID: 31202431008-A
 Lab Project ID: 31202431

Collection Date: 07/31/2012 11:10
 Received Date: 08/01/2012 16:55
 Matrix: Soil-Solid as dry weight
 Solids (%): 77.60

Results by SW-846 8260B

<u>Parameter</u>	<u>Result</u>	<u>Qual</u>	<u>LOQ/CL</u>	<u>Units</u>	<u>DF</u>	<u>Date Analyzed</u>
cis-1,3-Dichloropropene	ND		5.29	ug/Kg	1	08/3/2012 18:00
trans-1,3-Dichloropropene	ND		5.29	ug/Kg	1	08/3/2012 18:00
Diisopropyl Ether	ND		5.29	ug/Kg	1	08/3/2012 18:00
Ethyl Benzene	ND		5.29	ug/Kg	1	08/3/2012 18:00
Hexachlorobutadiene	ND		5.29	ug/Kg	1	08/3/2012 18:00
Isopropylbenzene (Cumene)	ND		5.29	ug/Kg	1	08/3/2012 18:00
Methyl iodide	ND		5.29	ug/Kg	1	08/3/2012 18:00
Methylene chloride	ND		21.2	ug/Kg	1	08/3/2012 18:00
Naphthalene	ND		5.29	ug/Kg	1	08/3/2012 18:00
Styrene	ND		5.29	ug/Kg	1	08/3/2012 18:00
Tetrachloroethene	ND		5.29	ug/Kg	1	08/3/2012 18:00
Toluene	ND		5.29	ug/Kg	1	08/3/2012 18:00
Trichloroethene	ND		5.29	ug/Kg	1	08/3/2012 18:00
Trichlorofluoromethane	ND		5.29	ug/Kg	1	08/3/2012 18:00
Vinyl chloride	ND		5.29	ug/Kg	1	08/3/2012 18:00
Xylene (total)	ND		10.6	ug/Kg	1	08/3/2012 18:00
cis-1,2-Dichloroethene	ND		5.29	ug/Kg	1	08/3/2012 18:00
m,p-Xylene	ND		10.6	ug/Kg	1	08/3/2012 18:00
n-Propylbenzene	ND		5.29	ug/Kg	1	08/3/2012 18:00
o-Xylene	ND		5.29	ug/Kg	1	08/3/2012 18:00
sec-Butylbenzene	ND		5.29	ug/Kg	1	08/3/2012 18:00
tert-Butyl methyl ether (MTBE)	ND		5.29	ug/Kg	1	08/3/2012 18:00
tert-Butylbenzene	ND		5.29	ug/Kg	1	08/3/2012 18:00
trans-1,2-Dichloroethene	ND		5.29	ug/Kg	1	08/3/2012 18:00
trans-1,4-Dichloro-2-butene	ND		26.5	ug/Kg	1	08/3/2012 18:00

Surrogates

1,2-Dichloroethane-d4	113		55.0-173	%	1	08/3/2012 18:00
4-Bromofluorobenzene	94.0		23.0-141	%	1	08/3/2012 18:00
Toluene d8	102		57.0-134	%	1	08/3/2012 18:00

Batch Information

Analytical Batch: **VMS2443**
 Analytical Method: **SW-846 8260B**
 Instrument: **MSD9**
 Analyst: **DVO**
 Analytical Date/Time: **08/03/2012 18:00**

Prep Batch: **VXX3760**
 Prep Method: **SW-846 5035 SL**
 Prep Date/Time: **08/02/2012 13:31**
 Prep Initial Wt./Vol.: **6.09 g**
 Prep Extract Vol: **5 mL**

Results of SB170-1 (6-8)

Client Sample ID: **SB170-1 (6-8)**
 Client Project ID: **NCDOT**
 Lab Sample ID: 31202431008-E
 Lab Project ID: 31202431

Collection Date: 07/31/2012 11:10
 Received Date: 08/01/2012 16:55
 Matrix: Soil-Solid as dry weight
 Solids (%): 77.60

Results by SW-846 8015C GRO

<u>Parameter</u>	<u>Result</u>	<u>Qual</u>	<u>LOQ/CL</u>	<u>Units</u>	<u>DF</u>	<u>Date Analyzed</u>
Gasoline Range Organics (GRO)	ND		3.81	mg/kg	1	08/7/2012 16:17

Surrogates

4-Bromofluorobenzene	108		70.0-130	%	1	08/7/2012 16:17
----------------------	-----	--	----------	---	---	-----------------

Batch Information

Analytical Batch: **VGC2052**
 Analytical Method: **SW-846 8015C GRO**
 Instrument: **GC7**
 Analyst: **MDY**
 Analytical Date/Time: **08/07/2012 16:17**

Prep Batch: **VXX3772**
 Prep Method: **SW-846 5035**
 Prep Date/Time: **08/02/2012 13:31**
 Prep Initial Wt./Vol.: **6.764 g**
 Prep Extract Vol: **5 mL**

Results of SB170-1 (6-8)

Client Sample ID: **SB170-1 (6-8)**
 Client Project ID: **NCDOT**
 Lab Sample ID: 31202431008-G
 Lab Project ID: 31202431

Collection Date: 07/31/2012 11:10
 Received Date: 08/01/2012 16:55
 Matrix: Soil-Solid as dry weight
 Solids (%): 77.60

Results by SW-846 8015C DRO

<u>Parameter</u>	<u>Result</u>	<u>Qual</u>	<u>LOQ/CL</u>	<u>Units</u>	<u>DF</u>	<u>Date Analyzed</u>
Diesel Range Organics (DRO)	ND		7.70	mg/kg	1	08/4/2012 0:37

Surrogates

o-Terphenyl	83.6		40.0-140	%	1	08/4/2012 0:37
-------------	------	--	----------	---	---	----------------

Batch Information

Analytical Batch: **XGC2420**
 Analytical Method: **SW-846 8015C DRO**
 Instrument: **GC6**
 Analyst: **DTF**
 Analytical Date/Time: **08/04/2012 00:37**

Prep Batch: **XXX2880**
 Prep Method: **SW-846 3541**
 Prep Date/Time: **08/02/2012 10:40**
 Prep Initial Wt./Vol.: **33.46 g**
 Prep Extract Vol: **10 mL**

Results of SB170-2 (6-8)

Client Sample ID: **SB170-2 (6-8)**
 Client Project ID: **NCDOT**
 Lab Sample ID: 31202431009-A
 Lab Project ID: 31202431

Collection Date: 07/31/2012 11:30
 Received Date: 08/01/2012 16:55
 Matrix: Soil-Solid as dry weight
 Solids (%): 81.70

Results by SW-846 8260B

<u>Parameter</u>	<u>Result</u>	<u>Qual</u>	<u>LOQ/CL</u>	<u>Units</u>	<u>DF</u>	<u>Date Analyzed</u>
1,1,1,2-Tetrachloroethane	ND		4.19	ug/Kg	1	08/3/2012 18:28
1,1,1-Trichloroethane	ND		4.19	ug/Kg	1	08/3/2012 18:28
1,1,1,2,2-Tetrachloroethane	ND		4.19	ug/Kg	1	08/3/2012 18:28
1,1,2-Trichloroethane	ND		4.19	ug/Kg	1	08/3/2012 18:28
1,1-Dichloroethane	ND		4.19	ug/Kg	1	08/3/2012 18:28
1,1-Dichloroethene	ND		4.19	ug/Kg	1	08/3/2012 18:28
1,1-Dichloropropene	ND		4.19	ug/Kg	1	08/3/2012 18:28
1,2,3-Trichlorobenzene	ND		4.19	ug/Kg	1	08/3/2012 18:28
1,2,3-Trichloropropane	ND		4.19	ug/Kg	1	08/3/2012 18:28
1,2,4-Trichlorobenzene	ND		4.19	ug/Kg	1	08/3/2012 18:28
1,2,4-Trimethylbenzene	ND		4.19	ug/Kg	1	08/3/2012 18:28
1,2-Dibromo-3-chloropropane	ND		25.1	ug/Kg	1	08/3/2012 18:28
1,2-Dibromoethane	ND		4.19	ug/Kg	1	08/3/2012 18:28
1,2-Dichlorobenzene	ND		4.19	ug/Kg	1	08/3/2012 18:28
1,2-Dichloroethane	ND		4.19	ug/Kg	1	08/3/2012 18:28
1,2-Dichloropropane	ND		4.19	ug/Kg	1	08/3/2012 18:28
1,3,5-Trimethylbenzene	ND		4.19	ug/Kg	1	08/3/2012 18:28
1,3-Dichlorobenzene	ND		4.19	ug/Kg	1	08/3/2012 18:28
1,3-Dichloropropane	ND		4.19	ug/Kg	1	08/3/2012 18:28
1,4-Dichlorobenzene	ND		4.19	ug/Kg	1	08/3/2012 18:28
2,2-Dichloropropane	ND		4.19	ug/Kg	1	08/3/2012 18:28
2-Butanone	ND		20.9	ug/Kg	1	08/3/2012 18:28
2-Chlorotoluene	ND		4.19	ug/Kg	1	08/3/2012 18:28
2-Hexanone	ND		10.5	ug/Kg	1	08/3/2012 18:28
4-Chlorotoluene	ND		4.19	ug/Kg	1	08/3/2012 18:28
4-Isopropyltoluene	ND		4.19	ug/Kg	1	08/3/2012 18:28
4-Methyl-2-pentanone	ND		10.5	ug/Kg	1	08/3/2012 18:28
Acetone	ND		41.9	ug/Kg	1	08/3/2012 18:28
Benzene	ND		4.19	ug/Kg	1	08/3/2012 18:28
Bromobenzene	ND		4.19	ug/Kg	1	08/3/2012 18:28
Bromochloromethane	ND		4.19	ug/Kg	1	08/3/2012 18:28
Bromodichloromethane	ND		4.19	ug/Kg	1	08/3/2012 18:28
Bromoform	ND		4.19	ug/Kg	1	08/3/2012 18:28
Bromomethane	ND		4.19	ug/Kg	1	08/3/2012 18:28
n-Butylbenzene	ND		4.19	ug/Kg	1	08/3/2012 18:28
Carbon disulfide	ND		4.19	ug/Kg	1	08/3/2012 18:28
Carbon tetrachloride	ND		4.19	ug/Kg	1	08/3/2012 18:28
Chlorobenzene	ND		4.19	ug/Kg	1	08/3/2012 18:28
Chloroethane	ND		4.19	ug/Kg	1	08/3/2012 18:28
Chloroform	ND		4.19	ug/Kg	1	08/3/2012 18:28
Chloromethane	ND		4.19	ug/Kg	1	08/3/2012 18:28
Dibromochloromethane	ND		4.19	ug/Kg	1	08/3/2012 18:28
Dibromomethane	ND		4.19	ug/Kg	1	08/3/2012 18:28
Dichlorodifluoromethane	ND		4.19	ug/Kg	1	08/3/2012 18:28

Results of SB170-2 (6-8)

Client Sample ID: **SB170-2 (6-8)**
 Client Project ID: **NCDOT**
 Lab Sample ID: 31202431009-A
 Lab Project ID: 31202431

Collection Date: 07/31/2012 11:30
 Received Date: 08/01/2012 16:55
 Matrix: Soil-Solid as dry weight
 Solids (%): 81.70

Results by SW-846 8260B

<u>Parameter</u>	<u>Result</u>	<u>Qual</u>	<u>LOQ/CL</u>	<u>Units</u>	<u>DF</u>	<u>Date Analyzed</u>
cis-1,3-Dichloropropene	ND		4.19	ug/Kg	1	08/3/2012 18:28
trans-1,3-Dichloropropene	ND		4.19	ug/Kg	1	08/3/2012 18:28
Diisopropyl Ether	ND		4.19	ug/Kg	1	08/3/2012 18:28
Ethyl Benzene	ND		4.19	ug/Kg	1	08/3/2012 18:28
Hexachlorobutadiene	ND		4.19	ug/Kg	1	08/3/2012 18:28
Isopropylbenzene (Cumene)	ND		4.19	ug/Kg	1	08/3/2012 18:28
Methyl iodide	ND		4.19	ug/Kg	1	08/3/2012 18:28
Methylene chloride	ND		16.7	ug/Kg	1	08/3/2012 18:28
Naphthalene	ND		4.19	ug/Kg	1	08/3/2012 18:28
Styrene	ND		4.19	ug/Kg	1	08/3/2012 18:28
Tetrachloroethene	ND		4.19	ug/Kg	1	08/3/2012 18:28
Toluene	ND		4.19	ug/Kg	1	08/3/2012 18:28
Trichloroethene	ND		4.19	ug/Kg	1	08/3/2012 18:28
Trichlorofluoromethane	ND		4.19	ug/Kg	1	08/3/2012 18:28
Vinyl chloride	ND		4.19	ug/Kg	1	08/3/2012 18:28
Xylene (total)	ND		8.37	ug/Kg	1	08/3/2012 18:28
cis-1,2-Dichloroethene	ND		4.19	ug/Kg	1	08/3/2012 18:28
m,p-Xylene	ND		8.37	ug/Kg	1	08/3/2012 18:28
n-Propylbenzene	ND		4.19	ug/Kg	1	08/3/2012 18:28
o-Xylene	ND		4.19	ug/Kg	1	08/3/2012 18:28
sec-Butylbenzene	ND		4.19	ug/Kg	1	08/3/2012 18:28
tert-Butyl methyl ether (MTBE)	ND		4.19	ug/Kg	1	08/3/2012 18:28
tert-Butylbenzene	ND		4.19	ug/Kg	1	08/3/2012 18:28
trans-1,2-Dichloroethene	ND		4.19	ug/Kg	1	08/3/2012 18:28
trans-1,4-Dichloro-2-butene	ND		20.9	ug/Kg	1	08/3/2012 18:28

Surrogates

1,2-Dichloroethane-d4	114		55.0-173	%	1	08/3/2012 18:28
4-Bromofluorobenzene	96.0		23.0-141	%	1	08/3/2012 18:28
Toluene d8	102		57.0-134	%	1	08/3/2012 18:28

Batch Information

Analytical Batch: **VMS2443**
 Analytical Method: **SW-846 8260B**
 Instrument: **MSD9**
 Analyst: **DVO**
 Analytical Date/Time: **08/03/2012 18:28**

Prep Batch: **VXX3760**
 Prep Method: **SW-846 5035 SL**
 Prep Date/Time: **08/02/2012 13:35**
 Prep Initial Wt./Vol.: **7.31 g**
 Prep Extract Vol: **5 mL**

Results of SB170-2 (6-8)

Client Sample ID: **SB170-2 (6-8)**
 Client Project ID: **NCDOT**
 Lab Sample ID: 31202431009-E
 Lab Project ID: 31202431

Collection Date: 07/31/2012 11:30
 Received Date: 08/01/2012 16:55
 Matrix: Soil-Solid as dry weight
 Solids (%): 81.70

Results by SW-846 8015C GRO

<u>Parameter</u>	<u>Result</u>	<u>Qual</u>	<u>LOQ/CL</u>	<u>Units</u>	<u>DF</u>	<u>Date Analyzed</u>
Gasoline Range Organics (GRO)	ND		3.67	mg/kg	1	08/7/2012 16:42

Surrogates

4-Bromofluorobenzene	105		70.0-130	%	1	08/7/2012 16:42
----------------------	-----	--	----------	---	---	-----------------

Batch Information

Analytical Batch: **VGC2052**
 Analytical Method: **SW-846 8015C GRO**
 Instrument: **GC7**
 Analyst: **MDY**
 Analytical Date/Time: **08/07/2012 16:42**

Prep Batch: **VXX3772**
 Prep Method: **SW-846 5035**
 Prep Date/Time: **08/02/2012 13:35**
 Prep Initial Wt./Vol.: **6.666 g**
 Prep Extract Vol: **5 mL**

Results of SB170-2 (6-8)

Client Sample ID: **SB170-2 (6-8)**
 Client Project ID: **NCDOT**
 Lab Sample ID: 31202431009-G
 Lab Project ID: 31202431

Collection Date: 07/31/2012 11:30
 Received Date: 08/01/2012 16:55
 Matrix: Soil-Solid as dry weight
 Solids (%): 81.70

Results by SW-846 8015C DRO

<u>Parameter</u>	<u>Result</u>	<u>Qual</u>	<u>LOQ/CL</u>	<u>Units</u>	<u>DF</u>	<u>Date Analyzed</u>
Diesel Range Organics (DRO)	ND		7.68	mg/kg	1	08/4/2012 1:05

Surrogates

o-Terphenyl	74.0		40.0-140	%	1	08/4/2012 1:05
-------------	------	--	----------	---	---	----------------

Batch Information

Analytical Batch: **XGC2420**
 Analytical Method: **SW-846 8015C DRO**
 Instrument: **GC6**
 Analyst: **DTF**
 Analytical Date/Time: **08/04/2012 01:05**

Prep Batch: **XXX2880**
 Prep Method: **SW-846 3541**
 Prep Date/Time: **08/02/2012 10:40**
 Prep Initial Wt./Vol.: **31.86 g**
 Prep Extract Vol: **10 mL**

Results of SB170-3 (0-2.5)

Client Sample ID: **SB170-3 (0-2.5)**
 Client Project ID: **NCDOT**
 Lab Sample ID: 31202431010-A
 Lab Project ID: 31202431

Collection Date: 07/31/2012 13:20
 Received Date: 08/01/2012 16:55
 Matrix: Soil-Solid as dry weight
 Solids (%): 81.80

Results by SW-846 8260B

<u>Parameter</u>	<u>Result</u>	<u>Qual</u>	<u>LOQ/CL</u>	<u>Units</u>	<u>DF</u>	<u>Date Analyzed</u>
1,1,1,2-Tetrachloroethane	ND		4.18	ug/Kg	1	08/3/2012 18:54
1,1,1-Trichloroethane	ND		4.18	ug/Kg	1	08/3/2012 18:54
1,1,1,2,2-Tetrachloroethane	ND		4.18	ug/Kg	1	08/3/2012 18:54
1,1,2-Trichloroethane	ND		4.18	ug/Kg	1	08/3/2012 18:54
1,1-Dichloroethane	ND		4.18	ug/Kg	1	08/3/2012 18:54
1,1-Dichloroethene	ND		4.18	ug/Kg	1	08/3/2012 18:54
1,1-Dichloropropene	ND		4.18	ug/Kg	1	08/3/2012 18:54
1,2,3-Trichlorobenzene	ND		4.18	ug/Kg	1	08/3/2012 18:54
1,2,3-Trichloropropane	ND		4.18	ug/Kg	1	08/3/2012 18:54
1,2,4-Trichlorobenzene	ND		4.18	ug/Kg	1	08/3/2012 18:54
1,2,4-Trimethylbenzene	ND		4.18	ug/Kg	1	08/3/2012 18:54
1,2-Dibromo-3-chloropropane	ND		25.1	ug/Kg	1	08/3/2012 18:54
1,2-Dibromoethane	ND		4.18	ug/Kg	1	08/3/2012 18:54
1,2-Dichlorobenzene	ND		4.18	ug/Kg	1	08/3/2012 18:54
1,2-Dichloroethane	ND		4.18	ug/Kg	1	08/3/2012 18:54
1,2-Dichloropropane	ND		4.18	ug/Kg	1	08/3/2012 18:54
1,3,5-Trimethylbenzene	ND		4.18	ug/Kg	1	08/3/2012 18:54
1,3-Dichlorobenzene	ND		4.18	ug/Kg	1	08/3/2012 18:54
1,3-Dichloropropane	ND		4.18	ug/Kg	1	08/3/2012 18:54
1,4-Dichlorobenzene	ND		4.18	ug/Kg	1	08/3/2012 18:54
2,2-Dichloropropane	ND		4.18	ug/Kg	1	08/3/2012 18:54
2-Butanone	ND		20.9	ug/Kg	1	08/3/2012 18:54
2-Chlorotoluene	ND		4.18	ug/Kg	1	08/3/2012 18:54
2-Hexanone	ND		10.5	ug/Kg	1	08/3/2012 18:54
4-Chlorotoluene	ND		4.18	ug/Kg	1	08/3/2012 18:54
4-Isopropyltoluene	ND		4.18	ug/Kg	1	08/3/2012 18:54
4-Methyl-2-pentanone	ND		10.5	ug/Kg	1	08/3/2012 18:54
Acetone	ND		41.8	ug/Kg	1	08/3/2012 18:54
Benzene	ND		4.18	ug/Kg	1	08/3/2012 18:54
Bromobenzene	ND		4.18	ug/Kg	1	08/3/2012 18:54
Bromochloromethane	ND		4.18	ug/Kg	1	08/3/2012 18:54
Bromodichloromethane	ND		4.18	ug/Kg	1	08/3/2012 18:54
Bromoform	ND		4.18	ug/Kg	1	08/3/2012 18:54
Bromomethane	ND		4.18	ug/Kg	1	08/3/2012 18:54
n-Butylbenzene	ND		4.18	ug/Kg	1	08/3/2012 18:54
Carbon disulfide	ND		4.18	ug/Kg	1	08/3/2012 18:54
Carbon tetrachloride	ND		4.18	ug/Kg	1	08/3/2012 18:54
Chlorobenzene	ND		4.18	ug/Kg	1	08/3/2012 18:54
Chloroethane	ND		4.18	ug/Kg	1	08/3/2012 18:54
Chloroform	ND		4.18	ug/Kg	1	08/3/2012 18:54
Chloromethane	ND		4.18	ug/Kg	1	08/3/2012 18:54
Dibromochloromethane	ND		4.18	ug/Kg	1	08/3/2012 18:54
Dibromomethane	ND		4.18	ug/Kg	1	08/3/2012 18:54
Dichlorodifluoromethane	ND		4.18	ug/Kg	1	08/3/2012 18:54

Results of SB170-3 (0-2.5)

Client Sample ID: **SB170-3 (0-2.5)**
 Client Project ID: **NCDOT**
 Lab Sample ID: 31202431010-A
 Lab Project ID: 31202431

Collection Date: 07/31/2012 13:20
 Received Date: 08/01/2012 16:55
 Matrix: Soil-Solid as dry weight
 Solids (%): 81.80

Results by SW-846 8260B

<u>Parameter</u>	<u>Result</u>	<u>Qual</u>	<u>LOQ/CL</u>	<u>Units</u>	<u>DF</u>	<u>Date Analyzed</u>
cis-1,3-Dichloropropene	ND		4.18	ug/Kg	1	08/3/2012 18:54
trans-1,3-Dichloropropene	ND		4.18	ug/Kg	1	08/3/2012 18:54
Diisopropyl Ether	ND		4.18	ug/Kg	1	08/3/2012 18:54
Ethyl Benzene	ND		4.18	ug/Kg	1	08/3/2012 18:54
Hexachlorobutadiene	ND		4.18	ug/Kg	1	08/3/2012 18:54
Isopropylbenzene (Cumene)	ND		4.18	ug/Kg	1	08/3/2012 18:54
Methyl iodide	ND		4.18	ug/Kg	1	08/3/2012 18:54
Methylene chloride	ND		16.7	ug/Kg	1	08/3/2012 18:54
Naphthalene	ND		4.18	ug/Kg	1	08/3/2012 18:54
Styrene	ND		4.18	ug/Kg	1	08/3/2012 18:54
Tetrachloroethene	ND		4.18	ug/Kg	1	08/3/2012 18:54
Toluene	ND		4.18	ug/Kg	1	08/3/2012 18:54
Trichloroethene	ND		4.18	ug/Kg	1	08/3/2012 18:54
Trichlorofluoromethane	ND		4.18	ug/Kg	1	08/3/2012 18:54
Vinyl chloride	ND		4.18	ug/Kg	1	08/3/2012 18:54
Xylene (total)	ND		8.36	ug/Kg	1	08/3/2012 18:54
cis-1,2-Dichloroethene	ND		4.18	ug/Kg	1	08/3/2012 18:54
m,p-Xylene	ND		8.36	ug/Kg	1	08/3/2012 18:54
n-Propylbenzene	ND		4.18	ug/Kg	1	08/3/2012 18:54
o-Xylene	ND		4.18	ug/Kg	1	08/3/2012 18:54
sec-Butylbenzene	ND		4.18	ug/Kg	1	08/3/2012 18:54
tert-Butyl methyl ether (MTBE)	ND		4.18	ug/Kg	1	08/3/2012 18:54
tert-Butylbenzene	ND		4.18	ug/Kg	1	08/3/2012 18:54
trans-1,2-Dichloroethene	ND		4.18	ug/Kg	1	08/3/2012 18:54
trans-1,4-Dichloro-2-butene	ND		20.9	ug/Kg	1	08/3/2012 18:54

Surrogates

1,2-Dichloroethane-d4	115		55.0-173	%	1	08/3/2012 18:54
4-Bromofluorobenzene	87.0		23.0-141	%	1	08/3/2012 18:54
Toluene d8	99.0		57.0-134	%	1	08/3/2012 18:54

Batch Information

Analytical Batch: **VMS2443**
 Analytical Method: **SW-846 8260B**
 Instrument: **MSD9**
 Analyst: **DVO**
 Analytical Date/Time: **08/03/2012 18:54**

Prep Batch: **VXX3760**
 Prep Method: **SW-846 5035 SL**
 Prep Date/Time: **08/02/2012 13:38**
 Prep Initial Wt./Vol.: **7.31 g**
 Prep Extract Vol: **5 mL**

Results of SB170-3 (0-2.5)

Client Sample ID: **SB170-3 (0-2.5)**
 Client Project ID: **NCDOT**
 Lab Sample ID: 31202431010-E
 Lab Project ID: 31202431

Collection Date: 07/31/2012 13:20
 Received Date: 08/01/2012 16:55
 Matrix: Soil-Solid as dry weight
 Solids (%): 81.80

Results by SW-846 8015C GRO

<u>Parameter</u>	<u>Result</u>	<u>Qual</u>	<u>LOQ/CL</u>	<u>Units</u>	<u>DF</u>	<u>Date Analyzed</u>
Gasoline Range Organics (GRO)	ND		3.21	mg/kg	1	08/7/2012 17:07

Surrogates

4-Bromofluorobenzene	105		70.0-130	%	1	08/7/2012 17:07
----------------------	-----	--	----------	---	---	-----------------

Batch Information

Analytical Batch: **VGC2052**
 Analytical Method: **SW-846 8015C GRO**
 Instrument: **GC7**
 Analyst: **MDY**
 Analytical Date/Time: **08/07/2012 17:07**

Prep Batch: **VXX3772**
 Prep Method: **SW-846 5035**
 Prep Date/Time: **08/02/2012 13:38**
 Prep Initial Wt./Vol.: **7.615 g**
 Prep Extract Vol: **5 mL**

Results of SB170-3 (0-2.5)

Client Sample ID: **SB170-3 (0-2.5)**
 Client Project ID: **NCDOT**
 Lab Sample ID: 31202431010-G
 Lab Project ID: 31202431

Collection Date: 07/31/2012 13:20
 Received Date: 08/01/2012 16:55
 Matrix: Soil-Solid as dry weight
 Solids (%): 81.80

Results by SW-846 8015C DRO

<u>Parameter</u>	<u>Result</u>	<u>Qual</u>	<u>LOQ/CL</u>	<u>Units</u>	<u>DF</u>	<u>Date Analyzed</u>
Diesel Range Organics (DRO)	ND		7.27	mg/kg	1	08/4/2012 1:33

Surrogates

o-Terphenyl	77.5		40.0-140	%	1	08/4/2012 1:33
-------------	------	--	----------	---	---	----------------

Batch Information

Analytical Batch: **XGC2420**
 Analytical Method: **SW-846 8015C DRO**
 Instrument: **GC6**
 Analyst: **DTF**
 Analytical Date/Time: **08/04/2012 01:33**

Prep Batch: **XXX2880**
 Prep Method: **SW-846 3541**
 Prep Date/Time: **08/02/2012 10:40**
 Prep Initial Wt./Vol.: **33.66 g**
 Prep Extract Vol: **10 mL**



CHAIN OF CUSTODY RECORD
SGS North America Inc.

- Locations Nationwide
- Alaska
 - Maryland
 - New Jersey
 - New York
 - North Carolina
 - Ohio

www.us.sgs.com

104616

1 CLIENT: **ATC ASSOCIATES** PHONE NO: (919) 871-0999

CONTACT: **JUSTIN BALLARD** SITE/PWSID#: **U-3315**

PROJECT: **NCDET** FAX NO: (919) 871-0335

REPORTS TO: **JUSTIN BALLARD** QUOTE #:

INVOICE TO: P.O. NUMBER:

SGS Reference: **31202431** PAGE **1** OF **2**

LAB NO.	SAMPLE IDENTIFICATION	DATE	TIME	MATRIX	CONTAINERS	SAMPLE TYPE	C= COMP	G= GRAB	Preservatives Used	Analysis Required	REMARKS	Shipping Carrier	Shipping Ticket No:	Special Deliverable Requirements:	Special Instructions:	Samples Received Cold (Circle) YES NO	
																Temperature °C:	Chain of Custody Seal: (Circle) INTACT BROKEN
SB49-31 (2.5-5)	7/30/12	1635	SOIL	3	G												
SB49-32 (2.5-5)	7/31/12	1745															
SB49-36 (2.5-5)		0650															
SB49-34 (2.5-5)		0750															
SB49-33 (2.5-5)		0820															
SB49-37 (2.5-5)		0935															
SB49-38 (2.5-5)		1030															
SB170-1 (6-8)		1110			7												
SB170-2 (6-8)		1130															
SB170-3 (0-2.5)		1320															

2 Collected/Relinquished By: (1) **Chavon P. Foff** Date: **8/1/12** Time: **1430** Received By: **Ala Vind**

Relinquished By: (2) **Ala Vest** Date: **8/1/12** Time: **1655** Received By: **Ala Vest**

Relinquished By: (3)

Relinquished By: (4)

3

4

5

Requested Turnaround Time: RUSH STD Date Needed

□ 200 W. Potter Drive Anchorage, AK 99518 Tel: (907) 562-2343 Fax: (907) 561-5301
 □ 5500 Business Drive Wilmington, NC 28405 Tel: (910) 350-1903 Fax: (910) 350-1557

White - Retained by Lib
 Pink - Retained by Client



CHAIN OF CUSTODY RECORD
SGS North America Inc.

- Locations Nationwide
- Alaska
 - New Jersey
 - North Carolina
 - Maryland
 - New York
 - Ohio

www.us.sgs.com

104617

1 CLIENT: <u>ATC ASSOCIATES</u> CONTACT: <u>JUSTIN BALARDO</u> PHONE NO: <u>(919) 871-0999</u> PROJECT: <u>NC DOT</u> SITE/PWSID#: <u>U-3315</u> REPORTS TO: <u>JUSTIN BALARDO</u> FAX NO.: <u>(919) 871-0335</u> INVOICE TO: QUOTE #: _____ P.O. NUMBER: _____		SGS Reference: <u>31202431</u> PAGE <u>2</u> OF <u>2</u>	
2 LAB NO. SAMPLE IDENTIFICATION DATE TIME MATRIX <u>AS106114</u> <u>SB172-1(6-B)</u> <u>7/31/12</u> <u>1350</u> <u>Soil</u> <u>MS9A</u> <u>SB173-2(2.5-5.0)</u> <u>↓</u> <u>1450</u> <u>↓</u> <u>↓</u> <u>SB173-3(5-6)</u> <u>↓</u> <u>1525</u> <u>↓</u> <u>↓</u> <u>SB173-4(6-B)</u> <u>↓</u> <u>1545</u> <u>↓</u>		No CONTAINERS SAMPLE TYPE: <u>G</u> C= COMP G= GRAB Preservatives Used: _____ Analysis Required: <u>3</u> REMARKS: <u>GRO</u> <u>DRO</u> <u>BAGD</u>	
5 Collected/Relinquished By: (1) <u>Alan Vats</u> Date: <u>8/1/12</u> Time: <u>1430 AM 8/1/12</u> Relinquished By: (2) <u>Alan Vats</u> Date: <u>8/1/12</u> Time: <u>655</u> Relinquished By: (3) _____ Date: _____ Time: _____ Relinquished By: (4) _____ Date: _____ Time: _____		4 Shipping Carrier: _____ Samples Received Cold? (Circle) YES <u>NO</u> Shipping Ticket No: _____ Temperature C: <u>0.8</u> Special Deliverable Requirements: _____ Chain of Custody Seal: (Circle) <u>INTACT</u> <u>BROKEN</u> <u>ABSENT</u> Special Instructions: _____ Requested Turnaround Time: _____ <input type="checkbox"/> RUSH <input type="checkbox"/> STD Date Needed: _____	

SGS North America Inc.

Sample Receipt Checklist (SRC)

Client: NCDOT-ATC Work Order No.: 31202431

- 1. Shipped
 Hand Delivered
- 2. COC Present on Receipt
 No COC
 Additional Transmittal Forms
- 3. Custody Tape on Container
 No Custody Tape
- 4. Samples Intact
 Samples Broken / Leaking
- 5. Chilled on Receipt Actual Temp.(s) in °C: 0.8
 Ambient on Receipt
 Walk-in on Ice; Coming down to temp.
 Received Outside of Temperature Specifications
- 6. Sufficient Sample Submitted
 Insufficient Sample Submitted
- 7. Chlorine absent
 HNO3 < 2
 HCL < 2
 Additional Preservatives verified (see notes)
- 8. Received Within Holding Time
 Not Received Within Holding Time
- 9. No Discrepancies Noted
 Discrepancies Noted
 NCDENR notified of Discrepancies*
- 10. No Headspace present in VOC vials
 Headspace present in VOC vials >6mm

Notes: _____

Comments: One SB49-31 (2.5-5) vial was mislabeled as Sb49-33 (2.5-5), but was identified by its collection date and time. The Methanol vials for the SB172-1 (6-8) samples were not labeled, but were in the same vial foam block as the rest of that sample.

Inspected and Logged in by: AV
Date: Thu-8/2/12 00:00



Laboratory Report of Analysis

To: Justin Ballard
ATC Associates
2725 E. Millbrook Rd
Suite 121
Raleigh, NC 27604

Report Number: **31202495**

Client Project: **NCDOT U-3315**

Dear Justin Ballard,

Enclosed are the results of the analytical services performed under the referenced project for the received samples and associated QC as applicable. The samples are certified to meet the requirements of the National Environmental Laboratory Accreditation Conference Standards. Copies of this report and supporting data will be retained in our files for a period of five years in the event they are required for future reference. All results are intended to be used in their entirety and SGS is not responsible for use of less than the complete report. Any samples submitted to our laboratory will be retained for a maximum of thirty (30) days from the date of this report unless other arrangements are requested.

If there are any questions about the report or services performed during this project, please call Michael D. Page at (910) 350-1903. We will be happy to answer any questions or concerns which you may have.

Thank you for using SGS North America Inc. for your analytical services. We look forward to working with you again on any additional analytical needs.

Sincerely,
SGS North America Inc.

Digitally signed by: Michael Page
Date: 2012.10.03 15:35:51 -04'00'

Michael D. Page
Project Manager
michael.page@sgs.com

Date

Print Date: 08/20/2012

N.C. Certification # 481

ANALYTICAL PERSPECTIVES IS NOW PART OF SGS, THE WORLD'S LEADING INSPECTION, VERIFICATION, TESTING AND CERTIFICATION COMPANY.

Laboratory Qualifiers

Report Definitions

DL	Method, Instrument, or Estimated Detection Limit per Analytical Method
CL	Control Limits for the recovery result of a parameter
LOQ	Reporting Limit
DF	Dilution Factor
RPD	Relative Percent Difference
LCS(D)	Laboratory Control Spike (Duplicate)
MS(D)	Matrix Spike (Duplicate)
MB	Method Blank

Qualifier Definitions

*	Recovery or RPD outside of control limits
B	Analyte was detected in the Lab Method Blank at a level above the LOQ
U	Undetected (Reported as ND or < DL)
V	Recovery is below quality control limit. The data has been validated based on a favorable signal-to-noise and detection limit
A	Amount detected is less than the Lower Method Calibration Limit
J	Estimated Concentration.
O	The recovery of this analyte in the OPR is above the Method QC Limits and the reported concentration in the sample may be biased high
E	Amount detected is greater than the Upper Calibration Limit
S	The amount of analyte present has saturated the detector. This situation results in an underestimation of the affected analyte(s)
Q	Indicates the presence of a quantitative interference. This situation may result in an underestimation of the affected analyte(s)
I	Indicates the presence of a qualitative interference that could cause a false positive or an overestimation of the affected analyte(s)
DPE	Indicates the presence of a peak in the polychlorinated diphenylether channel that could cause a false positive or an overestimation of the affected analyte(s)
TIC	Tentatively Identified Compound
EMPC	Estimated Maximum possible Concentration due to ion ratio failure
ND	Not Detected
K	Result is estimated due to ion ratio failure in High Resolution PCB Analysis
P	RPD > 40% between results of dual columns
D	Spike or surrogate was diluted out in order to achieve a parameter result within instrument calibration range

Samples requiring manual integrations for various congeners and/or standards are marked and dated by the analyst. A code definition is provided below:

M1	Mis-identified peak
M2	Software did not integrate peak
M3	Incorrect baseline construction (i.e. not all of peak included; two peaks integrated as one)
M4	Pattern integration required (i.e. DRO, GRO, PCB, Toxaphene and Technical Chlordane)
M5	Other - Explained in case narrative

Note Results pages that include a value for "Solids (%)" have been adjusted for moisture content.

Sample Summary

<u>Client Sample ID</u>	<u>Lab Sample ID</u>	<u>Collected</u>	<u>Received</u>	<u>Matrix</u>
TW170-1 (6-8)	31202495003	08/01/2012 09:30	08/06/2012 15:30	Soil-Solid as dry weight
TW170-1	31202495007	08/01/2012 14:45	08/06/2012 15:30	Water

Results of TW170-1 (6-8)

Client Sample ID: **TW170-1 (6-8)**
 Client Project ID: **NCDOT U-3315**
 Lab Sample ID: 31202495003-A
 Lab Project ID: 31202495

Collection Date: 08/01/2012 09:30
 Received Date: 08/06/2012 15:30
 Matrix: Soil-Solid as dry weight
 Solids (%): 81.20

Results by SW-846 8260B

<u>Parameter</u>	<u>Result</u>	<u>Qual</u>	<u>LOQ/CL</u>	<u>Units</u>	<u>DF</u>	<u>Date Analyzed</u>
1,1,1,2-Tetrachloroethane	ND		4.48	ug/Kg	1	08/9/2012 15:10
1,1,1-Trichloroethane	ND		4.48	ug/Kg	1	08/9/2012 15:10
1,1,2,2-Tetrachloroethane	ND		4.48	ug/Kg	1	08/9/2012 15:10
1,1,2-Trichloroethane	ND		4.48	ug/Kg	1	08/9/2012 15:10
1,1-Dichloroethane	ND		4.48	ug/Kg	1	08/9/2012 15:10
1,1-Dichloroethene	ND		4.48	ug/Kg	1	08/9/2012 15:10
1,1-Dichloropropene	ND		4.48	ug/Kg	1	08/9/2012 15:10
1,2,3-Trichlorobenzene	ND		4.48	ug/Kg	1	08/9/2012 15:10
1,2,3-Trichloropropane	ND		4.48	ug/Kg	1	08/9/2012 15:10
1,2,4-Trichlorobenzene	ND		4.48	ug/Kg	1	08/9/2012 15:10
1,2,4-Trimethylbenzene	ND		4.48	ug/Kg	1	08/9/2012 15:10
1,2-Dibromo-3-chloropropane	ND		26.9	ug/Kg	1	08/9/2012 15:10
1,2-Dibromoethane	ND		4.48	ug/Kg	1	08/9/2012 15:10
1,2-Dichlorobenzene	ND		4.48	ug/Kg	1	08/9/2012 15:10
1,2-Dichloroethane	ND		4.48	ug/Kg	1	08/9/2012 15:10
1,2-Dichloropropane	ND		4.48	ug/Kg	1	08/9/2012 15:10
1,3,5-Trimethylbenzene	ND		4.48	ug/Kg	1	08/9/2012 15:10
1,3-Dichlorobenzene	ND		4.48	ug/Kg	1	08/9/2012 15:10
1,3-Dichloropropane	ND		4.48	ug/Kg	1	08/9/2012 15:10
1,4-Dichlorobenzene	ND		4.48	ug/Kg	1	08/9/2012 15:10
2,2-Dichloropropane	ND		4.48	ug/Kg	1	08/9/2012 15:10
2-Butanone	ND		22.4	ug/Kg	1	08/9/2012 15:10
2-Chlorotoluene	ND		4.48	ug/Kg	1	08/9/2012 15:10
2-Hexanone	ND		11.2	ug/Kg	1	08/9/2012 15:10
4-Chlorotoluene	ND		4.48	ug/Kg	1	08/9/2012 15:10
4-Isopropyltoluene	ND		4.48	ug/Kg	1	08/9/2012 15:10
4-Methyl-2-pentanone	ND		11.2	ug/Kg	1	08/9/2012 15:10
Acetone	ND		44.8	ug/Kg	1	08/9/2012 15:10
Benzene	ND		4.48	ug/Kg	1	08/9/2012 15:10
Bromobenzene	ND		4.48	ug/Kg	1	08/9/2012 15:10
Bromochloromethane	ND		4.48	ug/Kg	1	08/9/2012 15:10
Bromodichloromethane	ND		4.48	ug/Kg	1	08/9/2012 15:10
Bromoform	ND		4.48	ug/Kg	1	08/9/2012 15:10
Bromomethane	ND		4.48	ug/Kg	1	08/9/2012 15:10
n-Butylbenzene	ND		4.48	ug/Kg	1	08/9/2012 15:10
Carbon disulfide	ND		4.48	ug/Kg	1	08/9/2012 15:10
Carbon tetrachloride	ND		4.48	ug/Kg	1	08/9/2012 15:10
Chlorobenzene	ND		4.48	ug/Kg	1	08/9/2012 15:10
Chloroethane	ND		4.48	ug/Kg	1	08/9/2012 15:10
Chloroform	ND		4.48	ug/Kg	1	08/9/2012 15:10
Chloromethane	ND		4.48	ug/Kg	1	08/9/2012 15:10
Dibromochloromethane	ND		4.48	ug/Kg	1	08/9/2012 15:10
Dibromomethane	ND		4.48	ug/Kg	1	08/9/2012 15:10
Dichlorodifluoromethane	ND		4.48	ug/Kg	1	08/9/2012 15:10

Results of TW170-1 (6-8)

Client Sample ID: **TW170-1 (6-8)**
 Client Project ID: **NCDOT U-3315**
 Lab Sample ID: 31202495003-A
 Lab Project ID: 31202495

Collection Date: 08/01/2012 09:30
 Received Date: 08/06/2012 15:30
 Matrix: Soil-Solid as dry weight
 Solids (%): 81.20

Results by SW-846 8260B

<u>Parameter</u>	<u>Result</u>	<u>Qual</u>	<u>LOQ/CL</u>	<u>Units</u>	<u>DF</u>	<u>Date Analyzed</u>
cis-1,3-Dichloropropene	ND		4.48	ug/Kg	1	08/9/2012 15:10
trans-1,3-Dichloropropene	ND		4.48	ug/Kg	1	08/9/2012 15:10
Diisopropyl Ether	ND		4.48	ug/Kg	1	08/9/2012 15:10
Ethyl Benzene	ND		4.48	ug/Kg	1	08/9/2012 15:10
Hexachlorobutadiene	ND		4.48	ug/Kg	1	08/9/2012 15:10
Isopropylbenzene (Cumene)	ND		4.48	ug/Kg	1	08/9/2012 15:10
Methyl iodide	ND		4.48	ug/Kg	1	08/9/2012 15:10
Methylene chloride	ND		17.9	ug/Kg	1	08/9/2012 15:10
Naphthalene	ND		4.48	ug/Kg	1	08/9/2012 15:10
Styrene	ND		4.48	ug/Kg	1	08/9/2012 15:10
Tetrachloroethene	ND		4.48	ug/Kg	1	08/9/2012 15:10
Toluene	ND		4.48	ug/Kg	1	08/9/2012 15:10
Trichloroethene	ND		4.48	ug/Kg	1	08/9/2012 15:10
Trichlorofluoromethane	ND		4.48	ug/Kg	1	08/9/2012 15:10
Vinyl chloride	ND		4.48	ug/Kg	1	08/9/2012 15:10
Xylene (total)	ND		8.97	ug/Kg	1	08/9/2012 15:10
cis-1,2-Dichloroethene	ND		4.48	ug/Kg	1	08/9/2012 15:10
m,p-Xylene	ND		8.97	ug/Kg	1	08/9/2012 15:10
n-Propylbenzene	ND		4.48	ug/Kg	1	08/9/2012 15:10
o-Xylene	ND		4.48	ug/Kg	1	08/9/2012 15:10
sec-Butylbenzene	ND		4.48	ug/Kg	1	08/9/2012 15:10
tert-Butyl methyl ether (MTBE)	ND		4.48	ug/Kg	1	08/9/2012 15:10
tert-Butylbenzene	ND		4.48	ug/Kg	1	08/9/2012 15:10
trans-1,2-Dichloroethene	ND		4.48	ug/Kg	1	08/9/2012 15:10
trans-1,4-Dichloro-2-butene	ND		22.4	ug/Kg	1	08/9/2012 15:10

Surrogates

1,2-Dichloroethane-d4	115		55.0-173	%	1	08/9/2012 15:10
4-Bromofluorobenzene	98.0		23.0-141	%	1	08/9/2012 15:10
Toluene d8	102		57.0-134	%	1	08/9/2012 15:10

Batch Information

Analytical Batch: **VMS2459**
 Analytical Method: **SW-846 8260B**
 Instrument: **MSD9**
 Analyst: **DVO**
 Analytical Date/Time: **08/09/2012 15:10**

Prep Batch: **VXX3787**
 Prep Method: **SW-846 5035 SL**
 Prep Date/Time: **08/07/2012 11:22**
 Prep Initial Wt./Vol.: **6.87 g**
 Prep Extract Vol: **5 mL**

Results of TW170-1 (6-8)

Client Sample ID: **TW170-1 (6-8)**
 Client Project ID: **NCDOT U-3315**
 Lab Sample ID: 31202495003-E
 Lab Project ID: 31202495

Collection Date: 08/01/2012 09:30
 Received Date: 08/06/2012 15:30
 Matrix: Soil-Solid as dry weight
 Solids (%): 81.20

Results by SW-846 8015C GRO

<u>Parameter</u>	<u>Result</u>	<u>Qual</u>	<u>LOQ/CL</u>	<u>Units</u>	<u>DF</u>	<u>Date Analyzed</u>
Gasoline Range Organics (GRO)	ND		3.87	mg/kg	1	08/14/2012 20:16

Surrogates

4-Bromofluorobenzene	103		70.0-130	%	1	08/14/2012 20:16
----------------------	-----	--	----------	---	---	------------------

Batch Information

Analytical Batch: **VGC2067**
 Analytical Method: **SW-846 8015C GRO**
 Instrument: **GC7**
 Analyst: **MDY**
 Analytical Date/Time: **08/14/2012 20:16**

Prep Batch: **VXX3822**
 Prep Method: **SW-846 5035**
 Prep Date/Time: **08/07/2012 11:22**
 Prep Initial Wt./Vol.: **6.363 g**
 Prep Extract Vol: **5 mL**

Results of TW170-1 (6-8)

Client Sample ID: **TW170-1 (6-8)**
 Client Project ID: **NCDOT U-3315**
 Lab Sample ID: 31202495003-F
 Lab Project ID: 31202495

Collection Date: 08/01/2012 09:30
 Received Date: 08/06/2012 15:30
 Matrix: Soil-Solid as dry weight
 Solids (%): 81.20

Results by SW-846 8015C DRO

<u>Parameter</u>	<u>Result</u>	<u>Qual</u>	<u>LOQ/CL</u>	<u>Units</u>	<u>DF</u>	<u>Date Analyzed</u>
Diesel Range Organics (DRO)	ND		7.56	mg/kg	1	08/14/2012 0:15

Surrogates

o-Terphenyl	76.8		40.0-140	%	1	08/14/2012 0:15
-------------	------	--	----------	---	---	-----------------

Batch Information

Analytical Batch: **XGC2443**
 Analytical Method: **SW-846 8015C DRO**
 Instrument: **GC6**
 Analyst: **DTF**
 Analytical Date/Time: **08/14/2012 00:15**

Prep Batch: **XXX2914**
 Prep Method: **SW-846 3541**
 Prep Date/Time: **08/13/2012 10:02**
 Prep Initial Wt./Vol.: **32.59 g**
 Prep Extract Vol: **10 mL**



Results of **TW170-1**

Client Sample ID: **TW170-1**
Client Project ID: **NCDOT U-3315**
Lab Sample ID: 31202495007-A
Lab Project ID: 31202495

Collection Date: 08/01/2012 14:45
Received Date: 08/06/2012 15:30
Matrix: Water

Results by **SW-846 8260B**

<u>Parameter</u>	<u>Result</u>	<u>Qual</u>	<u>LOQ/CL</u>	<u>Units</u>	<u>DF</u>	<u>Date Analyzed</u>
1,1,1,2-Tetrachloroethane	ND		1.00	ug/L	1	08/9/2012 14:48
1,1,1-Trichloroethane	ND		1.00	ug/L	1	08/9/2012 14:48
1,1,1,2-Tetrachloroethane	ND		1.00	ug/L	1	08/9/2012 14:48
1,1,2-Trichloroethane	ND		1.00	ug/L	1	08/9/2012 14:48
1,1-Dichloroethane	ND		1.00	ug/L	1	08/9/2012 14:48
1,1-Dichloroethene	ND		1.00	ug/L	1	08/9/2012 14:48
1,1-Dichloropropene	ND		1.00	ug/L	1	08/9/2012 14:48
1,2,3-Trichlorobenzene	ND		1.00	ug/L	1	08/9/2012 14:48
1,2,3-Trichloropropane	ND		1.00	ug/L	1	08/9/2012 14:48
1,2,4-Trichlorobenzene	ND		1.00	ug/L	1	08/9/2012 14:48
1,2,4-Trimethylbenzene	ND		1.00	ug/L	1	08/9/2012 14:48
1,2-Dibromo-3-chloropropane	ND		5.00	ug/L	1	08/9/2012 14:48
1,2-Dibromoethane	ND		1.00	ug/L	1	08/9/2012 14:48
1,2-Dichlorobenzene	ND		1.00	ug/L	1	08/9/2012 14:48
1,2-Dichloroethane	ND		1.00	ug/L	1	08/9/2012 14:48
1,2-Dichloropropane	ND		1.00	ug/L	1	08/9/2012 14:48
1,3,5-Trimethylbenzene	ND		1.00	ug/L	1	08/9/2012 14:48
1,3-Dichlorobenzene	ND		1.00	ug/L	1	08/9/2012 14:48
1,3-Dichloropropane	ND		1.00	ug/L	1	08/9/2012 14:48
1,4-Dichlorobenzene	ND		1.00	ug/L	1	08/9/2012 14:48
2,2-Dichloropropane	ND		1.00	ug/L	1	08/9/2012 14:48
2-Butanone	ND		25.0	ug/L	1	08/9/2012 14:48
2-Chlorotoluene	ND		1.00	ug/L	1	08/9/2012 14:48
2-Hexanone	ND		5.00	ug/L	1	08/9/2012 14:48
4-Chlorotoluene	ND		1.00	ug/L	1	08/9/2012 14:48
4-Isopropyltoluene	ND		1.00	ug/L	1	08/9/2012 14:48
4-Methyl-2-pentanone	ND		5.00	ug/L	1	08/9/2012 14:48
Acetone	ND		25.0	ug/L	1	08/9/2012 14:48
Benzene	ND		1.00	ug/L	1	08/9/2012 14:48
Bromobenzene	ND		1.00	ug/L	1	08/9/2012 14:48
Bromochloromethane	ND		1.00	ug/L	1	08/9/2012 14:48
Bromodichloromethane	ND		1.00	ug/L	1	08/9/2012 14:48
Bromoform	ND		1.00	ug/L	1	08/9/2012 14:48
Bromomethane	ND		1.00	ug/L	1	08/9/2012 14:48
n-Butylbenzene	ND		1.00	ug/L	1	08/9/2012 14:48
Carbon disulfide	ND		1.00	ug/L	1	08/9/2012 14:48
Carbon tetrachloride	ND		1.00	ug/L	1	08/9/2012 14:48
Chlorobenzene	ND		1.00	ug/L	1	08/9/2012 14:48
Chloroethane	ND		1.00	ug/L	1	08/9/2012 14:48
Chloroform	ND		1.00	ug/L	1	08/9/2012 14:48
Chloromethane	1.36		1.00	ug/L	1	08/9/2012 14:48
Dibromochloromethane	ND		1.00	ug/L	1	08/9/2012 14:48
Dibromomethane	ND		1.00	ug/L	1	08/9/2012 14:48
Dichlorodifluoromethane	ND		5.00	ug/L	1	08/9/2012 14:48

Print Date: 08/20/2012

N.C. Certification # 481

Results of TW170-1

Client Sample ID: **TW170-1**
 Client Project ID: **NCDOT U-3315**
 Lab Sample ID: 31202495007-A
 Lab Project ID: 31202495

Collection Date: 08/01/2012 14:45
 Received Date: 08/06/2012 15:30
 Matrix: Water

Results by SW-846 8260B

<u>Parameter</u>	<u>Result</u>	<u>Qual</u>	<u>LOQ/CL</u>	<u>Units</u>	<u>DF</u>	<u>Date Analyzed</u>
cis-1,3-Dichloropropene	ND		1.00	ug/L	1	08/9/2012 14:48
trans-1,3-Dichloropropene	ND		1.00	ug/L	1	08/9/2012 14:48
Diisopropyl Ether	ND		1.00	ug/L	1	08/9/2012 14:48
Ethyl Benzene	ND		1.00	ug/L	1	08/9/2012 14:48
Hexachlorobutadiene	ND		1.00	ug/L	1	08/9/2012 14:48
Isopropylbenzene (Cumene)	ND		1.00	ug/L	1	08/9/2012 14:48
Methyl iodide	ND		1.00	ug/L	1	08/9/2012 14:48
Methylene chloride	ND		5.00	ug/L	1	08/9/2012 14:48
Naphthalene	ND		1.00	ug/L	1	08/9/2012 14:48
Styrene	ND		1.00	ug/L	1	08/9/2012 14:48
Tetrachloroethene	ND		1.00	ug/L	1	08/9/2012 14:48
Toluene	ND		1.00	ug/L	1	08/9/2012 14:48
Trichloroethene	ND		1.00	ug/L	1	08/9/2012 14:48
Trichlorofluoromethane	ND		1.00	ug/L	1	08/9/2012 14:48
Vinyl chloride	ND		1.00	ug/L	1	08/9/2012 14:48
Xylene (total)	ND		2.00	ug/L	1	08/9/2012 14:48
cis-1,2-Dichloroethene	ND		1.00	ug/L	1	08/9/2012 14:48
m,p-Xylene	ND		2.00	ug/L	1	08/9/2012 14:48
n-Propylbenzene	ND		1.00	ug/L	1	08/9/2012 14:48
o-Xylene	ND		1.00	ug/L	1	08/9/2012 14:48
sec-Butylbenzene	ND		1.00	ug/L	1	08/9/2012 14:48
tert-Butyl methyl ether (MTBE)	ND		1.00	ug/L	1	08/9/2012 14:48
tert-Butylbenzene	ND		1.00	ug/L	1	08/9/2012 14:48
trans-1,2-Dichloroethene	ND		1.00	ug/L	1	08/9/2012 14:48
trans-1,4-Dichloro-2-butene	ND		5.00	ug/L	1	08/9/2012 14:48

Surrogates

1,2-Dichloroethane-d4	96.0		64.0-140	%	1	08/9/2012 14:48
4-Bromofluorobenzene	102		85.0-115	%	1	08/9/2012 14:48
Toluene d8	101		82.0-117	%	1	08/9/2012 14:48

Batch Information

Analytical Batch: **VMS2461**
 Analytical Method: **SW-846 8260B**
 Instrument: **MSD3**
 Analyst: **BWS**
 Analytical Date/Time: **08/09/2012 14:48**

Prep Batch: **VXX3789**
 Prep Method: **SW-846 5030B**
 Prep Date/Time: **08/09/2012 08:11**
 Prep Initial Wt./Vol.: **40 mL**
 Prep Extract Vol: **40 mL**



CHAIN OF CUSTODY RECORD
SGS North America Inc.

- Locations Nationwide
- Alaska
- Maryland
- New Jersey
- North Carolina
- Ohio

www.us.sgs.com

104638

1 CLIENT: ATC ASSOCIATES PHONE NO: 919 871 0999 PROJECT: NC DOT 40-375 SITE/PWSID#: 35781,2 REPORTS TO: JUSTIN BRAYARD FAX NO.: (919) 871-0325 INVOICE TO: NC DOT QUOTE #: _____ P.O. NUMBER: _____

SGS Reference: 3202495 PAGE 1 OF 1

LAB NO.	SAMPLE IDENTIFICATION	DATE	TIME	MATRIX	No CONTAINERS	SAMPLE TYPE C= COMP G= GRAB	Preservatives Used		REMARKS
							Analysis Required	Required	
	TW172-1 (6-8)	8/1/12	1045	S	7	G	X	X	
	TW173-1 (6-8)		1125	S	3	G	X	X	
	TW170-1 (6-8)		0930	S	7	G	X	X	
	TW49-1 (2.5-5)		0735	S	8	G	X	X	
	TW174-1 (6-8)		1255	S	3	G	X	X	
	TW49-1		1430	GW	5	G	X	X	
	TW170-1		1445	GW	3	G	X	X	
	TW172-1		1500	GW	3	G	X	X	
	TW173-1		1515	GW	3	G	X	X	
	TW174-1		1530	GW	3	G	X	X	

2

3

4

5

Shipping Carrier: _____
 Shipping Ticket No: _____
 Samples Received Cold? (Circle) YES NO
 Temperature: 9.7 9.2
 Chain of Custody Seal: (Circle) INTACT BROKEN
ABSENT
 Special Instructions: _____
 Requested Turnaround Time: _____
 RUSH _____ Date Needed _____

Collected/Relinquished By: (1) [Signature] Date 8/6/12 Time 1030 Received By: [Signature]
 Relinquished By: (2) [Signature] Date 8/6/12 Time 1230 Received By: [Signature]
 Relinquished By: (3) _____ Date 8/6/12 Time 1530 Received By: [Signature]
 Relinquished By: (4) _____ Date _____ Time _____ Received By: _____

White - Retained by Lab
Pink - Retained by Client

200 W. Potter Drive Anchorage, AK 99518 Tel: (907) 562-2343 Fax: (907) 561-5301
5500 Business Drive Wilmington, NC 28405 Tel: (910) 350-1903 Fax: (910) 350-1557



CHAIN OF CUSTODY RECORD
SGS North America Inc.

- Locations Nationwide
- Alaska
 - Maryland
 - New Jersey
 - North Carolina
 - Ohio

www.us.sgs.com

104618

1 CLIENT: ATC ASSOCIATES PHONE NO: (919) 871-0999 PAGE 1 OF 1

CONTACT: JUSTIN BARNED SITE/PWSID#: 35781.1.2

PROJECT: NC DOT U3315 FAX NO.: (919) 871-0335

REPORTS TO: JUSTIN BARNED QUOTE #: _____ P.O. NUMBER: _____

INVOICE TO: NC DOT

SGS Reference: 31202495

LAB NO.	SAMPLE IDENTIFICATION	DATE	TIME	MATRIX	CONTAINERS	SAMPLE TYPE	Preservatives Used	Analysis Required	REMARKS
	SB173-1 (6-8)	8/2/12	0715	S	3	G		3	
	SB173-5 (2.5-5.0)		0745						
	SB173-6 (4-8)		0805						
	SB173-7 (6-8)		0905						
	SB174-2 (0-2.5)		1020						
	SB174-1 (5-6)		1040						
	SB174-3 (6-8)		1110						
	SB174-4 (5-6)		1140						
	SB174-5 (0-2.5)		1300						
	SB174-6 (5-6)		1450						

2

3

4

5

Collected/Relinquished By: (1) [Signature] Date: 8/6/12 Time: 1000 Received By: [Signature] Time: 1000

Relinquished By: (2) [Signature] Date: 8/6/12 Time: 1200 Received By: [Signature] Time: 1200

Relinquished By: (3) [Signature] Date: 8/6/12 Time: 1530 Received By: [Signature] Time: 1530

Relinquished By: (4) _____ Date: _____

Shipping Carrier: _____ Shipping Ticket No: _____

Special Deliverable Requirements: _____

Special Instructions: _____

Requested Turnaround Time: _____ RUSH _____ Date Needed _____

Samples Received Cold? (Circle) YES NO

Temperature °C: 0.5

Chain of Custody Seal: (Circle) INTACT BROKEN ABSENT

□ 200 W. Potter Drive Anchorage, AK 99518 Tel: (907) 562-2343 Fax: (907) 561-5301
 □ 5500 Business Drive Wilmington, NC 28405 Tel: (910) 350-1903 Fax: (910) 350-1557



CHAIN OF CUSTODY RECORD
SGS North America Inc.

- Locations Nationwide
- Alaska
 - Maryland
 - New Jersey
 - North Carolina
 - Ohio

www.us.sgs.com

104619

SGS Reference: 31202495 PAGE 1 OF 1

1 CLIENT: ATC ASSOCIATES PHONE NO: (919) 871-0449

CONTACT: JUSTIN BARBERO SITE/PWSID#: 35781.1.2

PROJECT: NDOT QUOTE #: 919 FAX NO.: 871-0315

REPORTS TO: JUSTIN BARBERO P.O. NUMBER:

INVOICE TO: NDOT

LAB NO.	SAMPLE IDENTIFICATION	DATE	TIME	MATRIX	No CONTAINERS	SAMPLE TYPE	Preservatives Used	Analysis Required	REMARKS
	SB171-1 (0-2.5)	8/3/12	0730	S	3	G		3	
	SB171-2 (0-2.5)		0750						
	SB171-3 (0-2.5)		0810						
	SB171-4 (0-2.5)		0900						
	SB171-5 (0-2.5)		0920						
	SB171-6 (0-2.5)		0940						

2

5 Collected/Relinquished By: (1) [Signature] Date 8/6/12 Time 1030 Received By: [Signature]

Relinquished By: (2) [Signature] Date 8/6/12 Time 1200 Received By: [Signature]

Relinquished By: (3) [Signature] Date 8/6/12 Time 1530 Received By: [Signature]

Relinquished By: (4) [Signature] Date _____ Time _____ Received By: _____

Shipping Carrier: _____ Shipping Ticket No: _____

Special Deliverable Requirements: _____

Special Instructions: _____

Requested Turnaround Time: RUSH STD Date Needed _____

Samples Received/Sold? (Circle) YES NO NO

Temperature °C: 0.7 4.2

Chain of Custody Seal: (Circle) INTACT BROKEN ABSENT

200 W. Potter Drive Anchorage, AK 99518 Tel: (907) 562-2343 Fax: (907) 561-5301
 5500 Business Drive Wilmington, NC 28405 Tel: (910) 350-1903 Fax: (910) 350-1557

White - Retained by Lab
 Pink - Retained by Client

SGS North America Inc.

Sample Receipt Checklist (SRC)

Client: NCDOT-ATC Work Order No.: 31202495

- 1. Shipped
 Hand Delivered
- 2. COC Present on Receipt
 No COC
 Additional Transmittal Forms
- 3. Custody Tape on Container
 No Custody Tape
- 4. Samples Intact
 Samples Broken / Leaking
- 5. Chilled on Receipt Actual Temp.(s) in °C: 0.7, 4.2
 Ambient on Receipt
 Walk-in on Ice; Coming down to temp.
 Received Outside of Temperature Specifications
- 6. Sufficient Sample Submitted
 Insufficient Sample Submitted
- 7. Chlorine absent
 HNO3 < 2
 HCL < 2
 Additional Preservatives verified (see notes)
- 8. Received Within Holding Time
 Not Received Within Holding Time
- 9. No Discrepancies Noted
 Discrepancies Noted
 NCDENR notified of Discrepancies*
- 10. No Headspace present in VOC vials
 Headspace present in VOC vials >6mm

Notes: _____

Comments: Received two MEOH vials with no sample id or label.
Did not received vials for TW172-1 (6-8), only one 4oz amber jar.

Inspected and Logged in by: JJ
Date: Mon-8/6/12 00:00