

**STATE OF NORTH CAROLINA**  
**DEPARTMENT OF TRANSPORTATION**  
**DIVISION OF HIGHWAYS**  
**GEOTECHNICAL ENGINEERING UNIT**

**STRUCTURE**  
**SUBSURFACE INVESTIGATION**

PROJ. REFERENCE NO. 34518.1.3 F.A. PROJ. STP-0221(40)  
 COUNTY Ashe  
 PROJECT DESCRIPTION US 221 FROM SR 1003 (IDLEWILD ROAD)  
TO NORTH OF SOUTH FORK OF NEW RIVER

SITE DESCRIPTION REPLACE CULVERT 3 ON US 221 OVER  
GAP CREEK WITH DUAL 3 SPAN  
PSCG BRIDGES

**CONTENTS**

<u>SHEET</u>	<u>DESCRIPTION</u>
1	TITLE SHEET
2	LEGEND
3	SITE PLAN
4	PROFILE
5-6	CROSS SECTIONS
7-16	BORE LOG & CORE REPORTS
17-20	CORE PHOTOGRAPHS

**CAUTION NOTICE**

THE SUBSURFACE INFORMATION AND THE SUBSURFACE INVESTIGATION ON WHICH IT IS BASED WERE MADE FOR THE PURPOSE OF STUDY, PLANNING, AND DESIGN, AND NOT FOR CONSTRUCTION OR PAY PURPOSES. THE VARIOUS FIELD BORING LOGS, ROCK CORES, AND SOIL TEST DATA AVAILABLE MAY BE REVIEWED OR INSPECTED IN RALEIGH BY CONTACTING THE N. C. DEPARTMENT OF TRANSPORTATION, GEOTECHNICAL ENGINEERING UNIT AT (919) 707-6950. NEITHER THE SUBSURFACE PLANS AND REPORTS, NOR THE FIELD BORING LOGS, ROCK CORES, OR SOIL TEST DATA ARE PART OF THE CONTRACT.

GENERAL SOIL AND ROCK STRATA DESCRIPTIONS AND INDICATED BOUNDARIES ARE BASED ON A GEOTECHNICAL INTERPRETATION OF ALL AVAILABLE SUBSURFACE DATA AND MAY NOT NECESSARILY REFLECT THE ACTUAL SUBSURFACE CONDITIONS BETWEEN BORINGS OR BETWEEN SAMPLED STRATA WITHIN THE BOREHOLE. THE LABORATORY SAMPLE DATA AND THE IN SITU (IN-PLACE) TEST DATA CAN BE RELIED ON ONLY TO THE DEGREE OF RELIABILITY INHERENT IN THE STANDARD TEST METHOD. THE OBSERVED WATER LEVELS OR SOIL MOISTURE CONDITIONS INDICATED IN THE SUBSURFACE INVESTIGATIONS ARE AS RECORDED AT THE TIME OF THE INVESTIGATION. THESE WATER LEVELS OR SOIL MOISTURE CONDITIONS MAY VARY CONSIDERABLY WITH TIME ACCORDING TO CLIMATIC CONDITIONS INCLUDING TEMPERATURES, PRECIPITATION, AND WIND, AS WELL AS OTHER NON-CLIMATIC FACTORS.

THE BIDDER OR CONTRACTOR IS CAUTIONED THAT DETAILS SHOWN ON THE SUBSURFACE PLANS ARE PRELIMINARY ONLY AND IN MANY CASES THE FINAL DESIGN DETAILS ARE DIFFERENT. FOR BIDDING AND CONSTRUCTION PURPOSES, REFER TO THE CONSTRUCTION PLANS AND DOCUMENTS FOR FINAL DESIGN INFORMATION ON THIS PROJECT. THE DEPARTMENT DOES NOT WARRANT OR GUARANTEE THE SUFFICIENCY OR ACCURACY OF THE INVESTIGATION MADE, NOR THE INTERPRETATIONS MADE, OR OPINION OF THE DEPARTMENT AS TO THE TYPE OF MATERIALS AND CONDITIONS TO BE ENCOUNTERED. THE BIDDER OR CONTRACTOR IS CAUTIONED TO MAKE SUCH INDEPENDENT SUBSURFACE INVESTIGATIONS AS HE DEEMS NECESSARY TO SATISFY HIMSELF AS TO CONDITIONS TO BE ENCOUNTERED ON THIS PROJECT. THE CONTRACTOR SHALL HAVE NO CLAIM FOR ADDITIONAL COMPENSATION OR FOR AN EXTENSION OF TIME FOR ANY REASON RESULTING FROM THE ACTUAL CONDITIONS ENCOUNTERED AT THE SITE DIFFERING FROM THOSE INDICATED IN THE SUBSURFACE INFORMATION.

PERSONNEL

R. DELOST

M. MORGAN

JC KUHNE

DM MULLEN

INVESTIGATED BY PQ LOCKAMY

CHECKED BY JC KUHNE

SUBMITTED BY JC KUHNE


DATE 12-13-2013

**PROJECT: 34518.1.3 ID: R-2915B**

DRAWN BY: PQ LOCKAMY

NOTE - THE INFORMATION CONTAINED HEREIN IS NOT IMPLIED OR GUARANTEED BY THE N. C. DEPARTMENT OF TRANSPORTATION AS BEING ACCURATE NOR IT IS CONSIDERED TO BE PART OF THE PLANS, SPECIFICATIONS, OR CONTRACT FOR THE PROJECT.

NOTE - BY HAVING REQUESTED THIS INFORMATION THE CONTRACTOR SPECIFICALLY WAIVES ANY CLAIMS FOR INCREASED COMPENSATION OR EXTENSION OF TIME BASED ON DIFFERENCES BETWEEN THE CONDITIONS INDICATED HEREIN AND THE ACTUAL CONDITIONS AT THE PROJECT SITE.









NORTH CAROLINA DEPARTMENT OF TRANSPORTATION  
DIVISION OF HIGHWAYS  
GEOTECHNICAL ENGINEERING UNIT


PROJECT REFERENCE NO. 34518.1.3  
SHEET NO. 2 / 20

SUBSURFACE INVESTIGATION

SOIL AND ROCK LEGEND, TERMS, SYMBOLS, AND ABBREVIATIONS

SOIL DESCRIPTION		GRADATION		ROCK DESCRIPTION		TERMS AND DEFINITIONS	
SOIL IS CONSIDERED TO BE THE UNCONSOLIDATED, SEMI-CONSOLIDATED, OR WEATHERED EARTH MATERIALS THAT CAN BE PENETRATED WITH A CONTINUOUS FLIGHT POWER AUGER, AND YIELD LESS THAN 100 BLOWS PER FOOT ACCORDING TO STANDARD PENETRATION TEST (AASHTO T206, ASTM D-1586). SOIL CLASSIFICATION IS BASED ON THE AASHTO SYSTEM. BASIC DESCRIPTIONS GENERALLY SHALL INCLUDE: CONSISTENCY, COLOR, TEXTURE, MOISTURE, AASHTO CLASSIFICATION, AND OTHER PERTINENT FACTORS SUCH AS MINERALOGICAL COMPOSITION, ANGULARITY, STRUCTURE, PLASTICITY, ETC. EXAMPLE: <i>VERY STIFF, GRK. SKTY CLN. MOIST WITH INTERBEDDED FINE SAND LAYERS, HIGHLY PLASTIC, A-7-6</i>		WELL GRADED - INDICATES A GOOD REPRESENTATION OF PARTICLE SIZES FROM FINE TO COARSE. UNIFORM - INDICATES THAT SOIL PARTICLES ARE ALL APPROXIMATELY THE SAME SIZE. (ALSO POORLY GRADED) POORLY GRADED - INDICATES A MIXTURE OF UNIFORM PARTICLES OF TWO OR MORE SIZES. THE ANGULARITY OR ROUNDNESS OF SOIL GRAINS IS DESIGNATED BY THE TERMS: ANGULAR, SUBANGULAR, SUBROUNDED, OR ROUNDED.		HARD ROCK IS NON-COASTAL PLAIN MATERIAL THAT IF TESTED, WOULD YIELD SPT REFUSAL. AN INFERRED ROCK LINE INDICATES THE LEVEL AT WHICH NON-COASTAL PLAIN MATERIAL WOULD YIELD SPT REFUSAL. SPT REFUSAL IS PENETRATION BY A SPLIT SPOON SAMPLER EQUAL TO OR LESS THAN 0.1 FOOT PER 60 BLOWS. IN NON-COASTAL PLAIN MATERIAL, THE TRANSITION BETWEEN SOIL AND ROCK IS OFTEN REPRESENTED BY A ZONE OF WEATHERED ROCK. ROCK MATERIALS ARE TYPICALLY DIVIDED AS FOLLOWS:  NON-COASTAL PLAIN MATERIAL THAT WOULD YIELD SPT N VALUES > 100 BLOWS PER FOOT IF TESTED.  FINE TO COARSE GRAIN IGNEOUS AND METAMORPHIC ROCK THAT WOULD YIELD SPT REFUSAL IF TESTED. ROCK TYPE INCLUDES GRANITE, GNEISS, GABBRO, SCHIST, ETC.  FINE TO COARSE GRAIN METAMORPHIC AND NON-COASTAL PLAIN SEDIMENTARY ROCK THAT WOULD YIELD SPT REFUSAL IF TESTED. ROCK TYPE INCLUDES PHYLLITE, SLATE, SANDSTONE, ETC.  COASTAL PLAIN SEDIMENTS CEMENTED INTO ROCK, BUT MAY NOT YIELD SPT REFUSAL. ROCK TYPE INCLUDES LIMESTONE, SANDSTONE, CEMENTED SHELL BEDS, ETC.		ALLUVIUM (ALLUV.) - SOILS THAT HAVE BEEN TRANSPORTED BY WATER. AQUIFER - A WATER BEARING FORMATION OR STRATA. ARENACEOUS - APPLIED TO ROCKS THAT HAVE BEEN DERIVED FROM SAND OR THAT CONTAIN SAND. ARGILLACEOUS - APPLIED TO ALL ROCKS OR SUBSTANCES COMPOSED OF CLAY MINERALS, OR HAVING A NOTABLE PROPORTION OF CLAY IN THEIR COMPOSITION, AS SHALE, SLATE, ETC. ARTESIAN - GROUND WATER THAT IS UNDER SUFFICIENT PRESSURE TO RISE ABOVE THE LEVEL AT WHICH IT IS ENCOUNTERED, BUT WHICH DOES NOT NECESSARILY RISE TO OR ABOVE THE GROUND SURFACE. CALCAREOUS (CALC.) - SOILS THAT CONTAIN APPRECIABLE AMOUNTS OF CALCIUM CARBONATE. COLLUVIUM - ROCK FRAGMENTS MIXED WITH SOIL DEPOSITED BY GRAVITY ON SLOPE OR AT BOTTOM OF SLOPE. CORE RECOVERY (REC) - TOTAL LENGTH OF ALL MATERIAL RECOVERED IN THE CORE BARREL DIVIDED BY TOTAL LENGTH OF CORE RUN AND EXPRESSED AS A PERCENTAGE. DIKE - A TABULAR BODY OF IGNEOUS ROCK THAT CUTS ACROSS THE STRUCTURE OF ADJACENT ROCKS OR CUTS MASSIVE ROCK. DIP - THE ANGLE AT WHICH A STRATUM OR ANY PLANAR FEATURE IS INCLINED FROM THE HORIZONTAL. DIP DIRECTION (DIP AZIMUTH) - THE DIRECTION OR BEARING OF THE HORIZONTAL TRACE OF THE LINE OF DIP, MEASURED CLOCKWISE FROM NORTH. FAULT - A FRACTURE OR FRACTURE ZONE ALONG WHICH THERE HAS BEEN DISPLACEMENT OF THE SIDES RELATIVE TO ONE ANOTHER PARALLEL TO THE FRACTURE. FISSILE - A PROPERTY OF SPLITTING ALONG CLOSELY SPACED PARALLEL PLANES. FLOAT - ROCK FRAGMENTS ON SURFACE NEAR THEIR ORIGINAL POSITION AND DISLOADED FROM PARENT MATERIAL. FLOOD PLAIN (FP) - LAND BORDERING A STREAM, BUILT OF SEDIMENTS DEPOSITED BY THE STREAM. FORMATION (FM) - A MAPPABLE GEOLOGIC UNIT THAT CAN BE RECOGNIZED AND TRACED IN THE FIELD. JOINT - FRACTURE IN ROCK ALONG WHICH NO APPRECIABLE MOVEMENT HAS OCCURRED. LEDGE - A SHELF-LIKE RIDGE OR PROJECTION OF ROCK WHOSE THICKNESS IS SMALL COMPARED TO ITS LATERAL EXTENT. LENS - A BODY OF SOIL OR ROCK THAT THINS OUT IN ONE OR MORE DIRECTIONS. MOTTLED (MOT.) - IRREGULARLY MARKED WITH SPOTS OF DIFFERENT COLORS. MOTTLING IN SOILS USUALLY INDICATES POOR AERATION AND LACK OF GOOD DRAINAGE. PERCHED WATER - WATER MAINTAINED ABOVE THE NORMAL GROUND WATER LEVEL BY THE PRESENCE OF AN INTERVENING IMPERVIOUS STRATUM. RESIDUAL (RES.) SOIL - SOIL FORMED IN PLACE BY THE WEATHERING OF ROCK. ROCK QUALITY DESIGNATION (RQD) - A MEASURE OF ROCK QUALITY DESCRIBED BY TOTAL LENGTH OF ROCK SEGMENTS EQUAL TO OR GREATER THAN 4 INCHES DIVIDED BY THE TOTAL LENGTH OF CORE RUN AND EXPRESSED AS A PERCENTAGE. SAPROLITE (SAP) - RESIDUAL SOIL THAT RETAINS THE RELIC STRUCTURE OR FABRIC OF THE PARENT ROCK. SILL - AN INTRUSIVE BODY OF IGNEOUS ROCK OF APPROXIMATELY UNIFORM THICKNESS AND RELATIVELY THIN COMPARED WITH ITS LATERAL EXTENT, THAT HAS BEEN EMPLACED PARALLEL TO THE BEDDING OR SCHISTOSITY OF THE INTRODUCED ROCKS. SLICKENSIDE - POLISHED AND STRIATED SURFACE THAT RESULTS FROM FRICTION ALONG A FAULT OR SLIP PLANE. STANDARD PENETRATION TEST (PENETRATION RESISTANCE) (SPT) - NUMBER OF BLOWS (N OR BPF) OF A 140 LB. HAMMER FALLING 30 INCHES REQUIRED TO PRODUCE A PENETRATION OF 1 FOOT INTO SOIL WITH A 2 INCH OUTSIDE DIAMETER SPLIT SPOON SAMPLER. SPT REFUSAL IS PENETRATION EQUAL TO OR LESS THAN 0.1 FOOT PER 60 BLOWS. STRATA CORE RECOVERY (SREC) - TOTAL LENGTH OF STRATA MATERIAL RECOVERED DIVIDED BY TOTAL LENGTH OF STRATUM AND EXPRESSED AS A PERCENTAGE. STRATA ROCK QUALITY DESIGNATION (SRQD) - A MEASURE OF ROCK QUALITY DESCRIBED BY TOTAL LENGTH OF ROCK SEGMENTS WITHIN A STRATUM EQUAL TO OR GREATER THAN 4 INCHES DIVIDED BY THE TOTAL LENGTH OF STRATA AND EXPRESSED AS A PERCENTAGE. TOPSOIL (TS) - SURFACE SOILS USUALLY CONTAINING ORGANIC MATTER.	
<b>SOIL LEGEND AND AASHTO CLASSIFICATION</b> GENERAL CLASS. GRANULAR MATERIALS (<= 35% PASSING #200) SILT-CLAY MATERIALS (> 35% PASSING #200) ORGANIC MATERIALS GROUP CLASS. A-1-a, A-1-b, A-3, A-2, A-2-4, A-2-5, A-2-6, A-2-7, A-4, A-5, A-6, A-7, A-1, A-2, A-3, A-4, A-5, A-6, A-7 SYMBOL  % PASSING #10, #40, #200 LIQUID LIMIT, PLASTIC INDEX GROUP INDEX USUAL TYPES OF MAJOR MATERIALS GENERALTING AS A SUBGRADE		<b>MINERALOGICAL COMPOSITION</b> MINERAL NAMES SUCH AS QUARTZ, FELDSPAR, MICA, TALC, KAOLIN, ETC. ARE USED IN DESCRIPTIONS WHENEVER THEY ARE CONSIDERED OF SIGNIFICANCE. <b>COMPRESSIBILITY</b> SLIGHTLY COMPRESSIBLE, MODERATELY COMPRESSIBLE, HIGHLY COMPRESSIBLE <b>PERCENTAGE OF MATERIAL</b> ORGANIC MATERIAL, GRANULAR SOILS, SILT-CLAY SOILS, OTHER MATERIAL <b>GROUND WATER</b> WATER LEVEL IN BORE HOLE IMMEDIATELY AFTER DRILLING, STATIC WATER LEVEL AFTER 24 HOURS, PERCHED WATER, SATURATED ZONE, OR WATER BEARING STRATA, SPRING OR SEEP		<b>WEATHERING</b> FRESH, VERY SLIGHT, SLIGHT, MODERATE, MODERATELY SEVERE, SEVERE, VERY SEVERE, COMPLETE ROCK FRESH, CRYSTALS BRIGHT, FEW JOINTS MAY SHOW SLIGHT STAINING. ROCK RINGS UNDER HAMMER IF CRYSTALLINE. ROCK GENERALLY FRESH, JOINTS STAINED, SOME JOINTS MAY SHOW THIN CLAY COATINGS IF OPEN. CRYSTALS ON A BROKEN SPECIMEN FACE SHINE BRIGHTLY. ROCK RINGS UNDER HAMMER BLOWS IF OF A CRYSTALLINE NATURE. ROCK GENERALLY FRESH, JOINTS STAINED AND DISCOLORATION EXTENDS INTO ROCK UP TO 1 INCH. OPEN JOINTS MAY CONTAIN CLAY. IN GRANITOID ROCKS SOME OCCASIONAL FELDSPAR CRYSTALS ARE DULL AND DISCOLORED. CRYSTALLINE ROCKS RING UNDER HAMMER BLOWS. SIGNIFICANT PORTIONS OF ROCK SHOW DISCOLORATION AND WEATHERING EFFECTS. IN GRANITOID ROCKS, MOST FELDSPARS ARE DULL AND DISCOLORED, SOME SHOW CLAY. ROCK HAS DULL SOUND UNDER HAMMER BLOWS AND SHOWS SIGNIFICANT LOSS OF STRENGTH AS COMPARED WITH FRESH ROCK. ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. IN GRANITOID ROCKS, ALL FELDSPARS DULL AND DISCOLORED AND A MAJORITY SHOW KAOLINIZATION. ROCK SHOWS SEVERE LOSS OF STRENGTH AND CAN BE EXCAVATED WITH A GEOLOGIST'S PICK. ROCK GIVES 'CLUNK' SOUND WHEN STRUCK. IF TESTED, WOULD YIELD SPT REFUSAL. ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. ROCK FABRIC CLEAR AND EVIDENT BUT REDUCED IN STRENGTH TO STRONG SOIL. IN GRANITOID ROCKS ALL FELDSPARS ARE KAOLINIZED TO SOME EXTENT. SOME FRAGMENTS OF STRONG ROCK USUALLY REMAIN. IF TESTED, YIELDS SPT N VALUES < 100 BPF. ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. ROCK FABRIC ELEMENTS ARE DISCERNIBLE BUT THE MASS IS EFFECTIVELY REDUCED TO SOIL STATUS, WITH ONLY FRAGMENTS OF STRONG ROCK REMAINING. SAPROLITE IS AN EXAMPLE OF ROCK WEATHERED TO A DEGREE SUCH THAT ONLY MINOR VESTIGES OF THE ORIGINAL ROCK FABRIC REMAIN. IF TESTED, YIELDS SPT N VALUES < 100 BPF. ROCK REDUCED TO SOIL. ROCK FABRIC NOT DISCERNIBLE, OR DISCERNIBLE ONLY IN SMALL AND SCATTERED CONCENTRATIONS. QUARTZ MAY BE PRESENT AS DIKES OR STRINGERS. SAPROLITE IS ALSO AN EXAMPLE.		<b>CONSISTENCY OR DENSENESS</b> PRIMARY SOIL TYPE, COMPACTNESS OR CONSISTENCY, RANGE OF STANDARD PENETRATION RESISTANCE (N-VALUE), RANGE OF UNCONFINED COMPRESSIVE STRENGTH (TONS/FT <sup>2</sup> ) <b>TEXTURE OR GRAIN SIZE</b> U.S. STD. SIEVE SIZE OPENING (MM), BOULDER, COBBLE, GRAVEL, COARSE SAND, FINE SAND, SILT, CLAY <b>SOIL MOISTURE - CORRELATION OF TERMS</b> SOIL MOISTURE SCALE (ATTERBERG LIMITS), FIELD MOISTURE DESCRIPTION, GUIDE FOR FIELD MOISTURE DESCRIPTION <b>PLASTICITY</b> NONPLASTIC, LOW PLASTICITY, MED. PLASTICITY, HIGH PLASTICITY, PLASTICITY INDEX (PI), DRY STRENGTH <b>COLOR</b> DESCRIPTIONS MAY INCLUDE COLOR OR COLOR COMBINATIONS (TAN, RED, YELLOW-BROWN, BLUE-GRAY). MODIFIERS SUCH AS LIGHT, DARK, STREAKED, ETC. ARE USED TO DESCRIBE APPEARANCE.	
<b>MISCELLANEOUS SYMBOLS</b> 		<b>ABBREVIATIONS</b> AR - AUGER REFUSAL, BT - BORING TERMINATED, CL - CLAY, CPT - CONE PENETRATION TEST, CSE - COARSE, DMT - DILATOMETER TEST, DPT - DYNAMIC PENETRATION TEST, e - VOID RATIO, F - FINE, FOSS. - FOSSILIFEROUS, FRAC. - FRACTURED, FRAGMENTS, HI. - HIGHLY, MED. - MEDIUM, MICA - MICACEOUS, MOD. - MODERATELY, NP - NON PLASTIC, ORG. - ORGANIC, PMT - PRESSUREMETER TEST, SAP. - SAPROLITIC, SD. - SAND, SANDY, SL. - SILT, SILTY, SLI. - SLIGHTLY, TCR - TRICONE REFUSAL, w - MOISTURE CONTENT, V - VERY, VST - VANE SHEAR TEST, WEA. - WEATHERED, Wt - UNIT WEIGHT, Wt% - DRY UNIT WEIGHT, S - BULK, SS - SPLIT SPOON, ST - SHELBY TUBE, RS - ROCK, RT - RECOMPACTED TRIAXIAL, CBR - CALIFORNIA BEARING RATIO		<b>ROCK HARDNESS</b> VERY HARD, HARD, MODERATELY HARD, MEDIUM HARD, SOFT, VERY SOFT CANNOT BE SCRATCHED BY KNIFE OR SHARP PICK. BREAKING OF HAND SPECIMENS REQUIRES SEVERAL HARD BLOWS OF THE GEOLOGIST'S PICK. CAN BE SCRATCHED BY KNIFE OR PICK ONLY WITH DIFFICULTY. HARD HAMMER BLOWS REQUIRED TO DETACH HAND SPECIMEN. CAN BE SCRATCHED BY KNIFE OR PICK. GOUSES OR GROOVES TO 0.25 INCHES DEEP CAN BE EXCAVATED BY HARD BLOW OF A GEOLOGIST'S PICK. HAND SPECIMENS CAN BE DETACHED BY MODERATE BLOWS. CAN BE GROOVED OR GOUGED 0.05 INCHES DEEP BY FIRM PRESSURE OF KNIFE OR PICK POINT. CAN BE EXCAVATED IN SMALL CHIPS TO PEICES 1 INCH MAXIMUM SIZE BY HARD BLOWS OF THE POINT OF A GEOLOGIST'S PICK. CAN BE GROVED OR GOUGED READILY BY KNIFE OR PICK. CAN BE EXCAVATED IN FRAGMENTS FROM CHIPS TO SEVERAL INCHES IN SIZE BY MODERATE BLOWS OF A PICK POINT. SMALL, THIN PIECES CAN BE BROKEN BY FINGER PRESSURE. CAN BE CARVED WITH KNIFE. CAN BE EXCAVATED READILY WITH POINT OF PICK. PIECES 1 INCH OR MORE IN THICKNESS CAN BE BROKEN BY FINGER PRESSURE. CAN BE SCRATCHED READILY BY FINGER NAIL.			
<b>EQUIPMENT USED ON SUBJECT PROJECT</b> DRILL UNITS: MOBILE B-, BK-51, CME-45C, CME-550, PORTABLE HOIST ADVANCING TOOLS: CLAY BITS, 6" CONTINUOUS FLIGHT AUGER, 8" HOLLOW AUGERS, HARD FACED FINGER BITS, TUNG-CARBIDE INSERTS, CASING w/ ADVANCER, TRICONE, STEEL TEETH, TRICONE, TUNG-CARB., CORE BIT HAMMER TYPE: AUTOMATIC, MANUAL CORE SIZE: B-, N-, H- HAND TOOLS: POST HOLE DIGGER, HAND AUGER, SOUNDING ROD, VANE SHEAR TEST		<b>FRACTURE SPACING</b> TERM, SPACING VERY WIDE, WIDE, MODERATELY CLOSE, CLOSE, VERY CLOSE MORE THAN 10 FEET, 3 TO 10 FEET, 1 TO 3 FEET, 0.16 TO 1 FEET, LESS THAN 0.16 FEET <b>BEDDING</b> TERM, THICKNESS VERY THICKLY BEDDED, THICKLY BEDDED, THINLY BEDDED, VERY THINLY BEDDED, THICKLY LAMINATED, THINLY LAMINATED > 4 FEET, 1.5 - 4 FEET, 0.16 - 1.5 FEET, 0.03 - 0.16 FEET, 0.008 - 0.03 FEET, < 0.008 FEET <b>INDURATION</b> FOR SEDIMENTARY ROCKS, INDURATION IS THE HARDENING OF THE MATERIAL BY CEMENTING, HEAT, PRESSURE, ETC. FRIABLE, RUBBING WITH FINGER FREES NUMEROUS GRAINS; GENTLE BLOW BY HAMMER DISINTEGRATES SAMPLE. MODERATELY INDURATED, GRAINS CAN BE SEPARATED FROM SAMPLE WITH STEEL PROBE; BREAKS EASILY WHEN HIT WITH HAMMER. INDURATED, GRAINS ARE DIFFICULT TO SEPARATE WITH STEEL PROBE; DIFFICULT TO BREAK WITH HAMMER. EXTREMELY INDURATED, SHARP HAMMER BLOWS REQUIRED TO BREAK SAMPLE; SAMPLE BREAKS ACROSS GRAINS.					

PROJECT REFERENCE NO.	SHEET NO.
R-2915B	3 / 20
RAW SHEET NO.	



-L- STA. 195

-DR3- PCC Sta. 19+08.88

DR3- POT Sta. 19+95.47  
19+85.75

-L- POC Sta. 200+76.32=  
-Y10- POT Sta. 17+98.86

N 58° 04' 57.4" E

S 73° 59' 57.3" E

5/14/99

2880

2870

2860

2850

EXISTING GROUND

E11-C  
198+11  
6 RT

E1-C  
198+42  
CL

B2-C  
199+00  
3 RT

E12-C  
199+27  
CL

WATER SURFACE

1-13

09/3

18

15

100/.8

60/.1

weathered rock

alluvium: silty sand to sand with gravel and basal cobbles

weathered rock

BT  
FIAD  
crystalline rock

crystalline rock

60/.1

Rec=96%  
ROD=94%

Rec=98%  
ROD=98%

BT  
FIAD

BT

alluvium: tan silty sand

weathered rock

# Profile Along Centerline



VE = 5H:1V


198+00

199+00

200+00


I:\REC-2013\1020\158\_GEO\_BRIDGE\_C3\CADD\_GEO\TECH\Project\158\_Geo\_BRIDGE3\_Plan\_View.dgn





HORIZ. SCALE 0 10 20 (FEET)

VE = 1



HORIZ. SCALE 0 10 20 (FEET)

VE = 1

Ⓐ embankment: tan to black silty fine sand with rock fragments

WBS 34518.1.3		TIP R2915B		COUNTY ASHE		GEOLOGIST R. DeLost										
SITE DESCRIPTION Replace Ashe County Culvert C3 with dual bridges on US 221 over Gap Creek							GROUND WTR (ft)									
BORING NO. EB1-A		STATION 197+97		OFFSET 45 ft LT		ALIGNMENT I										
COLLAR ELEV. 2,883.9 ft		TOTAL DEPTH 18.8 ft		NORTHING 931,541		EASTING 1,261,520										
DRILL RIG/HAMMER EFF./DATE F&H0404 CME-45C 87.6% 08/15/2011		DRILL METHOD NW Casing w/ SPT		HAMMER TYPE Automatic												
DRILLER M. Morgan		START DATE 10/01/13		COMP. DATE 10/01/13		SURFACE WATER DEPTH N/A										
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	MOI	LOG	SOIL AND ROCK DESCRIPTION	DEPTH (ft)	
			0.5ft	0.5ft	0.5ft	0	25	50	75	100						
2885															2,883.9	0.0
															embankment: brown and gray silty sand with mica and rock fragments	
2880	2,879.1	4.8	9	16	16											
2875	2,874.1	9.8	9	12	17											
2870	2,869.1	14.8	4	8	16										2,869.9	14.0
															alluvium: no recovery - inferred silty sand with gravel.	
	2,865.2	18.7	60/0												2,865.2	18.7
															Boring Terminated with Standard Penetration Test Refusal at Elevation 2,865.2 ft on crystalline rock	

NCDOT BORE SINGLE R2915\_GEO\_CULV3\_BORINGS.GPJ NC\_DOT.GDT 12/12/13

WBS 34518.1.3		TIP R2915B		COUNTY ASHE		GEOLOGIST R. DeLost										
SITE DESCRIPTION Replace Ashe County Culvert C3 with dual bridges on US 221 over Gap Creek							GROUND WTR (ft)									
BORING NO. EB1-B		STATION 198+08		OFFSET 45 ft RT		ALIGNMENT I										
COLLAR ELEV. 2,871.2 ft		TOTAL DEPTH 13.5 ft		NORTHING 931,524		EASTING 1,261,609										
DRILL RIG/HAMMER EFF./DATE F&H0404 CME-45C 87.6% 08/15/2011		DRILL METHOD NW Casing w/ SPT		HAMMER TYPE Automatic												
DRILLER M. Morgan		START DATE 10/02/13		COMP. DATE 10/02/13		SURFACE WATER DEPTH N/A										
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	MOI	LOG	SOIL AND ROCK DESCRIPTION	DEPTH (ft)	
			0.5ft	0.5ft	0.5ft	0	25	50	75	100						
2875															2,871.2	0.0
															GROUND SURFACE	
2870															alluvium: gray silty sand with mica, roots, and gravel	
2865	2,866.2	5.0	0	5	8											
2860	2,861.2	10.0	13	28	72/4										2,862.9	8.3
															weathered rock	
	2,857.9	13.3	60/0												2,857.9	13.3
															Boring Terminated with Standard Penetration Test Refusal at Elevation 2,857.7 ft on crystalline rock	

NCDOT BORE SINGLE R2915\_GEO\_CULV3\_BORINGS.GPJ NC\_DOT.GDT 12/12/13



# NCDOT GEOTECHNICAL ENGINEERING UNIT BORELOG REPORT

WBS 34518.1.3		TIP R2915B		COUNTY ASHE		GEOLOGIST R. DeLost									
SITE DESCRIPTION Replace Ashe County Culvert C3 with dual bridges on US 221 over Gap Creek							GROUND WTR (ft)								
BORING NO. EB1-C		STATION 198+11		OFFSET 6 ft RT		ALIGNMENT I	0 HR. N/A								
COLLAR ELEV. 2,870.2 ft		TOTAL DEPTH 9.1 ft		NORTHING 931,539		EASTING 1,261,573	24 HR. N/A								
DRILL RIG/HAMMER EFF./DATE F&H0404 CME-45C 87.6% 08/15/2011				DRILL METHOD NW Casing w/ SPT		HAMMER TYPE Automatic									
DRILLER M. Morgan		START DATE 09/25/13		COMP. DATE 09/25/13		SURFACE WATER DEPTH N/A									
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	L O G	SOIL AND ROCK DESCRIPTION	DEPTH (ft)	
			0.5ft	0.5ft	0.5ft	0	25	50	75	100					
2875															
2870														2,870.2	GROUND SURFACE 0.0
															alluvium: no recovery - inferred silty sand with gravel
2865	2,865.9	4.3	4	8	10										
														2,862.4	7.8
	2,861.2	9.0	60.1											2,861.2	9.0
														2,861.1	9.1
															weathered rock
															crystalline rock
															Boring Terminated with Standard Penetration Test Refusal at Elevation 2,861.1 ft on crystalline rock



WBS 34518.1.3	TIP R2915B	COUNTY ASHE	GEOLOGIST R. DeLost
SITE DESCRIPTION Replace Ashe County Culvert C3 with dual bridges on US 221 over Gap Creek			GROUND WTR (ft)
BORING NO. B1-A	STATION 198+36	OFFSET 45 ft LT	ALIGNMENT I
COLLAR ELEV. 2,883.5 ft	TOTAL DEPTH 30.6 ft	NORTHING 931,579	EASTING 1,261,533
DRILL RIG/HAMMER EFF./DATE F&H0404 CME-45C 87.6% 08/15/2011		DRILL METHOD NW Casing W/SPT & Core	HAMMER TYPE Automatic
DRILLER M. Morgan	START DATE 10/01/13	COMP. DATE 10/01/13	SURFACE WATER DEPTH N/A

ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	MOI	LOG	SOIL AND ROCK DESCRIPTION	DEPTH (ft)
			0.5ft	0.5ft	0.5ft	0	25	50	75	100					
2885														GROUND SURFACE	0.0
2880	2,878.6	4.9	6	6	17									embankment: brown sandy silt with mica and rock fragments	
2875	2,873.6	9.9	8	4	5										
2870	2,868.6	14.9	2	4	10									alluvium: no recovery - inferred silty sand with gravel	13.0
2865	2,863.6	19.9												weathered rock	20.0
2860	2,852.9	20.6	100/5											crystalline rock - cored from 20.6 to 30.6.	20.6
2855			60/1												

Boring Terminated at Elevation 2,852.9 ft in crystalline rock															
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

NCDOT BORE SINGLE R2915\_GEO\_CULV3\_BORINGS.GPJ NC\_DOT.GDT 12/12/13

WBS 34518.1.3	TIP R2915B	COUNTY ASHE	GEOLOGIST R. DeLost
SITE DESCRIPTION Replace Ashe County Culvert C3 with dual bridges on US 221 over Gap Creek			GROUND WTR (ft)
BORING NO. B1-A	STATION 198+36	OFFSET 45 ft LT	ALIGNMENT I
COLLAR ELEV. 2,883.5 ft	TOTAL DEPTH 30.6 ft	NORTHING 931,579	EASTING 1,261,533
DRILL RIG/HAMMER EFF./DATE F&H0404 CME-45C 87.6% 08/15/2011		DRILL METHOD NW Casing W/SPT & Core	HAMMER TYPE Automatic
DRILLER M. Morgan	START DATE 10/01/13	COMP. DATE 10/01/13	SURFACE WATER DEPTH N/A

CORE SIZE NQ-2		TOTAL RUN 10.0 ft	
----------------	--	-------------------	--

ELEV (ft)	RUN ELEV (ft)	DEPTH (ft)	RUN (ft)	DRILL RATE (Min/ft)	RUN		SAMP. NO.	STRATA		LOG	DESCRIPTION AND REMARKS	DEPTH (ft)
					REC. (%)	RQD (%)		REC. (%)	RQD (%)			
2862.94	2,862.9	20.6	5.0	2:44/1.0 N=60/1	(4.9)	(3.4)					Begin Coring @ 20.6 ft	
2860	2,857.9	25.6	5.0	2:44/1.0 2:33/1.0 3:14/1.0 3:34/1.0 4:02/1.0	98%	68%					crystalline rock - very slightly weathered and hard gneiss. total REC=98% total RQD=83%.	20.6
2855	2,852.9	30.6		3:41/1.0 3:56/1.0 4:33/1.0 4:46/1.0 4:52/1.0	98%	94%					11 breaks on micaceous foliation at 45 degrees with 9 of those breaks from 20 to 23.4 feet. very slight stains on breaks with no weathering.	
Boring Terminated at Elevation 2,852.9 ft in crystalline rock												

NCDOT CORE SINGLE R2915\_GEO\_CULV3\_BORINGS.GPJ NC\_DOT.GDT 12/13/13

WBS 34518.1.3		TIP R2915B		COUNTY ASHE		GEOLOGIST R. DeLost							
SITE DESCRIPTION Replace Ashe County Culvert C3 with dual bridges on US 221 over Gap Creek							GROUND WTR (ft)						
BORING NO. B1-B		STATION 198+49		OFFSET 45 ft RT		ALIGNMENT I							
COLLAR ELEV. 2,869.1 ft		TOTAL DEPTH 14.9 ft		NORTHING 931,561		EASTING 1,261,623							
DRILL RIG/HAMMER EFF./DATE F&H0404 CME-45C 87.6% 08/15/2011		DRILL METHOD NW Casing W/SPT & Core		HAMMER TYPE Automatic									
DRILLER M. Morgan		START DATE 10/03/13		COMP. DATE 10/03/13		SURFACE WATER DEPTH N/A							
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT				SAMP. NO.	LOG	SOIL AND ROCK DESCRIPTION	DEPTH (ft)
			0.5ft	0.5ft	0.5ft	0	25	50	75				
2870												2,869.1 GROUND SURFACE	0.0
												alluvium: sand and gravel	
2865	2,864.2	4.9										2,865.6 Basal alluvium - cobbles and sand.	3.5
	2,863.7	5.4	100/4									2,863.7 core run 1. 5.4-6.8 crystalline rock (gneiss)	5.4
			60/1									2,862.3 Rec= 31% RQD=31%	6.8
2860	2,859.2	9.9										2,859.2 Part of core run 1. 6.8-9.9 no recovery - inferred silty sand saprolite	9.9
			60/1									2,859.2 crystalline rock Rec=96% RQD=90%	
2855												2,854.2 Boring Terminated at Elevation 2,854.2 ft in crystalline rock	14.9

NCDOT BORE SINGLE R2915\_GEO\_CULV3\_BORINGS.GPJ NC\_DOT.GDT 12/12/13

WBS 34518.1.3		TIP R2915B		COUNTY ASHE		GEOLOGIST R. DeLost					
SITE DESCRIPTION Replace Ashe County Culvert C3 with dual bridges on US 221 over Gap Creek							GROUND WTR (ft)				
BORING NO. B1-B		STATION 198+49		OFFSET 45 ft RT		ALIGNMENT I					
COLLAR ELEV. 2,869.1 ft		TOTAL DEPTH 14.9 ft		NORTHING 931,561		EASTING 1,261,623					
DRILL RIG/HAMMER EFF./DATE F&H0404 CME-45C 87.6% 08/15/2011		DRILL METHOD NW Casing W/SPT & Core		HAMMER TYPE Automatic							
DRILLER M. Morgan		START DATE 10/03/13		COMP. DATE 10/03/13		SURFACE WATER DEPTH N/A					
ELEV (ft)	RUN ELEV (ft)	DEPTH (ft)	RUN (ft)	DRILL RATE (Min/ft)	RUN		STRATA		LOG	DESCRIPTION AND REMARKS	DEPTH (ft)
					REC. (%)	RQD (%)	REC. (%)	RQD (%)			
2859.24											
	2,859.2	9.9	5.0	5:58/1.0 N=60/1 5:59/1.0 5:49/1.0 5:18/1.0 3:17/1.0 4:34/1.0	(4.8) 96%	(45.0) 900%				2,859.2 Begin Coring @ 9.9 ft crystalline rock Rec=96% RQD=90% hard and fresh except for 13.8-14.0 which is mod. weathered and soft.	9.9
2855	2,854.2	14.9								2,854.2 Boring Terminated at Elevation 2,854.2 ft in crystalline rock	14.9

NCDOT CORE SINGLE R2915\_GEO\_CULV3\_BORINGS.GPJ NC\_DOT.GDT 12/13/13

WBS 34518.1.3		TIP R2915B		COUNTY ASHE		GEOLOGIST R. DeLost							
SITE DESCRIPTION Replace Ashe County Culvert C3 with dual bridges on US 221 over Gap Creek							GROUND WTR (ft)						
BORING NO. B1-C		STATION 198+42		OFFSET CL		ALIGNMENT I							
COLLAR ELEV. 2,869.1 ft		TOTAL DEPTH 17.3 ft		NORTHING 931,570		EASTING 1,264,571							
DRILL RIG/HAMMER EFF./DATE F&H0404 CME-45C 87.6% 08/15/2011		DRILL METHOD NW Casing W/SPT & Core		HAMMER TYPE Automatic									
DRILLER M. Morgan		START DATE 09/30/13		COMP. DATE 09/30/13		SURFACE WATER DEPTH N/A							
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT				SAMP. NO.	L O G	SOIL AND ROCK DESCRIPTION	DEPTH (ft)
			0.5ft	0.5ft	0.5ft	0	25	50	75				
2870												GROUND SURFACE	0.0
2865	2,864.9	4.2	5	8	7							Alluvium: sand and gravel with mica and cobbles. Begin coring at 6.3 - Quartz cobble from 6.3 to 6.8.	
	2,862.8	6.3	60/1										6.8
2860												no recovery	7.9
												crystalline rock (gneiss) Rec=96% RQD=94%	
2855													17.3
													Boring Terminated at Elevation 2,851.8 ft in crystalline rock

NCDOT BORE SINGLE R2915\_GEO\_CULV3\_BORINGS.GPJ\_NC\_DOT.GDT 12/12/13

WBS 34518.1.3		TIP R2915B		COUNTY ASHE		GEOLOGIST R. DeLost					
SITE DESCRIPTION Replace Ashe County Culvert C3 with dual bridges on US 221 over Gap Creek							GROUND WTR (ft)				
BORING NO. B1-C		STATION 198+42		OFFSET CL		ALIGNMENT I					
COLLAR ELEV. 2,869.1 ft		TOTAL DEPTH 17.3 ft		NORTHING 931,570		EASTING 1,264,571					
DRILL RIG/HAMMER EFF./DATE F&H0404 CME-45C 87.6% 08/15/2011		DRILL METHOD NW Casing W/SPT & Core		HAMMER TYPE Automatic							
DRILLER M. Morgan		START DATE 09/30/13		COMP. DATE 09/30/13		SURFACE WATER DEPTH N/A					
ELEV (ft)	RUN ELEV (ft)	DEPTH (ft)	RUN (ft)	DRILL RATE (Min/ft)	RUN		STRATA		L O G	DESCRIPTION AND REMARKS	DEPTH (ft)
					REC. (%)	RQD (%)	REC. (%)	RQD (%)			
2861.22											
2860	2,861.2	7.9	4.4	3:28/1.0 3:16/1.0 3:19/1.0 3:25/1.0 0:42/0.4	(4.4) 100%	(4.4) 100%				Begin Coring @ 7.9 ft crystalline rock (gneiss) total Rec=96% total RQD=94% hard and fresh with few natural breaks	7.9
2855	2,856.8	12.3	5.0	2:38/1.0 3:10/1.0 3:09/1.0 3:56/1.0 3:09/1.0	(4.6) 92%	(4.6) 92%					
	2,851.8	17.3									17.3
											Boring Terminated at Elevation 2,851.8 ft in crystalline rock

NCDOT CORE SINGLE R2915\_GEO\_CULV3\_BORINGS.GPJ\_NC\_DOT.GDT 12/13/13

WBS 34518.1.3		TIP R2915B		COUNTY ASHE		GEOLOGIST R. DeLost									
SITE DESCRIPTION Replace Ashe County Culvert C3 with dual bridges on US 221 over Gap Creek							GROUND WTR (ft)								
BORING NO. B2-A		STATION 198+79		OFFSET 45 ft LT		ALIGNMENT I									
COLLAR ELEV. 2,883.0 ft		TOTAL DEPTH 35.1 ft		NORTHING 931,621		EASTING 1,261,549									
DRILL RIG/HAMMER EFF./DATE F&H0404 CME-45C 87.6% 08/15/2011		DRILL METHOD NW Casing W/SPT & Core		HAMMER TYPE Automatic											
DRILLER M. Morgan		START DATE 10/02/13		COMP. DATE 10/02/13		SURFACE WATER DEPTH N/A									
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT				SAMP. NO.	MOI	LOG	SOIL AND ROCK DESCRIPTION	DEPTH (ft)	
			0.5ft	0.5ft	0.5ft	0	25	50	75						100
2885													2,883.0 GROUND SURFACE	0.0	
2880	2,878.3	4.7	2	2	2								embankment: tan to black silty fine sand with rock fragments		
2875	2,873.3	9.7	1	1	2										
2870	2,868.3	14.7	3	6	6								alluvium: no recovery - inferred silty sand with gravel	13.0	
2865	2,863.9	19.1											weathered rock	18.5	
2860	2,862.9	20.1	100/3										Crystalline rock (gneiss) Rec=91% RQD=66%	20.1	
2855															
2850															
														2,847.9 Boring Terminated at Elevation 2,847.9 ft in crystalline rock	35.1

NCDOT BORE SINGLE R2915\_GEO\_CULV3\_BORINGS.GPJ\_NC\_DOT.GDT 12/12/13

WBS 34518.1.3		TIP R2915B		COUNTY ASHE		GEOLOGIST R. DeLost						
SITE DESCRIPTION Replace Ashe County Culvert C3 with dual bridges on US 221 over Gap Creek							GROUND WTR (ft)					
BORING NO. B2-A		STATION 198+79		OFFSET 45 ft LT		ALIGNMENT I						
COLLAR ELEV. 2,883.0 ft		TOTAL DEPTH 35.1 ft		NORTHING 931,621		EASTING 1,261,549						
DRILL RIG/HAMMER EFF./DATE F&H0404 CME-45C 87.6% 08/15/2011		DRILL METHOD NW Casing W/SPT & Core		HAMMER TYPE Automatic								
DRILLER M. Morgan		START DATE 10/02/13		COMP. DATE 10/02/13		SURFACE WATER DEPTH N/A						
ELEV (ft)	RUN ELEV (ft)	DEPTH (ft)	RUN (ft)	DRILL RATE (Min/ft)	RUN		STRATA		LOG	DESCRIPTION AND REMARKS	DEPTH (ft)	
					REC. (%)	RQD (%)	REC. (%)	RQD (%)				
2862.9	2,862.9	20.1	5.0	2:58/1.0 N=60/1 2:59/1.0 3:21/1.0 3:41/1.0 4:42/1.0 4:38/1.0	(4.7) 94%	(2.7) 54%				Begin Coring @ 20.1 ft		
2860	2,857.9	25.1	5.0	2:46/1.0 3:35/1.0 2:41/1.0 4:54/1.0 4:44/1.0	(4.8) 96%	(3.4) 68%				crystalline rock (gneiss) 20.1-27.7 variably weathered from mod to fresh which is soft to hard. many breaks on foliation at 35-40 degrees. 27.7-35.1 hard and fresh, no breaks. Rec=91% RQD=66%	20.1	
2855	2,852.9	30.1	5.0	3:46/1.0 3:50/1.0 3:59/1.0 3:58/1.0 4:44/1.0	(4.1) 82%	(3.8) 76%						
2850	2,847.9	35.1									Boring Terminated at Elevation 2,847.9 ft in crystalline rock	35.1

NCDOT CORE SINGLE R2915\_GEO\_CULV3\_BORINGS.GPJ\_NC\_DOT.GDT 12/13/13

WBS 34518.1.3		TIP R2915B		COUNTY ASHE		GEOLOGIST R. DeLost									
SITE DESCRIPTION Replace Ashe County Culvert C3 with dual bridges on US 221 over Gap Creek							GROUND WTR (ft)								
BORING NO. B2-B		STATION 199+02		OFFSET 41 ft RT		ALIGNMENT I									
COLLAR ELEV. 2,870.3 ft		TOTAL DEPTH 11.1 ft		NORTHING 931,637		EASTING 1,261,637									
DRILL RIG/HAMMER EFF./DATE F&H0404 CME-45C 87.6% 08/15/2011		DRILL METHOD NW Casing W/SPT & Core		HAMMER TYPE Automatic											
DRILLER M. Morgan		START DATE 09/24/13		COMP. DATE 09/24/10		SURFACE WATER DEPTH N/A									
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	LOG	SOIL AND ROCK DESCRIPTION	DEPTH (ft)	
			0.5ft	0.5ft	0.5ft	0	25	50	75	100					
2875															
2870														2,870.3	0.0
2865	2,865.0	5.3												2,864.5	5.8
	2,864.2	6.1	4	96/3										2,864.2	6.1
			60	60/0											
2860														2,859.2	11.1

NCDOT BORE SINGLE R2915\_GEO\_CULV3\_BORINGS.GPJ NC\_DOT.GDT 12/12/13

WBS 34518.1.3		TIP R2915B		COUNTY ASHE		GEOLOGIST R. DeLost						
SITE DESCRIPTION Replace Ashe County Culvert C3 with dual bridges on US 221 over Gap Creek							GROUND WTR (ft)					
BORING NO. B2-B		STATION 199+02		OFFSET 41 ft RT		ALIGNMENT I						
COLLAR ELEV. 2,870.3 ft		TOTAL DEPTH 11.1 ft		NORTHING 931,637		EASTING 1,261,637						
DRILL RIG/HAMMER EFF./DATE F&H0404 CME-45C 87.6% 08/15/2011		DRILL METHOD NW Casing W/SPT & Core		HAMMER TYPE Automatic								
DRILLER M. Morgan		START DATE 09/24/13		COMP. DATE 09/24/10		SURFACE WATER DEPTH N/A						
ELEV (ft)	RUN ELEV (ft)	DEPTH (ft)	RUN (ft)	DRILL RATE (Min/ft)	RUN		SAMP. NO.	STRATA		LOG	DESCRIPTION AND REMARKS	DEPTH (ft)
					REC. (%)	RQD (%)		REC. (%)	RQD (%)			
2864.2												
	2,864.2	6.1	5.0	N=60/0 3:37/1.0 4:54/1.0 4:52/1.0 4:47/1.0	(5.0) 100%	(5.0) 100%					2,864.2	6.1
2860	2,859.2	11.1									2,859.2	11.1

NCDOT CORE SINGLE R2915\_GEO\_CULV3\_BORINGS.GPJ NC\_DOT.GDT 12/13/13

WBS 34518.1.3		TIP R2915B		COUNTY ASHE		GEOLOGIST R. DeLost								
SITE DESCRIPTION Replace Ashe County Culvert C3 with dual bridges on US 221 over Gap Creek							GROUND WTR (ft)							
BORING NO. B2-C		STATION 199+00		OFFSET 3 ft RT		ALIGNMENT I								
COLLAR ELEV. 2,869.7 ft		TOTAL DEPTH 14.4 ft		NORTHING 931,623		EASTING 1,261,601								
DRILL RIG/HAMMER EFF./DATE F&H0404 CME-45C 87.6% 08/15/2011		DRILL METHOD NW Casing W/SPT & Core		HAMMER TYPE Automatic										
DRILLER M. Morgan		START DATE 09/23/13		COMP. DATE 09/23/13		SURFACE WATER DEPTH N/A								
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT				SAMP. NO.	LOG	SOIL AND ROCK DESCRIPTION	DEPTH (ft)	
			0.5ft	0.5ft	0.5ft	0	25	50	75					100
2870												2,869.7	GROUND SURFACE	0.0
												2,867.2	alluvium: no recovery	2.5
2865	2,866.0	3.7	34	66/3									weathered rock	
2860	2,861.3	8.4		60/1									crystalline rock	8.4
													Rec.=98% RQD=98%	
												2,855.3	Boring Terminated at Elevation 2,855.3 ft in crystalline rock	14.4

NCDOT BORE SINGLE R2915\_GEO\_CULV3\_BORINGS.GPJ\_NC\_DOT.GDT 12/12/13

WBS 34518.1.3		TIP R2915B		COUNTY ASHE		GEOLOGIST R. DeLost						
SITE DESCRIPTION Replace Ashe County Culvert C3 with dual bridges on US 221 over Gap Creek							GROUND WTR (ft)					
BORING NO. B2-C		STATION 199+00		OFFSET 3 ft RT		ALIGNMENT I						
COLLAR ELEV. 2,869.7 ft		TOTAL DEPTH 14.4 ft		NORTHING 931,623		EASTING 1,261,601						
DRILL RIG/HAMMER EFF./DATE F&H0404 CME-45C 87.6% 08/15/2011		DRILL METHOD NW Casing W/SPT & Core		HAMMER TYPE Automatic								
DRILLER M. Morgan		START DATE 09/23/13		COMP. DATE 09/23/13		SURFACE WATER DEPTH N/A						
ELEV (ft)	RUN ELEV (ft)	DEPTH (ft)	RUN (ft)	DRILL RATE (Min/ft)	RUN		SAMP. NO.	STRATA		LOG	DESCRIPTION AND REMARKS	DEPTH (ft)
					REC. (%)	RQD (%)		REC. (%)	RQD (%)			
2861.3	2,861.3	8.4	1.0	5:18/1.0	(1.0)	(1.0)					Begin Coring @ 8.4 ft	8.4
2860	2,860.3	8.4	5.0	5:18/1.0	95%	95%					crystalline rock (gneiss)	
				3:33/1.0	(4.9)	(4.9)					Rec.=98% RQD=98%	
				4:47/1.0	98%	98%					hard and fresh - no natural breaks	
	2,855.3	14.4		6:12/1.0								
				4:09/1.0							Boring Terminated at Elevation 2,855.3 ft in crystalline rock	14.4
				4:05/1.0								

NCDOT BORE SINGLE R2915\_GEO\_CULV3\_BORINGS.GPJ\_NC\_DOT.GDT 12/13/13

WBS 34518.1.3		TIP R2915B		COUNTY ASHE		GEOLOGIST R. DeLost										
SITE DESCRIPTION Replace Ashe County Culvert C3 with dual bridges on US 221 over Gap Creek							GROUND WTR (ft)									
BORING NO. EB2-A		STATION 199+17		OFFSET 45 ft LT		ALIGNMENT I										
COLLAR ELEV. 2,882.6 ft		TOTAL DEPTH 20.9 ft		NORTHING 931,658		EASTING 1,261,564										
DRILL RIG/HAMMER EFF./DATE F&H0404 CME-45C 87.6% 08/15/2011		DRILL METHOD NW Casing w/ SPT		HAMMER TYPE Automatic												
DRILLER M. Morgan		START DATE 10/01/13		COMP. DATE 10/01/13		SURFACE WATER DEPTH N/A										
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	LOG MOI	L O G	SOIL AND ROCK DESCRIPTION	DEPTH (ft)	
			0.5ft	0.5ft	0.5ft	0	25	50	75	100						
2885																
															2,882.6	GROUND SURFACE 0.0
2880																embankment: brown to red silty fine sand with mica
	2,877.7	4.9	2	2	2											
2875																
	2,872.7	9.9	2	3	3											
2870																
	2,867.7	14.9	9	17	11											
2865																
	2,862.7	19.9	20	80	2											
															2,862.1	20.5
															2,861.8	20.8
																weathered rock
																Boring Terminated with Standard Penetration Test Refusal at Elevation 2,861.7 ft on crystalline rock

NCDOT BORE SINGLE R2915\_GEO\_CULV3\_BORINGS.GPJ NC\_DOT.GDT 12/12/13

WBS 34518.1.3		TIP R2915B		COUNTY ASHE		GEOLOGIST R. DeLost										
SITE DESCRIPTION Replace Ashe County Culvert C3 with dual bridges on US 221 over Gap Creek							GROUND WTR (ft)									
BORING NO. EB2-B		STATION 199+41		OFFSET 45 ft RT		ALIGNMENT I										
COLLAR ELEV. 2,873.0 ft		TOTAL DEPTH 12.7 ft		NORTHING 931,643		EASTING 1,261,656										
DRILL RIG/HAMMER EFF./DATE F&H0404 CME-45C 87.6% 08/15/2011		DRILL METHOD NW Casing w/ SPT		HAMMER TYPE Automatic												
DRILLER M. Morgan		START DATE 09/24/13		COMP. DATE 09/24/10		SURFACE WATER DEPTH N/A										
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	LOG MOI	L O G	SOIL AND ROCK DESCRIPTION	DEPTH (ft)	
			0.5ft	0.5ft	0.5ft	0	25	50	75	100						
2875																
															2,873.0	GROUND SURFACE 0.0
2870																alluvium: tan coarse sand with gravel and cobbles
	2,868.0	5.0	8	11	9											
2865																
	2,863.0	10.0	9	9	34											saprolite: white to gray silty sand with rock fragments and mica
	2,860.4	12.6	60	1												
															2,860.4	12.6
															2,860.3	12.7
																crystalline rock
																Boring Terminated with Standard Penetration Test Refusal at Elevation 2,860.3 ft on crystalline rock

NCDOT BORE SINGLE R2915\_GEO\_CULV3\_BORINGS.GPJ NC\_DOT.GDT 12/12/13

WBS 34518.1.3	TIP R2915B	COUNTY ASHE	GEOLOGIST R. DeLost
SITE DESCRIPTION Replace Ashe County Culvert C3 with dual bridges on US 221 over Gap Creek			GROUND WTR (ft)
BORING NO. EB2-C	STATION 199+27	OFFSET CL	ALIGNMENT I
COLLAR ELEV. 2,873.4 ft	TOTAL DEPTH 7.4 ft	NORTHING 931,649	EASTING 1,261,609
DRILL RIG/HAMMER EFF/DATE F&H0404 CME-45C 87.6% 08/15/2011		DRILL METHOD NW Casing w/ SPT	HAMMER TYPE Automatic
DRILLER M. Morgan	START DATE 09/23/13	COMP. DATE 09/23/13	SURFACE WATER DEPTH N/A

ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	MOI	LOG	SOIL AND ROCK DESCRIPTION	DEPTH (ft)	
			0.5ft	0.5ft	0.5ft	0	25	50	75	100						
2875																
														2,873.4	GROUND SURFACE	0.0
														2,870.7	alluvium: tan silty sand	2.7
															weathered rock	
	2,868.3	5.1														
	2,866.1	7.3												2,866.1	crystalline rock	7.3
														2,866.0		7.4
															Boring Terminated with Standard Penetration Test Refusal at Elevation 2,866.0 ft on crystalline rock	




R-2915 B 34518.1.3

BORING B1-A

BOX 1 OF 2

DEPTH: 20.6 – 30.1



R-2915 B 34518.1.3

BORING B1-A

BOX 2 OF 2

DEPPTH: 30.1 – 30.6



R-2915 B 34518.1.3

BORING B1-B

BOX 1 OF 1

DEPTH: 5.4 - 14.9




R-2915 B 34518.1.3

BORING B1-C

BOX 1 OF 1

DEPPTH: 6.3 - 17.3




R-2915 B 34518.1.3

BORING B2-A

BOXS 1 AND 2

DEPTH: 20.1 - 35.1




R-2915 B 34518.1.3

BORING B2-B

BOX 1 OF 1

DEPPTH: 6.1 - 11.1



R-2915 B 34518.1.3

BORING B2-C

BOX 1 OF 1

DEPTH: 8.4 - 14.4

