





95 9 100  
 HIGH BRIDGE, LLC



FROM STA. 92+00 TO STA. 94+50 -L- LT  
 FROM STA. 92+00 TO STA. 94+00 -L- RT  
 FROM STA. 95+00 TO STA. 96+12 -L- LT  
 FROM STA. 95+50 TO STA. 96+65 -L- RT  
 FROM STA. 96+12 TO STA. 98+00 -L- LT  
 FROM STA. 96+65 TO STA. 98+00 -L- RT  
 FROM STA. 98+00 TO STA. 99+23 -L- LT  
 FROM STA. 98+00 TO STA. 99+23 -L- RT  
 FROM STA. 99+23 TO STA. 102+50 -L- LT  
 FROM STA. 99+23 TO STA. 102+50 -L- RT



FROM STA. 90+00 TO STA. 92+00 -L- RT  
 FROM STA. 90+25 TO STA. 92+00 -L- LT



STA. 96+65 -L- RT  
 STA. 99+23 -L- RT

NOTE:  
 CONTRACTOR SHALL PROVIDE GROUND COVER ON EXPOSED SLOPES WITHIN 14 CALENDAR DAYS, AFTER ANY PHASE OF GRADING.

NOTE:  
 CONTRACTOR SHALL PROVIDE INLET PROTECTION FOR PARTIALLY INSTALLED STORM DRAINS. THIS MEASURE SHOULD BE INSTALLED AT THE END OF EACH WORKING DAY.

NOTE:  
 CONTRACTOR SHALL MAINTAIN ALL DEVICES AS PROJECT IS BROUGHT UP TO GRADE.

NOTE:  
 ALL EROSION CONTROL DEVICES SHOWN ARE LOCATED WITHIN RW OR EASEMENT.

NOTE:  
 INSTALL MATTING FOR EROSION CONTROL IN ALL PROPOSED DITCH LINES EXCEPT WHERE PERMANENT LINERS ARE SPECIFIED ON THE PLANS OR DIRECTED OTHERWISE BY THE ENGINEER.

NOTE:  
 PLACE MATTING ON ALL CUT AND FILL SLOPES THAT ARE GREATER THAN 3:1.

FINAL EROSION CONTROL FOR CONSTRUCTION SHEET 10

REVISIONS  
 10-22-14 REVISED STATION/OFFSET CALLOUTS ON PARCEL 9  
 5/14/99  
 10/24/2014  
 I:\Projects\2014\5516\hyd\_erosion\_final\_psh\_10.dgn  
 ICA ENGINEERING, INC.