


9/10/2016 10:55:16 hyd\_erosion\_final\_psh29\_02C.dgn  
 ICA ENGINEERING, INC.



PROJECT REFERENCE NO.	SHEET NO.
W-5516	EC-29/CONST.20
RW SHEET NO.	
ROADSIDE ENVIRONMENTAL PROJECT ENGINEER	
LEVEL III CERTIFIED BY: STACEY H. BAILEY, PE CERTIFICATION NUMBER: 3074 ISSUED: SEPTEMBER 15, 2014	



NAD 83 NSRS 2007

-MATCHLINE- -SAC ALN- STA. 21+50.00 SEE SHEET NO. 2-B

-SAC\_ALN-

$PI Sta 29+08.04$   
 $\Delta = 15^{\circ} 55' 10.3" (LT)$   
 $D = 5^{\circ} 22' 47.6"$   
 $L = 295.9'$   
 $T = 148.9'$   
 $R = 1,065.00'$

- NOTE:  
CONTRACTOR SHALL PROVIDE GROUND COVER ON EXPOSED SLOPES WITHIN 14 CALENDAR DAYS, AFTER ANY PHASE OF GRADING.
- NOTE:  
CONTRACTOR SHALL PROVIDE INLET PROTECTION FOR PARTIALLY INSTALLED STORM DRAINS. THIS MEASURE SHOULD BE INSTALLED AT THE END OF EACH WORKING DAY.
- NOTE:  
CONTRACTOR SHALL MAINTAIN ALL DEVICES AS PROJECT IS BROUGHT UP TO GRADE.
- NOTE:  
ALL EROSION CONTROL DEVICES SHOWN ARE LOCATED WITHIN RW OR EASEMENT.
- NOTE:  
INSTALL MATTING FOR EROSION CONTROL IN ALL PROPOSED DITCH LINES EXCEPT WHERE PERMANENT LINERS ARE SPECIFIED ON THE PLANS OR DIRECTED OTHERWISE BY THE ENGINEER.
- NOTE:  
PLACE MATTING ON ALL CUT AND FILL SLOPES THAT ARE GREATER THAN 3:1.

FINAL EROSION CONTROL FOR CONSTRUCTION SHEET 29