
PROJECT REFERENCE NO. SHEET NO. FS 4.19 C-5558




NOTES

2. UNUSED BUFFER TUBES LEFT COILED AND STORED IN SPLICE ENCLOSURE

1. UNUSED FIBERS LEFT COILED AND STORED IN SPLICE TRAY

3. EDGE SWITCH CONFIGURATIONS ARE GENERIC. CONTRACTOR IS RESPONSIBLE FOR DETERMINING/ENSURING THE PROPER TERMINATIONS.

ATKINS 1616 EAST MILLBROOK ROAD, SUITE 310 RALEIGH, NORTH CAROLINA 27609 (919) 876-6888 NCBEES #F-0326



High Point Signal System Splicing Details

High Point Division 7 Guilford County June 2015 REVIEWED BY: HA Badgett BJ Slocum Reviewed By: SG Haynie REVISIONS INIT. DATE

	SEAL	
ıt_	SEAL 019962 DocuSigned by:	A A A A A A A A A A A A A A A A A A A
	Alf Badgett	6/8/2015
	SIGNATURE	DATE

CADD Filename: SpliceDetail-19.dgn

COLOR CODE TIA/EIA 598-B

(7) RED

(8) BLACK

(9) YELLOW

(10) VIOLET

(11) ROSE

(12) AQUA

(1) BLUE

LEGEND

X = FUSION SPLICE INDIVIDUAL FIBER

EXPRESS = EXPRESS ENTIRE BUFFER TUBE /FIBERS THROUGH WITHOUT CUTTING

C = CAP AND SEAL

BUFFER SPLICE = SPLICE ALL FIBERS IN BUFFER TUBE COLOR TO COLOR