

This electronic collection of documents is provided for the convenience of the user and is Not a Certified Document –

The documents contained herein were originally issued and sealed by the individuals whose names and license numbers appear on each page, on the dates appearing with their signature on that page.

This file or an individual page shall not be considered a certified document.





DIMENSIONS LOCATING PILES ARE SHOWN TO THE CENTERLINE OF PILES. DIMENSIONS FOR DRILLED PIERS ARE SHOWN TO THE CENTERLINE OF DRILLED PIERS.

NOTES

FOR PILES, SEE GEOTECHNICAL SPECIAL PROVISIONS AND SECTION 450 OF THE STANDARD SPECIFICATIONS.

PILES AT END BENT 1 AND END BENT 2 ARE DESIGNED FOR A FACTORED RESISTANCE OF 95 TONS AND 100 TONS PER PILE, RESPECTIVELY.

DRIVE PILES AT END BENT 1 AND END BENT 2 TO A REQUIRED DRIVING RESISTANCE OF 160 TONS AND 170 TONS PER PILE. RESPECTIVELY.

FOR DRILLED PIERS, SEE GEOTECHNICAL SPECIAL PROVISIONS AND SECTION 411 OF THE STANDARD SPECIFICATIONS.

DRILLED PIERS AT BENT 1 ARE DESIGNED FOR A FACTORED RESISTANCE OF 620 TONS PER PIER. CHECK FIELD CONDITIONS FOR THE REQUIRED TIP RESISTANCE OF 90 TSF.

INSTALL DRILLED PIERS AT BENT 1 TO A TIP ELEVATION NO HIGHER THAN 367 FT (LT.), 364 FT (CT.) AND 362 FT (RT.) WITH THE REQUIRED TIP RESISTANCE AND PENETRATION OF AT LEAST 7 FT INTO ROCK AS DEFINED BY ARTICLE 411-1 OF THE STANDARD SPECIFICATIONS.

SID INSPECTIONS MAY BE REQUIRED FOR DRILLED PIERS. THE ENGINEER WILL DETERMINE THE NEED FOR SID INSPECTIONS. FOR SID INSPECTIONS, SEE SECTION 411 OF THE STANDARD SPECIFICATIONS.

CSL TUBES ARE REQUIRED AND CSL TESTING MAY BE REQUIRED FOR DRILLED PIERS. THE ENGINEER WILL DETERMINE THE NEED FOR CSL TESTING. FOR CSL TESTING, SEE SECTION 411 OF THE STANDARD SPECIFICATIONS.

> EVERY EFFORT HAS BEEN MADE TO MISS THE EXISTING END BENT PILES AND BENT FOOTINGS. IF A CONFLICT IS DISCOVERED, THE CONTRACTOR SHALL ALLOW UP TO THREE DAYS FOR REDESIGN OF THE END BENT OR BENT.

> > PROJECT NO. U-3308 DURHAM COUNTY

STATION: 16+42.70-LALT-

SHEET 2 OF 3

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
RALEIGH

GENERAL DRAWING

FOR BRIDGE OVER NC 147 (DURHAM EXPRESSWAY) ON NC 55 (ALSTON AVE.)

DOCU

Donald R. Smith, Ir


4/1/2016			REV]	ISION	NS		SHEET
JMENT NOT CONSIDERED	NO.	BY:	DATE:	NO.	BY:	DATE:	S1
FINAL UNLESS ALL	1			3			TOT SHEE
GNATURES COMPLETED	2			4			4

STR. #1

23-MAR-2016 09:32 R:\Structures\Plans\str1\U3308_sd_GD_01.dgn

_ DATE : 11/15/14

K.D. LAYNE DESIGN ENGINEER OF RECORD: D.R. SMITH DATE: 11/22/14



		T	0	TAL	BILL	OF M	1ATER	I	AL –]
	REMOVAL OF EXISTING STRUCTURE	3'-6"DIA. DRILLED PIERS IN SOIL	P	3'-6"DIA. DRILLED IERS NOT IN SOIL	SID INSPECTION	CSL TESTIN	REINFORG CONCRE DECK SL	ΤE	GROOVIN BRIDGE FLOORS	CONCRETE	BRIDGE APPROACH SLABS	REINFORCING STEEL	
	LUMP SUM	LIN.FT.		LIN.FT.	EA.	EA.	SQ.FT.	•	SQ.FT.	CU.YDS.	LUMP SUM	LBS.	1
SUPERSTRUCTURE							16,139		17,827		LUMP SUM		
END BENT 1										84.0		11,783	
BENT 1		63.90		42.00						91.5		23 , 931	
END BENT 2										82.9		11,750	
TOTAL	LUMP SUM	63.90		42.00	1	1	16,139		17,827	258.4	LUMP SUM	47,464	
	SPIRAL COLUMN REINFORCING STEEL	STRUCTURAL STEEL		12 X 53 EL PILES	1'-2¾"X 3'-0" CONCRETE PARAPET	84" CHAIN LINK FENCE	4" SLOPE PROTECTION		DISC ARINGS	ELASTOMERIO BEARINGS	SEALS	INT ANODIZED 2 BAR METAL RAIL	ASBESTOS ASSESSMENT
	LBS.	APPROX.LBS.	NO.	LIN.FT.	LIN.FT.	LIN.FT.	SQ.YDS.	LL	JMP SUM	LUMP SUM	LUMP SI	JM LIN.FT.	LUMP SUM
SUPERSTRUCTURE		508,000			356.32	335.62		LL	JMP SUM	LUMP SUM	LUMP SI	JM 340.46	
END BENT 1			13	455			285						
BENT 1	4,041												
END BENT 2			13	585			330						
TOTAL	4,041	508,000	26	1,040	356 . 32	335.62	615	LU	JMP SUM	LUMP SUM	LUMP SI	JM 340.46	LUMP SUM

NOTES

ASSUMED LIVE LOAD = HL-93 OR ALTERNATE LOADING.

THIS BRIDGE HAS BEEN DESIGNED IN ACCORDANCE WITH THE AASHTO LRFD BRIDGE DESIGN SPECIFICATIONS.

THIS BRIDGE IS LOCATED IN SEISMIC ZONE 1.

FOR OTHER DESIGN DATA AND GENERAL NOTES, SEE SHEET SN.

FOR SUBMITTAL OF WORKING DRAWINGS, SEE SPECIAL PROVISIONS.

FOR FALSEWORK AND FORMWORK. SEE SPECIAL PROVISIONS.

FOR CRANE SAFETY, SEE SPECIAL PROVISIONS.

FOR GROUT FOR STRUCTURES, SEE SPECIAL PROVISIONS.

FOR PLACING LOAD ON STRUCTURE MEMBERS, SEE SPECIAL PROVISIONS.

THE CONTRACTOR SHALL PROVIDE INDEPENDENT ASSURANCE SAMPLES OF REINFORCING STEEL AS FOLLOWS: FOR PROJECTS REQUIRING UP TO 400 TONS OF REINFORCING STEEL, ONE 30 INCH SAMPLE OF EACH SIZE BAR USED, AND FOR PROJECTS REQUIRING OVER 400 TONS OF REINFORCING STEEL, TWO 30 INCH SAMPLES OF EACH SIZE BAR USED. THE BARS FROM WHICH THE SAMPLES ARE TAKEN MUST THEN BE SPLICED WITH REPLACEMENT BARS OF THE SIZE AND LENGTH OF THE SAMPLE. PLUS A MINIMUM LAP SPLICE OF THIRTY BAR DIAMETERS. PAYMENT FOR THE SAMPLES OF REINFORCING STEEL SHALL BE CONSIDERED INCIDENTAL TO VARIOUS PAY ITEMS.

THE ELEVATIONS AND CLEARANCES SHOWN ON THE PLANS AT THE POINTS OF MINIMUM VERTICAL CLEARANCE ARE FROM THE BEST INFORMATION AVAILABLE. PRIOR TO BEGINNING BRIDGE CONSTRUCTION, VERIFY THE ELEVATIONS ON THE EXISTING PAVEMENT AND CHECK THE CLEARANCE. REPORT ANY VARIATIONS TO THE ENGINEER. ANY PLAN REVISIONS NECESSARY TO ACHIEVE THE REQUIRED MINIMUM VERTICAL CLEARANCE WILL BE PROVIDED BY THE DEPARTMENT.

FOR MAINTENANCE AND PROTECTION OF TRAFFIC BENEATH PROPOSED STRUCTURE, SEE SPECIAL PROVISIONS.

REMOVABLE FORMS MAY BE USED IN LIEU OF METAL STAY-IN-PLACE FORMS IN ACCORDANCE WITH ARTICLE 420-3 OF THE STANDARD SPECIFICATIONS.

NEEDLE BEAMS WILL NOT BE ALLOWED UNLESS OTHERWISE CALLED FOR ON THE PLANS OR APPROVED BY THE ENGINEER. ALL STRUCTURAL STEEL SHALL BE AASHTO M270 GRADE 50W AND PAINTED IN ACCORDANCE WITH SYSTEM 4 OF ARTICLE 442-8 OF THE STANDARD SPECIFICATIONS UNLESS OTHERWISE NOTED ON THE PLANS.

THE CLASS AA CONCRETE IN THE BRIDGE DECK SHALL CONTAIN FLY ASH OR GROUND GRANULATED BLAST FURNACE SLAG AT THE SUBSTITUTION RATE SPECIFIED IN ARTICLE 1024-1 AND IN ACCORDANCE WITH ARTICLES 1024-5 AND 1024-6 OF THE STANDARD SPECIFICATIONS. NO PAYMENT WILL BE MADE FOR THIS SUBSTITUTION AS IT IS CONSIDERED INCIDENTAL TO THE COST OF THE REINFORCED CONCRETE DECK SLAB.

FOR LIMITS OF TEMPORARY SHORING FOR MAINTENANCE OF TRAFFIC, SEE TRANSPORTATION MANAGEMENT PLANS. FOR PAY ITEM FOR TEMPORARY SHORING FOR MAINTENANCE OF TRAFFIC. SEE ROADWAY PLANS.

EXISTING STRUCTURE CONSISTING OF 4 SPANS (1 @ 33'-0", 1 @ 66'-0".1 @ 61'-9". AND 1 @ 29'-3") WITH A CLEAR ROADWAY WIDTH OF 52'-0" AND REINFORCED CONCRETE FLOOR ON I-BEAMS ON END BENTS OF REINFORCED CONCRETE CAP ON STEEL PILES AND BENTS OF REINFORCED CONCRETE POST & BEAM ON PILE FOOTINGS AND LOCATED AT THE PROPOSED STRUCTURE SHALL BE REMOVED. THE EXISTING BRIDGE IS PRESENTLY NOT POSTED FOR LOAD LIMIT. SHOULD THE STRUCTURAL INTEGRITY OF THE BRIDGE DETERIORATE DURING CONSTRUCTION OF THE PROPOSED BRIDGE, A LOAD LIMIT MAY BE POSTED AND MAY BE REDUCED AS FOUND NECESSARY DURING THE LIFE OF THE PROJECT. SEE SPECIAL PROVISIONS FOR "REMOVAL OF EXISTING STRUCTURE".

THE SUBSTRUCTURE OF THE EXISTING BRIDGE INDICATED ON THE PLANS IS FROM THE BEST INFORMATION AVAILABLE. SINCE THIS INFORMATION IS SHOWN FOR THE CONVENIENCE OF THE CONTRACTOR, THE CONTRACTOR SHALL HAVE NO CLAIM WHATSOEVER AGAINST THE DEPARTMENT OF TRANSPORTATION FOR ANY DELAYS OR ADDITIONAL COST INCURRED BASED ON DIFFERENCES BETWEEN THE EXISTING BRIDGE SUBSTRUCTURE SHOWN ON THE PLANS AND THE ACTUAL CONDITIONS AT THE PROJECT SITE.

FOR EROSION CONTROL MEASURES, SEE EROSION CONTROL PLANS.

THE LOCATION OF THE CONSTRUCTION JOINT IN THE DRILLED PIERS IS BASED ON AN APPROXIMATE GROUND LINE ELEVATION. IF THE CONSTRUCTION JOINT IS ABOVE THE ACTUAL GROUND ELEVATION, THE CONTRACTOR SHALL PLACE THE CONSTRUCTION JOINT 1 FT. BELOW THE GROUND LINE.

FOR ASBESTOS ASSESSMENT FOR BRIDGE DEMOLITION AND RENOVATION ACTIVITIES, SEE SPECIAL PROVISIONS.

THE BRIDGE DECK FOR THIS PROJECT IS INCLUDED IN NCDOT RESEARCH PROJECT RP 2016-06. "INTERNALLY CURED CONCRETE USING LIGHTWEIGHT AGGREGATE" AS THE DEMONSTRATION PROJECT FOR FIELD STUDY. SEE SPECIAL PROVISION FOR INTERNALLY CURED CONCRETE FIELD STUDY.

> PROJECT NO. U-3308 DURHAM STATION: 16+42.70-LALT

SHEET 3 OF 3

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

GENERAL DRAWING

FOR BRIDGE OVER NC 147 (DURHAM EXPRESSWAY) ON NC 55 (ALSTON AVE.)

SHEET NO. REVISIONS S1-3 DATE: DATE: BY: DOCUMENT NOT CONSIDERE FINAL UNLESS ALL TOTAL SHEETS SIGNATURES COMPLETED

P.S. ADKINS DATE : 10/2/14 K.D. LAYNE DATE : 11/15/14 DESIGN ENGINEER OF RECORD: D.R. SMITH DATE: 11/22/14

DRAWN BY :

CHECKED BY : .

20-APR-2016 09:09 R:\Structures\Plans\str1\U3308_sd_GD_01.dgn

STR. #1

Donald R. Smith, Ir

LOAD AND RESISTANCE FACTOR RATING (LRFR) SUMMARY FOR STEEL GIRDERS STRENGTH I LIMIT STATE SERVICE II LIMIT STATE MOMENT MOMENT SHEAR DISTRIBUTION FACTORS (DF) CONTROLLING LOAD RATING RIBU ORS RIBL ORS DIST/ LEFT SPAN DIST/ LEFT SPAN DIST LEFT SPAN IVE IST ACT IVE ACT IST ACT $\langle 1 \rangle$ 0.00 0.977 1.53 0.774 1.14 HL-93 (INVENTORY) 1.75 0.774 1.04 1.30 0.00 N/A 1.04 0.00 1.35 1.00 0.774 0.00 0.977 1.98 1.49 DESIGN HL-93 (OPERATING) 1.35 0.774 1.35 0.00 0.00 LOAD 54.89 $\langle 2 \rangle$ RATING 0.756 3.39 36.00 1.75 0.977 1.30 2.10 75.60 2.10 HS-20 (INVENTORY) 2.15 0.00 0.00 0.774 0.756 4.41 36.00 97.92 1.35 0.774 2.79 0.00 2.72 1.00 54.89 0.00 HS-20 (OPERATING) 2.72 0.977 0.756 7.80 5.94 13.500 5.94 6.82 0.00 0.977 54.89 SNSH 1.40 0.774 0.00 1.30 86.60 4.78 0.00 0.977 4.33 1.30 0.756 | 5.71 1.40 0.774 0.00 54.89 SNGARBS2 20.000 4.33 0.756 | 5.37 0.00 22.000 1.40 4.41 0.977 4.01 0.00 1.30 SNAGRIS2 4.01 0.774 54.89 3.23 0.756 3.91 27.250 3.23 88.02 1.40 0.774 3.32 0.00 0.977 0.00 1.30 54.89 SNCOTTS3 2.61 2.64 54.89 2.61 0.774 0.00 0.977 0.00 1.30 0.756 3.23 SNAGGRS4 34.925 1.40 0.977 2.63 0.756 3.18 35.550 2.57 1.30 54.89 91.36 0.774 2.57 0.00 SNS5A 1.40 0.00 39.950 2.30 91.89 2.30 0.00 0.977 0.00 1.30 0.774 2.38 0.756 SNS6A 1.40 2.90 54.89 2.30 0.00 54.89 SNS7B 42.000 2.19 0.00 1.30 0.977 0.756 2.77 1.40 2.19 91.98 0.774 RATING TNAGRIT3 2.80 92.40 2.80 0.977 33.000 0.00 2.82 0.00 1.30 3.56 1.40 0.774 0.756 54.89 0.977 2.80 54.89 1.30 3.52 TNT4A 33.075 2.79 92.28 1.40 2.79 0.00 0.00 0.774 0.756 0.977 2.38 54.89 1.40 2.24 1.30 0.756 2.89 TNT6A 41.600 2.24 0.774 0.00 0.00 93.24 0.00 0.977 2.35 0.756 2.89 TNT7A 42.000 2.22 1.40 2.22 0.00 1.30 В 54.89 0.774 94.50 2.25 0.00 0.756 2.93 42.000 2.25 1.40 0.00 0.977 2.29 1.30 В 54.89 TNT7B 0.774 0.756 43.000 2.16 2.23 54.89 TNAGRIT4 1.40 0.977 1.30 0.00 2.83 0.00 93.15 2.17 0.756 TNAGT5A 45.000 2.07 1.40 0.774 2.07 0.00 0.977 0.00 1.30 1.40 0.774 2.05 TNAGT5B 0.00 0.977 1.30 0.756 2.66 0.00 54.89 92.25 2.05

91′-5¾" 84′-81/8" —ℚ BRG. € BRG.— © BRG.— END BENT 1 BENT 1 END BENT 2

LRFR SUMMARY

ASSEMBLED BY: P.S. ADKINS DATE: 6/2/14 CHECKED BY: J.D. HAWK DATE: 9/15/14

DRAWN BY: MAA I/08 REV. II/I2/08RR REV. IO/I/II MAA/GM MAA/GM DESIGN ENGINEER OF RECORD: _ DATE : 11/22/14 D.R. SMITH

HL-93 (INVENTORY)

 $\gamma_{LL}=0.75$

FATIGUE

LOAD FACTORS:

DESIGN	LIMIT STATE	γ_{DC}	$\gamma_{\sf DW}$
LOAD RATING	STRENGTH I	1.25	1.50
FACTORS	SERVICE II	1.00	1.00

NOTES:

MINIMUM RATING FACTORS ARE BASED ON THE STRENGTH I AND SERVICE II LIMIT STATES.

ALLOWABLE STRESS FOR SERVICE II LIMIT STATE ARE AS REQUIRED FOR DESIGN.

(#) CONTROLLING LOAD RATING

1 DESIGN LOAD RATING (HL-93) **

(2) DESIGN LOAD RATING (HS-20) **

 $\langle 3 \rangle$ LEGAL LOAD RATING **

** SEE CHART FOR VEHICLE TYPE


GIRDER LOCATION

I - INTERIOR GIRDER

EL - EXTERIOR LEFT GIRDER

ER - EXTERIOR RIGHT GIRDER

PROJECT NO. U-3308 DURHAM COUNTY STATION: 16+42.70-LALT-




STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION STANDARD


LRFR SUMMARY FOR STEEL GIRDERS (NON-INTERSTATE TRAFFIC)

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

	REVISIONS											
NO.	BY:	DATE:	NO.	BY:	DATE:	S1-						
1			3			TOTA SHEE						
2			4			47						



EXISTING STRUCTURE



PROPOSED STAGE I

EXISTING STRUCTURE

STAGE I

MAINTAIN 2-WAY TRAFFIC ON EXISTING STRUCTURE.
REMOVE PART OF EXISTING STRUCTURE AS SHOWN.
CONSTRUCT STAGE I OF PROPOSED STRUCTURE.

DRAWN BY :	P.S. AD	KINS	DATE : <u>11-1-14</u>
CHECKED BY :	T.H. CA	DATE : <u>11-15-14</u>	
DESIGN ENGINEER	OF RECORD:	D.R. SMITH	DATE : <u>11-22-14</u>

22-MAR-2016 10:35 R:\Structures\Plans\str1\U3308_sd_PC_01.dgn jdhawk

Donald K. Smith, Jr

STR.#1

NOTE

SEE TRANSPORTATION MANAGEMENT PLANS FOR LOCATION AND PAY LIMITS OF THE ANCHORED

FOR PHASING AND MAINTENANCE OF TRAFFIC, SEE TRANSPORTATION MANAGEMENT PLANS.

PORTABLE CONCRETE BARRIER.

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

PROJECT NO. U-3308 DURHAM COUNTY


STATION: 16+42.70-LALT-


DEPARTMENT OF TRANSPORTATION
RALEIGH

SHEET 1 OF 2 STATE OF NORTH CAROLINA

CONSTRUCTION SEQUENCE


REVISIONS SHEET NO. S1-5 DATE: DATE: BY: TOTAL SHEETS 47





PART TYPICAL SECTION

(SHOWING END BENT DIAPHRAGMS)



PART TYPICAL SECTION

(SHOWING BENT & INTERMEDIATE DIAPHRAGMS)
FOR DETAILS, SEE ''STRUCTURAL STEEL DETAILS'' SHEET 2 OF 3.
SEE FRAMING PLAN FOR LOCATION.
TYPICAL FOR EACH INTERMEDIATE DIAPHRAGM EXCEPT IN CLOSURE POUR.

DRAWN BY :	P.S. Al	DKINS	DATE :	5/28/14
CHECKED BY :	J.D.	HAWK	DATE :	9/5/14
DESTGN ENGINEER	OF RECORD:	D.R. SMITH	DATE .	11/22/14

22-MAR-2016 10:35

R:\Structures\Plans\str1\U3308_sd_TS_01.dgn

NOTES

PROVIDE 1/4"HIGH BEAM BOLSTERS UPPER AT 4'-0"CTS.
ATOP THE METAL STAY-IN-PLACE FORMS TO SUPPORT THE
BOTTOM MAT OF 'A' BARS. WHEN USING REMOVABLE FORMS,
PROVIDE CONTINUOUS HIGH CHAIRS FOR METAL DECK (C.H.C.M.)
@ 4'-0"CTS.WITH A HEIGHT TO SUPPORT THE BOTTOM
MAT OF 'A' BARS A CLEAR DISTANCE OF 21/2"ABOVE THE
TOP OF THE REMOVABLE FORM.


PREVIOUSLY CAST CONCRETE IN A CONTINUOUS UNIT SHALL HAVE ATTAINED A MINIMUM COMPRESSIVE STRENGTH OF 3,000 PSI BEFORE ADDITIONAL CONCRETE IS CAST IN THE UNIT.

PARAPET IN A CONTINUOUS UNIT SHALL NOT BE CAST UNTIL ALL SLAB CONCRETE IN THE UNIT HAS BEEN CAST AND HAS REACHED A MINIMUM COMPRESSIVE STRENGTH OF 3,000 PSI.

DOWELS SHALL BE PLACED IN THE SAME HORIZONTAL PLANE AS THE TOP AND BOTTOM SLAB REINFORCING STEEL.

SEE TRANSPORTATION MANAGEMENT PLANS FOR LOCATION AND PAY LIMITS OF THE ANCHORED PORTABLE CONCRETE BARRIER.

STAGE III SIDEWALK NOT SHOWN, SEE "SIDEWALK DETAILS" SHEET AND "CONSTRUCTION SEQUENCE".



DETAIL "A"

SHEET 1 OF 3

PROJECT NO. U-3308

DURHAM COUNTY

STATION: 16+42.70-LALT-

SEAL 031480

OR SMITHING

Donald K. Smith, Ir

DEPARTMENT OF TRANSPORTATION
RALEIGH
SUPERSTRUCTURE

STATE OF NORTH CAROLINA

VDTCAL CECTTOR

TYPICAL SECTION

(STAGE I)

A/1/2016

REVISIONS

SHEET NO.

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

A/1/2016


REVISIONS


SHEET NO.

S1-7

TOTAL SHEETS


47







SECTION AT END BENT

#5 "G" BAR MAY BE SHIFTED SLIGHTLY, AS NECESSARY, TO CLEAR DIAPHRAGM AND REINFORCING STEEL.





CLOSURE POUR DETAILS



PLAN OF GIRDER

U-3308 PROJECT NO. DURHAM COUNTY STATION: 16+42.70-LALT-

SHEET 3 OF 3

DEPARTMENT OF TRANSPORTATION
RALEIGH SUPERSTRUCTURE TYPICAL SECTION


STATE OF NORTH CAROLINA


DETAILS Donald R. Smith, Jr


__ DATE : <u>5/28/14</u> __ DATE : <u>9/5/14</u> __ DATE : <u>11/22/14</u> P.S. ADKINS DRAWN BY : J.D. HAWK CHECKED BY : ___ DESIGN ENGINEER OF RECORD: _____D.R. SMITH


DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED


SHEET NO. REVISIONS S1-9 DATE: DATE: BY: TOTAL SHEETS 47














SECTION THROUGH SIDEWALK STAGE III

DECK REINFORCING STEEL NOT SHOWN FOR CLARITY.

SECTION THROUGH SIDEWALK STAGE II

DECK REINFORCING STEEL NOT SHOWN FOR CLARITY.

* * #4 U11 BARS MAY BE PUSHED INTO GREEN CONCRETE AFTER

SPAN HAS BEEN SCREEDED OFF.

NOTES

THE SIDEWALK IN A CONTINOUS UNIT SHALL NOT BE CAST UNTIL ALL SLAB CONCRETE IN THAT UNIT HAS REACHED A MINIMUM COMPRESSIVE STRENGTH OF 3,000 PSI.

GROOVED CONTRACTION JOINTS, 1/2" IN DEPTH, SHALL
BE TOOLED IN ALL EXPOSED FACES OF THE SIDEWALK IN
ACCORDANCE WITH ARTICLE 825-10(B) OF THE STANDARD
SPECIFICATIONS. THE CONTRACTION JOINTS SHALL BE
LOCATED AT A SPACING OF 8 TO 10 FEET BETWEEN EXPANSION
JOINTS. NO CONTRACTION JOINTS WILL BE REQUIRED FOR
SEGMENTS LESS THAN 10 FEET IN LENGTH.


ALL REINFORCING STEEL IN SIDEWALK SHALL BE EPOXY COATED.

JOINT OPENING IN SIDEWALK FORMED TO MATCH SAWED OPENING IN DECK. SEE "APPROACH SLAB DETAILS" SHEET.

PROJECT NO. U-3308

DURHAM COUNTY

STATION: 16+42.70-LALT-



DEPARTMENT OF TRANSPORTATION
RALEIGH

SUPERSTRUCTURE

SIDEWALK DETAILS

Ponald R. Smith, Jr STAGE II & STAGE III

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED 2 REVISIONS SHEET NO. BY: DATE: NO. BY: DATE: SHEET NO. S1-14

_ DATE : 12-17-13 _ DATE : 9-5-14 22-MAR-2016 10:35 R:\Structures\Plans\str1\U3308_sd_SW_01.dgn

P.S. ADKINS

J.D. HAWK

DRAWN BY :


CHECKED BY:

CONST.JT.

CONST.JT. (LEVEL) —— ------

5" C.H.C.U.

STR.#1



FRAMING PLAN

* 11/4" X 7" BEARING STIFFENER TO BE USED AS CONNECTOR PLATE.

** 11/4" X 81/2" BEARING STIFFENER TO BE USED AS CONNECTOR PLATE.

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
RALEIGH

SUPERSTRUCTURE FRAMING PLAN


> SHEET NO. S1-15


TOTAL SHEETS 47


REVISIONS DATE: DATE: BY: DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

DRAWN BY: P.S. ADKINS DATE: 11-20-13
CHECKED BY: J.D. HAWK DATE: 9/5/14
DESIGN ENGINEER OF RECORD: D.R. SMITH DATE: 11/22/14


22-MAR-2016 10:35 R:\Structures\Plans\str1\U3308_sd_FP_01.dgn jdhawk









PLAN (TOP OF TOP FLANGE)



PLAN (TOP OF BOTTOM FLANGE)






SECTION A-A

SHEAR STUD DETAIL FOR TOP FLANGE SPLICE PLATE

3/4" Ø X 5" — SHEAR STUD (TYP.) (SEE * NOTE)

1'-6"

* NOTE: SHEAR STUDS ARE TO BE SHOP WELDED ON TOP OF PLATE BEFORE FIELD ASSEMBLY.



STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION SUPERSTRUCTURE STRUCTURAL STEEL DETAILS BOLTED FIELD SPLICE

U-3308

COUNTY

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

SHEET NO. **REVISIONS** S1-18 DATE: DATE: BY: TOTAL SHEETS 47

22-MAR-2016 10:36 R:\Structures\Plans\str1\U3308_sd_SS_01.dgn

_ DATE : 9-5-14

_ DATE : 11-22-14

P.S. ADKINS

J.D. HAWK

D.R. SMITH

DRAWN BY :

CHECKED BY :

DESIGN ENGINEER OF RECORD: .

ALL STRUCTURAL STEEL SHALL BE AASHTO M270

NOTES

GRADE 50W AND PAINTED IN ACCORDANCE WITH SYSTEM 4 OF ARTICLE 442-8 OF THE STANDARD SPECIFICATIONS UNLESS OTHERWISE NOTED ON THE PLANS.

ALL DIMENSIONS SHOWN ARE HORIZONTAL OR VERTICAL, UNLESS OTHERWISE NOTED.

ALL FIELD CONNECTIONS TO BE 1/8"DIA. HIGH STRENGTH BOLTS UNLESS OTHERWISE NOTED.

BEARING STIFFENERS ARE TO BE PLACED NORMAL TO THE WEB OF THE GIRDER, EXCEPT WHERE NOTED ON THE PLANS, AND SHALL BE PLUMB.

PERMITTED FLANGE AND WEB SHOP SPLICES SHALL NOT BE LOCATED WITHIN 15 FEET OF MAXIMUM DEAD LOAD DEFLECTION OR WITHIN 15 FEET OF INTERMEDIATE BEARINGS OF CONTINUOUS UNITS. KEEP 2 FEET MINIMUM BETWEEN WEB AND FLANGE SHOP SPLICES. KEEP 6"MINIMUM BETWEEN CONNECTOR PLATE OR TRANSVERSE STIFFENER WELDS AND WEB OR FLANGE SHOP SPLICES.

STUDS ON GIRDERS MAY BE SHIFTED UP TO 1" IF NECESSARY TO CLEAR FLANGE SPLICE WELD.

TENSION ON THE AASHTO M164 BOLTS SHALL BE CALIBRATED USING DIRECT TENSION INDICATOR WASHERS IN ACCORDANCE WITH ARTICLE 440-8 OF THE STANDARD SPECIFICATIONS.

END OF GIRDERS SHALL BE PLUMB.

FABRICATORS SHALL DETAIL DIAPHRAGM MEMBERS. AND CONNECTIONS FOR FULL DEAD LOAD FIT UP. GIRDERS SHALL BE PLUMB AFTER THE FULL AMOUNT OF DEAD LOAD IS APPLIED.


BEARING STIFFENER MAY REQUIRE COPING IF WIDER THAN BOTTOM FLANGE. BEARING STIFFENER PLATE WIDTH SHOWN IS A MINIMUM WIDTH. THE BEARING STIFFENER PLATE WIDTH, WHEN USED AS A CONNECTOR PLATE, MAY BE INCREASED AS NECESSARY IN ORDER TO CONNECT THE DIAPHRAGM MEMBERS WHEN REQUIRED.

STRUCTURAL STEEL ERECTION IN A CONTINUOUS UNIT SHALL BE COMPLETE BEFORE FALSEWORK OR FORMS ARE PLACED ON THE UNIT.


— Docusigned by: Donald R. Smith, Jr —EDC87706174B490... 4/1/2016

SEAL (031480

STR. #1







ASSEMBLED BY : P.S. ADKINS CHECKED BY : J.D. HAWK

DRAWN BY: JMB II/87 REV. 5/I/06 TLA/GM REV. IO/I/II MAA/GM REV. 6/I3 AAC/MAA

DATE: 5/27/14

DATE: 9/5/14


DESIGN ENGINEER OF RECORD:


D.R. SMITH DATE : 11-22-14


E1 (20 REQ'D)

PLAN VIEW OF ELASTOMERIC BEARING

TYPE III







P1 (10 REQ'D) (EXPANSION)

P2 (10 REQ'D) (EXPANSION)

SOLE PLATE DETAILS ("P")

NOTES

AT ALL FIXED POINTS OF SUPPORT, NUTS FOR ANCHOR BOLTS ARE TO BE TIGHTENED FINGER TIGHT AND THEN BACKED OFF 1/2 TURN. THE THREAD OF THE NUT AND BOLT SHALL THEN BE BURRED WITH A SHARP POINTED TOOL.

THE 2" Ø PIPE SLEEVE SHALL BE CUT FROM SCHEDULE 40 PVC PLASTIC PIPE. THE PVC PLASTIC PIPE SHALL MEET THE REQUIREMENTS OF ASTM D1785.

THE PAYMENT FOR THE PIPE SLEEVES SHALL BE INCLUDED IN THE SEVERAL PAY ITEMS.

FOR AASHTO M270 GRADE 50W STRUCTURAL STEEL, SOLE PLATE SHALL BE AASHTO M270 GRADE 50W AND SHALL NOT BE GALVANIZED. ANCHOR BOLTS, NUTS AND WASHERS SHALL BE GALVANIZED IN ACCORDANCE WITH THE STANDARD SPECIFICATIONS.

ANCHOR BOLTS SHALL MEET THE REQUIREMENTS OF ASTM A449. NUTS SHALL MEET THE REQUIREMENTS OF AASHTO M291-DH OR AASHTO M292-2H. WASHERS SHALL MEET THE REQUIREMENTS OF AASHTO M293. SHOP DRAWINGS ARE NOT REQUIRED FOR ANCHOR BOLTS, NUTS AND WASHERS. SHOP INSPECTION IS REQUIRED.

WHEN FIELD WELDING THE SOLE PLATE TO THE GIRDER FLANGE, USE TEMPERATURE INDICATING WAX PENS, OR OTHER SUITABLE MEANS, TO ENSURE THAT THE TEMPERATURE OF THE SOLE PLATE DOES NOT EXCEED 300°F. TEMPERATURES ABOVE THIS MAY DAMAGE THE ELASTOMER.

ALL SURFACES OF BEARING PLATES SHALL BE SMOOTH AND STRAIGHT.


THE ELASTOMER IN THE STEEL REINFORCED BEARINGS SHALL HAVE A SHEAR MODULUS OF 0.160 KSI, IN ACCORDANCE WITH AASHTO M251.

FOR STEEL REINFORCED ELASTOMERIC BEARINGS, SEE SPECIAL PROVISIONS.


THE CONTRACTOR'S ATTENTION IS CALLED TO THE FOLLOWING PROCEDURE, WHICH MAY BE REQUIRED BY THE ENGINEER, TO RESET ELASTOMERIC BEARINGS DUE TO GIRDER TRANSLATION AND END ROTATION:

1. ONCE THE DECK HAS CURED, THE GIRDERS SHALL BE JACKED AND THE ELASTOMERIC BEARING SLOTS CENTERED AS NEARLY AS PRACTICAL ABOUT THE BEARING STIFFENER. THIS OPERATION SHALL BE PERFORMED AT APPROXIMATELY

THE CONTRACTOR MAY PROPOSE ALTERNATE METHODS, PROVIDED DETAILS ARE SUBMITTED TO THE ENGINEER FOR REVIEW AND APPROVAL.



PROJECT NO. U-3308 DURHAM COUNTY STATION: 16+42.70-LALT-



STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

STANDARD

ELASTOMERIC BEARING — DETAILS ———


(STEEL SUPERSTRUCTURE)


DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED


SHEET NO. REVISIONS S1-19 DATE: DATE: BY: TOTAL SHEETS

30-MAR-2016 12:48 R:\Structures\Plans\str1\U3308_sd_BG_01.dgn

STD. NO. EB1 STR.#1







DIMENSIONS "W" AND "T" SHALL BE DETERMINED BY THE BEARING MANUFACTURER.

SOLE PLATE DETAILS S1 (10 REQ'D)

NOTES

FOR DISC BEARINGS, SEE SPECIAL PROVISIONS.

ALL BEARING PLATES SHALL BE AASHTO M270 GRADE 50W.

AT ALL POINTS OF SUPPORT, NUTS FOR ANCHOR BOLTS SHALL BE FINGER-TIGHTENED PLUS AN ADDITIONAL $\frac{1}{4}$ TURN. THE THREAD OF THE NUT AND BOLT SHALL THEN BE BURRED WITH A SHARP POINTED TOOL.

WHEN WELDING THE SOLE PLATE TO THE GIRDER, USE TEMPERATURE INDICATING WAX PENS, OR OTHER SUITABLE MEANS, TO ENSURE THAT THE TEMPERATURE OF THE BEARING DOES NOT EXCEED 250°F. TEMPERATURES ABOVE THIS MAY DAMAGE THE TFE OR URETHANE

SOLE PLATES SHOULD BE WELDED TO GIRDER FLANGES BEFORE FALSEWORK IS PLACED.


ALL SURFACES OF BEARING PLATES SHALL BE SMOOTH AND STRAIGHT.

FOR THERMAL SPRAYED COATINGS (METALLIZATION), SEE SPECIAL PROVISIONS.

THE MINIMUM ROTATIONAL CAPACITY FOR ALL BEARINGS SHALL BE 0.02 RADIANS.

				L	OADS /	AND MO	NEMEN	lT
DESIGNATIONS			NUMBER	UNFACTORED) VERTICAL	LOAD (KIPS)	FACTORED	ONE-WAY
	_	LOCATION	OF	DE	AD	LIVE	HORIZONTAL	MOVEMENT
BEARINGS MASONRY	٣		BEARINGS	DC	DW	LL+IM	LOAD (KIPS)	(IN.)
DB1 (FIXED) M1		BENT 1	10	223K	26K	200K	88K	0

U-3308 PROJECT NO. ____ DURHAM COUNTY STATION: 16+42.70-LALT-



STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

STANDARD

DISC BEARING DETAILS

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

SHEET NO. REVISIONS S1-20 DATE: DATE: BY: TOTAL SHEETS

STR. #1

30-MAR-2016 12:48 R:\Structures\Plans\str1\U3308_sd_BG_01.dgn

D.R. SMITH DATE : 11-22-14

ASSEMBLED BY: P.S. ADKINS DATE: 8-6-14 CHECKED BY: J.D. HAWK DATE: 9-5-14

DRAWN BY: TMG 08/13 REV. REV. REV. REV.

STD. NO. DB1

	————DEAD LOAD DEFLECTION TABLE FOR GIRDERS————																					
		SPAN A													5	SPAN E	3					
					G	IRDER	1									G:	IRDER	1				
TENTH POINTS	0	.1	.2	. 3	.4	. 5	.6	.7	.8	. 9	0	0	.1	.2	. 3	.4	. 5	. 6	.7	.8	.9	0
DEFLECTION DUE TO WEIGHT OF GIRDER	0	0.004	0.008	0.010	0.011	0.010	0.008	0.005	0.003	0.000	0	0	0.002	0.006	0.011	0.015	0.017	0.018	0.016	0.012	0.007	0
DEFLECTION DUE TO WEIGHT OF SLAB *	0	0.016	0.030	0.039	0.042	0.039	0.032	0.021	0.010	0.002	0	0	0.009	0.025	0.043	0.059	0.069	0.071	0.064	0.049	0.026	0
DEFLECTION DUE TO WEIGHT OF PARAPET & SIDEWALK	0	0.004	0.008	0.010	0.011	0.011	0.009	0.006	0.003	0.001	0	0	0.002	0.007	0.012	0.016	0.019	0.019	0.017	0.013	0.007	0
TOTAL DEAD LOAD DEFLECTION	0	0.025	0.046	0.059	0.064	0.060	0.048	0.032	0.015	0.003	0	0	0.013	0.038	0.066	0.090	0.105	0.108	0.097	0.074	0.040	0
VERTICAL CURVE ORDINATE	0	0.073	0.130	0.170	0.195	0.203	0.195	0.170	0.130	0.073	0	0	0.085	0.151	0.199	0.227	0.236	0.227	0.199	0.151	0.085	0
REQUIRED CAMBER	0	13/16"	21/8"	23/4"	31/8"	31/8"	215/16"	27/16"	13/4"	15/16"	0	0	13/16"	21/4"	33/16"	313/16"	41/16"	4"	3%6″	211/16"	11/2"	0

* INCLUDES SLAB, BUILDUPS & STAY-IN-PLACE FORMS.

ALL VALUES ARE SHOWN IN FEET (DECIMAL FORM), EXCEPT "REQUIRED CAMBER", WHICH IS GIVEN IN INCHES (FRACTION FORM).

			-DE	D L	OAD	DEFL	ECT	ION	TABL	E FC	OR G	IRDE	RS									
		SPAN A												5	SPAN E	3						
		GIRDER 2													G:	IRDER	2					
TENTH POINTS	0	.1	.2	. 3	.4	. 5	.6	.7	. 8	. 9	0	0	.1	. 2	.3	.4	. 5	. 6	.7	.8	. 9	0
DEFLECTION DUE TO WEIGHT OF GIRDER	0	0.004	0.008	0.010	0.011	0.010	0.008	0.005	0.003	0.000	0	0	0.002	0.006	0.011	0.015	0.017	0.018	0.016	0.012	0.007	0
DEFLECTION DUE TO WEIGHT OF SLAB *	0	0.017	0.030	0.039	0.042	0.040	0.032	0.021	0.010	0.002	0	0	0.009	0.025	0.044	0.060	0.070	0.072	0.065	0.049	0.027	0
DEFLECTION DUE TO WEIGHT OF PARAPET & SIDEWALK	0	0.003	0.006	0.008	0.008	0.008	0.006	0.004	0.002	0.000	0	0	0.002	0.005	0.009	0.012	0.013	0.014	0.012	0.009	0.005	0
TOTAL DEAD LOAD DEFLECTION	0	0.024	0.044	0.057	0.061	0.057	0.046	0.031	0.015	0.002	0	0	0.013	0.036	0.064	0.087	0.100	0.104	0.093	0.070	0.039	0
VERTICAL CURVE ORDINATE	0	0.073	0.130	0.170	0.195	0.203	0.195	0.170	0.130	0.073	0	0	0.085	0.151	0.199	0.227	0.236	0.227	0.199	0.151	0.085	0
REQUIRED CAMBER	0	13/16"	21/16"	23/4"	31/16"	3 ¹ / ₈ "	2 1/8"	27/16"	13/4"	7/8"	0	0	13/16"	21/4"	31/8"	3¾"	41/16"	4"	31/2"	25/8"	11/2"	0

* INCLUDES SLAB, BUILDUPS & STAY-IN-PLACE FORMS.
ALL VALUES ARE SHOWN IN FEET (DECIMAL FORM), EXCEPT "REQUIRED CAMBER", WHICH IS GIVEN IN INCHES (FRACTION FORM).

			-DE	D L	OAD	DEFL	ECT	ION	TABL	E FC	R G	IRDE	RS-									
		SPAN A													S	SPAN E	3					
		GIRDER 3														G	IRDER	3				
TENTH POINTS	0	.1	.2	. 3	.4	. 5	. 6	.7	.8	. 9	0	0	.1	.2	.3	.4	. 5	.6	.7	.8	. 9	0
DEFLECTION DUE TO WEIGHT OF GIRDER	0	0.004	0.008	0.010	0.011	0.010	0.008	0.005	0.003	0.000	0	0	0.002	0.006	0.011	0.015	0.017	0.018	0.016	0.012	0.007	0
DEFLECTION DUE TO WEIGHT OF SLAB *	0	0.017	0.031	0.040	0.043	0.040	0.032	0.021	0.010	0.002	0	0	0.009	0.026	0.044	0.060	0.071	0.073	0.066	0.050	0.027	0
DEFLECTION DUE TO WEIGHT OF PARAPET & SIDEWALK	0	0.002	0.004	0.005	0.006	0.005	0.004	0.003	0.001	0.000	0	0	0.001	0.003	0.006	0.008	0.009	0.010	0.009	0.007	0.004	0
TOTAL DEAD LOAD DEFLECTION	0	0.023	0.043	0.055	0.060	0.055	0.044	0.029	0.014	0.002	0	0	0.012	0.035	0.061	0.083	0.097	0.101	0.091	0.069	0.038	0
VERTICAL CURVE ORDINATE	0	0.073	0.130	0.170	0.195	0.203	0.195	0.170	0.130	0.073	0	0	0.085	0.151	0.199	0.227	0.236	0.227	0.199	0.151	0.085	0
REQUIRED CAMBER	0	11/8"	21/16"	211/16"	31/16"	31/8"	2 1/8"	23/8"	13/4"	7/8"	0	0	13/16"	21/4"	31/8"	3¾"	4"	3 ¹⁵ / ₁₆ "	31/2"	25/8"	11/2"	0

* INCLUDES SLAB, BUILDUPS & STAY-IN-PLACE FORMS.
ALL VALUES ARE SHOWN IN FEET (DECIMAL FORM), EXCEPT "REQUIRED CAMBER", WHICH IS GIVEN IN INCHES (FRACTION FORM).

	————DEAD LOAD DEFLECTION TABLE FOR GIRDERS————																					
		SPAN A														9	SPAN E	3				
		GIRDER 4													G	IRDER	4					
TENTH POINTS	0	.1	.2	.3	.4	. 5	.6	.7	.8	.9	0	0	.1	.2	.3	.4	. 5	.6	.7	.8	.9	0
DEFLECTION DUE TO WEIGHT OF GIRDER	0	0.004	0.008	0.010	0.011	0.010	0.008	0.005	0.003	0.000	0	0	0.002	0.006	0.011	0.015	0.017	0.018	0.016	0.012	0.007	0
DEFLECTION DUE TO WEIGHT OF SLAB *	0	0.017	0.031	0.040	0.043	0.041	0.033	0.022	0.010	0.002	0	0	0.009	0.026	0.045	0.061	0.071	0.074	0.067	0.050	0.027	0
DEFLECTION DUE TO WEIGHT OF PARAPET & SIDEWALK	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
TOTAL DEAD LOAD DEFLECTION	0	0.021	0.039	0.050	0.054	0.051	0.041	0.027	0.013	0.002	0	0	0.011	0.032	0.056	0.076	0.088	0.092	0.083	0.062	0.034	0
VERTICAL CURVE ORDINATE	0	0.073	0.130	0.170	0.195	0.203	0.195	0.170	0.130	0.073	0	0	0.085	0.151	0.199	0.227	0.236	0.227	0.199	0.151	0.085	0
REQUIRED CAMBER	0	11/8"	2"	25/8"	3"	31/16"	213/16"	23/8"	1 ¹¹ / ₁₆ "	7/8"	0	0	11/8"	23/16"	31/16"	35/8"	37/8"	3 ¹³ / ₁₆ "	33/8"	2%"	17/16"	0

* INCLUDES SLAB, BUILDUPS & STAY-IN-PLACE FORMS.
ALL VALUES ARE SHOWN IN FEET (DECIMAL FORM), EXCEPT "REQUIRED CAMBER", WHICH IS GIVEN IN INCHES (FRACTION FORM).

DRAWN BY :	P . S. A[OKINS	DATE :	12-5-13
CHECKED BY :	J.D.	DATE :		
DESIGN ENGINEER	OF RECORD:	D.R. SMITH	DATE :	11-22-14

PROJECT NO. U-3308 DURHAM _ COUNTY STATION: 16+42.70-LALT-

SHEET 1 OF 3

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
RALEIGH

SUPERSTRUCTURE

DEAD LOAD DEFLECTIONS

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

SHEET NO. REVISIONS S1-21 NO. BY: DATE: DATE:

22-MAR-2016 10:36 R:\Structures\Plans\str1\U3308_sd_DL_01.dgn jdhawk

			-DE	AD L	OAD	DEFL	ECT:	ION	TABL	E FC	R G	IRDE	ERS-									
					•	SPAN A	A									S	SPAN E	3				
					G	IRDER	5									G:	IRDER	5				
TENTH POINTS	0	.1	.2	. 3	.4	. 5	. 6	.7	.8	. 9	0	0	.1	.2	. 3	.4	. 5	.6	.7	. 8	. 9	0
DEFLECTION DUE TO WEIGHT OF GIRDER	0	0.004 0.008 0.010 0.011 0.010 0.008 0.005 0.003 0.000										0	0.002	0.006	0.011	0.015	0.017	0.018	0.016	0.012	0.007	0
DEFLECTION DUE TO WEIGHT OF SLAB *	0	0.017	0.032	0.041	0.044	0.041	0.033	0.022	0.011	0.002	0	0	0.009	0.026	0.045	0.062	0.072	0.075	0.067	0.051	0.028	0
DEFLECTION DUE TO WEIGHT OF PARAPET & SIDEWALK	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
TOTAL DEAD LOAD DEFLECTION	0	0.021	0.040	0.051	0.055	0.051	0.041	0.027	0.014	0.002	0	0	0.011	0.032	0.056	0.077	0.089	0.093	0.083	0.063	0.045	0
VERTICAL CURVE ORDINATE	0	0.073	0.130	0.170	0.195	0.203	0.195	0.170	0.130	0.073	0	0	0.085	0.151	0.199	0.227	0.236	0.227	0.199	0.151	0.085	0
REQUIRED CAMBER	0	11/8"	21/16"	25/8"	3"	31/16"	213/16"	23/8"	13/4"	7/8"	0	0	11/8"	23/16"	3 ¹ / ₁₆ "	35/8"	3 1/8"	313/16"	33/8"	2%6"	1%"	0

* INCLUDES SLAB, BUILDUPS & STAY-IN-PLACE FORMS.

ALL VALUES ARE SHOWN IN FEET (DECIMAL FORM), EXCEPT "REQUIRED CAMBER", WHICH IS GIVEN IN INCHES (FRACTION FORM).

			-DE	AD L	OAD	DEFL	ECT	ION	TABL	E FC	R G	IRDE	RS-									
					(SPAN .	Д									5	SPAN E	3				
					G	IRDER	6									G:	IRDER	6				
TENTH POINTS	0	.1	.2	. 3	.4	. 5	.6	.7	. 8	. 9	0	0	.1	.2	. 3	.4	. 5	. 6	.7	.8	.9	0
DEFLECTION DUE TO WEIGHT OF GIRDER	0	0.004	0.008	0.010	0.011	0.010	0.008	0.005	0.003	0.000	0	0	0.002	0.006	0.011	0.015	0.017	0.018	0.016	0.012	0.007	0
DEFLECTION DUE TO WEIGHT OF SLAB *	0	0.017	0.032	0.041	0.044	0.042	0.034	0.022	0.011	0.002	0	0	0.009	0.027	0.046	0.063	0.073	0.075	0.068	0.052	0.028	0
DEFLECTION DUE TO WEIGHT OF PARAPET & SIDEWALK	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
TOTAL DEAD LOAD DEFLECTION	0	0.021	0.040	0.051	0.055	0.052	0.042	0.027	0.014	0.002	0	0	0.011	0.033	0.057	0.078	0.090	0.093	0.084	0.064	0.035	0
VERTICAL CURVE ORDINATE	0	0.073	0.130	0.170	0.195	0.203	0.195	0.170	0.130	0.073	0	0	0.085	0.151	0.199	0.227	0.236	0.227	0.199	0.151	0.085	0
REQUIRED CAMBER	0	11/8"	21/16"	25/8"	3"	3½ ₆ "	2 1/8"	23/8"	13/4"	7/8"	0	0	11/8"	23/16"	3 ¹ / ₁₆ "	3 ¹¹ / ₁₆ "	3 ¹⁵ / ₁₆ "	3 ¹³ / ₁₆ "	33/8"	2%6"	17/16"	0

* INCLUDES SLAB, BUILDUPS & STAY-IN-PLACE FORMS.
ALL VALUES ARE SHOWN IN FEET (DECIMAL FORM), EXCEPT "REQUIRED CAMBER", WHICH IS GIVEN IN INCHES (FRACTION FORM).

			-DE	D L	OAD	DEFL	ECT]	ION	TABL	E FC	R G	IRD	ERS-									
						SPAN A	Д									S	SPAN E	3				
					G	IRDER	7									G	IRDER	7				
TENTH POINTS	0	.1	.2	. 3	.4	. 5	.6	.7	.8	. 9	0	0	.1	. 2	. 3	.4	. 5	.6	.7	. 8	. 9	0
DEFLECTION DUE TO WEIGHT OF GIRDER	0	0 0.004 0.008 0.010 0.011 0.010 0.008 0.005 0.003 0.000										0	0.002	0.006	0.011	0.015	0.017	0.018	0.016	0.012	0.007	0
DEFLECTION DUE TO WEIGHT OF SLAB *	0	0.017	0.032	0.042	0.045	0.042	0.034	0.022	0.011	0.002	0	0	0.009	0.027	0.047	0.063	0.074	0.076	0.069	0.052	0.028	0
DEFLECTION DUE TO WEIGHT OF PARAPET & SIDEWALK	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0
TOTAL DEAD LOAD DEFLECTION	0	0.021	0.040	0.052	0.056	0.052	0.042	0.027	0.014	0.002	0	0	0.011	0.033	0.058	0.078	0.091	0.094	0.085	0.064	0.035	0
VERTICAL CURVE ORDINATE	0	0.073	0.130	0.170	0.195	0.203	0.195	0.170	0.130	0.073	0	0	0.085	0.151	0.199	0.227	0.236	0.227	0.199	0.151	0.085	0
REQUIRED CAMBER	0	11/8"	21/16"	211/16"	3"	3½ ₆ "	2 1/8"	23/8"	1¾"	7∕8"	0	0	11/8"	23/16"	3 ¹ / ₁₆ "	311/16"	3 ¹⁵ / ₁₆ "	3 1/8"	3½6"	2%6″	17/16"	0

* INCLUDES SLAB, BUILDUPS & STAY-IN-PLACE FORMS.
ALL VALUES ARE SHOWN IN FEET (DECIMAL FORM), EXCEPT "REQUIRED CAMBER", WHICH IS GIVEN IN INCHES (FRACTION FORM).

			-DE	AD L	OAD	DEFL	ECT:	ION	TABL	E FC	OR G	IRDE	RS-									
						SPAN A	Α									5	SPAN E	3				
					G	IRDER	8									G	IRDER	8				
TENTH POINTS	0	.1	. 2	. 3	.4	. 5	. 6	.7	.8	. 9	0	0	.1	. 2	.3	.4	. 5	.6	.7	.8	.9	0
DEFLECTION DUE TO WEIGHT OF GIRDER	0	0.004 0.008 0.010 0.011 0.010 0.008 0.005 0.003 0.000 0										0	0.002	0.006	0.011	0.015	0.017	0.018	0.016	0.012	0.007	0
DEFLECTION DUE TO WEIGHT OF SLAB *	0	0.018	0.033	0.042	0.045	0.043	0.035	0.023	0.011	0.002	0	0	0.010	0.027	0.047	0.064	0.075	0.077	0.070	0.053	0.029	0
DEFLECTION DUE TO WEIGHT OF PARAPET & SIDEWALK	0	0.002	0.004	0.005	0.006	0.005	0.004	0.003	0.001	0.000	0	0	0.001	0.003	0.006	0.008	0.009	0.009	0.008	0.006	0.003	0
TOTAL DEAD LOAD DEFLECTION	0	0.024	0.045	0.057	0.062	0.058	0.047	0.031	0.015	0.002	0	0	0.013	0.036	0.064	0.087	0.101	0.104	0.094	0.071	0.039	0
VERTICAL CURVE ORDINATE	0	0.073	0.130	0.170	0.195	0.203	0.195	0.170	0.130	0.073	0	0	0.085	0.151	0.199	0.227	0.236	0.227	0.199	0.151	0.085	0
REQUIRED CAMBER	0	13/16"	21/8"	2¾"	31/16"	31/8"	2 1/8"	27/16"	1¾″	7/8"	0	0	13/16"	21/4"	33/16"	3¾"	41/16"	4"	31/2"	211/16"	11/2"	0

* INCLUDES SLAB, BUILDUPS & STAY-IN-PLACE FORMS.
ALL VALUES ARE SHOWN IN FEET (DECIMAL FORM), EXCEPT "REQUIRED CAMBER", WHICH IS GIVEN IN INCHES (FRACTION FORM).

DRAWN BY :	P.S. A[OKINS	DATE :	12-5-13
CHECKED BY :	J.D.	HAWK	DATE :	9-5-14
DESIGN ENGINEER	OF RECORD:	D.R. SMITH	DATE :	11-22-14

PROJECT NO. U-3308 DURHAM _ COUNTY STATION: 16+42.70-LALT-

SHEET 2 OF 3

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
RALEIGH

SUPERSTRUCTURE

DEAD LOAD DEFLECTIONS

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

SHEET NO. REVISIONS S1-22 NO. BY: DATE: DATE:

22-MAR-2016 10:36 R:\Structures\Plans\str1\U3308_sd_DL_01.dgn jdhawk


			−DE A	D L	OAD	DEFL	ECT	[ON	TABL	E FC	OR G	IRDE	RS-									
						SPAN	A										SPAN	В				
					G:	IRDER	9									G	IRDER	9				
TENTH POINTS	0	.1	.2	. 3	.4	. 5	.6	.7	.8	. 9	0	0	.1	.2	.3	.4	. 5	.6	.7	.8	.9	0
DEFLECTION DUE TO WEIGHT OF GIRDER	0	0.004	0.008	0.010	0.011	0.010	0.008	0.005	0.003	0.000	0	0	0.002	0.006	0.011	0.015	0.017	0.018	0.016	0.012	0.007	0
DEFLECTION DUE TO WEIGHT OF SLAB *	0	0.018	0.033	0.043	0.046	0.043	0.035	0.023	0.011	0.002	0	0	0.010	0.028	0.048	0.065	0.076	0.078	0.071	0.053	0.029	0
DEFLECTION DUE TO WEIGHT OF PARAPET & SIDEWALK	0	0.003	0.006	0.007	0.008	0.007	0.006	0.004	0.002	0.000	0	0	0.002	0.005	0.008	0.011	0.013	0.013	0.012	0.009	0.005	0
TOTAL DEAD LOAD DEFLECTION	0	0.025	0.047	0.060	0.065	0.060	0.049	0.032	0.016	0.002	0	0	0.014	0.039	0.067	0.091	0.106	0.109	0.099	0.074	0.041	0
VERTICAL CURVE ORDINATE	0	0.073	0.130	0.170	0.195	0.203	0.195	0.170	0.130	0.073	0	0	0.085	0.151	0.199	0.227	0.236	0.227	0.199	0.151	0.085	0
REQUIRED CAMBER	0	13/16"	21/8"	23/4"	31/8"	33/16"	215/16"	27/16"	13/4"	7/8"	0	0	13/16"	21/4"	33/16"	313/16"	41/8"	4 ¹ / ₁₆ "	3%6″	211/16"	11/2"	0

* INCLUDES SLAB, BUILDUPS & STAY-IN-PLACE FORMS.

ALL VALUES ARE SHOWN IN FEET (DECIMAL FORM), EXCEPT "REQUIRED CAMBER ", WHICH IS GIVEN IN INCHES (FRACTION FORM).

			-DE	D L	OAD	DEFL	ECT	[ON	TABL	E FC	R G	IRD	ERS-									
						SPAN A	Δ									•	SPAN (3				
					G]	IRDER	10									G	RDER	10				
TENTH POINTS	0	.1	.2	. 3	.4	. 5	. 6	.7	. 8	. 9	0	0	.1	. 2	. 3	. 4	. 5	. 6	.7	. 8	. 9	0
DEFLECTION DUE TO WEIGHT OF GIRDER	0	0.004 0.008 0.010 0.011 0.010 0.008 0.005 0.003 0.000 C									0	0	0.002	0.006	0.011	0.015	0.017	0.018	0.016	0.012	0.007	0
DEFLECTION DUE TO WEIGHT OF SLAB *	0	0.018	0.034	0.043	0.046	0.044	0.035	0.023	0.011	0.002	0	0	0.010	0.028	0.048	0.066	0.076	0.079	0.072	0.054	0.029	0
DEFLECTION DUE TO WEIGHT OF PARAPET & SIDEWALK	0	0.004	0.008	0.010	0.011	0.010	0.008	0.006	0.003	0.000	0	0	0.002	0.007	0.011	0.015	0.018	0.019	0.017	0.013	0.007	0
TOTAL DEAD LOAD DEFLECTION	0	0.026	0.050	0.063	0.068	0.064	0.051	0.034	0.017	0.002	0	0	0.014	0.041	0.070	0.096	0.111	0.116	0.105	0.079	0.043	0
VERTICAL CURVE ORDINATE	0	0.073	0.130	0.170	0.195	0.203	0.195	0.170	0.130	0.073	0	0	0.085	0.151	0.199	0.227	0.236	0.227	0.199	0.151	0.085	0
REQUIRED CAMBER	0	13/16"	23/16"	213/16"	31/8"	33/16"	2 ¹⁵ / ₁₆ "	21/16"	13/4"	7∕8"	0	0	13/16"	25/16"	3 ¹ / ₄ "	3 1/8"	43/16"	41/8"	35/8"	23/4"	1%"	0

* INCLUDES SLAB, BUILDUPS & STAY-IN-PLACE FORMS.
ALL VALUES ARE SHOWN IN FEET (DECIMAL FORM), EXCEPT "REQUIRED CAMBER", WHICH IS GIVEN IN INCHES (FRACTION FORM).



SCHEMATIC CAMBER ORDINATES

SLOPE FOR THE ZERO CAMBER BASE LINE VARIES.

DRAWN BY :	P.S. AD	KINS	DATE :	12-5-13
CHECKED BY :	J . D. I	HAWK	DATE :	9-5-14
DESIGN ENGINEER	OF RECORD:	D.R. SMITH	DATE :	11-22-14

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

PROJECT NO. U-3308 DURHAM COUNTY STATION: 16+42.70-LALT-

SHEET 3 OF 3

STATE OF NORTH CAROLINA

DEPARTMENT OF TRANSPORTATION


RALEIGH

SUPERSTRUCTURE

DEAD LOAD DEFLECTIONS

DATE:

SHEET NO. REVISIONS S1-23 NO. BY: DATE: TOTAL SHEETS 47



METAL RAIL SHALL BE INSTALLED IN ACCORDANCE WITH SECTION 460 OF THE STANDARD SPECIFICATIONS AND METAL RAIL COMPONENTS SHALL MEET THE REQUIREMENTS OF ARTICLE 1074-5 OF THE STANDARD SPECIFICATIONS.

RAILING SHALL BE CONTINUOUS FROM END POST TO END POST OF BRIDGE. EACH JOINT IN RAIL LENGTH SHALL BE SPLICED AS DETAILED. PANEL LENGTHS OF RAIL SHALL BE ATTACHED TO A MINIMUM OF THREE POSTS.

FOR END OF RAIL TO CLEAR FACE OF CONCRETE END POST DIMENSION, SEE STD. NO. BMR2.

CAP SCREWS SHALL BE ASTM F593 ALLOY 305 STAINLESS STEEL. WASHERS SHALL MEET THE REQUIREMENTS OF ASTM F844 EXCEPT THEY SHALL BE MADE FROM ALLOY 304

METAL RAIL POSTS SHALL BE SET NORMAL TO CURB GRADE.

ALLOY 6351-T5 MAY BE SUBSTITUTED FOR ALLOY 6061-T6 WHERE APPLICABLE.

MINOR VARIATIONS IN DETAILS OF METAL RAIL WILL BE CONSIDERED. DETAILS OF SUCH VARIATIONS, IF DESIRED, SHALL BE SUBMITTED FOR APPROVAL.

GROOVED CONTRACTION JOINTS, $\frac{1}{2}$ " IN DEPTH, SHALL BE TOOLED IN ALL EXPOSED FACES OF THE PARAPET AND IN ACCORDANCE WITH ARTICLE 825-10(B) OF THE STANDARD SPECIFICATIONS. CONTRACTION JOINTS SHALL BE LOCATED 9 FEET ON EACH SIDE OF PARAPET EXPANSION JOINTS WITH NO MORE THAN 12 FEET BETWEEN CONTRACTION JOINTS. CONTRACTION JOINTS SHALL BE ALIGNED WITH RAIL POSTS SO AS TO NOT EXTEND THROUGH THE RECESSED PANELS.

FOR ANODIZED 2 BAR METAL RAIL, SEE SPECIAL PROVISIONS.

ALUMINUM FOR POSTS. BASES. RAILS. EXPANSION BARS. RIVETS. CAPS. AND SHIMS SHALL BE ANODIZED. THE CONTRACTOR SHALL SUBMIT THREE SETS OF ASTM B-21 6061-T6 ALUMINUM SAMPLES ANODIZED MEDIUM BRONZE, DARK BRONZE, AND EXTRA DARK BRONZE TO THE ENGINEER. THE ENGINEER SHALL SELECT THE COLOR FROM THE SAMPLES FURNISHED BY

AFTER A SHADE OF BRONZE HAS BEEN SELECTED FOR THE RAILING, THE CONTRACTOR SHALL SUBMIT A SAMPLE OF COMPATIBLE EXTERIOR ACRYLIC HOUSE PAINT TO THE ENGINEER. THIS PAINT SHALL MATCH THE ANODIZED RAIL COLOR AS CLOSELY AS POSSIBLE. AFTER ERECTION OF THE ANODIZED ALUMINUM RAILING, ALL EXPOSED ANCHOR BOLTS, NUTS, WASHERS, MACHINE SCREWS, CAP SCREWS, BOLTS, ATTACHMENT BRACKETS, HOLD-DOWN PLATES, AND BUILT UP ANGLES SHALL BE COATED WITH TWO COATS OF THIS ACTYLIC PAINT.

ANY DAMAGE TO THE ANODIZED SURFACES OF THE RAIL OR COMPONENTS DURING THE CONSTRUCTION SHALL BE REPAIRED ACCORDING TO THE MANUFACTURER'S INSTRUCTIONS AT THE DIRECTION OF THE ENGINEER AND AT THE CONTRACTOR'S EXPENSE.

PAY	LENGTH
STAGE I	170.23 LIN.FT.
STAGE II	170.23 LIN.FT.
TOTAL	340.46 LIN.FT.

U-3308 PROJECT NO. ____ **DURHAM** COUNTY STATION: 16+42.70-LALT-

SHEET 1 OF 2

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

SUPERSTRUCTURE


ANODIZED 2 BAR METAL RAIL


-AE35E3E6727640E... 4/1/2016 DATE: DOCUMENT NOT CONSIDEREI FINAL UNLESS ALL SIGNATURES COMPLETED

STR. #1

P.S. ADKINS DATE : 11/25/13

CHECKED BY: L.E. SUTTON DATE: 9/10/14





METAL RAIL ANCHOR ASSEMBLY

(62 ASSEMBLIES REQUIRED


NOTES

THE STRUCTURAL CONCRETE ANCHOR ASSEMBLY SHALL CONSIST OF THE FOLLOWING COMPONENTS:

- A. FERRULES SHALL BE MADE FROM STEEL MEETING THE REQUIREMENTS OF AASHTO M169, GRADE 12L14 AND SHALL HAVE A MINIMUM LENGTH OF THREADS OF 2" FOR $\frac{3}{4}$ " FERRULES.
- B. 4 $\frac{3}{4}$ " Ø X 2 $\frac{1}{2}$ " BOLTS WITH WASHERS. BOLTS SHALL CONFORM TO THE REQUIREMENTS OF ASTM A307. BOLTS AND WASHERS SHALL BE GALVANIZED. AT THE CONTRACTOR'S OPTION, STAINLESS STEEL BOLTS AND WASHERS MAY BE USED AS AN ALTERNATE FOR THE $\frac{3}{4}$ " \varnothing X $\frac{2!}{2}$ " GALVANIZED BOLTS AND WASHERS. THEY SHALL CONFORM TO OR EXCÉED THE MECHANICAL REQUIREMENTS OF ASTM A307. THE USE OF THIS ALTERNATE SHALL BE APPROVED BY THE ENGINEER.
- C. WIRE STRUT SHOWN IN THE CONCRETE ANCHOR ASSEMBLY DETAIL IS THE MINIMUM ALLOWABLE SIZE AND SHALL HAVE A MINIMUM TENSILE STRENGTH OF 100,000 PSI. AS AN OPTION, A 7_{16} " Ø WIRE STRUT WITH A MINIMUM TENSILE STRENGTH OF 90,000 PSI IS ACCEPTABLE.
- D. THE METAL RAIL ANCHOR ASSEMBLIES TO BE HOT DIPPED GALVANIZED TO CONFORM TO REQUIREMENTS OF AASHTO M111.
- E. THE COST OF THE METAL RAIL ANCHOR ASSEMBLY WITH BOLTS AND WASHERS COMPLETE IN PLACE SHALL BE INCLUDED IN THE PRICE BID FOR LINEAR FEET OF METAL RAIL.
- F. BOLTS TO BE TIGHTENED ONE-HALF TURN WITH A WRENCH FROM A FINGER-TIGHT

THE CONTRACTOR MAY USE ADHESIVELY ANCHORED ANCHOR BOLTS IN PLACE OF THE METAL RAIL ANCHOR ASSEMBLY. LEVEL ONE FIELD TESTING IS REQUIRED, AND THE YIELD LOAD OF THE $\frac{3}{4}$ % BOLT IS 10 KIPS. FOR ADHESIVELY ANCHORED ANCHOR BOLTS OR DOWELS, SEE THE STANDARD SPECIFICATIONS.

WHEN ADHESIVELY ANCHORED ANCHOR BOLTS ARE USED, BOLTS SHALL MEET THE REQUIREMENTS OF ASTM F593 ALLOY 304 STAINLESS STEEL WITH MINIMUM 75,000 PSI ULTIMATE STRENGTH. NUTS SHALL MEET THE REQUIREMENTS OF ASTM F594 ALLOY 304 STAINLESS STEEL AND WASHERS SHALL MEET THE REQUIREMENTS OF ASTM F844 EXCEPT THEY SHALL BE MADE FROM ALLOY 304 STAINLESS STEEL.



1/2" Ø [13 THREAD] HOLE FOR 1/2" Ø X 1" STAINLESS STEEL HEX HEAD CAP SCREW & 1/16" O.D., 17/32" I.D.,

33/4′′

EXPANSION BAR DETAILS


CLAMP BAR DETAIL


(4 REQUIRED PER POST

⁷/₃₂''


..........

7/32''






CLAMP ASSEMBLY



SHIM DETAILS SHIMS MAY BE CUT ALONG PERMITTED CUTLINE OR SLOTTED TO EDGE OF PLATE TO FACILITATE PLACEMENT.



U-3308 PROJECT NO._ DURHAM COUNTY

MINOR
 AXIS

RAIL SECTION

- SEMI-ELLIPSE

AXIS


STATION: 16+42.70-LALT-

SHEET 2 OF 2

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

SUPERSTRUCTURE


ANODIZED 2 BAR METAL RAIL




SHEET NO. **REVISIONS** S1-25 DATE: BY: TOTAL SHEETS STR.#1

P.S. ADKINS DATE : 11/25/13 CHECKED BY: L.E. SUTTON DATE: 9/23/14

1/16" THICK WASHER (TYP.)



PLAN OF RAIL POST SPACINGS



NOTES

THE STRUCTURAL CONCRETE INSERT ASSEMBLY SHALL CONSIST OF THE FOLLOWING COMPONENTS:

- A. FERRULES SHALL BE MADE FROM STEEL MEETING THE REQUIREMENTS OF AASHTO M169, GRADE 12L14 AND SHALL HAVE A MINIMUM LENGTH OF THREADS OF $1\frac{1}{2}$ ".
 - B. $1 \frac{3}{4}$ " Ø X $1\frac{5}{8}$ " BOLT WITH WASHER. BOLT SHALL CONFORM TO THE REQUIREMENTS OF ASTM A307. BOLT AND WASHER SHALL BE GALVANIZED. (AT THE CONTRACTOR'S OPTION, STAINLESS STEEL BOLT AND WASHER MAY BE USED AS AN ALTERNATE FOR THE $\frac{3}{4}$ " \emptyset X $1\frac{5}{8}$ " GALVANIZED BOLT AND WASHER. THEY SHALL CONFORM TO OR EXCEED THE MECHANICAL REQUIREMENTS OF ASTM A307. THE USE OF THIS ALTERNATE SHALL BE APPROVED BY THE ENGINEER.)
 - C. WIRE STRUT SHOWN IN THE CONCRETE INSERT ASSEMBLY DETAIL IS THE MINIMUM ALLOWABLE SIZE AND SHALL HAVE A MINIMUM TENSILE STRENGTH OF 100,000 PSI. AS AN OPTION, A $\frac{1}{16}$ " Ø WIRE STRUT WITH A MINIMUM TENSILE STRENGTH OF 90,000 PSI IS ACCEPTABLE.

THE METAL RAIL TO END POST CONNECTION SHALL CONSIST OF THE FOLLOWING COMPONENTS:


- A. $\frac{1}{2}$ " PLATES SHALL CONFORM TO AASHTO M270 GRADE 36 AND SHALL BE GALVANIZED AFTER FABRICATION.
- B. 3/4" STRUCTURAL CONCRETE INSERT SHALL HAVE A WORKING LOAD SHEAR CAPACITY OF 4800 LBS. THE FERRULES SHALL ENGAGE A $\frac{3}{4}$ " Ø X $1\frac{5}{8}$ " BOLT WITH 2" O.D. WASHER IN PLACE. THE $\frac{3}{4}$ " ∞ X $1\frac{5}{8}$ " BOLT SHALL HAVE N. C. THREADS.
- C. CAP SCREWS FOR RAIL ATTACHMENT TO ANGLE SHALL CONFORM TO THE REQUIREMENTS OF ASTM F593 ALLOY 305 STAINLESS STEEL. CAP SCREWS TO BE CENTERED IN SLOTS AT 60°F.
- D. STANDARD CLAMP BARS (SEE METAL RAIL SHEET).
- E. $\frac{1}{2}$ " Ø PIPE SLEEVES (IF REQUIRED) TO BE GALVANIZED.

THE COST OF THE STANDARD CLAMP BARS AND CAP SCREWS USED IN THE METAL RAIL TO END POST CONNECTION SHALL BE INCLUDED IN THE UNIT CONTRACT PRICE BID FOR LINEAR FEET OF 2 BAR METAL RAILS.

THE $\frac{3}{4}$ " STRUCTURAL CONCRETE INSERT WITH BOLT SHALL BE ASSEMBLED IN THE SHOP.

THE COST OF THE $\frac{3}{4}$ " STRUCTURAL CONCRETE INSERT ASSEMBLY, AND THE $\frac{1}{2}$ " PLATES COMPLETE IN PLACE SHALL BE INCLUDED IN THE VARIOUS PAY ITEMS.

THE CONTRACTOR, AT HIS OPTION, MAY USE AN ADHESIVE BONDING SYSTEM IN LIEU OF THE STRUCTURAL CONCRETE INSERT EMBEDDED IN THE END POST. IF THE ADHESIVE BONDING SYSTEM IS USED, THE $\frac{3}{4}$ " \emptyset X $1\frac{5}{8}$ " BOLT WITH WASHER SHALL BE REPLACED WITH A $\frac{3}{4}$ " \emptyset X $6\frac{1}{2}$ " BOLT AND 2" O.D. WASHER. ALL SPECIFICATIONS THAT APPLY TO THE $\frac{3}{4}$ " $\frac{3}{4}$ " $\frac{3}{4}$ X $\frac{1}{8}$ " BOLT SHALL APPLY TO THE $\frac{3}{4}$ " \emptyset X $6\frac{1}{2}$ " BOLT. FIELD TESTING OF THE ADHESIVE BONDING SYSTEM



ELEVATION

COUNTY

STRUCTURAL CONCRETE = INSERT ====

* EACH WELDED ATTACHMENT OF WIRE TO FERRULE SHALL DEVELOP THE TENSILE STRENGTH OF THE WIRE.

U-3308 PROJECT NO._

DURHAM

STATION: 16+42.70-LALT-

DEPARTMENT OF TRANSPORTATION

Same E. Suta

RAIL POST SPACINGS

STATE OF NORTH CAROLINA

RALEIGH STANDARD

— AND ——— END OF RAIL DETAILS

FOR TWO BAR METAL RAILS

—AE35E3E6727640E... 4/1/2016 SHEET NO. REVISIONS S1-26 DATE: DATE: BY: DOCUMENT NOT CONSIDEREI FINAL UNLESS ALL SIGNATURES COMPLETED TOTAL SHEETS 47

STR.#1

DETAILS FOR ATTACHING METAL RAIL TO END POST


SECTION H-H

ASSEMBLED BY : P.S. ADKINS CHECKED BY : L.E. SUTTON DATE: 9/17/14 DATE: 9/23/14 REV. 5/7/03 REV. 5/I/06 RWW/JTE DRAWN BY: FCJ 1/88 TLA/GM CHECKED BY : CRK 3/89 REV. 10/1/11 MAA/GM

R:\Structures\Plans\str1\U3308_sd_2MR_01.dgn

TOP VIEW

STD. NO. BMR2



3'-9"

#7 "E" BARS @]

€ CONC. INSERTS

| || (-#5 ``B''

-PERMITTED

CONST.JT.

ELEVATION

-#5 S1 (TYP.)

91/2" CTS. (EA. FACE)


CONST.JT. (LEVEL) —

#5 S3 (EA.FACE)


PARAPET AND END POST DETAILS

SIDEWALK NOT SHOWN FOR CLARITY

(TYP.) —



ELEVATION AT EXPANSION JOINTS



SECTION THROUGH PARAPET

PARAPET DETAILS

SEAL 21638

DETAILS -AE35E3E6727640E... 4/1/2016 REVISIONS

DATE: DATE: BY: DOCUMENT NOT CONSIDEREI FINAL UNLESS ALL SIGNATURES COMPLETED

STR. #1

22-MAR-2016 10:36 R:\Structures\Plans\str1\U3308_sd_BR_01.dgn

END VIEW

1'-23/4"

2"CL.

←#6 F3

2¾"CL.TO

#6 '`F'' BAR

#7 "E" BARS

2¾"CL.

CONST.JT. (LEVEL) —

#5 S3

#6 F1

#6 F2

P.S. ADKINS DATE : 8/5/14

CHECKED BY: L.E. SUTTON DATE: 9/24/14

(EA. FACE)

(EA. FACE)

STR | 25'-3" 40 5 STR 29'-7" 1234 **∗** B2 **∗** B3 STR 31'-11" 10 5 STR 3'-0"

8″

BAR NO.

ALL BAR DIMENSIONS ARE OUT TO OUT.

BILL OF MATERIAL FOR

PARAPET AND 2 END POSTS

I OR STAGE II

| SIZE | TYPE | LENGTH | WEIGHT

BAR TYPES

2

263

333

25

29

37

40

19

22

996

∗ E1 **∗** E2 STR 3′-6" STR 4'-0" **∗** E4 STR 4′-6″ STR 4'-10" STR | 1'-10" 6 6 | STR | 3'-2" 6 | STR | 3'-7" 4 * S1 | 171 | 5 1 | 5'-7" * S2 171 5 2 6'-4" 1130 ***** S3 | 16 STR 3'-6"

5 * EPOXY COATED REINFORCING STEEL LBS. 4,230 CU. YDS. 24.1 CLASS AA CONCRETE

1'-2¾" X 3'-0" CONCRETE PARAPET LIN. FT. 178.16

U-3308 PROJECT NO.____

> DURHAM COUNTY

STATION: 16+42.70-LALT-


SHEET 1 OF 2


STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

SUPERSTRUCTURE

CONCRETE PARAPET & END POST

SHEET NO. S1-27 TOTAL SHEETS





GUARDRAIL ANCHOR ASSEMBLY DETAILS

NOTES

THE GUARDRAIL ANCHOR ASSEMBLY SHALL CONSIST OF A 1/4" HOLD DOWN PLATE AND 7 - 1/8" Ø BOLTS WITH NUTS AND WASHERS.

THE HOLD-DOWN PLATE SHALL CONFORM TO AASHTO M270 GRADE 36. AFTER FABRICATION, THE HOLD-DOWN PLATE SHALL BE HOT-DIP GALVANIZED IN ACCORDANCE WITH AASHTO M111.

BOLTS SHALL CONFORM TO THE REQUIREMENTS OF ASTM A307 AND NUTS SHALL CONFORM TO THE REQUIREMENTS OF AASHTO M291. BOLTS, NUTS AND WASHERS SHALL BE GALVANIZED. AT THE CONTRACTOR'S OPTION, STAINLESS STEEL BOLTS, NUTS AND WASHERS MAY BE USED AS AN ALTERNATE FOR THE 7/8" \varnothing GALVANIZED BOLTS, NUTS AND WASHERS. THEY SHALL CONFORM TO OR EXCEED THE MECHANICAL REQUIREMENTS OF ASTM A307. THE USE OF THIS ALTERNATE SHALL BE APPROVED BY THE ENGINEER.


THE GUARDRAIL ANCHOR ASSEMBLY IS REQUIRED AT ALL POINTS WHERE APPROACH GUARDRAIL IS TO BE ATTACHED TO THE END OF THE PARAPET. FOR POINTS OF ATTACHMENT, SEE SKETCH.

AFTER INSTALLATION, THE EXPOSED THREAD OF THE BOLT SHALL BE BURRED WITH A SHARP POINTED TOOL.

THE COST OF THE GUARDRAIL ANCHOR ASSEMBLIES WITH BOLTS, NUTS AND WASHERS COMPLETE IN PLACE, SHALL BE INCLUDED IN THE VARIOUS PAY ITEMS.


THE VERTICAL REINFORCING BARS MAY BE SHIFTED SLIGHTLY IN THE END POST TO CLEAR ASSEMBLY BOLTS.

THE $1^{1}/_{4}^{\prime\prime}$ Ø HOLES SHALL BE FORMED OR DRILLED WITH A CORE BIT. IMPACT TOOLS WILL NOT BE PERMITTED. ANY CONCRETE DAMAGED BY THIS WORK SHALL BE REPAIRED TO THE SATISFACTION OF THE ENGINEER.




SKETCH SHOWING POINTS OF ATTACHMENT

▲ LOCATION OF GUARDRAIL ATTACHMENT



PROJECT NO. U-3308 DURHAM COUNTY STATION: 16+42.70-LALT-



STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION STANDARD GUARDRAIL ANCHORAGE DETAILS FOR METAL RAILS

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

SHEET NO. **REVISIONS** S1-29 DATE: DATE: BY: TOTAL SHEETS STR. #1

22-MAR-2016 10:36 R:\Structures\Plans\str1\U3308_sd_GR_01.dgn

-SIDEWALK

SIDEWALK ---

LOCATION OF GUARDRAIL ANCHOR AT END POST

ANCHOR ASSEMBLY

1'-23/4"

|

END VIEW

LEFT SIDE


MAA/GM MAA/GM

CONST.JT-(LEVEL)

ASSEMBLED BY: P.S. ADKINS DATE: 11-20-13 CHECKED BY: L.E. SUTTON DATE: 9-10-14


DRAWN BY: MAA 5/10
CHECKED BY: GM 5/10
REV. 10/1/11
REV. 12/5/11
REV. 6/13

STD. NO. GRA3



PLAN OF FENCE POST SPACING

(RIGHT SIDE SHOWN, LEFT SIDE SIMILAR)



1/2" X 9" X 3" STEEL SPACER (TYP.EA.BRACKET-

7/16" Ø DRILLED HOLE FOR 3/8" Ø BOLT W/ NUT & WASHER ─


PIPE CLAMP DETAILS

-€ FENCE POST

— € ¾''Ø ANCHOR BOLTS

9′′

<u>PLAN</u>



SECTION THROUGH FENCE

€ VERTICAL FENCE POST — TOP OF PARAPET >— (€ ¾′′ Ø ANCHOR BOLTS

BOLT SETTING DETAIL

NOTES

FOR BRIDGE MOUNTED CHAIN LINK FENCE, SEE SPECIAL PROVISIONS.


ALL FENCE MATERIAL SHALL BE BLACK VINYL COATED AND MEET THE REQUIREMENTS OF SECTION 1050 OF THE STANDARD SPECIFICATIONS. GALVANIZE ALL STEEL PARTS AND HARDWARE IN ACCORDANCE WITH ARTICLE 1076 OF THE STANDARD SPECIFICATIONS.

BOLTS SHALL CONFORM TO THE REQUIREMENTS OF ASTM A307 AND NUTS SHALL CONFORM TO THE REQUIREMENTS OF ASTM ASOT AND NUTS SHALL CONFORM TO THE REQUIREMENTS OF ASHTO M291. BOLTS, NUTS AND WASHERS SHALL BE GALVANIZED. AT THE CONTRACTOR'S OPTION, STAINLESS STEEL BOLTS, NUTS AND WASHERS MAY BE USED AS AN ALTERNATE FOR THE 34" Ø GALVANIZED BOLTS, NUTS AND WASHERS. THEY SHALL CONFORM TO OR EXCEED THE MECHANICAL REQUIREMENTS OF ASTM A307. THE USE OF THIS ALTERNATE SHALL BE APPROVED BY THE ENGINEER.

THE CONTRACTOR MAY USE AN ADHESIVELY ANCHORED ANCHOR BOLTS IN PLACE OF THE METAL RAIL ANCHOR ASSEMBLY. LEVEL ONE FIELD TESTING IS REQUIRED, AND THE YIELD LOAD OF THE 3/4" Ø BOLTS IS 10 KIPS. FOR ADHESIVELY ANCHORED ANCHOR BOLTS OR DOWELS, SEE THE STANDARD SPECIFICATIONS.

	PAY	LENGTH
STAGE	II	167.81 LIN.FT.
STAGE	III	167.81 LIN.FT.
TOTAL		335.62 LIN.FT.

PROJECT NO. U-3308 DURHAM COUNTY STATION: 16+42.70-LALT-



STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
RALEIGH

SUPERSTURTURE

BRIDGE MOUNTED CHAIN LINK FENCE

DOCUM F SIG

AE35E3E6727640E							
4/1/2016			REVI	SIO	NS		SHEET N
MENT NOT CONSIDERED	NO.	BY:	DATE:	NO.	BY:	DATE:	S1-30
FINAL UNLESS ALL	1			3			TOTAL SHEETS
GNATURES COMPLETED	2			4			47

22-MAR-2016 10:36
R:\Structures\Plans\str1\U3308_sd_BMF_01.dgn
jdhawk

¹/₄'' PLATE →


└─ @ BOLTS

P.S. ADKINS DATE : <u>8/4/14</u>

CHECKED BY: L.E. SUTTON DATE: 9/24/14


ELEVATION

STR. #1




POURING SEQUENCE

NOTE: IF THE CONTRACTOR CHOOSES TO REVERSE THE DIRECTION OF POURS 1 & 4, A CONSTRUCTION JOINT WILL BE REQUIRED 4'-0" FROM THE JOINT SEAL.



TRANSVERSE CONSTRUCTION JOINT DETAIL

NOTE: REINFORCING STEEL IN SLAB NOT SHOWN. LONGITUDINAL REINFORCING STEEL SHALL BE CONTINUOUS THROUGH JOINT



STAGE I = 5,397 SQ.FT. STAGE II = 10,742 SQ. FT. TOTAL = 16,139 SQ.FT.

							BIL	L OF	МА	TERIA								BAR TYPES
							S	SPAN	S A	& B								. 6" 6" .
		ST	AGE	I							STAC	E II						
BAR	NO.	SIZE	TYPE	LENGTH	WEIGHT	BAR	NO.	SIZE	TYPE	LENGTH	WEIGHT	BAR	NO.	SIZE	TYPE	LENGTH	WEIGHT	<u> </u>
* A1	381	#5	STR	29'-11"	11,888	* A3	378	#5	STR	54'-11"	21,651	∗ D1	386	#5	STR	6′-0″	2,416	
A2	383	#5	STR	29'-11"	11,951	Α4	379	# 5	STR	54′-11″	21,708	D2	388	#5	STR	6′-0″	2,428	(1) =
* A101	2	#5	STR	25'-7"	+	 ₩ A120	1	#5	STR	50′-7″	+	∗ G2	2	#5	STR	55'-1"	115	<u> </u>
 ₩ A102	2	#5	STR	19'-9"	+	∗ A121	2	#5	STR	44'-9"		* G3	2	#5	STR	4′-8″	10	1'-0"
 ₩ A103	2	#5	STR	13′-11″	+	∗ A122	2	#5	STR	38′-11″		* G11	178	#4	STR	4'-10"	575	
 ₩ A104	2	#5	STR	8'-2"	+	∗ A123	2	#5	STR	33'-2"	69							
 ₩ A105	2	#5	STR	2'-4"	5	∗ A124	2	#5	STR	27'-4"		 ★ K 4	4	#5	2	8'-1"	34	4'-0" K1, K6
						∗ A125	2	#5	STR	21'-6"		∗ K5	16	#5	3	14'-7"	243	1'-9" K3, K4
A201	2	#5	STR	25′-7″	53	∗ A126	2	#5	STR	15′-8″		∗ K6	4	#5	2	10'-4"	43	<u> </u>
A202	2	#5	STR	19'-9"		∗ A127	2	#5	STR	9'-11"	21	∗ K7	4	#5	STR	4′-8″	19	<u> </u>
A203	2	#5	STR	14'-0"		∗ A128	1	# 5	STR	6′-5″	7							
A204	2	#5	STR	8'-2"	17	∗ A129	2	#5	STR	4'-1"	9	* S1	102	#4	1	3′-10″	261	(2) <u></u> <u>9</u>
A205	2	#5	STR	2'-4"	5													
						A220	2	#5	STR	50′-7″	106	∗ U11	52	#4	4	3′-1″	107	4'-9" K1, K3
* B1	42	#4	STR	29'-4"	823	A221	2	# 5	STR	44'-9"	93							5'-6" K4, K6
∗ B2	80	#5	STR	59′-6″	4,965	A222	2	#5	STR	39'-0"	81							
* B3	63	#4	STR	23'-0"	968	A223	2	# 5	STR	33'-2"	69		<u> </u>					<u>. 1'-11"</u> .
B4	176	#5	STR	46'-1"	8,459	A224	2	#5	STR	27'-4"	57							────
						A225	2	# 5	STR		45							7
* D1	386	#5	STR	6′-0″	2,416	A226	2	#5	STR	15′-9″	33	REINFO	ORCINO	STEE	<u>_</u>	LBS.	41,761	(3)
D2	388	#5	STR	6′-0″	2,428	A227	2	# 5	STR	9'-11"	21	Ψ ΓD0\	/V COA	TED				
						A228	2	#5	STR	4'-1"	9	* EPO>	NFORCI	NG STE	EEL	LBS.	40,088	4'-9" 4'-9" K2
* G1	2	#5	STR	30'-0"	63												.0,000	5'-6" 5'-6" K5
						∗ B1	84	#4	STR	29'-4"	1,646			SIA	GE I	_		
* K1	4	#5	2	9'-7"	40	∗ B2	160	# 5	STR	59′-6″	9,929	BAR	NO.	SIZE	TYPE		WEIGHT	
* K2	8	#5	3	13'-1"	109	∗ B3	126	#4	STR	23'-0"	1,936	∗ B11	35	#4	STR	27'-2"	635	1′-9″ →
* K3	4	#5	2	7′-4″	31	B4	356	#5	STR	46′-1″	17,111							
						∗ B11	35	#4	STR	27'-2"	635	* G11	178	#4	STR	4'-10"	575	
* S1	42	#4	1	3′-10″	108							<u> </u>						(4) &
REINFO	ORCINO	STEE	L	LBS.	22,983													<u> </u>
* EPOX		TED NG STI	EEL_	LBS.	21,556]						* EPO> REIN		TED NG STE	EEL	LBS.	1,210	ALL BAR DIMENSIONS ARE OUT TO OUT.
,						-												

SUPERSTRUCTURE BILL OF MATERIAL					
	CLASS AA CONCRETE	REINFORCING STEEL	EPOXY COATED REINFORCING STEEL		
	(CU.YDS.)	(LBS.)	(LBS.)		
STAGE I					
POUR #1	49.2	22 , 983	21 , 556		
POUR #2	120.2	22,903			
POUR #3	10.1				
STAGE II					
POUR #4	88.9		40,088		
POUR #5	223.2	41,761			
POUR #6	14.0	41,701			
CLOSURE POUR	25.1				
SIDEWALK	21.8				
STAGE III			1 210		
SIDEWALK	21.8		1,210		
TOTALS **	574.3	64,744	62,854		


** QUANTITIES FOR PARAPET ARE NOT INCLUDED.

GROOVING BRIDGE FLOORS								
	STAGE I	STAGE II	TOTAL					
	SQ.FT.	SQ.FT.	SQ.FT.					
APPROACH SLABS	1,090	2,679	3, 769					
BRIDGE DECK	4,067	9,991	14,058					
TOTAL	5 , 157	12,670	17,827					

SUPERSTRUCTURE REINFORCING STEEL LENGTHS ARE BASED ON THE FOLLOWING MINIMUM SPLICE LENGTHS

FOLLOWING MINIMUM SPLICE LENGIHS						
BAR SIZE	SUPERSTRUCTURE EXCEPT APPROACH SLABS, PARAPET, AND BARRIER RAIL		APPROACH SLABS		PARAPET AND BARRIER	
	EPOXY COATED	UNCOATED	EPOXY COATED	UNCOATED	RAIL	
#4	2'-0"	1'-9"	2'-0"	1'-9"	2'-9"	
#5	2'-6"	2'-2"	2'-6"	2'-2"	3′-5″	
#6	3'-0"	2'-7"	3'-10"	2'-7"	4'-4"	
#7	5′-3″	3′-6″				
#8	6′-10″	4'-7"				

PROJECT NO. U-3308 DURHAM COUNTY STATION: 16+42.70-LALT-



STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

SUPERSTRUCTURE BILL OF MATERIAL

Dougligned by: Donald R. Smith, Jr

SHEET NO. **REVISIONS** S1-31 DATE: BY: DATE: TOTAL SHEETS

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED STR.#1

22-MAR-2016 10:36 R:\Structures\Plans\str1\U3308_sd_BM_01.dgn


_ DATE : <u>12-4-13</u>


DATE : 9-5-14


P.S. ADKINS

J.D. HAWK DESIGN ENGINEER OF RECORD: D.R. SMITH DATE: 11-22-14


DRAWN BY :









22-MAR-2016 10:36
R:\Structures\Plans\str1\U3308_sd_E1_01.dgn
jdhawk




22-MAR-2016 10:36 R:\Structures\Plans\str1\U3308_sd_E1_01.dgn


STR.#1









22-MAR-2016 10:36 R:\Structures\Plans\str1\U3308_sd_B1_01.dgn STR.#1







22-MAR-2016 10:36 R:\Structures\Plans\str1\U3308_sd_E2_01.dgn jdhawk

STR.#1


COUNTY

SHEET NO.


S1-41

TOTAL SHEETS 47

DATE:



22-MAR-2016 10:36 R:\Structures\Plans\str1\U3308_sd_E2_01.dgn STR.#1




NOTES

SLOPE PROTECTION SHALL BE PLACED UNDER THE ENDS OF THE BRIDGE AS SHOWN IN THE DETAILS. MEASUREMENT AND PAYMENT SHALL BE AS PRESCRIBED IN SECTION 462 OF THE STANDARD SPECIFICATIONS.

SLOPE PROTECTION SHALL CONSIST OF 4" POURED -IN-PLACE CONCRETE PAVING AS SHOWN IN THE DETAILS ON THIS SHEET. CONCRETE SHALL BE CLASS "B". THE CONCRETE SURFACE SHALL BE FLOATED WITH A WOODEN FLOAT AND FINISHED. WELDED WIRE FABRIC REINFORCING SHALL BE 6 X 6 - W1.4 X W1.4, 60" WIDE. SLOPE PROTECTION SHALL BE POURED IN 5'STRIPS AS SHOWN IN THE "POURING DETAIL" WITH 2'-0"LONG #4 BARS PLACED ALONG THE SLOPE BETWEEN STRIPS AT 1'-6" MAXIMUM SPACING. SLOPE PROTECTION MAY BE POURED IN ALTERNATE 4' AND 5' STRIPS AS SHOWN IN THE "OPTIONAL POURING DETAIL" WITH ADJACENT RUNS OF WELDED WIRE FABRIC LAPPING AT LEAST 6". THE COST OF THE WELDED WIRE FABRIC AND #4 BARS, IF USED, SHALL BE INCLUDED IN THE CONTRACT UNIT PRICE BID PER SQUARE YARD FOR SLOPE PROTECTION.

BRIDGE @ STA.16+42.70 -LALT-	 	INCH ROTECTION	* WELDED WIRE FABRIC 60 INCHES WIDE	
31A210 12210 EAET	SQUAR	RE YARDS	APPROX.L.F.	
	STAGE I	STAGE II	STAGE I	STAGE II
END BENT 1	100	185	200	370
END BENT 2	115	215	230	430
TOTAL	215	400	430	800

* QUANTITY SHOWN IS BASED ON 5' POURS.



SECTION ALONG & ROADWAY WHEN DITCH IS NOT PROVIDED


HORIZONTAL-SECTION A-A SECTION B-B 2'-0"LONG #4 BARS — SPA. @ 1'-6"CTS. MAX. 5′-0″ CONST. JT. TO BE NORMAL TO END BENT CAP OR HORIZONTAL

CONST.JT.TO BE NORMAL TO END BENT CAP OR HORIZONTAL STRIP WIDTHS MAY VARY IN CURVED POUR A 4'-0"STRIP FIRST.STRIP WIDTHS MAY VARY IN CURVED PORTION. PORTION. POURING DETAIL

OPTIONAL POURING DETAIL

PROJECT NO. U-3308 DURHAM COUNTY

STATION: 16+42.70-LALT-



STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

STANDARD

SLOPE PROTECTION DETAILS

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

—EDC87706174B490... 4/1/2016 SHEET NO REVISIONS S1-43 DATE: DATE: NO. BY: TOTAL SHEETS

STR. #1

29-MAR-2016 10:56 R:\Structures\Plans\str1\U3308_sd_SP_01.dgn

ASSEMBLED BY : T. H. CARROLL

CHECKED BY : R. P. PATEL

DRAWN BY: ELR 5/92 CHECKED BY: GRP 6/92


DATE : 12/03/14

DATE: 12/08/14

TLA/GM MAA/GM MAA/GM

REV. 5/I/06 REV. I0/I/II REV. I2/2I/II

STD. NO. SP1




22-MAR-2016 10:36 R:\Structures\Plans\str1\U3308_sd_AS_01.dgn

STD. NO. BAS2

579

1462



NOTES

APPROACH SLAB SHALL NOT BE CONSTRUCTED PRIOR TO COMPLETION OF THE BRIDGE DECK.

FOR REINFORCED BRIDGE APPROACH FILL FABRIC WALL INCLUDING GEOTEXTILE, IMPERMEABLE GEOMEMBRANE. 4" Ø * DRAINAGE PIPE, #78M STONE, WELDED WIRE FORM, AND SELECT MATERIAL, SEE ROADWAY PLANS.

THE 4"Ø DRAINAGE PIPE SHALL BE SLOPED TO DRAIN TO RIGHT SIDE SHOULDER IN STAGE II.

AREA BETWEEN THE WINGWALL AND APPROACH SLAB SHALL BE GRADED TO DRAIN THE WATER AWAY FROM THE FILL FACE OF THE BRIDGE AND SHALL BE PAVED. SEE ROADWAY

THE JOINT SHALL BE SAWED PRIOR TO THE CASTING OF THE PARAPET, END POST AND SIDEWALK.

FOR FOAM JOINT SEALS, SEE SPECIAL PROVISIONS.

THE NOMINAL UNCOMPRESSED SEAL WIDTH OF THE FOAM JOINT SEAL SHALL BE 2".

FOR ELASTOMERIC CONCRETE. SEE SPECIAL PROVISIONS. FOR SECTION THRU SLAB, SEE SHEET 1 OF 4.

ARC OFFSETS ARE NEGLIGIBLE AND NOT SHOWN AT END BENT 2.

BILL OF MATERIAL FOR ONE APPROACH SLAB STAGE II (2 REQ'D)

3AR	NO.	SIZE	TYPE	LENGTH	WEIGHT	
Α3	75	#4	STR	21'-0"	1052	
Δ4	78	#4	STR	20'-10"	1086	
B1	118	# 5	STR	23'-9"	2923	
B2	118	#6	STR	24'-8"	4372	
В3	5	#4	STR	24'-7"	82	
G1	25	#4	STR	4'-11"	82	
U1	8	#4	1	3'-1"	16	
EINFORCING STEEL LBS. 5,458					5,458	
EPOXY COATED						

LBS. 4,155

C. Y. 67.0


CLASS AA CONCRETE

REINFORCING STEEL

POUR #1 - APPROACH SLAB C. Y. 63.9 POUR #2 - SIDEWALK C.Y.

BAR TYPE

TOTAL CLASS AA CONCRETE



CLASS "B" STONE -FOR EROSION CONTROL -TEMPORARY SLOPE DRAIN **-----**TEMP. SLOPE DRAIN -4'-0" 1'-0" MIN. —ELBOW 2'-0"MIN. FUTURE SHOULDER *Z*______ TOE OF FILL EARTH DITCH BLOCK— CLASS "B"STONE —/ FOR EROSION CONTROL APPROACH-SLAB SECTION R-R 2'-0" MIN. NIW - 3"EROSION RESISTANT MATERIAL OVER PIPE 12" MINIMUM — -EARTH DITCH BLOCK EROSION RESISTANT MATERIAL END OF APPROACH SLAB NOTE: IMMEDIATELY AFTER THE CONSTRUCTION OF THE APPROACH SLAB, THE CONTRACTOR SHALL PROVIDE TEMPORARY BERM AND SLOPE DRAIN. CONTRACTOR SHALL GRADE TO PIPE INLET AND PROVIDE EROSION RESISTANT MATERIAL AS SHOWN. THE 4'-0" MIN. EROSION RESISTANT MATERIAL SHALL BE EITHER 1) ASPHALT — FILL SLOPE PLANT MIX, TYPE 1 OR TYPE 2, MIN. 2" DEPTH, 2) EROSION CONTROL MAT, OR 3) CONCRETE, AS DIRECTED BY THE ENGINEER. THE SLOPE DRAIN SHALL CONSIST OF A NON-PERFORATED SECTION S-S

DIMENSIONS SHOWN ARE TYPICAL FOR BOTH APPROACH SLABS

BRIDGE DECK -1 FLOW LINE CAP FLOW LINE ONLY WITH EROSION RESISTANT MATERIAL BACKFILL EXCAVATION HOLE AND GRADE TO DRAIN

NOTE: IF THE APPROACH SLAB IS NOT CONSTRUCTED IMMEDIATELY AFTER THE BACKFILLING OF THE END BENT EXCAVATION, GRADE TO DRAIN TO THE BOTTOM OF THE SLOPE AND PROVIDE EROSION RESISTANT MATERIAL, SUCH AS FIBERGLASS ROVING OR AS DIRECTED BY THE ENGINEER TO PREVENT SOIL EROSION AND TO PROTECT THE AREA ADJACENT TO THE STRUCTURE. THE CONTRACTOR WILL BE REQUIRED TO REMOVE THESE MATERIALS PRIOR TO CONSTRUCTION OF THE APPROACH SLAB.

TEMPORARY DRAINAGE DETAIL

TEMPORARY BERM AND SLOPE DRAIN DETAILS

(TO BE USED WHEN SHOULDER BERM GUTTER IS REQUIRED)

U-3308 PROJECT NO. COUNTY STATION: 16+42.70-LALT-

SHEET 2 OF 4

031480

Donald R. Smith, Ir

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION STANDARD

BRIDGE APPROACH SLAB FOR FLEXIBLE PAVEMENT

STAGE II

SHEET NO.

S1-45

TOTAL SHEETS

EDC87706174B490... 4/1/2016 **REVISIONS** DATE: BY: DATE: DOCUMENT NOT CONSIDERE FINAL UNLESS ALL SIGNATURES COMPLETED

22-MAR-2016 10:36 R:\Structures\Plans\str1\U3308_sd_AS_01.dgn

TEMPORARY DRAINAGE PIPE, 12 INCHES IN DIAMETER.

PLAN VIEW

DATE: 9/25/14

DATE : 10/21/14


MAA/GM MAA/GM MAA/GM

ASSEMBLED BY : T. H. CARROLL


DRAWN BY: EEM 3/95 REV. IO/I/II REV. I2/2I/II REV. 6/I3

CHECKED BY : R. P. PATEL


STD. NO. BAS2





CONCRETE DIMENSIONS)



(EXPANSION)







JOINT SEAL @ END BENT FOR SIDEWALK RIGHT SIDE

5'-6"

5-#4 B3

@ 1'-2" CTS.


#4 G1 @
1'-0" CTS.

#4 U1 BARS
@ 7'-0" CTS.

THE STEEL PLATES SHALL CONFORM TO AASHTO M270 GRADE 36 OR APPROVED EQUAL. AFTER FABRICATION, THE PLATES SHALL BE COMMERCIALLY BLAST CLEANED AND EITHER COATED WITH A MINIMUM THICKNESS OF 4 MILS (DRY) OF ZINC-RICH PAINT, GALVANIZED OR METALLIZED TO A MINIMUM THICKNESS OF 6 MILS IN ACCORDANCE WITH THE STANDARD SPECIFICATIONS. FOR THERMAL SPRAYED COATINGS (METALLIZATION), SEE SPECIAL PROVISIONS.


THE $\frac{3}{4}$ " DIAMETER HEX HEAD BOLTS SHALL CONFORM TO ASTM F593 ALLOY 304 STAINLESS STEEL.

NO SEPARATE PAYMENT WILL BE MADE FOR FURNISHING AND INSTALLING THE COVER PLATE. THE ENTIRE COST OF THIS WORK SHALL BE INCLUDED IN THE LUMP SUM PRICE FOR "FOAM JOINT SEALS".



<u>Plan</u> DETAILS OF SIDEWALK ON APPROACH SLAB

BEGIN APPROACH SLAB SHOWN, END APPROACH SLAB SIMILAR.



ELASTOMERIC CONCRETE						
END BENT	ELASTOMERIC CONCRETE * (CU.FT.)					
NO.	STAGE I	STAGE II				
1	5.0	9.2				
2	5.0	9.2				
TOTAL	10.0	18.4				


* BASED ON THE MINIMUM BLOCKOUT SHOWN.

PROJECT NO. U-3308

DURHAM COUNTY

STATION: 16+42.70-LALT-

SHEET 3 OF 4



STATE OF NORTH CAROLINA

DEPARTMENT OF TRANSPORTATION

RALEIGH

STANDARD

BRIDGE APPROACH SLAB DETAILS

STAGE II

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED 2

STR.#1

ASSEMBLED BY: T. H. CARROLL
CHECKED BY: R. P. PATEL

DATE: 9/25/14

DATE: 10/21/14

DRAWN BY: FCJ II/88
CHECKED BY: ARB II/88

REV. 10/1/II
REV. 7/12
REV. 6/13

MAA/GM
MAA/GM

SHEET NO.

S1-46

TOTAL SHEETS

