

STATE	STATE PROJECT REFERENCE NO.	SHEET NO.	TOTAL SHEETS
N.C.	34915.1.1 (U-3308)	1	14

**STATE OF NORTH CAROLINA**  
**DEPARTMENT OF TRANSPORTATION**  
**DIVISION OF HIGHWAYS**  
**GEOTECHNICAL ENGINEERING UNIT**

**CONTENTS**

<u>SHEET</u>	<u>DESCRIPTION</u>
1	TITLE SHEET
2	LEGEND
3	SITE PLAN
4	PROFILE
5-7	CROSS SECTIONS
8-II	BORE LOG & CORE REPORT(S)
12	SOIL TEST RESULTS
13	CORE PHOTOGRAPH(S)
14	SITE PHOTOGRAPH(S)

**STRUCTURE**  
**SUBSURFACE INVESTIGATION**

PROJ. REFERENCE NO. 34915.1.1 (U-3308) F.A. PROJ. STP-55(20)

COUNTY DURHAM

PROJECT DESCRIPTION NC 55 (ALSTON AVE) FROM NC 147  
TO US 70 BUSINESS /NC 98 (PETTIGREW STREET)

SITE DESCRIPTION BRIDGE NO. 44 ON -Y- (PETTIGREW ST.)  
OVER -LALT- (NC 55, ALSTON AVE.) AT STA. 17+05

**CAUTION NOTICE**

THE SUBSURFACE INFORMATION AND THE SUBSURFACE INVESTIGATION ON WHICH IT IS BASED WERE MADE FOR THE PURPOSE OF STUDY, PLANNING, AND DESIGN AND NOT FOR CONSTRUCTION OR PAY PURPOSES. THE VARIOUS FIELD BORING LOGS, ROCK CORES, AND SOIL TEST DATA AVAILABLE MAY BE REVIEWED OR INSPECTED IN RALEIGH BY CONTACTING THE N.C. DEPARTMENT OF TRANSPORTATION, GEOTECHNICAL ENGINEERING UNIT AT 1919 250-4088. NEITHER THE SUBSURFACE PLANS AND REPORTS, NOR THE FIELD BORING LOGS, ROCK CORES, OR SOIL TEST DATA ARE PART OF THE CONTRACT.

GENERAL SOIL AND ROCK STRATA DESCRIPTIONS AND INDICATED BOUNDARIES ARE BASED ON A GEOTECHNICAL INTERPRETATION OF ALL AVAILABLE SUBSURFACE DATA AND MAY NOT NECESSARILY REFLECT THE ACTUAL SUBSURFACE CONDITIONS BETWEEN BORINGS OR BETWEEN SAMPLED STRATA WITHIN THE BOREHOLE. THE LABORATORY SAMPLE DATA AND THE IN SITU IN-PLACE TEST DATA CAN BE RELIED ON ONLY TO THE DEGREE OF RELIABILITY INHERENT IN THE STANDARD TEST METHOD. THE OBSERVED WATER LEVELS OR SOIL MOISTURE CONDITIONS INDICATED IN THE SUBSURFACE INVESTIGATIONS ARE AS RECORDED AT THE TIME OF THE INVESTIGATION. THESE WATER LEVELS OR SOIL MOISTURE CONDITIONS MAY VARY CONSIDERABLY WITH TIME ACCORDING TO CLIMATIC CONDITIONS INCLUDING TEMPERATURES, PRECIPITATION, AND WIND, AS WELL AS OTHER NON-CLIMATIC FACTORS.

THE BIDDER OR CONTRACTOR IS CAUTIONED THAT DETAILS SHOWN ON THE SUBSURFACE PLANS ARE PRELIMINARY ONLY AND IN MANY CASES THE FINAL DESIGN DETAILS ARE DIFFERENT. FOR BIDDING AND CONSTRUCTION PURPOSES, REFER TO THE CONSTRUCTION PLANS AND DOCUMENTS FOR FINAL DESIGN INFORMATION ON THIS PROJECT. THE DEPARTMENT DOES NOT WARRANT OR GUARANTEE THE SUFFICIENCY OR ACCURACY OF THE INVESTIGATION MADE, NOR THE INTERPRETATIONS MADE, OR OPINION OF THE DEPARTMENT AS TO THE TYPE OF MATERIALS AND CONDITIONS TO BE ENCOUNTERED. THE BIDDER OR CONTRACTOR IS CAUTIONED TO MAKE SUCH INDEPENDENT SUBSURFACE INVESTIGATIONS AS HE DEEMS NECESSARY TO SATISFY HIMSELF AS TO CONDITIONS TO BE ENCOUNTERED ON THIS PROJECT. THE CONTRACTOR SHALL HAVE NO CLAIM FOR ADDITIONAL COMPENSATION OR FOR AN EXTENSION OF TIME FOR ANY REASON RESULTING FROM THE ACTUAL CONDITIONS ENCOUNTERED AT THE SITE DIFFERING FROM THOSE INDICATED IN THE SUBSURFACE INFORMATION.

**INVENTORY**

**PROJECT: 34915.1.1 ID: U-3308**

PERSONNEL

J.L. PEDRO

CONSULTANTS:

TIERRA ENG. INC.

MID-ATLANTIC INC.

INVESTIGATED BY J.L. PEDRO

CHECKED BY N.T. ROBERSON


SUBMITTED BY N.T. ROBERSON

DATE APRIL 2014

DRAWN BY: J.R. MATULA, J. L. PEDRO

NOTE - THE INFORMATION CONTAINED HEREIN IS NOT IMPLIED OR GUARANTEED BY THE N.C. DEPARTMENT OF TRANSPORTATION AS BEING ACCURATE NOR IT IS CONSIDERED TO BE PART OF THE PLANS, SPECIFICATIONS, OR CONTRACT FOR THE PROJECT.

NOTE - BY HAVING REQUESTED THIS INFORMATION THE CONTRACTOR SPECIFICALLY WAIVES ANY CLAIMS FOR INCREASED COMPENSATION OR EXTENSION OF TIME BASED ON DIFFERENCES BETWEEN THE CONDITIONS INDICATED HEREIN AND THE ACTUAL CONDITIONS AT THE PROJECT SITE.




**NORTH CAROLINA DEPARTMENT OF TRANSPORTATION**  
**DIVISION OF HIGHWAYS**  
**GEOTECHNICAL ENGINEERING UNIT**

PROJECT REFERENCE NO. 34915.1J (U-3308)	SHEET NO. 2
--	----------------

**SUBSURFACE INVESTIGATION**


**SOIL AND ROCK LEGEND, TERMS, SYMBOLS, AND ABBREVIATIONS**

SOIL DESCRIPTION	GRADATION	ROCK DESCRIPTION	TERMS AND DEFINITIONS
SOIL IS CONSIDERED TO BE THE UNCONSOLIDATED, SEMI-CONSOLIDATED, OR WEATHERED EARTH MATERIALS THAT CAN BE PENETRATED WITH A CONTINUOUS FLIGHT POWER AUGER, AND YIELD LESS THAN 100 BLOWS PER FOOT ACCORDING TO STANDARD PENETRATION TEST (AASHTO T208, ASTM 0-1586). SOIL CLASSIFICATION IS BASED ON THE AASHTO SYSTEM. BASIC DESCRIPTIONS GENERALLY SHALL INCLUDE: CONSISTENCY, COLOR, TEXTURE, MOISTURE, AASHTO CLASSIFICATION, AND OTHER PERTINENT FACTORS SUCH AS MINERALOGICAL COMPOSITION, ANGULARITY, STRUCTURE, PLASTICITY, ETC. EXAMPLE: <i>VERY STIFF, GRAY, SILTY CLAY, MOST WITH INTERBEDDED FINE SAND LAYERS, HIGH PLASTIC, A-7-6</i>	<b>WELL GRADED</b> - INDICATES A GOOD REPRESENTATION OF PARTICLE SIZES FROM FINE TO COARSE. <b>UNIFORM</b> - INDICATES THAT SOIL PARTICLES ARE ALL APPROXIMATELY THE SAME SIZE. (ALSO POORLY GRADED) <b>GAP GRADED</b> - INDICATES A MIXTURE OF UNIFORM PARTICLES OF TWO OR MORE SIZES. <b>ANGULARITY OF GRAINS</b> THE ANGULARITY OR ROUNDNESS OF SOIL GRAINS IS DESIGNATED BY THE TERMS: <b>ANGULAR</b> , <b>SUBANGULAR</b> , <b>SUBROUNDED</b> , OR <b>ROUNDED</b> .	<b>HARD ROCK</b> IS NON-COASTAL PLAIN MATERIAL THAT IF TESTED, WOULD YIELD SPT REFUSAL. AN INFERRED ROCK LINE INDICATES THE LEVEL AT WHICH NON-COASTAL PLAIN MATERIAL WOULD YIELD SPT REFUSAL. SPT REFUSAL IS PENETRATION BY A SPLIT SPOON SAMPLER EQUAL TO OR LESS THAN 60 BLOWS, 1 IN NON-COASTAL PLAIN MATERIAL. THE TRANSITION BETWEEN SOIL AND ROCK IS OFTEN REPRESENTED BY A ZONE OF WEATHERED ROCK. ROCK MATERIALS ARE TYPICALLY DIVIDED AS FOLLOWS: <b>WEATHERED ROCK (WR)</b> - NON-COASTAL PLAIN MATERIAL THAT WOULD YIELD SPT N VALUES > 100 BLOWS PER FOOT IF TESTED. <b>CRYSTALLINE ROCK (CR)</b> - FINE TO COARSE GRAIN IGNEOUS AND METAMORPHIC ROCK THAT WOULD YIELD SPT REFUSAL IF TESTED. ROCK TYPE INCLUDES GRANITE, GNEISS, GABBRO, SCHIST, ETC. <b>NON-CRYSTALLINE ROCK (NCR)</b> - FINE TO COARSE GRAIN METAMORPHIC AND NON-COASTAL PLAIN SEDIMENTARY ROCK THAT WOULD YIELD SPT REFUSAL IF TESTED. ROCK TYPE INCLUDES PHYLLITE, SLATE, SANDSTONE, ETC. <b>COASTAL PLAIN SEDIMENTARY ROCK (CP)</b> - COASTAL PLAIN SEDIMENTS CEMENTED INTO ROCK, BUT MAY NOT YIELD SPT REFUSAL. ROCK TYPE INCLUDES LIMESTONE, SANDSTONE, CEMENTED SHELL BEDS, ETC.	<b>ALLUVIUM (ALLUV.)</b> - SOILS THAT HAVE BEEN TRANSPORTED BY WATER. <b>AQUIFER</b> - A WATER BEARING FORMATION OR STRATA. <b>ARENACEOUS</b> - APPLIED TO ROCKS THAT HAVE BEEN DERIVED FROM SAND OR THAT CONTAIN SAND. <b>ARGILLACEOUS</b> - APPLIED TO ALL ROCKS OR SUBSTANCES COMPOSED OF CLAY MINERALS, OR HAVING A NOTABLE PROPORTION OF CLAY IN THEIR COMPOSITION, AS SHALE, SLATE, ETC. <b>ARTESIAN</b> - GROUND WATER THAT IS UNDER SUFFICIENT PRESSURE TO RISE ABOVE THE LEVEL AT WHICH IT IS ENCOUNTERED, BUT WHICH DOES NOT NECESSARILY RISE TO OR ABOVE THE GROUND SURFACE. <b>CALCAREOUS (CALC.)</b> - SOILS THAT CONTAIN APPRECIABLE AMOUNTS OF CALCIUM CARBONATE. <b>COLLUVIUM</b> - ROCK FRAGMENTS MIXED WITH SOIL DEPOSITED BY GRAVITY ON SLOPE OR AT BOTTOM OF SLOPE. <b>CORE RECOVERY (REC.)</b> - TOTAL LENGTH OF ALL MATERIAL RECOVERED IN THE CORE BARREL DIVIDED BY TOTAL LENGTH OF CORE RUN AND EXPRESSED AS A PERCENTAGE. <b>DIKE</b> - A TABULAR BODY OF IGNEOUS ROCK THAT CUTS ACROSS THE STRUCTURE OF ADJACENT ROCKS OR CUTS MASSIVE ROCK. <b>DIP</b> - THE ANGLE AT WHICH A STRATUM OR ANY PLANAR FEATURE IS INCLINED FROM THE HORIZONTAL. <b>DIP DIRECTION (DIP AZIMUTH)</b> - THE DIRECTION OR BEARING OF THE HORIZONTAL TRACE OF THE LINE OF DIP, MEASURED CLOCKWISE FROM NORTH. <b>FAULT</b> - A FRACTURE OR FRACTURE ZONE ALONG WHICH THERE HAS BEEN DISPLACEMENT OF THE SIDES RELATIVE TO ONE ANOTHER PARALLEL TO THE FRACTURE. <b>FESSILE</b> - A PROPERTY OF SPLITTING ALONG CLOSELY SPACED PARALLEL PLANES. <b>FLOAT</b> - ROCK FRAGMENTS ON SURFACE NEAR THEIR ORIGINAL POSITION AND DISLOOED FROM PARENT MATERIAL. <b>FLOOD PLAIN (FP)</b> - LAND BORDERING A STREAM, BUILT OF SEDIMENTS DEPOSITED BY THE STREAM. <b>FORMATION (FM)</b> - A MAPPABLE GEOLOGIC UNIT THAT CAN BE RECOGNIZED AND TRACED IN THE FIELD. <b>JOINT</b> - FRACTURE IN ROCK ALONG WHICH NO APPRECIABLE MOVEMENT HAS OCCURRED. <b>LEDGE</b> - A SHELF-LIKE RIDGE OR PROJECTION OF ROCK WHOSE THICKNESS IS SMALL COMPARED TO ITS LATERAL EXTENT. <b>LENS</b> - A BODY OF SOIL OR ROCK THAT THINS OUT IN ONE OR MORE DIRECTIONS. <b>MOTTLED (MOT.)</b> - IRREGULARLY MARKED WITH SPOTS OF DIFFERENT COLORS. MOTTLING IN SOILS USUALLY INDICATES POOR AERATION AND LACK OF GOOD DRAINAGE. <b>PERCHED WATER</b> - WATER MAINTAINED ABOVE THE NORMAL GROUND WATER LEVEL BY THE PRESENCE OF AN INTERVENING IMPERVIOUS STRATUM. <b>RESIDUAL (RES.) SOIL</b> - SOIL FORMED IN PLACE BY THE WEATHERING OF ROCK. <b>ROCK QUALITY DESIGNATION (RQD)</b> - A MEASURE OF ROCK QUALITY DESCRIBED BY TOTAL LENGTH OF ROCK SEGMENTS EQUAL TO OR GREATER THAN 4 INCHES DIVIDED BY THE TOTAL LENGTH OF CORE RUN AND EXPRESSED AS A PERCENTAGE. <b>SAPROLITE (SAP)</b> - RESIDUAL SOIL THAT RETAINS THE RELIC STRUCTURE OR FABRIC OF THE PARENT ROCK. <b>SILL</b> - AN INTRUSIVE BODY OF IGNEOUS ROCK OF APPROXIMATELY UNIFORM THICKNESS AND RELATIVELY THIN COMPARED WITH ITS LATERAL EXTENT, THAT HAS BEEN EMPLACED PARALLEL TO THE BEDDING OR SCHISTOSITY OF THE INTRUDED ROCKS. <b>SLICKENSIDE</b> - POLISHED AND STRIATED SURFACE THAT RESULTS FROM FRICTION ALONG A FAULT OR SLIP PLANE. <b>STANDARD PENETRATION TEST (PENETRATION RESISTANCE) (SPT)</b> - NUMBER OF BLOWS IN OR BPF) OF A 140 LB. HAMMER FALLING 30 INCHES REQUIRED TO PRODUCE A PENETRATION OF 1 FOOT INTO SOIL WITH A 2 INCH OUTSIDE DIAMETER SPLIT SPOON SAMPLER. SPT REFUSAL IS PENETRATION EQUAL TO OR LESS THAN 60 BLOWS. <b>STRATA CORE RECOVERY (SCRC)</b> - TOTAL LENGTH OF STRATA MATERIAL RECOVERED DIVIDED BY TOTAL LENGTH OF STRATUM AND EXPRESSED AS A PERCENTAGE. <b>STRATA ROCK QUALITY DESIGNATION (SRQD)</b> - A MEASURE OF ROCK QUALITY DESCRIBED BY TOTAL LENGTH OF ROCK SEGMENTS WITHIN A STRATUM EQUAL TO OR GREATER THAN 4 INCHES DIVIDED BY THE TOTAL LENGTH OF STRATA AND EXPRESSED AS A PERCENTAGE. <b>TOPSOIL (TS)</b> - SURFACE SOILS USUALLY CONTAINING ORGANIC MATTER.
<b>SOIL LEGEND AND AASHTO CLASSIFICATION</b> GENERAL CLASS. GRANULAR MATERIALS (< 35% PASSING #200) SILT-CLAY MATERIALS (> 35% PASSING #200) ORGANIC MATERIALS GROUP CLASS. A-1, A-3, A-2, A-4, A-5, A-6, A-7, A-1, A-2, A-3, A-4, A-5, A-6, A-7 SYMBOL % PASSING: 10, 40, 200 LIQUID LIMIT PLASTIC INDEX GROUP INDEX USUAL TYPES OF MAJOR MATERIALS GEN. RATING AS A SUBGRADE PI OF A-7-5 SUBGROUP IS ≤ LL - 30 ; PI OF A-7-6 SUBGROUP IS > LL - 30	<b>MINERALOGICAL COMPOSITION</b> MINERAL NAMES SUCH AS QUARTZ, FELDSPAR, MICA, TALC, KAOLIN, ETC. ARE USED IN DESCRIPTIONS WHENEVER THEY ARE CONSIDERED OF SIGNIFICANCE. <b>COMPRESSIBILITY</b> SLIGHTLY COMPRESSIBLE MODERATELY COMPRESSIBLE HIGHLY COMPRESSIBLE <b>PERCENTAGE OF MATERIAL</b> ORGANIC MATERIAL GRANULAR SOILS SILT-CLAY SOILS OTHER MATERIAL TRACE OF ORGANIC MATTER 2 - 3% 3 - 5% TRACE 1 - 10% LITTLE ORGANIC MATTER 3 - 5% 5 - 12% LITTLE 10 - 20% MODERATELY ORGANIC 5 - 10% 12 - 20% SOME 20 - 35% HIGHLY ORGANIC >10% >20% HIGHLY 35% AND ABOVE	<b>WEATHERING</b> FRESH ROCK FRESH, CRYSTALS BRIGHT, FEW JOINTS MAY SHOW SLIGHT STAINING, ROCK RINGS UNDER HAMMER IF CRYSTALLINE. VERY SLIGHT (V SL.) ROCK GENERALLY FRESH, JOINTS STAINED, SOME JOINTS MAY SHOW THIN CLAY COATINGS IF OPEN, CRYSTALS ON A BROKEN SPECIMEN FACE SHINE BRIGHTLY. ROCK RINGS UNDER HAMMER BLOWS IF OF A CRYSTALLINE NATURE. SLIGHT (SL.) ROCK GENERALLY FRESH, JOINTS STAINED AND DISCOLORATION EXTENDS INTO ROCK UP TO 1 INCH. OPEN JOINTS MAY CONTAIN CLAY. IN GRANITOID ROCKS SOME OCCASIONAL FELDSPAR CRYSTALS ARE DULL AND DISCOLORED. CRYSTALLINE ROCKS RING UNDER HAMMER BLOWS. MODERATE (MOD.) SIGNIFICANT PORTIONS OF ROCK SHOW DISCOLORATION AND WEATHERING EFFECTS. IN GRANITOID ROCKS, MOST FELDSPARS ARE DULL AND DISCOLORED, SOME SHOW CLAY. ROCK HAS DULL SOUND UNDER HAMMER BLOWS AND SHOWS SIGNIFICANT LOSS OF STRENGTH AS COMPARED WITH FRESH ROCK. MODERATELY SEVERE (MOD. SEV.) ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. IN GRANITOID ROCKS, ALL FELDSPARS DULL AND DISCOLORED AND A MAJORITY SHOW KAOLINIZATION. ROCK SHOWS SEVERE LOSS OF STRENGTH AND CAN BE EXCAVATED WITH A GEOLOGIST'S PICK. ROCK GIVES 'CLUNK' SOUND WHEN STRUCK. IF TESTED, WOULD YIELD SPT REFUSAL. SEVERE (SEV.) ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. ROCK FABRIC CLEAR AND EVIDENT BUT REDUCED IN STRENGTH TO STRONG SOIL. IN GRANITOID ROCKS ALL FELDSPARS ARE KAOLINIZED TO SOME EXTENT. SOME FRAGMENTS OF STRONG ROCK USUALLY REMAIN. IF TESTED, YIELDS SPT N VALUES > 100 BPF. VERY SEVERE (V SEV.) ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. ROCK FABRIC ELEMENTS ARE DISCERNIBLE BUT THE MASS IS EFFECTIVELY REDUCED TO SOIL STATUS, WITH ONLY FRAGMENTS OF STRONG ROCK REMAINING. SAPROLITE IS AN EXAMPLE OF ROCK WEATHERED TO A DEGREE SUCH THAT ONLY MINOR VESTIGES OF THE ORIGINAL ROCK FABRIC REMAIN. IF TESTED, YIELDS SPT N VALUES < 100 BPF. COMPLETE ROCK REDUCED TO SOIL. ROCK FABRIC NOT DISCERNIBLE, OR DISCERNIBLE ONLY IN SMALL AND SCATTERED CONCENTRATIONS. QUARTZ MAY BE PRESENT AS DIKES OR STRINGERS. SAPROLITE IS ALSO AN EXAMPLE.	
<b>CONSISTENCY OR DENSENESS</b> PRIMARY SOIL TYPE COMPACTNESS OR CONSISTENCY RANGE OF STANDARD PENETRATION RESISTANCE (N-VALUE) RANGE OF UNCONFINED COMPRESSIVE STRENGTH (TONS/FT <sup>2</sup> ) GENERALLY GRANULAR MATERIAL (NON-COHESIVE) VERY LOOSE, LOOSE, MEDIUM DENSE, DENSE, VERY DENSE GENERALLY SILT-CLAY MATERIAL (COHESIVE) VERY SOFT, SOFT, MEDIUM STIFF, STIFF, VERY STIFF, HARD	<b>MISCELLANEOUS SYMBOLS</b> ROADWAY EMBANKMENT (RE) WITH SOIL DESCRIPTION SOIL SYMBOL ARTIFICIAL FILL (AF) OTHER THAN ROADWAY EMBANKMENT INFERRED SOIL BOUNDARY INFERRED ROCK LINE ALLUVIAL SOIL BOUNDARY DIP & DIP DIRECTION OF ROCK STRUCTURES SPT TEST BORING AUGER BORING CORE BORING MONITORING WELL PIEZOMETER INSTALLATION SLOPE INDICATOR INSTALLATION CONE PENETROMETER TEST SOUNDING ROD	<b>ROCK HARDNESS</b> VERY HARD CANNOT BE SCRATCHED BY KNIFE OR SHARP PICK. BREAKING OF HAND SPECIMENS REQUIRES SEVERAL HARD BLOWS OF THE GEOLOGIST'S PICK. HARD CAN BE SCRATCHED BY KNIFE OR PICK ONLY WITH DIFFICULTY. HARD HAMMER BLOWS REQUIRED TO DETACH HAND SPECIMEN. MODERATELY HARD CAN BE SCRATCHED BY KNIFE OR PICK. GOUGES OR GROOVES TO 0.25 INCHES DEEP CAN BE EXCAVATED BY HARD BLOW OF A GEOLOGIST'S PICK. HAND SPECIMENS CAN BE DETACHED BY MODERATE BLOWS. MEDIUM HARD CAN BE GROOVED OR GOUGED 0.05 INCHES DEEP BY FIRM PRESSURE OF KNIFE OR PICK POINT. CAN BE EXCAVATED IN SMALL CHIPS TO PEICES 1 INCH MAXIMUM SIZE BY HARD BLOWS OF THE POINT OF A GEOLOGIST'S PICK. SOFT CAN BE GROOVED OR GOUGED READILY BY KNIFE OR PICK. CAN BE EXCAVATED IN FRAGMENTS FROM CHIPS TO SEVERAL INCHES IN SIZE BY MODERATE BLOWS OF A PICK POINT. SMALL, THIN PIECES CAN BE BROKEN BY FINGER PRESSURE. VERY SOFT CAN BE CARVED WITH KNIFE. CAN BE EXCAVATED READILY WITH POINT OF PICK. PIECES 1 INCH OR MORE IN THICKNESS CAN BE BROKEN BY FINGER PRESSURE. CAN BE SCRATCHED READILY BY FINGER NAIL.	
<b>TEXTURE OR GRAIN SIZE</b> U.S. STD. SIEVE SIZE OPENING (MM) 4, 10, 40, 60, 200, 270 BOULDER (BLDR.), COBBLE (COB.), GRAVEL (GR.), COARSE SAND (CSE, SD.), FINE SAND (F SD.), SILT (SL.), CLAY (CL.) GRAIN SIZE MM 305, 75, 2.0, 0.25, 0.05, 0.005	<b>ABBREVIATIONS</b> AR - AUGER REFUSAL BT - BORING TERMINATED CL - CLAY CPT - CONE PENETRATION TEST CSE - COARSE DMT - DILATOMETER TEST DPT - DYNAMIC PENETRATION TEST e - VOID RATIO F - FINE FOSS - FOSSILIFEROUS FRAC. - FRACTURED, FRACTURES FRAGS. - FRAGMENTS HI. - HIGHLY MED. - MEDIUM MICA - MICACEOUS MOD. - MODERATELY NP - NON PLASTIC ORG. - ORGANIC PMT - PRESSUREMETER TEST SAP. - SAPROLITIC SD. - SAND, SANDY SL. - SILT, SILTY SLI. - SLIGHTLY TCR - TRICONE REFUSAL w - MOISTURE CONTENT V - VERY VST - VANE SHEAR TEST WEA. - WEATHERED W - UNIT WEIGHT W <sub>d</sub> - DRY UNIT WEIGHT S - BULK SS - SPLIT SPOON ST - SHELBY TUBE RS - ROCK RT - RECOMPACTED TRIAXIAL CBR - CALIFORNIA BEARING RATIO		
<b>SOIL MOISTURE - CORRELATION OF TERMS</b> SOIL MOISTURE SCALE (ATTERBERG LIMITS) FIELD MOISTURE DESCRIPTION GUIDE FOR FIELD MOISTURE DESCRIPTION LL - LIQUID LIMIT PL - PLASTIC LIMIT OM - OPTIMUM MOISTURE SL - SHRINKAGE LIMIT SATURATED - (SAT.) WET - (W) MOIST - (M) DRY - (D)	<b>EQUIPMENT USED ON SUBJECT PROJECT</b> DRILL UNITS: MOBILE B-, BK-51, CME-45C, CME-550, PORTABLE HOIST, CME-45B, DIETRICH D50 ADVANCING TOOLS: CLAY BITS, 6" CONTINUOUS FLIGHT AUGER, 8" HOLLOW AUGERS, HARD FACED FINGER BITS, TUNG-CARBIDE INSERTS, CASING w/ ADVANCER, TRICONE * STEEL TEETH, TRICONE * TUNG-CARB., CORE BIT HAMMER TYPE: AUTOMATIC, MANUAL CORE SIZE: B, N, Q, H HAND TOOLS: POST HOLE DIGGER, HAND AUGER, SOUNDING ROD, VANE SHEAR TEST	<b>FRACTURE SPACING</b> TERM SPACING VERY WIDE MORE THAN 10 FEET WIDE 3 TO 10 FEET MODERATELY CLOSE 1 TO 3 FEET CLOSE 0.16 TO 1 FEET VERY CLOSE LESS THAN 0.16 FEET <b>BEDDING</b> TERM THICKNESS VERY THICKLY BEDDED > 4 FEET THICKLY BEDDED 1.5 - 4 FEET THINLY BEDDED 0.16 - 1.5 FEET VERY THINLY BEDDED 0.03 - 0.16 FEET THICKLY LAMINATED 0.008 - 0.03 FEET THINLY LAMINATED < 0.008 FEET <b>INDURATION</b> FOR SEDIMENTARY ROCKS, INDURATION IS THE HARDENING OF THE MATERIAL BY CEMENTING, HEAT, PRESSURE, ETC. FRIABLE RUBBING WITH FINGER FREES NUMEROUS GRAINS; GENTLE BLOW BY HAMMER DISINTEGRATES SAMPLE. MODERATELY INDURATED GRAINS CAN BE SEPARATED FROM SAMPLE WITH STEEL PROBE; BREAKS EASILY WHEN HIT WITH HAMMER. INDURATED GRAINS ARE DIFFICULT TO SEPARATE WITH STEEL PROBE; DIFFICULT TO BREAK WITH HAMMER. EXTREMELY INDURATED SHARP HAMMER BLOWS REQUIRED TO BREAK SAMPLE; SAMPLE BREAKS ACROSS GRAINS.	<b>NOTES:</b> BENCH MARK: -BY24- 167 PINC 7+06.38, -L- 23+83.17 ELEVATION: 411.96 FT.
<b>PLASTICITY</b> NONPLASTIC LOW PLASTICITY MED. PLASTICITY HIGH PLASTICITY PLASTICITY INDEX (PI) DRY STRENGTH VERY LOW SLIGHT MEDIUM HIGH	<b>COLOR</b> DESCRIPTIONS MAY INCLUDE COLOR OR COLOR COMBINATIONS (TAN, RED, YELLOW-BROWN, BLUE-GRAY). MODIFIERS SUCH AS LIGHT, DARK, STREAKED, ETC. ARE USED TO DESCRIBE APPEARANCE.		




SKEW ANGLE = 82°






PROJECT REFERENCE NO.	SHEET
34915.1.1 (U-3308)	4
FENCE DIAGRAM OF BORINGS PROJECTED ALONG -Y-	




NOTE: GROUNDLINE TAKEN FROM ROADWAY TIN FILE ON 3/14/2013

8/23/99




<b>PROJECT REFERENCE NO.</b>	<b>SHEET</b>
34915.1.1 (U-3308)	5
<b>CROSS SECTION THROUGH END BENT 1</b>	




I:\APR-2014\527  
 L:\geog\102\TIP\U3308\_GEO\BROG044.L\CADD\_GEO\TECHN\T&S\Sub\U3308\_geo\_sub\_brcg44.dgn  
 User: geog AT 08/23/99 09:22:02

8/23/98



PROJECT REFERENCE NO.	SHEET
34915.1.1 (U-3308)	6
CROSS SECTION THROUGH BENT 1	



**B1-A**  
17+08  
40' LT

**B1-B**  
17+17  
34' RT

CL

10/07

PAVEMENT

- 8
- 24
- 36
- 39
- 100/0.5
- 60/0.1
- 60/0.0

- 21
- 20
- 24
- 35
- 57
- 100/0.9
- 60/0.1
- 60/0.1

ROADWAY EMBANKMENT, RED-BROWN, STIFF TO VERY STIFF, DRY TO MOIST, SILTY CLAY AND SANDY SILT

TRIASSIC RESIDUAL, RED-BROWN, VERY STIFF TO HARD, MOIST, SILTY AND SANDY CLAY

WEATHERED ROCK (TRIASSIC SANDSTONE AND SILTSTONE)

NON-CRYSTALLINE ROCK, TAN-GRAY AND RED-GRAY, MODERATELY WEATHERED TO FRESH,  
SOFT TO MEDIUM HARD, MODERATELY CLOSELY TO CLOSELY FRACTURED, THICKLY BEDDED,  
FRIABLE TO INDURATED, INTERBEDDED TRIASSIC SANDSTONE AND SILTSTONE


REC = 92%    ROD = 69%    RMR = 51

FIAD  
10/07


SKEW ANGLE = 82°

I:\AFR-2014\_1538  
 L:\GIS\GIS\AFR-2014\_1538\TIP\U3308\_GEO\BRD044\_Y\CADD\_GEO\TECH\Site&Sub\U3308\_geo\_sub\_brdg44.dgn  
 15:48:08 8/23/98

8/23/99



<b>PROJECT REFERENCE NO.</b>	<b>SHEET</b>
34915.1.1 (U-3308)	7
<b>CROSS SECTION THROUGH END BENT 2</b>	



SKEW ANGLE = 82°


I:\APR-2014\547  
 I:\APR-2014\547\TIP\U3308.GEO.BROG044.VACADD.GEOTECHN.S.T&S\U3308\_geo\_sub\_brdg44.dgn  
 User: geog  
 Date: 10/17/07 10:56:02




# NCDOT GEOTECHNICAL ENGINEERING UNIT

## BORELOG REPORT

WBS 34915.1.1	TIP U-3308	COUNTY DURHAM	GEOLOGIST FELA, DENNIS
SITE DESCRIPTION Bridge No. 44 on -Y- (Pettigrew St.) over -LALT- (NC 55, Alston Ave.)			GROUND WTR (ft)
BORING NO. EB1-A	STATION 16+22	OFFSET 24 ft LT	ALIGNMENT -Y-
COLLAR ELEV. 416.5 ft	TOTAL DEPTH 28.6 ft	NORTHING 813,124	EASTING 2,032,585
DRILL RIG/HAMMER EFF./DATE CME-45B		DRILL METHOD Mud Rotary	HAMMER TYPE Manual
DRILLER Contract Driller	START DATE 10/25/07	COMP. DATE 10/25/07	SURFACE WATER DEPTH N/A



WBS 34915.1.1	TIP U-3308	COUNTY DURHAM	GEOLOGIST FELA, DENNIS
SITE DESCRIPTION Bridge No. 44 on -Y- (Pettigrew St.) over -LALT- (NC 55, Alston Ave.)			GROUND WTR (ft)
BORING NO. EB1-B	STATION 16+30	OFFSET 9 ft RT	ALIGNMENT -Y-
COLLAR ELEV. 416.6 ft	TOTAL DEPTH 33.7 ft	NORTHING 813,091	EASTING 2,032,576
DRILL RIG/HAMMER EFF./DATE CME-45B		DRILL METHOD Mud Rotary	HAMMER TYPE Manual
DRILLER Contract Driller	START DATE 10/24/07	COMP. DATE 10/24/07	SURFACE WATER DEPTH N/A



NCDOT BORE DOUBLE U3308\_GEO\_BRDC044\_BH.GPJ NC\_DOT.GDT 4/15/14





**NCDOT GEOTECHNICAL ENGINEERING UNIT**  
**BORELOG REPORT**

WBS 34915.1.1		TIP U-3308		COUNTY DURHAM		GEOLOGIST FELA, DENNIS									
SITE DESCRIPTION Bridge No. 44 on -Y- (Pettigrew St.) over -LALT- (NC 55, Alston Ave.)							GROUND WTR (ft)								
BORING NO. B1-A		STATION 17+08		OFFSET 40 ft LT		ALIGNMENT -Y-									
COLLAR ELEV. 397.0 ft		TOTAL DEPTH 44.8 ft		NORTHING 813,097		EASTING 2,032,668									
DRILL RIG/HAMMER EFF./DATE CME-45B		DRILL METHOD Mud Rotary/Core		HAMMER TYPE Manual											
DRILLER Contract Driller		START DATE 10/23/07		COMP. DATE 10/23/07		SURFACE WATER DEPTH N/A									
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	LOG	SOIL AND ROCK DESCRIPTION	DEPTH (ft)	
			0.5ft	0.5ft	0.5ft	0	25	50	75	100					
400															
	396.0	1.0	4	4	4									397.0	0.0
395	393.6	3.4	8	11	13								SS-70	ROADWAY EMBANKMENT RED-BROWN, SILTY CLAY	5.0
	391.0	6.0	10	15	21								SS-71		
390	388.5	8.5	12	16	23								SS-72	TRIASSIC RESIDUAL RED-BROWN, SANDY CLAY	13.0
	383.5	13.5	100/0.5											WEATHERED ROCK (TRIASSIC SANDSTONE)	18.5
380	378.5	18.5	60/0.1											NON-CRYSTALLINE ROCK (TRIASSIC SANDSTONE)	23.5
	373.5	23.5	60/0.0											TAN-GRAY, MODERATELY TO SLIGHTLY WEATHERED, MEDIUM HARD, MODERATELY CLOSELY FRACTURED, THINLY BEDDED, INDURATED, TRIASSIC SANDSTONE REC = 77% RQD = 77%	24.8
370													RS-3	RED AND GRAY, SLIGHTLY TO VERY SLIGHTLY WEATHERED, SOFT, MODERATELY CLOSELY TO CLOSELY FRACTURED, THICKLY BEDDED, FRIABLE, TRIASSIC SILTSTONE REC = 90% RQD = 72%	32.6
														RED-TAN, SLIGHTLY WEATHERED TO FRESH, SOFT TO MODERATELY HARD, MODERATELY CLOSELY TO WIDELY FRACTURED, THICKLY BEDDED, INDURATED, TRIASSIC SANDSTONE REC = 100% RQD = 92%	37.8
365														RED AND GRAY, SLIGHTLY WEATHERED, SOFT, CLOSELY FRACTURED, THICKLY BEDDED, FRIABLE, TRIASSIC SILTSTONE REC = 90% RQD = 47%	44.8
360														Boring Terminated at Elevation 352.2 ft in NON-CRYSTALLINE ROCK (Triassic Siltstone)	
355															

NCDOT BORE DOUBLE U3308\_GEO\_BRD044\_BH.GPJ\_NC\_DOT.GDT\_4/15/14



**NCDOT GEOTECHNICAL ENGINEERING UNIT**  
**CORE BORING REPORT**

WBS 34915.1.1		TIP U-3308		COUNTY DURHAM		GEOLOGIST FELA, DENNIS						
SITE DESCRIPTION Bridge No. 44 on -Y- (Pettigrew St.) over -LALT- (NC 55, Alston Ave.)							GROUND WTR (ft)					
BORING NO. B1-A		STATION 17+08		OFFSET 40 ft LT		ALIGNMENT -Y-						
COLLAR ELEV. 397.0 ft		TOTAL DEPTH 44.8 ft		NORTHING 813,097		EASTING 2,032,668						
DRILL RIG/HAMMER EFF./DATE CME-45B		DRILL METHOD Mud Rotary/Core		HAMMER TYPE Manual								
DRILLER Contract Driller		START DATE 10/23/07		COMP. DATE 10/23/07		SURFACE WATER DEPTH N/A						
ELEV (ft)	RUN ELEV (ft)	DEPTH (ft)	RUN (ft)	DRILL RATE (Min/ft)	RUN		SAMP. NO.	STRATA		LOG	DESCRIPTION AND REMARKS	DEPTH (ft)
					REC. (%)	RQD (%)		REC. (%)	RQD (%)			
	373.5	23.5	1.3	N=60/0.0 1:37/1.0 0:54/0.3	(1.0) 77%	(1.0) 77%		(1.0) 77%	(1.0) 77%		Begin Coring @ 23.5 ft	23.5
	372.2	24.8	5.0	2:22/1.0 3:46/1.0 1:48/1.0 2:03/1.0 2:09/1.0	(4.2) 84%	(3.1) 62%	RS-3	(7.0) 90%	(5.6) 72%		TAN-GRAY, MODERATELY TO SLIGHTLY WEATHERED, MEDIUM HARD, MODERATELY CLOSELY FRACTURED, THINLY BEDDED, INDURATED, TRIASSIC SANDSTONE	24.8
370											RED AND GRAY, SLIGHTLY TO VERY SLIGHTLY WEATHERED, SOFT, MODERATELY CLOSELY TO CLOSELY FRACTURED, THICKLY BEDDED, FRIABLE, TRIASSIC SILTSTONE	32.6
	367.2	29.8	5.0	3:40/1.0 1:45/1.0 1:30/1.0 1:42/1.0 1:25/1.0	(5.0) 100%	(4.7) 94%		(5.2) 100%	(4.8) 92%		RMR=51	32.6
365											RED-TAN, SLIGHTLY WEATHERED TO FRESH, SOFT TO MODERATELY HARD, MODERATELY CLOSELY TO WIDELY FRACTURED, THICKLY BEDDED, INDURATED, TRIASSIC SANDSTONE	37.8
	362.2	34.8	5.0	1:29/1.0 1:12/1.0 1:25/1.0 1:45/1.0 1:32/1.0	(4.3) 86%	(2.6) 52%	RS-4	(6.3) 90%	(3.3) 47%		RED AND GRAY, SLIGHTLY WEATHERED, SOFT, CLOSELY FRACTURED, THICKLY BEDDED, FRIABLE, TRIASSIC SILTSTONE	37.8
360											RMR=51	37.8
	357.2	39.8	5.0	2:29/1.0 2:50/1.0 1:54/1.0 1:39/1.0 2:05/1.0	(5.0) 100%	(3.3) 66%					Boring Terminated at Elevation 352.2 ft in NON-CRYSTALLINE ROCK (Triassic Siltstone)	44.8
355												

NCDOT CORE DOUBLE U3308\_GEO\_BRD044\_BH.GPJ\_NC\_DOT.GDT\_4/15/14

WBS 34915.1.1		TIP U-3308		COUNTY DURHAM		GEOLOGIST FELA, DENNIS								
SITE DESCRIPTION Bridge No. 44 on -Y- (Pettigrew St.) over -LALT- (NC 55, Alston Ave.)							GROUND WTR (ft)							
BORING NO. B1-B		STATION 17+17		OFFSET 34 ft RT		ALIGNMENT -Y-	0 HR. N/A							
COLLAR ELEV. 399.3 ft		TOTAL DEPTH 28.6 ft		NORTHING 813,028		EASTING 2,032,641	24 HR. FIAD							
DRILL RIG/HAMMER EFF./DATE CME-45B				DRILL METHOD Mud Rotary		HAMMER TYPE Manual								
DRILLER Contract Driller		START DATE 10/22/07		COMP. DATE 10/22/07		SURFACE WATER DEPTH N/A								
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	LOG	SOIL AND ROCK DESCRIPTION	
			0.5ft	0.5ft	0.5ft	0	25	50	75	100				
400														GROUND SURFACE 0.0
	397.9	1.4	2	7	14									ARTIFICIAL FILL 1.4
	396.0	3.3	4	10	10									PAVEMENT with ABC 1.4
395	396.0	3.3	4	10	10									ROADWAY EMBANKMENT 3.3
	393.3	6.0	4	11	13									RED-BROWN, SANDY SILT
	390.8	8.5	8	13	22									TRIASSIC RESIDUAL
390	390.8	8.5	8	13	22									RED-BROWN, SILTY CLAY
	385.8	13.5	15	21	36									
385	385.8	13.5	15	21	36									
	380.8	18.5	46	54/0.4										
380	380.8	18.5	46	54/0.4										WEATHERED ROCK (TRIASSIC SANDSTONE) 19.0
	375.8	23.5	60/0.1											
375	375.8	23.5	60/0.1											NON-CRYSTALLINE ROCK (TRIASSIC SANDSTONE) 23.5
	370.8	28.5	60/0.1											
	370.8	28.5	60/0.1											Boring Terminated by SPT REFUSAL at Elevation 370.7 ft in NON-CRYSTALLINE ROCK (Triassic Sandstone) 28.6



# NCDOT GEOTECHNICAL ENGINEERING UNIT

## BORELOG REPORT

WBS 34915.1.1		TIP U-3308		COUNTY DURHAM		GEOLOGIST FELA, DENNIS									
SITE DESCRIPTION Bridge No. 44 on -Y- (Pettigrew St.) over -LALT- (NC 55, Alston Ave.)							GROUND WTR (ft)								
BORING NO.	STATION	OFFSET	ALIGNMENT			0 HR.	Dry								
EB2-A	17+85	47 ft LT	-Y-												
COLLAR ELEV.	TOTAL DEPTH	NORTHING	EASTING			24 HR.	7.0								
400.4 ft	35.7 ft	813,067	2,032,739												
DRILL RIG/HAMMER EFF./DATE DIEDRICH D-50				DRILL METHOD H.S. Augers		HAMMER TYPE Automatic									
DRILLER Contract Driller		START DATE 09/03/03	COMP. DATE 09/03/03	SURFACE WATER DEPTH N/A											
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	LOG MOI	SOIL AND ROCK DESCRIPTION	DEPTH (ft)	
			0.5ft	0.5ft	0.5ft	0	25	50	75	100					
405															
400	399.4	1.0	3	3	4									GROUND SURFACE	400.4
														ARTIFICIAL FILL CONCRETE	0.0
	396.9	3.5	4	5	9									ROADWAY EMBANKMENT BROWN AND GRAY, SILTY CLAY	6.0
395	394.4	6.0	7	12	14									TRIASSIC RESIDUAL BROWN, MICACEOUS, SILTY CLAY	6.0
	391.9	8.5	6	16	23										
390	386.9	13.5	5	19	23										
	381.9	18.5	19	27	50										
385	376.9	23.5	24	29	30										
	371.9	28.5	15	60	40/0.4										
380	366.9	33.5	50/0.3												
	364.9	35.5	50/0.2												
375															
370															
365															

WBS 34915.1.1		TIP U-3308		COUNTY DURHAM		GEOLOGIST FELA, DENNIS									
SITE DESCRIPTION Bridge No. 44 on -Y- (Pettigrew St.) over -LALT- (NC 55, Alston Ave.)							GROUND WTR (ft)								
BORING NO.	STATION	OFFSET	ALIGNMENT			0 HR.	N/A								
EB2-B	17+90	25 ft RT	-Y-												
COLLAR ELEV.	TOTAL DEPTH	NORTHING	EASTING			24 HR.	9.5								
401.3 ft	36.0 ft	813,001	2,032,710												
DRILL RIG/HAMMER EFF./DATE CME-45B				DRILL METHOD Mud Rotary		HAMMER TYPE Manual									
DRILLER Contract Driller		START DATE 10/19/07	COMP. DATE 10/19/07	SURFACE WATER DEPTH N/A											
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	LOG MOI	SOIL AND ROCK DESCRIPTION	DEPTH (ft)	
			0.5ft	0.5ft	0.5ft	0	25	50	75	100					
405															
400	400.4	0.9	7	8	12									GROUND SURFACE	401.3
														ROADWAY EMBANKMENT RED-BROWN AND GRAY, SILTY CLAY	3.0
	398.0	3.3	8	14	16									TRIASSIC RESIDUAL RED-BROWN, SILTY CLAY	3.0
395	395.6	5.7	8	12	19										
	392.9	8.4	10	19	28										
390	387.8	13.5	21	35	47										
	382.8	18.5	32	36	63										
385	377.8	23.5	20	24	33										
	372.8	28.5	38	62/0.4											
380	367.8	33.5	60/0.1												
	365.3	36.0	60/0.0												
375															
370															
365															

NCDOT BORE DOUBLE U3308\_GEO\_BRDG044\_BH.GPJ NC\_DOT.GDT\_4/15/14

**EB1-A**

<b>SOIL TEST RESULTS</b>															
SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			%	%
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-84	24 LT	16+22	1.0-2.5	A-6(5)	28	13	19.6	26.4	25.7	28.3	99	88	59	-	-
SS-85	24 LT	16+22	4.0-5.5	A-6(4)	36	17	33.7	21.0	15.0	30.3	97	77	46	-	-
SS-87	24 LT	16+22	8.2-9.7	A-7-6(36)	61	33	2.4	6.5	28.6	62.6	100	99	93	-	-
SS-88	24 LT	16+22	13.5-15.0	A-6(12)	38	13	6.1	13.7	52.0	28.3	100	96	87	-	-

**EB2-B**

<b>SOIL TEST RESULTS</b>															
SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			%	%
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-54	25 RT	17+90	0.9-2.4	A-7-6(22)	47	20	2.0	6.5	43.1	48.4	100	99	94	-	-
SS-55	25 RT	17+90	3.5-4.8	A-7-5(24)	51	20	1.0	2.6	49.9	46.4	100	100	97	-	-
SS-58	25 RT	17+90	13.5-15.0	A-6(10)	34	13	0.4	26.0	47.3	26.2	100	100	82	-	-
SS-60	25 RT	17+90	23.5-25.0	A-6(15)	39	15	0.8	12.7	50.2	36.3	100	100	91	-	-

**EB1-B**

<b>SOIL TEST RESULTS</b>															
SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			%	%
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-75	9 RT	16+30	1.2-2.7	A-6(1)	28	12	39.8	21.6	16.4	22.2	97	68	40	-	-
SS-76	9 RT	16+30	3.6-5.1	A-6(3)	29	13	31.1	24.2	16.4	28.3	97	79	47	-	-
SS-77	9 RT	16+30	6.0-7.5	A-6(5)	36	18	33.1	20.8	15.8	30.3	96	75	48	-	-
SS-78	9 RT	16+30	8.5-10.0	A-7-6(37)	71	48	13.5	13.7	14.2	58.5	100	92	75	-	-
SS-79	9 RT	16+30	13.6-15.1	A-7-6(29)	56	29	4.4	9.3	33.8	52.5	100	99	88	-	-
SS-80	9 RT	16+30	18.6-2.0	A-4(8)	36	9	2.2	27.2	48.3	22.2	100	99	83	-	-

**B1-A**

<b>SOIL TEST RESULTS</b>															
SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			%	%
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-70	40 LT	17+08	1.0-2.5	A-7-6(14)	46	22	9.3	7.9	24.3	58.5	82	77	69	-	-
SS-71	40 LT	17+08	3.4-4.9	A-7-6(16)	47	27	11.7	7.5	28.4	52.5	80	72	66	-	-
SS-72	40 LT	17+08	6.0-7.5	A-6(15)	37	17	2.0	13.9	43.7	40.4	100	99	89	-	-

**B1-A**

<b>ROCK TEST RESULTS</b>							
SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	ROCK TYPE	UNIT WT LB/FT <sup>3</sup>	UNCONFINED COMP. STRENGTH, KSI	SECTION MOD. @ 40% MPSI
RS-3	40 LT	17+08	4.8-5.4	SILSTONE	153.4	1.65	0.19
RS-4	40 LT	17+08	4.8-5.4	SILTSTONE	161.4	9.86	3.62


**B1-B**

<b>SOIL TEST RESULTS</b>															
SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			%	%
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-63	34 RT	17+17	1.4-2.9	A-4(2)	29	10	7.7	51.3	26.9	14.1	99	97	46	-	-
SS-64	34 RT	17+17	3.3-4.8	A-7-6(20)	44	21	2.6	7.7	41.3	48.4	98	96	90	-	-
SS-65	34 RT	17+17	6.0-7.5	A-7-6(26)	49	24	1.8	5.2	38.4	54.5	100	99	94	-	-
SS-68	34 RT	17+17	18.5-19.0	A-6(1)	27	12	42.6	21.0	20.3	16.1	100	77	40	-	-



# CORE PHOTOGRAPHS

**B1-A**  
BOXES 1, 2 & 3: 23.5 - 44.8 FEET





# SITE PHOTOGRAPH

Bridge No. 44 on -Y- (Pettigrew St.) over -LALT- (NC 55, Alston Ave.)



Looking North