

**PRELIMINARY SITE ASSESSMENT
PARCEL 023, GEORGE BROWN
433 HILLSBORO ST.
FAYETTEVILLE, CUMBERLAND COUNTY, NORTH CAROLINA
STATE PROJECT: B-4490
WBS ELEMENT: 33727.1.1
MARCH 14, 2014**

Report prepared for:

**Mr. Gordon Box, LG
GeoEnvironmental Project Manager
GeoEnvironmental Section
Geotechnical Engineering Unit
North Carolina Department of Transportation
1020 Birch Ridge Drive
Raleigh, NC 27610**


Report prepared by:



Eric C. Cross, LG
NC License #2181



Report reviewed by:


Michael G. Jones, LG
NC License #1168



**PYRAMID ENVIRONMENTAL & ENGINEERING, P.C.
P.O. BOX 16265
GREENSBORO, NC 27416-0265
(336) 335-3174**

C-257 –Geology
C-1251 - Engineering

TABLE OF CONTENTS

Executive Summary of Results	1
1.0 Introduction.....	4
1.1 BACKGROUND INFORMATION	4
1.2 PROJECT INFORMATION	4
2.0 Site History	5
3.0 Geophysical Investigation	6
4.0 Soil Sampling Activities & Results	7
4.1 SOIL ASSESSMENT FIELD ACTIVITIES	7
4.2 SOIL SAMPLE ANALYTICAL RESULTS	8
4.3 TEMPORARY MONITORING WELL INSTALLATION	9
4.4 GROUNDWATER ANALYTICAL RESULTS	9
5.0 Conclusions and Recommendations.....	10
5.1 GEOPHYSICAL INVESTIGATION	10
5.2 LIMITED SOIL ASSESSMENT.....	10
5.3 LIMITED GROUNDWATER ASSESSMENT	10
5.4 RECOMMENDATIONS	11
6.0 Limitations.....	12
7.0 Closure	12

TABLE OF CONTENTS (Continued)

FIGURES

Figure 1 : Topographic Map

Figure 2 : Soil Boring Locations and Estimated Area of Contamination

TABLES

Table 1 : Summary of Soil Field Screening Results

Table 2 : Summary of Soil Sample QED Analytical Results of DRO/GRO

Table 3 : Summary of Volatile/Semi-Volatile Laboratory Results of Soil

Table 4: Summary of RCRA Metals Analysis of Soil Samples

Table 5 : Summary of Groundwater Analytical Results

APPENDICES

Appendix A : Historical Aerial Photographs

Appendix B : Geophysical Investigation Report

Appendix C : Soil Boring Logs

Appendix D : QROS QED HC-1 Hydrocarbon Analyzer

Appendix E : Laboratory Report & Chain-of-Custody Form

Appendix F : Personnel Logs

PRELIMINARY SITE ASSESSMENT
PARCEL 023, GEORGE BROWN
433 HILLSBORO ST.
FAYETTEVILLE, CUMBERLAND COUNTY, NORTH CAROLINA

EXECUTIVE SUMMARY OF RESULTS

Pyramid Environmental & Engineering P.C. (Pyramid) has prepared this Preliminary Site Assessment (PSA) report documenting background information, field activities, assessment activities, findings, conclusions, and recommendations for Parcel 023, George Brown. The purpose of this assessment was to determine the presence or absence of underground storage tanks (USTs) and impacted soils at the subject property within the proposed right-of-way (ROW) and/or easement and edge of pavement (State Project B-4490). The PSA was conducted with particular attention to the areas to be cut as indicated by slope stake lines and cross sections or to be excavated for the installation of drainage features. This preliminary site assessment was conducted on behalf of the North Carolina Department of Transportation (NCDOT) in accordance with Pyramid's December 20, 2013, technical proposal.

The following statements summarize the results of the PSA:

- **Site History:** On January 23, 2014, Pyramid emailed the Cumberland County B-4490 parcel addresses to Mr. James Brown, the Fayetteville Region Incident Manager for the DENR UST Section, with a request to investigate any environmental incidents associated with the parcels. On January 24, 2014, Mr. Brown responded to the email and stated that site address 433 Hillsboro St. (Parcel 023) does not have any environmental incidents in the DENR UST database. However, he did find an environmental incident in the Aboveground Storage Tank (AST) Database for the site (incident #10651) dated July 15, 1993. This incident was associated with Jimmy's Truck Repair. The comments on file for the incident indicated it was a spill of used oil on the ground surface, however, Mr. Brown conveyed to us that no other information regarding the incident was available.

Review of the Sanborn Fire Insurance Maps for Parcel 023 indicated that the property contained a foundry that was present as far back as the 1891 Sanborn map. The foundry was also observed on the 1901, 1908, 1914, and 1923 Sanborn maps. The presence of the foundry indicates the potential for non-petroleum contaminants such as metals.

On January 20, 2014, Pyramid Project Manager Eric Cross performed a site visit at the property. The area of the property where the PSA was performed was vacant, and was bounded on the north side by an automobile repair shop. Mr. Cross interviewed the tenant operating the auto repair shop, Mr. Arthur Brown. Mr. Brown indicated that his repair shop used to operate as a truck (tractor/trailer) repair facility. He was not aware of any USTs at his property or to the south at Parcel 023.

- **Geophysical Survey:** The geophysical investigation provided no evidence of metallic USTs within the existing and proposed ROW and/or easement.
- **Limited Soil Assessment:** A total of three borings were performed across the property. The QED results for soil samples at boring locations 23-1 and 23-2 did not detect TPH-GRO or TPH-DRO concentrations above 10 milligrams per kilogram (mg/kg). The QED results did detect GRO concentrations above 10 mg/kg at the location of boring 23-3. Specifically, a GRO concentration of 14.7 mg/kg was detected in sample 23-3(6-8).

One soil sample from a depth of 4 to 6 feet in each boring was sent to the laboratory for analysis of soils using EPA Methods 8260/8270 for volatile and semi-volatile organic compounds. The laboratory results did not detect any volatile or semi-volatile organic compounds above detection limits.

One soil sample from a depth of 2 to 4 feet in each boring was sent to the laboratory for analysis of RCRA metals using EPA Methods 6010 and 7471 based on the site history of use as a foundry. The laboratory results did not detect any concentrations of RCRA metals that were significantly above background levels.

- **Limited Groundwater Assessment:** Soil boring 23-3 was converted into a 1-inch diameter temporary monitoring well to a total depth of 14 feet below land surface (BLS). The depth-to-groundwater was measured at 7.5 feet BLS. The laboratory analysis detected concentrations of Napthalene in both the 6200B analysis and the 625 analysis that were above NCAC 2L Groundwater Standards. The 2L Standard for Napthalene is 6 micrograms per liter ($\mu\text{g}/\text{L}$). A Napthalene concentration of $72.7\mu\text{g}/\text{L}$ was recorded by the 6200B analysis, and a concentration of $28.0\ \mu\text{g}/\text{L}$ was recorded by the 625 analysis. While other compounds were detected by the laboratory analysis, none were observed to exceed 2L Standards.

Review of the NCDOT engineering plans indicates that the NCDOT may encounter groundwater at the property during construction activities. Should the NCDOT perform any dewatering procedures, they should be aware of the potential Napthalene contamination in the shallow groundwater. Additionally, if the NCDOT typically implements alternate design features for underground

drainage structures such as gaskets, changes in material type, etc., when dealing with contaminated groundwater, it may be prudent to discuss such alternatives based on the groundwater analytical results.

- **Contaminated Soil Volumes:** Pyramid's PSA investigation resulted in an estimated area of **1,134 square feet of impacted soil in the vicinity of boring 23-3**. The deepest soil sample exhibiting contamination was observed to be at the sample depth 6-8 feet in boring 23-3. For this reason, a maximum depth of 8 feet will be used to approximate total volumes of contaminated soil. It should be noted that this is a gross estimate based on the data available. Using a total thickness of 8 feet of contaminated soil, Pyramid estimates approximately 9,072 cubic feet, or **336 cubic yards of impacted soils between 0 and 8 feet BLS** at the location of boring 23-3. The north and west boundaries of this area of contamination are approximate due to limited soil data.

1.0 Introduction

Pyramid Environmental & Engineering P.C. (Pyramid) has prepared this Preliminary Site Assessment (PSA) report documenting background information, field activities, assessment activities, findings, conclusions, and recommendations for Parcel 023, George Brown. The George Brown property is currently a vacant lot located approximately at 433 Hillsboro Street, Fayetteville, NC. This preliminary site assessment was conducted on behalf of the North Carolina Department of Transportation (NCDOT) in accordance with Pyramid's December 20, 2013, technical proposal.

The purpose of this assessment was to determine the presence or absence of underground storage tanks (USTs) and the potential for impacted soils at the subject properties within the proposed ROW and/or easement and edge of pavement (State Project B-4490). The location of the subject site is shown on **Figure 1**.

1.1 Background Information

Based on the NCDOT's December 13, 2013, *Request for Technical and Cost Proposal*, the PSA was conducted in the proposed easement/proposed right of way (ROW) and the area between the existing NCDOT right of way and the edge of pavement, with emphasis on the areas to be cut as indicated by slope stake lines and cross sections or to be excavated for the installation of drainage features and/or other utilities, in accordance with the CADD files provided to Pyramid by the NCDOT. The PSA included the following:

- Research the properties for past uses and possible releases.
- Conduct a preliminary geophysical site assessment and limited soil assessment in the proposed easement and the area between the existing ROW and the edge of pavement with emphasis on the areas to be cut as indicated by slope stake lines and cross sections or to be excavated for the installation of drainage features and/or other utilities.
- Should groundwater be encountered at a depth that might impact the NCDOT construction activities, report the depth to groundwater for that site and attempt to obtain one groundwater sample for laboratory analysis by installing a temporary monitoring well.

1.2 Project Information

Prior to field activities, a Health and Safety Plan was prepared. Prior to drilling activities, the public underground utilities were located and marked by the North Carolina One-Call Service. A private utility locator, Northstate Utility Locating Incorporated of Colfax, North Carolina was used to mark the on-site private, buried utilities.

2.0 Site History

The NCDOT description of the parcel in the RFP provided to Pyramid on December 13, 2013, provided the following background information related to the site:

“Currently this facility is a vacant lot. Aerial photographs indicate this site operated as a junk yard at one time. The site is located on the west side of Hillsboro St. between Hillsboro St. and the railroad tracks approximately 100 feet north of the intersection of Hillsboro St. and W. Rowan St. No known NCDENR’s UST Section Facility Identification Numbers or Groundwater Incidents Identification Numbers associated with this property. No evidence of USTs was observed during a site visit on April 30, 2009.”

Pyramid completed a records review of the parcel, interviewed DENR personnel, interviewed property tenants, and reviewed aerial photographs, city directories and Sanborn maps to assess past uses of the property. Pyramid reviewed historical aerial photographs dating back to 1960 available from the Cumberland County Soil and Water Conservation office in Fayetteville and on Google Earth for past uses. The 1960, 1966, 1972, 1993, 2003, 2009, 2010, and 2011 aerial photographs are included in **Appendix A**. Historical information reviewed as part of the PSA indicated that the site was likely intermittently used as a junk yard, evidenced by the presence of multiple vehicles across the site in the 1972 and 2003 aerials. Smaller structures or vehicles were also observed in the 1960 and 1966 aerials.

City directories dated 1937, 1951, 1957, 1963, 1968, 1973, 1980, 1985, 1990, 1995, to 2000 were reviewed at the Cumberland County Public Library in Fayetteville, North Carolina. The table below includes a list of the building or subject property occupants from 1937 to 2000 based on the city directory review.

Year	Occupant
1937	Ward's Plow Works & Currie Coal Company
1951	Housing/Homes &/or Apartments – Residential
1957	Homes or Apartments - Residential
1963	Homes or Apartments - Residential
1968	Vacant
1973	Cumberland Transport
1980	Terminal Taxi Garage
1985	Jimmy's Truck Repair
1990	Jimmy's Truck Repair
1995	Christian Cab
2000	Brown's Garage (Auto Repair Shop)

Review of the Sanborn Fire Insurance Maps for Parcel 023 indicated that the Plow Works facility also contained a foundry that was present as far back as the 1891 Sanborn map. The foundry was also observed on the 1901, 1908, 1914, and 1923 Sanborn maps. The presence of the foundry indicates the potential for non-petroleum contaminants such as metals.

On January 23, 2014, Pyramid emailed the Cumberland County B-4490 parcel addresses to Mr. James Brown, the Fayetteville Region Incident Manager for the DENR UST Section, with a request to investigate any environmental incidents associated with the parcels. On January 24, 2014, Mr. Brown responded to the email and stated that site address 433 Hillsboro St. (Parcel 023) does not have any environmental incidents in the DENR UST database. However, he did find an environmental incident in the Aboveground Storage Tank (AST) Database for the site (incident #10651) dated July 15, 1993. This incident was associated with Jimmy's Truck Repair. The comments on file for the incident indicated it was a spill of used oil on the ground surface, however, Mr. Brown conveyed to us that no other information regarding the incident was available.

On January 20, 2014, Pyramid Project Manager Eric Cross performed a site visit at the property. The area of the property where the PSA was performed was vacant, and was bounded on the north side by an automobile repair shop. Mr. Cross interviewed the tenant operating the auto repair shop, Mr. Arthur Brown. Mr. Brown indicated that his repair shop used to operate as a truck (tractor/trailer) repair facility, which correlates to the city directory research. He was not aware of any USTs at his property, nor did he have any knowledge of the AST spill.

3.0 Geophysical Investigation

Pyramid performed electromagnetic (EM) and ground penetrating radar (GPR) surveys across the accessible portions of the Parcel. The majority of the EM features at the property were suspected to be associated with metallic debris, utilities, or a former building foundation. The remaining features were associated with cultural features such as signs and posts. All area containing unidentified EM features were surveyed by the GPR, and no large structures were identified.

The geophysical investigation did not record evidence of any metallic USTs at the property.

The full details of the geophysical investigation are included in the Geophysical Investigation Report as **Appendix B**.

4.0 Soil Sampling Activities & Results

4.1 Soil Assessment Field Activities

On February 17, 2014, Pyramid mobilized to the site and drilled soil borings, installed one temporary monitoring well, and collected some of the proposed soil samples for the PSA. The soil borings and temporary well (TW) were completed using a track mounted Geoprobe® Direct-Push rig. Three (3) soil borings (23-1, 23-2, and 23-3) were advanced on the subject property between the NCDOT proposed ROW and easements, and edge of pavement. The selected locations were chosen to avoid public utilities along the adjacent roads and private utilities associated with the business while remaining in the proposed right of way and/or easement. The soil borings were installed adjacent to proposed drainage piping, as indicated by the NCDOT engineering plans, or within the proposed ROW and/or easement to obtain additional information. The locations of the borings are shown on **Figure 2**.

Soil samples were continuously collected in four-foot long disposable sleeves from each boring for geologic description, and visual examination for signs of contamination. Soil recovered from each sleeve was screened in the field using a Photo-Ionization Detector (PID) approximately every 2 feet depending on the soil recovery of each sleeve. In general, the soil sample with the highest PID reading was selected from each boring for laboratory analysis. If field screening detected an elevated reading, then additional soil samples from each boring were selectively analyzed with the QED UVF HC-1 Analyzer. The soil boring logs with the soil descriptions, visual examination, and PID screening results are included in **Appendix C**. The PID field screening results are summarized in **Table 1**. To prevent cross contamination, new disposable nitrile gloves were worn by the sampling technician during the sampling activities, and were changed between samples. Mild to moderate petroleum odors were detected in borings 23-2 and 23-3 during the field screening.

The soil samples selected for Total Petroleum Hydrocarbon (TPH) analyses were analyzed utilizing the QED UVF HC-1 Analyzer system from QROS-US. The NCDOT has indicated that this instrument is an acceptable method to provide total petroleum hydrocarbon (TPH) results for soil analysis for the PSA projects. Pyramid's QED-certified technician performed the soil analyses. The soil samples selected for analysis using the QED Analyzer were analyzed for TPH as diesel range organics (DRO) and TPH as gasoline range organics (GRO). The soil samples selected for analysis using the QED were preserved in the field with methanol and were analyzed at the end of each day using the QED.

In addition to the QED analysis, select samples were collected for more comprehensive laboratory analysis using EPA Methods 8260 and 8270 for volatile and semi-volatile

organic compounds (VOCs and SVOCs), as well as analysis of Resource Conservation and Recovery Act (RCRA) Metals using EPA Methods 6010 and 7471. These additional analyses were performed based on the site history of the property, which suggested that other potential contaminants such as solvents from the adjacent repair facility, or metals from the former foundry, may be present within the soils. In general, soils that exhibited the highest PID readings and were above the water table were selected for the additional laboratory analyses. Specifically, samples 23-1(4-6), 23-2(4-6), and 23-3(4-6) were placed in laboratory prepared containers and shipped to Pace Analytical in Huntersville, NC for analysis of volatile and semi-volatile organic compounds. Samples 23-1(2-4), 23-2(2-4), and 23-3(2-4) were placed in laboratory prepared containers and shipped to Pace Analytical in Huntersville, NC for analysis of RCRA metals.

4.2 Soil Sample Analytical Results

QED Results

The DENR action levels for both TPH-GRO and TPH-DRO are 10 mg/kg. The QED results for soil samples at boring locations 23-1 and 23-2 did not detect TPH-GRO or TPH-DRO concentrations above 10 mg/kg. The QED results did detect GRO concentrations above 10 mg/kg at the location of boring 23-3. Specifically, a GRO concentration of 14.7 mg/kg was detected in sample 23-3(6-8). The soil sample QED results are summarized in **Table 2**. A copy of the QED analysis report is included in **Appendix D**.

Laboratory Analysis for VOCs and SVOCs

One soil sample from a depth of 4 to 6 feet in each boring was sent to the laboratory for analysis of soils using EPA Methods 8260/8270 for volatile and semi-volatile organic compounds based on the site usage history. The laboratory results did not detect any volatile or semi-volatile organic compounds above detection limits. The soil sample VOC/SVOC laboratory results are summarized in **Table 3**. A copy of the laboratory report and chain-of-custody is included in **Appendix E**.

Laboratory Analysis for RCRA Metals

One soil sample from a depth of 2 to 4 feet in each boring was sent to the laboratory for analysis of RCRA metals using EPA Methods 6010 and 7471 based on the site use as a foundry. Two background samples were collected from Parcel 38 [38-1(2.5-4) and 38-3(4-6)] to be used as a baseline comparison of background metals for this area. The site history of Parcel 38 indicated this property was a suitable location from which to obtain background samples. The laboratory results did not detect any concentrations of RCRA metals that were significantly above background levels. The minor concentrations of metals observed were insignificant, and likely related to fluctuations in background relative to the location of the original background sample. The soil sample RCRA laboratory results are summarized in **Table 4**. A copy of the laboratory report and chain-of-custody is included in **Appendix E**.

4.3 Temporary Monitoring Well Installation

On February 17, 2014, Pyramid converted soil boring 23-3 into a 1-inch diameter temporary monitoring well (TW). Soil boring 23-3(TW) was completed to a total depth of 14 feet below land surface (BLS). The temporary well was constructed with 4 feet of 1-inch diameter of schedule 80 PVC casing and 10 feet of 1-inch diameter of schedule 80 PVC slotted screen. The temporary well was set in the boring with 10 feet of slotted screen at the bottom of the well.

On February 17, 2014, the temporary monitoring well 23-3(TW) was gauged using a properly decontaminated electric water level probe. The depth-to-groundwater was measured at 7.5 feet BLS. The temporary monitoring well was sampled using a new 0.5-inch diameter disposable bailer. Upon completion of the gauging and sampling, the temporary monitoring well was properly abandoned by the drillers by removing the casing, and filling the borehole with bentonite chips and portland cement.

4.4 Groundwater Analytical Results

The groundwater sample 23-3(TW) was placed in laboratory prepared containers for analysis of volatile organic compounds (VOCs) using EPA Method 6200B and semi-volatile organic compounds (SVOCs) using EPA Method 625. The sample was shipped to Pace Analytical in Huntersville, NC. The laboratory analysis detected concentrations of Napthalene in both the 6200B analysis and the 625 analysis that were above NCAC 2L Groundwater Standards. The 2L Standard for Napthalene is 6 µg/L. A Napthalene concentration of 72.7µ/L was recorded by the 6200B analysis, and a concentration of 28.0 µg/L was recorded by the 625 analysis. While other compounds were detected by the laboratory analysis, none were observed to exceed 2L Standards. The groundwater results for sample 23-3(TW) are summarized in **Table 5**. A copy of the laboratory report and chain-of-custody is included in **Appendix E**.

5.0 Conclusions and Recommendations

As requested by NCDOT, Pyramid has completed a PSA at the George Brown property located 433 Hillsboro St., Fayetteville, NC (Parcel 023). The following is a summary of the assessment activities and results. Personnel logs for all field work are included in **Appendix F**.

5.1 Geophysical Investigation

The geophysical investigation provided no evidence of metallic USTs within the existing and proposed ROW and/or easement.

5.2 Limited Soil Assessment

The DENR action levels for both TPH-GRO and TPH-DRO are 10 mg/kg. The QED results for soil samples at boring locations 23-1 and 23-2 did not detect TPH-GRO or TPH-DRO concentrations above 10 mg/kg. The QED results did detect GRO concentrations above 10 mg/kg at the location of boring 23-3. Specifically, a GRO concentration of 14.7 mg/kg was detected in sample 23-3(6-8).

One soil sample from a depth of 4 to 6 feet in each boring was sent to the laboratory for analysis of soils using EPA Methods 8260/8270 for volatile and semi-volatile organic compounds. The laboratory results did not detect any volatile or semi-volatile organic compounds above detection limits.

One soil sample from a depth of 2 to 4 feet in each boring was sent to the laboratory for analysis of RCRA metals using EPA Methods 6010 and 7471 based on the site history of use as a foundry. The laboratory results did not detect any concentrations of RCRA metals that were significantly above background levels.

5.3 Limited Groundwater Assessment

Soil boring 23-3 was converted into a 1-inch diameter temporary monitoring well to a total depth of 14 feet BLS. The depth-to-groundwater was measured at 7.5 feet BLS. The laboratory analysis detected concentrations of Napthalene in both the 6200B analysis and the 625 analysis that were above NCAC 2L Groundwater Standards. The 2L Standard for Napthalene is 6 µg/L. A Napthalene concentration of 72.7 µg/L was recorded by the 6200B analysis, and a concentration of 28.0µ/L was recorded by the 625 analysis. While other compounds were detected by the laboratory analysis, none were observed to exceed 2L Standards.

Review of the NCDOT engineering plans indicates that the NCDOT may encounter groundwater at the property during construction activities. Should the NCDOT perform any dewatering procedures, they should be aware of the potential Napthalene contamination in the shallow groundwater. Additionally, if the NCDOT typically

implements alternate design features for underground drainage structures such as gaskets, changes in material type, etc., when dealing with contaminated groundwater, it may be prudent to discuss such alternatives based on the groundwater analytical results.

5.4 Recommendations

Petroleum-Impacted Soils

During road construction activities, it is possible the NCDOT may encounter petroleum impacted soil near soil boring 23-3. The direct source of this petroleum was not evident in the field. Additionally, the NCDOT may also encounter shallow groundwater during construction that contains an elevated Napthalene concentration.

Soils with GRO above 10mg/kg were observed at the location of boring 23-3. The NCDOT Microstation slope stake information does not indicate any cuts to be made in this area, however, there are potentially drainage features proposed to be constructed adjacent to the parcel that may require soil excavation.

Estimating the Area of Contamination

The estimated area of contamination is depicted on **Figure 2**. The boundaries of the area of contamination are generally estimated by applying a circular area of contamination around a boring exhibiting DRO/GRO levels above 10 mg/kg with a radius equal to half the distance between that boring and the nearest “clean” boring. In cases where this approach is not feasible, such as near property boundaries or where data does not exist to provide a definitive boundary, the area of contamination is terminated using the distance to the property boundary as a radius, or an educated approximation is applied. For this parcel, the distance between boring 23-2 and 23-3 was used to calculate the radius of contamination.

Pyramid's PSA investigation resulted in an estimated area of **1,134 square feet of impacted soil in the vicinity of boring 23-3**. The deepest soil sample exhibiting contamination was observed to be at the sample depth 6-8 feet in boring 23-3. For this reason, a maximum depth of 8 feet will be used to approximate total volumes of contaminated soil. It should be noted that this is a gross estimate based on the data available. Using a total thickness of 8 feet of contaminated soil, Pyramid estimates approximately 9,072 cubic feet, or **336 cubic yards of impacted soils between 0 and 8 feet BLS** at the location of boring 23-3. The north and west boundaries of this area of contamination are approximate due to limited soil data.

It should be noted that, if impacted soil is encountered during road construction outside the area analyzed by this investigation, the impacted soil should be managed according to NC DENR Division of Waste Management (DWM) UST Section Guidelines and disposed of at a permitted facility.

6.0 Limitations

The results of this preliminary investigation are limited to the boring locations completed during this limited assessment and presented in this report. The laboratory results only reflect the current conditions at the locations sampled on the date this PSA was performed.

7.0 Closure

This report was prepared for, and is available solely for use by NCDOT and their designees. The contents thereof may not be used or relied upon by any other person without the express written consent and authorization of Pyramid Environmental & Engineering, P.C. (Pyramid). The observations, conclusions, and recommendations documented in this report are based on site conditions and information reviewed at the time of Pyramid's investigation. Pyramid appreciates the opportunity to provide this environmental service.

FIGURES


USGS TOPOGRAPHIC MAP

SITE:

433 HILLSBORO ST.

LOCATION:

FAYETTEVILLE, NORTH CAROLINA




USGS IDENTIFICATION

SCALES

USGS 7.5
MINUTE MAP
ORIGINAL DATE:
PHOTOREVISION
DATE:

FAYETTEVILLE, N.C.
1957
1987



NOTES: ▶ TOPOGRAPHICAL CONTOUR INTERVAL = 10 FEET
▶ PHOTOREVISIONS DENOTED IN PURPLE

	PRIMARY HIGHWAY, HARD SURFACE
	SECONDARY HIGHWAY, HARD SURFACE
	LIGHT-DUTY ROAD HARD OR IMPROVED SURFACE
	UNIMPROVED ROAD
	STATE ROAD
	U.S. ROUTE
	INTERSTATE ROUTE




CLIENT: NC DOT B-4490
PROPERTY NAME: PARCEL 023, GEORGE BROWN
CITY: FAYETTEVILLE STATE: NORTH CAROLINA
TITLE: TOPOGRAPHIC MAP

SCALE: 1"=2000'
DRAWN BY: KAM
CHECK BY: TDL
DATE: 2/5/14
JOB NO.: 2014-008
TYPE: PSA
DRAWING NAME: USGSTOPO
FIGURE NUMBER: 1

NOTES
TOPOGRAPHIC MAP USED IN THIS GRAPHIC IS MAPPED, EDITED, AND PUBLISHED BY THE UNITED STATES GEOLOGIC SURVEY, DEPARTMENT OF THE INTERIOR, RESTON, VIRGINIA.

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS.




LEGEND

- SITE PLAN LEGEND**

 - PUE**: PROPOSED UTILITY EASEMENT (Solid black line)
 - EXISTING ROW**: EXISTING ROW (Dashed magenta line)
 - EXISTING PROPERTY BOUNDARY**: EXISTING PROPERTY BOUNDARY (Dashed magenta line)
 - PROPOSED ROW**: PROPOSED ROW (Red line with a circle containing a 'W' symbol)
 - PROPOSED CONST. EASEMENT**: PROPOSED CONST. EASEMENT (Orange line with a capital letter 'E')
 - DUE**: PROP. DRAINAGE UTIL. EASEMENT (Brown line)
 - PROPOSED SS CUT LINE**: PROPOSED SS CUT LINE (Green dashed line)
 - PROPOSED SS FILL LINE**: PROPOSED SS FILL LINE (Red dashed line)
 - PROPOSED SS TRANSITION LINE**: PROPOSED SS TRANSITION LINE (Yellow dashed line)
 - PROPOSED DRAINAGE PIPING**: PROPOSED DRAINAGE PIPING (Grey solid line)
 - PDE**: PROPOSED DRAINAGE EASEMENT (Green solid line)
 - SOIL SAMPLE BORING LOCATION**: SOIL SAMPLE BORING LOCATION (Circle with a crosshair and a red 'X' symbol)
 - BORING CONVERTED TO MW (LAB DATA IN TABLE 5 OF REPORT)**: BORING CONVERTED TO MW (Circle with a crosshair and a small circle)
 - AREA OF CONTAMINATION (>10 PPM)**: AREA OF CONTAMINATION (>10 PPM) (Red box with diagonal hatching and cartoon人物)

* DRO/GRO Analytical data collected by the method of QROS, QED Analyzer

A horizontal scale bar with three numerical markings: '0' at the left end, '50' in the middle, and '100' at the right end. Below the scale bar, the word 'FEET' is written in capital letters.

TITLE	SOIL BORING LOCATIONS AND ESTIMATED AREA OF CONTAMINATION	
PROJECT	NCDOT ROW PROJECT B-4490 (33727.1.1) GEORGE BROWN - PARCEL 023 FAYETTEVILLE, CUMBERLAND COUNTY, NC	
 <p>PYRAMID ENVIRONMENTAL & ENGINEERING, P.C.</p>		<p>503 INDUSTRIAL AVENUE GREENSBORO, NC 27406 336.335.3174 (p) 336.691.0648 (f) License # C1251 Eng. / #C257 Geology</p>
DATE: 2-21-14	REVISION NO. 0	
PYRAMID PROJECT NO. 2014-008		FIGURE NO. 2

TABLES

TABLE 1
Summary of Soil Field Screening Results
NCDOT Project B-4490
433 Hillsboro St. - Parcel 023
Fayetteville, Cumberland County, North Carolina

SOIL BORING	SAMPLE ID	DEPTH (feet bgs)	PID READINGS (PPM)
23-1	23-1(0-2)	0 to 2	0
	23-1(2-4)	2 to 4	45.0
	23-1(4-6)	4 to 6	150.0
	23-1(6-8)	6 to 8	0.0
23-2	23-2(0.5-2)	0.5 to 2	15.0
	23-2(2-4)	2 to 4	0.0
	23-2(4-6)	4 to 6	60.0
	23-2(6-8)	6 to 8	250.0
23-3	23-3(0.5-2)	0.5 to 2	95.0
	23-3(2-4)	2 to 4	50.0
	23-3(4-6)	4 to 6	230.0
	23-3(6-8)	6 to 8	100.0

bgs= below ground surface

PID= photo-ionization detector

PPM= parts-per-million

= sampled for lab analysis &/or QROS-QED analysis

OVA= Organic Vapor Analyzer

TABLE 2
Summary of Soil Sample QED Analytical Results for GRO/DRO
NCDOT State Project B-4490
433 Hillsboro St. - Parcel 023
Fayetteville, Cumberland County, North Carolina

SAMPLE ID	DATE	DEPTH (feet)	PID (ppm)	QROS - QED Analysis			Laboratory Analysis (Pace)	
				GRO (mg/kg) (C5-C10)	DRO (mg/kg) (C10-C35)	TPH (mg/kg) (C5-C35)	EPA Method 3550 DRO (mg/kg)	EPA Method 5035 GRO (mg/kg)
23-1(4-6)	2/17/2014	4 to 6	150.0	<0.1	1	1	-----	-----
23-2(4-6)	2/17/2014	4 to 6	60.0	<0.1	0.67	0.67	-----	-----
23-2(6-8)	2/17/2014	6 to 8	250.0	<0.2	<0.5	<0.5	-----	-----
23-3(4-6)	2/17/2014	4 to 6	230.0	<0.1	<0.3	<0.7	-----	-----
23-3(6-8)	2/17/2014	6 to 8	100	14.7	8.3	23	-----	-----
NC Initial Action Level - UST Section for 5035/5030-GRO; 3550-DRO				10	10	NA	10	10

PID= photo-ionization detector

GRO= Gasoline Range Organics

TPH= Total Petroleum

NA= Not Applicable

PPM= parts-per-million

DRO= Diesel Range Organics

Hydrocarbons (GRO + DRO)

"-----" = No Laboratory Analysis

mg/kg= milligrams-per-kilogram

* Bold values indicate concentrations above initial action levels

TABLE 3
Summary of Volatile/Semi-Volatile Laboratory Results of Soil Samples
Parcel 023 - George Brown
433 Hillsboro St., Cumberland County, NC

Analytical Parameter	Analytical Method	SAMPLE ID NUMBER			Residential MSCC (mg/kg)	Soil to Groundwater MSCC (mg/kg)
		23-1(4-6)	23-2(4-6)	23-3(4-6)		
	Sample Date:	2/15/2014	2/15/2014	2/15/2014		
	Depth (feet):	4 to 6	4 to 6	4 to 6		
	Location	south	middle	north		
Acetone	8260	ND	ND	ND	14000	24
Benzene	8260	ND	ND	ND	18	0.0056
Bromobenzene	8260	ND	ND	ND	NMSCC	NMSCC
Bromoform	8260	ND	ND	ND	81	0.026
2-Butanone (MEK)	8260	ND	ND	ND	9385	16
n-Butylbenzene	8260	ND	ND	ND	626	4.3
sec-Butylbenzene	8260	ND	ND	ND	626	3.3
Styrene	8260	ND	ND	ND	3128	1.5
tert-Butylbenzene	8260	ND	ND	ND	626	3.4
4-Chlorotoluene	8260	ND	ND	ND	1000	0.1
Ethylbenzene	8260	ND	ND	ND	1560	4.9
1,2-Dichloroethane	8260	ND	ND	ND	7	0.0019
Isopropyl ether (IPE)	8260	ND	ND	ND	156	0.37
Isopropylbenzene	8260	ND	ND	ND	1564	1.7
P-Isopropyltoluene	8260	ND	ND	ND	NMSCC	NMSCC
Naphthalene	8260	ND	ND	ND	313	0.16
n-Propylbenzene	8260	ND	ND	ND	626	1.7
Toluene	8260	ND	ND	ND	1200	4.3
1,2,4-Trimethylbenzene	8260	ND	ND	ND	782	8.5
1,3,5-Trimethylbenzene	8260	ND	ND	ND	782	8.3
Total Xylenes	8260	ND	ND	ND	3129	4.6
MTBE	8260	ND	ND	ND	350	0.091
2-Hexanone	8260	ND	ND	ND	70	0.1
Methylene chloride	8260	ND	ND	ND	85	0.02
All Other 8260 Parameters	8260	ND	ND	ND	NA	NA
Acenaphthene	8270	ND	ND	ND	940	8.2
bis(2-Ethylhexyl)phthalate	8270	ND	ND	ND	46	6.6
1-Methylnaphthalene	8270	ND	ND	ND	20	0.004
2-Methylnaphthalene	8270	ND	ND	ND	63	3.6
Naphthalene	8270	ND	ND	ND	313	0.16
All Other 8270 Parameters	8270	ND	ND	ND	NA	NA
PID Field Screening (ppm)	PID	150.0	60.0	230.0	NA	NA

mg/kg = parts per million (ppm).

BOLD values are above MSCC levels.

NS=Not Sampled for Parameter

MSCC = Maximum Soil Contaminant Concentrations

ND = Not Detected.

J= Estimated Concentration

NMSCC= No MSCC

NA Not Applicable

CI= Considered Immobile

TABLE 4
Summary of RCRA Metals Analysis of Soil Samples
Parcel 023 - George Brown
433 Hillsboro St., Cumberland County, NC

Analytical Parameter	Analytical Method	Sample ID			Background #1	Background #2	Background Avg.	IHSB PSRGs (Industrial)
		23-1(2-4) (mg/kg)	23-2(2-4) (mg/kg)	23-3(2-4) (mg/kg)				
Arsenic	EPA 6010	1.10	1.40	ND	ND	ND	ND	2.4
Barium	EPA 6010	9.00	6.60	12.40	11.2	15.1	13.15	3800
Cadmium	EPA 6010	0.14	ND	ND	ND	ND	ND	160
Chromium	EPA 6010	8.10	6.50	7.00	4.3	8.2	6.25	10000
Lead	EPA 6010	6.50	6.40	28.20	14.6	23.6	19.1	800
Selenium	EPA 6010	ND	ND	ND	ND	ND	ND	1000
Silver	EPA 6010	ND	ND	ND	ND	ND	ND	1000
Mercury	EPA 7471	0.012	0.0032	0.021	0.0089	0.0038	0.00635	3.1

mg/kg = milligrams per kilogram

ND = not detected

TABLE 5
Summary of Groundwater Analytical Results
NCDOT State Project B-4490
433 Hillsboro St. - Parcel 023
Fayetteville, Cumberland County, North Carolina

PARAMETER	UNITS	SAMPLE ID	NCAC 2L GROUNDWATER STANDARD
		23-3(TW)	
EPA Method 6200B VOCs; Sample Collection Date: 2/17/14			
Benzene	ug/L	ND	1
Chloroform	ug/L	ND	70
Diisopropyl Ether (IPE)	ug/L	ND	70
Ethyl Benzene	ug/L	9.4	600
Isopropylbenzene (Cumene)	ug/L	6.6	70
Naphthalene	ug/L	72.7	6
Styrene	ug/L	ND	70
Toluene	ug/L	ND	600
Total Xylenes	ug/L	ND	500
n-Propylbenzene	ug/L	10.5	70
sec-Butylbenzene	ug/L	6.5	70
tert-Butyl methyl ether (MTBE)	ug/L	0.59	20
tert-Butylbenzene	ug/L	4.2	70
1,2,4-Trimethylbenzene	ug/L	ND	400
1,2-Dichloroethane	ug/L	ND	0.4
1,3,5-Trimethylbenzene	ug/L	ND	400
4-Isopropyltoluene	ug/L	ND	25
All Other Parameters	ug/L	ND	NA
EPA Method 625 Semi-Volatile Organic Compounds			
Acenaphthene	ug/L	ND	80
Diethylphthalate	ug/L	ND	6000
bis(2-Ethylhexyl)phthalate	ug/L	ND	3
Naphthalene	ug/L	28	6
Phenanthrene	ug/L	ND	200
Phenol	ug/L	ND	30
Pyrene	ug/L	ND	200
All Other Parameters	ug/L	ND	NA

ug/L= micrograms-per-liter

ND= Not Detected at or above adjusted reporting limit.

NA= Not Applicable

Bold values above 2L


APPENDIX A



Google earth

feet 400
meters 100





Google earth

feet 400
meters 100





Google earth

feet 400
meters 100





Google earth

feet 400
meters 100





Google earth

feet 400
meters 100





1972



1966



Parcel 023

1960

APPENDIX B



P Y R A M I D E N V I R O N M E N T A L & E N G I N E E R I N G
(P R O J E C T 2 0 1 4 - 0 0 8)

GEOPHYSICAL SURVEY

**PARCEL 023 – GEORGE BROWN
433 HILLSBORO ST. (APPROX.)
NCDOT PROJECT B-4490 (33727.1.1)**

FAYETTEVILLE, CUMBERLAND COUNTY, NC

FEBRUARY 12, 2014

Report prepared for: Mr. Gordon Box
GeoEnvironmental Project Manager
Geotechnical Engineering Unit
1020 Birch Ridge Drive
Raleigh, NC 27610

Prepared by:

A handwritten signature in black ink that appears to read "Eric C. Cross".

Eric C. Cross, P.G.
NC License #2181

Reviewed by:

A handwritten signature in black ink that appears to read "Douglas A. Canavello".

Douglas A. Canavello, P.G.
NC License #1066

5 0 3 I N D U S T R I A L A V E N U E , G R E E N S B O R O , N C 2 7 4 0 6

P : 3 3 6 . 3 3 5 . 3 1 7 4 F : 3 3 6 . 6 9 1 . 0 6 4 8

C 2 5 7 : G E O L O G Y C 1 2 5 1 : E N G I N E E R I N G

GEOPHYSICAL INVESTIGATION REPORT
Parcel 023, 433 Hillsboro St.
Fayetteville, Cumberland County, North Carolina

Table of Contents

Executive Summary	1
Introduction.....	2
Field Methodology.....	2
Discussion of Results	3
Summary and Conclusions	4
Limitations	5

Figures

- Figure 1 – Parcel 023 – Geophysical Survey Boundaries and Site Photographs
- Figure 2 – Parcel 023 –EM61 Bottom Coil & Differential Results Contour Maps
- Figure 3 – Parcel 023 – Overlay of EM61 Contour Map On Engineering Plans
- Figure 4 – Parcel 023 – GPR Transect Locations and Select Images

Appendices

- Appendix A – GPR Transect Images

EXECUTIVE SUMMARY

Project Description: Pyramid Environmental conducted a geophysical investigation for the North Carolina Department of Transportation (NCDOT), at the George Brown property, Parcel 023, 433 Hillsboro St., Fayetteville, Cumberland County, NC. The survey was part of an NCDOT Right-of-Way (ROW) investigation (NCDOT Project B-4490). The geophysical survey boundaries at the project site were designed to include the portions of the property between the existing edge of pavement and the proposed ROW and easements, whichever distance was greater. The geophysical investigation consisted of electromagnetic (EM) induction-metal detection and ground penetrating radar (GPR) surveys.

Geophysical Results: The majority of the EM features at the property were suspected to be associated with metallic debris, utilities, or a former building foundation. The remaining features were associated with cultural features such as signs and posts. All area containing unidentified EM features were surveyed by the GPR, and no large structures were identified. The geophysical investigation did not record evidence of any metallic USTs at the property.

INTRODUCTION

Pyramid Environmental conducted a geophysical investigation for the North Carolina Department of Transportation (NCDOT), at the George Brown property, Parcel 023, 433 Hillsboro St., Fayetteville, Cumberland County, NC. The survey was part of an NCDOT Right-of-Way (ROW) investigation (NCDOT Project B-4490). The geophysical survey boundaries at the project site were designed to include the portions of the property between the existing edge of pavement and the proposed ROW and easements, whichever distance was greater. The survey grid was in the shape of a triangle, extending 70 feet from east to west and 160 feet from north to south. Conducted on January 27 and February 4, 2014, the geophysical investigation was performed to determine if unknown, metallic underground storage tanks (USTs) were present beneath the survey area.

The site was a vacant grass-covered lot adjacent to the railroad tracks on the west side of the survey area. Aerial photographs showing the survey area boundaries and ground-level photographs are shown in **Figure 1**.

FIELD METHODOLOGY

Prior to conducting the geophysical investigation, a 20-foot by 10-foot survey grid was established across the geophysical survey areas using measuring tapes and water-based marking paint. These grid marks were used as X-Y coordinates for location control when collecting the geophysical data and establishing base maps for the geophysical results.

The geophysical investigation consisted of electromagnetic (EM) induction-metal detection and ground penetrating radar (GPR) surveys. The EM survey was performed on January 27, 2014, using a Geonics EM61 metal detection instrument. According to the instrument specifications, the EM61 can detect a metal drum down to a maximum depth of approximately 8 feet. Smaller objects (1-foot or less in size) can be detected to a maximum depth of 4 to 5 feet. The EM61 data were digitally collected at approximately 0.8 foot intervals along north-south trending or east-west trending, parallel survey lines spaced five feet apart. The data were downloaded to a

computer and reviewed in the field and office using the Geonics DAT61 and Surfer for Windows Version 11.0 software programs.

GPR data were acquired across select EM differential anomalies on February 4, 2014, using a Geophysical Survey Systems, Inc. (GSSI) SIR-2000 unit equipped with a 400 MHz antenna. Data were collected generally from east to west and north to south across the property. The GPR data were viewed in real time using a vertical scan of 512 samples, at a rate of 48 scans per second. GPR data were viewed down to a maximum depth of approximately 8 feet, based on an estimated two-way travel time of 8 nanoseconds per foot. GPR transects across specific anomalies were saved to the hard drive of the SIR unit for post-processing and figure generation.

DISCUSSION OF RESULTS

Contour plots of the EM61 bottom coil and differential results obtained across the survey area at the property are presented in **Figure 2**. The bottom coil results represent the most sensitive component of the EM61 instrument and detect metal objects regardless of size. The bottom coil response can be used to delineate metal conduits or utility lines; small, isolated metal objects, and areas containing insignificant metal debris. The differential results are obtained from the difference between the top and bottom coils of the EM61 instrument. The differential results focus on the larger metal objects such as drum and UST-size objects and ignore the smaller insignificant metal objects.

Discussion of EM Anomalies: The EM anomaly at X=90, Y=25 was associated with a light pole. The EM anomalies at X=90, Y=45 and X=90, Y=75 were the result of sign posts. The EM anomaly at X=70, Y=145 was the result of a large metal sign and posts. The remaining features extended across the majority of the survey area, and were suspected to be the result of a combination of utilities and metallic debris. These areas were investigated further by the GPR.

Discussion of GPR Survey: **Figure 4** presents the locations of the formal GPR transects performed at the property, as well as images of some of the transects. **Appendix A** includes images of all GPR transects performed at the site. GPR Transects 1-6 were performed throughout the survey area across the unknown EM features. The transects all recorded an intermittent,

disrupted shallow reflector near the ground surface that was suggestive of a former foundation or isolated metallic debris. No evidence of any large structures such as USTs was recorded.

It should also be noted that the private utility locating company contracted by Pyramid to clear the area for drilling identified a probable utility extending across the survey area from approximately X=60, Y=90 to X=70, Y=180. This utility or combination of utilities is likely responsible for some of the EM features observed across this area.

The geophysical investigation did not record any evidence of metallic USTs at the property within the survey area limits.


SUMMARY & CONCLUSIONS

Our evaluation of the EM61 and GPR data collected across Parcel 023 in Fayetteville, North Carolina, provides the following summary and conclusions:

- The EM61 and GPR surveys provided reliable results for the detection of metallic USTs within the accessible portions of the geophysical survey area.
- The majority of the EM features at the property were suspected to be associated with metallic debris, utilities, or a former building foundation. The remaining features were associated with cultural features such as signs and posts.
- All area containing unidentified EM features were surveyed by the GPR, and no large structures were identified.
- The geophysical investigation did not record evidence of any metallic USTs at the property.

LIMITATIONS

Geophysical surveys have been performed and this report prepared for the NCDOT in accordance with generally accepted guidelines for EM61 and GPR surveys. It is generally recognized that the results of the EM61 and GPR surveys are non-unique and may not represent actual subsurface conditions. The EM61 and GPR results obtained for this project have not conclusively determined the definitive presence or absence of metallic USTs, but that the evidence collected is sufficient to result in the conclusions made in this report. Additionally, it should be understood that areas containing extensive vegetation, reinforced concrete, or other restrictions to the accessibility of the geophysical instruments could not be fully investigated.



View of Geophysical Survey Area
(Facing Approximately South)




View of Facility North of Survey Area
(Facing Approximately North)

TITLE	PARCEL 023: GEOPHYSICAL SURVEY BOUNDARIES AND SITE PHOTOGRAPHS	
PROJECT	NCDOT PROJECT B-4490 (33727.1.1) FAYETTEVILLE, CUMBERLAND COUNTY, NC	
	503 INDUSTRIAL AVENUE GREENSBORO, NC 27460 (336) 335-3174 (p) (336) 691-0648 (f) License # C1251 Eng. / License # C257 Geology	ENVIRONMENTAL & ENGINEERING, P.C.
DATE	2/7/2014	CLIENT
PYRAMID PROJECT #:	2014-008	FIGURE 1




NO EVIDENCE OF METALLIC USTs OBSERVED

EM61 Bottom Coil Results




EM61 Differential Results



The contour plots show the bottom coil (most sensitive) and differential results of the EM61 instrument in millivolts (mV). The bottom coil response shows buried metallic objects regardless of size. The differential response focuses on larger, buried metallic objects such as drums and USTs and ignores smaller miscellaneous buried, metal debris. The EM61 data were collected on January 27, 2013 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were collected on February 4, 2013, using a GSSI SIR 2000 unit coupled to a 400 MHz antennae.

EM61 Metal Detection Response (millivolts)



TITLE PARCEL 023:
EM61 BOTTOM COIL & DIFFERENTIAL
RESULTS CONTOUR MAPS

PROJECT NCDOT PROJECT B-4490 (34437.1.1)
FAYETTEVILLE, CUMBERLAND COUNTY, NC


 503 INDUSTRIAL AVENUE
GREENSBORO, NC 27460
(336) 335-3174 (p) (336) 691-0648 (f)
License # C1251 Eng. / License # C257 Geology

DATE 2/7/2014 CLIENT NCDOT








PYRAMID PROJECT #: 2014-008 FIGURE 2

LEGEND

- PUE PROPOSED UTILITY EASEMENT
- EXISTING ROW
- EXISTING PROPERTY BOUNDARY
- PROPOSED ROW
- PROPOSED CONST. EASEMENT
- PROP. DRAINAGE UTIL. EASEMENT
- PROPOSED SS CUT LINE
- PROPOSED SS FILL LINE
- PROPOSED SS TRANSITION LINE
- PROPOSED DRAINAGE PIPING
- PDE PROPOSED DRAINAGE EASEMENT
- YELLOW ZONE REPRESENTS GEOPHYSICAL SURVEY AREA, CONTOURS ARE EM61 RESULTS (METALLIC RESPONSES)



OVERLAY OF EM61 CONTOUR MAP ON ENGINEERING PLANS	
PROJECT	NCDOT ROW PROJECT B-4490 (33727.1.1) GEORGE BROWN - PARCEL 023 FAYETTEVILLE, CUMBERLAND COUNTY, NC
DATE	2-21-14
TIME	10:00 AM
BY	PYRAMID ENVIRONMENTAL & ENGINEERING, P.C.
ADDRESS	503 INDUSTRIAL AVENUE GREENSBORO, NC 27406 336.335.3174 (p) 336.691.0648 (f) License # C1251 Eng. / #C257 Geology
REVISION NO.	0
PYRAMID PROJECT NO.	2014-008
FIGURE NO.	3



TITLE	PARCEL 023: GPR TRANSECT LOCATIONS AND SELECT IMAGES	
PROJECT	NCDOT PROJECT B-4490 (33727.1.1) FAYETTEVILLE, CUMBERLAND COUNTY, NC	
DATE	2/7/2014	CLIENT
PYRAMID ENVIRONMENTAL & ENGINEERING, P.C.	503 INDUSTRIAL AVENUE GREENSBORO, NC 27460 (336) 335-3174 (p) (336) 691-0648 (f) License # C1251 Eng. / License # C257 Geology	NCDOT
PYRAMID PROJECT #:	2014-008	FIGURE 4

APPENDIX C

Pyramid Environmental & Engineering, P.C.

FIELD DRILLING RECORD

PROJECT NAME: PROJECT NUMBER:	NC DOT B-4490, Parcel 23, George Brown, Fayetteville, NC / 2014-008	BORING/WELL NO:	23-1
SITE LOCATION:	Cumberland County, NC	BORING/WELL LOCATION:	Parcel 23, George Brown, South tip of parcel
START DATE:	2/17/14	COMPLETED:	2/17/14
GEOLOGIST:	Eric Cross	DRILLER:	Solutions-IES
DRILL METHOD:	Geoprobe	SAMPLE METHOD:	Macro-core
BORING DIA:	2-inch	CASING DIA:	N/A
TOTAL DEPTH:	8 feet	CASING DEPTH:	N/A

DEPTH (ft.)	VISUAL MANUAL SOIL CLASSIFICATION COLOR, TEXTURE, STRUCTURE, CONSISTENCY, ODOR, ETC.	OVA RESULTS PERCENT RECOVERY BLOW COUNTS
----------------	-----------------------------------------------------------------------------------------	------------------------------------------------

MONITORING WELL INFORMATION (IF APPLICABLE)

RISER LENGTH (ft) _____ DEPTH (ft) _____ DIAMETER (in) _____ MATERIAL _____

SCREEN LENGTH (ft) ____ DEPTH (ft) ____ DIAMETER (in) ____ MATERIAL ____.

DEPTH TO TOP OF SAND _____ BAGS OF SAND _____

DEPTH TO TOP SEAL _____ DEPTH TO BOTTOM OF SAND _____ BENTONITE USED _____ BAGS OF CEMENT USED 0 _____

Pyramid Environmental & Engineering, P.C.

FIELD DRILLING RECORD

PROJECT NAME: PROJECT NUMBER:	NC DOT B-4490, Parcel 23, George Brown, Fayetteville, NC / 2014-008	BORING/WELL NO:	23-2
SITE LOCATION:	Cumberland County, NC	BORING/WELL LOCATION:	Parcel 23, George Brown, 25 feet north of 23-1
START DATE:	2/17/14	COMPLETED:	2/17/14
GEOLOGIST:	Eric Cross	DRILLER:	Solutions-IES
DRILL METHOD:	Geoprobe	SAMPLE METHOD:	Macro-core
BORING DIA:	2-inch	CASING DIA:	N/A
TOTAL DEPTH:	8 feet	CASING DEPTH:	N/A

DEPTH (ft.)	VISUAL MANUAL SOIL CLASSIFICATION COLOR, TEXTURE, STRUCTURE, CONSISTENCY, ODOR, ETC.	OVA RESULTS PERCENT RECOVERY BLOW COUNTS
----------------	-----------------------------------------------------------------------------------------	------------------------------------------------

MONITORING WELL INFORMATION (IF APPLICABLE)

RISER LENGTH (ft)

DEPTH (ft)

DIAMETER (in)

MATERIAL .

SCREEN LENGTH (ft)

DEPTH (ft)

DIAMETER (in)

MATERIAL

DEPTH TO TOP OF SAND

BAGS OF SANI

Pyramid Environmental & Engineering, P.C.

FIELD DRILLING RECORD

PROJECT NAME: PROJECT NUMBER:	NC DOT B-4490, Parcel 23, George Brown, Fayetteville, NC / 2014-008	BORING/WELL NO:	23-3(TW)
SITE LOCATION:	Cumberland County, NC	BORING/WELL LOCATION:	Parcel 23, George Brown, north side of parcel near ROW line
START DATE:	2/17/14	COMPLETED:	2/17/14
GEOLOGIST:	Eric Cross	DRILLER:	Solutions-IES
DRILL METHOD:	Geoprobe	SAMPLE METHOD:	Macro-core
BORING DIA:	2-inch	CASING DIA:	1-inch
TOTAL DEPTH:	14 feet	CASING DEPTH:	14 feet

DEPTH (ft.)	VISUAL MANUAL SOIL CLASSIFICATION COLOR, TEXTURE, STRUCTURE, CONSISTENCY, ODOR, ETC.	OVA RESULTS PERCENT RECOVERY BLOW COUNTS
----------------	-----------------------------------------------------------------------------------------	------------------------------------------------

MONITORING WELL INFORMATION (IF APPLICABLE)

RISER LENGTH (ft) 4 DEPTH (ft) 0-4 DIAMETER (in) 1 MATERIAL PVC

SCREEN LENGTH (ft) 10 DEPTH (ft) 4-14 DIAMETER (in) 1 MATERIAL PVC

DEPTH TO TOP OF SAND _____ BAGS OF SAND _____

DEPTH TO TOP SEAL

BAGS OF BENTONITE USED .25

BAGS OF CEMENT USED 0

APPENDIX D

Hydrocarbon Analysis Results

Client: NCDOT Cumberland County - Parcel 023
Address: 433 Hillsboro Street - Parcel -23
Fayetteville, NC

Samples taken Five (5) Samples Taken
Samples extracted Five (5) Samples Extracted
Samples analysed Five (5) Samples Analysed

Contact: **Operator** Ryan Kramer

Project: NCDOT Cumberland County B-4490


Results generated by a QED HC-1 analyser. Concentration values in mg/kg for soil samples and mg/L for water samples. Soil values are not corrected for moisture or stone content

Fingerprints provide a tentative hydrocarbon identification. The abbreviations are:- FCM = Results calculated using Fundamental Calibration Mode : % = confidence for sample fingerprint match to library (SBS) or (LBS) = Site Specific or Library Background Subtraction applied to result : (PFM) = Poor Fingerprint Match : (T) = Turbid : (P) = Particulate present

Coal Tar 54.7%

23-1(4-6)


QED
2321



V.Deg.PHC 57.3%

23-2(4-6)

QED
1119




Deg.Fuel Residue (P) 14.1%

23-2(6-8)

QED

248




V.Deg.Gas (FCM) 44.8%

23-3(4-6)

QED


85



Deg.Gas (FCM) 55.3%

23-3(6-8)

QED
3018



Parcel #023

CHAIN-OF-CUSTODY / Analytical Request Document - QROS / QED

Page: 1 of 1

Pyramid Environmental & Engineering, P.C.

Company:

Pyramid Environmental & Engineering, P.C.

Address: 503 Industrial Ave

Greensboro, NC 27406

Purchase Order No.:
Project Name: NCDOT Cumberland County Parcel 023
Project Number:

SAMPLER NAME AND SIGNATURE

Print Name of Sampler:

Signature of Sampler:

APPENDIX E

March 04, 2014

Chemical Testing Engineer
Materials and Tests Unit
1801 Blue Ridge Road
Raleigh, NC 27607

RE: Project: WBS33727.1.1/B-4490 Cumberland
Pace Project No.: 92190307

Dear Chemical Engineer:

Enclosed are the analytical results for sample(s) received by the laboratory on February 19, 2014. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

Analyses were performed at the Pace Analytical Services location indicated on the sample analyte page for analysis unless otherwise footnoted.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Jon D Bradley
jon.bradley@pacelabs.com
Project Manager

Enclosures

cc: Tim Leatherman, Pyramid Environmental



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: WBS33727.1.1/B-4490 Cumberland
Pace Project No.: 92190307

Charlotte Certification IDs

9800 Kincey Ave. Ste 100, Huntersville, NC 28078
North Carolina Drinking Water Certification #: 37706
North Carolina Field Services Certification #: 5342
North Carolina Wastewater Certification #: 12
South Carolina Certification #: 99006001

Florida/NELAP Certification #: E87627
Kentucky UST Certification #: 84
West Virginia Certification #: 357
Virginia/VELAP Certification #: 460221

Asheville Certification IDs

2225 Riverside Dr., Asheville, NC 28804
Florida/NELAP Certification #: E87648
Massachusetts Certification #: M-NC030
North Carolina Drinking Water Certification #: 37712

North Carolina Wastewater Certification #: 40
South Carolina Certification #: 99030001
West Virginia Certification #: 356
Virginia/VELAP Certification #: 460222

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS33727.1.1/B-4490 Cumberland
Pace Project No.: 92190307

Sample: 23-1(2-4) Lab ID: **92190307001** Collected: 02/17/14 10:15 Received: 02/19/14 17:45 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP		Analytical Method: EPA 6010 Preparation Method: EPA 3050						
Arsenic	1.1 mg/kg		0.99	1	02/20/14 14:20	02/21/14 03:46	7440-38-2	
Barium	9.0 mg/kg		0.49	1	02/20/14 14:20	02/21/14 03:46	7440-39-3	
Cadmium	0.14 mg/kg		0.099	1	02/20/14 14:20	02/21/14 03:46	7440-43-9	
Chromium	8.1 mg/kg		0.49	1	02/20/14 14:20	02/21/14 03:46	7440-47-3	
Lead	6.5 mg/kg		0.49	1	02/20/14 14:20	02/21/14 03:46	7439-92-1	
Selenium	ND mg/kg		0.99	1	02/20/14 14:20	02/21/14 03:46	7782-49-2	
Silver	ND mg/kg		0.49	1	02/20/14 14:20	02/21/14 03:46	7440-22-4	
7471 Mercury		Analytical Method: EPA 7471 Preparation Method: EPA 7471						
Mercury	0.012 mg/kg		0.0034	1	02/20/14 19:10	02/21/14 21:41	7439-97-6	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	18.4 %		0.10	1		03/03/14 16:13		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS33727.1.1/B-4490 Cumberland
Pace Project No.: 92190307

Sample: 23-2(2-4) Lab ID: **92190307002** Collected: 02/17/14 10:45 Received: 02/19/14 17:45 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP		Analytical Method: EPA 6010 Preparation Method: EPA 3050						
Arsenic	1.4 mg/kg		1.1	1	02/20/14 14:20	02/21/14 03:49	7440-38-2	
Barium	6.6 mg/kg		0.57	1	02/20/14 14:20	02/21/14 03:49	7440-39-3	
Cadmium	ND mg/kg		0.11	1	02/20/14 14:20	02/21/14 03:49	7440-43-9	
Chromium	6.5 mg/kg		0.57	1	02/20/14 14:20	02/21/14 03:49	7440-47-3	
Lead	6.4 mg/kg		0.57	1	02/20/14 14:20	02/21/14 03:49	7439-92-1	
Selenium	ND mg/kg		1.1	1	02/20/14 14:20	02/21/14 03:49	7782-49-2	
Silver	ND mg/kg		0.57	1	02/20/14 14:20	02/21/14 03:49	7440-22-4	
7471 Mercury		Analytical Method: EPA 7471 Preparation Method: EPA 7471						
Mercury	0.0032 mg/kg		0.0022	1	02/20/14 19:10	02/21/14 21:55	7439-97-6	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	17.6 %		0.10	1		03/03/14 16:13		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS33727.1.1/B-4490 Cumberland
Pace Project No.: 92190307

Sample: 23-3(2-4) Lab ID: **92190307003** Collected: 02/17/14 11:20 Received: 02/19/14 17:45 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP		Analytical Method: EPA 6010 Preparation Method: EPA 3050						
Arsenic	ND mg/kg		1.0	1	02/20/14 14:20	02/21/14 03:52	7440-38-2	
Barium	12.4 mg/kg		0.50	1	02/20/14 14:20	02/21/14 03:52	7440-39-3	
Cadmium	ND mg/kg		0.10	1	02/20/14 14:20	02/21/14 03:52	7440-43-9	
Chromium	7.0 mg/kg		0.50	1	02/20/14 14:20	02/21/14 03:52	7440-47-3	
Lead	28.2 mg/kg		0.50	1	02/20/14 14:20	02/21/14 03:52	7439-92-1	
Selenium	ND mg/kg		1.0	1	02/20/14 14:20	02/21/14 03:52	7782-49-2	
Silver	ND mg/kg		0.50	1	02/20/14 14:20	02/21/14 03:52	7440-22-4	
7471 Mercury		Analytical Method: EPA 7471 Preparation Method: EPA 7471						
Mercury	0.021 mg/kg		0.0026	1	02/20/14 19:10	02/21/14 21:57	7439-97-6	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	15.0 %		0.10	1		03/03/14 16:13		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

Sample: 23-1(4-6) **Lab ID: 92190307004** Collected: 02/17/14 10:30 Received: 02/19/14 17:45 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Microwave		Analytical Method: EPA 8270 Preparation Method: EPA 3546						
Acenaphthene	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	83-32-9	
Acenaphthylene	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	208-96-8	
Aniline	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	62-53-3	
Anthracene	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	120-12-7	
Benzo(a)anthracene	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	56-55-3	
Benzo(a)pyrene	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	50-32-8	
Benzo(b)fluoranthene	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	205-99-2	
Benzo(g,h,i)perylene	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	191-24-2	
Benzo(k)fluoranthene	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	207-08-9	
Benzoic Acid	ND ug/kg		1910	1	02/20/14 08:54	02/21/14 17:52	65-85-0	
Benzyl alcohol	ND ug/kg		765	1	02/20/14 08:54	02/21/14 17:52	100-51-6	
4-Bromophenylphenyl ether	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	101-55-3	
Butylbenzylphthalate	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	85-68-7	
4-Chloro-3-methylphenol	ND ug/kg		765	1	02/20/14 08:54	02/21/14 17:52	59-50-7	
4-Chloroaniline	ND ug/kg		1910	1	02/20/14 08:54	02/21/14 17:52	106-47-8	
bis(2-Chloroethoxy)methane	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	111-91-1	
bis(2-Chloroethyl) ether	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	111-44-4	
bis(2-Chloroisopropyl) ether	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	108-60-1	
2-Chloronaphthalene	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	91-58-7	
2-Chlorophenol	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	95-57-8	
4-Chlorophenylphenyl ether	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	7005-72-3	
Chrysene	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	218-01-9	
Dibenz(a,h)anthracene	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	53-70-3	
Dibenzofuran	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	132-64-9	
1,2-Dichlorobenzene	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	95-50-1	
1,3-Dichlorobenzene	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	541-73-1	
1,4-Dichlorobenzene	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	106-46-7	
3,3'-Dichlorobenzidine	ND ug/kg		1910	1	02/20/14 08:54	02/21/14 17:52	91-94-1	
2,4-Dichlorophenol	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	120-83-2	
Diethylphthalate	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	84-66-2	
2,4-Dimethylphenol	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	105-67-9	
Dimethylphthalate	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	131-11-3	
Di-n-butylphthalate	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	84-74-2	
4,6-Dinitro-2-methylphenol	ND ug/kg		765	1	02/20/14 08:54	02/21/14 17:52	534-52-1	
2,4-Dinitrophenol	ND ug/kg		1910	1	02/20/14 08:54	02/21/14 17:52	51-28-5	
2,4-Dinitrotoluene	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	121-14-2	
2,6-Dinitrotoluene	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	606-20-2	
Di-n-octylphthalate	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	117-84-0	
bis(2-Ethylhexyl)phthalate	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	117-81-7	
Fluoranthene	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	206-44-0	
Fluorene	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	86-73-7	
Hexachloro-1,3-butadiene	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	87-68-3	
Hexachlorobenzene	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	118-74-1	
Hexachlorocyclopentadiene	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	77-47-4	
Hexachloroethane	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	67-72-1	
Indeno(1,2,3-cd)pyrene	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	193-39-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

Sample: 23-1(4-6) Lab ID: **92190307004** Collected: 02/17/14 10:30 Received: 02/19/14 17:45 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Microwave		Analytical Method: EPA 8270 Preparation Method: EPA 3546						
Isophorone	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	78-59-1	
1-Methylnaphthalene	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	90-12-0	
2-Methylnaphthalene	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	91-57-6	
2-Methylphenol(o-Cresol)	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	95-48-7	
3&4-Methylphenol(m&p Cresol)	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52		
Naphthalene	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	91-20-3	
2-Nitroaniline	ND ug/kg		1910	1	02/20/14 08:54	02/21/14 17:52	88-74-4	
3-Nitroaniline	ND ug/kg		1910	1	02/20/14 08:54	02/21/14 17:52	99-09-2	
4-Nitroaniline	ND ug/kg		765	1	02/20/14 08:54	02/21/14 17:52	100-01-6	
Nitrobenzene	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	98-95-3	
2-Nitrophenol	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	88-75-5	
4-Nitrophenol	ND ug/kg		1910	1	02/20/14 08:54	02/21/14 17:52	100-02-7	
N-Nitrosodimethylamine	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	62-75-9	
N-Nitroso-di-n-propylamine	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	621-64-7	
N-Nitrosodiphenylamine	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	86-30-6	
Pentachlorophenol	ND ug/kg		1910	1	02/20/14 08:54	02/21/14 17:52	87-86-5	
Phenanthrene	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	85-01-8	
Phenol	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	108-95-2	
Pyrene	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	129-00-0	
1,2,4-Trichlorobenzene	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	120-82-1	
2,4,5-Trichlorophenol	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	95-95-4	
2,4,6-Trichlorophenol	ND ug/kg		383	1	02/20/14 08:54	02/21/14 17:52	88-06-2	
Surrogates								
Nitrobenzene-d5 (S)	56 %		23-110	1	02/20/14 08:54	02/21/14 17:52	4165-60-0	
2-Fluorobiphenyl (S)	49 %		30-110	1	02/20/14 08:54	02/21/14 17:52	321-60-8	
Terphenyl-d14 (S)	33 %		28-110	1	02/20/14 08:54	02/21/14 17:52	1718-51-0	
Phenol-d6 (S)	55 %		22-110	1	02/20/14 08:54	02/21/14 17:52	13127-88-3	
2-Fluorophenol (S)	64 %		13-110	1	02/20/14 08:54	02/21/14 17:52	367-12-4	
2,4,6-Tribromophenol (S)	59 %		27-110	1	02/20/14 08:54	02/21/14 17:52	118-79-6	
8260/5035A Volatile Organics		Analytical Method: EPA 8260						
Acetone	ND ug/kg		74.6	1		02/21/14 18:45	67-64-1	
Benzene	ND ug/kg		3.7	1		02/21/14 18:45	71-43-2	
Bromobenzene	ND ug/kg		3.7	1		02/21/14 18:45	108-86-1	
Bromochloromethane	ND ug/kg		3.7	1		02/21/14 18:45	74-97-5	
Bromodichloromethane	ND ug/kg		3.7	1		02/21/14 18:45	75-27-4	
Bromoform	ND ug/kg		3.7	1		02/21/14 18:45	75-25-2	
Bromomethane	ND ug/kg		7.5	1		02/21/14 18:45	74-83-9	
2-Butanone (MEK)	ND ug/kg		74.6	1		02/21/14 18:45	78-93-3	
n-Butylbenzene	ND ug/kg		3.7	1		02/21/14 18:45	104-51-8	
sec-Butylbenzene	ND ug/kg		3.7	1		02/21/14 18:45	135-98-8	
tert-Butylbenzene	ND ug/kg		3.7	1		02/21/14 18:45	98-06-6	
Carbon tetrachloride	ND ug/kg		3.7	1		02/21/14 18:45	56-23-5	
Chlorobenzene	ND ug/kg		3.7	1		02/21/14 18:45	108-90-7	
Chloroethane	ND ug/kg		7.5	1		02/21/14 18:45	75-00-3	
Chloroform	ND ug/kg		3.7	1		02/21/14 18:45	67-66-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

Sample: 23-1(4-6) Lab ID: 92190307004 Collected: 02/17/14 10:30 Received: 02/19/14 17:45 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics		Analytical Method: EPA 8260						
Chloromethane	ND ug/kg		7.5	1		02/21/14 18:45	74-87-3	
2-Chlorotoluene	ND ug/kg		3.7	1		02/21/14 18:45	95-49-8	
4-Chlorotoluene	ND ug/kg		3.7	1		02/21/14 18:45	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/kg		3.7	1		02/21/14 18:45	96-12-8	
Dibromochloromethane	ND ug/kg		3.7	1		02/21/14 18:45	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/kg		3.7	1		02/21/14 18:45	106-93-4	
Dibromomethane	ND ug/kg		3.7	1		02/21/14 18:45	74-95-3	
1,2-Dichlorobenzene	ND ug/kg		3.7	1		02/21/14 18:45	95-50-1	
1,3-Dichlorobenzene	ND ug/kg		3.7	1		02/21/14 18:45	541-73-1	
1,4-Dichlorobenzene	ND ug/kg		3.7	1		02/21/14 18:45	106-46-7	
Dichlorodifluoromethane	ND ug/kg		7.5	1		02/21/14 18:45	75-71-8	1g
1,1-Dichloroethane	ND ug/kg		3.7	1		02/21/14 18:45	75-34-3	
1,2-Dichloroethane	ND ug/kg		3.7	1		02/21/14 18:45	107-06-2	
1,1-Dichloroethene	ND ug/kg		3.7	1		02/21/14 18:45	75-35-4	
cis-1,2-Dichloroethene	ND ug/kg		3.7	1		02/21/14 18:45	156-59-2	
trans-1,2-Dichloroethene	ND ug/kg		3.7	1		02/21/14 18:45	156-60-5	
1,2-Dichloropropane	ND ug/kg		3.7	1		02/21/14 18:45	78-87-5	
1,3-Dichloropropane	ND ug/kg		3.7	1		02/21/14 18:45	142-28-9	
2,2-Dichloropropane	ND ug/kg		3.7	1		02/21/14 18:45	594-20-7	
1,1-Dichloropropene	ND ug/kg		3.7	1		02/21/14 18:45	563-58-6	
cis-1,3-Dichloropropene	ND ug/kg		3.7	1		02/21/14 18:45	10061-01-5	
trans-1,3-Dichloropropene	ND ug/kg		3.7	1		02/21/14 18:45	10061-02-6	
Diisopropyl ether	ND ug/kg		3.7	1		02/21/14 18:45	108-20-3	
Ethylbenzene	ND ug/kg		3.7	1		02/21/14 18:45	100-41-4	
Hexachloro-1,3-butadiene	ND ug/kg		3.7	1		02/21/14 18:45	87-68-3	
2-Hexanone	ND ug/kg		37.3	1		02/21/14 18:45	591-78-6	
Isopropylbenzene (Cumene)	ND ug/kg		3.7	1		02/21/14 18:45	98-82-8	
p-Isopropyltoluene	ND ug/kg		3.7	1		02/21/14 18:45	99-87-6	
Methylene Chloride	ND ug/kg		14.9	1		02/21/14 18:45	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/kg		37.3	1		02/21/14 18:45	108-10-1	
Methyl-tert-butyl ether	ND ug/kg		3.7	1		02/21/14 18:45	1634-04-4	
Naphthalene	ND ug/kg		3.7	1		02/21/14 18:45	91-20-3	
n-Propylbenzene	ND ug/kg		3.7	1		02/21/14 18:45	103-65-1	
Styrene	ND ug/kg		3.7	1		02/21/14 18:45	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/kg		3.7	1		02/21/14 18:45	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/kg		3.7	1		02/21/14 18:45	79-34-5	
Tetrachloroethene	ND ug/kg		3.7	1		02/21/14 18:45	127-18-4	
Toluene	ND ug/kg		3.7	1		02/21/14 18:45	108-88-3	
1,2,3-Trichlorobenzene	ND ug/kg		3.7	1		02/21/14 18:45	87-61-6	
1,2,4-Trichlorobenzene	ND ug/kg		3.7	1		02/21/14 18:45	120-82-1	
1,1,1-Trichloroethane	ND ug/kg		3.7	1		02/21/14 18:45	71-55-6	
1,1,2-Trichloroethane	ND ug/kg		3.7	1		02/21/14 18:45	79-00-5	
Trichloroethene	ND ug/kg		3.7	1		02/21/14 18:45	79-01-6	
Trichlorofluoromethane	ND ug/kg		3.7	1		02/21/14 18:45	75-69-4	
1,2,3-Trichloropropane	ND ug/kg		3.7	1		02/21/14 18:45	96-18-4	
1,2,4-Trimethylbenzene	ND ug/kg		3.7	1		02/21/14 18:45	95-63-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS33727.1.1/B-4490 Cumberland
Pace Project No.: 92190307

Sample: 23-1(4-6) Lab ID: **92190307004** Collected: 02/17/14 10:30 Received: 02/19/14 17:45 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics	Analytical Method: EPA 8260							
1,3,5-Trimethylbenzene	ND ug/kg		3.7	1		02/21/14 18:45	108-67-8	
Vinyl acetate	ND ug/kg		37.3	1		02/21/14 18:45	108-05-4	
Vinyl chloride	ND ug/kg		7.5	1		02/21/14 18:45	75-01-4	
Xylene (Total)	ND ug/kg		7.5	1		02/21/14 18:45	1330-20-7	
m&p-Xylene	ND ug/kg		7.5	1		02/21/14 18:45	179601-23-1	
o-Xylene	ND ug/kg		3.7	1		02/21/14 18:45	95-47-6	
Surrogates								
Toluene-d8 (S)	100 %		70-130	1		02/21/14 18:45	2037-26-5	
4-Bromofluorobenzene (S)	80 %		70-130	1		02/21/14 18:45	460-00-4	
1,2-Dichloroethane-d4 (S)	121 %		70-132	1		02/21/14 18:45	17060-07-0	
Percent Moisture	Analytical Method: ASTM D2974-87							
Percent Moisture	13.8 %		0.10	1		03/03/14 16:16		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

Sample: 23-2(4-6) **Lab ID: 92190307005** Collected: 02/17/14 11:00 Received: 02/19/14 17:45 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Microwave		Analytical Method: EPA 8270 Preparation Method: EPA 3546						
Acenaphthene	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	83-32-9	
Acenaphthylene	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	208-96-8	
Aniline	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	62-53-3	
Anthracene	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	120-12-7	
Benzo(a)anthracene	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	56-55-3	
Benzo(a)pyrene	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	50-32-8	
Benzo(b)fluoranthene	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	205-99-2	
Benzo(g,h,i)perylene	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	191-24-2	
Benzo(k)fluoranthene	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	207-08-9	
Benzoic Acid	ND ug/kg		1950	1	02/20/14 08:54	02/21/14 18:19	65-85-0	
Benzyl alcohol	ND ug/kg		778	1	02/20/14 08:54	02/21/14 18:19	100-51-6	
4-Bromophenylphenyl ether	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	101-55-3	
Butylbenzylphthalate	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	85-68-7	
4-Chloro-3-methylphenol	ND ug/kg		778	1	02/20/14 08:54	02/21/14 18:19	59-50-7	
4-Chloroaniline	ND ug/kg		1950	1	02/20/14 08:54	02/21/14 18:19	106-47-8	
bis(2-Chloroethoxy)methane	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	111-91-1	
bis(2-Chloroethyl) ether	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	111-44-4	
bis(2-Chloroisopropyl) ether	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	108-60-1	
2-Chloronaphthalene	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	91-58-7	
2-Chlorophenol	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	95-57-8	
4-Chlorophenylphenyl ether	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	7005-72-3	
Chrysene	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	218-01-9	
Dibenz(a,h)anthracene	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	53-70-3	
Dibenzofuran	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	132-64-9	
1,2-Dichlorobenzene	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	95-50-1	
1,3-Dichlorobenzene	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	541-73-1	
1,4-Dichlorobenzene	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	106-46-7	
3,3'-Dichlorobenzidine	ND ug/kg		1950	1	02/20/14 08:54	02/21/14 18:19	91-94-1	
2,4-Dichlorophenol	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	120-83-2	
Diethylphthalate	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	84-66-2	
2,4-Dimethylphenol	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	105-67-9	
Dimethylphthalate	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	131-11-3	
Di-n-butylphthalate	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	84-74-2	
4,6-Dinitro-2-methylphenol	ND ug/kg		778	1	02/20/14 08:54	02/21/14 18:19	534-52-1	
2,4-Dinitrophenol	ND ug/kg		1950	1	02/20/14 08:54	02/21/14 18:19	51-28-5	
2,4-Dinitrotoluene	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	121-14-2	
2,6-Dinitrotoluene	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	606-20-2	
Di-n-octylphthalate	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	117-84-0	
bis(2-Ethylhexyl)phthalate	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	117-81-7	
Fluoranthene	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	206-44-0	
Fluorene	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	86-73-7	
Hexachloro-1,3-butadiene	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	87-68-3	
Hexachlorobenzene	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	118-74-1	
Hexachlorocyclopentadiene	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	77-47-4	
Hexachloroethane	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	67-72-1	
Indeno(1,2,3-cd)pyrene	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	193-39-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

Sample: 23-2(4-6) Lab ID: **92190307005** Collected: 02/17/14 11:00 Received: 02/19/14 17:45 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Microwave		Analytical Method: EPA 8270 Preparation Method: EPA 3546						
Isophorone	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	78-59-1	
1-Methylnaphthalene	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	90-12-0	
2-Methylnaphthalene	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	91-57-6	
2-Methylphenol(o-Cresol)	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	95-48-7	
3&4-Methylphenol(m&p Cresol)	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19		
Naphthalene	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	91-20-3	
2-Nitroaniline	ND ug/kg		1950	1	02/20/14 08:54	02/21/14 18:19	88-74-4	
3-Nitroaniline	ND ug/kg		1950	1	02/20/14 08:54	02/21/14 18:19	99-09-2	
4-Nitroaniline	ND ug/kg		778	1	02/20/14 08:54	02/21/14 18:19	100-01-6	
Nitrobenzene	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	98-95-3	
2-Nitrophenol	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	88-75-5	
4-Nitrophenol	ND ug/kg		1950	1	02/20/14 08:54	02/21/14 18:19	100-02-7	
N-Nitrosodimethylamine	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	62-75-9	
N-Nitroso-di-n-propylamine	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	621-64-7	
N-Nitrosodiphenylamine	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	86-30-6	
Pentachlorophenol	ND ug/kg		1950	1	02/20/14 08:54	02/21/14 18:19	87-86-5	
Phenanthrene	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	85-01-8	
Phenol	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	108-95-2	
Pyrene	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	129-00-0	
1,2,4-Trichlorobenzene	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	120-82-1	
2,4,5-Trichlorophenol	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	95-95-4	
2,4,6-Trichlorophenol	ND ug/kg		389	1	02/20/14 08:54	02/21/14 18:19	88-06-2	
Surrogates								
Nitrobenzene-d5 (S)	56 %		23-110	1	02/20/14 08:54	02/21/14 18:19	4165-60-0	
2-Fluorobiphenyl (S)	56 %		30-110	1	02/20/14 08:54	02/21/14 18:19	321-60-8	
Terphenyl-d14 (S)	50 %		28-110	1	02/20/14 08:54	02/21/14 18:19	1718-51-0	
Phenol-d6 (S)	62 %		22-110	1	02/20/14 08:54	02/21/14 18:19	13127-88-3	
2-Fluorophenol (S)	60 %		13-110	1	02/20/14 08:54	02/21/14 18:19	367-12-4	
2,4,6-Tribromophenol (S)	58 %		27-110	1	02/20/14 08:54	02/21/14 18:19	118-79-6	
8260/5035A Volatile Organics		Analytical Method: EPA 8260						
Acetone	ND ug/kg		88.1	1		02/21/14 19:04	67-64-1	
Benzene	ND ug/kg		4.4	1		02/21/14 19:04	71-43-2	
Bromobenzene	ND ug/kg		4.4	1		02/21/14 19:04	108-86-1	
Bromochloromethane	ND ug/kg		4.4	1		02/21/14 19:04	74-97-5	
Bromodichloromethane	ND ug/kg		4.4	1		02/21/14 19:04	75-27-4	
Bromoform	ND ug/kg		4.4	1		02/21/14 19:04	75-25-2	
Bromomethane	ND ug/kg		8.8	1		02/21/14 19:04	74-83-9	
2-Butanone (MEK)	ND ug/kg		88.1	1		02/21/14 19:04	78-93-3	
n-Butylbenzene	ND ug/kg		4.4	1		02/21/14 19:04	104-51-8	
sec-Butylbenzene	ND ug/kg		4.4	1		02/21/14 19:04	135-98-8	
tert-Butylbenzene	ND ug/kg		4.4	1		02/21/14 19:04	98-06-6	
Carbon tetrachloride	ND ug/kg		4.4	1		02/21/14 19:04	56-23-5	
Chlorobenzene	ND ug/kg		4.4	1		02/21/14 19:04	108-90-7	
Chloroethane	ND ug/kg		8.8	1		02/21/14 19:04	75-00-3	
Chloroform	ND ug/kg		4.4	1		02/21/14 19:04	67-66-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

Sample: 23-2(4-6) Lab ID: 92190307005 Collected: 02/17/14 11:00 Received: 02/19/14 17:45 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics	Analytical Method: EPA 8260							
Chloromethane	ND ug/kg		8.8	1		02/21/14 19:04	74-87-3	
2-Chlorotoluene	ND ug/kg		4.4	1		02/21/14 19:04	95-49-8	
4-Chlorotoluene	ND ug/kg		4.4	1		02/21/14 19:04	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/kg		4.4	1		02/21/14 19:04	96-12-8	
Dibromochloromethane	ND ug/kg		4.4	1		02/21/14 19:04	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/kg		4.4	1		02/21/14 19:04	106-93-4	
Dibromomethane	ND ug/kg		4.4	1		02/21/14 19:04	74-95-3	
1,2-Dichlorobenzene	ND ug/kg		4.4	1		02/21/14 19:04	95-50-1	
1,3-Dichlorobenzene	ND ug/kg		4.4	1		02/21/14 19:04	541-73-1	
1,4-Dichlorobenzene	ND ug/kg		4.4	1		02/21/14 19:04	106-46-7	
Dichlorodifluoromethane	ND ug/kg		8.8	1		02/21/14 19:04	75-71-8	
1,1-Dichloroethane	ND ug/kg		4.4	1		02/21/14 19:04	75-34-3	
1,2-Dichloroethane	ND ug/kg		4.4	1		02/21/14 19:04	107-06-2	
1,1-Dichloroethene	ND ug/kg		4.4	1		02/21/14 19:04	75-35-4	
cis-1,2-Dichloroethene	ND ug/kg		4.4	1		02/21/14 19:04	156-59-2	
trans-1,2-Dichloroethene	ND ug/kg		4.4	1		02/21/14 19:04	156-60-5	
1,2-Dichloropropane	ND ug/kg		4.4	1		02/21/14 19:04	78-87-5	
1,3-Dichloropropane	ND ug/kg		4.4	1		02/21/14 19:04	142-28-9	
2,2-Dichloropropane	ND ug/kg		4.4	1		02/21/14 19:04	594-20-7	
1,1-Dichloropropene	ND ug/kg		4.4	1		02/21/14 19:04	563-58-6	
cis-1,3-Dichloropropene	ND ug/kg		4.4	1		02/21/14 19:04	10061-01-5	
trans-1,3-Dichloropropene	ND ug/kg		4.4	1		02/21/14 19:04	10061-02-6	
Diisopropyl ether	ND ug/kg		4.4	1		02/21/14 19:04	108-20-3	
Ethylbenzene	ND ug/kg		4.4	1		02/21/14 19:04	100-41-4	
Hexachloro-1,3-butadiene	ND ug/kg		4.4	1		02/21/14 19:04	87-68-3	
2-Hexanone	ND ug/kg		44.1	1		02/21/14 19:04	591-78-6	
Isopropylbenzene (Cumene)	ND ug/kg		4.4	1		02/21/14 19:04	98-82-8	
p-Isopropyltoluene	ND ug/kg		4.4	1		02/21/14 19:04	99-87-6	
Methylene Chloride	ND ug/kg		17.6	1		02/21/14 19:04	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/kg		44.1	1		02/21/14 19:04	108-10-1	
Methyl-tert-butyl ether	ND ug/kg		4.4	1		02/21/14 19:04	1634-04-4	
Naphthalene	ND ug/kg		4.4	1		02/21/14 19:04	91-20-3	
n-Propylbenzene	ND ug/kg		4.4	1		02/21/14 19:04	103-65-1	
Styrene	ND ug/kg		4.4	1		02/21/14 19:04	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/kg		4.4	1		02/21/14 19:04	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/kg		4.4	1		02/21/14 19:04	79-34-5	
Tetrachloroethene	ND ug/kg		4.4	1		02/21/14 19:04	127-18-4	
Toluene	ND ug/kg		4.4	1		02/21/14 19:04	108-88-3	
1,2,3-Trichlorobenzene	ND ug/kg		4.4	1		02/21/14 19:04	87-61-6	
1,2,4-Trichlorobenzene	ND ug/kg		4.4	1		02/21/14 19:04	120-82-1	
1,1,1-Trichloroethane	ND ug/kg		4.4	1		02/21/14 19:04	71-55-6	
1,1,2-Trichloroethane	ND ug/kg		4.4	1		02/21/14 19:04	79-00-5	
Trichloroethene	ND ug/kg		4.4	1		02/21/14 19:04	79-01-6	
Trichlorofluoromethane	ND ug/kg		4.4	1		02/21/14 19:04	75-69-4	
1,2,3-Trichloropropane	ND ug/kg		4.4	1		02/21/14 19:04	96-18-4	
1,2,4-Trimethylbenzene	ND ug/kg		4.4	1		02/21/14 19:04	95-63-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS33727.1.1/B-4490 Cumberland
Pace Project No.: 92190307

Sample: 23-2(4-6) Lab ID: **92190307005** Collected: 02/17/14 11:00 Received: 02/19/14 17:45 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics	Analytical Method: EPA 8260							
1,3,5-Trimethylbenzene	ND ug/kg		4.4	1		02/21/14 19:04	108-67-8	
Vinyl acetate	ND ug/kg		44.1	1		02/21/14 19:04	108-05-4	
Vinyl chloride	ND ug/kg		8.8	1		02/21/14 19:04	75-01-4	
Xylene (Total)	ND ug/kg		8.8	1		02/21/14 19:04	1330-20-7	
m&p-Xylene	ND ug/kg		8.8	1		02/21/14 19:04	179601-23-1	
o-Xylene	ND ug/kg		4.4	1		02/21/14 19:04	95-47-6	
Surrogates								
Toluene-d8 (S)	98 %		70-130	1		02/21/14 19:04	2037-26-5	
4-Bromofluorobenzene (S)	84 %		70-130	1		02/21/14 19:04	460-00-4	
1,2-Dichloroethane-d4 (S)	123 %		70-132	1		02/21/14 19:04	17060-07-0	
Percent Moisture	Analytical Method: ASTM D2974-87							
Percent Moisture	15.2 %		0.10	1		03/03/14 19:04		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

Sample: 23-3(4-6) **Lab ID: 92190307006** Collected: 02/17/14 11:30 Received: 02/19/14 17:45 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Microwave		Analytical Method: EPA 8270 Preparation Method: EPA 3546						
Acenaphthene	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	83-32-9	
Acenaphthylene	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	208-96-8	
Aniline	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	62-53-3	
Anthracene	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	120-12-7	
Benzo(a)anthracene	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	56-55-3	
Benzo(a)pyrene	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	50-32-8	
Benzo(b)fluoranthene	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	205-99-2	
Benzo(g,h,i)perylene	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	191-24-2	
Benzo(k)fluoranthene	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	207-08-9	
Benzoic Acid	ND ug/kg		1900	1	02/20/14 08:54	02/21/14 18:45	65-85-0	
Benzyl alcohol	ND ug/kg		761	1	02/20/14 08:54	02/21/14 18:45	100-51-6	
4-Bromophenylphenyl ether	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	101-55-3	
Butylbenzylphthalate	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	85-68-7	
4-Chloro-3-methylphenol	ND ug/kg		761	1	02/20/14 08:54	02/21/14 18:45	59-50-7	
4-Chloroaniline	ND ug/kg		1900	1	02/20/14 08:54	02/21/14 18:45	106-47-8	
bis(2-Chloroethoxy)methane	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	111-91-1	
bis(2-Chloroethyl) ether	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	111-44-4	
bis(2-Chloroisopropyl) ether	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	108-60-1	
2-Chloronaphthalene	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	91-58-7	
2-Chlorophenol	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	95-57-8	
4-Chlorophenylphenyl ether	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	7005-72-3	
Chrysene	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	218-01-9	
Dibenz(a,h)anthracene	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	53-70-3	
Dibenzofuran	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	132-64-9	
1,2-Dichlorobenzene	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	95-50-1	
1,3-Dichlorobenzene	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	541-73-1	
1,4-Dichlorobenzene	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	106-46-7	
3,3'-Dichlorobenzidine	ND ug/kg		1900	1	02/20/14 08:54	02/21/14 18:45	91-94-1	
2,4-Dichlorophenol	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	120-83-2	
Diethylphthalate	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	84-66-2	
2,4-Dimethylphenol	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	105-67-9	
Dimethylphthalate	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	131-11-3	
Di-n-butylphthalate	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	84-74-2	
4,6-Dinitro-2-methylphenol	ND ug/kg		761	1	02/20/14 08:54	02/21/14 18:45	534-52-1	
2,4-Dinitrophenol	ND ug/kg		1900	1	02/20/14 08:54	02/21/14 18:45	51-28-5	
2,4-Dinitrotoluene	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	121-14-2	
2,6-Dinitrotoluene	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	606-20-2	
Di-n-octylphthalate	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	117-84-0	
bis(2-Ethylhexyl)phthalate	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	117-81-7	
Fluoranthene	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	206-44-0	
Fluorene	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	86-73-7	
Hexachloro-1,3-butadiene	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	87-68-3	
Hexachlorobenzene	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	118-74-1	
Hexachlorocyclopentadiene	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	77-47-4	
Hexachloroethane	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	67-72-1	
Indeno(1,2,3-cd)pyrene	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	193-39-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

Sample: 23-3(4-6) Lab ID: **92190307006** Collected: 02/17/14 11:30 Received: 02/19/14 17:45 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Microwave		Analytical Method: EPA 8270 Preparation Method: EPA 3546						
Isophorone	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	78-59-1	
1-Methylnaphthalene	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	90-12-0	
2-Methylnaphthalene	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	91-57-6	
2-Methylphenol(o-Cresol)	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	95-48-7	
3&4-Methylphenol(m&p Cresol)	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45		
Naphthalene	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	91-20-3	
2-Nitroaniline	ND ug/kg		1900	1	02/20/14 08:54	02/21/14 18:45	88-74-4	
3-Nitroaniline	ND ug/kg		1900	1	02/20/14 08:54	02/21/14 18:45	99-09-2	
4-Nitroaniline	ND ug/kg		761	1	02/20/14 08:54	02/21/14 18:45	100-01-6	
Nitrobenzene	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	98-95-3	
2-Nitrophenol	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	88-75-5	
4-Nitrophenol	ND ug/kg		1900	1	02/20/14 08:54	02/21/14 18:45	100-02-7	
N-Nitrosodimethylamine	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	62-75-9	
N-Nitroso-di-n-propylamine	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	621-64-7	
N-Nitrosodiphenylamine	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	86-30-6	
Pentachlorophenol	ND ug/kg		1900	1	02/20/14 08:54	02/21/14 18:45	87-86-5	
Phenanthrene	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	85-01-8	
Phenol	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	108-95-2	
Pyrene	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	129-00-0	
1,2,4-Trichlorobenzene	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	120-82-1	
2,4,5-Trichlorophenol	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	95-95-4	
2,4,6-Trichlorophenol	ND ug/kg		380	1	02/20/14 08:54	02/21/14 18:45	88-06-2	
Surrogates								
Nitrobenzene-d5 (S)	68 %		23-110	1	02/20/14 08:54	02/21/14 18:45	4165-60-0	
2-Fluorobiphenyl (S)	69 %		30-110	1	02/20/14 08:54	02/21/14 18:45	321-60-8	
Terphenyl-d14 (S)	83 %		28-110	1	02/20/14 08:54	02/21/14 18:45	1718-51-0	
Phenol-d6 (S)	71 %		22-110	1	02/20/14 08:54	02/21/14 18:45	13127-88-3	
2-Fluorophenol (S)	74 %		13-110	1	02/20/14 08:54	02/21/14 18:45	367-12-4	
2,4,6-Tribromophenol (S)	76 %		27-110	1	02/20/14 08:54	02/21/14 18:45	118-79-6	
8260/5035A Volatile Organics		Analytical Method: EPA 8260						
Acetone	ND ug/kg		73.6	1		02/24/14 23:10	67-64-1	
Benzene	ND ug/kg		3.7	1		02/24/14 23:10	71-43-2	
Bromobenzene	ND ug/kg		3.7	1		02/24/14 23:10	108-86-1	
Bromochloromethane	ND ug/kg		3.7	1		02/24/14 23:10	74-97-5	
Bromodichloromethane	ND ug/kg		3.7	1		02/24/14 23:10	75-27-4	
Bromoform	ND ug/kg		3.7	1		02/24/14 23:10	75-25-2	
Bromomethane	ND ug/kg		7.4	1		02/24/14 23:10	74-83-9	
2-Butanone (MEK)	ND ug/kg		73.6	1		02/24/14 23:10	78-93-3	
n-Butylbenzene	ND ug/kg		3.7	1		02/24/14 23:10	104-51-8	
sec-Butylbenzene	ND ug/kg		3.7	1		02/24/14 23:10	135-98-8	
tert-Butylbenzene	ND ug/kg		3.7	1		02/24/14 23:10	98-06-6	
Carbon tetrachloride	ND ug/kg		3.7	1		02/24/14 23:10	56-23-5	
Chlorobenzene	ND ug/kg		3.7	1		02/24/14 23:10	108-90-7	
Chloroethane	ND ug/kg		7.4	1		02/24/14 23:10	75-00-3	
Chloroform	ND ug/kg		3.7	1		02/24/14 23:10	67-66-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

Sample: 23-3(4-6) Lab ID: 92190307006 Collected: 02/17/14 11:30 Received: 02/19/14 17:45 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics	Analytical Method: EPA 8260							
Chloromethane	ND ug/kg		7.4	1		02/24/14 23:10	74-87-3	
2-Chlorotoluene	ND ug/kg		3.7	1		02/24/14 23:10	95-49-8	
4-Chlorotoluene	ND ug/kg		3.7	1		02/24/14 23:10	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/kg		3.7	1		02/24/14 23:10	96-12-8	
Dibromochloromethane	ND ug/kg		3.7	1		02/24/14 23:10	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/kg		3.7	1		02/24/14 23:10	106-93-4	
Dibromomethane	ND ug/kg		3.7	1		02/24/14 23:10	74-95-3	
1,2-Dichlorobenzene	ND ug/kg		3.7	1		02/24/14 23:10	95-50-1	
1,3-Dichlorobenzene	ND ug/kg		3.7	1		02/24/14 23:10	541-73-1	
1,4-Dichlorobenzene	ND ug/kg		3.7	1		02/24/14 23:10	106-46-7	
Dichlorodifluoromethane	ND ug/kg		7.4	1		02/24/14 23:10	75-71-8	
1,1-Dichloroethane	ND ug/kg		3.7	1		02/24/14 23:10	75-34-3	
1,2-Dichloroethane	ND ug/kg		3.7	1		02/24/14 23:10	107-06-2	
1,1-Dichloroethene	ND ug/kg		3.7	1		02/24/14 23:10	75-35-4	
cis-1,2-Dichloroethene	ND ug/kg		3.7	1		02/24/14 23:10	156-59-2	
trans-1,2-Dichloroethene	ND ug/kg		3.7	1		02/24/14 23:10	156-60-5	
1,2-Dichloropropane	ND ug/kg		3.7	1		02/24/14 23:10	78-87-5	
1,3-Dichloropropane	ND ug/kg		3.7	1		02/24/14 23:10	142-28-9	
2,2-Dichloropropane	ND ug/kg		3.7	1		02/24/14 23:10	594-20-7	
1,1-Dichloropropene	ND ug/kg		3.7	1		02/24/14 23:10	563-58-6	
cis-1,3-Dichloropropene	ND ug/kg		3.7	1		02/24/14 23:10	10061-01-5	
trans-1,3-Dichloropropene	ND ug/kg		3.7	1		02/24/14 23:10	10061-02-6	
Diisopropyl ether	ND ug/kg		3.7	1		02/24/14 23:10	108-20-3	
Ethylbenzene	ND ug/kg		3.7	1		02/24/14 23:10	100-41-4	
Hexachloro-1,3-butadiene	ND ug/kg		3.7	1		02/24/14 23:10	87-68-3	
2-Hexanone	ND ug/kg		36.8	1		02/24/14 23:10	591-78-6	
Isopropylbenzene (Cumene)	ND ug/kg		3.7	1		02/24/14 23:10	98-82-8	
p-Isopropyltoluene	ND ug/kg		3.7	1		02/24/14 23:10	99-87-6	
Methylene Chloride	ND ug/kg		14.7	1		02/24/14 23:10	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/kg		36.8	1		02/24/14 23:10	108-10-1	
Methyl-tert-butyl ether	ND ug/kg		3.7	1		02/24/14 23:10	1634-04-4	
Naphthalene	ND ug/kg		3.7	1		02/24/14 23:10	91-20-3	
n-Propylbenzene	ND ug/kg		3.7	1		02/24/14 23:10	103-65-1	
Styrene	ND ug/kg		3.7	1		02/24/14 23:10	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/kg		3.7	1		02/24/14 23:10	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/kg		3.7	1		02/24/14 23:10	79-34-5	
Tetrachloroethene	ND ug/kg		3.7	1		02/24/14 23:10	127-18-4	
Toluene	ND ug/kg		3.7	1		02/24/14 23:10	108-88-3	
1,2,3-Trichlorobenzene	ND ug/kg		3.7	1		02/24/14 23:10	87-61-6	
1,2,4-Trichlorobenzene	ND ug/kg		3.7	1		02/24/14 23:10	120-82-1	
1,1,1-Trichloroethane	ND ug/kg		3.7	1		02/24/14 23:10	71-55-6	
1,1,2-Trichloroethane	ND ug/kg		3.7	1		02/24/14 23:10	79-00-5	
Trichloroethene	ND ug/kg		3.7	1		02/24/14 23:10	79-01-6	
Trichlorofluoromethane	ND ug/kg		3.7	1		02/24/14 23:10	75-69-4	
1,2,3-Trichloropropane	ND ug/kg		3.7	1		02/24/14 23:10	96-18-4	
1,2,4-Trimethylbenzene	ND ug/kg		3.7	1		02/24/14 23:10	95-63-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS33727.1.1/B-4490 Cumberland
Pace Project No.: 92190307

Sample: 23-3(4-6) Lab ID: **92190307006** Collected: 02/17/14 11:30 Received: 02/19/14 17:45 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics	Analytical Method: EPA 8260							
1,3,5-Trimethylbenzene	ND ug/kg		3.7	1		02/24/14 23:10	108-67-8	
Vinyl acetate	ND ug/kg		36.8	1		02/24/14 23:10	108-05-4	
Vinyl chloride	ND ug/kg		7.4	1		02/24/14 23:10	75-01-4	
Xylene (Total)	ND ug/kg		7.4	1		02/24/14 23:10	1330-20-7	
m&p-Xylene	ND ug/kg		7.4	1		02/24/14 23:10	179601-23-1	
o-Xylene	ND ug/kg		3.7	1		02/24/14 23:10	95-47-6	
Surrogates								
Toluene-d8 (S)	105 %		70-130	1		02/24/14 23:10	2037-26-5	
4-Bromofluorobenzene (S)	90 %		70-130	1		02/24/14 23:10	460-00-4	
1,2-Dichloroethane-d4 (S)	82 %		70-132	1		02/24/14 23:10	17060-07-0	
Percent Moisture	Analytical Method: ASTM D2974-87							
Percent Moisture	13.2 %		0.10	1		03/03/14 19:04		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

Sample: 23-3(TW)	Lab ID: 92190307007	Collected: 02/17/14 16:30	Received: 02/19/14 17:45	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
625 MSSV	Analytical Method: EPA 625 Preparation Method: EPA 625							
Acenaphthene	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	83-32-9	
Acenaphthylene	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	208-96-8	
Anthracene	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	120-12-7	
Benzo(a)anthracene	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	56-55-3	
Benzo(a)pyrene	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	50-32-8	
Benzo(b)fluoranthene	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	205-99-2	
Benzo(g,h,i)perylene	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	191-24-2	
Benzo(k)fluoranthene	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	207-08-9	
4-Bromophenylphenyl ether	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	101-55-3	
Butylbenzylphthalate	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	85-68-7	
4-Chloro-3-methylphenol	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	59-50-7	
bis(2-Chloroethoxy)methane	ND ug/L		10.3	1	02/20/14 13:00	02/28/14 00:17	111-91-1	
bis(2-Chloroethyl) ether	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	111-44-4	
bis(2-Chloroisopropyl) ether	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	108-60-1	
2-Chloronaphthalene	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	91-58-7	
2-Chlorophenol	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	95-57-8	
4-Chlorophenylphenyl ether	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	7005-72-3	
Chrysene	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	53-70-3	
3,3'-Dichlorobenzidine	ND ug/L		25.8	1	02/20/14 13:00	02/28/14 00:17	91-94-1	
2,4-Dichlorophenol	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	120-83-2	
Diethylphthalate	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	84-66-2	
2,4-Dimethylphenol	ND ug/L		10.3	1	02/20/14 13:00	02/28/14 00:17	105-67-9	
Dimethylphthalate	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	131-11-3	
Di-n-butylphthalate	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	84-74-2	
4,6-Dinitro-2-methylphenol	ND ug/L		20.6	1	02/20/14 13:00	02/28/14 00:17	534-52-1	
2,4-Dinitrophenol	ND ug/L		51.5	1	02/20/14 13:00	02/28/14 00:17	51-28-5	
2,4-Dinitrotoluene	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	121-14-2	
2,6-Dinitrotoluene	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	606-20-2	
Di-n-octylphthalate	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	117-84-0	
bis(2-Ethylhexyl)phthalate	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	117-81-7	
Fluoranthene	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	206-44-0	
Fluorene	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	86-73-7	
Hexachloro-1,3-butadiene	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	87-68-3	
Hexachlorobenzene	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	118-74-1	
Hexachlorocyclopentadiene	ND ug/L		10.3	1	02/20/14 13:00	02/28/14 00:17	77-47-4	
Hexachloroethane	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	67-72-1	
Indeno(1,2,3-cd)pyrene	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	193-39-5	
Isophorone	ND ug/L		10.3	1	02/20/14 13:00	02/28/14 00:17	78-59-1	
Naphthalene	28.0 ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	91-20-3	
Nitrobenzene	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	98-95-3	
2-Nitrophenol	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	88-75-5	
4-Nitrophenol	ND ug/L		51.5	1	02/20/14 13:00	02/28/14 00:17	100-02-7	
N-Nitrosodimethylamine	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	62-75-9	
N-Nitroso-di-n-propylamine	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	621-64-7	
N-Nitrosodiphenylamine	ND ug/L		10.3	1	02/20/14 13:00	02/28/14 00:17	86-30-6	
Pentachlorophenol	ND ug/L		10.3	1	02/20/14 13:00	02/28/14 00:17	87-86-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

Sample: 23-3(TW)	Lab ID: 92190307007	Collected: 02/17/14 16:30	Received: 02/19/14 17:45	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
625 MSSV	Analytical Method: EPA 625 Preparation Method: EPA 625							
Phenanthrene	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	85-01-8	
Phenol	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	108-95-2	
Pyrene	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	129-00-0	
1,2,4-Trichlorobenzene	ND ug/L		5.2	1	02/20/14 13:00	02/28/14 00:17	120-82-1	
2,4,6-Trichlorophenol	ND ug/L		10.3	1	02/20/14 13:00	02/28/14 00:17	88-06-2	
Surrogates								
Nitrobenzene-d5 (S)	60 %		10-120	1	02/20/14 13:00	02/28/14 00:17	4165-60-0	
2-Fluorobiphenyl (S)	60 %		15-120	1	02/20/14 13:00	02/28/14 00:17	321-60-8	
Terphenyl-d14 (S)	66 %		11-131	1	02/20/14 13:00	02/28/14 00:17	1718-51-0	
Phenol-d6 (S)	34 %		10-120	1	02/20/14 13:00	02/28/14 00:17	13127-88-3	
2-Fluorophenol (S)	42 %		10-120	1	02/20/14 13:00	02/28/14 00:17	367-12-4	
2,4,6-Tribromophenol (S)	87 %		10-137	1	02/20/14 13:00	02/28/14 00:17	118-79-6	
6200B MSV	Analytical Method: SM 6200B							
Benzene	ND ug/L		0.50	1		02/26/14 20:42	71-43-2	
Bromobenzene	ND ug/L		0.50	1		02/26/14 20:42	108-86-1	
Bromochloromethane	ND ug/L		0.50	1		02/26/14 20:42	74-97-5	
Bromodichloromethane	ND ug/L		0.50	1		02/26/14 20:42	75-27-4	
Bromoform	ND ug/L		0.50	1		02/26/14 20:42	75-25-2	
Bromomethane	ND ug/L		5.0	1		02/26/14 20:42	74-83-9	
n-Butylbenzene	ND ug/L		0.50	1		02/26/14 20:42	104-51-8	
sec-Butylbenzene	6.5 ug/L		0.50	1		02/26/14 20:42	135-98-8	
tert-Butylbenzene	4.2 ug/L		0.50	1		02/26/14 20:42	98-06-6	
Carbon tetrachloride	ND ug/L		0.50	1		02/26/14 20:42	56-23-5	
Chlorobenzene	ND ug/L		0.50	1		02/26/14 20:42	108-90-7	
Chloroethane	ND ug/L		1.0	1		02/26/14 20:42	75-00-3	
Chloroform	ND ug/L		0.50	1		02/26/14 20:42	67-66-3	
Chloromethane	ND ug/L		1.0	1		02/26/14 20:42	74-87-3	
2-Chlorotoluene	ND ug/L		0.50	1		02/26/14 20:42	95-49-8	
4-Chlorotoluene	ND ug/L		0.50	1		02/26/14 20:42	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		1.0	1		02/26/14 20:42	96-12-8	
Dibromochloromethane	ND ug/L		0.50	1		02/26/14 20:42	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		0.50	1		02/26/14 20:42	106-93-4	
Dibromomethane	ND ug/L		0.50	1		02/26/14 20:42	74-95-3	
1,2-Dichlorobenzene	ND ug/L		0.50	1		02/26/14 20:42	95-50-1	
1,3-Dichlorobenzene	ND ug/L		0.50	1		02/26/14 20:42	541-73-1	
1,4-Dichlorobenzene	ND ug/L		0.50	1		02/26/14 20:42	106-46-7	
Dichlorodifluoromethane	ND ug/L		0.50	1		02/26/14 20:42	75-71-8	
1,1-Dichloroethane	ND ug/L		0.50	1		02/26/14 20:42	75-34-3	
1,2-Dichloroethane	ND ug/L		0.50	1		02/26/14 20:42	107-06-2	
1,1-Dichloroethene	ND ug/L		0.50	1		02/26/14 20:42	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		0.50	1		02/26/14 20:42	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		0.50	1		02/26/14 20:42	156-60-5	
1,2-Dichloropropane	ND ug/L		0.50	1		02/26/14 20:42	78-87-5	
1,3-Dichloropropane	ND ug/L		0.50	1		02/26/14 20:42	142-28-9	
2,2-Dichloropropane	ND ug/L		0.50	1		02/26/14 20:42	594-20-7	
1,1-Dichloropropene	ND ug/L		0.50	1		02/26/14 20:42	563-58-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

Sample: 23-3(TW)	Lab ID: 92190307007	Collected: 02/17/14 16:30	Received: 02/19/14 17:45	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6200B MSV		Analytical Method: SM 6200B						
cis-1,3-Dichloropropene	ND ug/L		0.50	1		02/26/14 20:42	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		0.50	1		02/26/14 20:42	10061-02-6	
Diisopropyl ether	ND ug/L		0.50	1		02/26/14 20:42	108-20-3	
Ethylbenzene	9.4 ug/L		0.50	1		02/26/14 20:42	100-41-4	
Hexachloro-1,3-butadiene	ND ug/L		2.0	1		02/26/14 20:42	87-68-3	
Isopropylbenzene (Cumene)	6.6 ug/L		0.50	1		02/26/14 20:42	98-82-8	
Methylene Chloride	ND ug/L		2.0	1		02/26/14 20:42	75-09-2	
Methyl-tert-butyl ether	0.59 ug/L		0.50	1		02/26/14 20:42	1634-04-4	
Naphthalene	72.7 ug/L		2.0	1		02/26/14 20:42	91-20-3	
n-Propylbenzene	10.5 ug/L		0.50	1		02/26/14 20:42	103-65-1	
Styrene	ND ug/L		0.50	1		02/26/14 20:42	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		0.50	1		02/26/14 20:42	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		0.50	1		02/26/14 20:42	79-34-5	
Tetrachloroethene	ND ug/L		0.50	1		02/26/14 20:42	127-18-4	
Toluene	ND ug/L		0.50	1		02/26/14 20:42	108-88-3	
1,2,3-Trichlorobenzene	ND ug/L		2.0	1		02/26/14 20:42	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		2.0	1		02/26/14 20:42	120-82-1	
1,1,1-Trichloroethane	ND ug/L		0.50	1		02/26/14 20:42	71-55-6	
1,1,2-Trichloroethane	ND ug/L		0.50	1		02/26/14 20:42	79-00-5	
Trichloroethene	ND ug/L		0.50	1		02/26/14 20:42	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		02/26/14 20:42	75-69-4	
1,2,3-Trichloropropane	ND ug/L		0.50	1		02/26/14 20:42	96-18-4	
1,2,4-Trimethylbenzene	ND ug/L		0.50	1		02/26/14 20:42	95-63-6	
1,3,5-Trimethylbenzene	ND ug/L		0.50	1		02/26/14 20:42	108-67-8	
Vinyl chloride	ND ug/L		1.0	1		02/26/14 20:42	75-01-4	
m&p-Xylene	ND ug/L		1.0	1		02/26/14 20:42	179601-23-1	
o-Xylene	ND ug/L		0.50	1		02/26/14 20:42	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	102 %		70-130	1		02/26/14 20:42	17060-07-0	
4-Bromofluorobenzene (S)	102 %		70-130	1		02/26/14 20:42	460-00-4	
Toluene-d8 (S)	102 %		70-130	1		02/26/14 20:42	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

QC Batch:	MERP/6206	Analysis Method:	EPA 7471
QC Batch Method:	EPA 7471	Analysis Description:	7471 Mercury
Associated Lab Samples:	92190307001, 92190307002, 92190307003		

METHOD BLANK:	1142173	Matrix:	Solid
---------------	---------	---------	-------

Associated Lab Samples: 92190307001, 92190307002, 92190307003

Parameter	Units	Blank	Reporting	Analyzed	Qualifiers
		Result	Limit		
Mercury	mg/kg	ND	0.0050	02/21/14 21:26	

LABORATORY CONTROL SAMPLE: 1142174

Parameter	Units	Spike	LCS	LCS	% Rec	Qualifiers
		Conc.	Result	% Rec	Limits	
Mercury	mg/kg	.067	0.067	100	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1142175 1142176

Parameter	Units	MS	MSD	MS	MSD	MS	MSD	% Rec	% Rec	RPD	Qual
		92190307001	Spike								
Mercury	mg/kg	0.012	.049	.037	0.054	0.048	85	95	75-125	12	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

QC Batch: MPRP/15275 Analysis Method: EPA 6010

QC Batch Method: EPA 3050 Analysis Description: 6010 MET

Associated Lab Samples: 92190307001, 92190307002, 92190307003

METHOD BLANK: 1141538 Matrix: Solid

Associated Lab Samples: 92190307001, 92190307002, 92190307003

Parameter	Units	Blank	Reporting		Qualifiers
		Result	Limit	Analyzed	
Arsenic	mg/kg	ND	1.0	02/21/14 02:39	
Barium	mg/kg	ND	0.50	02/21/14 02:39	
Cadmium	mg/kg	ND	0.10	02/21/14 02:39	
Chromium	mg/kg	ND	0.50	02/21/14 02:39	
Lead	mg/kg	ND	0.50	02/21/14 02:39	
Selenium	mg/kg	ND	1.0	02/21/14 02:39	
Silver	mg/kg	ND	0.50	02/21/14 02:39	

LABORATORY CONTROL SAMPLE: 1141539

Parameter	Units	Spike	LCS		% Rec	Limits	Qualifiers
		Conc.	Result	% Rec			
Arsenic	mg/kg	50	52.2	104	80-120		
Barium	mg/kg	50	54.6	109	80-120		
Cadmium	mg/kg	50	51.6	103	80-120		
Chromium	mg/kg	50	50.5	101	80-120		
Lead	mg/kg	50	53.0	106	80-120		
Selenium	mg/kg	50	54.1	108	80-120		
Silver	mg/kg	25	25.3	101	80-120		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1141540 1141541

Parameter	Units	MS		MSD		MS	MSD	% Rec	Limits	RPD	Qual
		92189981001	Spike	Spike	Conc.						
Arsenic	mg/kg	12.7	32.9	37.7	44.5	51.5	97	103	75-125	15	
Barium	mg/kg	49.6	32.9	37.7	67.0	78.3	53	76	75-125	15	M1
Cadmium	mg/kg	0.12	32.9	37.7	35.5	41.2	108	109	75-125	15	
Chromium	mg/kg	214	32.9	37.7	156	163	-178	-135	75-125	5	M1
Lead	mg/kg	1390	32.9	37.7	889	1080	-1513	-817	75-125	19	M6
Selenium	mg/kg	ND	32.9	37.7	31.0	38.0	94	101	75-125	20	
Silver	mg/kg	3.3	16.4	18.9	19.2	22.0	97	99	75-125	13	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

QC Batch:	MSV/25905	Analysis Method:	SM 6200B
QC Batch Method:	SM 6200B	Analysis Description:	6200B MSV
Associated Lab Samples:	92190307007		

METHOD BLANK: 1145841 Matrix: Water

Associated Lab Samples: 92190307007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	0.50	02/26/14 18:47	
1,1,1-Trichloroethane	ug/L	ND	0.50	02/26/14 18:47	
1,1,2,2-Tetrachloroethane	ug/L	ND	0.50	02/26/14 18:47	
1,1,2-Trichloroethane	ug/L	ND	0.50	02/26/14 18:47	
1,1-Dichloroethane	ug/L	ND	0.50	02/26/14 18:47	
1,1-Dichloroethene	ug/L	ND	0.50	02/26/14 18:47	
1,1-Dichloropropene	ug/L	ND	0.50	02/26/14 18:47	
1,2,3-Trichlorobenzene	ug/L	ND	2.0	02/26/14 18:47	
1,2,3-Trichloropropane	ug/L	ND	0.50	02/26/14 18:47	
1,2,4-Trichlorobenzene	ug/L	ND	2.0	02/26/14 18:47	
1,2,4-Trimethylbenzene	ug/L	ND	0.50	02/26/14 18:47	
1,2-Dibromo-3-chloropropane	ug/L	ND	1.0	02/26/14 18:47	
1,2-Dibromoethane (EDB)	ug/L	ND	0.50	02/26/14 18:47	
1,2-Dichlorobenzene	ug/L	ND	0.50	02/26/14 18:47	
1,2-Dichloroethane	ug/L	ND	0.50	02/26/14 18:47	
1,2-Dichloropropane	ug/L	ND	0.50	02/26/14 18:47	
1,3,5-Trimethylbenzene	ug/L	ND	0.50	02/26/14 18:47	
1,3-Dichlorobenzene	ug/L	ND	0.50	02/26/14 18:47	
1,3-Dichloropropane	ug/L	ND	0.50	02/26/14 18:47	
1,4-Dichlorobenzene	ug/L	ND	0.50	02/26/14 18:47	
2,2-Dichloropropane	ug/L	ND	0.50	02/26/14 18:47	
2-Chlorotoluene	ug/L	ND	0.50	02/26/14 18:47	
4-Chlorotoluene	ug/L	ND	0.50	02/26/14 18:47	
Benzene	ug/L	ND	0.50	02/26/14 18:47	
Bromobenzene	ug/L	ND	0.50	02/26/14 18:47	
Bromochloromethane	ug/L	ND	0.50	02/26/14 18:47	
Bromodichloromethane	ug/L	ND	0.50	02/26/14 18:47	
Bromoform	ug/L	ND	0.50	02/26/14 18:47	
Bromomethane	ug/L	ND	5.0	02/26/14 18:47	
Carbon tetrachloride	ug/L	ND	0.50	02/26/14 18:47	
Chlorobenzene	ug/L	ND	0.50	02/26/14 18:47	
Chloroethane	ug/L	ND	1.0	02/26/14 18:47	
Chloroform	ug/L	ND	0.50	02/26/14 18:47	
Chloromethane	ug/L	ND	1.0	02/26/14 18:47	
cis-1,2-Dichloroethene	ug/L	ND	0.50	02/26/14 18:47	
cis-1,3-Dichloropropene	ug/L	ND	0.50	02/26/14 18:47	
Dibromochloromethane	ug/L	ND	0.50	02/26/14 18:47	
Dibromomethane	ug/L	ND	0.50	02/26/14 18:47	
Dichlorodifluoromethane	ug/L	ND	0.50	02/26/14 18:47	
Diisopropyl ether	ug/L	ND	0.50	02/26/14 18:47	
Ethylbenzene	ug/L	ND	0.50	02/26/14 18:47	
Hexachloro-1,3-butadiene	ug/L	ND	2.0	02/26/14 18:47	
Isopropylbenzene (Cumene)	ug/L	ND	0.50	02/26/14 18:47	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

METHOD BLANK: 1145841

Matrix: Water

Associated Lab Samples: 92190307007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
m&p-Xylene	ug/L	ND	1.0	02/26/14 18:47	
Methyl-tert-butyl ether	ug/L	ND	0.50	02/26/14 18:47	
Methylene Chloride	ug/L	ND	2.0	02/26/14 18:47	
n-Butylbenzene	ug/L	ND	0.50	02/26/14 18:47	
n-Propylbenzene	ug/L	ND	0.50	02/26/14 18:47	
Naphthalene	ug/L	ND	2.0	02/26/14 18:47	
o-Xylene	ug/L	ND	0.50	02/26/14 18:47	
sec-Butylbenzene	ug/L	ND	0.50	02/26/14 18:47	
Styrene	ug/L	ND	0.50	02/26/14 18:47	
tert-Butylbenzene	ug/L	ND	0.50	02/26/14 18:47	
Tetrachloroethene	ug/L	ND	0.50	02/26/14 18:47	
Toluene	ug/L	ND	0.50	02/26/14 18:47	
trans-1,2-Dichloroethene	ug/L	ND	0.50	02/26/14 18:47	
trans-1,3-Dichloropropene	ug/L	ND	0.50	02/26/14 18:47	
Trichloroethene	ug/L	ND	0.50	02/26/14 18:47	
Trichlorofluoromethane	ug/L	ND	1.0	02/26/14 18:47	
Vinyl chloride	ug/L	ND	1.0	02/26/14 18:47	
1,2-Dichloroethane-d4 (S)	%	101	70-130	02/26/14 18:47	
4-Bromofluorobenzene (S)	%	98	70-130	02/26/14 18:47	
Toluene-d8 (S)	%	101	70-130	02/26/14 18:47	

LABORATORY CONTROL SAMPLE: 1145842

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	49.0	98	60-140	
1,1,1-Trichloroethane	ug/L	50	53.7	107	60-140	
1,1,2,2-Tetrachloroethane	ug/L	50	50.2	100	60-140	
1,1,2-Trichloroethane	ug/L	50	52.9	106	60-140	
1,1-Dichloroethane	ug/L	50	49.2	98	60-140	
1,1-Dichloroethene	ug/L	50	48.0	96	60-140	
1,1-Dichloropropene	ug/L	50	51.3	103	60-140	
1,2,3-Trichlorobenzene	ug/L	50	49.1	98	60-140	
1,2,3-Trichloropropane	ug/L	50	49.8	100	60-140	
1,2,4-Trichlorobenzene	ug/L	50	49.1	98	60-140	
1,2,4-Trimethylbenzene	ug/L	50	51.4	103	60-140	
1,2-Dibromo-3-chloropropane	ug/L	50	64.7	129	60-140	
1,2-Dibromoethane (EDB)	ug/L	50	52.8	106	60-140	
1,2-Dichlorobenzene	ug/L	50	48.3	97	60-140	
1,2-Dichloroethane	ug/L	50	47.9	96	60-140	
1,2-Dichloropropane	ug/L	50	50.1	100	60-140	
1,3,5-Trimethylbenzene	ug/L	50	52.4	105	60-140	
1,3-Dichlorobenzene	ug/L	50	47.3	95	60-140	
1,3-Dichloropropene	ug/L	50	51.3	103	60-140	
1,4-Dichlorobenzene	ug/L	50	47.7	95	60-140	
2,2-Dichloropropane	ug/L	50	55.4	111	60-140	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

LABORATORY CONTROL SAMPLE: 1145842

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2-Chlorotoluene	ug/L	50	48.4	97	60-140	
4-Chlorotoluene	ug/L	50	49.8	100	60-140	
Benzene	ug/L	50	52.3	105	60-140	
Bromobenzene	ug/L	50	49.8	100	60-140	
Bromochloromethane	ug/L	50	52.0	104	60-140	
Bromodichloromethane	ug/L	50	55.3	111	60-140	
Bromoform	ug/L	50	44.8	90	60-140	
Bromomethane	ug/L	50	36.3	73	60-140	
Carbon tetrachloride	ug/L	50	46.6	93	60-140	
Chlorobenzene	ug/L	50	50.6	101	60-140	
Chloroethane	ug/L	50	48.7	97	60-140	
Chloroform	ug/L	50	51.2	102	60-140	
Chloromethane	ug/L	50	45.3	91	60-140	
cis-1,2-Dichloroethene	ug/L	50	48.1	96	60-140	
cis-1,3-Dichloropropene	ug/L	50	48.3	97	60-140	
Dibromochloromethane	ug/L	50	48.0	96	60-140	
Dibromomethane	ug/L	50	50.6	101	60-140	
Dichlorodifluoromethane	ug/L	50	38.5	77	60-140	
Diisopropyl ether	ug/L	50	50.4	101	60-140	
Ethylbenzene	ug/L	50	50.8	102	60-140	
Hexachloro-1,3-butadiene	ug/L	50	50.4	101	60-140	
Isopropylbenzene (Cumene)	ug/L	50	54.0	108	60-140	
m&p-Xylene	ug/L	100	105	105	60-140	
Methyl-tert-butyl ether	ug/L	50	50.5	101	60-140	
Methylene Chloride	ug/L	50	53.9	108	60-140	
n-Butylbenzene	ug/L	50	50.8	102	60-140	
n-Propylbenzene	ug/L	50	52.7	105	60-140	
Naphthalene	ug/L	50	49.0	98	60-140	
o-Xylene	ug/L	50	52.2	104	60-140	
sec-Butylbenzene	ug/L	50	52.1	104	60-140	
Styrene	ug/L	50	55.3	111	60-140	
tert-Butylbenzene	ug/L	50	51.8	104	60-140	
Tetrachloroethene	ug/L	50	51.2	102	60-140	
Toluene	ug/L	50	50.5	101	60-140	
trans-1,2-Dichloroethene	ug/L	50	46.7	93	60-140	
trans-1,3-Dichloropropene	ug/L	50	47.5	95	60-140	
Trichloroethene	ug/L	50	49.9	100	60-140	
Trichlorofluoromethane	ug/L	50	50.3	101	60-140	
Vinyl chloride	ug/L	50	48.4	97	60-140	
1,2-Dichloroethane-d4 (S)	%			99	70-130	
4-Bromofluorobenzene (S)	%			100	70-130	
Toluene-d8 (S)	%			99	70-130	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

Parameter	Units	92190689006		MS Spike		MSD Spike		MS Result		MSD Result		MS % Rec		MSD % Rec		% Rec Limits	RPD	Qual		
				Conc.		Conc.		Result		MSD		MS		MSD						
1,1,1,2-Tetrachloroethane	ug/L	ND	20	20	17.9	14.3	89	72	60-140	22										
1,1,1-Trichloroethane	ug/L	ND	20	20	21.3	17.1	106	85	60-140	22										
1,1,2-Tetrachloroethane	ug/L	ND	20	20	20.6	15.3	103	76	60-140	30										
1,1,2-Trichloroethane	ug/L	ND	20	20	21.3	16.5	107	83	60-140	25										
1,1-Dichloroethane	ug/L	ND	20	20	21.0	16.8	105	84	60-140	22										
1,1-Dichloroethene	ug/L	ND	20	20	20.2	16.8	101	84	60-140	19										
1,1-Dichloropropene	ug/L	ND	20	20	21.4	17.2	107	86	60-140	22										
1,2,3-Trichlorobenzene	ug/L	ND	20	20	17.4	14.0	87	70	60-140	22										
1,2,3-Trichloropropane	ug/L	ND	20	20	20.3	14.8	101	74	60-140	31 R1										
1,2,4-Trichlorobenzene	ug/L	ND	20	20	17.4	14.0	87	70	60-140	22										
1,2,4-Trimethylbenzene	ug/L	ND	20	20	19.3	15.1	96	76	60-140	24										
1,2-Dibromo-3-chloropropane	ug/L	ND	20	20	22.5	16.2	113	81	60-140	32 R1										
1,2-Dibromoethane (EDB)	ug/L	ND	20	20	21.5	16.4	108	82	60-140	27										
1,2-Dichlorobenzene	ug/L	ND	20	20	18.2	14.2	91	71	60-140	24										
1,2-Dichloroethane	ug/L	2.4	20	20	23.0	18.1	103	79	60-140	24										
1,2-Dichloropropane	ug/L	ND	20	20	20.6	16.0	103	80	60-140	25										
1,3,5-Trimethylbenzene	ug/L	ND	20	20	19.5	15.5	97	77	60-140	23										
1,3-Dichlorobenzene	ug/L	ND	20	20	17.7	13.9	89	70	60-140	24										
1,3-Dichloropropane	ug/L	ND	20	20	21.2	16.2	106	81	60-140	26										
1,4-Dichlorobenzene	ug/L	ND	20	20	17.6	14.1	88	70	60-140	23										
2,2-Dichloropropane	ug/L	ND	20	20	18.8	15.5	94	78	60-140	19										
2-Chlorotoluene	ug/L	ND	20	20	18.7	14.9	94	74	60-140	23										
4-Chlorotoluene	ug/L	ND	20	20	19.0	14.9	95	74	60-140	24										
Benzene	ug/L	ND	20	20	20.7	16.6	104	83	60-140	22										
Bromobenzene	ug/L	ND	20	20	19.0	14.8	95	74	60-140	25										
Bromochloromethane	ug/L	ND	20	20	22.3	17.5	112	88	60-140	24										
Bromodichloromethane	ug/L	ND	20	20	19.5	15.6	98	78	60-140	22										
Bromoform	ug/L	ND	20	20	15.7	13.0	78	65	60-140	19										
Bromomethane	ug/L	ND	20	20	14.7	15.1	74	76	60-140	3										
Carbon tetrachloride	ug/L	ND	20	20	17.5	15.6	88	78	60-140	11										
Chlorobenzene	ug/L	ND	20	20	19.8	15.6	99	78	60-140	24										
Chloroethane	ug/L	ND	20	20	22.3	19.5	111	97	60-140	13										
Chloroform	ug/L	ND	20	20	21.3	16.7	106	83	60-140	24										
Chloromethane	ug/L	ND	20	20	18.5	17.8	93	89	60-140	4										
cis-1,2-Dichloroethene	ug/L	ND	20	20	20.4	16.2	102	81	60-140	23										
cis-1,3-Dichloropropene	ug/L	ND	20	20	16.9	13.6	85	68	60-140	21										
Dibromochloromethane	ug/L	ND	20	20	17.2	13.8	86	69	60-140	22										
Dibromomethane	ug/L	ND	20	20	20.0	15.2	100	76	60-140	27										
Dichlorodifluoromethane	ug/L	ND	20	20	15.3	17.9	77	90	60-140	16										
Diisopropyl ether	ug/L	0.55	20	20	22.1	17.1	108	83	60-140	26										
Ethylbenzene	ug/L	ND	20	20	19.7	15.7	99	78	60-140	23										
Hexachloro-1,3-butadiene	ug/L	ND	20	20	17.6	14.2	88	71	60-140	21										
Isopropylbenzene (Cumene)	ug/L	ND	20	20	20.5	16.2	102	81	60-140	23										
m&p-Xylene	ug/L	ND	40	40	39.0	31.5	97	79	60-140	21										
Methyl-tert-butyl ether	ug/L	6.6	20	20	28.2	22.8	108	81	60-140	21										
Methylene Chloride	ug/L	ND	20	20	21.6	16.0	108	80	60-140	30										
n-Butylbenzene	ug/L	ND	20	20	17.8	14.6	89	73	60-140	20										

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

Parameter	MATRIX SPIKE & MATRIX SPIKE DUPLICATE:		1145843		1145844		% Rec	RPD	Qual	
	Units	Result	MS	MSD	MS	MSD				
			Spike Conc.	Spike Conc.	Result	Result				
n-Propylbenzene	ug/L	ND	20	20	19.8	15.8	99	79	60-140	23
Naphthalene	ug/L	ND	20	20	18.6	14.2	93	71	60-140	27
o-Xylene	ug/L	ND	20	20	20.0	15.8	100	79	60-140	24
sec-Butylbenzene	ug/L	ND	20	20	19.4	15.7	97	78	60-140	21
Styrene	ug/L	ND	20	20	20.8	16.2	104	81	60-140	25
tert-Butylbenzene	ug/L	ND	20	20	19.4	15.6	97	78	60-140	22
Tetrachloroethene	ug/L	ND	20	20	19.9	16.1	99	81	60-140	21
Toluene	ug/L	ND	20	20	19.7	15.8	99	79	60-140	22
trans-1,2-Dichloroethene	ug/L	ND	20	20	19.3	15.6	97	78	60-140	21
trans-1,3-Dichloropropene	ug/L	ND	20	20	16.9	13.6	85	68	60-140	21
Trichloroethene	ug/L	ND	20	20	19.3	15.3	96	77	60-140	23
Trichlorofluoromethane	ug/L	ND	20	20	21.3	18.2	106	91	60-140	15
Vinyl chloride	ug/L	ND	20	20	20.1	18.6	101	93	60-140	8
1,2-Dichloroethane-d4 (S)	%						101	100	70-130	
4-Bromofluorobenzene (S)	%						100	100	70-130	
Toluene-d8 (S)	%						100	100	70-130	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

QC Batch:	MSV/25854	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV 5035A Volatile Organics
Associated Lab Samples:	92190307004, 92190307005		

METHOD BLANK: 1142401 Matrix: Solid

Associated Lab Samples: 92190307004, 92190307005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	ND	5.6	02/21/14 11:54	
1,1,1-Trichloroethane	ug/kg	ND	5.6	02/21/14 11:54	
1,1,2,2-Tetrachloroethane	ug/kg	ND	5.6	02/21/14 11:54	
1,1,2-Trichloroethane	ug/kg	ND	5.6	02/21/14 11:54	
1,1-Dichloroethane	ug/kg	ND	5.6	02/21/14 11:54	
1,1-Dichloroethene	ug/kg	ND	5.6	02/21/14 11:54	
1,1-Dichloropropene	ug/kg	ND	5.6	02/21/14 11:54	
1,2,3-Trichlorobenzene	ug/kg	ND	5.6	02/21/14 11:54	
1,2,3-Trichloropropane	ug/kg	ND	5.6	02/21/14 11:54	
1,2,4-Trichlorobenzene	ug/kg	ND	5.6	02/21/14 11:54	
1,2,4-Trimethylbenzene	ug/kg	ND	5.6	02/21/14 11:54	
1,2-Dibromo-3-chloropropane	ug/kg	ND	5.6	02/21/14 11:54	
1,2-Dibromoethane (EDB)	ug/kg	ND	5.6	02/21/14 11:54	
1,2-Dichlorobenzene	ug/kg	ND	5.6	02/21/14 11:54	
1,2-Dichloroethane	ug/kg	ND	5.6	02/21/14 11:54	
1,2-Dichloropropane	ug/kg	ND	5.6	02/21/14 11:54	
1,3,5-Trimethylbenzene	ug/kg	ND	5.6	02/21/14 11:54	
1,3-Dichlorobenzene	ug/kg	ND	5.6	02/21/14 11:54	
1,3-Dichloropropane	ug/kg	ND	5.6	02/21/14 11:54	
1,4-Dichlorobenzene	ug/kg	ND	5.6	02/21/14 11:54	
2,2-Dichloropropane	ug/kg	ND	5.6	02/21/14 11:54	
2-Butanone (MEK)	ug/kg	ND	111	02/21/14 11:54	
2-Chlorotoluene	ug/kg	ND	5.6	02/21/14 11:54	
2-Hexanone	ug/kg	ND	55.6	02/21/14 11:54	
4-Chlorotoluene	ug/kg	ND	5.6	02/21/14 11:54	
4-Methyl-2-pentanone (MIBK)	ug/kg	ND	55.6	02/21/14 11:54	
Acetone	ug/kg	ND	111	02/21/14 11:54	
Benzene	ug/kg	ND	5.6	02/21/14 11:54	
Bromobenzene	ug/kg	ND	5.6	02/21/14 11:54	
Bromochloromethane	ug/kg	ND	5.6	02/21/14 11:54	
Bromodichloromethane	ug/kg	ND	5.6	02/21/14 11:54	
Bromoform	ug/kg	ND	5.6	02/21/14 11:54	
Bromomethane	ug/kg	ND	11.1	02/21/14 11:54	
Carbon tetrachloride	ug/kg	ND	5.6	02/21/14 11:54	
Chlorobenzene	ug/kg	ND	5.6	02/21/14 11:54	
Chloroethane	ug/kg	ND	11.1	02/21/14 11:54	
Chloroform	ug/kg	ND	5.6	02/21/14 11:54	
Chloromethane	ug/kg	ND	11.1	02/21/14 11:54	
cis-1,2-Dichloroethene	ug/kg	ND	5.6	02/21/14 11:54	
cis-1,3-Dichloropropene	ug/kg	ND	5.6	02/21/14 11:54	
Dibromochloromethane	ug/kg	ND	5.6	02/21/14 11:54	
Dibromomethane	ug/kg	ND	5.6	02/21/14 11:54	
Dichlorodifluoromethane	ug/kg	ND	11.1	02/21/14 11:54	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

METHOD BLANK: 1142401

Matrix: Solid

Associated Lab Samples: 92190307004, 92190307005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diisopropyl ether	ug/kg	ND	5.6	02/21/14 11:54	
Ethylbenzene	ug/kg	ND	5.6	02/21/14 11:54	
Hexachloro-1,3-butadiene	ug/kg	ND	5.6	02/21/14 11:54	
Isopropylbenzene (Cumene)	ug/kg	ND	5.6	02/21/14 11:54	
m&p-Xylene	ug/kg	ND	11.1	02/21/14 11:54	
Methyl-tert-butyl ether	ug/kg	ND	5.6	02/21/14 11:54	
Methylene Chloride	ug/kg	ND	22.2	02/21/14 11:54	
n-Butylbenzene	ug/kg	ND	5.6	02/21/14 11:54	
n-Propylbenzene	ug/kg	ND	5.6	02/21/14 11:54	
Naphthalene	ug/kg	ND	5.6	02/21/14 11:54	
o-Xylene	ug/kg	ND	5.6	02/21/14 11:54	
p-Isopropyltoluene	ug/kg	ND	5.6	02/21/14 11:54	
sec-Butylbenzene	ug/kg	ND	5.6	02/21/14 11:54	
Styrene	ug/kg	ND	5.6	02/21/14 11:54	
tert-Butylbenzene	ug/kg	ND	5.6	02/21/14 11:54	
Tetrachloroethene	ug/kg	ND	5.6	02/21/14 11:54	
Toluene	ug/kg	ND	5.6	02/21/14 11:54	
trans-1,2-Dichloroethene	ug/kg	ND	5.6	02/21/14 11:54	
trans-1,3-Dichloropropene	ug/kg	ND	5.6	02/21/14 11:54	
Trichloroethene	ug/kg	ND	5.6	02/21/14 11:54	
Trichlorofluoromethane	ug/kg	ND	5.6	02/21/14 11:54	
Vinyl acetate	ug/kg	ND	55.6	02/21/14 11:54	
Vinyl chloride	ug/kg	ND	11.1	02/21/14 11:54	
Xylene (Total)	ug/kg	ND	11.1	02/21/14 11:54	
1,2-Dichloroethane-d4 (S)	%	97	70-132	02/21/14 11:54	
4-Bromofluorobenzene (S)	%	87	70-130	02/21/14 11:54	
Toluene-d8 (S)	%	97	70-130	02/21/14 11:54	

LABORATORY CONTROL SAMPLE: 1142402

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	48.6	48.6	100	70-131	
1,1,1-Trichloroethane	ug/kg	48.6	52.4	108	70-141	
1,1,2,2-Tetrachloroethane	ug/kg	48.6	49.7	102	70-130	
1,1,2-Trichloroethane	ug/kg	48.6	48.9	101	70-132	
1,1-Dichloroethane	ug/kg	48.6	50.9	105	70-143	
1,1-Dichloroethene	ug/kg	48.6	51.6	106	70-137	
1,1-Dichloropropene	ug/kg	48.6	55.3	114	70-135	
1,2,3-Trichlorobenzene	ug/kg	48.6	54.8	113	69-153	
1,2,3-Trichloropropane	ug/kg	48.6	48.3	99	70-130	
1,2,4-Trichlorobenzene	ug/kg	48.6	55.9	115	55-171	
1,2,4-Trimethylbenzene	ug/kg	48.6	55.6	114	70-149	
1,2-Dibromo-3-chloropropane	ug/kg	48.6	49.2	101	68-141	
1,2-Dibromoethane (EDB)	ug/kg	48.6	51.7	106	70-130	
1,2-Dichlorobenzene	ug/kg	48.6	50.2	103	70-140	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

LABORATORY CONTROL SAMPLE: 1142402

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichloroethane	ug/kg	48.6	46.5	96	70-137	
1,2-Dichloropropane	ug/kg	48.6	49.5	102	70-133	
1,3,5-Trimethylbenzene	ug/kg	48.6	53.8	111	70-143	
1,3-Dichlorobenzene	ug/kg	48.6	48.8	100	70-144	
1,3-Dichloropropane	ug/kg	48.6	49.8	102	70-132	
1,4-Dichlorobenzene	ug/kg	48.6	50.1	103	70-142	
2,2-Dichloropropane	ug/kg	48.6	54.6	112	68-152	
2-Butanone (MEK)	ug/kg	97.3	112	115	70-149	
2-Chlorotoluene	ug/kg	48.6	51.4	106	70-141	
2-Hexanone	ug/kg	97.3	105	108	70-149	
4-Chlorotoluene	ug/kg	48.6	51.5	106	70-149	
4-Methyl-2-pentanone (MIBK)	ug/kg	97.3	100	103	70-153	
Acetone	ug/kg	97.3	112	115	70-157	
Benzene	ug/kg	48.6	52.0	107	70-130	
Bromobenzene	ug/kg	48.6	49.5	102	70-141	
Bromo(chloromethane	ug/kg	48.6	51.4	106	70-149	
Bromodichloromethane	ug/kg	48.6	48.0	99	70-130	
Bromoform	ug/kg	48.6	48.2	99	70-131	
Bromomethane	ug/kg	48.6	67.1	138	64-136 L3	
Carbon tetrachloride	ug/kg	48.6	47.1	97	70-154	
Chlorobenzene	ug/kg	48.6	47.5	98	70-135	
Chloroethane	ug/kg	48.6	51.1	105	68-151	
Chloroform	ug/kg	48.6	50.3	103	70-130	
Chloromethane	ug/kg	48.6	50.8	104	70-132	
cis-1,2-Dichloroethene	ug/kg	48.6	50.6	104	70-140	
cis-1,3-Dichloropropene	ug/kg	48.6	49.8	102	70-137	
Dibromochloromethane	ug/kg	48.6	47.7	98	70-130	
Dibromomethane	ug/kg	48.6	48.3	99	70-136	
Dichlorodifluoromethane	ug/kg	48.6	56.6	116	36-148	
Diisopropyl ether	ug/kg	48.6	51.8	107	70-139	
Ethylbenzene	ug/kg	48.6	50.0	103	70-137	
Hexachloro-1,3-butadiene	ug/kg	48.6	45.4	93	70-145	
Isopropylbenzene (Cumene)	ug/kg	48.6	52.5	108	70-141	
m&p-Xylene	ug/kg	97.3	102	105	70-140	
Methyl-tert-butyl ether	ug/kg	48.6	53.8	111	45-150	
Methylene Chloride	ug/kg	48.6	71.0	146	70-133 L3	
n-Butylbenzene	ug/kg	48.6	59.2	122	65-155	
n-Propylbenzene	ug/kg	48.6	54.0	111	70-148	
Naphthalene	ug/kg	48.6	70.6	145	70-148	
o-Xylene	ug/kg	48.6	50.4	104	70-141	
p-Isopropyltoluene	ug/kg	48.6	54.5	112	70-148	
sec-Butylbenzene	ug/kg	48.6	53.8	111	70-145	
Styrene	ug/kg	48.6	51.4	106	70-138	
tert-Butylbenzene	ug/kg	48.6	49.8	102	70-143	
Tetrachloroethene	ug/kg	48.6	48.2	99	70-140	
Toluene	ug/kg	48.6	48.7	100	70-130	
trans-1,2-Dichloroethene	ug/kg	48.6	52.0	107	70-136	
trans-1,3-Dichloropropene	ug/kg	48.6	48.8	100	70-138	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

LABORATORY CONTROL SAMPLE: 1142402

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Trichloroethene	ug/kg	48.6	48.6	100	70-132	
Trichlorofluoromethane	ug/kg	48.6	55.0	113	69-134	
Vinyl acetate	ug/kg	97.3	142	146	24-161	
Vinyl chloride	ug/kg	48.6	58.3	120	55-140	
Xylene (Total)	ug/kg	146	153	105	70-141	
1,2-Dichloroethane-d4 (S)	%			105	70-132	
4-Bromofluorobenzene (S)	%			90	70-130	
Toluene-d8 (S)	%			98	70-130	

MATRIX SPIKE SAMPLE: 1143259

Parameter	Units	92190305005 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	ug/kg		ND	41.8	44.7	107	49-180
Benzene	ug/kg		ND	41.8	39.2	94	50-166
Chlorobenzene	ug/kg		ND	41.8	25.8	62	43-169
Toluene	ug/kg		ND	41.8	33.1	79	52-163
Trichloroethene	ug/kg		ND	41.8	35.7	85	49-167
1,2-Dichloroethane-d4 (S)	%				89	70-132	
4-Bromofluorobenzene (S)	%				83	70-130	
Toluene-d8 (S)	%				104	70-130	

SAMPLE DUPLICATE: 1143258

Parameter	Units	92190181001 Result	Dup Result	RPD	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg		ND	ND	
1,1,1-Trichloroethane	ug/kg		ND	ND	
1,1,2,2-Tetrachloroethane	ug/kg		ND	ND	
1,1,2-Trichloroethane	ug/kg		ND	ND	
1,1-Dichloroethane	ug/kg		ND	ND	
1,1-Dichloroethene	ug/kg		ND	ND	
1,1-Dichloropropene	ug/kg		ND	ND	
1,2,3-Trichlorobenzene	ug/kg		ND	ND	
1,2,3-Trichloropropane	ug/kg		ND	ND	
1,2,4-Trichlorobenzene	ug/kg		ND	ND	
1,2,4-Trimethylbenzene	ug/kg		ND	ND	
1,2-Dibromo-3-chloropropane	ug/kg		ND	ND	
1,2-Dibromoethane (EDB)	ug/kg		ND	ND	
1,2-Dichlorobenzene	ug/kg		ND	ND	
1,2-Dichloroethane	ug/kg		ND	ND	
1,2-Dichloropropane	ug/kg		ND	ND	
1,3,5-Trimethylbenzene	ug/kg		ND	ND	
1,3-Dichlorobenzene	ug/kg		ND	ND	
1,3-Dichloropropane	ug/kg		ND	ND	
1,4-Dichlorobenzene	ug/kg		ND	ND	
2,2-Dichloropropane	ug/kg		ND	ND	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

SAMPLE DUPLICATE: 1143258

Parameter	Units	92190181001 Result	Dup Result	RPD	Qualifiers
2-Butanone (MEK)	ug/kg	ND	ND		
2-Chlorotoluene	ug/kg	ND	ND		
2-Hexanone	ug/kg	ND	ND		
4-Chlorotoluene	ug/kg	ND	ND		
4-Methyl-2-pentanone (MIBK)	ug/kg	ND	ND		
Acetone	ug/kg	12.2J	ND		
Benzene	ug/kg	ND	ND		
Bromobenzene	ug/kg	ND	ND		
Bromochloromethane	ug/kg	ND	ND		
Bromodichloromethane	ug/kg	ND	ND		
Bromoform	ug/kg	ND	ND		
Bromomethane	ug/kg	ND	ND		
Carbon tetrachloride	ug/kg	ND	ND		
Chlorobenzene	ug/kg	ND	ND		
Chloroethane	ug/kg	ND	ND		
Chloroform	ug/kg	ND	ND		
Chloromethane	ug/kg	ND	ND		
cis-1,2-Dichloroethene	ug/kg	ND	ND		
cis-1,3-Dichloropropene	ug/kg	ND	ND		
Dibromochloromethane	ug/kg	ND	ND		
Dibromomethane	ug/kg	ND	ND		
Dichlorodifluoromethane	ug/kg	ND	ND		
Diisopropyl ether	ug/kg	ND	ND		
Ethylbenzene	ug/kg	ND	ND		
Hexachloro-1,3-butadiene	ug/kg	ND	ND		
Isopropylbenzene (Cumene)	ug/kg	ND	ND		
m&p-Xylene	ug/kg	ND	ND		
Methyl-tert-butyl ether	ug/kg	ND	ND		
Methylene Chloride	ug/kg	ND	ND		
n-Butylbenzene	ug/kg	ND	ND		
n-Propylbenzene	ug/kg	ND	ND		
Naphthalene	ug/kg	ND	ND		
o-Xylene	ug/kg	ND	ND		
p-Isopropyltoluene	ug/kg	ND	ND		
sec-Butylbenzene	ug/kg	ND	ND		
Styrene	ug/kg	ND	ND		
tert-Butylbenzene	ug/kg	ND	ND		
Tetrachloroethene	ug/kg	ND	ND		
Toluene	ug/kg	ND	ND		
trans-1,2-Dichloroethene	ug/kg	ND	ND		
trans-1,3-Dichloropropene	ug/kg	ND	ND		
Trichloroethene	ug/kg	ND	ND		
Trichlorofluoromethane	ug/kg	ND	ND		
Vinyl acetate	ug/kg	ND	ND		
Vinyl chloride	ug/kg	ND	ND		
Xylene (Total)	ug/kg	ND	ND		
1,2-Dichloroethane-d4 (S)	%	131	79	54	
4-Bromofluorobenzene (S)	%	89	94	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland
Pace Project No.: 92190307

SAMPLE DUPLICATE: 1143258

Parameter	Units	92190181001	Dup Result	RPD	Qualifiers
Toluene-d8 (S)	%	94	110	12	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

QC Batch: MSV/25877

QC Batch Method: EPA 8260

Associated Lab Samples: 92190307006

METHOD BLANK: 1143876

Matrix: Solid

Associated Lab Samples: 92190307006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	ND	5.0	02/24/14 17:33	
1,1,1-Trichloroethane	ug/kg	ND	5.0	02/24/14 17:33	
1,1,2,2-Tetrachloroethane	ug/kg	ND	5.0	02/24/14 17:33	
1,1,2-Trichloroethane	ug/kg	ND	5.0	02/24/14 17:33	
1,1-Dichloroethane	ug/kg	ND	5.0	02/24/14 17:33	
1,1-Dichloroethene	ug/kg	ND	5.0	02/24/14 17:33	
1,1-Dichloropropene	ug/kg	ND	5.0	02/24/14 17:33	
1,2,3-Trichlorobenzene	ug/kg	ND	5.0	02/24/14 17:33	
1,2,3-Trichloropropane	ug/kg	ND	5.0	02/24/14 17:33	
1,2,4-Trichlorobenzene	ug/kg	ND	5.0	02/24/14 17:33	
1,2,4-Trimethylbenzene	ug/kg	ND	5.0	02/24/14 17:33	
1,2-Dibromo-3-chloropropane	ug/kg	ND	5.0	02/24/14 17:33	
1,2-Dibromoethane (EDB)	ug/kg	ND	5.0	02/24/14 17:33	
1,2-Dichlorobenzene	ug/kg	ND	5.0	02/24/14 17:33	
1,2-Dichloroethane	ug/kg	ND	5.0	02/24/14 17:33	
1,2-Dichloropropane	ug/kg	ND	5.0	02/24/14 17:33	
1,3,5-Trimethylbenzene	ug/kg	ND	5.0	02/24/14 17:33	
1,3-Dichlorobenzene	ug/kg	ND	5.0	02/24/14 17:33	
1,3-Dichloropropane	ug/kg	ND	5.0	02/24/14 17:33	
1,4-Dichlorobenzene	ug/kg	ND	5.0	02/24/14 17:33	
2,2-Dichloropropane	ug/kg	ND	5.0	02/24/14 17:33	
2-Butanone (MEK)	ug/kg	ND	99.0	02/24/14 17:33	
2-Chlorotoluene	ug/kg	ND	5.0	02/24/14 17:33	
2-Hexanone	ug/kg	ND	49.5	02/24/14 17:33	
4-Chlorotoluene	ug/kg	ND	5.0	02/24/14 17:33	
4-Methyl-2-pentanone (MIBK)	ug/kg	ND	49.5	02/24/14 17:33	
Acetone	ug/kg	ND	99.0	02/24/14 17:33	
Benzene	ug/kg	ND	5.0	02/24/14 17:33	
Bromobenzene	ug/kg	ND	5.0	02/24/14 17:33	
Bromochloromethane	ug/kg	ND	5.0	02/24/14 17:33	
Bromodichloromethane	ug/kg	ND	5.0	02/24/14 17:33	
Bromoform	ug/kg	ND	5.0	02/24/14 17:33	
Bromomethane	ug/kg	ND	9.9	02/24/14 17:33	
Carbon tetrachloride	ug/kg	ND	5.0	02/24/14 17:33	
Chlorobenzene	ug/kg	ND	5.0	02/24/14 17:33	
Chloroethane	ug/kg	ND	9.9	02/24/14 17:33	
Chloroform	ug/kg	ND	5.0	02/24/14 17:33	
Chloromethane	ug/kg	ND	9.9	02/24/14 17:33	
cis-1,2-Dichloroethene	ug/kg	ND	5.0	02/24/14 17:33	
cis-1,3-Dichloropropene	ug/kg	ND	5.0	02/24/14 17:33	
Dibromochloromethane	ug/kg	ND	5.0	02/24/14 17:33	
Dibromomethane	ug/kg	ND	5.0	02/24/14 17:33	
Dichlorodifluoromethane	ug/kg	ND	9.9	02/24/14 17:33	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

METHOD BLANK: 1143876

Matrix: Solid

Associated Lab Samples: 92190307006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diisopropyl ether	ug/kg	ND	5.0	02/24/14 17:33	
Ethylbenzene	ug/kg	ND	5.0	02/24/14 17:33	
Hexachloro-1,3-butadiene	ug/kg	ND	5.0	02/24/14 17:33	
Isopropylbenzene (Cumene)	ug/kg	ND	5.0	02/24/14 17:33	
m&p-Xylene	ug/kg	ND	9.9	02/24/14 17:33	
Methyl-tert-butyl ether	ug/kg	ND	5.0	02/24/14 17:33	
Methylene Chloride	ug/kg	ND	19.8	02/24/14 17:33	
n-Butylbenzene	ug/kg	ND	5.0	02/24/14 17:33	
n-Propylbenzene	ug/kg	ND	5.0	02/24/14 17:33	
Naphthalene	ug/kg	ND	5.0	02/24/14 17:33	
o-Xylene	ug/kg	ND	5.0	02/24/14 17:33	
p-Isopropyltoluene	ug/kg	ND	5.0	02/24/14 17:33	
sec-Butylbenzene	ug/kg	ND	5.0	02/24/14 17:33	
Styrene	ug/kg	ND	5.0	02/24/14 17:33	
tert-Butylbenzene	ug/kg	ND	5.0	02/24/14 17:33	
Tetrachloroethene	ug/kg	ND	5.0	02/24/14 17:33	
Toluene	ug/kg	ND	5.0	02/24/14 17:33	
trans-1,2-Dichloroethene	ug/kg	ND	5.0	02/24/14 17:33	
trans-1,3-Dichloropropene	ug/kg	ND	5.0	02/24/14 17:33	
Trichloroethene	ug/kg	ND	5.0	02/24/14 17:33	
Trichlorofluoromethane	ug/kg	ND	5.0	02/24/14 17:33	
Vinyl acetate	ug/kg	ND	49.5	02/24/14 17:33	
Vinyl chloride	ug/kg	ND	9.9	02/24/14 17:33	
Xylene (Total)	ug/kg	ND	9.9	02/24/14 17:33	
1,2-Dichloroethane-d4 (S)	%	87	70-132	02/24/14 17:33	
4-Bromofluorobenzene (S)	%	97	70-130	02/24/14 17:33	
Toluene-d8 (S)	%	111	70-130	02/24/14 17:33	

LABORATORY CONTROL SAMPLE: 1143877

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	49.3	51.7	105	70-131	
1,1,1-Trichloroethane	ug/kg	49.3	61.1	124	70-141	
1,1,2,2-Tetrachloroethane	ug/kg	49.3	46.6	94	70-130	
1,1,2-Trichloroethane	ug/kg	49.3	57.5	117	70-132	
1,1-Dichloroethane	ug/kg	49.3	56.4	114	70-143	
1,1-Dichloroethene	ug/kg	49.3	58.4	119	70-137	
1,1-Dichloropropene	ug/kg	49.3	57.9	117	70-135	
1,2,3-Trichlorobenzene	ug/kg	49.3	50.0	101	69-153	
1,2,3-Trichloropropane	ug/kg	49.3	51.0	103	70-130	
1,2,4-Trichlorobenzene	ug/kg	49.3	47.7	97	55-171	
1,2,4-Trimethylbenzene	ug/kg	49.3	50.7	103	70-149	
1,2-Dibromo-3-chloropropane	ug/kg	49.3	47.0	95	68-141	
1,2-Dibromoethane (EDB)	ug/kg	49.3	53.1	108	70-130	
1,2-Dichlorobenzene	ug/kg	49.3	50.2	102	70-140	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

LABORATORY CONTROL SAMPLE: 1143877

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichloroethane	ug/kg	49.3	57.7	117	70-137	
1,2-Dichloropropane	ug/kg	49.3	55.1	112	70-133	
1,3,5-Trimethylbenzene	ug/kg	49.3	51.0	103	70-143	
1,3-Dichlorobenzene	ug/kg	49.3	48.5	98	70-144	
1,3-Dichloropropane	ug/kg	49.3	52.3	106	70-132	
1,4-Dichlorobenzene	ug/kg	49.3	50.3	102	70-142	
2,2-Dichloropropane	ug/kg	49.3	56.7	115	68-152	
2-Butanone (MEK)	ug/kg	98.6	109	111	70-149	
2-Chlorotoluene	ug/kg	49.3	49.7	101	70-141	
2-Hexanone	ug/kg	98.6	92.9	94	70-149	
4-Chlorotoluene	ug/kg	49.3	51.3	104	70-149	
4-Methyl-2-pentanone (MIBK)	ug/kg	98.6	99.5	101	70-153	
Acetone	ug/kg	98.6	105	106	70-157	
Benzene	ug/kg	49.3	56.4	114	70-130	
Bromobenzene	ug/kg	49.3	51.2	104	70-141	
Bromo(chloromethane	ug/kg	49.3	61.6	125	70-149	
Bromodichloromethane	ug/kg	49.3	55.7	113	70-130	
Bromoform	ug/kg	49.3	45.5	92	70-131	
Bromomethane	ug/kg	49.3	84.7	172	64-136 L3	
Carbon tetrachloride	ug/kg	49.3	52.0	105	70-154	
Chlorobenzene	ug/kg	49.3	50.3	102	70-135	
Chloroethane	ug/kg	49.3	61.4	124	68-151	
Chloroform	ug/kg	49.3	58.2	118	70-130	
Chloromethane	ug/kg	49.3	57.5	117	70-132	
cis-1,2-Dichloroethene	ug/kg	49.3	58.5	119	70-140	
cis-1,3-Dichloropropene	ug/kg	49.3	54.0	109	70-137	
Dibromochloromethane	ug/kg	49.3	48.8	99	70-130	
Dibromomethane	ug/kg	49.3	52.7	107	70-136	
Dichlorodifluoromethane	ug/kg	49.3	53.4	108	36-148	
Diisopropyl ether	ug/kg	49.3	57.8	117	70-139	
Ethylbenzene	ug/kg	49.3	50.6	103	70-137	
Hexachloro-1,3-butadiene	ug/kg	49.3	51.7	105	70-145	
Isopropylbenzene (Cumene)	ug/kg	49.3	52.0	105	70-141	
m&p-Xylene	ug/kg	98.6	101	102	70-140	
Methyl-tert-butyl ether	ug/kg	49.3	62.8	127	45-150	
Methylene Chloride	ug/kg	49.3	57.9	117	70-133	
n-Butylbenzene	ug/kg	49.3	52.0	105	65-155	
n-Propylbenzene	ug/kg	49.3	54.2	110	70-148	
Naphthalene	ug/kg	49.3	50.1	102	70-148	
o-Xylene	ug/kg	49.3	50.2	102	70-141	
p-Isopropyltoluene	ug/kg	49.3	53.3	108	70-148	
sec-Butylbenzene	ug/kg	49.3	53.7	109	70-145	
Styrene	ug/kg	49.3	51.2	104	70-138	
tert-Butylbenzene	ug/kg	49.3	53.4	108	70-143	
Tetrachloroethene	ug/kg	49.3	51.5	104	70-140	
Toluene	ug/kg	49.3	53.2	108	70-130	
trans-1,2-Dichloroethene	ug/kg	49.3	58.4	118	70-136	
trans-1,3-Dichloropropene	ug/kg	49.3	53.1	108	70-138	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

LABORATORY CONTROL SAMPLE: 1143877

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Trichloroethene	ug/kg	49.3	57.1	116	70-132	
Trichlorofluoromethane	ug/kg	49.3	64.0	130	69-134	
Vinyl acetate	ug/kg	98.6	101	102	24-161 F3	
Vinyl chloride	ug/kg	49.3	58.8	119	55-140	
Xylene (Total)	ug/kg	148	151	102	70-141	
1,2-Dichloroethane-d4 (S)	%			96	70-132	
4-Bromofluorobenzene (S)	%			97	70-130	
Toluene-d8 (S)	%			98	70-130	

MATRIX SPIKE SAMPLE: 1144253

Parameter	Units	92190447002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	ug/kg		ND	48.3	57.5	119	49-180
Benzene	ug/kg		ND	48.3	51.3	106	50-166
Chlorobenzene	ug/kg		ND	48.3	47.7	99	43-169
Toluene	ug/kg		ND	48.3	45.0	93	52-163
Trichloroethene	ug/kg		ND	48.3	48.4	100	49-167
1,2-Dichloroethane-d4 (S)	%				99	70-132	
4-Bromofluorobenzene (S)	%				75	70-130	
Toluene-d8 (S)	%				101	70-130	

SAMPLE DUPLICATE: 1144441

Parameter	Units	92190453001 Result	Dup Result	RPD	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg		ND	ND	
1,1,1-Trichloroethane	ug/kg		ND	ND	
1,1,2,2-Tetrachloroethane	ug/kg		ND	ND	
1,1,2-Trichloroethane	ug/kg		ND	ND	
1,1-Dichloroethane	ug/kg		ND	ND	
1,1-Dichloroethene	ug/kg		ND	ND	
1,1-Dichloropropene	ug/kg		ND	ND	
1,2,3-Trichlorobenzene	ug/kg		ND	ND	
1,2,3-Trichloropropane	ug/kg		ND	ND	
1,2,4-Trichlorobenzene	ug/kg		ND	ND	
1,2,4-Trimethylbenzene	ug/kg		ND	ND	
1,2-Dibromo-3-chloropropane	ug/kg		ND	ND	
1,2-Dibromoethane (EDB)	ug/kg		ND	ND	
1,2-Dichlorobenzene	ug/kg		ND	ND	
1,2-Dichloroethane	ug/kg		ND	ND	
1,2-Dichloropropane	ug/kg		ND	ND	
1,3,5-Trimethylbenzene	ug/kg		ND	ND	
1,3-Dichlorobenzene	ug/kg		ND	ND	
1,3-Dichloropropane	ug/kg		ND	ND	
1,4-Dichlorobenzene	ug/kg		ND	ND	
2,2-Dichloropropane	ug/kg		ND	ND	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

SAMPLE DUPLICATE: 1144441

Parameter	Units	92190453001	Dup Result	RPD	Qualifiers
2-Butanone (MEK)	ug/kg	ND	ND		
2-Chlorotoluene	ug/kg	ND	ND		
2-Hexanone	ug/kg	ND	ND		
4-Chlorotoluene	ug/kg	ND	ND		
4-Methyl-2-pentanone (MIBK)	ug/kg	ND	ND		
Acetone	ug/kg	ND	22.6J		
Benzene	ug/kg	ND	ND		
Bromobenzene	ug/kg	ND	ND		
Bromochloromethane	ug/kg	ND	ND		
Bromodichloromethane	ug/kg	ND	ND		
Bromoform	ug/kg	ND	ND		
Bromomethane	ug/kg	ND	ND		
Carbon tetrachloride	ug/kg	ND	ND		
Chlorobenzene	ug/kg	ND	ND		
Chloroethane	ug/kg	ND	ND		
Chloroform	ug/kg	ND	ND		
Chloromethane	ug/kg	ND	ND		
cis-1,2-Dichloroethene	ug/kg	ND	ND		
cis-1,3-Dichloropropene	ug/kg	ND	ND		
Dibromochloromethane	ug/kg	ND	ND		
Dibromomethane	ug/kg	ND	ND		
Dichlorodifluoromethane	ug/kg	ND	ND		
Diisopropyl ether	ug/kg	ND	ND		
Ethylbenzene	ug/kg	ND	ND		
Hexachloro-1,3-butadiene	ug/kg	ND	ND		
Isopropylbenzene (Cumene)	ug/kg	ND	ND		
m&p-Xylene	ug/kg	ND	ND		
Methyl-tert-butyl ether	ug/kg	ND	ND		
Methylene Chloride	ug/kg	ND	2.7J		
n-Butylbenzene	ug/kg	ND	ND		
n-Propylbenzene	ug/kg	ND	ND		
Naphthalene	ug/kg	ND	1.2J		
o-Xylene	ug/kg	ND	ND		
p-Isopropyltoluene	ug/kg	ND	ND		
sec-Butylbenzene	ug/kg	ND	ND		
Styrene	ug/kg	ND	ND		
tert-Butylbenzene	ug/kg	ND	ND		
Tetrachloroethene	ug/kg	ND	ND		
Toluene	ug/kg	ND	ND		
trans-1,2-Dichloroethene	ug/kg	ND	ND		
trans-1,3-Dichloropropene	ug/kg	ND	ND		
Trichloroethene	ug/kg	ND	ND		
Trichlorofluoromethane	ug/kg	ND	ND		
Vinyl acetate	ug/kg	ND	ND		
Vinyl chloride	ug/kg	ND	ND		
Xylene (Total)	ug/kg	ND	ND		
1,2-Dichloroethane-d4 (S)	%	93	96	1	
4-Bromofluorobenzene (S)	%	90	80	16	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland
Pace Project No.: 92190307

SAMPLE DUPLICATE: 1144441

Parameter	Units	Result	Dup Result	RPD	Qualifiers
Toluene-d8 (S)	%	111	116	0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

QC Batch:	OEXT/26010	Analysis Method:	EPA 625
QC Batch Method:	EPA 625	Analysis Description:	625 MSS
Associated Lab Samples:	92190307007		

METHOD BLANK: 1141550 Matrix: Water

Associated Lab Samples: 92190307007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	ug/L	ND	5.0	02/28/14 07:26	
2,4,6-Trichlorophenol	ug/L	ND	10.0	02/28/14 07:26	
2,4-Dichlorophenol	ug/L	ND	5.0	02/28/14 07:26	
2,4-Dimethylphenol	ug/L	ND	10.0	02/28/14 07:26	
2,4-Dinitrophenol	ug/L	ND	50.0	02/28/14 07:26	
2,4-Dinitrotoluene	ug/L	ND	5.0	02/28/14 07:26	
2,6-Dinitrotoluene	ug/L	ND	5.0	02/28/14 07:26	
2-Chloronaphthalene	ug/L	ND	5.0	02/28/14 07:26	
2-Chlorophenol	ug/L	ND	5.0	02/28/14 07:26	
2-Nitrophenol	ug/L	ND	5.0	02/28/14 07:26	
3,3'-Dichlorobenzidine	ug/L	ND	25.0	02/28/14 07:26	
4,6-Dinitro-2-methylphenol	ug/L	ND	20.0	02/28/14 07:26	
4-Bromophenylphenyl ether	ug/L	ND	5.0	02/28/14 07:26	
4-Chloro-3-methylphenol	ug/L	ND	5.0	02/28/14 07:26	
4-Chlorophenylphenyl ether	ug/L	ND	5.0	02/28/14 07:26	
4-Nitrophenol	ug/L	ND	50.0	02/28/14 07:26	
Acenaphthene	ug/L	ND	5.0	02/28/14 07:26	
Acenaphthylene	ug/L	ND	5.0	02/28/14 07:26	
Anthracene	ug/L	ND	5.0	02/28/14 07:26	
Benzo(a)anthracene	ug/L	ND	5.0	02/28/14 07:26	
Benzo(a)pyrene	ug/L	ND	5.0	02/28/14 07:26	
Benzo(b)fluoranthene	ug/L	ND	5.0	02/28/14 07:26	
Benzo(g,h,i)perylene	ug/L	ND	5.0	02/28/14 07:26	
Benzo(k)fluoranthene	ug/L	ND	5.0	02/28/14 07:26	
bis(2-Chloroethoxy)methane	ug/L	ND	10.0	02/28/14 07:26	
bis(2-Chloroethyl) ether	ug/L	ND	5.0	02/28/14 07:26	
bis(2-Chloroisopropyl) ether	ug/L	ND	5.0	02/28/14 07:26	
bis(2-Ethylhexyl)phthalate	ug/L	ND	5.0	02/28/14 07:26	
Butylbenzylphthalate	ug/L	ND	5.0	02/28/14 07:26	
Chrysene	ug/L	ND	5.0	02/28/14 07:26	
Di-n-butylphthalate	ug/L	ND	5.0	02/28/14 07:26	
Di-n-octylphthalate	ug/L	ND	5.0	02/28/14 07:26	
Dibenz(a,h)anthracene	ug/L	ND	5.0	02/28/14 07:26	
Diethylphthalate	ug/L	ND	5.0	02/28/14 07:26	
Dimethylphthalate	ug/L	ND	5.0	02/28/14 07:26	
Fluoranthene	ug/L	ND	5.0	02/28/14 07:26	
Fluorene	ug/L	ND	5.0	02/28/14 07:26	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	02/28/14 07:26	
Hexachlorobenzene	ug/L	ND	5.0	02/28/14 07:26	
Hexachlorocyclopentadiene	ug/L	ND	10.0	02/28/14 07:26	
Hexachloroethane	ug/L	ND	5.0	02/28/14 07:26	
Indeno(1,2,3-cd)pyrene	ug/L	ND	5.0	02/28/14 07:26	
Isophorone	ug/L	ND	10.0	02/28/14 07:26	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

METHOD BLANK: 1141550

Matrix: Water

Associated Lab Samples: 92190307007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
N-Nitroso-di-n-propylamine	ug/L	ND	5.0	02/28/14 07:26	
N-Nitrosodimethylamine	ug/L	ND	5.0	02/28/14 07:26	
N-Nitrosodiphenylamine	ug/L	ND	10.0	02/28/14 07:26	
Naphthalene	ug/L	ND	5.0	02/28/14 07:26	
Nitrobenzene	ug/L	ND	5.0	02/28/14 07:26	
Pentachlorophenol	ug/L	ND	10.0	02/28/14 07:26	
Phenanthrrene	ug/L	ND	5.0	02/28/14 07:26	
Phenol	ug/L	ND	5.0	02/28/14 07:26	
Pyrene	ug/L	ND	5.0	02/28/14 07:26	
2,4,6-Tribromophenol (S)	%	88	10-137	02/28/14 07:26	
2-Fluorobiphenyl (S)	%	74	15-120	02/28/14 07:26	
2-Fluorophenol (S)	%	46	10-120	02/28/14 07:26	
Nitrobenzene-d5 (S)	%	73	10-120	02/28/14 07:26	
Phenol-d6 (S)	%	33	10-120	02/28/14 07:26	
Terphenyl-d14 (S)	%	99	11-131	02/28/14 07:26	

LABORATORY CONTROL SAMPLE: 1141551

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	ug/L	50	36.0	72	44-142	
2,4,6-Trichlorophenol	ug/L	50	19.6	39	37-144	
2,4-Dichlorophenol	ug/L	50	23.9	48	1-191	
2,4-Dimethylphenol	ug/L	50	31.7	63	32-119	
2,4-Dinitrophenol	ug/L	250	49.5J	20	1-181	
2,4-Dinitrotoluene	ug/L	50	54.3	109	39-139	
2,6-Dinitrotoluene	ug/L	50	51.3	103	50-158	
2-Chloronaphthalene	ug/L	50	34.2	68	60-118	
2-Chlorophenol	ug/L	50	23.6	47	23-134	
2-Nitrophenol	ug/L	50	20.8	42	29-182	
3,3'-Dichlorobenzidine	ug/L	100	107	107	1-262	
4,6-Dinitro-2-methylphenol	ug/L	100	34.2	34	1-181	
4-Bromophenylphenyl ether	ug/L	50	44.3	89	53-127	
4-Chloro-3-methylphenol	ug/L	100	59.7	60	22-147	
4-Chlorophenylphenyl ether	ug/L	50	48.4	97	25-158	
4-Nitrophenol	ug/L	250	48.6J	19	1-132	
Acenaphthene	ug/L	50	40.8	82	47-145	
Acenaphthylene	ug/L	50	42.0	84	33-145	
Anthracene	ug/L	50	46.2	92	1-166	
Benzo(a)anthracene	ug/L	50	45.7	91	33-143	
Benzo(a)pyrene	ug/L	50	49.2	98	17-163	
Benzo(b)fluoranthene	ug/L	50	44.9	90	24-159	
Benzo(g,h,i)perylene	ug/L	50	45.0	90	1-219	
Benzo(k)fluoranthene	ug/L	50	41.4	83	11-162	
bis(2-Chloroethoxy)methane	ug/L	50	41.6	83	33-184	
bis(2-Chloroethyl) ether	ug/L	50	44.4	89	12-158	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

LABORATORY CONTROL SAMPLE: 1141551

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
bis(2-Chloroisopropyl) ether	ug/L	50	44.1	88	36-166	
bis(2-Ethylhexyl)phthalate	ug/L	50	47.1	94	8-158	
Butylbenzylphthalate	ug/L	50	45.3	91	1-152	
Chrysene	ug/L	50	47.2	94	17-168	
Di-n-butylphthalate	ug/L	50	45.1	90	1-118	
Di-n-octylphthalate	ug/L	50	54.2	108	4-146	
Dibenz(a,h)anthracene	ug/L	50	49.3	99	1-227	
Diethylphthalate	ug/L	50	45.5	91	1-114	
Dimethylphthalate	ug/L	50	41.6	83	1-112	
Fluoranthene	ug/L	50	50.5	101	26-137	
Fluorene	ug/L	50	47.8	96	59-121	
Hexachloro-1,3-butadiene	ug/L	50	32.1	64	24-116	
Hexachlorobenzene	ug/L	50	40.0	80	1-152	
Hexachlorocyclopentadiene	ug/L	50	25.9	52	25-150	
Hexachloroethane	ug/L	50	33.9	68	40-113	
Indeno(1,2,3-cd)pyrene	ug/L	50	48.5	97	1-171	
Isophorone	ug/L	50	48.3	97	21-196	
N-Nitroso-di-n-propylamine	ug/L	50	51.2	102	1-230	
N-Nitrosodimethylamine	ug/L	50	18.9	38	25-150	
N-Nitrosodiphenylamine	ug/L	50	34.8	70	25-150	
Naphthalene	ug/L	50	41.5	83	21-133	
Nitrobenzene	ug/L	50	39.1	78	35-180	
Pentachlorophenol	ug/L	100	39.6	40	14-176	
Phenanthrone	ug/L	50	44.9	90	54-120	
Phenol	ug/L	50	15.0	30	5-112	
Pyrene	ug/L	50	47.2	94	52-115	
2,4,6-Tribromophenol (S)	%			58	10-137	
2-Fluorobiphenyl (S)	%			75	15-120	
2-Fluorophenol (S)	%			25	10-120	
Nitrobenzene-d5 (S)	%			73	10-120	
Phenol-d6 (S)	%			22	10-120	
Terphenyl-d14 (S)	%			94	11-131	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1141552 1141553

Parameter	Units	MS		MSD		MS		MSD		% Rec Limits	RPD	Qual
		92190065001	Spike Conc.	Spike Conc.	MS Result	MSD Result	% Rec	MSD % Rec				
1,2,4-Trichlorobenzene	ug/L	ND	100	100	78.9	64.5	79	65	44-142	20		
2,4,6-Trichlorophenol	ug/L	ND	100	100	87.6	77.0	88	77	37-144	13		
2,4-Dichlorophenol	ug/L	ND	100	100	106	84.4	106	84	1-191	23		
2,4-Dimethylphenol	ug/L	ND	100	100	73.8	48.8	74	49	32-119	41 R1		
2,4-Dinitrophenol	ug/L	ND	500	500	263	286	53	57	1-181	9		
2,4-Dinitrotoluene	ug/L	ND	100	100	105	95.2	105	95	39-139	10		
2,6-Dinitrotoluene	ug/L	ND	100	100	105	97.3	105	97	50-158	7		
2-Chloronaphthalene	ug/L	ND	100	100	76.9	64.0	77	64	60-118	18		
2-Chlorophenol	ug/L	ND	100	100	114	78.3	114	78	23-134	37 R1		
2-Nitrophenol	ug/L	ND	100	100	94.9	74.9	95	75	29-182	24		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

Parameter	Units	92190065001		MS		MSD		1141553		% Rec Limits	RPD	Qual
		Result	Conc.	Spike	Spike	MS	MSD	MS	MSD			
				Conc.	Result	Result	% Rec	% Rec	% Rec			
3,3'-Dichlorobenzidine	ug/L	ND	200	200	115	124	58	62	1-262	7		
4,6-Dinitro-2-methylphenol	ug/L	ND	200	200	156	152	78	76	1-181	3		
4-Bromophenylphenyl ether	ug/L	ND	100	100	95.3	87.4	95	87	53-127	9		
4-Chloro-3-methylphenol	ug/L	ND	200	200	218	191	109	96	22-147	13		
4-Chlorophenylphenyl ether	ug/L	ND	100	100	98.1	89.0	98	89	25-158	10		
4-Nitrophenol	ug/L	ND	500	500	272	225	54	45	1-132	19		
Acenaphthene	ug/L	ND	100	100	88.4	75.5	88	76	47-145	16		
Acenaphthylene	ug/L	ND	100	100	91.1	77.9	91	78	33-145	16		
Anthracene	ug/L	ND	100	100	93.0	81.8	93	82	1-166	13		
Benzo(a)anthracene	ug/L	ND	100	100	90.0	83.6	90	84	33-143	7		
Benzo(a)pyrene	ug/L	ND	100	100	96.2	87.6	96	88	17-163	9		
Benzo(b)fluoranthene	ug/L	ND	100	100	94.0	86.8	94	87	24-159	8		
Benzo(g,h,i)perylene	ug/L	ND	100	100	89.4	78.4	89	78	1-219	13		
Benzo(k)fluoranthene	ug/L	ND	100	100	84.7	79.4	85	79	11-162	6		
bis(2-Chloroethoxy)methane	ug/L	ND	100	100	92.3	74.8	92	75	33-184	21		
bis(2-Chloroethyl) ether	ug/L	ND	100	100	97.6	78.5	98	78	12-158	22		
bis(2-Chloroisopropyl) ether	ug/L	ND	100	100	97.2	70.9	97	71	36-166	31 R1		
bis(2-Ethylhexyl)phthalate	ug/L	ND	100	100	90.9	86.0	91	86	8-158	5		
Butylbenzylphthalate	ug/L	ND	100	100	89.1	86.1	89	86	1-152	3		
Chrysene	ug/L	ND	100	100	93.5	88.6	94	89	17-168	5		
Di-n-butylphthalate	ug/L	ND	100	100	87.5	79.7	88	80	1-118	9		
Di-octylphthalate	ug/L	ND	100	100	101	91.7	101	92	4-146	10		
Dibenz(a,h)anthracene	ug/L	ND	100	100	96.1	85.8	96	86	1-227	11		
Diethylphthalate	ug/L	ND	100	100	86.6	80.4	87	80	1-114	7		
Dimethylphthalate	ug/L	ND	100	100	84.2	79.0	84	79	1-112	6		
Fluoranthene	ug/L	ND	100	100	97.9	82.5	98	82	26-137	17		
Fluorene	ug/L	ND	100	100	95.9	86.7	96	87	59-121	10		
Hexachloro-1,3-butadiene	ug/L	ND	100	100	67.7	57.7	68	58	24-116	16		
Hexachlorobenzene	ug/L	ND	100	100	83.7	76.0	84	76	1-152	10		
Hexachlorocyclopentadiene	ug/L	ND	100	100	67.6	53.4	68	53	25-150	24		
Hexachloroethane	ug/L	ND	100	100	69.9	54.7	70	55	40-113	24		
Indeno(1,2,3-cd)pyrene	ug/L	ND	100	100	95.7	84.4	96	84	1-171	13		
Isophorone	ug/L	ND	100	100	104	84.1	104	84	21-196	21		
N-Nitroso-di-n-propylamine	ug/L	ND	100	100	124	74.2	124	74	1-230	50 R1		
N-Nitrosodimethylamine	ug/L	ND	100	100	55.1	44.2	55	44	25-150	22		
N-Nitrosodiphenylamine	ug/L	ND	100	100	76.3	70.5	76	70	25-150	8		
Naphthalene	ug/L	ND	100	100	91.5	73.2	92	73	21-133	22		
Nitrobenzene	ug/L	ND	100	100	96.7	75.6	97	76	35-180	24		
Pentachlorophenol	ug/L	ND	200	200	168	139	84	70	14-176	19		
Phenanthrene	ug/L	ND	100	100	92.6	82.6	93	83	54-120	11		
Phenol	ug/L	ND	100	100	91.8	53.4	92	53	5-112	53 R1		
Pyrene	ug/L	ND	100	100	97.9	93.6	98	94	52-115	4		
2,4,6-Tribromophenol (S)	%						107		95	10-137		
2-Fluorobiphenyl (S)	%						84		74	15-120		
2-Fluorophenol (S)	%						71		55	10-120		
Nitrobenzene-d5 (S)	%						82		68	10-120		
Phenol-d6 (S)	%						84		50	10-120		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland
Pace Project No.: 92190307

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:			1141552		1141553						
Parameter	Units	Result	MS Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Terphenyl-d14 (S)	%	92190065001	Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	11-131	98	99

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

QC Batch:	OEXT/26001	Analysis Method:	EPA 8270
QC Batch Method:	EPA 3546	Analysis Description:	8270 Solid MSSV Microwave
Associated Lab Samples:	92190307004, 92190307005, 92190307006		

METHOD BLANK: 1141134 Matrix: Solid

Associated Lab Samples: 92190307004, 92190307005, 92190307006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	ug/kg	ND	330	02/20/14 16:32	
1,2-Dichlorobenzene	ug/kg	ND	330	02/20/14 16:32	
1,3-Dichlorobenzene	ug/kg	ND	330	02/20/14 16:32	
1,4-Dichlorobenzene	ug/kg	ND	330	02/20/14 16:32	
1-Methylnaphthalene	ug/kg	ND	330	02/20/14 16:32	
2,4,5-Trichlorophenol	ug/kg	ND	330	02/20/14 16:32	
2,4,6-Trichlorophenol	ug/kg	ND	330	02/20/14 16:32	
2,4-Dichlorophenol	ug/kg	ND	330	02/20/14 16:32	
2,4-Dimethylphenol	ug/kg	ND	330	02/20/14 16:32	
2,4-Dinitrophenol	ug/kg	ND	1650	02/20/14 16:32	
2,4-Dinitrotoluene	ug/kg	ND	330	02/20/14 16:32	
2,6-Dinitrotoluene	ug/kg	ND	330	02/20/14 16:32	
2-Chloronaphthalene	ug/kg	ND	330	02/20/14 16:32	
2-Chlorophenol	ug/kg	ND	330	02/20/14 16:32	
2-Methylnaphthalene	ug/kg	ND	330	02/20/14 16:32	
2-Methylphenol(o-Cresol)	ug/kg	ND	330	02/20/14 16:32	
2-Nitroaniline	ug/kg	ND	1650	02/20/14 16:32	
2-Nitrophenol	ug/kg	ND	330	02/20/14 16:32	
3&4-Methylphenol(m&p Cresol)	ug/kg	ND	330	02/20/14 16:32	
3,3'-Dichlorobenzidine	ug/kg	ND	1650	02/20/14 16:32	
3-Nitroaniline	ug/kg	ND	1650	02/20/14 16:32	
4,6-Dinitro-2-methylphenol	ug/kg	ND	660	02/20/14 16:32	
4-Bromophenylphenyl ether	ug/kg	ND	330	02/20/14 16:32	
4-Chloro-3-methylphenol	ug/kg	ND	660	02/20/14 16:32	
4-Chloroaniline	ug/kg	ND	1650	02/20/14 16:32	
4-Chlorophenylphenyl ether	ug/kg	ND	330	02/20/14 16:32	
4-Nitroaniline	ug/kg	ND	660	02/20/14 16:32	
4-Nitrophenol	ug/kg	ND	1650	02/20/14 16:32	
Acenaphthene	ug/kg	ND	330	02/20/14 16:32	
Acenaphthylene	ug/kg	ND	330	02/20/14 16:32	
Aniline	ug/kg	ND	330	02/20/14 16:32	
Anthracene	ug/kg	ND	330	02/20/14 16:32	
Benzo(a)anthracene	ug/kg	ND	330	02/20/14 16:32	
Benzo(a)pyrene	ug/kg	ND	330	02/20/14 16:32	
Benzo(b)fluoranthene	ug/kg	ND	330	02/20/14 16:32	
Benzo(g,h,i)perylene	ug/kg	ND	330	02/20/14 16:32	
Benzo(k)fluoranthene	ug/kg	ND	330	02/20/14 16:32	
Benzoic Acid	ug/kg	ND	1650	02/20/14 16:32	
Benzyl alcohol	ug/kg	ND	660	02/20/14 16:32	
bis(2-Chloroethoxy)methane	ug/kg	ND	330	02/20/14 16:32	
bis(2-Chloroethyl) ether	ug/kg	ND	330	02/20/14 16:32	
bis(2-Chloroisopropyl) ether	ug/kg	ND	330	02/20/14 16:32	
bis(2-Ethylhexyl)phthalate	ug/kg	ND	330	02/20/14 16:32	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

METHOD BLANK: 1141134

Matrix: Solid

Associated Lab Samples: 92190307004, 92190307005, 92190307006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Butylbenzylphthalate	ug/kg	ND	330	02/20/14 16:32	
Chrysene	ug/kg	ND	330	02/20/14 16:32	
Di-n-butylphthalate	ug/kg	ND	330	02/20/14 16:32	
Di-n-octylphthalate	ug/kg	ND	330	02/20/14 16:32	
Dibenz(a,h)anthracene	ug/kg	ND	330	02/20/14 16:32	
Dibenzofuran	ug/kg	ND	330	02/20/14 16:32	
Diethylphthalate	ug/kg	ND	330	02/20/14 16:32	
Dimethylphthalate	ug/kg	ND	330	02/20/14 16:32	
Fluoranthene	ug/kg	ND	330	02/20/14 16:32	
Fluorene	ug/kg	ND	330	02/20/14 16:32	
Hexachloro-1,3-butadiene	ug/kg	ND	330	02/20/14 16:32	
Hexachlorobenzene	ug/kg	ND	330	02/20/14 16:32	
Hexachlorocyclopentadiene	ug/kg	ND	330	02/20/14 16:32	
Hexachloroethane	ug/kg	ND	330	02/20/14 16:32	
Indeno(1,2,3-cd)pyrene	ug/kg	ND	330	02/20/14 16:32	
Isophorone	ug/kg	ND	330	02/20/14 16:32	
N-Nitroso-di-n-propylamine	ug/kg	ND	330	02/20/14 16:32	
N-Nitrosodimethylamine	ug/kg	ND	330	02/20/14 16:32	
N-Nitrosodiphenylamine	ug/kg	ND	330	02/20/14 16:32	
Naphthalene	ug/kg	ND	330	02/20/14 16:32	
Nitrobenzene	ug/kg	ND	330	02/20/14 16:32	
Pentachlorophenol	ug/kg	ND	1650	02/20/14 16:32	
Phenanthrene	ug/kg	ND	330	02/20/14 16:32	
Phenol	ug/kg	ND	330	02/20/14 16:32	
Pyrene	ug/kg	ND	330	02/20/14 16:32	
2,4,6-Tribromophenol (S)	%	79	27-110	02/20/14 16:32	
2-Fluorobiphenyl (S)	%	72	30-110	02/20/14 16:32	
2-Fluorophenol (S)	%	75	13-110	02/20/14 16:32	
Nitrobenzene-d5 (S)	%	70	23-110	02/20/14 16:32	
Phenol-d6 (S)	%	71	22-110	02/20/14 16:32	
Terphenyl-d14 (S)	%	94	28-110	02/20/14 16:32	

LABORATORY CONTROL SAMPLE: 1141135

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	ug/kg	1670	1050	63	39-101	
1,2-Dichlorobenzene	ug/kg	1670	1080	65	36-110	
1,3-Dichlorobenzene	ug/kg	1670	1050	63	35-110	
1,4-Dichlorobenzene	ug/kg	1670	1070	64	35-110	
1-Methylnaphthalene	ug/kg	1670	1160	70	45-105	
2,4,5-Trichlorophenol	ug/kg	1670	1220	73	48-109	
2,4,6-Trichlorophenol	ug/kg	1670	1130	68	45-111	
2,4-Dichlorophenol	ug/kg	1670	1190	71	51-116	
2,4-Dimethylphenol	ug/kg	1670	1310	79	42-103	
2,4-Dinitrophenol	ug/kg	8330	5680	68	28-103	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

LABORATORY CONTROL SAMPLE: 1141135

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dinitrotoluene	ug/kg	1670	1390	83	46-114	
2,6-Dinitrotoluene	ug/kg	1670	1370	82	48-112	
2-Chloronaphthalene	ug/kg	1670	1000	60	44-105	
2-Chlorophenol	ug/kg	1670	1260	76	36-110	
2-Methylnaphthalene	ug/kg	1670	1200	72	39-112	
2-Methylphenol(o-Cresol)	ug/kg	1670	1210	73	39-101	
2-Nitroaniline	ug/kg	3330	2580	77	44-111	
2-Nitrophenol	ug/kg	1670	1160	70	41-100	
3&4-Methylphenol(m&p Cresol)	ug/kg	1670	1200	72	43-103	
3,3'-Dichlorobenzidine	ug/kg	3330	2500	75	10-150	
3-Nitroaniline	ug/kg	3330	2690	81	35-110	
4,6-Dinitro-2-methylphenol	ug/kg	3330	2800	84	38-118	
4-Bromophenylphenyl ether	ug/kg	1670	1380	83	47-115	
4-Chloro-3-methylphenol	ug/kg	3330	2510	75	43-127	
4-Chloroaniline	ug/kg	3330	2470	74	34-109	
4-Chlorophenylphenyl ether	ug/kg	1670	1260	76	44-115	
4-Nitroaniline	ug/kg	3330	2630	79	37-111	
4-Nitrophenol	ug/kg	8330	6180	74	21-152	
Acenaphthene	ug/kg	1670	1180	71	38-117	
Acenaphthylene	ug/kg	1670	1200	72	46-107	
Aniline	ug/kg	1670	1120	67	29-110	
Anthracene	ug/kg	1670	1380	83	50-110	
Benzo(a)anthracene	ug/kg	1670	1390	83	47-116	
Benzo(a)pyrene	ug/kg	1670	1480	89	47-106	
Benzo(b)fluoranthene	ug/kg	1670	1340	80	47-109	
Benzo(g,h,i)perylene	ug/kg	1670	1300	78	39-115	
Benzo(k)fluoranthene	ug/kg	1670	1390	83	45-117	
Benzoic Acid	ug/kg	8330	4980	60	16-110	
Benzyl alcohol	ug/kg	3330	2160	65	38-105	
bis(2-Chloroethoxy)methane	ug/kg	1670	1160	69	39-110	
bis(2-Chloroethyl) ether	ug/kg	1670	1160	70	19-119	
bis(2-Chloroisopropyl) ether	ug/kg	1670	1100	66	21-110	
bis(2-Ethylhexyl)phthalate	ug/kg	1670	1330	80	35-116	
Butylbenzylphthalate	ug/kg	1670	1330	80	38-110	
Chrysene	ug/kg	1670	1440	87	49-110	
Di-n-butylphthalate	ug/kg	1670	1220	73	43-109	
Di-n-octylphthalate	ug/kg	1670	1260	76	37-109	
Dibenz(a,h)anthracene	ug/kg	1670	1350	81	43-116	
Dibenzofuran	ug/kg	1670	1100	66	45-106	
Diethylphthalate	ug/kg	1670	1170	70	41-114	
Dimethylphthalate	ug/kg	1670	1170	70	43-110	
Fluoranthene	ug/kg	1670	1320	79	50-114	
Fluorene	ug/kg	1670	1260	76	46-114	
Hexachloro-1,3-butadiene	ug/kg	1670	1060	63	28-111	
Hexachlorobenzene	ug/kg	1670	1220	73	46-120	
Hexachlorocyclopentadiene	ug/kg	1670	1330	80	18-119	
Hexachloroethane	ug/kg	1670	1040	63	33-110	
Indeno(1,2,3-cd)pyrene	ug/kg	1670	1390	83	42-115	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

LABORATORY CONTROL SAMPLE: 1141135

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Isophorone	ug/kg	1670	1220	73	44-109	
N-Nitroso-di-n-propylamine	ug/kg	1670	984	59	43-104	
N-Nitrosodimethylamine	ug/kg	1670	982	59	29-110	
N-Nitrosodiphenylamine	ug/kg	1670	1180	71	48-113	
Naphthalene	ug/kg	1670	1180	71	41-110	
Nitrobenzene	ug/kg	1670	1190	71	38-110	
Pentachlorophenol	ug/kg	3330	2460	74	32-128	
Phenanthrene	ug/kg	1670	1360	81	50-110	
Phenol	ug/kg	1670	1310	79	28-106	
Pyrene	ug/kg	1670	1570	94	45-114	
2,4,6-Tribromophenol (S)	%			88	27-110	
2-Fluorobiphenyl (S)	%			68	30-110	
2-Fluorophenol (S)	%			76	13-110	
Nitrobenzene-d5 (S)	%			66	23-110	
Phenol-d6 (S)	%			75	22-110	
Terphenyl-d14 (S)	%			93	28-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1141136 1141137

Parameter	Units	MS 92190305003		MSD Spike		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
		Result	Spike Conc.	Conc.	Result							
1,2,4-Trichlorobenzene	ug/kg	ND	2020	2020	1430	1560	71	78	18-119	9		
1,2-Dichlorobenzene	ug/kg	ND	2020	2020	1420	1490	71	74	50-110	4		
1,3-Dichlorobenzene	ug/kg	ND	2020	2020	1390	1470	69	73	27-110	6		
1,4-Dichlorobenzene	ug/kg	ND	2020	2020	1430	1520	71	75	28-110	6		
1-Methylnaphthalene	ug/kg	ND	2020	2020	1510	1680	75	83	24-116	10		
2,4,5-Trichlorophenol	ug/kg	ND	2020	2020	1710	1750	85	87	28-110	2		
2,4,6-Trichlorophenol	ug/kg	ND	2020	2020	1570	1620	78	81	17-117	3		
2,4-Dichlorophenol	ug/kg	ND	2020	2020	1640	1680	81	83	21-128	2		
2,4-Dimethylphenol	ug/kg	ND	2020	2020	1790	1850	89	92	10-120	3		
2,4-Dinitrophenol	ug/kg	ND	10100	10100	399J	1400J	4	14	10-107		M1	
2,4-Dinitrotoluene	ug/kg	ND	2020	2020	1750	1790	87	89	36-109	2		
2,6-Dinitrotoluene	ug/kg	ND	2020	2020	1780	1850	88	92	32-110	4		
2-Chloronaphthalene	ug/kg	ND	2020	2020	1340	1440	66	72	30-107	7		
2-Chlorophenol	ug/kg	ND	2020	2020	1690	1710	84	85	14-106	1		
2-Methylnaphthalene	ug/kg	ND	2020	2020	1590	1760	79	87	10-135	10		
2-Methylphenol(o-Cresol)	ug/kg	ND	2020	2020	1620	1600	81	80	10-124	1		
2-Nitroaniline	ug/kg	ND	4020	4020	3310	3150	82	78	26-116	5		
2-Nitrophenol	ug/kg	ND	2020	2020	1620	1790	80	89	28-103	10		
3&4-Methylphenol(m&p Cresol)	ug/kg	ND	2020	2020	1610	1620	80	80	10-109	0		
3,3'-Dichlorobenzidine	ug/kg	ND	4020	4020	3770	3750	94	93	10-150	1		
3-Nitroaniline	ug/kg	ND	4020	4020	3390	3220	84	80	22-110	5		
4,6-Dinitro-2-methylphenol	ug/kg	ND	4020	4020	1800	1590	45	39	13-121	13		
4-Bromophenylphenyl ether	ug/kg	ND	2020	2020	1670	1920	83	95	31-109	14		
4-Chloro-3-methylphenol	ug/kg	ND	4020	4020	3280	3350	81	83	13-128	2		
4-Chloroaniline	ug/kg	ND	4020	4020	3260	3330	81	83	18-102	2		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

Parameter	Units	92190305003		MS Spike		MSD Spike		MS		MSD		% Rec Limits	RPD	Qual	
				Conc.		Conc.		Result	MSD	% Rec	Result	% Rec			
		Result	Conc.												
4-Chlorophenylphenyl ether	ug/kg	ND	2020	2020	1570	1760	78	87	29-112	11					
4-Nitroaniline	ug/kg	ND	4020	4020	3270	3280	81	81	16-111	0					
4-Nitrophenol	ug/kg	ND	10100	10100	6550	6390	65	63	14-135	2					
Acenaphthene	ug/kg	ND	2020	2020	1490	1560	74	77	26-114	5					
Acenaphthylene	ug/kg	ND	2020	2020	1560	1640	77	81	32-108	5					
Aniline	ug/kg	ND	2020	2020	1460	1390	72	69	10-107	5					
Anthracene	ug/kg	ND	2020	2020	1670	1750	83	87	32-111	4					
Benzo(a)anthracene	ug/kg	ND	2020	2020	1650	1650	80	80	25-117	1					
Benzo(a)pyrene	ug/kg	ND	2020	2020	1730	1800	83	87	25-106	4					
Benzo(b)fluoranthene	ug/kg	ND	2020	2020	1610	1650	77	79	24-110	3					
Benzo(g,h,i)perylene	ug/kg	ND	2020	2020	1720	1810	85	90	19-112	5					
Benzo(k)fluoranthene	ug/kg	ND	2020	2020	1520	1630	73	78	24-114	7					
Benzoic Acid	ug/kg	ND	10100	10100	290J	306J	3	3	10-110	M1					
Benzyl alcohol	ug/kg	ND	4020	4020	2980	3010	74	75	24-106	1					
bis(2-Chloroethoxy)methane	ug/kg	ND	2020	2020	1540	1550	76	77	13-119	1					
bis(2-Chloroethyl) ether	ug/kg	ND	2020	2020	1580	1600	78	79	10-134	1					
bis(2-Chloroisopropyl) ether	ug/kg	ND	2020	2020	1430	1320	71	66	10-113	8					
bis(2-Ethylhexyl)phthalate	ug/kg	ND	2020	2020	1700	1490	84	74	10-125	13					
Butylbenzylphthalate	ug/kg	ND	2020	2020	1630	1620	81	80	18-110	0					
Chrysene	ug/kg	ND	2020	2020	1770	1770	84	85	30-110	0					
Di-n-butylphthalate	ug/kg	ND	2020	2020	1500	1630	75	81	19-112	8					
Di-n-octylphthalate	ug/kg	ND	2020	2020	1940	1460	97	72	17-105	29					
Dibenz(a,h)anthracene	ug/kg	ND	2020	2020	1820	1790	90	89	23-111	2					
Dibenzofuran	ug/kg	ND	2020	2020	1380	1450	69	72	35-103	5					
Diethylphthalate	ug/kg	ND	2020	2020	1470	1560	73	77	27-113	6					
Dimethylphthalate	ug/kg	ND	2020	2020	1470	1530	73	76	26-111	4					
Fluoranthene	ug/kg	ND	2020	2020	1860	2140	87	101	33-109	14					
Fluorene	ug/kg	ND	2020	2020	1570	1660	78	82	32-113	5					
Hexachloro-1,3-butadiene	ug/kg	ND	2020	2020	1410	1630	70	81	16-116	14					
Hexachlorobenzene	ug/kg	ND	2020	2020	1480	1800	73	89	27-120	19					
Hexachlorocyclopentadiene	ug/kg	ND	2020	2020	1850	1790	92	89	10-108	4					
Hexachloroethane	ug/kg	ND	2020	2020	1330	1460	66	72	10-117	9					
Indeno(1,2,3-cd)pyrene	ug/kg	ND	2020	2020	1830	1880	91	94	10-122	3					
Isophorone	ug/kg	ND	2020	2020	1670	1710	83	85	28-114	3					
N-Nitroso-di-n-propylamine	ug/kg	ND	2020	2020	1280	1280	64	64	27-113	0					
N-Nitrosodimethylamine	ug/kg	ND	2020	2020	1270	1270	63	63	10-109	0					
N-Nitrosodiphenylamine	ug/kg	ND	2020	2020	1450	1450	72	72	10-128	0					
Naphthalene	ug/kg	ND	2020	2020	1590	1640	79	81	25-110	3					
Nitrobenzene	ug/kg	ND	2020	2020	1580	1600	79	79	18-114	1					
Pentachlorophenol	ug/kg	ND	4020	4020	3000	3310	74	82	10-122	10					
Phenanthrene	ug/kg	ND	2020	2020	1750	1900	82	90	30-114	8					
Phenol	ug/kg	ND	2020	2020	1680	1670	83	83	11-102	0					
Pyrene	ug/kg	ND	2020	2020	1840	1840	87	87	25-116	0					
2,4,6-Tribromophenol (S)	%						96	125	27-110	S0					
2-Fluorobiphenyl (S)	%						67	70	30-110						
2-Fluorophenol (S)	%						84	83	13-110						
Nitrobenzene-d5 (S)	%						70	66	23-110						

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:			1141136		1141137							
Parameter	Units	Result	MS	MSD	MS	MSD	MS	MSD	% Rec	% Rec	RPD	Qual
			Spike Conc.	Spike Conc.								
Phenol-d6 (S)	%						81		79	22-110		
Terphenyl-d14 (S)	%						81		82	28-110		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland
 Pace Project No.: 92190307

QC Batch:	PMST/6292	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
Associated Lab Samples: 92190307001, 92190307002, 92190307003, 92190307004			

SAMPLE DUPLICATE: 1148438

Parameter	Units	92189807001 Result	Dup Result	RPD	Qualifiers
Percent Moisture	%	0.32	0.28	13	

SAMPLE DUPLICATE: 1148439

Parameter	Units	92190762002 Result	Dup Result	RPD	Qualifiers
Percent Moisture	%	94.0	94.0	0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

QC Batch:	PMST/6293	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
Associated Lab Samples: 92190307005, 92190307006			

SAMPLE DUPLICATE: 1148440

Parameter	Units	Result	Dup Result	RPD	Qualifiers
Percent Moisture	%	15.2	14.4	5	

SAMPLE DUPLICATE: 1148441

Parameter	Units	Result	Dup Result	RPD	Qualifiers
Percent Moisture	%	11.5	11.0	5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: WBS33727.1.1/B-4490 Cumberland
Pace Project No.: 92190307

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PRL - Pace Reporting Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Acid preservation may not be appropriate for 2-Chloroethylvinyl ether, Styrene, and Vinyl chloride.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

- 1g The internal standard response is below criteria. No hits associated with this internal standard. Results unaffected by high bias.
- F3 The recovery of the second source standard used to verify the initial calibration curve for this analyte is outside the laboratory's control limits. The result is estimated.
- L3 Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.
- M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
- M6 Matrix spike and Matrix spike duplicate recovery not evaluated against control limits due to sample dilution.
- R1 RPD value was outside control limits.
- S0 Surrogate recovery outside laboratory control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190307

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
92190307001	23-1(2-4)	EPA 3050	MPRP/15275	EPA 6010	ICP/13858
92190307002	23-2(2-4)	EPA 3050	MPRP/15275	EPA 6010	ICP/13858
92190307003	23-3(2-4)	EPA 3050	MPRP/15275	EPA 6010	ICP/13858
92190307001	23-1(2-4)	EPA 7471	MERP/6206	EPA 7471	MERC/5988
92190307002	23-2(2-4)	EPA 7471	MERP/6206	EPA 7471	MERC/5988
92190307003	23-3(2-4)	EPA 7471	MERP/6206	EPA 7471	MERC/5988
92190307007	23-3(TW)	EPA 625	OEXT/26010	EPA 625	MSSV/8797
92190307004	23-1(4-6)	EPA 3546	OEXT/26001	EPA 8270	MSSV/8768
92190307005	23-2(4-6)	EPA 3546	OEXT/26001	EPA 8270	MSSV/8768
92190307006	23-3(4-6)	EPA 3546	OEXT/26001	EPA 8270	MSSV/8768
92190307007	23-3(TW)	SM 6200B	MSV/25905		
92190307004	23-1(4-6)	EPA 8260	MSV/25854		
92190307005	23-2(4-6)	EPA 8260	MSV/25854		
92190307006	23-3(4-6)	EPA 8260	MSV/25877		
92190307001	23-1(2-4)	ASTM D2974-87	PMST/6292		
92190307002	23-2(2-4)	ASTM D2974-87	PMST/6292		
92190307003	23-3(2-4)	ASTM D2974-87	PMST/6292		
92190307004	23-1(4-6)	ASTM D2974-87	PMST/6292		
92190307005	23-2(4-6)	ASTM D2974-87	PMST/6293		
92190307006	23-3(4-6)	ASTM D2974-87	PMST/6293		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Client Name: Py RenierCourier: Fed Ex UPS USPS Client Commercial Pace Other _____

Optional

Proj. Due Date:
Proj. Name:Custody Seal on Cooler/Box Present: yes no Seals intact: yes noPacking Material: Bubble Wrap Bubble Bags None Other _____Thermometer Used: IR Gun T1102 T1301 Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Temp Correction Factor T1102: No Correction T1301: No Correction

Corrected Cooler Temp.: 4.5 °C Biological Tissue is Frozen: Yes No N/ADate and Initials of person examining
contents: Sam M/S/14

Temp should be above freezing to 6°C

Comments:

Chain of Custody Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix:		
All containers needing preservation have been checked.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
exceptions: VOA, coliform, TOC, O&G, WI-DRO (water)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Samples checked for dechlorination:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	14.
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	15.
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

Field Data Required?

Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

SCURF Review:	<u>JDB</u>	Date: <u>2/20/14</u>
SRF Review:	<u>JDB</u>	Date: <u>2/20/14</u>

WO# : 92190307



Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)



Section A Required Client Information:

www.pacelabs.com

Section B
Required Project Information:

Required Client Information:

Company:	<u>Pyramid Environmental</u>	Purchaser:	<u>ACU</u>
Address:	<u>Box 16265</u>	Project:	<u>Project ACU</u>
City:	<u>Greensboro NC</u>	Fax:	<u>11/11/2011</u>
Phone:	<u>336.335.3174</u>	Due Date/TAT:	<u>11/11/2011</u>
E-mail To:	<u>l.m.</u>	Requested Due Date/TAT:	<u>11/11/2011</u>
Comments:	<u>Pyramid Environmental</u>		

Section C

Section B

Required Project Information:

Required Project Information:

Invoice Information:	
Report To: <u>Tim Jaffray</u>	Attention:
Copy To: <u>Pyramid</u>	Company Name: <u>NCDOT</u>
	Address:
Purchase Order # <u>33727.1.1 / B-4440</u>	Price Quote #: <u>WBS#33727.1.1</u>
Project Name: <u>NCDOT Cumberline City Survey 023</u>	Price Project #: <u>Tim Brackley</u>
Project Number: <u>2014-003</u>	Manager: <u>John Brackley</u>
Comments:	Price Profile #: <u>10527-11</u>

Page:

104

<u>REGULATORY AGENCY</u>	<input checked="" type="checkbox"/> GROUND <input type="checkbox"/> RCRA	<u>Site Location</u>	<u>STATE:</u>
<input type="checkbox"/> NPDES <input type="checkbox"/> UST			

17 of 17

t t

1667343

4 of 4

41 of 41

Important Note: By signing this form you are accepting Pace's NET 30 day payment terms and agreeing to late charges of 1.5% per month for any invoices not paid within 30 days.

F-ALL-Q-020rev.07, 15-May-2007

March 04, 2014

Chemical Testing Engineer
Materials and Tests Unit
1801 Blue Ridge Road
Raleigh, NC 27607

RE: Project: WBS33727.1.1/B-4490 Cumberland
Pace Project No.: 92190308

Dear Chemical Engineer:

Enclosed are the analytical results for sample(s) received by the laboratory on February 19, 2014. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

Analyses were performed at the Pace Analytical Services location indicated on the sample analyte page for analysis unless otherwise footnoted.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Jon D Bradley
jon.bradley@pacelabs.com
Project Manager

Enclosures

cc: Tim Leatherman, Pyramid Environmental



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: WBS33727.1.1/B-4490 Cumberland
Pace Project No.: 92190308

Charlotte Certification IDs

9800 Kincey Ave. Ste 100, Huntersville, NC 28078
North Carolina Drinking Water Certification #: 37706
North Carolina Field Services Certification #: 5342
North Carolina Wastewater Certification #: 12
South Carolina Certification #: 99006001

Florida/NELAP Certification #: E87627
Kentucky UST Certification #: 84
West Virginia Certification #: 357
Virginia/VELAP Certification #: 460221

Asheville Certification IDs

2225 Riverside Dr., Asheville, NC 28804
Florida/NELAP Certification #: E87648
Massachusetts Certification #: M-NC030
North Carolina Drinking Water Certification #: 37712

North Carolina Wastewater Certification #: 40
South Carolina Certification #: 99030001
West Virginia Certification #: 356
Virginia/VELAP Certification #: 460222

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS33727.1.1/B-4490 Cumberland
Pace Project No.: 92190308

Sample: 38-1 (2.5-4) BG Lab ID: 92190308001 Collected: 02/17/14 16:15 Received: 02/19/14 17:45 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP		Analytical Method: EPA 6010 Preparation Method: EPA 3050						
Arsenic	ND mg/kg		1.3	1	02/20/14 14:20	02/21/14 03:55	7440-38-2	
Barium	11.2 mg/kg		0.63	1	02/20/14 14:20	02/21/14 03:55	7440-39-3	
Cadmium	ND mg/kg		0.13	1	02/20/14 14:20	02/21/14 03:55	7440-43-9	
Chromium	4.3 mg/kg		0.63	1	02/20/14 14:20	02/21/14 03:55	7440-47-3	
Lead	14.6 mg/kg		0.63	1	02/20/14 14:20	02/21/14 03:55	7439-92-1	
Selenium	ND mg/kg		1.3	1	02/20/14 14:20	02/21/14 03:55	7782-49-2	
Silver	ND mg/kg		0.63	1	02/20/14 14:20	02/21/14 03:55	7440-22-4	
7471 Mercury		Analytical Method: EPA 7471 Preparation Method: EPA 7471						
Mercury	0.0089 mg/kg		0.0024	1	02/20/14 19:10	02/21/14 22:00	7439-97-6	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	25.6 %		0.10	1		03/03/14 16:14		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS33727.1.1/B-4490 Cumberland
Pace Project No.: 92190308

Sample: 38-3 (4-6) BG Lab ID: 92190308002 Collected: 02/17/14 10:10 Received: 02/19/14 17:45 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP		Analytical Method: EPA 6010 Preparation Method: EPA 3050						
Arsenic	ND mg/kg		1.1	1	02/20/14 14:20	02/21/14 03:58	7440-38-2	
Barium	15.1 mg/kg		0.57	1	02/20/14 14:20	02/21/14 03:58	7440-39-3	
Cadmium	ND mg/kg		0.11	1	02/20/14 14:20	02/21/14 03:58	7440-43-9	
Chromium	8.2 mg/kg		0.57	1	02/20/14 14:20	02/21/14 03:58	7440-47-3	
Lead	23.6 mg/kg		0.57	1	02/20/14 14:20	02/21/14 03:58	7439-92-1	
Selenium	ND mg/kg		1.1	1	02/20/14 14:20	02/21/14 03:58	7782-49-2	
Silver	ND mg/kg		0.57	1	02/20/14 14:20	02/21/14 03:58	7440-22-4	
7471 Mercury		Analytical Method: EPA 7471 Preparation Method: EPA 7471						
Mercury	0.0038 mg/kg		0.0027	1	02/20/14 19:10	02/21/14 22:03	7439-97-6	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	34.2 %		0.10	1		03/03/14 19:04		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190308

QC Batch:	MERP/6206	Analysis Method:	EPA 7471
QC Batch Method:	EPA 7471	Analysis Description:	7471 Mercury
Associated Lab Samples:	92190308001, 92190308002		

METHOD BLANK:	1142173	Matrix:	Solid
---------------	---------	---------	-------

Associated Lab Samples: 92190308001, 92190308002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	mg/kg	ND	0.0050	02/21/14 21:26	

LABORATORY CONTROL SAMPLE: 1142174

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	.067	0.067	100	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1142175 1142176

Parameter	Units	92190307001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Mercury	mg/kg	0.012	.049	.037	0.054	0.048	85	95	75-125	12	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190308

QC Batch: MPRP/15275 Analysis Method: EPA 6010
QC Batch Method: EPA 3050 Analysis Description: 6010 MET

Associated Lab Samples: 92190308001, 92190308002

METHOD BLANK: 1141538 Matrix: Solid

Associated Lab Samples: 92190308001, 92190308002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	mg/kg	ND	1.0	02/21/14 02:39	
Barium	mg/kg	ND	0.50	02/21/14 02:39	
Cadmium	mg/kg	ND	0.10	02/21/14 02:39	
Chromium	mg/kg	ND	0.50	02/21/14 02:39	
Lead	mg/kg	ND	0.50	02/21/14 02:39	
Selenium	mg/kg	ND	1.0	02/21/14 02:39	
Silver	mg/kg	ND	0.50	02/21/14 02:39	

LABORATORY CONTROL SAMPLE: 1141539

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/kg	50	52.2	104	80-120	
Barium	mg/kg	50	54.6	109	80-120	
Cadmium	mg/kg	50	51.6	103	80-120	
Chromium	mg/kg	50	50.5	101	80-120	
Lead	mg/kg	50	53.0	106	80-120	
Selenium	mg/kg	50	54.1	108	80-120	
Silver	mg/kg	25	25.3	101	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1141540 1141541

Parameter	Units	MS		MSD		MS Result	MS % Rec	MSD Result	MSD % Rec	% Rec Limits	RPD	Qual
		92189981001	Spike Conc.	Spike Conc.	MS Result							
Arsenic	mg/kg	12.7	32.9	37.7	44.5	51.5	97	103	75-125	15		
Barium	mg/kg	49.6	32.9	37.7	67.0	78.3	53	76	75-125	15	M1	
Cadmium	mg/kg	0.12	32.9	37.7	35.5	41.2	108	109	75-125	15		
Chromium	mg/kg	214	32.9	37.7	156	163	-178	-135	75-125	5	M1	
Lead	mg/kg	1390	32.9	37.7	889	1080	-1513	-817	75-125	19	M6	
Selenium	mg/kg	ND	32.9	37.7	31.0	38.0	94	101	75-125	20		
Silver	mg/kg	3.3	16.4	18.9	19.2	22.0	97	99	75-125	13		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190308

QC Batch:	PMST/6292	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
Associated Lab Samples:	92190308001		

SAMPLE DUPLICATE: 1148438

Parameter	Units	Result	Dup Result	RPD	Qualifiers
Percent Moisture	%	0.32	0.28	13	

SAMPLE DUPLICATE: 1148439

Parameter	Units	Result	Dup Result	RPD	Qualifiers
Percent Moisture	%	94.0	94.0	0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190308

QC Batch:	PMST/6293	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
Associated Lab Samples:	92190308002		

SAMPLE DUPLICATE: 1148440

Parameter	Units	Result	Dup Result	RPD	Qualifiers
Percent Moisture	%	15.2	14.4	5	

SAMPLE DUPLICATE: 1148441

Parameter	Units	Result	Dup Result	RPD	Qualifiers
Percent Moisture	%		11.0	5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: WBS33727.1.1/B-4490 Cumberland
Pace Project No.: 92190308

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PRL - Pace Reporting Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Acid preservation may not be appropriate for 2-Chloroethylvinyl ether, Styrene, and Vinyl chloride.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

M6 Matrix spike and Matrix spike duplicate recovery not evaluated against control limits due to sample dilution.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: WBS33727.1.1/B-4490 Cumberland
 Pace Project No.: 92190308

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
92190308001	38-1 (2.5-4) BG	EPA 3050	MPRP/15275	EPA 6010	ICP/13858
92190308002	38-3 (4-6) BG	EPA 3050	MPRP/15275	EPA 6010	ICP/13858
92190308001	38-1 (2.5-4) BG	EPA 7471	MERP/6206	EPA 7471	MERC/5988
92190308002	38-3 (4-6) BG	EPA 7471	MERP/6206	EPA 7471	MERC/5988
92190308001	38-1 (2.5-4) BG	ASTM D2974-87	PMST/6292		
92190308002	38-3 (4-6) BG	ASTM D2974-87	PMST/6293		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

Client Name: PycomidCourier: FedEx UPS USPS Client Commercial Pace Other _____

Optional

Custody Seal on Cooler/Box Present: yes no Seals intact: yes noProj. Due Date:
Proj. Name:Packing Material: Bubble Wrap Bubble Bags None Other _____Thermometer Used: IR Gun T1102 T1301 Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Temp Correction Factor T1102: No Correction T1301: No Correction

Corrected Cooler Temp.: 4.5 °C Biological Tissue is Frozen: Yes No N/A

Temp should be above freezing to 6°C

Date and Initials of person examining
contents: SMF 4/15/14

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72hr):	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix:		
All containers needing preservation have been checked.	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation.	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
exceptions: VOA, coliform, TOC, O&G, WI-DRO (water)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Samples checked for dechlorination:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	14.
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	15.
Trip Blank Present:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	16.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

SCURF Review:	<u>JDB</u>	Date:	<u>2/19/14</u>
SRF Review:	<u>AMB</u>	Date:	<u>2-20-14</u>

WO# : 92190308



92190308

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a **LEGAL DOCUMENT**. All relevant fields must be completed accurately.

Section A

Required

Information:

廿四

四

20

25

四
六

१०८

Company: Hyundai Engineering	Report To: Tim Loftness	Attention:	
Address: P.O. Box 16265 Greensboro, NC 27416	Copy To: Dynamic	Company Name: NC DOT	
Email To: Tim	REGULATORY AGENCY		
Phone: 336.335.3744	<input type="checkbox"/> NPDES	<input type="checkbox"/> GROUND WATER	<input type="checkbox"/> DRINKING WATER
Fax: 336.335.3744	<input type="checkbox"/> UST	<input type="checkbox"/> RCRA	<input type="checkbox"/> OTHER _____
Requested Due Date/TAT: Never	Site Location STATE: NC	Project Name: Kinston Cumberland Gap	Project Number: 38,23,29
	Reference: WB#33727.1.1	Pace Project Manager: Jon Bradley	Pace Profile #:

Important Note: By signing this form you are accepting Pace's NET 30 day payment terms and agreeing to late charges of 1.5% per month for any invoices not paid within 30 days.

ORIGINAL

SAMPLER NAME AND SIGNATURE	
PRINT Name of SAMPLER:	DATE Signed
SIGNATURE of SAMPLER:	(MM/DD/YY):

and agreeing to late charges of 1.5% per month for any invoices not paid within 30 days.

E-ALL-Q-020 rev.07 15-May-2007

APPENDIX F

FIELD PERSONNEL LOG

PROJECT NAME: NCDOT Cumberland County ROW **PROJECT NO.:** B-4490
PARCELS 6, 8, 23, 25, 29, 38 and 44

Name: Eric Cross

Date: 1/20/14

Mon Tue Wed Th Fri Sat Sun

TASKS PERFORMED:

E. Cross:

On site: 9AM

Mobilize to site. Performed site visits and owner interviews.

Leave site: 3:30PM

FIELD PERSONNEL LOG

PROJECT NAME: NCDOT Cumberland County ROW **PROJECT NO.:** B-4490
PARCELS 6, 8, 23, 25, 29, 38 and 44

Name: Eric Cross, Mika Trifunovic **Date:** 1/26/14 **Mon** **Tue** **Wed** **Th** **Fri** **Sat** **Sun**

TASKS PERFORMED:

E. Cross & M. Trifunovic:

On site: 9AM

Mobilize to site. Performed geophysical surveys.

Leave site: 4:00PM

FIELD PERSONNEL LOG

PROJECT NAME: NCDOT Cumberland County ROW **PROJECT NO.:** B-4490
PARCELS 6, 8, 23, 25, 29, 38 and 44

Name: Eric Cross, Alan McFadden **Date:** 1/27/14

Mon Tue Wed Th Fri Sat Sun

TASKS PERFORMED:

E. Cross & A. McFadden:

On site: 8AM

Mobilize to site. Performed geophysical surveys.

Leave site: ~6PM

FIELD PERSONNEL LOG

PROJECT NAME: NCDOT Cumberland County ROW **PROJECT NO.:** B-4490
PARCELS 6, 8, 23, 25, 29, 38 and 44

Name: Eric Cross, Alan McFadden **Date:** 1/28/14

Mon **Tue** **Wed** **Th** **Fri** **Sat** **Sun**

TASKS PERFORMED:

E. Cross & A. McFadden:

On site: 8AM

Mobilize to site. Performed geophysical surveys.

Leave site: ~6PM

FIELD PERSONNEL LOG

PROJECT NAME: NCDOT Cumberland County ROW **PROJECT NO.:** B-4490
PARCELS 6, 8, 23, 25, 29, 38 and 44

Name: Eric Cross

Date: 1/30/14

Mon Tue Wed Th Fri Sat Sun

TASKS PERFORMED:

E. Cross:

On site: 9AM

Mobilize to site. Performed geophysical surveys.

Leave site: ~5PM

FIELD PERSONNEL LOG

PROJECT NAME: NCDOT Cumberland County ROW **PROJECT NO.:** B-4490
PARCELS 6, 8, 23, 25, 29, 38 and 44

Name: Eric Cross

Date: 2/4/14

Mon **Tue** **Wed** **Th** **Fri** **Sat** **Sun**

TASKS PERFORMED:

E. Cross:

On site: 9AM

Mobilize to site. Performed geophysical surveys.

Leave site: ~4PM

FIELD PERSONNEL LOG

PROJECT NAME: NCDOT Cumberland County ROW **PROJECT NO.:** B-4490
PARCELS 6, 8, 23, 25, 29, 38 and 44

Name: Eric Cross, Tim Leatherman **Date:** 2/6/14 **Mon** **Tue** **Wed** **Th** **Fri** **Sat** **Sun**

TASKS PERFORMED:

E. Cross & T. Leatherman:

On site: 9AM

Mobilize to site. Performed geophysical surveys, GPS collection, meet locators, research.

Leave site: ~4PM

FIELD PERSONNEL LOG

PROJECT NAME: NCDOT Cumberland County ROW **PROJECT NO.:** B-4490
PARCELS 6, 8, 23, 25, 29, 38 and 44

Name: Tim Leatherman, Mika Trifunovic **Date:** 2/14/14 **Mon** **Tue** **Wed** **Th** **Fri** **Sat** **Sun**

TASKS PERFORMED:

T. Leatherman & M. Trifunovic:

On site: 9AM

Mobilize to site. Performed soil boring supervision and QED analysis.

Leave site: ~5PM with additional evening processing

FIELD PERSONNEL LOG

PROJECT NAME: NCDOT Cumberland County ROW **PROJECT NO.:** B-4490
PARCELS 6, 8, 23, 25, 29, 38 and 44

Name: Tim Leatherman, Eric Cross, Ryan Kramer **Date:** 2/17/14
Mon Tue Wed Th Fri Sat Sun

TASKS PERFORMED:

T. Leatherman, E. Cross, R. Kramer:

On site: 9AM

Mobilize to site. Performed soil boring supervision and QED analysis.

Leave site: ~5PM with additional evening processing

FIELD PERSONNEL LOG

PROJECT NAME: NCDOT Cumberland County ROW **PROJECT NO.:** B-4490
PARCELS 6, 8, 23, 25, 29, 38 and 44

Name: Eric Cross, Ryan Kramer **Date:** 2/18/14 **Mon** **Tue** **Wed** **Th** **Fri** **Sat** **Sun**

TASKS PERFORMED:

E. Cross, R. Kramer:

On site: 9AM

Mobilize to site. Performed soil boring supervision and QED analysis.

Leave site: ~5PM with additional evening processing

FIELD PERSONNEL LOG

PROJECT NAME: NCDOT Cumberland County ROW **PROJECT NO.:** B-4490
PARCELS 6, 8, 23, 25, 29, 38 and 44

Name: Ryan Kramer **Date:** 2/19/14 **Mon** **Tue** **Wed** **Th** **Fri** **Sat** **Sun**

TASKS PERFORMED:

R. Kramer:

On site: 9AM

Mobilize to site. Performed QED analysis.

Leave site: ~2PM

FIELD PERSONNEL LOG

PROJECT NAME: NCDOT Cumberland County ROW **PROJECT NO.:** B-4490
PARCELS 6, 8, 23, 25, 29, 38 and 44

Name: Eric Cross

Date: 2/20/14

Mon Tue Wed Th Fri Sat Sun

TASKS PERFORMED:

E. Cross:

On site: 11AM

Mobilize to site. Performed groundwater sample collection.

Leave site: ~3PM