

Pyramid Environmental & Engineering, P.C. Project # 2014-008
Preliminary Site Assessment (PSA) – Parcel 029, Lalon L. Barnes, Jr.


PRELIMINARY SITE ASSESSMENT
PARCEL 029, LALON L. BARNES, JR.
410 ROWAN ST.
FAYETTEVILLE, CUMBERLAND COUNTY, NORTH CAROLINA
STATE PROJECT: B-4490
WBS ELEMENT: 33727.1.1
MARCH 14, 2014

Report prepared for:

Mr. Gordon Box, LG
GeoEnvironmental Project Manager
GeoEnvironmental Section
Geotechnical Engineering Unit
North Carolina Department of Transportation
1020 Birch Ridge Drive
Raleigh, NC 27610


Report prepared by:

Eric C. Cross, LG
NC License #2181



Report reviewed by:

Michael G. Jones, LG
NC License #1168



PYRAMID ENVIRONMENTAL & ENGINEERING, P.C.
P.O. BOX 16265
GREENSBORO, NC 27416-0265
(336) 335-3174

C-257 – Geology
C-1251 - Engineering

TABLE OF CONTENTS

Executive Summary of Results	1
1.0 Introduction.....	4
1.1 BACKGROUND INFORMATION	4
1.2 PROJECT INFORMATION	4
2.0 Site History	5
3.0 Geophysical Investigation	7
4.0 Soil Sampling Activities & Results	7
4.1 SOIL ASSESSMENT FIELD ACTIVITIES	7
4.2 SOIL SAMPLE ANALYTICAL RESULTS	8
4.3 TEMPORARY MONITORING WELL INSTALLATION	9
4.4 GROUNDWATER ANALYTICAL RESULTS	9
5.0 Conclusions and Recommendations.....	10
5.1 GEOPHYSICAL INVESTIGATION	10
5.2 LIMITED SOIL ASSESSMENT.....	10
5.3 LIMITED GROUNDWATER ASSESSMENT	10
5.4 RECOMMENDATIONS.....	11
6.0 Limitations.....	11
7.0 Closure	11

TABLE OF CONTENTS (Continued)

FIGURES

- Figure 1 : Topographic Map
- Figure 2 : Soil Boring Locations and QED Analytical Results

TABLES

- Table 1 : Summary of Soil Field Screening Results
- Table 2 : Summary of Soil Sample QED Analytical Results for DRO/GRO
- Table 3 : Summary of Volatile/Semi-Volatile Laboratory Results of Soil
- Table 4 : Summary of RCRA Metals Analysis of Soil Samples
- Table 5 : Summary of Groundwater Analytical Results

APPENDICES

- Appendix A : Historical Aerial Photographs
- Appendix B : Geophysical Investigation Report
- Appendix C : Soil Boring Logs
- Appendix D : QROS QED HC-1 Hydrocarbon Analyzer
- Appendix E : Laboratory Report & Chain-of-Custody Form
- Appendix F : Personnel Logs

**PRELIMINARY SITE ASSESSMENT
PARCEL 029, LALON L. BARNES, JR.
410 ROWAN ST.
FAYETTEVILLE, CUMBERLAND COUNTY, NORTH CAROLINA**

EXECUTIVE SUMMARY OF RESULTS

Pyramid Environmental & Engineering P.C. (Pyramid) has prepared this Preliminary Site Assessment (PSA) report documenting background information, field activities, assessment activities, findings, conclusions, and recommendations for Parcel 029, Lalon L. Barnes, Jr. The purpose of this assessment was to determine the presence or absence of underground storage tanks (USTs) and impacted soils at the subject property within the proposed right-of-way (ROW) and/or easement and edge of pavement (State Project B-4490). The PSA was conducted with particular attention to the areas to be cut as indicated by slope stake lines and cross sections or to be excavated for the installation of drainage features. This preliminary site assessment was conducted on behalf of the North Carolina Department of Transportation (NCDOT) in accordance with Pyramid's December 20, 2013, technical proposal.

The following statements summarize the results of the PSA:

- **Site History:** A review of the North Carolina Department of Environment and Natural Resources (DENR) registered UST database and incident database indicated no environmental incidents were on file for the Lalon L. Barnes, Jr. property (Parcel 029). On January 23, 2014, Pyramid emailed the Cumberland County B-4490 parcel addresses to Mr. James Brown, the Fayetteville Regional Incident Manager for the DENR UST Section, with a request to investigate any environmental incidents associated with the parcels. On January 24, 2014, Mr. Brown responded to the email and stated that site address 410 Rowan St. (Parcel 029) does not have any environmental incidents in the DENR database.

On January 20, 2014, Pyramid Project Manager Eric Cross performed a site visit at the property. The property contained a cellular communications tower in the northwest portion, and the foundation of the northernmost former building was observed in the northeast portion of the property. In response to the statement in the NCDOT RFP regarding the observation of stressed vegetation at the property, a visual inspection was made to look for such vegetation. At the time of our investigation, no stressed vegetation was observed within the area designated to include the PSA. The stressed vegetation discussed in the RFP was information obtained from a Phase I Environmental Site Assessment performed in 2006 by Duncklee & Dunham, P.C. This report indicated that the areas of stressed

vegetation were near the northern property boundary, which was outside of the proposed ROW and easements.

It should be noted that the majority of the parcel between the existing edge of pavement and the proposed ROW was heavily vegetated. The only areas accessible for survey and soil analyses were through the driveway leading into the property, and on the south side of the cellular communications tower. No evidence of USTs was observed during the site visit.

- **Geophysical Survey:** The geophysical investigation provided no evidence of metallic USTs within the existing and proposed ROW and/or easement. It should be noted that the site had limited access due to heavy vegetation, and the surveys were only performed within the accessible open areas.
- **Limited Soil Assessment:** It should be noted that, congruent to the limited geophysical survey, the majority of the property was inaccessible due to the heavy vegetation which occupied most of the parcel. Boring locations were chosen based primarily on access.

A total of four borings were performed across the property. The DENR action levels for both TPH-GRO and TPH-DRO are 10 milligrams per kilogram (mg/kg). The QED results did not detect TPH-GRO or TPH-DRO concentrations above 10 mg/kg in any of the soil samples analyzed.

Three samples [29-1(4-6), 29-2(4-6), and 29-4(4-6)] were sent to the laboratory for analysis of soils using EPA Methods 8260/8270 for volatile and semi-volatile organic compounds based on the site use as an ice cream plant and ice manufacturing facility. The laboratory results did not detect any volatile or semi-volatile organic compounds above detection limits.

Three samples [29-1(4-6), 29-2(4-6), and 29-4(4-6)] were sent to the laboratory for analysis of RCRA metals using EPA Methods 6010 and 7471 based on the site use as an ice cream plant and ice manufacturing facility. The laboratory results did not detect any concentrations of RCRA metals that were significantly above background levels.

- **Limited Groundwater Assessment:** Soil boring 29-4 was converted into a 1-inch diameter temporary monitoring well to a total depth of 14 feet below land surface (BLS). The depth-to-groundwater was measured at 7.2 feet BLS. The laboratory analysis did not detect concentrations of any compounds above detection limits.

Review of the NCDOT engineering plans indicates that the NCDOT may encounter groundwater at the property during construction activities. However, no evidence of contamination was observed in the water samples collected during this investigation.

- **Impacted Soils:** No impacted soils were observed at the property therefore, no calculations or recommendations are required for this parcel. It should be noted that, if impacted soil is encountered during road construction outside the area analyzed by this investigation, the impacted soil should be managed according to NC DENR Division of Waste Management (DWM) UST Section Guidelines and disposed of at a permitted facility.

1.0 Introduction

Pyramid Environmental & Engineering P.C. (Pyramid) has prepared this Preliminary Site Assessment (PSA) report documenting background information, field activities, assessment activities, findings, conclusions, and recommendations for Parcel 029, Lalon L. Barnes, Jr. The Lalon L. Barnes, Jr. property currently contains a cellular communications tower facility, a former building foundation, and heavy vegetation. The property is located at 410 Rowan St., Fayetteville, NC. This preliminary site assessment was conducted on behalf of the North Carolina Department of Transportation (NCDOT) in accordance with Pyramid's December 20, 2013, technical proposal.

The purpose of this assessment was to determine the presence or absence of underground storage tanks (USTs) and the potential for impacted soils at the subject properties within the proposed right-of-way (ROW) and/or easement and edge of pavement (State Project B-4490). The location of the subject site is shown on **Figure 1**.

1.1 Background Information

Based on the NCDOT's December 13, 2013, *Request for Technical and Cost Proposal*, the PSA was conducted in the proposed easement/proposed right of way (ROW) and the area between the existing NCDOT right of way and the edge of pavement, with emphasis on the areas to be cut as indicated by slope stake lines and cross sections or to be excavated for the installation of drainage features and/or other utilities, in accordance with the CADD files provided to Pyramid by the NCDOT. The PSA included the following:

- Research the properties for past uses and possible releases.
- Conduct a preliminary geophysical site assessment and limited soil assessment in the proposed easement/proposed right of way (ROW) and the area between the existing NCDOT right of way and the edge of pavement with emphasis on the areas to be cut as indicated by slope stake lines and cross sections or to be excavated for the installation of drainage features and/or other utilities.
- Should groundwater be encountered at a depth that might impact the NCDOT construction activities, report the depth to groundwater for that site and attempt to obtain one groundwater sample for laboratory analysis by installing a temporary monitoring well.

1.2 Project Information

Prior to field activities, a Health and Safety Plan was prepared. Prior to drilling activities, the public underground utilities were located and marked by the North Carolina One-Call Service. A private utility locator, Northstate Utility Locating Incorporated of Colfax, North Carolina was used to mark the on-site private, buried utilities.

2.0 Site History

The NCDOT description of the parcel in the RFP provided to Pyramid on December 13, 2013, provided the following background information related to the site:

“This parcel is reportedly the site of a former ice and ice cream manufacturing plant property that previously utilized gasoline USTs. Stressed vegetation was noted during the site reconnaissance for a Phase I Environmental Assessment for the FSU Sports Complex Development Area prepared by Duncklee & Dunham, P.C dated September 1, 2006. Former industrial activities may have used petroleum products or hazardous substances. The presence of gas tanks on-site and former industrial activities suggests the likely former use of petroleum products and hazardous substances. No known NCDENR’s UST Section Facility Identification Numbers or Groundwater Incidents Identification Numbers associated with this property.”

Pyramid completed a records review of the parcel, interviewed DENR personnel, interviewed property tenants, and reviewed aerial photographs to assess past uses of the property. Pyramid reviewed historical aerial photographs dating back to 1960 available from the Cumberland County Soil and Water Conservation office in Fayetteville and on Google Earth for past uses. The 1960, 1966, 1972, 1993, 2003, 2009, 2010, and 2011 aerial photographs are included in **Appendix A**. The NCDOT RFP indicated that the property formerly operated as an ice cream factory (see discussion of city directories below). Several large buildings were observed across the east side of the parcel in the 1960, 1966, 1972, and 1993 aerial photographs. Between 1993 and 2003, the southern buildings were removed, leaving only the northernmost building. Additionally, the cellular communications tower was constructed sometime between 1993 and 2003. The north building was then demolished sometime between 2003 and 2009.

City directories dated 1937, 1951, 1957, 1963, 1968, 1973, 1980, 1985, 1990, 1995, to 2000 were reviewed at the Cumberland County Public Library in Fayetteville, North Carolina. The table below includes a list of the building or subject property occupants from 1937 to 2000 based on the city directory review.

Year	Occupant
1937	Colonial Ice Co.
1951	Colonial Ice Co.
1957	Colonial Ice Co./Cape Fear Distribution Co. (beer)/Borden Co. (ice cream)
1963	Colonial Ice Co./Zahran Sam & Sons Beer
1968	Colonial Ice Co./Zahran Sam & Sons Beer
1973	Colonial Ice Co.
1980	Home Ice
1985	Home Ice
1990	Home Ice
1995	Vacant
2000	No Listing

The above listings confirm that the property operated partially as an ice manufacturer and ice cream factory in the past, congruent to the NCDOT RFP. It should be noted that the directories suggest that Parcel 29 also includes the street address 436 Rowan St. The combination of 410 and 436 Rowan Street provides additional occupant history from the city directories, indicating that the property also contained beer distribution companies in the past between 1957 and 1968.

On January 23, 2014, Pyramid emailed the Cumberland County B-4490 parcel addresses to Mr. James Brown, the Fayetteville Regional Incident Manager for the DENR UST Section, with a request to investigate any environmental incidents associated with the parcels. On January 24, 2014, Mr. Brown responded to the email and stated that site address 410 Rowan St. (Parcel 029) does not have any environmental incidents in the DENR database.

On January 20, 2014, Pyramid Project Manager Eric Cross performed a site visit at the property. The property contained a cellular communications tower in the northwest portion, and the foundation of the northernmost former building was observed in the northeast portion of the property. In response to the statement in the NCDOT RFP regarding the observation of stressed vegetation at the property, a visual inspection was made to look for such vegetation. At the time of our investigation, no stressed vegetation was observed within the area designated to include the PSA. The stressed vegetation discussed in the RFP was information obtained from a Phase I Environmental Site Assessment performed in 2006 by Duncklee & Dunham, P.C. This report indicated that the areas of stressed vegetation were near the northern property boundary, which was outside of the proposed ROW and easements.

It should be noted that the majority of the parcel between the existing edge of pavement and the proposed ROW was heavily vegetated. The only areas accessible for survey and soil analyses were through the driveway leading into the property, and on the south side

of the cellular communications tower. No evidence of USTs was observed during the site visit.

3.0 Geophysical Investigation

Pyramid performed electromagnetic induction (EM61) and ground penetrating radar (GPR) surveys across the accessible portions of the Parcel. The majority of the EM features at the property were suspected to be associated with metallic debris, utilities, or the driveway entrance gate.

The geophysical investigation did not record evidence of any metallic USTs at the property.

The full details of the geophysical investigation are included in the Geophysical Investigation Report as **Appendix B**.

4.0 Soil Sampling Activities & Results

4.1 Soil Assessment Field Activities

On February 17 and 18, 2014, Pyramid mobilized to the site and drilled soil borings, installed one temporary monitoring well, and collected the proposed soil samples for the PSA. The soil borings and temporary well (TW) were completed using a track mounted Geoprobe® Direct-Push rig. Four (4) soil borings (29-1, 29-2, 29-3, and 29-4) were advanced on the subject property. The selected locations were chosen to avoid public utilities along the adjacent roads and private utilities associated with the business while remaining in the proposed right of way and/or easement. The soil borings were installed adjacent to proposed drainage piping, as indicated by the NCDOT engineering plans, or within the proposed ROW and/or easement to obtain additional information. The locations of the borings are shown on **Figure 2**.

Soil samples were continuously collected in four-foot long disposable sleeves from each boring for geologic description, and visual examination for signs of contamination. Soil recovered from each sleeve was screened in the field using a Photo-Ionization Detector (PID) approximately every 2 feet depending on the soil recovery of each sleeve. In general, the soil sample with the highest PID reading was selected from each boring for laboratory analysis. If field screening detected an elevated reading, then additional soil samples from each boring were selectively analyzed with the QED UVF HC-1 Analyzer. The soil boring logs with the soil descriptions, visual examination, and PID screening results are included in **Appendix C**. The PID field screening results are summarized in **Table 1**. To prevent cross contamination, new disposable nitrile gloves were worn by the sampling technician during the sampling activities, and were changed between samples.

A mild possible petroleum odor was detected in one of the borings [29-2(2-4)] during the field screening.

The soil samples selected for Total Petroleum Hydrocarbon (TPH) analyses were analyzed utilizing the QED UVF HC-1 Analyzer system from QROS-US. The NCDOT has indicated that this instrument is an acceptable method to provide total petroleum hydrocarbon (TPH) results for soil analysis for the PSA projects. Pyramid's QED-certified technician performed the soil analyses. The soil samples selected for analysis using the QED Analyzer were analyzed for TPH as diesel range organics (DRO) and TPH as gasoline range organics (GRO). The soil samples selected for analysis using the QED were preserved in the field with methanol and were analyzed at the end of each day using the QED.

In addition to the QED analysis, select samples were collected for more comprehensive laboratory analysis using EPA Methods 8260 and 8270 for volatile and semi-volatile organic compounds (VOCs and SVOCs), as well as analysis of Resource Conservation and Recovery Act (RCRA) Metals using EPA Methods 6010 and 7471. These additional analyses were performed based on the site history of the property. The presence of the former ice cream factory suggested that other potential contaminants such as solvents, hazardous materials, or metals may be present within the soils. In general, soils that exhibited the highest PID readings and were above the water table were selected for the additional laboratory analyses. There were no source areas of contaminants identified; however, soil samples 29-1(4-6), 29-2(4-6), and 29-4(4-6) were placed in laboratory prepared containers and shipped to Pace Analytical in Huntersville, NC for analysis of volatile and semi-volatile organic compounds and RCRA metals.

4.2 Soil Sample Analytical Results

QED Results

The DENR action levels for both TPH-GRO and TPH-DRO are 10 mg/kg. The QED results did not detect TPH-GRO or TPH-DRO concentrations above 10 mg/kg in any of the soil samples analyzed. The soil sample QED results are summarized in **Table 2**. A copy of the QED analysis report is included in **Appendix D**.

Laboratory Analysis for VOCs and SVOCs

Three soil samples [29-1(4-6), 29-2(4-6), and 29-4(4-6)] were sent to the laboratory for analysis of soils using EPA Methods 8260/8270 for volatile and semi-volatile organic compounds based on the site usage history. The laboratory results did not detect any volatile or semi-volatile organic compounds above detection limits. The soil sample VOC/SVOC laboratory results are summarized in **Table 3**. A copy of the laboratory report and chain-of-custody is included in **Appendix E**.

Laboratory Analysis for RCRA Metals

Three soil samples [29-1(4-6), 29-2(4-6), and 29-4(4-6)] were sent to the laboratory for analysis of RCRA metals using EPA Methods 6010 and 7471 based on the site usage history. Two background samples were collected from Parcel 38 [38-1(2.5-4) and 38-3(4-6)] to be used as a baseline comparison of background metals for this area. The site history of Parcel 38 indicated this property was a suitable location from which to obtain background samples. The laboratory results did not detect any concentrations of RCRA metals that were significantly above background levels. The minor concentrations of metals observed were insignificant, and likely related to fluctuations in background relative to the location of the original background sample. The soil sample RCRA laboratory results are summarized in **Table 4**. A copy of the laboratory report and chain-of-custody is included in **Appendix E**.

4.3 Temporary Monitoring Well Installation

On February 18, 2014, Pyramid converted soil boring 29-4 into a 1-inch diameter temporary monitoring well (TW). Soil boring 29-4(TW) was completed to a total depth of 14 feet below land surface (BLS). The temporary well was constructed with 4 feet of 1-inch diameter of schedule 80 PVC casing and 10 feet of 1-inch diameter of schedule 80 PVC slotted screen. The temporary well was set in the boring with 10 feet of slotted screen at the bottom of the well.

On February 20, 2014, the temporary monitoring well 29-4(TW) was gauged using a properly decontaminated electric water level probe. The depth-to-groundwater was measured at 7.2 feet BLS. The temporary monitoring well was sampled using a new 0.5-inch diameter disposable bailer. Upon completion of the gauging and sampling, the temporary monitoring well was properly abandoned by removing the casing, and filling the borehole with bentonite chips and portland cement.

4.4 Groundwater Analytical Results

The groundwater sample 29-4(TW) was placed in laboratory prepared containers for analysis of volatile organic compounds (VOCs) using EPA Method 6200B and semi-volatile organic compounds (SVOCs) using EPA Method 625. The samples were shipped to Pace Analytical in Huntersville, NC. The laboratory analysis did not detect concentrations of any compounds above detection limits. The groundwater results for sample 29-4(TW) are summarized in **Table 4**. A copy of the laboratory report and chain-of-custody is included in **Appendix E**.

5.0 Conclusions and Recommendations

As requested by NCDOT, Pyramid has completed a PSA at the Lalon L. Barnes, Jr. property located 410 Rowan St., Fayetteville, NC (Parcel 029). The following is a summary of the assessment activities and results. Personnel logs for all field work are included in **Appendix F**.

5.1 Geophysical Investigation

The geophysical investigation provided no evidence of metallic USTs within the existing and proposed ROW and/or easement. It should be noted that the site had limited access due to heavy vegetation, and the surveys were only performed within the accessible open areas.

5.2 Limited Soil Assessment

It should be noted that, congruent to the limited geophysical survey, the majority of the property was inaccessible due to the heavy vegetation which occupied most of the parcel. Boring locations were chosen based primarily on access.

The DENR action levels for both TPH-GRO and TPH-DRO are 10 mg/kg. The QED results did not detect TPH-GRO or TPH-DRO concentrations above 10 mg/kg in any of the soil samples analyzed.

Three samples [29-1(4-6), 29-2(4-6), and 29-4(4-6)] were sent to the laboratory for analysis of soils using EPA Methods 8260/8270 for volatile and semi-volatile organic compounds based on the site use as an ice cream plant and ice manufacturing facility. The laboratory results did not detect any volatile or semi-volatile organic compounds above detection limits.

Three samples [29-1(4-6), 29-2(4-6), and 29-4(4-6)] were sent to the laboratory for analysis of RCRA metals using EPA Methods 6010 and 7471 based on the site use as an ice cream plant and ice manufacturing facility. The laboratory results did not detect any concentrations of RCRA metals that were significantly above background levels.

5.3 Limited Groundwater Assessment

Soil boring 29-4 was converted into a 1-inch diameter temporary monitoring well to a total depth of 14 feet BLS. The depth-to-groundwater was measured at 7.2 feet BLS. The laboratory analysis did not detect concentrations of any compounds above detection limits.

Review of the NCDOT engineering plans indicates that the NCDOT may encounter groundwater at the property during construction activities. However, no evidence of contamination was observed in the water samples collected during this investigation.

5.4 Recommendations

No impacted soils were observed at the property, therefore no calculations or recommendations are required for this parcel. It should be noted that, if impacted soil is encountered during road construction outside the area analyzed by this investigation, the impacted soil should be managed according to NC DENR Division of Waste Management (DWM) UST Section Guidelines and disposed of at a permitted facility.

6.0 Limitations

The results of this preliminary investigation are limited to the boring locations completed during this limited assessment and presented in this report. The laboratory results only reflect the current conditions at the locations sampled on the date this PSA was performed.

7.0 Closure

This report was prepared for, and is available solely for use by NCDOT and their designees. The contents thereof may not be used or relied upon by any other person without the express written consent and authorization of Pyramid Environmental & Engineering, P.C. (Pyramid). The observations, conclusions, and recommendations documented in this report are based on site conditions and information reviewed at the time of Pyramid's investigation. Pyramid appreciates the opportunity to provide this environmental service.

FIGURES


USGS TOPOGRAPHIC MAP

SITE:

410 ROWAN ST.

LOCATION:

FAYETTEVILLE, NORTH CAROLINA



USGS IDENTIFICATION

USGS 7.5

MINUTE MAP

ORIGINAL DATE:


1957

PHOTOREVISION DATE:

1987

FAYETTEVILLE, N.C.

SCALES



	PRIMARY HIGHWAY, HARD SURFACE
	SECONDARY HIGHWAY, HARD SURFACE
	LIGHT-DUTY ROAD HARD OR IMPROVED SURFACE
	UNIMPROVED ROAD
	STATE ROAD
	U.S. ROUTE
	INTERSTATE ROUTE

NOTES: TOPOGRAPHICAL CONTOUR INTERVAL = 10 FEET
 PHOTOREVISIONS DENOTED IN PURPLE

MAGNETIC NORTH



COUNTY MAP OF:
NORTH CAROLINA



COUNTY: **CUMBERLAND**

APPROXIMATE SITE LOCATION



CLIENT: NC DOT B-4490

PROPERTY NAME: PARCEL 029, LALON L. BARNOS, JR.

CITY: FAYETTEVILLE

STATE: NORTH CAROLINA

TITLE: TOPOGRAPHIC MAP

SCALE: 1"=2000'

DATE: 2/5/14

DRAWING NAME: USGSTOPO

DRAWN BY: KAM

CHECK BY: TDL

JOB NO.: 2014-008


TYPE: PSA

FIGURE NUMBER: 1

NOTES

TOPOGRAPHIC MAP USED IN THIS GRAPHIC IS MAPPED, EDITED, AND PUBLISHED BY THE UNITED STATES GEOLOGIC SURVEY, DEPARTMENT OF THE INTERIOR, RESTON VIRGINIA.

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS.




LEGEND

- PUE PROPOSED UTILITY EASEMENT
- EXISTING ROW
- EXISTING PROPERTY BOUNDARY
- PROPOSED ROW
- PROPOSED CONST. EASEMENT
- PROP. DRAINAGE UTIL. EASEMENT
- PROPOSED SS CUT LINE
- PROPOSED SS FILL LINE
- PROPOSED SS TRANSITION LINE
- PROPOSED DRAINAGE PIPING
- PROPOSED DRAINAGE EASEMENT
- SOIL SAMPLE BORING LOCATION
- BORING CONVERTED TO MW (LAB DATA IN TABLE 5 OF REPORT)

(<6.1) TPH-DRO concentration (mg/kg)
 [<6.1] TPH-GRO concentration (mg/kg)

* DRO/GRO Analytical data collected by the method of QROS, QED Analyzer



TITLE	SOIL BORING LOCATIONS AND QED ANALYTICAL RESULTS	
PROJECT	NCDOT ROW PROJECT B-4490 (33727.1.1) LALON L. BARNES JR. - PARCEL 029 FAYETTEVILLE, CUMBERLAND COUNTY, NC	
	503 INDUSTRIAL AVENUE GREENSBORO, NC 27406 336.335.3174 (p) 336.691.0648 (f) License # C1251 Eng. / #C257 Geology	
DATE: 2-21-14	REVISION NO. 0	
PYRAMID PROJECT NO. 2014-008	FIGURE NO. 2	

TABLES

TABLE 1
Summary of Soil Field Screening Results
NCDOT Project B-4490
410 Rowan St. - Parcel 029
Fayetteville, Cumberland County, North Carolina

SOIL BORING	SAMPLE ID	DEPTH (feet bgs)	PID READINGS (PPM)
29-1	29-1(0.5-2)	0.5 to 2	25
	29-1(2-4)	2 to 4	5.0
	29-1(4-6)	4 to 6	40.0
	29-1(6-8)	6 to 8	35.0
29-2	29-2(1-2)	1 to 2	15.0
	29-2(2-4)	2 to 4	40.0
	29-2(4-6)	4 to 6	70.0
	29-2(6-8)	6 to 8	35.0
29-3	29-3(2-4)	2 to 4	25.0
	29-3(4.5-6)	4.5 to 6	85.0
	29-3(6-8)	6 to 8	35.0
29-4	29-4(2-4)	2 to 4	0.0
	29-4(4-6)	4 to 6	5.0
	29-4(6-8)	6 to 8	20.0

bgs= below ground surface

PID= photo-ionization detector

PPM= parts-per-million

☐ = sampled for lab analysis &/or QROS-QED analysis

OVA= Organic Vapor Analyzer

TABLE 2
Summary of Soil Sample QED Analytical Results for GRO/DRO
 NCDOT State Project B-4490
 410 Rowan St. - Parcel 029
 Fayetteville, Cumberland County, North Carolina

SAMPLE ID	DATE	DEPTH (feet)	PID (ppm)	QROS - QED Analysis			Laboratory Analysis (Pace)	
				GRO (mg/kg) (C5-C10)	DRO (mg/kg) (C10-C35)	TPH (mg/kg) (C5-C35)	EPA Method 3550 DRO (mg/kg)	EPA Method 5035 GRO (mg/kg)
29-1(4-6)	2/17/2014	4 to 6	40.0	<0.1	<0.4	<0.4	-----	-----
29-2(4-6)	2/17/2014	4 to 6	70.0	<0.1	<0.3	<0.3	-----	-----
29-3(4.5-6)	2/17/2014	4.5 to 6	85.0	<0.1	3.3	3.3	-----	-----
29-4(4-6)	2/17/2014	4 to 6	5.0	1.8	7	8.8	-----	-----
29-4(6-8)	2/18/2014	6 to 8	20	<0.1	<0.3	<0.3	-----	-----
NC Initial Action Level - UST Section for 5035/5030-GRO; 3550-DRO				10	10	NA	10	10

PID= photo-ionization detector
 PPM= parts-per-million

GRO= Gasoline Range Organics
 DRO= Diesel Range Organics
 mg/kg= milligrams-per-kilogram

TPH= Total Petroleum Hydrocarbons (GRO + DRO)

NA= Not Applicable
 "-----" = No Laboratory Analysis

* Bold values indicate concentrations above initial action levels

TABLE 3
Summary of Volatile/Semi-Volatile Laboratory Results of Soil Samples
Parcel 029 - Lalon L. Barnes, Jr.
410 Rowan St., Cumberland County, NC

Analytical Parameter	Analytical Method	SAMPLE ID NUMBER			Residential MSCC (mg/kg)	Soil to Groundwater MSCC (mg/kg)
		29-1(4-6)	29-2(4-6)	29-4(4-6)		
	Sample Date:	2/17/2014	2/17/2014	2/18/2014		
	Depth (feet):	4 to 6	4 to 6	4 to 6		
	Location	NW parcel	middle	south entrance		
Acetone	8260	ND	ND	ND	14000	24
Benzene	8260	ND	ND	ND	18	0.0056
Bromobenzene	8260	ND	ND	ND	NMSCC	NMSCC
Bromoform	8260	ND	ND	ND	81	0.026
2-Butanone (MEK)	8260	ND	ND	ND	9385	16
n-Butylbenzene	8260	ND	ND	ND	626	4.3
sec-Butylbenzene	8260	ND	ND	ND	626	3.3
Styrene	8260	ND	ND	ND	3128	1.5
tert-Butylbenzene	8260	ND	ND	ND	626	3.4
4-Chlorotoluene	8260	ND	ND	ND	1000	0.1
Ethylbenzene	8260	ND	ND	ND	1560	4.9
1,2-Dichloroethane	8260	ND	ND	ND	7	0.0019
Isopropyl ether (IPE)	8260	ND	ND	ND	156	0.37
Isopropylbenzene	8260	ND	ND	ND	1564	1.7
P-Isopropyltoluene	8260	ND	ND	ND	NMSCC	NMSCC
Naphthalene	8260	ND	ND	ND	313	0.16
n-Propylbenzene	8260	ND	ND	ND	626	1.7
Toluene	8260	ND	ND	ND	1200	4.3
1,2,4-Trimethylbenzene	8260	ND	ND	ND	782	8.5
1,3,5-Trimethylbenzene	8260	ND	ND	ND	782	8.3
Total Xylenes	8260	ND	ND	ND	3129	4.6
MTBE	8260	ND	ND	ND	350	0.091
2-Hexanone	8260	ND	ND	ND	70	0.1
Methylene chloride	8260	ND	ND	ND	85	0.02
All Other 8260 Parameters	8260	ND	ND	ND	NA	NA
Acenaphthene	8270	ND	ND	ND	940	8.2
bis(2-Ethylhexyl)phthalate	8270	ND	ND	ND	46	6.6
1-Methylnaphthalene	8270	ND	ND	ND	20	0.004
2-Methylnaphthalene	8270	ND	ND	ND	63	3.6
Naphthalene	8270	ND	ND	ND	313	0.16
All Other 8270 Parameters	8270	ND	ND	ND	NA	NA
PID Field Screening (ppm)	PID	40.0	70.0	5.0	NA	NA

mg/kg = parts per million (ppm).
BOLD values are above MSCC levels.
 NS=Not Sampled for Parameter

MSCC = Maximum Soil Contaminant Concentrations
 ND = Not Detected.
 J= Estimated Concentration

NMSCC= No MSCC
 NA Not Applicable
 CI= Considered Immobile

TABLE 4
Summary of RCRA Metals Analysis of Soil Samples
Parcel 029 - Lalon L. Barnes, Jr.
410 Rowan St., Cumberland County, NC

Analytical Parameter	Analytical Method	Sample ID			Background #1	Background #2	Background Avg.	IHSB PSRGs (Industrial)
		29-1(4-6) <i>(mg/kg)</i>	29-2(4-6) <i>(mg/kg)</i>	29-4(4-6) <i>(mg/kg)</i>				
Arsenic	EPA 6010	0.89	ND	ND	ND	ND	ND	2.4
Barium	EPA 6010	14.40	10.10	0.99	11.2	15.1	13.15	3800
Cadmium	EPA 6010	ND	ND	ND	ND	ND	ND	160
Chromium	EPA 6010	3.90	1.90	0.61	4.3	8.2	6.25	10000
Lead	EPA 6010	7.50	7.40	1.00	14.6	23.6	19.1	800
Selenium	EPA 6010	ND	ND	ND	ND	ND	ND	1000
Silver	EPA 6010	ND	ND	ND	ND	ND	ND	1000
Mercury	EPA 7471	0.054	0.0042	ND	0.0089	0.0038	0.00635	3.1

mg/kg = milligrams per kilogram

ND = not detected

TABLE 5
Summary of Groundwater Analytical Results
 NCDOT State Project B-4490
 410 Rowan St. - Parcel 029
 Fayetteville, Cumberland County, North Carolina


PARAMETER	UNITS	SAMPLE ID	NCAC 2L
		29-4(TW)	GROUNDWATER STANDARD
EPA Method 6200B VOCs; Sample Collection Date: 2/18/14			
Benzene	ug/L	ND	1
Chloroform	ug/L	ND	70
Diisopropyl Ether (IPE)	ug/L	ND	70
Ethyl Benzene	ug/L	ND	600
Isopropylbenzene (Cumene)	ug/L	ND	70
Naphthalene	ug/L	ND	6
Styrene	ug/L	ND	70
Toluene	ug/L	ND	600
Total Xylenes	ug/L	ND	500
n-Propylbenzene	ug/L	ND	70
sec-Butylbenzene	ug/L	ND	70
tert-Butyl methyl ether (MTBE)	ug/L	ND	20
tert-Butylbenzene	ug/L	ND	70
1,2,4-Trimethylbenzene	ug/L	ND	400
1,2-Dichloroethane	ug/L	ND	0.4
1,3,5-Trimethylbenzene	ug/L	ND	400
4-Isopropyltoluene	ug/L	ND	25
All Other Parameters	ug/L	ND	NA
EPA Method 625 Semi-Volatile Organic Compounds			
Acenaphthene	ug/L	ND	80
Diethylphthalate	ug/L	ND	6000
bis(2-Ethylhexyl)phthalate	ug/L	ND	3
Naphthalene	ug/L	ND	6
Phenanthrene	ug/L	ND	200
Phenol	ug/L	ND	30
Pyrene	ug/L	ND	200
All Other Parameters	ug/L	ND	NA

ug/L= micrograms-per-liter

ND= Not Detected at or above adjusted reporting limit.

NA= Not Applicable

APPENDIX A



Parcel 029

(24)

Rowan St

Chatham St

Image © 2014 Digital Globe

Google earth
2011

Google earth





Parcel 029

Hillisboro St

Chatham St

Rowan St

(24) Image © 2014 DigitalGlobe

Google earth
2010

Google earth





Parcel 029

Hillsboro St

Chatham St


Rowan St

24 Image © 2014 DigitalGlobe

Google earth
2009

Google earth





Parcel 029

Hillisboro St

Chatham St

Rowan St

24 Image © 2014 DigitalGlobe

Google earth
2003

Google earth





Parcel 029

Rowan St


24 Image U.S. Geological Survey

Chatham St

Google earth
1993

Google earth





Parcel 029

1972

An aerial photograph showing a residential neighborhood. A red arrow points from a text box labeled "Parcel 029" to a specific lot within a block. The lot is situated between a street on the left and a street on the right, and is surrounded by other residential buildings and trees. The overall scene is a typical suburban street layout.

Parcel 029

1966

Parcel 029



1960

APPENDIX B



PYRAMID ENVIRONMENTAL & ENGINEERING
(PROJECT 2014-008)

GEOPHYSICAL SURVEY

PARCEL 029 – LALON L. BARNES, JR.
410 ROWAN ST.
NCDOT PROJECT B-4490 (33727.1.1)

FAYETTEVILL, CUMBERLAND COUNTY, NC

FEBRUARY 12, 2014

Report prepared for: Mr. Gordon Box
GeoEnvironmental Project Manager
Geotechnical Engineering Unit
1020 Birch Ridge Drive
Raleigh, NC 27610

Prepared by: _____

Eric C. Cross, P.G.
NC License #2181

Reviewed by: _____

Douglas A. Canavello, P.G.
NC License #1066

503 INDUSTRIAL AVENUE, GREENSBORO, NC 27406

P: 336.335.3174 F: 336.691.0648

C257: GEOLOGY C1251: ENGINEERING

GEOPHYSICAL INVESTIGATION REPORT
Parcel 029, 410 Rowan St.
Fayetteville, Cumberland County, North Carolina

Table of Contents

Executive Summary	1
Introduction.....	2
Field Methodology.....	2
Discussion of Results.....	3
Summary and Conclusions	4
Limitations	5

Figures

- Figure 1 – Parcel 029 – Geophysical Survey Boundaries and Site Photographs
- Figure 2 – Parcel 029 – EM61 Bottom Coil & Differential Results Contour Maps
- Figure 3 – Parcel 029 – Overlay of EM61 Contour Map On Engineering Plans
- Figure 4 – Parcel 029 – GPR Transect Locations and Images

EXECUTIVE SUMMARY

Project Description: Pyramid Environmental conducted a geophysical investigation for the North Carolina Department of Transportation (NCDOT), at the Lalon L. Barnes, Jr. property, Parcel 029, 410 Rowan St., Fayetteville, Cumberland County, NC. The survey was part of an NCDOT Right-of-Way (ROW) investigation (NCDOT Project B-4490). The geophysical survey boundaries at the project site were designed to include the portions of the property between the existing edge of pavement and the proposed ROW and easements, whichever distance was greater. The geophysical investigation consisted of electromagnetic (EM) induction-metal detection and ground penetrating radar (GPR) surveys.

Geophysical Results: The majority of the EM features at the property were suspected to be associated with metallic debris, utilities, or the driveway entrance gate. The GPR indicated that the anomaly at X=130, Y=225 was potentially related to buried debris. The geophysical investigation did not record evidence of any metallic USTs at the property.

INTRODUCTION

Pyramid Environmental conducted a geophysical investigation for the North Carolina Department of Transportation (NCDOT), at the Lalon L. Barnes, Jr. property, Parcel 029, 410 Rowan St., Fayetteville, Cumberland County, NC. The survey was part of an NCDOT Right-of-Way (ROW) investigation (NCDOT Project B-4490). The geophysical survey boundaries at the project site were designed to include the portions of the property between the existing edge of pavement and the proposed ROW and easements, whichever distance was greater. The survey grid was in the shape of a triangle, extending 115 feet from east to west and 220 feet from north to south. Conducted on January 27 and February 4, 2014, the geophysical investigation was performed to determine if unknown, metallic underground storage tanks (USTs) were present beneath the survey area.

The site was a wooded lot containing a concrete drive, a former building foundation, and a cellular communication tower. The heavily wooded lot prevented access to the majority of the property, and the survey area was focused along the concrete drive and within the area directly south of the cellular communication tower. Aerial photographs showing the survey area boundaries and ground-level photographs are shown in **Figure 1**.

FIELD METHODOLOGY

Prior to conducting the geophysical investigation, a 20-foot by 10-foot survey grid was established across the geophysical survey areas using measuring tapes and water-based marking paint. These grid marks were used as X-Y coordinates for location control when collecting the geophysical data and establishing base maps for the geophysical results.

The geophysical investigation consisted of electromagnetic (EM) induction-metal detection and ground penetrating radar (GPR) surveys. The EM survey was performed on January 27, 2014, using a Geonics EM61 metal detection instrument. According to the instrument specifications, the EM61 can detect a metal drum down to a maximum depth of approximately 8 feet. Smaller objects (1-foot or less in size) can be detected to a maximum depth of 4 to 5 feet. The EM61 data were digitally collected at approximately 0.8 foot intervals along north-south trending or east-west trending, parallel survey lines spaced five feet apart. The data were downloaded to a

computer and reviewed in the field and office using the Geonics DAT61 and Surfer for Windows Version 11.0 software programs.

GPR data were acquired across select EM differential anomalies on February 4, 2014, using a Geophysical Survey Systems, Inc. (GSSI) SIR-2000 unit equipped with a 400 MHz antenna. Data were collected generally from east to west and north to south across the property. The GPR data were viewed in real time using a vertical scan of 512 samples, at a rate of 48 scans per second. GPR data were viewed down to a maximum depth of approximately 8 feet, based on an estimated two-way travel time of 8 nanoseconds per foot. GPR transects across specific anomalies were saved to the hard drive of the SIR unit for post-processing and figure generation.

DISCUSSION OF RESULTS

Contour plots of the EM61 bottom coil and differential results obtained across the survey area at the property are presented in **Figure 2**. The bottom coil results represent the most sensitive component of the EM61 instrument and detect metal objects regardless of size. The bottom coil response can be used to delineate metal conduits or utility lines; small, isolated metal objects, and areas containing insignificant metal debris. The differential results are obtained from the difference between the top and bottom coils of the EM61 instrument. The differential results focus on the larger metal objects such as drum and UST-size objects and ignore the smaller insignificant metal objects.

Discussion of EM Anomalies: The EM feature extending from south to north across the majority of the survey area at X=110 was suspected to be associated with multiple fiber-optic utility lines that had been marked in the field by utility locators. The EM feature extending from south to north across the majority of the survey area at X=125 was suspected to be associated with the main water line for the property which had been marked and was observed to correlate to these features. The EM anomalies at X=110, Y=70 and at X=130, Y=70 were the result of reinforced bollards adjacent to a metal gate at this location. The EM anomaly centered at X=130, Y=190 was the result of cut metal poles visible in the ground surface. The EM feature centered at X=130, Y=225 was suspected to be the result of metallic debris, and was investigated further with the GPR.

Discussion of GPR Survey: **Figure 4** presents the locations of the formal GPR transects performed at the property, as well as images of the transects. GPR Transects 1 and 2 were performed across the anomaly at X=130, Y=225. Minor disrupted reflectors were observed in Transect 1 that could be indicative of debris, and no clear evidence of any distinct reflectors or disruptions was observed in Transect 2. No evidence of any large structures such as USTs was recorded.

The geophysical investigation did not record any evidence of metallic USTs at the property within the survey area limits.


SUMMARY & CONCLUSIONS

Our evaluation of the EM61 and GPR data collected across Parcel 029 in Fayetteville, North Carolina, provides the following summary and conclusions:


- The EM61 and GPR surveys provided reliable results for the detection of metallic USTs within the accessible portions of the geophysical survey area.
- The majority of the EM features at the property were suspected to be associated with metallic debris, utilities, or the driveway entrance gate.
- The GPR indicated that the anomaly at X=130, Y=225 was potentially related to buried debris.
- The geophysical investigation did not record evidence of any metallic USTs at the property.

LIMITATIONS

Geophysical surveys have been performed and this report prepared for the NCDOT in accordance with generally accepted guidelines for EM61 and GPR surveys. It is generally recognized that the results of the EM61 and GPR surveys are non-unique and may not represent actual subsurface conditions. The EM61 and GPR results obtained for this project have not conclusively determined the definitive presence or absence of metallic USTs, but that the evidence collected is sufficient to result in the conclusions made in this report. Additionally, it should be understood that areas containing extensive vegetation, reinforced concrete, or other restrictions to the accessibility of the geophysical instruments could not be fully investigated.




Approximate Boundaries of the Geophysical Survey Area



View of Survey Area
(Facing Approximately North)




View of Northwest Portion of Survey Area
(Facing Approximately West)

TITLE		PARCEL 029: GEOPHYSICAL SURVEY BOUNDARIES AND SITE PHOTOGRAPHS	
PROJECT		NCDOT PROJECT B-4490 (33727.1.1) FAYETTEVILLE, CUMBERLAND COUNTY, NC	
		503 INDUSTRIAL AVENUE GREENSBORO, NC 27460 (336) 335-3174 (p) (336) 691-0648 (f) License # C1251 Eng. / License # C257 Geology	
DATE	2/7/2014	CLIENT	NCDOT
PYRAMID PROJECT #:	2014-008	FIGURE 1	




NO EVIDENCE OF METALLIC USTs OBSERVED


EM61 Bottom Coil Results





EM61 Differential Results



The contour plots show the bottom coil (most sensitive) and differential results of the EM61 instrument in millivolts (mV). The bottom coil response shows buried metallic objects regardless of size. The differential response focuses on larger, buried metallic objects such as drums and USTs and ignores smaller miscellaneous buried, metal debris. The EM61 data were collected on January 27, 2013 using a Geonics EM61 instrument. Ground penetrating radar (GPR) data were collected on February 4, 2013, using a GSSI SIR 2000 unit coupled to a 400 MHz antennae.





TITLE		PARCEL 029: EM61 BOTTOM COIL & DIFFERENTIAL RESULTS CONTOUR MAPS	
PROJECT		NCDOT PROJECT B-4490 (34437.1.1) FAYETTEVILLE, CUMBERLAND COUNTY, NC	
		503 INDUSTRIAL AVENUE GREENSBORO, NC 27460 (336) 335-3174 (p) (336) 691-0648 (f) License # C1251 Eng. / License # C257 Geology	
DATE	2/7/2014	CLIENT	NCDOT
PYRAMID PROJECT #:	2014-008	FIGURE 2	



LEGEND


- PUE PROPOSED UTILITY EASEMENT
- EXISTING ROW
- EXISTING PROPERTY BOUNDARY
- PROPOSED ROW
- PROPOSED CONST. EASEMENT
- PROP. DRAINAGE UTIL. EASEMENT
- PROPOSED SS CUT LINE
- PROPOSED SS FILL LINE
- PROPOSED SS TRANSITION LINE
- PROPOSED DRAINAGE PIPING
- PROPOSED DRAINAGE EASEMENT
- YELLOW ZONE REPRESENTS GEOPHYSICAL SURVEY AREA, CONTOURS ARE EM61 RESULTS (METALLIC RESPONSES)




TITLE OVERLAY OF EM61 CONTOUR MAP ON ENGINEERING PLANS	
PROJECT NCDOT ROW PROJECT B-4490 (33727.1.1) LALON L. BARNES JR. - PARCEL 029 FAYETTEVILLE, CUMBERLAND COUNTY, NC	
 503 INDUSTRIAL AVENUE GREENSBORO, NC 27406 336.335.3174 (p) 336.691.0648 (f) License # C1251 Eng. / #C257 Geology	
DATE: 2-21-14	REVISION NO. 0
PYRAMID PROJECT NO. 2014-008	FIGURE NO. 3




Approximate Locations of GPR Transects



GPR Transect 1



GPR Transect 2


TITLE		PARCEL 029: GPR TRANSECT LOCATIONS AND SELECT IMAGES	
PROJECT		NCDOT PROJECT B-4490 (33727.1.1) FAYETTEVILLE, CUMBERLAND COUNTY, NC	
		503 INDUSTRIAL AVENUE GREENSBORO, NC 27460 (336) 335-3174 (p) (336) 691-0648 (f) License # C1251 Eng. / License # C257 Geology	
DATE	2/7/2014	CLIENT	NCDOT
PYRAMID PROJECT #:	2014-008	FIGURE 4	

APPENDIX C

APPENDIX D


Background Organics (P)

29-1(4-6)




Deg.Fuel 55.9%

29-2(4-6)



Deg.Fuel 59.9%

29-3(4.5-6)



Parcel 029

CHAIN-OF-CUSTODY / Analytical Request Document - QROS / QED

Pyramid Environmental & Engineering, P.C.
 Company:
 Pyramid Environmental & Engineering, P.C.
 Address: 503 Industrial Ave.
 Greensboro, NC 27406

Purchase Order No.:
 Project Name: W.CDOT Cumberland CT Parcel 029
 Project Number:

ITEM	SAMPLE ID	Matrix	C=Comp. G=Grab	COLLECTED		Containers	Un-preserved	Methanol	Requested Analysis		
				Date	Time				ARO	DRO	TPH
1	29-1(4-6)	Soil	G	2/17/14	21:00	1	10 g	20 ml	<0.1	<0.4	<0.4
2	29-2(4-6)	Soil	G	2/17/14	21:15	1	10.2 g	20 ml	<0.1	<0.3	<0.3
3	29-3(4-5-6)	Soil	G	2/17/14	21:30	1	9.5 g	20 ml	<0.1	3.3	3.3
4	29-4(4-6)	Soil	G	2/18/14	10:30	1	11 g	20 ml	1.8	7	8.8
5	29-4(6-8)	Soil	G	2/18/14	10:40	1	11.5 g	20 ml	<0.1	<0.3	<0.3
Relinquished By / Affiliation				Date	Time	Accepted By / Affiliation				Date	Time

SAMPLER NAME AND SIGNATURE
 Print Name of Sampler: Ryan Kramer
 Signature of Sampler: [Signature] Date Signed: 2/17/14

* RCRA, 8260 = 8270



APPENDIX E

March 04, 2014

Chemical Testing Engineer
Materials and Tests Unit
1801 Blue Ridge Road
Raleigh, NC 27607

RE: Project: 33727.1.1/B-4490 Cumberland
Pace Project No.: 92190454

Dear Chemical Engineer:

Enclosed are the analytical results for sample(s) received by the laboratory on February 20, 2014. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

Analyses were performed at the Pace Analytical Services location indicated on the sample analyte page for analysis unless otherwise footnoted.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Jon D Bradley
jon.bradley@pacelabs.com
Project Manager

Enclosures

cc: Tim Leatherman, Pyramid Environmental



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: 33727.1.1/B-4490 Cumberland

Pace Project No.: 92190454

Charlotte Certification IDs

9800 Kincey Ave. Ste 100, Huntersville, NC 28078
North Carolina Drinking Water Certification #: 37706
North Carolina Field Services Certification #: 5342
North Carolina Wastewater Certification #: 12
South Carolina Certification #: 99006001

Florida/NELAP Certification #: E87627
Kentucky UST Certification #: 84
West Virginia Certification #: 357
Virginia/VELAP Certification #: 460221

Asheville Certification IDs

2225 Riverside Dr., Asheville, NC 28804
Florida/NELAP Certification #: E87648
Massachusetts Certification #: M-NC030
North Carolina Drinking Water Certification #: 37712

North Carolina Wastewater Certification #: 40
South Carolina Certification #: 99030001
West Virginia Certification #: 356
Virginia/VELAP Certification #: 460222

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 33727.1.1/B-4490 Cumberland

Pace Project No.: 92190454

Sample: 29-4(4-6) **Lab ID: 92190454001** Collected: 02/18/14 10:30 Received: 02/20/14 13:55 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP		Analytical Method: EPA 6010 Preparation Method: EPA 3050						
Arsenic	ND	mg/kg	0.56	1	02/25/14 20:35	02/26/14 16:36	7440-38-2	
Barium	0.99	mg/kg	0.28	1	02/25/14 20:35	02/26/14 16:36	7440-39-3	
Cadmium	ND	mg/kg	0.056	1	02/25/14 20:35	02/26/14 16:36	7440-43-9	
Chromium	0.61	mg/kg	0.28	1	02/25/14 20:35	02/26/14 16:36	7440-47-3	
Lead	1.0	mg/kg	0.28	1	02/25/14 20:35	02/27/14 12:31	7439-92-1	
Selenium	ND	mg/kg	0.56	1	02/25/14 20:35	02/26/14 16:36	7782-49-2	
Silver	ND	mg/kg	0.28	1	02/25/14 20:35	02/26/14 16:36	7440-22-4	
7471 Mercury		Analytical Method: EPA 7471 Preparation Method: EPA 7471						
Mercury	ND	mg/kg	0.0041	1	02/21/14 23:11	02/25/14 18:54	7439-97-6	
8270 MSSV Microwave		Analytical Method: EPA 8270 Preparation Method: EPA 3546						
Acenaphthene	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	83-32-9	
Acenaphthylene	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	208-96-8	
Aniline	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	62-53-3	
Anthracene	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	120-12-7	
Benzo(a)anthracene	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	56-55-3	
Benzo(a)pyrene	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	207-08-9	
Benzoic Acid	ND	ug/kg	1720	1	02/20/14 16:05	02/26/14 18:24	65-85-0	
Benzyl alcohol	ND	ug/kg	688	1	02/20/14 16:05	02/26/14 18:24	100-51-6	
4-Bromophenylphenyl ether	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	101-55-3	
Butylbenzylphthalate	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	85-68-7	
4-Chloro-3-methylphenol	ND	ug/kg	688	1	02/20/14 16:05	02/26/14 18:24	59-50-7	
4-Chloroaniline	ND	ug/kg	1720	1	02/20/14 16:05	02/26/14 18:24	106-47-8	
bis(2-Chloroethoxy)methane	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	111-91-1	
bis(2-Chloroethyl) ether	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	111-44-4	
bis(2-Chloroisopropyl) ether	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	108-60-1	
2-Chloronaphthalene	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	91-58-7	
2-Chlorophenol	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	95-57-8	
4-Chlorophenylphenyl ether	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	7005-72-3	
Chrysene	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	53-70-3	
Dibenzofuran	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	132-64-9	
1,2-Dichlorobenzene	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	95-50-1	
1,3-Dichlorobenzene	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	541-73-1	
1,4-Dichlorobenzene	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	106-46-7	
3,3'-Dichlorobenzidine	ND	ug/kg	1720	1	02/20/14 16:05	02/26/14 18:24	91-94-1	
2,4-Dichlorophenol	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	120-83-2	
Diethylphthalate	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	84-66-2	
2,4-Dimethylphenol	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	105-67-9	
Dimethylphthalate	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	131-11-3	
Di-n-butylphthalate	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	84-74-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 33727.1.1/B-4490 Cumberland

Pace Project No.: 92190454

Sample: 29-4(4-6) **Lab ID: 92190454001** Collected: 02/18/14 10:30 Received: 02/20/14 13:55 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Microwave		Analytical Method: EPA 8270 Preparation Method: EPA 3546						
4,6-Dinitro-2-methylphenol	ND	ug/kg	688	1	02/20/14 16:05	02/26/14 18:24	534-52-1	
2,4-Dinitrophenol	ND	ug/kg	1720	1	02/20/14 16:05	02/26/14 18:24	51-28-5	
2,4-Dinitrotoluene	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	121-14-2	
2,6-Dinitrotoluene	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	606-20-2	
Di-n-octylphthalate	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	117-84-0	
bis(2-Ethylhexyl)phthalate	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	117-81-7	
Fluoranthene	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	206-44-0	
Fluorene	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	86-73-7	
Hexachloro-1,3-butadiene	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	87-68-3	
Hexachlorobenzene	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	118-74-1	
Hexachlorocyclopentadiene	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	77-47-4	
Hexachloroethane	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	67-72-1	
Indeno(1,2,3-cd)pyrene	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	193-39-5	
Isophorone	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	78-59-1	
1-Methylnaphthalene	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	90-12-0	
2-Methylnaphthalene	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	91-57-6	
2-Methylphenol(o-Cresol)	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	95-48-7	
3&4-Methylphenol(m&p Cresol)	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24		
Naphthalene	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	91-20-3	
2-Nitroaniline	ND	ug/kg	1720	1	02/20/14 16:05	02/26/14 18:24	88-74-4	
3-Nitroaniline	ND	ug/kg	1720	1	02/20/14 16:05	02/26/14 18:24	99-09-2	
4-Nitroaniline	ND	ug/kg	688	1	02/20/14 16:05	02/26/14 18:24	100-01-6	
Nitrobenzene	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	98-95-3	
2-Nitrophenol	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	88-75-5	
4-Nitrophenol	ND	ug/kg	1720	1	02/20/14 16:05	02/26/14 18:24	100-02-7	
N-Nitrosodimethylamine	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	62-75-9	
N-Nitroso-di-n-propylamine	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	621-64-7	
N-Nitrosodiphenylamine	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	86-30-6	
Pentachlorophenol	ND	ug/kg	1720	1	02/20/14 16:05	02/26/14 18:24	87-86-5	
Phenanthrene	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	85-01-8	
Phenol	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	108-95-2	
Pyrene	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	129-00-0	
1,2,4-Trichlorobenzene	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	120-82-1	
2,4,5-Trichlorophenol	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	95-95-4	
2,4,6-Trichlorophenol	ND	ug/kg	344	1	02/20/14 16:05	02/26/14 18:24	88-06-2	
Surrogates								
Nitrobenzene-d5 (S)	70 %		23-110	1	02/20/14 16:05	02/26/14 18:24	4165-60-0	
2-Fluorobiphenyl (S)	69 %		30-110	1	02/20/14 16:05	02/26/14 18:24	321-60-8	
Terphenyl-d14 (S)	95 %		28-110	1	02/20/14 16:05	02/26/14 18:24	1718-51-0	
Phenol-d6 (S)	66 %		22-110	1	02/20/14 16:05	02/26/14 18:24	13127-88-3	
2-Fluorophenol (S)	46 %		13-110	1	02/20/14 16:05	02/26/14 18:24	367-12-4	
2,4,6-Tribromophenol (S)	35 %		27-110	1	02/20/14 16:05	02/26/14 18:24	118-79-6	
8260/5035A Volatile Organics		Analytical Method: EPA 8260						
Acetone	ND	ug/kg	96.2	1		02/24/14 23:50	67-64-1	
Benzene	ND	ug/kg	4.8	1		02/24/14 23:50	71-43-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 33727.1.1/B-4490 Cumberland

Pace Project No.: 92190454

Sample: 29-4(4-6) **Lab ID: 92190454001** Collected: 02/18/14 10:30 Received: 02/20/14 13:55 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics		Analytical Method: EPA 8260						
Bromobenzene	ND	ug/kg	4.8	1		02/24/14 23:50	108-86-1	
Bromochloromethane	ND	ug/kg	4.8	1		02/24/14 23:50	74-97-5	
Bromodichloromethane	ND	ug/kg	4.8	1		02/24/14 23:50	75-27-4	
Bromoform	ND	ug/kg	4.8	1		02/24/14 23:50	75-25-2	
Bromomethane	ND	ug/kg	9.6	1		02/24/14 23:50	74-83-9	
2-Butanone (MEK)	ND	ug/kg	96.2	1		02/24/14 23:50	78-93-3	
n-Butylbenzene	ND	ug/kg	4.8	1		02/24/14 23:50	104-51-8	
sec-Butylbenzene	ND	ug/kg	4.8	1		02/24/14 23:50	135-98-8	
tert-Butylbenzene	ND	ug/kg	4.8	1		02/24/14 23:50	98-06-6	
Carbon tetrachloride	ND	ug/kg	4.8	1		02/24/14 23:50	56-23-5	
Chlorobenzene	ND	ug/kg	4.8	1		02/24/14 23:50	108-90-7	
Chloroethane	ND	ug/kg	9.6	1		02/24/14 23:50	75-00-3	
Chloroform	ND	ug/kg	4.8	1		02/24/14 23:50	67-66-3	
Chloromethane	ND	ug/kg	9.6	1		02/24/14 23:50	74-87-3	
2-Chlorotoluene	ND	ug/kg	4.8	1		02/24/14 23:50	95-49-8	
4-Chlorotoluene	ND	ug/kg	4.8	1		02/24/14 23:50	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/kg	4.8	1		02/24/14 23:50	96-12-8	
Dibromochloromethane	ND	ug/kg	4.8	1		02/24/14 23:50	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/kg	4.8	1		02/24/14 23:50	106-93-4	
Dibromomethane	ND	ug/kg	4.8	1		02/24/14 23:50	74-95-3	
1,2-Dichlorobenzene	ND	ug/kg	4.8	1		02/24/14 23:50	95-50-1	
1,3-Dichlorobenzene	ND	ug/kg	4.8	1		02/24/14 23:50	541-73-1	
1,4-Dichlorobenzene	ND	ug/kg	4.8	1		02/24/14 23:50	106-46-7	
Dichlorodifluoromethane	ND	ug/kg	9.6	1		02/24/14 23:50	75-71-8	
1,1-Dichloroethane	ND	ug/kg	4.8	1		02/24/14 23:50	75-34-3	
1,2-Dichloroethane	ND	ug/kg	4.8	1		02/24/14 23:50	107-06-2	
1,1-Dichloroethene	ND	ug/kg	4.8	1		02/24/14 23:50	75-35-4	
cis-1,2-Dichloroethene	ND	ug/kg	4.8	1		02/24/14 23:50	156-59-2	
trans-1,2-Dichloroethene	ND	ug/kg	4.8	1		02/24/14 23:50	156-60-5	
1,2-Dichloropropane	ND	ug/kg	4.8	1		02/24/14 23:50	78-87-5	
1,3-Dichloropropane	ND	ug/kg	4.8	1		02/24/14 23:50	142-28-9	
2,2-Dichloropropane	ND	ug/kg	4.8	1		02/24/14 23:50	594-20-7	
1,1-Dichloropropene	ND	ug/kg	4.8	1		02/24/14 23:50	563-58-6	
cis-1,3-Dichloropropene	ND	ug/kg	4.8	1		02/24/14 23:50	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/kg	4.8	1		02/24/14 23:50	10061-02-6	
Diisopropyl ether	ND	ug/kg	4.8	1		02/24/14 23:50	108-20-3	
Ethylbenzene	ND	ug/kg	4.8	1		02/24/14 23:50	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/kg	4.8	1		02/24/14 23:50	87-68-3	
2-Hexanone	ND	ug/kg	48.1	1		02/24/14 23:50	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/kg	4.8	1		02/24/14 23:50	98-82-8	
p-Isopropyltoluene	ND	ug/kg	4.8	1		02/24/14 23:50	99-87-6	
Methylene Chloride	ND	ug/kg	19.2	1		02/24/14 23:50	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/kg	48.1	1		02/24/14 23:50	108-10-1	
Methyl-tert-butyl ether	ND	ug/kg	4.8	1		02/24/14 23:50	1634-04-4	
Naphthalene	ND	ug/kg	4.8	1		02/24/14 23:50	91-20-3	
n-Propylbenzene	ND	ug/kg	4.8	1		02/24/14 23:50	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 33727.1.1/B-4490 Cumberland

Pace Project No.: 92190454

Sample: 29-4(4-6) **Lab ID: 92190454001** Collected: 02/18/14 10:30 Received: 02/20/14 13:55 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics		Analytical Method: EPA 8260						
Styrene	ND	ug/kg	4.8	1		02/24/14 23:50	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/kg	4.8	1		02/24/14 23:50	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/kg	4.8	1		02/24/14 23:50	79-34-5	
Tetrachloroethene	ND	ug/kg	4.8	1		02/24/14 23:50	127-18-4	
Toluene	ND	ug/kg	4.8	1		02/24/14 23:50	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/kg	4.8	1		02/24/14 23:50	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/kg	4.8	1		02/24/14 23:50	120-82-1	
1,1,1-Trichloroethane	ND	ug/kg	4.8	1		02/24/14 23:50	71-55-6	
1,1,2-Trichloroethane	ND	ug/kg	4.8	1		02/24/14 23:50	79-00-5	
Trichloroethene	ND	ug/kg	4.8	1		02/24/14 23:50	79-01-6	
Trichlorofluoromethane	ND	ug/kg	4.8	1		02/24/14 23:50	75-69-4	
1,2,3-Trichloropropane	ND	ug/kg	4.8	1		02/24/14 23:50	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/kg	4.8	1		02/24/14 23:50	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/kg	4.8	1		02/24/14 23:50	108-67-8	
Vinyl acetate	ND	ug/kg	48.1	1		02/24/14 23:50	108-05-4	
Vinyl chloride	ND	ug/kg	9.6	1		02/24/14 23:50	75-01-4	
Xylene (Total)	ND	ug/kg	9.6	1		02/24/14 23:50	1330-20-7	
m&p-Xylene	ND	ug/kg	9.6	1		02/24/14 23:50	179601-23-1	
o-Xylene	ND	ug/kg	4.8	1		02/24/14 23:50	95-47-6	
Surrogates								
Toluene-d8 (S)	111 %		70-130	1		02/24/14 23:50	2037-26-5	
4-Bromofluorobenzene (S)	84 %		70-130	1		02/24/14 23:50	460-00-4	
1,2-Dichloroethane-d4 (S)	92 %		70-132	1		02/24/14 23:50	17060-07-0	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	4.1 %		0.10	1		03/03/14 19:05		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 33727.1.1/B-4490 Cumberland

Pace Project No.: 92190454

Sample: 29-1(4-6) **Lab ID: 92190454002** Collected: 02/18/14 20:00 Received: 02/20/14 13:55 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP		Analytical Method: EPA 6010 Preparation Method: EPA 3050						
Arsenic	0.89	mg/kg	0.63	1	02/25/14 20:35	02/26/14 16:39	7440-38-2	
Barium	14.4	mg/kg	0.31	1	02/25/14 20:35	02/26/14 16:39	7440-39-3	
Cadmium	ND	mg/kg	0.063	1	02/25/14 20:35	02/26/14 16:39	7440-43-9	
Chromium	3.9	mg/kg	0.31	1	02/25/14 20:35	02/26/14 16:39	7440-47-3	
Lead	7.5	mg/kg	0.31	1	02/25/14 20:35	02/27/14 12:34	7439-92-1	
Selenium	ND	mg/kg	0.63	1	02/25/14 20:35	02/26/14 16:39	7782-49-2	
Silver	ND	mg/kg	0.31	1	02/25/14 20:35	02/26/14 16:39	7440-22-4	
7471 Mercury		Analytical Method: EPA 7471 Preparation Method: EPA 7471						
Mercury	0.054	mg/kg	0.0039	1	02/21/14 23:11	02/25/14 18:56	7439-97-6	
8270 MSSV Microwave		Analytical Method: EPA 8270 Preparation Method: EPA 3546						
Acenaphthene	ND	ug/kg	373	1	02/20/14 16:05	02/26/14 18:51	83-32-9	
Acenaphthylene	ND	ug/kg	373	1	02/20/14 16:05	02/26/14 18:51	208-96-8	
Aniline	ND	ug/kg	373	1	02/20/14 16:05	02/26/14 18:51	62-53-3	
Anthracene	ND	ug/kg	373	1	02/20/14 16:05	02/26/14 18:51	120-12-7	
Benzo(a)anthracene	ND	ug/kg	373	1	02/20/14 16:05	02/26/14 18:51	56-55-3	
Benzo(a)pyrene	ND	ug/kg	373	1	02/20/14 16:05	02/26/14 18:51	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	373	1	02/20/14 16:05	02/26/14 18:51	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	373	1	02/20/14 16:05	02/26/14 18:51	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	373	1	02/20/14 16:05	02/26/14 18:51	207-08-9	
Benzoic Acid	ND	ug/kg	1870	1	02/20/14 16:05	02/26/14 18:51	65-85-0	
Benzyl alcohol	ND	ug/kg	746	1	02/20/14 16:05	02/26/14 18:51	100-51-6	
4-Bromophenylphenyl ether	ND	ug/kg	373	1	02/20/14 16:05	02/26/14 18:51	101-55-3	
Butylbenzylphthalate	ND	ug/kg	373	1	02/20/14 16:05	02/26/14 18:51	85-68-7	
4-Chloro-3-methylphenol	ND	ug/kg	746	1	02/20/14 16:05	02/26/14 18:51	59-50-7	
4-Chloroaniline	ND	ug/kg	1870	1	02/20/14 16:05	02/26/14 18:51	106-47-8	
bis(2-Chloroethoxy)methane	ND	ug/kg	373	1	02/20/14 16:05	02/26/14 18:51	111-91-1	
bis(2-Chloroethyl) ether	ND	ug/kg	373	1	02/20/14 16:05	02/26/14 18:51	111-44-4	
bis(2-Chloroisopropyl) ether	ND	ug/kg	373	1	02/20/14 16:05	02/26/14 18:51	108-60-1	
2-Chloronaphthalene	ND	ug/kg	373	1	02/20/14 16:05	02/26/14 18:51	91-58-7	
2-Chlorophenol	ND	ug/kg	373	1	02/20/14 16:05	02/26/14 18:51	95-57-8	
4-Chlorophenylphenyl ether	ND	ug/kg	373	1	02/20/14 16:05	02/26/14 18:51	7005-72-3	
Chrysene	ND	ug/kg	373	1	02/20/14 16:05	02/26/14 18:51	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	373	1	02/20/14 16:05	02/26/14 18:51	53-70-3	
Dibenzofuran	ND	ug/kg	373	1	02/20/14 16:05	02/26/14 18:51	132-64-9	
1,2-Dichlorobenzene	ND	ug/kg	373	1	02/20/14 16:05	02/26/14 18:51	95-50-1	
1,3-Dichlorobenzene	ND	ug/kg	373	1	02/20/14 16:05	02/26/14 18:51	541-73-1	
1,4-Dichlorobenzene	ND	ug/kg	373	1	02/20/14 16:05	02/26/14 18:51	106-46-7	
3,3'-Dichlorobenzidine	ND	ug/kg	1870	1	02/20/14 16:05	02/26/14 18:51	91-94-1	
2,4-Dichlorophenol	ND	ug/kg	373	1	02/20/14 16:05	02/26/14 18:51	120-83-2	
Diethylphthalate	ND	ug/kg	373	1	02/20/14 16:05	02/26/14 18:51	84-66-2	
2,4-Dimethylphenol	ND	ug/kg	373	1	02/20/14 16:05	02/26/14 18:51	105-67-9	
Dimethylphthalate	ND	ug/kg	373	1	02/20/14 16:05	02/26/14 18:51	131-11-3	
Di-n-butylphthalate	ND	ug/kg	373	1	02/20/14 16:05	02/26/14 18:51	84-74-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 33727.1.1/B-4490 Cumberland

Pace Project No.: 92190454

Sample: 29-1(4-6) **Lab ID: 92190454002** Collected: 02/18/14 20:00 Received: 02/20/14 13:55 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Microwave		Analytical Method: EPA 8270 Preparation Method: EPA 3546						
4,6-Dinitro-2-methylphenol	ND ug/kg		746	1	02/20/14 16:05	02/26/14 18:51	534-52-1	
2,4-Dinitrophenol	ND ug/kg		1870	1	02/20/14 16:05	02/26/14 18:51	51-28-5	
2,4-Dinitrotoluene	ND ug/kg		373	1	02/20/14 16:05	02/26/14 18:51	121-14-2	
2,6-Dinitrotoluene	ND ug/kg		373	1	02/20/14 16:05	02/26/14 18:51	606-20-2	
Di-n-octylphthalate	ND ug/kg		373	1	02/20/14 16:05	02/26/14 18:51	117-84-0	
bis(2-Ethylhexyl)phthalate	ND ug/kg		373	1	02/20/14 16:05	02/26/14 18:51	117-81-7	
Fluoranthene	ND ug/kg		373	1	02/20/14 16:05	02/26/14 18:51	206-44-0	
Fluorene	ND ug/kg		373	1	02/20/14 16:05	02/26/14 18:51	86-73-7	
Hexachloro-1,3-butadiene	ND ug/kg		373	1	02/20/14 16:05	02/26/14 18:51	87-68-3	
Hexachlorobenzene	ND ug/kg		373	1	02/20/14 16:05	02/26/14 18:51	118-74-1	
Hexachlorocyclopentadiene	ND ug/kg		373	1	02/20/14 16:05	02/26/14 18:51	77-47-4	
Hexachloroethane	ND ug/kg		373	1	02/20/14 16:05	02/26/14 18:51	67-72-1	
Indeno(1,2,3-cd)pyrene	ND ug/kg		373	1	02/20/14 16:05	02/26/14 18:51	193-39-5	
Isophorone	ND ug/kg		373	1	02/20/14 16:05	02/26/14 18:51	78-59-1	
1-Methylnaphthalene	ND ug/kg		373	1	02/20/14 16:05	02/26/14 18:51	90-12-0	
2-Methylnaphthalene	ND ug/kg		373	1	02/20/14 16:05	02/26/14 18:51	91-57-6	
2-Methylphenol(o-Cresol)	ND ug/kg		373	1	02/20/14 16:05	02/26/14 18:51	95-48-7	
3&4-Methylphenol(m&p Cresol)	ND ug/kg		373	1	02/20/14 16:05	02/26/14 18:51		
Naphthalene	ND ug/kg		373	1	02/20/14 16:05	02/26/14 18:51	91-20-3	
2-Nitroaniline	ND ug/kg		1870	1	02/20/14 16:05	02/26/14 18:51	88-74-4	
3-Nitroaniline	ND ug/kg		1870	1	02/20/14 16:05	02/26/14 18:51	99-09-2	
4-Nitroaniline	ND ug/kg		746	1	02/20/14 16:05	02/26/14 18:51	100-01-6	
Nitrobenzene	ND ug/kg		373	1	02/20/14 16:05	02/26/14 18:51	98-95-3	
2-Nitrophenol	ND ug/kg		373	1	02/20/14 16:05	02/26/14 18:51	88-75-5	
4-Nitrophenol	ND ug/kg		1870	1	02/20/14 16:05	02/26/14 18:51	100-02-7	
N-Nitrosodimethylamine	ND ug/kg		373	1	02/20/14 16:05	02/26/14 18:51	62-75-9	
N-Nitroso-di-n-propylamine	ND ug/kg		373	1	02/20/14 16:05	02/26/14 18:51	621-64-7	
N-Nitrosodiphenylamine	ND ug/kg		373	1	02/20/14 16:05	02/26/14 18:51	86-30-6	
Pentachlorophenol	ND ug/kg		1870	1	02/20/14 16:05	02/26/14 18:51	87-86-5	
Phenanthrene	ND ug/kg		373	1	02/20/14 16:05	02/26/14 18:51	85-01-8	
Phenol	ND ug/kg		373	1	02/20/14 16:05	02/26/14 18:51	108-95-2	
Pyrene	ND ug/kg		373	1	02/20/14 16:05	02/26/14 18:51	129-00-0	
1,2,4-Trichlorobenzene	ND ug/kg		373	1	02/20/14 16:05	02/26/14 18:51	120-82-1	
2,4,5-Trichlorophenol	ND ug/kg		373	1	02/20/14 16:05	02/26/14 18:51	95-95-4	
2,4,6-Trichlorophenol	ND ug/kg		373	1	02/20/14 16:05	02/26/14 18:51	88-06-2	
Surrogates								
Nitrobenzene-d5 (S)	71 %		23-110	1	02/20/14 16:05	02/26/14 18:51	4165-60-0	
2-Fluorobiphenyl (S)	65 %		30-110	1	02/20/14 16:05	02/26/14 18:51	321-60-8	
Terphenyl-d14 (S)	62 %		28-110	1	02/20/14 16:05	02/26/14 18:51	1718-51-0	
Phenol-d6 (S)	80 %		22-110	1	02/20/14 16:05	02/26/14 18:51	13127-88-3	
2-Fluorophenol (S)	73 %		13-110	1	02/20/14 16:05	02/26/14 18:51	367-12-4	
2,4,6-Tribromophenol (S)	79 %		27-110	1	02/20/14 16:05	02/26/14 18:51	118-79-6	
8260/5035A Volatile Organics		Analytical Method: EPA 8260						
Acetone	ND ug/kg		77.9	1		02/25/14 00:09	67-64-1	
Benzene	ND ug/kg		3.9	1		02/25/14 00:09	71-43-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 33727.1.1/B-4490 Cumberland

Pace Project No.: 92190454

Sample: 29-1(4-6) **Lab ID: 92190454002** Collected: 02/18/14 20:00 Received: 02/20/14 13:55 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics		Analytical Method: EPA 8260						
Bromobenzene	ND	ug/kg	3.9	1		02/25/14 00:09	108-86-1	
Bromochloromethane	ND	ug/kg	3.9	1		02/25/14 00:09	74-97-5	
Bromodichloromethane	ND	ug/kg	3.9	1		02/25/14 00:09	75-27-4	
Bromoform	ND	ug/kg	3.9	1		02/25/14 00:09	75-25-2	
Bromomethane	ND	ug/kg	7.8	1		02/25/14 00:09	74-83-9	
2-Butanone (MEK)	ND	ug/kg	77.9	1		02/25/14 00:09	78-93-3	
n-Butylbenzene	ND	ug/kg	3.9	1		02/25/14 00:09	104-51-8	
sec-Butylbenzene	ND	ug/kg	3.9	1		02/25/14 00:09	135-98-8	
tert-Butylbenzene	ND	ug/kg	3.9	1		02/25/14 00:09	98-06-6	
Carbon tetrachloride	ND	ug/kg	3.9	1		02/25/14 00:09	56-23-5	
Chlorobenzene	ND	ug/kg	3.9	1		02/25/14 00:09	108-90-7	
Chloroethane	ND	ug/kg	7.8	1		02/25/14 00:09	75-00-3	
Chloroform	ND	ug/kg	3.9	1		02/25/14 00:09	67-66-3	
Chloromethane	ND	ug/kg	7.8	1		02/25/14 00:09	74-87-3	
2-Chlorotoluene	ND	ug/kg	3.9	1		02/25/14 00:09	95-49-8	
4-Chlorotoluene	ND	ug/kg	3.9	1		02/25/14 00:09	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/kg	3.9	1		02/25/14 00:09	96-12-8	
Dibromochloromethane	ND	ug/kg	3.9	1		02/25/14 00:09	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/kg	3.9	1		02/25/14 00:09	106-93-4	
Dibromomethane	ND	ug/kg	3.9	1		02/25/14 00:09	74-95-3	
1,2-Dichlorobenzene	ND	ug/kg	3.9	1		02/25/14 00:09	95-50-1	
1,3-Dichlorobenzene	ND	ug/kg	3.9	1		02/25/14 00:09	541-73-1	
1,4-Dichlorobenzene	ND	ug/kg	3.9	1		02/25/14 00:09	106-46-7	
Dichlorodifluoromethane	ND	ug/kg	7.8	1		02/25/14 00:09	75-71-8	1g
1,1-Dichloroethane	ND	ug/kg	3.9	1		02/25/14 00:09	75-34-3	
1,2-Dichloroethane	ND	ug/kg	3.9	1		02/25/14 00:09	107-06-2	
1,1-Dichloroethene	ND	ug/kg	3.9	1		02/25/14 00:09	75-35-4	
cis-1,2-Dichloroethene	ND	ug/kg	3.9	1		02/25/14 00:09	156-59-2	
trans-1,2-Dichloroethene	ND	ug/kg	3.9	1		02/25/14 00:09	156-60-5	
1,2-Dichloropropane	ND	ug/kg	3.9	1		02/25/14 00:09	78-87-5	
1,3-Dichloropropane	ND	ug/kg	3.9	1		02/25/14 00:09	142-28-9	
2,2-Dichloropropane	ND	ug/kg	3.9	1		02/25/14 00:09	594-20-7	
1,1-Dichloropropene	ND	ug/kg	3.9	1		02/25/14 00:09	563-58-6	
cis-1,3-Dichloropropene	ND	ug/kg	3.9	1		02/25/14 00:09	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/kg	3.9	1		02/25/14 00:09	10061-02-6	
Diisopropyl ether	ND	ug/kg	3.9	1		02/25/14 00:09	108-20-3	
Ethylbenzene	ND	ug/kg	3.9	1		02/25/14 00:09	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/kg	3.9	1		02/25/14 00:09	87-68-3	
2-Hexanone	ND	ug/kg	38.9	1		02/25/14 00:09	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/kg	3.9	1		02/25/14 00:09	98-82-8	
p-Isopropyltoluene	ND	ug/kg	3.9	1		02/25/14 00:09	99-87-6	
Methylene Chloride	ND	ug/kg	15.6	1		02/25/14 00:09	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/kg	38.9	1		02/25/14 00:09	108-10-1	
Methyl-tert-butyl ether	ND	ug/kg	3.9	1		02/25/14 00:09	1634-04-4	
Naphthalene	ND	ug/kg	3.9	1		02/25/14 00:09	91-20-3	
n-Propylbenzene	ND	ug/kg	3.9	1		02/25/14 00:09	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 33727.1.1/B-4490 Cumberland

Pace Project No.: 92190454

Sample: 29-1(4-6) **Lab ID: 92190454002** Collected: 02/18/14 20:00 Received: 02/20/14 13:55 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics		Analytical Method: EPA 8260						
Styrene	ND	ug/kg	3.9	1		02/25/14 00:09	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/kg	3.9	1		02/25/14 00:09	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/kg	3.9	1		02/25/14 00:09	79-34-5	
Tetrachloroethene	ND	ug/kg	3.9	1		02/25/14 00:09	127-18-4	
Toluene	ND	ug/kg	3.9	1		02/25/14 00:09	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/kg	3.9	1		02/25/14 00:09	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/kg	3.9	1		02/25/14 00:09	120-82-1	
1,1,1-Trichloroethane	ND	ug/kg	3.9	1		02/25/14 00:09	71-55-6	
1,1,2-Trichloroethane	ND	ug/kg	3.9	1		02/25/14 00:09	79-00-5	
Trichloroethene	ND	ug/kg	3.9	1		02/25/14 00:09	79-01-6	
Trichlorofluoromethane	ND	ug/kg	3.9	1		02/25/14 00:09	75-69-4	
1,2,3-Trichloropropane	ND	ug/kg	3.9	1		02/25/14 00:09	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/kg	3.9	1		02/25/14 00:09	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/kg	3.9	1		02/25/14 00:09	108-67-8	
Vinyl acetate	ND	ug/kg	38.9	1		02/25/14 00:09	108-05-4	
Vinyl chloride	ND	ug/kg	7.8	1		02/25/14 00:09	75-01-4	
Xylene (Total)	ND	ug/kg	7.8	1		02/25/14 00:09	1330-20-7	
m&p-Xylene	ND	ug/kg	7.8	1		02/25/14 00:09	179601-23-1	
o-Xylene	ND	ug/kg	3.9	1		02/25/14 00:09	95-47-6	
Surrogates								
Toluene-d8 (S)	100 %		70-130	1		02/25/14 00:09	2037-26-5	
4-Bromofluorobenzene (S)	74 %		70-130	1		02/25/14 00:09	460-00-4	
1,2-Dichloroethane-d4 (S)	90 %		70-132	1		02/25/14 00:09	17060-07-0	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	11.6 %		0.10	1		03/03/14 19:06		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 33727.1.1/B-4490 Cumberland

Pace Project No.: 92190454

Sample: 29-2(4-6) **Lab ID: 92190454003** Collected: 02/18/14 20:15 Received: 02/20/14 13:55 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP		Analytical Method: EPA 6010 Preparation Method: EPA 3050						
Arsenic	ND	mg/kg	0.58	1	02/25/14 20:35	02/26/14 16:42	7440-38-2	
Barium	10.1	mg/kg	0.29	1	02/25/14 20:35	02/26/14 16:42	7440-39-3	
Cadmium	ND	mg/kg	0.058	1	02/25/14 20:35	02/26/14 16:42	7440-43-9	
Chromium	1.9	mg/kg	0.29	1	02/25/14 20:35	02/26/14 16:42	7440-47-3	
Lead	7.4	mg/kg	0.29	1	02/25/14 20:35	02/27/14 12:37	7439-92-1	
Selenium	ND	mg/kg	0.58	1	02/25/14 20:35	02/26/14 16:42	7782-49-2	
Silver	ND	mg/kg	0.29	1	02/25/14 20:35	02/26/14 16:42	7440-22-4	
7471 Mercury		Analytical Method: EPA 7471 Preparation Method: EPA 7471						
Mercury	0.0042	mg/kg	0.0027	1	02/21/14 23:11	02/25/14 19:04	7439-97-6	
8270 MSSV Microwave		Analytical Method: EPA 8270 Preparation Method: EPA 3546						
Acenaphthene	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	83-32-9	
Acenaphthylene	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	208-96-8	
Aniline	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	62-53-3	
Anthracene	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	120-12-7	
Benzo(a)anthracene	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	56-55-3	
Benzo(a)pyrene	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	50-32-8	
Benzo(b)fluoranthene	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	205-99-2	
Benzo(g,h,i)perylene	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	191-24-2	
Benzo(k)fluoranthene	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	207-08-9	
Benzoic Acid	ND	ug/kg	1790	1	02/20/14 16:05	02/26/14 19:18	65-85-0	
Benzyl alcohol	ND	ug/kg	716	1	02/20/14 16:05	02/26/14 19:18	100-51-6	
4-Bromophenylphenyl ether	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	101-55-3	
Butylbenzylphthalate	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	85-68-7	
4-Chloro-3-methylphenol	ND	ug/kg	716	1	02/20/14 16:05	02/26/14 19:18	59-50-7	
4-Chloroaniline	ND	ug/kg	1790	1	02/20/14 16:05	02/26/14 19:18	106-47-8	
bis(2-Chloroethoxy)methane	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	111-91-1	
bis(2-Chloroethyl) ether	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	111-44-4	
bis(2-Chloroisopropyl) ether	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	108-60-1	
2-Chloronaphthalene	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	91-58-7	
2-Chlorophenol	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	95-57-8	
4-Chlorophenylphenyl ether	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	7005-72-3	
Chrysene	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	218-01-9	
Dibenz(a,h)anthracene	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	53-70-3	
Dibenzofuran	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	132-64-9	
1,2-Dichlorobenzene	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	95-50-1	
1,3-Dichlorobenzene	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	541-73-1	
1,4-Dichlorobenzene	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	106-46-7	
3,3'-Dichlorobenzidine	ND	ug/kg	1790	1	02/20/14 16:05	02/26/14 19:18	91-94-1	
2,4-Dichlorophenol	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	120-83-2	
Diethylphthalate	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	84-66-2	
2,4-Dimethylphenol	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	105-67-9	
Dimethylphthalate	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	131-11-3	
Di-n-butylphthalate	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	84-74-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 33727.1.1/B-4490 Cumberland

Pace Project No.: 92190454

Sample: 29-2(4-6) **Lab ID: 92190454003** Collected: 02/18/14 20:15 Received: 02/20/14 13:55 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Microwave		Analytical Method: EPA 8270 Preparation Method: EPA 3546						
4,6-Dinitro-2-methylphenol	ND	ug/kg	716	1	02/20/14 16:05	02/26/14 19:18	534-52-1	
2,4-Dinitrophenol	ND	ug/kg	1790	1	02/20/14 16:05	02/26/14 19:18	51-28-5	
2,4-Dinitrotoluene	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	121-14-2	
2,6-Dinitrotoluene	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	606-20-2	
Di-n-octylphthalate	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	117-84-0	
bis(2-Ethylhexyl)phthalate	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	117-81-7	
Fluoranthene	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	206-44-0	
Fluorene	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	86-73-7	
Hexachloro-1,3-butadiene	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	87-68-3	
Hexachlorobenzene	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	118-74-1	
Hexachlorocyclopentadiene	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	77-47-4	
Hexachloroethane	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	67-72-1	
Indeno(1,2,3-cd)pyrene	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	193-39-5	
Isophorone	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	78-59-1	
1-Methylnaphthalene	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	90-12-0	
2-Methylnaphthalene	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	91-57-6	
2-Methylphenol(o-Cresol)	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	95-48-7	
3&4-Methylphenol(m&p Cresol)	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18		
Naphthalene	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	91-20-3	
2-Nitroaniline	ND	ug/kg	1790	1	02/20/14 16:05	02/26/14 19:18	88-74-4	
3-Nitroaniline	ND	ug/kg	1790	1	02/20/14 16:05	02/26/14 19:18	99-09-2	
4-Nitroaniline	ND	ug/kg	716	1	02/20/14 16:05	02/26/14 19:18	100-01-6	
Nitrobenzene	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	98-95-3	
2-Nitrophenol	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	88-75-5	
4-Nitrophenol	ND	ug/kg	1790	1	02/20/14 16:05	02/26/14 19:18	100-02-7	
N-Nitrosodimethylamine	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	62-75-9	
N-Nitroso-di-n-propylamine	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	621-64-7	
N-Nitrosodiphenylamine	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	86-30-6	
Pentachlorophenol	ND	ug/kg	1790	1	02/20/14 16:05	02/26/14 19:18	87-86-5	
Phenanthrene	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	85-01-8	
Phenol	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	108-95-2	
Pyrene	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	129-00-0	
1,2,4-Trichlorobenzene	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	120-82-1	
2,4,5-Trichlorophenol	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	95-95-4	
2,4,6-Trichlorophenol	ND	ug/kg	358	1	02/20/14 16:05	02/26/14 19:18	88-06-2	
Surrogates								
Nitrobenzene-d5 (S)	69 %		23-110	1	02/20/14 16:05	02/26/14 19:18	4165-60-0	
2-Fluorobiphenyl (S)	67 %		30-110	1	02/20/14 16:05	02/26/14 19:18	321-60-8	
Terphenyl-d14 (S)	82 %		28-110	1	02/20/14 16:05	02/26/14 19:18	1718-51-0	
Phenol-d6 (S)	78 %		22-110	1	02/20/14 16:05	02/26/14 19:18	13127-88-3	
2-Fluorophenol (S)	74 %		13-110	1	02/20/14 16:05	02/26/14 19:18	367-12-4	
2,4,6-Tribromophenol (S)	80 %		27-110	1	02/20/14 16:05	02/26/14 19:18	118-79-6	
8260/5035A Volatile Organics		Analytical Method: EPA 8260						
Acetone	ND	ug/kg	95.6	1		02/25/14 00:29	67-64-1	
Benzene	ND	ug/kg	4.8	1		02/25/14 00:29	71-43-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 33727.1.1/B-4490 Cumberland

Pace Project No.: 92190454

Sample: 29-2(4-6) **Lab ID: 92190454003** Collected: 02/18/14 20:15 Received: 02/20/14 13:55 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics		Analytical Method: EPA 8260						
Bromobenzene	ND	ug/kg	4.8	1		02/25/14 00:29	108-86-1	
Bromochloromethane	ND	ug/kg	4.8	1		02/25/14 00:29	74-97-5	
Bromodichloromethane	ND	ug/kg	4.8	1		02/25/14 00:29	75-27-4	
Bromoform	ND	ug/kg	4.8	1		02/25/14 00:29	75-25-2	
Bromomethane	ND	ug/kg	9.6	1		02/25/14 00:29	74-83-9	
2-Butanone (MEK)	ND	ug/kg	95.6	1		02/25/14 00:29	78-93-3	
n-Butylbenzene	ND	ug/kg	4.8	1		02/25/14 00:29	104-51-8	
sec-Butylbenzene	ND	ug/kg	4.8	1		02/25/14 00:29	135-98-8	
tert-Butylbenzene	ND	ug/kg	4.8	1		02/25/14 00:29	98-06-6	
Carbon tetrachloride	ND	ug/kg	4.8	1		02/25/14 00:29	56-23-5	
Chlorobenzene	ND	ug/kg	4.8	1		02/25/14 00:29	108-90-7	
Chloroethane	ND	ug/kg	9.6	1		02/25/14 00:29	75-00-3	
Chloroform	ND	ug/kg	4.8	1		02/25/14 00:29	67-66-3	
Chloromethane	ND	ug/kg	9.6	1		02/25/14 00:29	74-87-3	
2-Chlorotoluene	ND	ug/kg	4.8	1		02/25/14 00:29	95-49-8	
4-Chlorotoluene	ND	ug/kg	4.8	1		02/25/14 00:29	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/kg	4.8	1		02/25/14 00:29	96-12-8	
Dibromochloromethane	ND	ug/kg	4.8	1		02/25/14 00:29	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/kg	4.8	1		02/25/14 00:29	106-93-4	
Dibromomethane	ND	ug/kg	4.8	1		02/25/14 00:29	74-95-3	
1,2-Dichlorobenzene	ND	ug/kg	4.8	1		02/25/14 00:29	95-50-1	
1,3-Dichlorobenzene	ND	ug/kg	4.8	1		02/25/14 00:29	541-73-1	
1,4-Dichlorobenzene	ND	ug/kg	4.8	1		02/25/14 00:29	106-46-7	
Dichlorodifluoromethane	ND	ug/kg	9.6	1		02/25/14 00:29	75-71-8	
1,1-Dichloroethane	ND	ug/kg	4.8	1		02/25/14 00:29	75-34-3	
1,2-Dichloroethane	ND	ug/kg	4.8	1		02/25/14 00:29	107-06-2	
1,1-Dichloroethene	ND	ug/kg	4.8	1		02/25/14 00:29	75-35-4	
cis-1,2-Dichloroethene	ND	ug/kg	4.8	1		02/25/14 00:29	156-59-2	
trans-1,2-Dichloroethene	ND	ug/kg	4.8	1		02/25/14 00:29	156-60-5	
1,2-Dichloropropane	ND	ug/kg	4.8	1		02/25/14 00:29	78-87-5	
1,3-Dichloropropane	ND	ug/kg	4.8	1		02/25/14 00:29	142-28-9	
2,2-Dichloropropane	ND	ug/kg	4.8	1		02/25/14 00:29	594-20-7	
1,1-Dichloropropene	ND	ug/kg	4.8	1		02/25/14 00:29	563-58-6	
cis-1,3-Dichloropropene	ND	ug/kg	4.8	1		02/25/14 00:29	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/kg	4.8	1		02/25/14 00:29	10061-02-6	
Diisopropyl ether	ND	ug/kg	4.8	1		02/25/14 00:29	108-20-3	
Ethylbenzene	ND	ug/kg	4.8	1		02/25/14 00:29	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/kg	4.8	1		02/25/14 00:29	87-68-3	
2-Hexanone	ND	ug/kg	47.8	1		02/25/14 00:29	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/kg	4.8	1		02/25/14 00:29	98-82-8	
p-Isopropyltoluene	ND	ug/kg	4.8	1		02/25/14 00:29	99-87-6	
Methylene Chloride	ND	ug/kg	19.1	1		02/25/14 00:29	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/kg	47.8	1		02/25/14 00:29	108-10-1	
Methyl-tert-butyl ether	ND	ug/kg	4.8	1		02/25/14 00:29	1634-04-4	
Naphthalene	ND	ug/kg	4.8	1		02/25/14 00:29	91-20-3	
n-Propylbenzene	ND	ug/kg	4.8	1		02/25/14 00:29	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 33727.1.1/B-4490 Cumberland

Pace Project No.: 92190454

Sample: 29-2(4-6) **Lab ID: 92190454003** Collected: 02/18/14 20:15 Received: 02/20/14 13:55 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics		Analytical Method: EPA 8260						
Styrene	ND	ug/kg	4.8	1		02/25/14 00:29	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/kg	4.8	1		02/25/14 00:29	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/kg	4.8	1		02/25/14 00:29	79-34-5	
Tetrachloroethene	ND	ug/kg	4.8	1		02/25/14 00:29	127-18-4	
Toluene	ND	ug/kg	4.8	1		02/25/14 00:29	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/kg	4.8	1		02/25/14 00:29	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/kg	4.8	1		02/25/14 00:29	120-82-1	
1,1,1-Trichloroethane	ND	ug/kg	4.8	1		02/25/14 00:29	71-55-6	
1,1,2-Trichloroethane	ND	ug/kg	4.8	1		02/25/14 00:29	79-00-5	
Trichloroethene	ND	ug/kg	4.8	1		02/25/14 00:29	79-01-6	
Trichlorofluoromethane	ND	ug/kg	4.8	1		02/25/14 00:29	75-69-4	
1,2,3-Trichloropropane	ND	ug/kg	4.8	1		02/25/14 00:29	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/kg	4.8	1		02/25/14 00:29	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/kg	4.8	1		02/25/14 00:29	108-67-8	
Vinyl acetate	ND	ug/kg	47.8	1		02/25/14 00:29	108-05-4	
Vinyl chloride	ND	ug/kg	9.6	1		02/25/14 00:29	75-01-4	
Xylene (Total)	ND	ug/kg	9.6	1		02/25/14 00:29	1330-20-7	
m&p-Xylene	ND	ug/kg	9.6	1		02/25/14 00:29	179601-23-1	
o-Xylene	ND	ug/kg	4.8	1		02/25/14 00:29	95-47-6	
Surrogates								
Toluene-d8 (S)	110 %		70-130	1		02/25/14 00:29	2037-26-5	
4-Bromofluorobenzene (S)	91 %		70-130	1		02/25/14 00:29	460-00-4	
1,2-Dichloroethane-d4 (S)	89 %		70-132	1		02/25/14 00:29	17060-07-0	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	7.9 %		0.10	1		03/03/14 19:06		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 33727.1.1/B-4490 Cumberland

Pace Project No.: 92190454

QC Batch: MERP/6215 Analysis Method: EPA 7471
 QC Batch Method: EPA 7471 Analysis Description: 7471 Mercury
 Associated Lab Samples: 92190454001, 92190454002, 92190454003

METHOD BLANK: 1143201 Matrix: Solid

Associated Lab Samples: 92190454001, 92190454002, 92190454003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	mg/kg	ND	0.0050	02/25/14 18:25	

LABORATORY CONTROL SAMPLE: 1143202

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	.067	0.070	106	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1143203 1143204

Parameter	Units	92190604001		MSD		MS		MSD		% Rec Limits	RPD	Qual
		Result	MS Spike Conc.	Spike Conc.	MS Result	MSD Result	% Rec	% Rec				
Mercury	mg/kg	ND	.18	.29	.0012J	ND	1	0	75-125		M1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 33727.1.1/B-4490 Cumberland
Pace Project No.: 92190454

QC Batch: MPRP/15302 Analysis Method: EPA 6010
QC Batch Method: EPA 3050 Analysis Description: 6010 MET
Associated Lab Samples: 92190454001, 92190454002, 92190454003

METHOD BLANK: 1145224 Matrix: Solid
Associated Lab Samples: 92190454001, 92190454002, 92190454003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	mg/kg	ND	1.0	02/26/14 15:05	
Barium	mg/kg	ND	0.50	02/26/14 15:05	
Cadmium	mg/kg	ND	0.10	02/26/14 15:05	
Chromium	mg/kg	ND	0.50	02/26/14 15:05	
Lead	mg/kg	ND	0.50	02/26/14 15:05	
Selenium	mg/kg	ND	1.0	02/26/14 15:05	
Silver	mg/kg	ND	0.50	02/26/14 15:05	

LABORATORY CONTROL SAMPLE: 1145225

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/kg	50	48.4	97	80-120	
Barium	mg/kg	50	50.9	102	80-120	
Cadmium	mg/kg	50	51.3	103	80-120	
Chromium	mg/kg	50	48.6	97	80-120	
Lead	mg/kg	50	49.7	99	80-120	
Selenium	mg/kg	50	50.0	100	80-120	
Silver	mg/kg	25	24.8	99	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1145226 1145227

Parameter	Units	92190349021		MSD		MS		MSD		% Rec Limits	RPD	Qual
		Result	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec				
Arsenic	mg/kg	7.5	44.5	39	47.6	45.5	90	98	75-125	5		
Barium	mg/kg	289	44.5	39	666	404	848	295	75-125	49	M1,R1	
Cadmium	mg/kg	9.7	44.5	39	60.6	54.3	114	114	75-125	11		
Chromium	mg/kg	728	44.5	39	546	2290	-410	4016	75-125	123	M1,M6,R1	
Lead	mg/kg	578	44.5	39	873	1760	665	3041	75-125	67	M1,M6,R1	
Selenium	mg/kg	ND	44.5	39	22.5	6.3	51	16	75-125	113	M1,R1	
Silver	mg/kg	4.5	22.2	19.4	28.2	27.8	107	119	75-125	2		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 33727.1.1/B-4490 Cumberland

Pace Project No.: 92190454

QC Batch: MSV/25877 Analysis Method: EPA 8260
 QC Batch Method: EPA 8260 Analysis Description: 8260 MSV 5035A Volatile Organics
 Associated Lab Samples: 92190454001, 92190454002, 92190454003

METHOD BLANK: 1143876 Matrix: Solid

Associated Lab Samples: 92190454001, 92190454002, 92190454003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	ND	5.0	02/24/14 17:33	
1,1,1-Trichloroethane	ug/kg	ND	5.0	02/24/14 17:33	
1,1,2,2-Tetrachloroethane	ug/kg	ND	5.0	02/24/14 17:33	
1,1,2-Trichloroethane	ug/kg	ND	5.0	02/24/14 17:33	
1,1-Dichloroethane	ug/kg	ND	5.0	02/24/14 17:33	
1,1-Dichloroethene	ug/kg	ND	5.0	02/24/14 17:33	
1,1-Dichloropropene	ug/kg	ND	5.0	02/24/14 17:33	
1,2,3-Trichlorobenzene	ug/kg	ND	5.0	02/24/14 17:33	
1,2,3-Trichloropropane	ug/kg	ND	5.0	02/24/14 17:33	
1,2,4-Trichlorobenzene	ug/kg	ND	5.0	02/24/14 17:33	
1,2,4-Trimethylbenzene	ug/kg	ND	5.0	02/24/14 17:33	
1,2-Dibromo-3-chloropropane	ug/kg	ND	5.0	02/24/14 17:33	
1,2-Dibromoethane (EDB)	ug/kg	ND	5.0	02/24/14 17:33	
1,2-Dichlorobenzene	ug/kg	ND	5.0	02/24/14 17:33	
1,2-Dichloroethane	ug/kg	ND	5.0	02/24/14 17:33	
1,2-Dichloropropane	ug/kg	ND	5.0	02/24/14 17:33	
1,3,5-Trimethylbenzene	ug/kg	ND	5.0	02/24/14 17:33	
1,3-Dichlorobenzene	ug/kg	ND	5.0	02/24/14 17:33	
1,3-Dichloropropane	ug/kg	ND	5.0	02/24/14 17:33	
1,4-Dichlorobenzene	ug/kg	ND	5.0	02/24/14 17:33	
2,2-Dichloropropane	ug/kg	ND	5.0	02/24/14 17:33	
2-Butanone (MEK)	ug/kg	ND	99.0	02/24/14 17:33	
2-Chlorotoluene	ug/kg	ND	5.0	02/24/14 17:33	
2-Hexanone	ug/kg	ND	49.5	02/24/14 17:33	
4-Chlorotoluene	ug/kg	ND	5.0	02/24/14 17:33	
4-Methyl-2-pentanone (MIBK)	ug/kg	ND	49.5	02/24/14 17:33	
Acetone	ug/kg	ND	99.0	02/24/14 17:33	
Benzene	ug/kg	ND	5.0	02/24/14 17:33	
Bromobenzene	ug/kg	ND	5.0	02/24/14 17:33	
Bromochloromethane	ug/kg	ND	5.0	02/24/14 17:33	
Bromodichloromethane	ug/kg	ND	5.0	02/24/14 17:33	
Bromoform	ug/kg	ND	5.0	02/24/14 17:33	
Bromomethane	ug/kg	ND	9.9	02/24/14 17:33	
Carbon tetrachloride	ug/kg	ND	5.0	02/24/14 17:33	
Chlorobenzene	ug/kg	ND	5.0	02/24/14 17:33	
Chloroethane	ug/kg	ND	9.9	02/24/14 17:33	
Chloroform	ug/kg	ND	5.0	02/24/14 17:33	
Chloromethane	ug/kg	ND	9.9	02/24/14 17:33	
cis-1,2-Dichloroethene	ug/kg	ND	5.0	02/24/14 17:33	
cis-1,3-Dichloropropene	ug/kg	ND	5.0	02/24/14 17:33	
Dibromochloromethane	ug/kg	ND	5.0	02/24/14 17:33	
Dibromomethane	ug/kg	ND	5.0	02/24/14 17:33	
Dichlorodifluoromethane	ug/kg	ND	9.9	02/24/14 17:33	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 33727.1.1/B-4490 Cumberland

Pace Project No.: 92190454

METHOD BLANK: 1143876

Matrix: Solid

Associated Lab Samples: 92190454001, 92190454002, 92190454003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diisopropyl ether	ug/kg	ND	5.0	02/24/14 17:33	
Ethylbenzene	ug/kg	ND	5.0	02/24/14 17:33	
Hexachloro-1,3-butadiene	ug/kg	ND	5.0	02/24/14 17:33	
Isopropylbenzene (Cumene)	ug/kg	ND	5.0	02/24/14 17:33	
m&p-Xylene	ug/kg	ND	9.9	02/24/14 17:33	
Methyl-tert-butyl ether	ug/kg	ND	5.0	02/24/14 17:33	
Methylene Chloride	ug/kg	ND	19.8	02/24/14 17:33	
n-Butylbenzene	ug/kg	ND	5.0	02/24/14 17:33	
n-Propylbenzene	ug/kg	ND	5.0	02/24/14 17:33	
Naphthalene	ug/kg	ND	5.0	02/24/14 17:33	
o-Xylene	ug/kg	ND	5.0	02/24/14 17:33	
p-Isopropyltoluene	ug/kg	ND	5.0	02/24/14 17:33	
sec-Butylbenzene	ug/kg	ND	5.0	02/24/14 17:33	
Styrene	ug/kg	ND	5.0	02/24/14 17:33	
tert-Butylbenzene	ug/kg	ND	5.0	02/24/14 17:33	
Tetrachloroethene	ug/kg	ND	5.0	02/24/14 17:33	
Toluene	ug/kg	ND	5.0	02/24/14 17:33	
trans-1,2-Dichloroethene	ug/kg	ND	5.0	02/24/14 17:33	
trans-1,3-Dichloropropene	ug/kg	ND	5.0	02/24/14 17:33	
Trichloroethene	ug/kg	ND	5.0	02/24/14 17:33	
Trichlorofluoromethane	ug/kg	ND	5.0	02/24/14 17:33	
Vinyl acetate	ug/kg	ND	49.5	02/24/14 17:33	
Vinyl chloride	ug/kg	ND	9.9	02/24/14 17:33	
Xylene (Total)	ug/kg	ND	9.9	02/24/14 17:33	
1,2-Dichloroethane-d4 (S)	%	87	70-132	02/24/14 17:33	
4-Bromofluorobenzene (S)	%	97	70-130	02/24/14 17:33	
Toluene-d8 (S)	%	111	70-130	02/24/14 17:33	

LABORATORY CONTROL SAMPLE: 1143877

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	49.3	51.7	105	70-131	
1,1,1-Trichloroethane	ug/kg	49.3	61.1	124	70-141	
1,1,2,2-Tetrachloroethane	ug/kg	49.3	46.6	94	70-130	
1,1,2-Trichloroethane	ug/kg	49.3	57.5	117	70-132	
1,1-Dichloroethane	ug/kg	49.3	56.4	114	70-143	
1,1-Dichloroethene	ug/kg	49.3	58.4	119	70-137	
1,1-Dichloropropene	ug/kg	49.3	57.9	117	70-135	
1,2,3-Trichlorobenzene	ug/kg	49.3	50.0	101	69-153	
1,2,3-Trichloropropane	ug/kg	49.3	51.0	103	70-130	
1,2,4-Trichlorobenzene	ug/kg	49.3	47.7	97	55-171	
1,2,4-Trimethylbenzene	ug/kg	49.3	50.7	103	70-149	
1,2-Dibromo-3-chloropropane	ug/kg	49.3	47.0	95	68-141	
1,2-Dibromoethane (EDB)	ug/kg	49.3	53.1	108	70-130	
1,2-Dichlorobenzene	ug/kg	49.3	50.2	102	70-140	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 33727.1.1/B-4490 Cumberland

Pace Project No.: 92190454

LABORATORY CONTROL SAMPLE: 1143877

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichloroethane	ug/kg	49.3	57.7	117	70-137	
1,2-Dichloropropane	ug/kg	49.3	55.1	112	70-133	
1,3,5-Trimethylbenzene	ug/kg	49.3	51.0	103	70-143	
1,3-Dichlorobenzene	ug/kg	49.3	48.5	98	70-144	
1,3-Dichloropropane	ug/kg	49.3	52.3	106	70-132	
1,4-Dichlorobenzene	ug/kg	49.3	50.3	102	70-142	
2,2-Dichloropropane	ug/kg	49.3	56.7	115	68-152	
2-Butanone (MEK)	ug/kg	98.6	109	111	70-149	
2-Chlorotoluene	ug/kg	49.3	49.7	101	70-141	
2-Hexanone	ug/kg	98.6	92.9	94	70-149	
4-Chlorotoluene	ug/kg	49.3	51.3	104	70-149	
4-Methyl-2-pentanone (MIBK)	ug/kg	98.6	99.5	101	70-153	
Acetone	ug/kg	98.6	105	106	70-157	
Benzene	ug/kg	49.3	56.4	114	70-130	
Bromobenzene	ug/kg	49.3	51.2	104	70-141	
Bromochloromethane	ug/kg	49.3	61.6	125	70-149	
Bromodichloromethane	ug/kg	49.3	55.7	113	70-130	
Bromoform	ug/kg	49.3	45.5	92	70-131	
Bromomethane	ug/kg	49.3	84.7	172	64-136 L3	
Carbon tetrachloride	ug/kg	49.3	52.0	105	70-154	
Chlorobenzene	ug/kg	49.3	50.3	102	70-135	
Chloroethane	ug/kg	49.3	61.4	124	68-151	
Chloroform	ug/kg	49.3	58.2	118	70-130	
Chloromethane	ug/kg	49.3	57.5	117	70-132	
cis-1,2-Dichloroethene	ug/kg	49.3	58.5	119	70-140	
cis-1,3-Dichloropropene	ug/kg	49.3	54.0	109	70-137	
Dibromochloromethane	ug/kg	49.3	48.8	99	70-130	
Dibromomethane	ug/kg	49.3	52.7	107	70-136	
Dichlorodifluoromethane	ug/kg	49.3	53.4	108	36-148	
Diisopropyl ether	ug/kg	49.3	57.8	117	70-139	
Ethylbenzene	ug/kg	49.3	50.6	103	70-137	
Hexachloro-1,3-butadiene	ug/kg	49.3	51.7	105	70-145	
Isopropylbenzene (Cumene)	ug/kg	49.3	52.0	105	70-141	
m&p-Xylene	ug/kg	98.6	101	102	70-140	
Methyl-tert-butyl ether	ug/kg	49.3	62.8	127	45-150	
Methylene Chloride	ug/kg	49.3	57.9	117	70-133	
n-Butylbenzene	ug/kg	49.3	52.0	105	65-155	
n-Propylbenzene	ug/kg	49.3	54.2	110	70-148	
Naphthalene	ug/kg	49.3	50.1	102	70-148	
o-Xylene	ug/kg	49.3	50.2	102	70-141	
p-Isopropyltoluene	ug/kg	49.3	53.3	108	70-148	
sec-Butylbenzene	ug/kg	49.3	53.7	109	70-145	
Styrene	ug/kg	49.3	51.2	104	70-138	
tert-Butylbenzene	ug/kg	49.3	53.4	108	70-143	
Tetrachloroethene	ug/kg	49.3	51.5	104	70-140	
Toluene	ug/kg	49.3	53.2	108	70-130	
trans-1,2-Dichloroethene	ug/kg	49.3	58.4	118	70-136	
trans-1,3-Dichloropropene	ug/kg	49.3	53.1	108	70-138	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 33727.1.1/B-4490 Cumberland
Pace Project No.: 92190454

LABORATORY CONTROL SAMPLE: 1143877

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Trichloroethene	ug/kg	49.3	57.1	116	70-132	
Trichlorofluoromethane	ug/kg	49.3	64.0	130	69-134	
Vinyl acetate	ug/kg	98.6	101	102	24-161	F3
Vinyl chloride	ug/kg	49.3	58.8	119	55-140	
Xylene (Total)	ug/kg	148	151	102	70-141	
1,2-Dichloroethane-d4 (S)	%			96	70-132	
4-Bromofluorobenzene (S)	%			97	70-130	
Toluene-d8 (S)	%			98	70-130	

MATRIX SPIKE SAMPLE: 1144253

Parameter	Units	92190447002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	ug/kg		ND	48.3	57.5	119	49-180
Benzene	ug/kg		ND	48.3	51.3	106	50-166
Chlorobenzene	ug/kg		ND	48.3	47.7	99	43-169
Toluene	ug/kg		ND	48.3	45.0	93	52-163
Trichloroethene	ug/kg		ND	48.3	48.4	100	49-167
1,2-Dichloroethane-d4 (S)	%					99	70-132
4-Bromofluorobenzene (S)	%					75	70-130
Toluene-d8 (S)	%					101	70-130

SAMPLE DUPLICATE: 1144441

Parameter	Units	92190453001 Result	Dup Result	RPD	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	ND	ND		
1,1,1-Trichloroethane	ug/kg	ND	ND		
1,1,2,2-Tetrachloroethane	ug/kg	ND	ND		
1,1,2-Trichloroethane	ug/kg	ND	ND		
1,1-Dichloroethane	ug/kg	ND	ND		
1,1-Dichloroethene	ug/kg	ND	ND		
1,1-Dichloropropene	ug/kg	ND	ND		
1,2,3-Trichlorobenzene	ug/kg	ND	ND		
1,2,3-Trichloropropane	ug/kg	ND	ND		
1,2,4-Trichlorobenzene	ug/kg	ND	ND		
1,2,4-Trimethylbenzene	ug/kg	ND	ND		
1,2-Dibromo-3-chloropropane	ug/kg	ND	ND		
1,2-Dibromoethane (EDB)	ug/kg	ND	ND		
1,2-Dichlorobenzene	ug/kg	ND	ND		
1,2-Dichloroethane	ug/kg	ND	ND		
1,2-Dichloropropane	ug/kg	ND	ND		
1,3,5-Trimethylbenzene	ug/kg	ND	ND		
1,3-Dichlorobenzene	ug/kg	ND	ND		
1,3-Dichloropropane	ug/kg	ND	ND		
1,4-Dichlorobenzene	ug/kg	ND	ND		
2,2-Dichloropropane	ug/kg	ND	ND		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 33727.1.1/B-4490 Cumberland

Pace Project No.: 92190454

SAMPLE DUPLICATE: 1144441

Parameter	Units	92190453001 Result	Dup Result	RPD	Qualifiers
2-Butanone (MEK)	ug/kg	ND	ND		
2-Chlorotoluene	ug/kg	ND	ND		
2-Hexanone	ug/kg	ND	ND		
4-Chlorotoluene	ug/kg	ND	ND		
4-Methyl-2-pentanone (MIBK)	ug/kg	ND	ND		
Acetone	ug/kg	ND	22.6J		
Benzene	ug/kg	ND	ND		
Bromobenzene	ug/kg	ND	ND		
Bromochloromethane	ug/kg	ND	ND		
Bromodichloromethane	ug/kg	ND	ND		
Bromoform	ug/kg	ND	ND		
Bromomethane	ug/kg	ND	ND		
Carbon tetrachloride	ug/kg	ND	ND		
Chlorobenzene	ug/kg	ND	ND		
Chloroethane	ug/kg	ND	ND		
Chloroform	ug/kg	ND	ND		
Chloromethane	ug/kg	ND	ND		
cis-1,2-Dichloroethene	ug/kg	ND	ND		
cis-1,3-Dichloropropene	ug/kg	ND	ND		
Dibromochloromethane	ug/kg	ND	ND		
Dibromomethane	ug/kg	ND	ND		
Dichlorodifluoromethane	ug/kg	ND	ND		
Diisopropyl ether	ug/kg	ND	ND		
Ethylbenzene	ug/kg	ND	ND		
Hexachloro-1,3-butadiene	ug/kg	ND	ND		
Isopropylbenzene (Cumene)	ug/kg	ND	ND		
m&p-Xylene	ug/kg	ND	ND		
Methyl-tert-butyl ether	ug/kg	ND	ND		
Methylene Chloride	ug/kg	ND	2.7J		
n-Butylbenzene	ug/kg	ND	ND		
n-Propylbenzene	ug/kg	ND	ND		
Naphthalene	ug/kg	ND	1.2J		
o-Xylene	ug/kg	ND	ND		
p-Isopropyltoluene	ug/kg	ND	ND		
sec-Butylbenzene	ug/kg	ND	ND		
Styrene	ug/kg	ND	ND		
tert-Butylbenzene	ug/kg	ND	ND		
Tetrachloroethene	ug/kg	ND	ND		
Toluene	ug/kg	ND	ND		
trans-1,2-Dichloroethene	ug/kg	ND	ND		
trans-1,3-Dichloropropene	ug/kg	ND	ND		
Trichloroethene	ug/kg	ND	ND		
Trichlorofluoromethane	ug/kg	ND	ND		
Vinyl acetate	ug/kg	ND	ND		
Vinyl chloride	ug/kg	ND	ND		
Xylene (Total)	ug/kg	ND	ND		
1,2-Dichloroethane-d4 (S)	%	93	96		1
4-Bromofluorobenzene (S)	%	90	80		16

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 33727.1.1/B-4490 Cumberland
Pace Project No.: 92190454

SAMPLE DUPLICATE: 1144441

Parameter	Units	92190453001 Result	Dup Result	RPD	Qualifiers
Toluene-d8 (S)	%	111	116	0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 33727.1.1/B-4490 Cumberland

Pace Project No.: 92190454

QC Batch: OEXT/26015 Analysis Method: EPA 8270
 QC Batch Method: EPA 3546 Analysis Description: 8270 Solid MSSV Microwave
 Associated Lab Samples: 92190454001, 92190454002, 92190454003

METHOD BLANK: 1141738 Matrix: Solid

Associated Lab Samples: 92190454001, 92190454002, 92190454003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	ug/kg	ND	330	02/25/14 15:56	
1,2-Dichlorobenzene	ug/kg	ND	330	02/25/14 15:56	
1,3-Dichlorobenzene	ug/kg	ND	330	02/25/14 15:56	
1,4-Dichlorobenzene	ug/kg	ND	330	02/25/14 15:56	
1-Methylnaphthalene	ug/kg	ND	330	02/25/14 15:56	
2,4,5-Trichlorophenol	ug/kg	ND	330	02/25/14 15:56	
2,4,6-Trichlorophenol	ug/kg	ND	330	02/25/14 15:56	
2,4-Dichlorophenol	ug/kg	ND	330	02/25/14 15:56	
2,4-Dimethylphenol	ug/kg	ND	330	02/25/14 15:56	
2,4-Dinitrophenol	ug/kg	ND	1650	02/25/14 15:56	
2,4-Dinitrotoluene	ug/kg	ND	330	02/25/14 15:56	
2,6-Dinitrotoluene	ug/kg	ND	330	02/25/14 15:56	
2-Chloronaphthalene	ug/kg	ND	330	02/25/14 15:56	
2-Chlorophenol	ug/kg	ND	330	02/25/14 15:56	
2-Methylnaphthalene	ug/kg	ND	330	02/25/14 15:56	
2-Methylphenol(o-Cresol)	ug/kg	ND	330	02/25/14 15:56	
2-Nitroaniline	ug/kg	ND	1650	02/25/14 15:56	
2-Nitrophenol	ug/kg	ND	330	02/25/14 15:56	
3&4-Methylphenol(m&p Cresol)	ug/kg	ND	330	02/25/14 15:56	
3,3'-Dichlorobenzidine	ug/kg	ND	1650	02/25/14 15:56	
3-Nitroaniline	ug/kg	ND	1650	02/25/14 15:56	
4,6-Dinitro-2-methylphenol	ug/kg	ND	660	02/25/14 15:56	
4-Bromophenylphenyl ether	ug/kg	ND	330	02/25/14 15:56	
4-Chloro-3-methylphenol	ug/kg	ND	660	02/25/14 15:56	
4-Chloroaniline	ug/kg	ND	1650	02/25/14 15:56	
4-Chlorophenylphenyl ether	ug/kg	ND	330	02/25/14 15:56	
4-Nitroaniline	ug/kg	ND	660	02/25/14 15:56	
4-Nitrophenol	ug/kg	ND	1650	02/25/14 15:56	
Acenaphthene	ug/kg	ND	330	02/25/14 15:56	
Acenaphthylene	ug/kg	ND	330	02/25/14 15:56	
Aniline	ug/kg	ND	330	02/25/14 15:56	
Anthracene	ug/kg	ND	330	02/25/14 15:56	
Benzo(a)anthracene	ug/kg	ND	330	02/25/14 15:56	
Benzo(a)pyrene	ug/kg	ND	330	02/25/14 15:56	
Benzo(b)fluoranthene	ug/kg	ND	330	02/25/14 15:56	
Benzo(g,h,i)perylene	ug/kg	ND	330	02/25/14 15:56	
Benzo(k)fluoranthene	ug/kg	ND	330	02/25/14 15:56	
Benzoic Acid	ug/kg	ND	1650	02/25/14 15:56	
Benzyl alcohol	ug/kg	ND	660	02/25/14 15:56	
bis(2-Chloroethoxy)methane	ug/kg	ND	330	02/25/14 15:56	
bis(2-Chloroethyl) ether	ug/kg	ND	330	02/25/14 15:56	
bis(2-Chloroisopropyl) ether	ug/kg	ND	330	02/25/14 15:56	
bis(2-Ethylhexyl)phthalate	ug/kg	ND	330	02/25/14 15:56	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 33727.1.1/B-4490 Cumberland
Pace Project No.: 92190454

METHOD BLANK: 1141738 Matrix: Solid

Associated Lab Samples: 92190454001, 92190454002, 92190454003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Butylbenzylphthalate	ug/kg	ND	330	02/25/14 15:56	
Chrysene	ug/kg	ND	330	02/25/14 15:56	
Di-n-butylphthalate	ug/kg	ND	330	02/25/14 15:56	
Di-n-octylphthalate	ug/kg	ND	330	02/25/14 15:56	
Dibenz(a,h)anthracene	ug/kg	ND	330	02/25/14 15:56	
Dibenzofuran	ug/kg	ND	330	02/25/14 15:56	
Diethylphthalate	ug/kg	ND	330	02/25/14 15:56	
Dimethylphthalate	ug/kg	ND	330	02/25/14 15:56	
Fluoranthene	ug/kg	ND	330	02/25/14 15:56	
Fluorene	ug/kg	ND	330	02/25/14 15:56	
Hexachloro-1,3-butadiene	ug/kg	ND	330	02/25/14 15:56	
Hexachlorobenzene	ug/kg	ND	330	02/25/14 15:56	
Hexachlorocyclopentadiene	ug/kg	ND	330	02/25/14 15:56	
Hexachloroethane	ug/kg	ND	330	02/25/14 15:56	
Indeno(1,2,3-cd)pyrene	ug/kg	ND	330	02/25/14 15:56	
Isophorone	ug/kg	ND	330	02/25/14 15:56	
N-Nitroso-di-n-propylamine	ug/kg	ND	330	02/25/14 15:56	
N-Nitrosodimethylamine	ug/kg	ND	330	02/25/14 15:56	
N-Nitrosodiphenylamine	ug/kg	ND	330	02/25/14 15:56	
Naphthalene	ug/kg	ND	330	02/25/14 15:56	
Nitrobenzene	ug/kg	ND	330	02/25/14 15:56	
Pentachlorophenol	ug/kg	ND	1650	02/25/14 15:56	
Phenanthrene	ug/kg	ND	330	02/25/14 15:56	
Phenol	ug/kg	ND	330	02/25/14 15:56	
Pyrene	ug/kg	ND	330	02/25/14 15:56	
2,4,6-Tribromophenol (S)	%	85	27-110	02/25/14 15:56	
2-Fluorobiphenyl (S)	%	80	30-110	02/25/14 15:56	
2-Fluorophenol (S)	%	80	13-110	02/25/14 15:56	
Nitrobenzene-d5 (S)	%	73	23-110	02/25/14 15:56	
Phenol-d6 (S)	%	78	22-110	02/25/14 15:56	
Terphenyl-d14 (S)	%	105	28-110	02/25/14 15:56	

LABORATORY CONTROL SAMPLE: 1141739

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	ug/kg	1670	1220	73	39-101	
1,2-Dichlorobenzene	ug/kg	1670	1210	73	36-110	
1,3-Dichlorobenzene	ug/kg	1670	1190	71	35-110	
1,4-Dichlorobenzene	ug/kg	1670	1210	73	35-110	
1-Methylnaphthalene	ug/kg	1670	1380	83	45-105	
2,4,5-Trichlorophenol	ug/kg	1670	1400	84	48-109	
2,4,6-Trichlorophenol	ug/kg	1670	1290	77	45-111	
2,4-Dichlorophenol	ug/kg	1670	1420	85	51-116	
2,4-Dimethylphenol	ug/kg	1670	1510	90	42-103	
2,4-Dinitrophenol	ug/kg	8330	5120	61	28-103	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 33727.1.1/B-4490 Cumberland

Pace Project No.: 92190454

LABORATORY CONTROL SAMPLE: 1141739

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dinitrotoluene	ug/kg	1670	1550	93	46-114	
2,6-Dinitrotoluene	ug/kg	1670	1490	89	48-112	
2-Chloronaphthalene	ug/kg	1670	1100	66	44-105	
2-Chlorophenol	ug/kg	1670	1400	84	36-110	
2-Methylnaphthalene	ug/kg	1670	1430	86	39-112	
2-Methylphenol(o-Cresol)	ug/kg	1670	1410	85	39-101	
2-Nitroaniline	ug/kg	3330	2810	84	44-111	
2-Nitrophenol	ug/kg	1670	1380	83	41-100	
3&4-Methylphenol(m&p Cresol)	ug/kg	1670	1420	85	43-103	
3,3'-Dichlorobenzidine	ug/kg	3330	2820	84	10-150	
3-Nitroaniline	ug/kg	3330	2840	85	35-110	
4,6-Dinitro-2-methylphenol	ug/kg	3330	2480	74	38-118	
4-Bromophenylphenyl ether	ug/kg	1670	1380	83	47-115	
4-Chloro-3-methylphenol	ug/kg	3330	2950	88	43-127	
4-Chloroaniline	ug/kg	3330	2750	82	34-109	
4-Chlorophenylphenyl ether	ug/kg	1670	1400	84	44-115	
4-Nitroaniline	ug/kg	3330	2980	89	37-111	
4-Nitrophenol	ug/kg	8330	6710	80	21-152	
Acenaphthene	ug/kg	1670	1250	75	38-117	
Acenaphthylene	ug/kg	1670	1320	79	46-107	
Aniline	ug/kg	1670	1230	74	29-110	
Anthracene	ug/kg	1670	1430	86	50-110	
Benzo(a)anthracene	ug/kg	1670	1380	83	47-116	
Benzo(a)pyrene	ug/kg	1670	1470	88	47-106	
Benzo(b)fluoranthene	ug/kg	1670	1420	85	47-109	
Benzo(g,h,i)perylene	ug/kg	1670	1280	77	39-115	
Benzo(k)fluoranthene	ug/kg	1670	1330	80	45-117	
Benzoic Acid	ug/kg	8330	5600	67	16-110	
Benzyl alcohol	ug/kg	3330	2470	74	38-105	
bis(2-Chloroethoxy)methane	ug/kg	1670	1280	77	39-110	
bis(2-Chloroethyl) ether	ug/kg	1670	1320	79	19-119	
bis(2-Chloroisopropyl) ether	ug/kg	1670	1180	71	21-110	
bis(2-Ethylhexyl)phthalate	ug/kg	1670	1380	83	35-116	
Butylbenzylphthalate	ug/kg	1670	1420	85	38-110	
Chrysene	ug/kg	1670	1430	86	49-110	
Di-n-butylphthalate	ug/kg	1670	1310	79	43-109	
Di-n-octylphthalate	ug/kg	1670	1460	87	37-109	
Dibenz(a,h)anthracene	ug/kg	1670	1390	83	43-116	
Dibenzofuran	ug/kg	1670	1190	71	45-106	
Diethylphthalate	ug/kg	1670	1270	76	41-114	
Dimethylphthalate	ug/kg	1670	1210	72	43-110	
Fluoranthene	ug/kg	1670	1450	87	50-114	
Fluorene	ug/kg	1670	1390	83	46-114	
Hexachloro-1,3-butadiene	ug/kg	1670	1220	73	28-111	
Hexachlorobenzene	ug/kg	1670	1240	74	46-120	
Hexachlorocyclopentadiene	ug/kg	1670	995	60	18-119	
Hexachloroethane	ug/kg	1670	1160	69	33-110	
Indeno(1,2,3-cd)pyrene	ug/kg	1670	1380	83	42-115	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 33727.1.1/B-4490 Cumberland

Pace Project No.: 92190454

LABORATORY CONTROL SAMPLE: 1141739

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Isophorone	ug/kg	1670	1380	83	44-109	
N-Nitroso-di-n-propylamine	ug/kg	1670	1080	65	43-104	
N-Nitrosodimethylamine	ug/kg	1670	1100	66	29-110	
N-Nitrosodiphenylamine	ug/kg	1670	1150	69	48-113	
Naphthalene	ug/kg	1670	1330	80	41-110	
Nitrobenzene	ug/kg	1670	1320	79	38-110	
Pentachlorophenol	ug/kg	3330	2490	75	32-128	
Phenanthrene	ug/kg	1670	1380	83	50-110	
Phenol	ug/kg	1670	1460	88	28-106	
Pyrene	ug/kg	1670	1680	101	45-114	
2,4,6-Tribromophenol (S)	%			95	27-110	
2-Fluorobiphenyl (S)	%			77	30-110	
2-Fluorophenol (S)	%			87	13-110	
Nitrobenzene-d5 (S)	%			77	23-110	
Phenol-d6 (S)	%			87	22-110	
Terphenyl-d14 (S)	%			103	28-110	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: 33727.1.1/B-4490 Cumberland

Pace Project No.: 92190454

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PRL - Pace Reporting Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Acid preservation may not be appropriate for 2-Chloroethylvinyl ether, Styrene, and Vinyl chloride.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

- | | |
|----|---|
| 1g | The internal standard response is below criteria. No hits associated with this internal standard. Results unaffected by high bias. |
| F3 | The recovery of the second source standard used to verify the initial calibration curve for this analyte is outside the laboratory's control limits. The result is estimated. |
| L3 | Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias. |
| M1 | Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery. |
| M6 | Matrix spike and Matrix spike duplicate recovery not evaluated against control limits due to sample dilution. |
| R1 | RPD value was outside control limits. |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 33727.1.1/B-4490 Cumberland
Pace Project No.: 92190454

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
92190454001	29-4(4-6)	EPA 3050	MPRP/15302	EPA 6010	ICP/13881
92190454002	29-1(4-6)	EPA 3050	MPRP/15302	EPA 6010	ICP/13881
92190454003	29-2(4-6)	EPA 3050	MPRP/15302	EPA 6010	ICP/13881
92190454001	29-4(4-6)	EPA 7471	MERP/6215	EPA 7471	MERC/5997
92190454002	29-1(4-6)	EPA 7471	MERP/6215	EPA 7471	MERC/5997
92190454003	29-2(4-6)	EPA 7471	MERP/6215	EPA 7471	MERC/5997
92190454001	29-4(4-6)	EPA 3546	OEXT/26015	EPA 8270	MSSV/8785
92190454002	29-1(4-6)	EPA 3546	OEXT/26015	EPA 8270	MSSV/8785
92190454003	29-2(4-6)	EPA 3546	OEXT/26015	EPA 8270	MSSV/8785
92190454001	29-4(4-6)	EPA 8260	MSV/25877		
92190454002	29-1(4-6)	EPA 8260	MSV/25877		
92190454003	29-2(4-6)	EPA 8260	MSV/25877		
92190454001	29-4(4-6)	ASTM D2974-87	PMST/6293		
92190454002	29-1(4-6)	ASTM D2974-87	PMST/6293		
92190454003	29-2(4-6)	ASTM D2974-87	PMST/6293		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Client Name: Pyramid Envir.

Courier: Fed Ex UPS USPS Client Commercial Pace Other _____
 Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Optional
 Proj. Due Date:
 Proj. Name:

Packing Material: Bubble Wrap Bubble Bags None Other _____

Thermometer Used: IR Gun T1102 T1301 Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Temp Correction Factor T1102: No Correction T1301: No Correction

Corrected Cooler Temp.: 3.2 °C Biological Tissue is Frozen: Yes No N/A
 Temp should be above freezing to 6°C Comments:

Date and Initials of person examining contents: 2/20/14

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix:		
All containers needing preservation have been checked.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
exceptions: VOA, coliform, TOC, O&G, WI-DRO (water)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Samples checked for dechlorination:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

SCURF Review:	<u>JDB</u>	Date:	<u>2/20/14</u>
SRF Review:	<u>JDB</u>	Date:	<u>2/20/14</u>

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e out of hold, incorrect preservative, out of temp, incorrect containers)

WO# : 92190454



92190454

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.



Section A

Required Client Information:

Company: Plymouth Environmental
 Address: 603 Industrial Ave.
Greensboro, NC 27406
 Email: Erin@plymouthenvironmental.com
 Phone: 336 335 3774 Fax:
 Requested Due Date/TAT: Normal

Section B

Required Project Information:

Report To: Jim Leatherman - Pyramid
 Copy To:
 Purchase Order No.: 33727.1/B-4490
WPS# 33727.1 Parcel 029
Parcel 029
 Project Number: 2014-008
WCSF-1

Section C

Invoice Information:

Attention: NC DOT
 Company Name: NC DOT
 Address:
 Pace Quote Reference: WPS# 33727.1
 Pace Project Manager: Jon Bradley
 Pace Profile: WCSF-1

Section D

Required Client Information:

Matrix Codes
 MATRIX / CODE
 Drinking Water DW
 Water WT
 Waste Water WW
 Product P
 Soil/Solid SL
 Oil OL
 Wipe WP
 Air AR
 Tissue TS
 Other OT

Section E

Regulatory Agency

NPDES GROUND WATER DRINKING WATER
 UST RCRA OTHER
 Site Location STATE: NC

ITEM #	SAMPLE ID (A-Z, 0-9, /, .)	Matrix Codes MATRIX / CODE	COLLECTED		SAMPLE TYPE (G=GRAB C=COMP)	MATRIX CODE (see valid codes to left)	# OF CONTAINERS	ACCEPTED BY / AFFILIATION	DATE	TIME	DATE	TIME	SAMPLE CONDITIONS	Temp in °C	Received on Ice (Y/N)	Custody (Y/N)	Samples Intact (Y/N)
			COMPOSITE START	COMPOSITE END/GRAB													
1	29-4(4-6)	DW	DATE	TIME	G	S G	6	Accepted by Pace	2/19/14	1645	2/18/14	1355	3.2	Y	W	Y	
2	29-1(4-6)	WT	DATE	TIME	G	S G	6	Accepted by Pace	2/19/14	1630	2/18/14	1355	3.2	Y	W	Y	
3	29-2(4-6)	WW	DATE	TIME	G	S G	6	Accepted by Pace	2/19/14	20:00	2/17/14	20:15	3.2	Y	W	Y	
4		P															
5		SL															
6		OL															
7		WP															
8		AR															
9		TS															
10		OT															
11																	
12																	

92190454
 Pace Project No./ Lab I.D.
 92190454001
 002
 003

Analysis Test
 RCRA Metals
 8260
 8270

Preservatives
 Unpreserved
 H₂SO₄
 HNO₃
 HCl
 NaOH
 Na₂O₃
 Methanol
 Other

Requested Analysis Filtered (Y/N)

ORIGINAL

SAMPLER NAME AND SIGNATURE
 PRINT Name of SAMPLER: Ryan Kramer
 SIGNATURE of SAMPLER: Ryan Kramer

DATE Signed (MM/DD/YYYY): 2/18/14

*Important Note: By signing this form you are accepting Pace's NET 30 day payment terms and agreeing to late charges of 1.5% per month for any invoices not paid within 30 days.

March 04, 2014

Chemical Testing Engineer
Materials and Tests Unit
1801 Blue Ridge Road
Raleigh, NC 27607

RE: Project: WBS33727.1.1/B-4490 Cumberland
Pace Project No.: 92190308

Dear Chemical Engineer:

Enclosed are the analytical results for sample(s) received by the laboratory on February 19, 2014. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

Analyses were performed at the Pace Analytical Services location indicated on the sample analyte page for analysis unless otherwise footnoted.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Jon D Bradley
jon.bradley@pacelabs.com
Project Manager

Enclosures

cc: Tim Leatherman, Pyramid Environmental



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190308

Charlotte Certification IDs

9800 Kincey Ave. Ste 100, Huntersville, NC 28078
North Carolina Drinking Water Certification #: 37706
North Carolina Field Services Certification #: 5342
North Carolina Wastewater Certification #: 12
South Carolina Certification #: 99006001

Florida/NELAP Certification #: E87627
Kentucky UST Certification #: 84
West Virginia Certification #: 357
Virginia/VELAP Certification #: 460221

Asheville Certification IDs

2225 Riverside Dr., Asheville, NC 28804
Florida/NELAP Certification #: E87648
Massachusetts Certification #: M-NC030
North Carolina Drinking Water Certification #: 37712

North Carolina Wastewater Certification #: 40
South Carolina Certification #: 99030001
West Virginia Certification #: 356
Virginia/VELAP Certification #: 460222

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190308

Sample: 38-1 (2.5-4) BG **Lab ID: 92190308001** Collected: 02/17/14 16:15 Received: 02/19/14 17:45 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP		Analytical Method: EPA 6010 Preparation Method: EPA 3050						
Arsenic	ND	mg/kg	1.3	1	02/20/14 14:20	02/21/14 03:55	7440-38-2	
Barium	11.2	mg/kg	0.63	1	02/20/14 14:20	02/21/14 03:55	7440-39-3	
Cadmium	ND	mg/kg	0.13	1	02/20/14 14:20	02/21/14 03:55	7440-43-9	
Chromium	4.3	mg/kg	0.63	1	02/20/14 14:20	02/21/14 03:55	7440-47-3	
Lead	14.6	mg/kg	0.63	1	02/20/14 14:20	02/21/14 03:55	7439-92-1	
Selenium	ND	mg/kg	1.3	1	02/20/14 14:20	02/21/14 03:55	7782-49-2	
Silver	ND	mg/kg	0.63	1	02/20/14 14:20	02/21/14 03:55	7440-22-4	
7471 Mercury		Analytical Method: EPA 7471 Preparation Method: EPA 7471						
Mercury	0.0089	mg/kg	0.0024	1	02/20/14 19:10	02/21/14 22:00	7439-97-6	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	25.6	%	0.10	1		03/03/14 16:14		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190308

Sample: 38-3 (4-6) BG **Lab ID: 92190308002** Collected: 02/17/14 10:10 Received: 02/19/14 17:45 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP		Analytical Method: EPA 6010 Preparation Method: EPA 3050						
Arsenic	ND	mg/kg	1.1	1	02/20/14 14:20	02/21/14 03:58	7440-38-2	
Barium	15.1	mg/kg	0.57	1	02/20/14 14:20	02/21/14 03:58	7440-39-3	
Cadmium	ND	mg/kg	0.11	1	02/20/14 14:20	02/21/14 03:58	7440-43-9	
Chromium	8.2	mg/kg	0.57	1	02/20/14 14:20	02/21/14 03:58	7440-47-3	
Lead	23.6	mg/kg	0.57	1	02/20/14 14:20	02/21/14 03:58	7439-92-1	
Selenium	ND	mg/kg	1.1	1	02/20/14 14:20	02/21/14 03:58	7782-49-2	
Silver	ND	mg/kg	0.57	1	02/20/14 14:20	02/21/14 03:58	7440-22-4	
7471 Mercury		Analytical Method: EPA 7471 Preparation Method: EPA 7471						
Mercury	0.0038	mg/kg	0.0027	1	02/20/14 19:10	02/21/14 22:03	7439-97-6	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	34.2	%	0.10	1		03/03/14 19:04		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190308

QC Batch: MERP/6206

Analysis Method: EPA 7471

QC Batch Method: EPA 7471

Analysis Description: 7471 Mercury

Associated Lab Samples: 92190308001, 92190308002

METHOD BLANK: 1142173

Matrix: Solid

Associated Lab Samples: 92190308001, 92190308002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	mg/kg	ND	0.0050	02/21/14 21:26	

LABORATORY CONTROL SAMPLE: 1142174

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	.067	0.067	100	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1142175 1142176

Parameter	Units	92190307001		MSD		MS		MSD		% Rec Limits	RPD	Qual
		Result	MS Spike Conc.	Spike Conc.	MS Result	MSD Result	% Rec	% Rec				
Mercury	mg/kg	0.012	.049	.037	0.054	0.048	85	95	75-125	12		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland
Pace Project No.: 92190308

QC Batch: MPRP/15275 Analysis Method: EPA 6010
QC Batch Method: EPA 3050 Analysis Description: 6010 MET
Associated Lab Samples: 92190308001, 92190308002

METHOD BLANK: 1141538 Matrix: Solid
Associated Lab Samples: 92190308001, 92190308002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	mg/kg	ND	1.0	02/21/14 02:39	
Barium	mg/kg	ND	0.50	02/21/14 02:39	
Cadmium	mg/kg	ND	0.10	02/21/14 02:39	
Chromium	mg/kg	ND	0.50	02/21/14 02:39	
Lead	mg/kg	ND	0.50	02/21/14 02:39	
Selenium	mg/kg	ND	1.0	02/21/14 02:39	
Silver	mg/kg	ND	0.50	02/21/14 02:39	

LABORATORY CONTROL SAMPLE: 1141539

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/kg	50	52.2	104	80-120	
Barium	mg/kg	50	54.6	109	80-120	
Cadmium	mg/kg	50	51.6	103	80-120	
Chromium	mg/kg	50	50.5	101	80-120	
Lead	mg/kg	50	53.0	106	80-120	
Selenium	mg/kg	50	54.1	108	80-120	
Silver	mg/kg	25	25.3	101	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1141540 1141541

Parameter	Units	92189981001		MSD		MS		MSD		% Rec Limits	RPD	Qual
		Result	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec				
Arsenic	mg/kg	12.7	32.9	37.7	44.5	51.5	97	103	75-125	15		
Barium	mg/kg	49.6	32.9	37.7	67.0	78.3	53	76	75-125	15	M1	
Cadmium	mg/kg	0.12	32.9	37.7	35.5	41.2	108	109	75-125	15		
Chromium	mg/kg	214	32.9	37.7	156	163	-178	-135	75-125	5	M1	
Lead	mg/kg	1390	32.9	37.7	889	1080	-1513	-817	75-125	19	M6	
Selenium	mg/kg	ND	32.9	37.7	31.0	38.0	94	101	75-125	20		
Silver	mg/kg	3.3	16.4	18.9	19.2	22.0	97	99	75-125	13		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190308

QC Batch:	PMST/6292	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
Associated Lab Samples:	92190308001		

SAMPLE DUPLICATE: 1148438

Parameter	Units	92189807001 Result	Dup Result	RPD	Qualifiers
Percent Moisture	%	0.32	0.28	13	

SAMPLE DUPLICATE: 1148439

Parameter	Units	92190762002 Result	Dup Result	RPD	Qualifiers
Percent Moisture	%	94.0	94.0	0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190308

QC Batch: PMST/6293

Analysis Method: ASTM D2974-87

QC Batch Method: ASTM D2974-87

Analysis Description: Dry Weight/Percent Moisture

Associated Lab Samples: 92190308002

SAMPLE DUPLICATE: 1148440

Parameter	Units	92190307005 Result	Dup Result	RPD	Qualifiers
Percent Moisture	%	15.2	14.4	5	

SAMPLE DUPLICATE: 1148441

Parameter	Units	92190704006 Result	Dup Result	RPD	Qualifiers
Percent Moisture	%		11.0	5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: WBS33727.1.1/B-4490 Cumberland
Pace Project No.: 92190308

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PRL - Pace Reporting Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Acid preservation may not be appropriate for 2-Chloroethylvinyl ether, Styrene, and Vinyl chloride.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

M6 Matrix spike and Matrix spike duplicate recovery not evaluated against control limits due to sample dilution.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190308

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
92190308001	38-1 (2.5-4) BG	EPA 3050	MPRP/15275	EPA 6010	ICP/13858
92190308002	38-3 (4-6) BG	EPA 3050	MPRP/15275	EPA 6010	ICP/13858
92190308001	38-1 (2.5-4) BG	EPA 7471	MERP/6206	EPA 7471	MERC/5988
92190308002	38-3 (4-6) BG	EPA 7471	MERP/6206	EPA 7471	MERC/5988
92190308001	38-1 (2.5-4) BG	ASTM D2974-87	PMST/6292		
92190308002	38-3 (4-6) BG	ASTM D2974-87	PMST/6293		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Client Name: Pyramid

Courier: Fed Ex UPS USPS Client Commercial Pace Other _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other _____

Thermometer Used: IR Gun T1102 T1301 Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Temp Correction Factor T1102: No Correction T1301: No Correction

Corrected Cooler Temp.: 4.5 °C Biological Tissue is Frozen: Yes No N/A

Temp should be above freezing to 6°C

Date and Initials of person examining contents: mtk 4/15/14

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix:		
All containers needing preservation have been checked.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
exceptions: VOA, coliform, TOC, O&G, WI-DRO (water)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Samples checked for dechlorination:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

SCURF Review:	<u>JDB</u>	Date:	<u>2/19/14</u>
SRF Review:	<u>AMB</u>	Date:	<u>2-20-14</u>

WO#: 92190308



92190308

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e out of hold, incorrect preservative, out of temp, incorrect containers)

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A Required Client Information: Company: <u>Pyramid Environmental</u> Address: <u>Box 16265</u> <u>Greensboro, NC 27416</u> Email To: <u>Jim</u> Phone: <u>335.3174</u> Fax: Requested Due Date/ATI: <u>Normal</u>		Section B Required Project Information: Report To: <u>Jim Leatherman</u> Copy To: <u>Pyramid</u> Project Name: <u>WBS# 33727.1.1/B-4490</u> Project Number: <u>2014-008</u> Reference: <u>WBS# 33727.1.1</u> Pace Project Manager: <u>Jan Bradley</u> Pace Profile #: <u></u>		Section C Invoice Information: Attention: <u></u> Company Name: <u>NC DOT</u> Address: <u></u> Reference: <u>WBS# 33727.1.1</u> Pace Project Manager: <u>Jan Bradley</u> Pace Profile #: <u></u>	
REGULATORY AGENCY <input type="checkbox"/> NPDES <input type="checkbox"/> GROUND WATER <input type="checkbox"/> DRINKING WATER <input type="checkbox"/> UST <input type="checkbox"/> RCRA <input type="checkbox"/> OTHER _____		Site Location STATE: <u>NC</u>		Requested Analysis Filtered (Y/N)	

ITEM #	SAMPLE ID (A-Z, 0-9 / -) Sample IDs MUST BE UNIQUE	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED			SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives	Analysis Test ↓	Requested Analysis Filtered (Y/N)	Residual Chlorine (Y/N)
				DATE	TIME	DATE						
1	38-1(2.5-4)BG	SL	G	2/17/14	4:15	2/17/14	4:15	1	X	Total RCRA Metals		9240308 Pace Project No./ Lab I.D.
2	38-3(4-C)BG	SL	G	2/17/14	10:10	2/17/14	10:10	1	X			001 002
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS
	<u>Jim Leatherman</u>	<u>2/19/14</u>	<u>3:30</u>	<u>Jan Bradley</u>	<u>2/19/14</u>	<u>13:30</u>	<u>WBS# 33727.1.1</u>
	<u>Jan Bradley</u>	<u>2/19/14</u>	<u>13:30</u>	<u>Jan Bradley</u>	<u>2/19/14</u>	<u>13:30</u>	<u>WBS# 33727.1.1</u>

SAMPLER NAME AND SIGNATURE PRINT Name of SAMPLER: <u>Jan Bradley</u> SIGNATURE of SAMPLER: <u>[Signature]</u>		DATE Signed (MM/DD/YY): <u>2/17/14</u>	
Temp in °C	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)

*Important Note: By signing this form you are accepting Pace's NET 30 day payment terms and agreeing to late charges of 1.5% per month for any invoices not paid within 30 days.

March 05, 2014

Chemical Testing Engineer
Materials and Tests Unit
1801 Blue Ridge Road
Raleigh, NC 27607

RE: Project: WBS33727.1.1/B-4490 Cumberland
Pace Project No.: 92190471

Dear Chemical Engineer:

Enclosed are the analytical results for sample(s) received by the laboratory on February 20, 2014. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

Analyses were performed at the Pace Analytical Services location indicated on the sample analyte page for analysis unless otherwise footnoted.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Jon D Bradley
jon.bradley@pacelabs.com
Project Manager

Enclosures

cc: Tim Leatherman, Pyramid Environmental



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190471

Charlotte Certification IDs

9800 Kincey Ave. Ste 100, Huntersville, NC 28078
North Carolina Drinking Water Certification #: 37706
North Carolina Field Services Certification #: 5342
North Carolina Wastewater Certification #: 12
South Carolina Certification #: 99006001

Florida/NELAP Certification #: E87627
Kentucky UST Certification #: 84
West Virginia Certification #: 357
Virginia/VELAP Certification #: 460221

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190471

Sample: 29-4 (TW)	Lab ID: 92190471001	Collected: 02/20/14 00:00	Received: 02/20/14 15:20	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
625 MSSV		Analytical Method: EPA 625 Preparation Method: EPA 625						
Acenaphthene	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	83-32-9	
Acenaphthylene	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	208-96-8	
Anthracene	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	120-12-7	
Benzo(a)anthracene	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	56-55-3	
Benzo(a)pyrene	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	50-32-8	
Benzo(b)fluoranthene	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	205-99-2	
Benzo(g,h,i)perylene	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	191-24-2	
Benzo(k)fluoranthene	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	207-08-9	
4-Bromophenylphenyl ether	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	101-55-3	
Butylbenzylphthalate	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	85-68-7	
4-Chloro-3-methylphenol	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	59-50-7	
bis(2-Chloroethoxy)methane	ND ug/L		10.0	1	02/24/14 10:00	02/26/14 23:48	111-91-1	
bis(2-Chloroethyl) ether	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	111-44-4	
bis(2-Chloroisopropyl) ether	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	108-60-1	
2-Chloronaphthalene	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	91-58-7	
2-Chlorophenol	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	95-57-8	
4-Chlorophenylphenyl ether	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	7005-72-3	
Chrysene	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	53-70-3	
3,3'-Dichlorobenzidine	ND ug/L		25.0	1	02/24/14 10:00	02/26/14 23:48	91-94-1	
2,4-Dichlorophenol	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	120-83-2	
Diethylphthalate	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	84-66-2	
2,4-Dimethylphenol	ND ug/L		10.0	1	02/24/14 10:00	02/26/14 23:48	105-67-9	
Dimethylphthalate	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	131-11-3	
Di-n-butylphthalate	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	84-74-2	
4,6-Dinitro-2-methylphenol	ND ug/L		20.0	1	02/24/14 10:00	02/26/14 23:48	534-52-1	
2,4-Dinitrophenol	ND ug/L		50.0	1	02/24/14 10:00	02/26/14 23:48	51-28-5	
2,4-Dinitrotoluene	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	121-14-2	
2,6-Dinitrotoluene	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	606-20-2	
Di-n-octylphthalate	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	117-84-0	
bis(2-Ethylhexyl)phthalate	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	117-81-7	
Fluoranthene	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	206-44-0	
Fluorene	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	86-73-7	
Hexachloro-1,3-butadiene	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	87-68-3	
Hexachlorobenzene	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	118-74-1	
Hexachlorocyclopentadiene	ND ug/L		10.0	1	02/24/14 10:00	02/26/14 23:48	77-47-4	
Hexachloroethane	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	67-72-1	
Indeno(1,2,3-cd)pyrene	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	193-39-5	
Isophorone	ND ug/L		10.0	1	02/24/14 10:00	02/26/14 23:48	78-59-1	
Naphthalene	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	91-20-3	
Nitrobenzene	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	98-95-3	
2-Nitrophenol	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	88-75-5	
4-Nitrophenol	ND ug/L		50.0	1	02/24/14 10:00	02/26/14 23:48	100-02-7	
N-Nitrosodimethylamine	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	62-75-9	
N-Nitroso-di-n-propylamine	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	621-64-7	
N-Nitrosodiphenylamine	ND ug/L		10.0	1	02/24/14 10:00	02/26/14 23:48	86-30-6	
Pentachlorophenol	ND ug/L		10.0	1	02/24/14 10:00	02/26/14 23:48	87-86-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS33727.1.1/B-4490 Cumberland

Sample Project No.: 92190471

Sample: 29-4 (TW)		Lab ID: 92190471001	Collected: 02/20/14 00:00	Received: 02/20/14 15:20	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
625 MSSV		Analytical Method: EPA 625 Preparation Method: EPA 625						
Phenanthrene	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	85-01-8	
Phenol	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	108-95-2	
Pyrene	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	129-00-0	
1,2,4-Trichlorobenzene	ND ug/L		5.0	1	02/24/14 10:00	02/26/14 23:48	120-82-1	
2,4,6-Trichlorophenol	ND ug/L		10.0	1	02/24/14 10:00	02/26/14 23:48	88-06-2	
Surrogates								
Nitrobenzene-d5 (S)	66 %		10-120	1	02/24/14 10:00	02/26/14 23:48	4165-60-0	
2-Fluorobiphenyl (S)	69 %		15-120	1	02/24/14 10:00	02/26/14 23:48	321-60-8	
Terphenyl-d14 (S)	98 %		11-131	1	02/24/14 10:00	02/26/14 23:48	1718-51-0	
Phenol-d6 (S)	29 %		10-120	1	02/24/14 10:00	02/26/14 23:48	13127-88-3	
2-Fluorophenol (S)	42 %		10-120	1	02/24/14 10:00	02/26/14 23:48	367-12-4	
2,4,6-Tribromophenol (S)	88 %		10-137	1	02/24/14 10:00	02/26/14 23:48	118-79-6	
6200B MSV		Analytical Method: SM 6200B						
Benzene	ND ug/L		0.50	1		03/02/14 21:38	71-43-2	
Bromobenzene	ND ug/L		0.50	1		03/02/14 21:38	108-86-1	
Bromochloromethane	ND ug/L		0.50	1		03/02/14 21:38	74-97-5	
Bromodichloromethane	ND ug/L		0.50	1		03/02/14 21:38	75-27-4	
Bromoform	ND ug/L		0.50	1		03/02/14 21:38	75-25-2	
Bromomethane	ND ug/L		5.0	1		03/02/14 21:38	74-83-9	
n-Butylbenzene	ND ug/L		0.50	1		03/02/14 21:38	104-51-8	
sec-Butylbenzene	ND ug/L		0.50	1		03/02/14 21:38	135-98-8	
tert-Butylbenzene	ND ug/L		0.50	1		03/02/14 21:38	98-06-6	
Carbon tetrachloride	ND ug/L		0.50	1		03/02/14 21:38	56-23-5	
Chlorobenzene	ND ug/L		0.50	1		03/02/14 21:38	108-90-7	
Chloroethane	ND ug/L		1.0	1		03/02/14 21:38	75-00-3	
Chloroform	ND ug/L		0.50	1		03/02/14 21:38	67-66-3	
Chloromethane	ND ug/L		1.0	1		03/02/14 21:38	74-87-3	
2-Chlorotoluene	ND ug/L		0.50	1		03/02/14 21:38	95-49-8	
4-Chlorotoluene	ND ug/L		0.50	1		03/02/14 21:38	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		1.0	1		03/02/14 21:38	96-12-8	
Dibromochloromethane	ND ug/L		0.50	1		03/02/14 21:38	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		0.50	1		03/02/14 21:38	106-93-4	
Dibromomethane	ND ug/L		0.50	1		03/02/14 21:38	74-95-3	
1,2-Dichlorobenzene	ND ug/L		0.50	1		03/02/14 21:38	95-50-1	
1,3-Dichlorobenzene	ND ug/L		0.50	1		03/02/14 21:38	541-73-1	
1,4-Dichlorobenzene	ND ug/L		0.50	1		03/02/14 21:38	106-46-7	
Dichlorodifluoromethane	ND ug/L		0.50	1		03/02/14 21:38	75-71-8	
1,1-Dichloroethane	ND ug/L		0.50	1		03/02/14 21:38	75-34-3	
1,2-Dichloroethane	ND ug/L		0.50	1		03/02/14 21:38	107-06-2	
1,1-Dichloroethene	ND ug/L		0.50	1		03/02/14 21:38	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		0.50	1		03/02/14 21:38	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		0.50	1		03/02/14 21:38	156-60-5	
1,2-Dichloropropane	ND ug/L		0.50	1		03/02/14 21:38	78-87-5	
1,3-Dichloropropane	ND ug/L		0.50	1		03/02/14 21:38	142-28-9	
2,2-Dichloropropane	ND ug/L		0.50	1		03/02/14 21:38	594-20-7	
1,1-Dichloropropene	ND ug/L		0.50	1		03/02/14 21:38	563-58-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190471

Sample: 29-4 (TW)		Lab ID: 92190471001	Collected: 02/20/14 00:00	Received: 02/20/14 15:20	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6200B MSV		Analytical Method: SM 6200B						
cis-1,3-Dichloropropene	ND ug/L		0.50	1		03/02/14 21:38	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		0.50	1		03/02/14 21:38	10061-02-6	
Diisopropyl ether	ND ug/L		0.50	1		03/02/14 21:38	108-20-3	
Ethylbenzene	ND ug/L		0.50	1		03/02/14 21:38	100-41-4	
Hexachloro-1,3-butadiene	ND ug/L		2.0	1		03/02/14 21:38	87-68-3	
Isopropylbenzene (Cumene)	ND ug/L		0.50	1		03/02/14 21:38	98-82-8	
Methylene Chloride	ND ug/L		2.0	1		03/02/14 21:38	75-09-2	
Methyl-tert-butyl ether	ND ug/L		0.50	1		03/02/14 21:38	1634-04-4	
Naphthalene	ND ug/L		2.0	1		03/02/14 21:38	91-20-3	
n-Propylbenzene	ND ug/L		0.50	1		03/02/14 21:38	103-65-1	
Styrene	ND ug/L		0.50	1		03/02/14 21:38	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		0.50	1		03/02/14 21:38	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		0.50	1		03/02/14 21:38	79-34-5	
Tetrachloroethene	ND ug/L		0.50	1		03/02/14 21:38	127-18-4	
Toluene	ND ug/L		0.50	1		03/02/14 21:38	108-88-3	
1,2,3-Trichlorobenzene	ND ug/L		2.0	1		03/02/14 21:38	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		2.0	1		03/02/14 21:38	120-82-1	
1,1,1-Trichloroethane	ND ug/L		0.50	1		03/02/14 21:38	71-55-6	
1,1,2-Trichloroethane	ND ug/L		0.50	1		03/02/14 21:38	79-00-5	
Trichloroethene	ND ug/L		0.50	1		03/02/14 21:38	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		03/02/14 21:38	75-69-4	
1,2,3-Trichloropropane	ND ug/L		0.50	1		03/02/14 21:38	96-18-4	
1,2,4-Trimethylbenzene	ND ug/L		0.50	1		03/02/14 21:38	95-63-6	
1,3,5-Trimethylbenzene	ND ug/L		0.50	1		03/02/14 21:38	108-67-8	
Vinyl chloride	ND ug/L		1.0	1		03/02/14 21:38	75-01-4	
m&p-Xylene	ND ug/L		1.0	1		03/02/14 21:38	179601-23-1	
o-Xylene	ND ug/L		0.50	1		03/02/14 21:38	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	104 %		70-130	1		03/02/14 21:38	17060-07-0	
4-Bromofluorobenzene (S)	98 %		70-130	1		03/02/14 21:38	460-00-4	
Toluene-d8 (S)	102 %		70-130	1		03/02/14 21:38	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190471

QC Batch:	MSV/25918	Analysis Method:	SM 6200B
QC Batch Method:	SM 6200B	Analysis Description:	6200B MSV
Associated Lab Samples:	92190471001		

METHOD BLANK: 1147062 Matrix: Water

Associated Lab Samples: 92190471001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	0.50	03/02/14 19:43	
1,1,1-Trichloroethane	ug/L	ND	0.50	03/02/14 19:43	
1,1,2,2-Tetrachloroethane	ug/L	ND	0.50	03/02/14 19:43	
1,1,2-Trichloroethane	ug/L	ND	0.50	03/02/14 19:43	
1,1-Dichloroethane	ug/L	ND	0.50	03/02/14 19:43	
1,1-Dichloroethene	ug/L	ND	0.50	03/02/14 19:43	
1,1-Dichloropropene	ug/L	ND	0.50	03/02/14 19:43	
1,2,3-Trichlorobenzene	ug/L	ND	2.0	03/02/14 19:43	
1,2,3-Trichloropropane	ug/L	ND	0.50	03/02/14 19:43	
1,2,4-Trichlorobenzene	ug/L	ND	2.0	03/02/14 19:43	
1,2,4-Trimethylbenzene	ug/L	ND	0.50	03/02/14 19:43	
1,2-Dibromo-3-chloropropane	ug/L	ND	1.0	03/02/14 19:43	
1,2-Dibromoethane (EDB)	ug/L	ND	0.50	03/02/14 19:43	
1,2-Dichlorobenzene	ug/L	ND	0.50	03/02/14 19:43	
1,2-Dichloroethane	ug/L	ND	0.50	03/02/14 19:43	
1,2-Dichloropropane	ug/L	ND	0.50	03/02/14 19:43	
1,3,5-Trimethylbenzene	ug/L	ND	0.50	03/02/14 19:43	
1,3-Dichlorobenzene	ug/L	ND	0.50	03/02/14 19:43	
1,3-Dichloropropane	ug/L	ND	0.50	03/02/14 19:43	
1,4-Dichlorobenzene	ug/L	ND	0.50	03/02/14 19:43	
2,2-Dichloropropane	ug/L	ND	0.50	03/02/14 19:43	
2-Chlorotoluene	ug/L	ND	0.50	03/02/14 19:43	
4-Chlorotoluene	ug/L	ND	0.50	03/02/14 19:43	
Benzene	ug/L	ND	0.50	03/02/14 19:43	
Bromobenzene	ug/L	ND	0.50	03/02/14 19:43	
Bromochloromethane	ug/L	ND	0.50	03/02/14 19:43	
Bromodichloromethane	ug/L	ND	0.50	03/02/14 19:43	
Bromoform	ug/L	ND	0.50	03/02/14 19:43	
Bromomethane	ug/L	ND	5.0	03/02/14 19:43	
Carbon tetrachloride	ug/L	ND	0.50	03/02/14 19:43	
Chlorobenzene	ug/L	ND	0.50	03/02/14 19:43	
Chloroethane	ug/L	ND	1.0	03/02/14 19:43	
Chloroform	ug/L	ND	0.50	03/02/14 19:43	
Chloromethane	ug/L	ND	1.0	03/02/14 19:43	
cis-1,2-Dichloroethene	ug/L	ND	0.50	03/02/14 19:43	
cis-1,3-Dichloropropene	ug/L	ND	0.50	03/02/14 19:43	
Dibromochloromethane	ug/L	ND	0.50	03/02/14 19:43	
Dibromomethane	ug/L	ND	0.50	03/02/14 19:43	
Dichlorodifluoromethane	ug/L	ND	0.50	03/02/14 19:43	
Diisopropyl ether	ug/L	ND	0.50	03/02/14 19:43	
Ethylbenzene	ug/L	ND	0.50	03/02/14 19:43	
Hexachloro-1,3-butadiene	ug/L	ND	2.0	03/02/14 19:43	
Isopropylbenzene (Cumene)	ug/L	ND	0.50	03/02/14 19:43	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190471

METHOD BLANK: 1147062

Matrix: Water

Associated Lab Samples: 92190471001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
m&p-Xylene	ug/L	ND	1.0	03/02/14 19:43	
Methyl-tert-butyl ether	ug/L	ND	0.50	03/02/14 19:43	
Methylene Chloride	ug/L	ND	2.0	03/02/14 19:43	
n-Butylbenzene	ug/L	ND	0.50	03/02/14 19:43	
n-Propylbenzene	ug/L	ND	0.50	03/02/14 19:43	
Naphthalene	ug/L	ND	2.0	03/02/14 19:43	
o-Xylene	ug/L	ND	0.50	03/02/14 19:43	
sec-Butylbenzene	ug/L	ND	0.50	03/02/14 19:43	
Styrene	ug/L	ND	0.50	03/02/14 19:43	
tert-Butylbenzene	ug/L	ND	0.50	03/02/14 19:43	
Tetrachloroethene	ug/L	ND	0.50	03/02/14 19:43	
Toluene	ug/L	ND	0.50	03/02/14 19:43	
trans-1,2-Dichloroethene	ug/L	ND	0.50	03/02/14 19:43	
trans-1,3-Dichloropropene	ug/L	ND	0.50	03/02/14 19:43	
Trichloroethene	ug/L	ND	0.50	03/02/14 19:43	
Trichlorofluoromethane	ug/L	ND	1.0	03/02/14 19:43	
Vinyl chloride	ug/L	ND	1.0	03/02/14 19:43	
1,2-Dichloroethane-d4 (S)	%	102	70-130	03/02/14 19:43	
4-Bromofluorobenzene (S)	%	99	70-130	03/02/14 19:43	
Toluene-d8 (S)	%	101	70-130	03/02/14 19:43	

LABORATORY CONTROL SAMPLE: 1147063

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	50.4	101	60-140	
1,1,1-Trichloroethane	ug/L	50	56.2	112	60-140	
1,1,2,2-Tetrachloroethane	ug/L	50	53.7	107	60-140	
1,1,2-Trichloroethane	ug/L	50	55.7	111	60-140	
1,1-Dichloroethane	ug/L	50	50.9	102	60-140	
1,1-Dichloroethene	ug/L	50	48.3	97	60-140	
1,1-Dichloropropene	ug/L	50	52.8	106	60-140	
1,2,3-Trichlorobenzene	ug/L	50	56.0	112	60-140	
1,2,3-Trichloropropane	ug/L	50	53.7	107	60-140	
1,2,4-Trichlorobenzene	ug/L	50	55.0	110	60-140	
1,2,4-Trimethylbenzene	ug/L	50	53.7	107	60-140	
1,2-Dibromo-3-chloropropane	ug/L	50	74.1	148	60-140 L3	
1,2-Dibromoethane (EDB)	ug/L	50	57.5	115	60-140	
1,2-Dichlorobenzene	ug/L	50	53.0	106	60-140	
1,2-Dichloroethane	ug/L	50	50.1	100	60-140	
1,2-Dichloropropane	ug/L	50	53.4	107	60-140	
1,3,5-Trimethylbenzene	ug/L	50	54.7	109	60-140	
1,3-Dichlorobenzene	ug/L	50	52.2	104	60-140	
1,3-Dichloropropane	ug/L	50	54.5	109	60-140	
1,4-Dichlorobenzene	ug/L	50	52.5	105	60-140	
2,2-Dichloropropane	ug/L	50	60.0	120	60-140	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190471

LABORATORY CONTROL SAMPLE: 1147063

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2-Chlorotoluene	ug/L	50	50.4	101	60-140	
4-Chlorotoluene	ug/L	50	53.1	106	60-140	
Benzene	ug/L	50	54.1	108	60-140	
Bromobenzene	ug/L	50	53.1	106	60-140	
Bromochloromethane	ug/L	50	49.7	99	60-140	
Bromodichloromethane	ug/L	50	58.0	116	60-140	
Bromoform	ug/L	50	47.6	95	60-140	
Bromomethane	ug/L	50	37.8	76	60-140	
Carbon tetrachloride	ug/L	50	49.3	99	60-140	
Chlorobenzene	ug/L	50	52.8	106	60-140	
Chloroethane	ug/L	50	32.6	65	60-140	
Chloroform	ug/L	50	51.2	102	60-140	
Chloromethane	ug/L	50	48.4	97	60-140	
cis-1,2-Dichloroethene	ug/L	50	50.6	101	60-140	
cis-1,3-Dichloropropene	ug/L	50	50.0	100	60-140	
Dibromochloromethane	ug/L	50	50.5	101	60-140	
Dibromomethane	ug/L	50	54.5	109	60-140	
Dichlorodifluoromethane	ug/L	50	50.2	100	60-140	
Diisopropyl ether	ug/L	50	52.9	106	60-140	
Ethylbenzene	ug/L	50	52.7	105	60-140	
Hexachloro-1,3-butadiene	ug/L	50	54.6	109	60-140	
Isopropylbenzene (Cumene)	ug/L	50	57.2	114	60-140	
m&p-Xylene	ug/L	100	110	110	60-140	
Methyl-tert-butyl ether	ug/L	50	54.3	109	60-140	
Methylene Chloride	ug/L	50	44.5	89	60-140	
n-Butylbenzene	ug/L	50	54.9	110	60-140	
n-Propylbenzene	ug/L	50	55.0	110	60-140	
Naphthalene	ug/L	50	56.5	113	60-140	
o-Xylene	ug/L	50	55.1	110	60-140	
sec-Butylbenzene	ug/L	50	54.8	110	60-140	
Styrene	ug/L	50	58.9	118	60-140	
tert-Butylbenzene	ug/L	50	54.5	109	60-140	
Tetrachloroethene	ug/L	50	54.4	109	60-140	
Toluene	ug/L	50	51.9	104	60-140	
trans-1,2-Dichloroethene	ug/L	50	49.9	100	60-140	
trans-1,3-Dichloropropene	ug/L	50	50.2	100	60-140	
Trichloroethene	ug/L	50	52.1	104	60-140	
Trichlorofluoromethane	ug/L	50	43.4	87	60-140	
Vinyl chloride	ug/L	50	51.3	103	60-140	
1,2-Dichloroethane-d4 (S)	%			99	70-130	
4-Bromofluorobenzene (S)	%			101	70-130	
Toluene-d8 (S)	%			99	70-130	

MATRIX SPIKE SAMPLE: 1150192

Parameter	Units	92191212002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.50	20	13.3	67	60-140	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland
Pace Project No.: 92190471

MATRIX SPIKE SAMPLE: 1150192		92191212002	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	<0.50	20	14.7	73	60-140	
1,1,2,2-Tetrachloroethane	ug/L	<0.50	20	15.1	76	60-140	
1,1,2-Trichloroethane	ug/L	<0.50	20	14.4	72	60-140	
1,1-Dichloroethane	ug/L	<0.50	20	14.2	71	60-140	
1,1-Dichloroethene	ug/L	<0.50	20	15.4	77	60-140	
1,1-Dichloropropene	ug/L	<0.50	20	15.0	75	60-140	
1,2,3-Trichlorobenzene	ug/L	<2.0	20	14.1	69	60-140	
1,2,3-Trichloropropane	ug/L	<0.50	20	14.8	74	60-140	
1,2,4-Trichlorobenzene	ug/L	<2.0	20	13.3	65	60-140	
1,2,4-Trimethylbenzene	ug/L	<0.50	20	14.2	71	60-140	
1,2-Dibromo-3-chloropropane	ug/L	<1.0	20	18.2	91	60-140	
1,2-Dibromoethane (EDB)	ug/L	<0.50	20	15.5	77	60-140	
1,2-Dichlorobenzene	ug/L	<0.50	20	14.2	71	60-140	
1,2-Dichloroethane	ug/L	<0.50	20	13.7	68	60-140	
1,2-Dichloropropane	ug/L	<0.50	20	13.8	69	60-140	
1,3,5-Trimethylbenzene	ug/L	<0.50	20	14.1	71	60-140	
1,3-Dichlorobenzene	ug/L	<0.50	20	13.8	69	60-140	
1,3-Dichloropropane	ug/L	<0.50	20	15.5	78	60-140	
1,4-Dichlorobenzene	ug/L	<0.50	20	13.9	69	60-140	
2,2-Dichloropropane	ug/L	<0.50	20	12.9	65	60-140	
2-Chlorotoluene	ug/L	<0.50	20	13.9	70	60-140	
4-Chlorotoluene	ug/L	<0.50	20	14.7	74	60-140	
Benzene	ug/L	<0.50	20	14.3	71	60-140	
Bromobenzene	ug/L	<0.50	20	14.7	74	60-140	
Bromochloromethane	ug/L	<0.50	20	14.7	73	60-140	
Bromodichloromethane	ug/L	<0.50	20	13.6	68	60-140	
Bromoform	ug/L	<0.50	20	12.9	64	60-140	
Bromomethane	ug/L	<5.0	20	17.8	89	60-140	
Carbon tetrachloride	ug/L	<0.50	20	13.4	67	60-140	
Chlorobenzene	ug/L	<0.50	20	14.6	73	60-140	
Chloroethane	ug/L	<1.0	20	14.7	73	60-140	
Chloroform	ug/L	<0.50	20	14.0	70	60-140	
Chloromethane	ug/L	<1.0	20	15.4	77	60-140	
cis-1,2-Dichloroethene	ug/L	<0.50	20	14.0	70	60-140	
cis-1,3-Dichloropropene	ug/L	<0.50	20	12.2	61	60-140	
Dibromochloromethane	ug/L	<0.50	20	13.4	67	60-140	
Dibromomethane	ug/L	<0.50	20	13.7	69	60-140	
Dichlorodifluoromethane	ug/L	<0.50	20	15.3	76	60-140	
Diisopropyl ether	ug/L	<0.50	20	14.2	71	60-140	
Ethylbenzene	ug/L	<0.50	20	14.2	71	60-140	
Hexachloro-1,3-butadiene	ug/L	<2.0	20	12.2	60	60-140	
Isopropylbenzene (Cumene)	ug/L	<0.50	20	14.5	72	60-140	
m&p-Xylene	ug/L	<1.0	40	29.1	73	60-140	
Methyl-tert-butyl ether	ug/L	<0.50	20	13.7	68	60-140	
Methylene Chloride	ug/L	<2.0	20	14.6	72	60-140	
n-Butylbenzene	ug/L	<0.50	20	13.4	66	60-140	
n-Propylbenzene	ug/L	<0.50	20	14.8	74	60-140	
Naphthalene	ug/L	<2.0	20	14.8	73	60-140	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190471

MATRIX SPIKE SAMPLE:		1150192					
Parameter	Units	92191212002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
o-Xylene	ug/L	<0.50	20	14.4	72	60-140	
sec-Butylbenzene	ug/L	<0.50	20	14.1	70	60-140	
Styrene	ug/L	<0.50	20	14.9	75	60-140	
tert-Butylbenzene	ug/L	<0.50	20	14.1	71	60-140	
Tetrachloroethene	ug/L	<0.50	20	14.6	73	60-140	
Toluene	ug/L	<0.50	20	13.5	68	60-140	
trans-1,2-Dichloroethene	ug/L	<0.50	20	16.3	81	60-140	
trans-1,3-Dichloropropene	ug/L	<0.50	20	12.4	62	60-140	
Trichloroethene	ug/L	<0.50	20	13.4	67	60-140	
Trichlorofluoromethane	ug/L	<1.0	20	14.8	74	60-140	
Vinyl chloride	ug/L	<1.0	20	16.3	82	60-140	
1,2-Dichloroethane-d4 (S)	%				103	70-130	
4-Bromofluorobenzene (S)	%				97	70-130	
Toluene-d8 (S)	%				98	70-130	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland
Pace Project No.: 92190471

QC Batch: OEXT/26072 Analysis Method: EPA 625
QC Batch Method: EPA 625 Analysis Description: 625 MSS
Associated Lab Samples: 92190471001

METHOD BLANK: 1143675 Matrix: Water
Associated Lab Samples: 92190471001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	ug/L	ND	5.0	02/26/14 20:39	
2,4,6-Trichlorophenol	ug/L	ND	10.0	02/26/14 20:39	
2,4-Dichlorophenol	ug/L	ND	5.0	02/26/14 20:39	
2,4-Dimethylphenol	ug/L	ND	10.0	02/26/14 20:39	
2,4-Dinitrophenol	ug/L	ND	50.0	02/26/14 20:39	
2,4-Dinitrotoluene	ug/L	ND	5.0	02/26/14 20:39	
2,6-Dinitrotoluene	ug/L	ND	5.0	02/26/14 20:39	
2-Chloronaphthalene	ug/L	ND	5.0	02/26/14 20:39	
2-Chlorophenol	ug/L	ND	5.0	02/26/14 20:39	
2-Nitrophenol	ug/L	ND	5.0	02/26/14 20:39	
3,3'-Dichlorobenzidine	ug/L	ND	25.0	02/26/14 20:39	
4,6-Dinitro-2-methylphenol	ug/L	ND	20.0	02/26/14 20:39	
4-Bromophenylphenyl ether	ug/L	ND	5.0	02/26/14 20:39	
4-Chloro-3-methylphenol	ug/L	ND	5.0	02/26/14 20:39	
4-Chlorophenylphenyl ether	ug/L	ND	5.0	02/26/14 20:39	
4-Nitrophenol	ug/L	ND	50.0	02/26/14 20:39	
Acenaphthene	ug/L	ND	5.0	02/26/14 20:39	
Acenaphthylene	ug/L	ND	5.0	02/26/14 20:39	
Anthracene	ug/L	ND	5.0	02/26/14 20:39	
Benzo(a)anthracene	ug/L	ND	5.0	02/26/14 20:39	
Benzo(a)pyrene	ug/L	ND	5.0	02/26/14 20:39	
Benzo(b)fluoranthene	ug/L	ND	5.0	02/26/14 20:39	
Benzo(g,h,i)perylene	ug/L	ND	5.0	02/26/14 20:39	
Benzo(k)fluoranthene	ug/L	ND	5.0	02/26/14 20:39	
bis(2-Chloroethoxy)methane	ug/L	ND	10.0	02/26/14 20:39	
bis(2-Chloroethyl) ether	ug/L	ND	5.0	02/26/14 20:39	
bis(2-Chloroisopropyl) ether	ug/L	ND	5.0	02/26/14 20:39	
bis(2-Ethylhexyl)phthalate	ug/L	ND	5.0	02/26/14 20:39	
Butylbenzylphthalate	ug/L	ND	5.0	02/26/14 20:39	
Chrysene	ug/L	ND	5.0	02/26/14 20:39	
Di-n-butylphthalate	ug/L	ND	5.0	02/26/14 20:39	
Di-n-octylphthalate	ug/L	ND	5.0	02/26/14 20:39	
Dibenz(a,h)anthracene	ug/L	ND	5.0	02/26/14 20:39	
Diethylphthalate	ug/L	ND	5.0	02/26/14 20:39	
Dimethylphthalate	ug/L	ND	5.0	02/26/14 20:39	
Fluoranthene	ug/L	ND	5.0	02/26/14 20:39	
Fluorene	ug/L	ND	5.0	02/26/14 20:39	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	02/26/14 20:39	
Hexachlorobenzene	ug/L	ND	5.0	02/26/14 20:39	
Hexachlorocyclopentadiene	ug/L	ND	10.0	02/26/14 20:39	
Hexachloroethane	ug/L	ND	5.0	02/26/14 20:39	
Indeno(1,2,3-cd)pyrene	ug/L	ND	5.0	02/26/14 20:39	
Isophorone	ug/L	ND	10.0	02/26/14 20:39	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190471

METHOD BLANK: 1143675

Matrix: Water

Associated Lab Samples: 92190471001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
N-Nitroso-di-n-propylamine	ug/L	ND	5.0	02/26/14 20:39	
N-Nitrosodimethylamine	ug/L	ND	5.0	02/26/14 20:39	
N-Nitrosodiphenylamine	ug/L	ND	10.0	02/26/14 20:39	
Naphthalene	ug/L	ND	5.0	02/26/14 20:39	
Nitrobenzene	ug/L	ND	5.0	02/26/14 20:39	
Pentachlorophenol	ug/L	ND	10.0	02/26/14 20:39	
Phenanthrene	ug/L	ND	5.0	02/26/14 20:39	
Phenol	ug/L	ND	5.0	02/26/14 20:39	
Pyrene	ug/L	ND	5.0	02/26/14 20:39	
2,4,6-Tribromophenol (S)	%	95	10-137	02/26/14 20:39	
2-Fluorobiphenyl (S)	%	78	15-120	02/26/14 20:39	
2-Fluorophenol (S)	%	43	10-120	02/26/14 20:39	
Nitrobenzene-d5 (S)	%	74	10-120	02/26/14 20:39	
Phenol-d6 (S)	%	32	10-120	02/26/14 20:39	
Terphenyl-d14 (S)	%	109	11-131	02/26/14 20:39	

LABORATORY CONTROL SAMPLE: 1143676

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	ug/L	50	37.4	75	44-142	
2,4,6-Trichlorophenol	ug/L	50	42.2	84	37-144	
2,4-Dichlorophenol	ug/L	50	42.9	86	1-191	
2,4-Dimethylphenol	ug/L	50	42.7	85	32-119	
2,4-Dinitrophenol	ug/L	250	164	65	1-181	
2,4-Dinitrotoluene	ug/L	50	49.6	99	39-139	
2,6-Dinitrotoluene	ug/L	50	48.3	97	50-158	
2-Chloronaphthalene	ug/L	50	36.1	72	60-118	
2-Chlorophenol	ug/L	50	38.9	78	23-134	
2-Nitrophenol	ug/L	50	43.9	88	29-182	
3,3'-Dichlorobenzidine	ug/L	100	83.5	83	1-262	
4,6-Dinitro-2-methylphenol	ug/L	100	80.1	80	1-181	
4-Bromophenylphenyl ether	ug/L	50	47.1	94	53-127	
4-Chloro-3-methylphenol	ug/L	100	86.1	86	22-147	
4-Chlorophenylphenyl ether	ug/L	50	45.5	91	25-158	
4-Nitrophenol	ug/L	250	89.5	36	1-132	
Acenaphthene	ug/L	50	41.2	82	47-145	
Acenaphthylene	ug/L	50	42.5	85	33-145	
Anthracene	ug/L	50	47.3	95	1-166	
Benzo(a)anthracene	ug/L	50	41.4	83	33-143	
Benzo(a)pyrene	ug/L	50	45.4	91	17-163	
Benzo(b)fluoranthene	ug/L	50	41.1	82	24-159	
Benzo(g,h,i)perylene	ug/L	50	40.3	81	1-219	
Benzo(k)fluoranthene	ug/L	50	43.1	86	11-162	
bis(2-Chloroethoxy)methane	ug/L	50	41.5	83	33-184	
bis(2-Chloroethyl) ether	ug/L	50	41.0	82	12-158	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190471

LABORATORY CONTROL SAMPLE: 1143676

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
bis(2-Chloroisopropyl) ether	ug/L	50	36.8	74	36-166	
bis(2-Ethylhexyl)phthalate	ug/L	50	40.3	81	8-158	
Butylbenzylphthalate	ug/L	50	41.6	83	1-152	
Chrysene	ug/L	50	45.1	90	17-168	
Di-n-butylphthalate	ug/L	50	41.9	84	1-118	
Di-n-octylphthalate	ug/L	50	42.6	85	4-146	
Dibenz(a,h)anthracene	ug/L	50	41.7	83	1-227	
Diethylphthalate	ug/L	50	40.8	82	1-114	
Dimethylphthalate	ug/L	50	40.2	80	1-112	
Fluoranthene	ug/L	50	45.7	91	26-137	
Fluorene	ug/L	50	45.2	90	59-121	
Hexachloro-1,3-butadiene	ug/L	50	36.5	73	24-116	
Hexachlorobenzene	ug/L	50	40.9	82	1-152	
Hexachlorocyclopentadiene	ug/L	50	34.8	70	25-150	
Hexachloroethane	ug/L	50	32.1	64	40-113	
Indeno(1,2,3-cd)pyrene	ug/L	50	42.7	85	1-171	
Isophorone	ug/L	50	44.2	88	21-196	
N-Nitroso-di-n-propylamine	ug/L	50	31.5	63	1-230	
N-Nitrosodimethylamine	ug/L	50	22.8	46	25-150	
N-Nitrosodiphenylamine	ug/L	50	39.1	78	25-150	
Naphthalene	ug/L	50	41.8	84	21-133	
Nitrobenzene	ug/L	50	43.4	87	35-180	
Pentachlorophenol	ug/L	100	78.4	78	14-176	
Phenanthrene	ug/L	50	45.6	91	54-120	
Phenol	ug/L	50	19.7	39	5-112	
Pyrene	ug/L	50	52.5	105	52-115	
2,4,6-Tribromophenol (S)	%			98	10-137	
2-Fluorobiphenyl (S)	%			81	15-120	
2-Fluorophenol (S)	%			50	10-120	
Nitrobenzene-d5 (S)	%			81	10-120	
Phenol-d6 (S)	%			34	10-120	
Terphenyl-d14 (S)	%			103	11-131	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: WBS33727.1.1/B-4490 Cumberland
Pace Project No.: 92190471

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PRL - Pace Reporting Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Acid preservation may not be appropriate for 2-Chloroethylvinyl ether, Styrene, and Vinyl chloride.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

L3 Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: WBS33727.1.1/B-4490 Cumberland

Pace Project No.: 92190471

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
92190471001	29-4 (TW)	EPA 625	OEXT/26072	EPA 625	MSSV/8793
92190471001	29-4 (TW)	SM 6200B	MSV/25918		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



Document Name: **Sample Condition Upon Receipt (SCUR)**
 Document No.: F-RAL-CS-001-rev.02

Document Revised: April 04, 2013
 Page 1 of 2
 Issuing Authorities:
 Pace Asheville Quality Office

Client Name: Ryan D Em:56

Where Received: Huntersville Asheville Eden Raleigh
 Courier (Circle): Fed Ex UPS USPS Client Commercial Pace Other _____
 Custody Seal on Cooler/Box Present: yes no Seals intact: yes no
 Packing Material: Bubble Wrap Bubble Bags None Other _____
 Circle Thermometer Used: IR Gun SN:122065387 Type of Ice: WVE Blue None Samples on ice, cooling process has begun
 IR Gun Back Up SN:122065371

Temp Correction Factor: Add / Subtract 16 C
 Corrected Cooler Temp.: 16.7 C Biological Tissue is Frozen: Yes No (N/A)
 Temp should be above freezing to 6°C

Date and Initials of person examining contents / Preservation check: MBC-2/20/14

	Yes	No	N/A	Comments:
Chain of Custody Present:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	6.
Rush Turn Around Time Requested:	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	7.
Sufficient Volume:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	8.
Correct Containers Used:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	9.
-Pace Containers Used:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Containers Intact:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	11.
Sample Labels match COC:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12.
-Includes date/time/ID/Analysis Matrix: <u>WT</u>				
All containers needing preservation have been checked.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	13.
All containers needing preservation are found to be in compliance with EPA recommendation.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
exceptions: VOA, coliform, TOC, O&G, WI-DRO (water)	<input type="checkbox"/>	<input type="checkbox"/>		
Samples checked for dechlorination:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	14.
Headspace in VOA Vials (>6mm):	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	15.
Trip Blank Present:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	16.
Trip Blank Custody Seals Present	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Pace Trip Blank Lot # (if purchased):				

Client Notification/ Resolution: _____ Date/Time: _____
 Person Contacted: _____
 Comments/ Resolution: _____

SCURF /SRF Review:: SDB AMB Date: 2/20/14 2-20-14

Place label here
 OR
 Handwrite project number (if no label available)

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

92190471

APPENDIX F
