


3-22-17 - ADDED THIS SHEET.



PROJECT REFERENCE NO. U-3308	SHEET NO. SIGN-2A
APPROVED: <i>Renee B. Roach</i> <small>DocuSigned by: Renee B. Roach B3C6C6F7CF4640D...</small>	
DATE: 3/27/2017	
SEAL	
	
<b>DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED</b>	

Version: 3.0 Posted: 9/14/2016

NUMBER	TYPE	SIGN SIZE (in.)			ROADWAY STATION	NUMBER OF SUPPORTS	BEAM SECTION	SUPPORT TYPE BA or S	OMNI COUPLER	ATTACHMENT METHOD	MOUNTING METHOD	HORIZONTAL CLEARANCE* (ft.)	SUPPORT SPACING	LENGTH (ft)			LEFT SUPPORT (ft)			CENTER SUPPORT (ft)			RIGHT SUPPORT (ft)			SUPPORT WEIGHTS		FOOTINGS				FIELD VERIFIED SEE NOTE 2 (mm/dd/yy)
		w	x	h										SNS HT	MTG HT	EMB-D-MENT	S	L	LENGTH	S	L	LENGTH	S	L	LENGTH	B/A (lbs.)	SIMPLE (lbs.)	DIAMETER (ft.)	DEPTH (ft.)	REINFORCED (c.y.)	PLAIN (c.y.)	
		"H"	"C"																													
101A	A	168	x	30		2	W6x9	S	N/A	1-R	N/A	16.88	8.79	6.00	7.00	3.5	-0.70	12.30	15.80	0.00	0.00	0.00	-0.80	12.20	15.70	0.00	283.5	1.5	4	0.52	0.00	3/20/2017
101B	A	180	x	72																												
														TOTAL			TOTAL		TOTAL				TOTAL									
														0.00			283.50		0.52				0.00									
														USE:			0.00		284.00				1.00		0.00							

**NOTES**

- DIMENSION "S" REPRESENTS AN INCREASE (+), OR A DECREASE (-) IN POLE LENGTH, RELATIVE TO THE ELEVATION OF THE EDGE OF TRAVEL LANE.
- FIELD VERIFICATIONS SHALL BE REQUIRED FOR ALL SUPPORTS, SEE (\*) ARTICLE 903-3. FABRICATORS SHALL BE AISC CERTIFIED IN CATEGORY 1, SEE (\*) ARTICLE 1072-1. (\*) = N.C.D.O.T. STANDARD SPECIFICATIONS FOR ROADS AND STRUCTURES
- PLAN LOCATIONS FOR EXISTING UTILITIES ARE BASED ON THE BEST AVAILABLE INFORMATION AND, THEREFORE MAY NOT BE PRECISELY ACCURATE. THEREFORE, IT IS INCUMBENT UPON THE CONTRACTOR TO DETERMINE THE EXACT LOCATION OF UTILITIES BEFORE BEGINNING WORK IN A LOCATION.



**TYPE "A" AND TYPE "B"  
GROUND MOUNTED SIGNS**

3/27/2017 P:\TIP\Projects-U\U3308-Traffic\Signing\CADD\Signing Layout Plans\U-3308-SGNSHT-1-Revision.dgn