

| STATE | STATE PROJECT REFERENCE NO. | SHEET NO. | TOTAL SHEETS |
|-------|-----------------------------|-----------|--------------|
| N.C. | B-4761 | 1 | 18 |

STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
GEOTECHNICAL ENGINEERING UNIT

STRUCTURE
SUBSURFACE INVESTIGATION

COUNTY HALIFAX
 PROJECT DESCRIPTION BRIDGE NO. 29 ON NC 561
OVER LITTLE FISHING CREEK

SITE DESCRIPTION _____

CONTENTS

| <u>SHEET NO.</u> | <u>DESCRIPTION</u> |
|------------------|--------------------------|
| 1 | TITLE SHEET |
| 2 | LEGEND |
| 3 | SITE PLAN |
| 4 | PROFILE |
| 5, 6 | CROSS SECTIONS |
| 7-14 | BORE LOGS & CORE REPORTS |
| 15, 16 | CORE PHOTOGRAPHS |
| 17 | ROCK CORE TEST RESULTS |
| 18 | SITE PHOTOGRAPH |

CAUTION NOTICE

THE SUBSURFACE INFORMATION AND THE SUBSURFACE INVESTIGATION ON WHICH IT IS BASED WERE MADE FOR THE PURPOSE OF STUDY, PLANNING AND DESIGN, AND NOT FOR CONSTRUCTION OR PAY PURPOSES. THE VARIOUS FIELD BORING LOGS, ROCK CORES AND SOIL TEST DATA AVAILABLE MAY BE REVIEWED OR INSPECTED IN RALEIGH BY CONTACTING THE N. C. DEPARTMENT OF TRANSPORTATION, GEOTECHNICAL ENGINEERING UNIT AT 1919 TOT-6850. THE SUBSURFACE PLANS AND REPORTS, FIELD BORING LOGS, ROCK CORES AND SOIL TEST DATA ARE NOT PART OF THE CONTRACT.

GENERAL SOIL AND ROCK STRATA DESCRIPTIONS AND INDICATED BOUNDARIES ARE BASED ON A GEOTECHNICAL INTERPRETATION OF ALL AVAILABLE SUBSURFACE DATA AND MAY NOT NECESSARILY REFLECT THE ACTUAL SUBSURFACE CONDITIONS BETWEEN BORINGS OR BETWEEN SAMPLED STRATA WITHIN THE BOREHOLE. THE LABORATORY SAMPLE DATA AND THE IN SITU (IN-PLACE) TEST DATA CAN BE RELIED ON ONLY TO THE DEGREE OF RELIABILITY INHERENT IN THE STANDARD TEST METHOD. THE OBSERVED WATER LEVELS OR SOIL MOISTURE CONDITIONS INDICATED IN THE SUBSURFACE INVESTIGATIONS ARE AS RECORDED AT THE TIME OF THE INVESTIGATION. THESE WATER LEVELS OR SOIL MOISTURE CONDITIONS MAY VARY CONSIDERABLY WITH TIME ACCORDING TO CLIMATIC CONDITIONS INCLUDING TEMPERATURES, PRECIPITATION AND WIND, AS WELL AS OTHER NON-CLIMATIC FACTORS.

THE BIDDER OR CONTRACTOR IS CAUTIONED THAT DETAILS SHOWN ON THE SUBSURFACE PLANS ARE PRELIMINARY ONLY AND IN MANY CASES THE FINAL DESIGN DETAILS ARE DIFFERENT. FOR BIDDING AND CONSTRUCTION PURPOSES, REFER TO THE CONSTRUCTION PLANS AND DOCUMENTS FOR FINAL DESIGN INFORMATION ON THIS PROJECT. THE DEPARTMENT DOES NOT WARRANT OR GUARANTEE THE SUFFICIENCY OR ACCURACY OF THE INVESTIGATION MADE, NOR THE INTERPRETATIONS MADE, OR OPINION OF THE DEPARTMENT AS TO THE TYPE OF MATERIALS AND CONDITIONS TO BE ENCOUNTERED. THE BIDDER OR CONTRACTOR IS CAUTIONED TO MAKE SUCH INDEPENDENT SUBSURFACE INVESTIGATIONS AS HE DEEMS NECESSARY TO SATISFY HIMSELF AS TO CONDITIONS TO BE ENCOUNTERED ON THE PROJECT. THE CONTRACTOR SHALL HAVE NO CLAIM FOR ADDITIONAL COMPENSATION OR FOR AN EXTENSION OF TIME FOR ANY REASON RESULTING FROM THE ACTUAL CONDITIONS ENCOUNTERED AT THE SITE DIFFERING FROM THOSE INDICATED IN THE SUBSURFACE INFORMATION.

- NOTES:
 1. THE INFORMATION CONTAINED HEREIN IS NOT IMPLIED OR GUARANTEED BY THE N. C. DEPARTMENT OF TRANSPORTATION AS ACCURATE NOR IS IT CONSIDERED PART OF THE PLANS, SPECIFICATIONS OR CONTRACT FOR THE PROJECT.
 2. BY HAVING REQUESTED THIS INFORMATION, THE CONTRACTOR SPECIFICALLY WAIVES ANY CLAIMS FOR INCREASED COMPENSATION OR EXTENSION OF TIME BASED ON DIFFERENCES BETWEEN THE CONDITIONS INDICATED HEREIN AND THE ACTUAL CONDITIONS AT THE PROJECT SITE.

PERSONNEL

N.D. MOHS

N.T. ROBERSON

O.B. OTI

J.R. SWARTLEY

D.G. PINTER

H.R. CONLEY

J.R. MATULA

INVESTIGATED BY N.D. MOHS

DRAWN BY W.D. FIELDS

CHECKED BY N.T. ROBERSON

SUBMITTED BY N.T. ROBERSON

DATE JULY 2015



DocuSigned by:

Nathan Mohs

7/1/2015

C4CF720937E246B
SIGNATURE

DATE


REFERENCE: B-4761

PROJECT: 38533

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
GEOTECHNICAL ENGINEERING UNIT
SUBSURFACE INVESTIGATION
SOIL AND ROCK LEGEND, TERMS, SYMBOLS, AND ABBREVIATIONS

| SOIL DESCRIPTION | | | | | | | | | | GRADATION | | | | | | | | | | ROCK DESCRIPTION | | | | | | | | | | TERMS AND DEFINITIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|--|--|--|--|--|--|--|--|--|---|--|--|--|--|--|--|--|--|--|------|---------|-----------|-------------------|------|--------------|------------------|-------------|-------|----------------|------------|---------------------|--|--|--|--|--|--|--|--|--|--|------|-----------|---------------------|--------|----------------|--------------|---------------|-----------------|--------------------|------------------|-------------------|-------------------|------------------|--------------|---|--|--|--|--|--|--|--|--|--|
| SOIL IS CONSIDERED UNCONSOLIDATED, SEMI-CONSOLIDATED, OR WEATHERED EARTH MATERIALS THAT CAN BE PENETRATED WITH A CONTINUOUS FLIGHT POWER AUGER AND YIELD LESS THAN 100 BLOWS PER FOOT ACCORDING TO THE STANDARD PENETRATION TEST (AASHTO T 209, ASTM D1586). SOIL CLASSIFICATION IS BASED ON THE AASHTO SYSTEM. BASIC DESCRIPTIONS INCLUDE THE FOLLOWING: CONSISTENCY, COLOR, TEXTURE, MOISTURE, AASHTO CLASSIFICATION, AND OTHER PERTINENT FACTORS SUCH AS MINERALOGICAL COMPOSITION, ANGULARITY, STRUCTURE, PLASTICITY, ETC. FOR EXAMPLE, <i>VERY STIFF, GRAY, SILTY CLAY, MOIST WITH INTERBEDDED FINE SAND LAYERS, HIGHLY PLASTIC, A-7-6</i> | | | | | | | | | | WELL GRADED - INDICATES A GOOD REPRESENTATION OF PARTICLE SIZES FROM FINE TO COARSE. UNIFORMLY GRADED - INDICATES THAT SOIL PARTICLES ARE ALL APPROXIMATELY THE SAME SIZE. GAP-GRADED - INDICATES A MIXTURE OF UNIFORM PARTICLE SIZES OF TWO OR MORE SIZES. | | | | | | | | | | HARD ROCK IS NON-COASTAL PLAIN MATERIAL THAT WOULD YIELD SPT REFUSAL IF TESTED. AN INFERRED ROCK LINE INDICATES THE LEVEL AT WHICH NON-COASTAL PLAIN MATERIAL WOULD YIELD SPT REFUSAL. SPT REFUSAL IS PENETRATION BY A SPLIT SPOON SAMPLER EQUAL TO OR LESS THAN 0.1 FOOT PER 60 BLOWS IN NON-COASTAL PLAIN MATERIAL. THE TRANSITION BETWEEN SOIL AND ROCK IS OFTEN REPRESENTED BY A ZONE OF WEATHERED ROCK. ROCK MATERIALS ARE TYPICALLY DIVIDED AS FOLLOWS: | | | | | | | | | | ALLUVIUM (ALLUV.) - SOILS THAT HAVE BEEN TRANSPORTED BY WATER. AQUIFER - A WATER BEARING FORMATION OR STRATA. ARENACEOUS - APPLIED TO ROCKS THAT HAVE BEEN DERIVED FROM SAND OR THAT CONTAIN SAND. ARGILLACEOUS - APPLIED TO ALL ROCKS OR SUBSTANCES COMPOSED OF CLAY MINERALS, OR HAVING A NOTABLE PROPORTION OF CLAY IN THEIR COMPOSITION, SUCH AS SHALE, SLATE, ETC. ARTESIAN - GROUND WATER THAT IS UNDER SUFFICIENT PRESSURE TO RISE ABOVE THE LEVEL AT WHICH IT IS ENCOUNTERED, BUT WHICH DOES NOT NECESSARILY RISE TO OR ABOVE THE GROUND SURFACE. CALCAREOUS (CALC.) - SOILS THAT CONTAIN APPRECIABLE AMOUNTS OF CALCIUM CARBONATE. COLLUVIUM - ROCK FRAGMENTS MIXED WITH SOIL DEPOSITED BY GRAVITY ON SLOPE OR AT BOTTOM OF SLOPE. CORE RECOVERY (REC.) - TOTAL LENGTH OF ALL MATERIAL RECOVERED IN THE CORE BARREL DIVIDED BY TOTAL LENGTH OF CORE RUN AND EXPRESSED AS A PERCENTAGE. DIKE - A TABULAR BODY OF IGNEOUS ROCK THAT CUTS ACROSS THE STRUCTURE OF ADJACENT ROCKS OR CUTS MASSIVE ROCK. DIP - THE ANGLE AT WHICH A STRATUM OR ANY PLANAR FEATURE IS INCLINED FROM THE HORIZONTAL. DIP DIRECTION (DIP AZIMUTH) - THE DIRECTION OR BEARING OF THE HORIZONTAL TRACE OF THE LINE OF DIP, MEASURED CLOCKWISE FROM NORTH. FAULT - A FRACTURE OR FRACTURE ZONE ALONG WHICH THERE HAS BEEN DISPLACEMENT OF THE SIDES RELATIVE TO ONE ANOTHER PARALLEL TO THE FRACTURE. FISSILE - A PROPERTY OF SPLITTING ALONG CLOSELY SPACED PARALLEL PLANES. FLOAT - ROCK FRAGMENTS ON SURFACE NEAR THEIR ORIGINAL POSITION AND DISLOGGED FROM PARENT MATERIAL. FLOOD PLAIN (FP) - LAND BORDERING A STREAM, BUILT OF SEDIMENTS DEPOSITED BY THE STREAM. FORMATION (FM) - A MAPPABLE GEOLOGIC UNIT THAT CAN BE RECOGNIZED AND TRACED IN THE FIELD. JOINT - FRACTURE IN ROCK ALONG WHICH NO APPRECIABLE MOVEMENT HAS OCCURRED. LEDGE - A SHELF-LIKE RIDGE OR PROJECTION OF ROCK WHOSE THICKNESS IS SMALL COMPARED TO ITS LATERAL EXTENT. LENS - A BODY OF SOIL OR ROCK THAT THINS OUT IN ONE OR MORE DIRECTIONS. MOTTLED (MOT.) - IRREGULARLY MARKED WITH SPOTS OF DIFFERENT COLORS. MOTTLING IN SOILS USUALLY INDICATES POOR AERATION AND LACK OF GOOD DRAINAGE. PERCHED WATER - WATER MAINTAINED ABOVE THE NORMAL GROUND WATER LEVEL BY THE PRESENCE OF AN INTERVENING IMPERVIOUS STRATUM. RESIDUAL (RES.) SOIL - SOIL FORMED IN PLACE BY THE WEATHERING OF ROCK. ROCK QUALITY DESIGNATION (RQD) - A MEASURE OF ROCK QUALITY DESCRIBED BY TOTAL LENGTH OF ROCK SEGMENTS EQUAL TO OR GREATER THAN 4 INCHES DIVIDED BY THE TOTAL LENGTH OF CORE RUN AND EXPRESSED AS A PERCENTAGE. SAPROLITE (SAP.) - RESIDUAL SOIL THAT RETAINS THE RELIC STRUCTURE OR FABRIC OF THE PARENT ROCK. SILL - AN INTRUSIVE BODY OF IGNEOUS ROCK OF APPROXIMATELY UNIFORM THICKNESS AND RELATIVELY THIN COMPARED WITH ITS LATERAL EXTENT, THAT HAS BEEN EMPLACED PARALLEL TO THE BEDDING OR SCHISTOSITY OF THE INTRUDED ROCKS. SLICKENSIDE - POLISHED AND STRIATED SURFACE THAT RESULTS FROM FRICTION ALONG A FAULT OR SLIP PLANE. STANDARD PENETRATION TEST (PENETRATION RESISTANCE) (SPT) - NUMBER OF BLOWS (N OR BPF) OF A 140 LB. HAMMER FALLING 30 INCHES REQUIRED TO PRODUCE A PENETRATION OF 1 FOOT INTO SOIL WITH A 2 INCH OUTSIDE DIAMETER SPLIT SPOON SAMPLER. SPT REFUSAL IS PENETRATION EQUAL TO OR LESS THAN 0.1 FOOT PER 60 BLOWS. STRATA CORE RECOVERY (SREC.) - TOTAL LENGTH OF STRATA MATERIAL RECOVERED DIVIDED BY TOTAL LENGTH OF STRATUM AND EXPRESSED AS A PERCENTAGE. STRATA ROCK QUALITY DESIGNATION (SROD) - A MEASURE OF ROCK QUALITY DESCRIBED BY TOTAL LENGTH OF ROCK SEGMENTS WITHIN A STRATUM EQUAL TO OR GREATER THAN 4 INCHES DIVIDED BY THE TOTAL LENGTH OF STRATA AND EXPRESSED AS A PERCENTAGE. TOPSOIL (TS.) - SURFACE SOILS USUALLY CONTAINING ORGANIC MATTER. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SOIL LEGEND AND AASHTO CLASSIFICATION | | | | | | | | | | ANGULARITY OF GRAINS THE ANGULARITY OR ROUNDNESS OF SOIL GRAINS IS DESIGNATED BY THE TERMS: ANGULAR, SUBANGULAR, SUBROUNDED, OR ROUNDED. | | | | | | | | | | WEATHERED ROCK (WR) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MINERALOGICAL COMPOSITION MINERAL NAMES SUCH AS QUARTZ, FELDSPAR, MICA, TALC, KAOLIN, ETC. ARE USED IN DESCRIPTIONS WHEN THEY ARE CONSIDERED OF SIGNIFICANCE. | | | | | | | | | | CRYSTALLINE ROCK (CR) | | | | | | | | | | NON-CRYSTALLINE ROCK (NCR) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| COMPRESSION SLIGHTLY COMPRESSIBLE LL < 31 MODERATELY COMPRESSIBLE LL = 31 - 50 HIGHLY COMPRESSIBLE LL > 50 | | | | | | | | | | PERCENTAGE OF MATERIAL | | | | | | | | | | COASTAL PLAIN SEDIMENTARY ROCK (CP) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ORGANIC MATERIAL TRACE OF ORGANIC MATTER 2 - 3% LITTLE ORGANIC MATTER 3 - 5% MODERATELY ORGANIC 5 - 10% HIGHLY ORGANIC > 10% | | | | | | | | | | GRANULAR SOILS 2 - 3% 3 - 5% 5 - 10% > 10% | | | | | | | | | | SILT - CLAY SOILS 3 - 5% 5 - 12% 12 - 20% > 20% | | | | | | | | | | OTHER MATERIAL TRACE 1 - 10% LITTLE 10 - 20% SOME 20 - 35% HIGHLY 35% AND ABOVE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GROUND WATER WATER LEVEL IN BORE HOLE IMMEDIATELY AFTER DRILLING STATIC WATER LEVEL AFTER 24 HOURS PERCHED WATER, SATURATED ZONE, OR WATER BEARING STRATA SPRING OR SEEP | | | | | | | | | | MISCELLANEOUS SYMBOLS ROADWAY EMBANKMENT (RE) WITH SOIL DESCRIPTION SOIL SYMBOL ARTIFICIAL FILL (AF) OTHER THAN ROADWAY EMBANKMENT INFERRED SOIL BOUNDARY INFERRED ROCK LINE ALLUVIAL SOIL BOUNDARY ROADWAY EMBANKMENT (RE) WITH SOIL DESCRIPTION SOIL SYMBOL ARTIFICIAL FILL (AF) OTHER THAN ROADWAY EMBANKMENT INFERRED SOIL BOUNDARY INFERRED ROCK LINE ALLUVIAL SOIL BOUNDARY DIP & DIP DIRECTION OF ROCK STRUCTURES TEST BORING AUGER BORING CORE BORING MONITORING WELL PIEZOMETER INSTALLATION SLOPE INDICATOR INSTALLATION CONE PENETROMETER TEST SOUNDING ROD TEST BORING WITH CORE SPT N-VALUE | | | | | | | | | | FRESH ROCK FRESH, CRYSTALS BRIGHT, FEW JOINTS MAY SHOW SLIGHT STAINING. ROCK RINGS UNDER HAMMER IF CRYSTALLINE. VERY SLIGHT (V SL.) ROCK GENERALLY FRESH, JOINTS STAINED, SOME JOINTS MAY SHOW THIN CLAY COATINGS IF OPEN. CRYSTALS ON A BROKEN SPECIMEN FACE SHINE BRIGHTLY. ROCK RINGS UNDER HAMMER BLOWS IF OF A CRYSTALLINE NATURE. SLIGHT (SL.) ROCK GENERALLY FRESH, JOINTS STAINED AND DISCOLORATION EXTENDS INTO ROCK UP TO 1 INCH. OPEN JOINTS MAY CONTAIN CLAY. IN GRANITOID ROCKS SOME OCCASIONAL FELDSPAR CRYSTALS ARE DULL AND DISCOLORED. CRYSTALLINE ROCKS RING UNDER HAMMER BLOWS. MODERATE (MOD.) SIGNIFICANT PORTIONS OF ROCK SHOW DISCOLORATION AND WEATHERING EFFECTS. IN GRANITOID ROCKS, MOST FELDSPARS ARE DULL AND DISCOLORED, SOME SHOW CLAY. ROCK HAS DULL SOUND UNDER HAMMER BLOWS AND SHOWS SIGNIFICANT LOSS OF STRENGTH AS COMPARED WITH FRESH ROCK. MODERATELY SEVERE (MOD. SEV.) ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. IN GRANITOID ROCKS, ALL FELDSPARS DULL AND DISCOLORED AND A MAJORITY SHOW KAOLINIZATION. ROCK SHOWS SEVERE LOSS OF STRENGTH AND CAN BE EXCAVATED WITH A GEOLOGIST'S PICK. ROCK GIVES "CLUNK" SOUND WHEN STRUCK. <i>IF TESTED, WOULD YIELD SPT REFUSAL</i> SEVERE (SEV.) ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. ROCK FABRIC CLEAR AND EVIDENT BUT REDUCED IN STRENGTH TO STRONG SOIL. IN GRANITOID ROCKS ALL FELDSPARS ARE KAOLINIZED TO SOME EXTENT. SOME FRAGMENTS OF STRONG ROCK USUALLY REMAIN. <i>IF TESTED, WOULD YIELD SPT N VALUES > 100 BPF</i> VERY SEVERE (V SEV.) ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. ROCK FABRIC ELEMENTS ARE DISCERNIBLE BUT MASS IS EFFECTIVELY REDUCED TO SOIL STATUS, WITH ONLY FRAGMENTS OF STRONG ROCK REMAINING. SAPROLITE IS AN EXAMPLE OF ROCK WEATHERED TO A DEGREE THAT ONLY MINOR VESTIGES OF ORIGINAL ROCK FABRIC REMAIN. <i>IF TESTED, WOULD YIELD SPT N VALUES < 100 BPF</i> COMPLETE ROCK REDUCED TO SOIL. ROCK FABRIC NOT DISCERNIBLE, OR DISCERNIBLE ONLY IN SMALL AND SCATTERED CONCENTRATIONS. QUARTZ MAY BE PRESENT AS DIKES OR STRINGERS. SAPROLITE IS ALSO AN EXAMPLE. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TEXTURE OR GRAIN SIZE | | | | | | | | | | RECOMMENDATION SYMBOLS UNDERCUT EXCAVATION UNCLASSIFIED EXCAVATION - UNSUITABLE WASTE SHALLOW UNDERCUT UNCLASSIFIED EXCAVATION - ACCEPTABLE DEGRADABLE ROCK | | | | | | | | | | ABBREVIATIONS AR - AUGER REFUSAL BT - BORING TERMINATED CL - CLAY CPT - COARSE PENETRATION TEST CSE - COARSE DMT - DILATOMETER TEST DPT - DYNAMIC PENETRATION TEST e - VOID RATIO F - FINE FOSS. - FOSSILIFEROUS FRAC. - FRACTURED, FRACTURES FRAGS. - FRAGMENTS HI. - HIGHLY MED. - MEDIUM MICA - MICACEOUS MOD. - MODERATELY NP - NON PLASTIC ORG. - ORGANIC PMT - PRESSUREMETER TEST SAP. - SAPROLITIC SD. - SAND, SANDY SL. - SILT, SILTY SLI. - SLIGHTLY TCR - TRICONE REFUSAL w - MOISTURE CONTENT V - VERY VST - VANE SHEAR TEST WE. - WEATHERED w - UNIT WEIGHT w _d - DRY UNIT WEIGHT SAMPLE ABBREVIATIONS S - BULK SS - SPLIT SPOON ST - SHELBY TUBE RS - ROCK RT - RECOMPACTED TRIAXIAL CBR - CALIFORNIA BEARING RATIO | | | | | | | | | | VERY HARD CANNOT BE SCRATCHED BY KNIFE OR SHARP PICK. BREAKING OF HAND SPECIMENS REQUIRES SEVERAL HARD BLOWS OF THE GEOLOGIST'S PICK. HARD CAN BE SCRATCHED BY KNIFE OR PICK ONLY WITH DIFFICULTY. HARD HAMMER BLOWS REQUIRED TO DETACH HAND SPECIMEN. MODERATELY HARD CAN BE SCRATCHED BY KNIFE OR PICK. GOUGES OR GROOVES TO 0.25 INCHES DEEP CAN BE EXCAVATED BY HARD BLOW OF A GEOLOGIST'S PICK. HAND SPECIMENS CAN BE DETACHED BY MODERATE BLOWS. MEDIUM HARD CAN BE GROOVED OR GOUGED 0.05 INCHES DEEP BY FIRM PRESSURE OF KNIFE OR PICK POINT. CAN BE EXCAVATED IN SMALL CHIPS TO PIECES 1 INCH MAXIMUM SIZE BY HARD BLOWS OF THE POINT OF A GEOLOGIST'S PICK. SOFT CAN BE GROOVED OR GOUGED READILY BY KNIFE OR PICK. CAN BE EXCAVATED IN FRAGMENTS FROM CHIPS TO SEVERAL INCHES IN SIZE BY MODERATE BLOWS OF A PICK POINT. SMALL, THIN PIECES CAN BE BROKEN BY FINGER PRESSURE. VERY SOFT CAN BE CARVED WITH KNIFE. CAN BE EXCAVATED READILY WITH POINT OF PICK. PIECES 1 INCH OR MORE IN THICKNESS CAN BE BROKEN BY FINGER PRESSURE. CAN BE SCRATCHED READILY BY FINGERNAIL. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CONSISTENCY OR DENSENESS | | | | | | | | | | | | | | | | | | | | ROCK HARDNESS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GENERAL VERY LOOSE 4 TO 10 MEDIUM DENSE 10 TO 30 DENSE 30 TO 50 VERY DENSE > 50 | | | | | | | | | | RANGE OF STANDARD PENETRATION RESISTANCE (N-VALUE) < 4 4 TO 10 10 TO 30 30 TO 50 > 50 | | | | | | | | | | RANGE OF UNCONFINED COMPRESSIVE STRENGTH (TONS/FT²) N/A | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GENERAL VERY SOFT 2 TO 4 SOFT 4 TO 8 MEDIUM STIFF 8 TO 15 STIFF 15 TO 30 VERY STIFF > 30 | | | | | | | | | | RANGE OF UNCONFINED COMPRESSIVE STRENGTH (TONS/FT²) < 0.25 0.25 TO 0.5 0.5 TO 1.0 1 TO 2 2 TO 4 > 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| U.S. STD. SIEVE SIZE OPENING (MM) 4 10 40 60 200 270 (INCH) 0.15 0.425 1.65 2.4 0.85 1.06 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BOULDER (BLDR.) COBBLE (COB.) GRAVEL (GR.) COARSE SAND (CSE, SD.) FINE SAND (F SD.) SILT (SL.) CLAY (CL.) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GRAIN SIZE MM 305 75 2.0 0.25 0.05 0.005 IN. 12 3 0.075 0.01 0.002 0.0002 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SOIL MOISTURE - CORRELATION OF TERMS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SOIL MOISTURE SCALE (ATTERBERG LIMITS) | | | | | | | | | | FIELD MOISTURE DESCRIPTION | | | | | | | | | | GUIDE FOR FIELD MOISTURE DESCRIPTION | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| LL - LIQUID LIMIT PL - PLASTIC LIMIT OM - OPTIMUM MOISTURE SHRINKAGE LIMIT | | | | | | | | | | - SATURATED - (SAT.) - WET - (W) - MOIST - (M) - DRY - (D) | | | | | | | | | | USUALLY LIQUID; VERY WET, USUALLY FROM BELOW THE GROUND WATER TABLE SEMISOLID; REQUIRES DRYING TO ATTAIN OPTIMUM MOISTURE SOLID; AT OR NEAR OPTIMUM MOISTURE REQUIRES ADDITIONAL WATER TO ATTAIN OPTIMUM MOISTURE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| PLASTICITY | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NON PLASTIC SLIGHTLY PLASTIC MODERATELY PLASTIC HIGHLY PLASTIC | | | | | | | | | | PLASTICITY INDEX (PI) 0-5 6-15 16-25 26 OR MORE | | | | | | | | | | DRY STRENGTH VERY LOW SLIGHT MEDIUM HIGH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| COLOR | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DESCRIPTIONS MAY INCLUDE COLOR OR COLOR COMBINATIONS (TAN, RED, YELLOW-BROWN, BLUE-GRAY). MODIFIERS SUCH AS LIGHT, DARK, STREAKED, ETC. ARE USED TO DESCRIBE APPEARANCE. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DRILL UNITS: <input type="checkbox"/> CME-45C <input checked="" type="checkbox"/> CME-55 <input type="checkbox"/> CME-550 <input type="checkbox"/> VANE SHEAR TEST <input type="checkbox"/> PORTABLE HOIST | | | | | | | | | | ADVANCING TOOLS: <input type="checkbox"/> CLAY BITS <input type="checkbox"/> 6" CONTINUOUS FLIGHT AUGER <input checked="" type="checkbox"/> 8" HOLLOW AUGERS <input type="checkbox"/> HARD FACED FINGER BITS <input type="checkbox"/> TUNG-CARBIDE INSERTS <input checked="" type="checkbox"/> CASING <input checked="" type="checkbox"/> w/ ADVANCER <input type="checkbox"/> TRICONE * STEEL TEETH <input type="checkbox"/> TRICONE * TUNG.-CARB. <input checked="" type="checkbox"/> CORE BIT | | | | | | | | | | HAMMER TYPE: <input checked="" type="checkbox"/> AUTOMATIC <input type="checkbox"/> MANUAL CORE SIZE: <input type="checkbox"/> -B <input type="checkbox"/> -H <input checked="" type="checkbox"/> -N WC3 HAND TOOLS: <input type="checkbox"/> POST HOLE DIGGER <input type="checkbox"/> HAND AUGER <input type="checkbox"/> SOUNDING ROD <input type="checkbox"/> VANE SHEAR TEST | | | | | | | | | | FRACATURE SPACING <table border="1"> <tr><th>TERM</th><th>SPACING</th></tr> <tr><td>VERY WIDE</td><td>MORE THAN 10 FEET</td></tr> <tr><td>WIDE</td><td>3 TO 10 FEET</td></tr> <tr><td>MODERATELY CLOSE</td><td>1 TO 3 FEET</td></tr> <tr><td>CLOSE</td><td>0.16 TO 1 FOOT</td></tr> <tr><td>VERY CLOSE</td><td>LESS THAN 0.16 FEET</td></tr> </table> | | | | | | | | | | TERM | SPACING | VERY WIDE | MORE THAN 10 FEET | WIDE | 3 TO 10 FEET | MODERATELY CLOSE | 1 TO 3 FEET | CLOSE | 0.16 TO 1 FOOT | VERY CLOSE | LESS THAN 0.16 FEET | BEDDING <table border="1"> <tr><th>TERM</th><th>THICKNESS</th></tr> <tr><td>VERY THICKLY BEDDED</td><td>4 FEET</td></tr> <tr><td>THICKLY BEDDED</td><td>1.5 - 4 FEET</td></tr> <tr><td>THINLY BEDDED</td><td>0.16 - 1.5 FEET</td></tr> <tr><td>VERY THINLY BEDDED</td><td>0.03 - 0.16 FEET</td></tr> <tr><td>THICKLY LAMINATED</td><td>0.008 - 0.03 FEET</td></tr> <tr><td>THINLY LAMINATED</td><td>< 0.008 FEET</td></tr> </table> | | | | | | | | | | TERM | THICKNESS | VERY THICKLY BEDDED | 4 FEET | THICKLY BEDDED | 1.5 - 4 FEET | THINLY BEDDED | 0.16 - 1.5 FEET | VERY THINLY BEDDED | 0.03 - 0.16 FEET | THICKLY LAMINATED | 0.008 - 0.03 FEET | THINLY LAMINATED | < 0.008 FEET | BENCH MARK: ELEVATION: _____ FEET | | | | | | | | | |
| TERM | SPACING | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VERY WIDE | MORE THAN 10 FEET | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WIDE | 3 TO 10 FEET | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MODERATELY CLOSE | 1 TO 3 FEET | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CLOSE | 0.16 TO 1 FOOT | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VERY CLOSE | LESS THAN 0.16 FEET | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TERM | THICKNESS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VERY THICKLY BEDDED | 4 FEET | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| THICKLY BEDDED | 1.5 - 4 FEET | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| THINLY BEDDED | 0.16 - 1.5 FEET | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VERY THINLY BEDDED | 0.03 - 0.16 FEET | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| THICKLY LAMINATED | 0.008 - 0.03 FEET | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| THINLY LAMINATED | < 0.008 FEET | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NOTES: BORING ELEVATIONS FROM NCDOT .tin FILE DATED 1/8/2013. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| INDURATION FOR SEDIMENTARY ROCKS, INDURATION IS THE HARDENING OF MATERIAL BY CEMENTING, HEAT, PRESSURE, ETC. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| FRIABLE RUBBING WITH FINGER FREES NUMEROUS GRAINS; GENTLE BLOW BY HAMMER DISINTEGRATES SAMPLE. | | | | | | | | | | MODERATELY INDURATED GRAINS CAN BE SEPARATED FROM SAMPLE WITH STEEL PROBE; BREAKS EASILY WHEN HIT WITH HAMMER. | | | | | | | | | | INDURATED GRAINS ARE DIFFICULT TO SEPARATE WITH STEEL PROBE; DIFFICULT TO BREAK WITH HAMMER. | | | | | | | | | | EXTREMELY INDURATED SHARP HAMMER BLOWS REQUIRED TO BREAK SAMPLE; SAMPLE BREAKS ACROSS GRAINS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | |
|--|------------------|
| PROJECT REFERENCE NO. | SHEET NO. |
| B-4761 | 3 |
| SITE PLAN | |
| 0 50 100 FEET | |



17

20

23

WOODS

WOODS


WOODS

WOODS

LITTLE FISHING CREEK


LITTLE FISHING CREEK

BM#2
 -BL- STA. 16+07.72
 16.22' LT
 ELEV.=164.68'



SKEW = 90°


| | | |
|------------------------------|-----------------------|-------|
| | PROJECT REFERENCE NO. | SHEET |
| | B-4761 | 4 |
| PROFILE OF BORINGS ALONG -L- | | |





(A) ROADWAY EMBANKMENT, TAN AND ORANGE, MOIST, LOOSE, SILTY SAND AND SOFT, SANDY SILT

(B) ROADWAY EMBANKMENT, TAN, MOIST, LOOSE, SILTY SAND


NOTE: GROUNDLINE AT CENTER OF -L- TAKEN FROM NCDOT ROADWAY FILE B4761 RDY PSH PFL.DGN DATED 4/21/2014.




NOTE: CROSS SECTION GROUNDLINE AT 19+06 CUT BY GEU FROM NCDOT ROADWAY .JIN FILE DATED 1/8/2013.




NOTE: CROSS SECTION GROUNDLINE AT 19+61 CUT BY GEU FROM NCDOT ROADWAY .JIN FILE DATED 1/8/2013.



| | |
|-----------------------|-------|
| PROJECT REFERENCE NO. | SHEET |
| B-4761 | 5 |



VE = 1:1



VE = 1:1

NCDOT GEOTECHNICAL ENGINEERING UNIT
BORELOG REPORT

| | | | |
|--|---------------------|-------------------------|---------------------------|
| WBS 38533.1.1 | TIP B-4761 | COUNTY HALIFAX | GEOLOGIST Swartley, J. R. |
| SITE DESCRIPTION BRIDGE NO. 29 ON NC 561 OVER LITTLE FISHING CREEK | | | GROUND WTR (ft) |
| BORING NO. EB1-A | STATION 19+06 | OFFSET 9 ft LT | ALIGNMENT -L- |
| COLLAR ELEV. 171.2 ft | TOTAL DEPTH 28.5 ft | NORTHING 922,175 | EASTING 2,321,596 |
| DRILL RIG/HAMMER EFF./DATE RFO0074 CME-55 92% 07/12/2011 | | | DRILL METHOD H.S. Augers |
| DRILLER Conley, H. R. | | | HAMMER TYPE Automatic |
| START DATE 06/05/14 | COMP. DATE 06/05/14 | SURFACE WATER DEPTH N/A | |

| ELEV (ft) | DRIVE ELEV (ft) | DEPTH (ft) | BLOW COUNT | | | BLOWS PER FOOT | | | | | SAMP. NO. | LOG | SOIL AND ROCK DESCRIPTION | DEPTH (ft) | |
|-----------|-----------------|------------|------------|-------|-------|----------------|----|----|----|-----|-----------|-----|---------------------------|---|------|
| | | | 0.5ft | 0.5ft | 0.5ft | 0 | 25 | 50 | 75 | 100 | | | | | |
| 175 | | | | | | | | | | | | | | | |
| 170 | 169.8 | 1.4 | 2 | 2 | 2 | | | | | | | | M | 171.2 GROUND SURFACE ROADWAY EMBANKMENT TAN, SILTY SAND | 0.0 |
| | 167.8 | 3.4 | 2 | 2 | 2 | | | | | | | | M | 168.2 ORANGE, SANDY SILT | 3.0 |
| 165 | | | | | | | | | | | | | M | 164.5 ALLUVIAL ORANGE, SANDY CLAY | 6.7 |
| | 162.8 | 8.4 | 2 | 1 | 2 | | | | | | | | M | | |
| 160 | | | | | | | | | | | | | ▽ | | |
| | 157.8 | 13.4 | 2 | 1 | 2 | | | | | | | | Sat. | 156.8 GRAY, SILTY SAND | 14.4 |
| 155 | | | | | | | | | | | | | W | 154.5 GRAY, SANDY SILT | 16.7 |
| | 152.8 | 18.4 | WOH | WOH | WOH | | | | | | | | W | | |
| 150 | | | | | | | | | | | | | Sat. | 146.8 GRAY, COARSE SAND WITH GRAVEL | 24.4 |
| | 147.8 | 23.4 | 1 | 3 | 7 | | | | | | | | Sat. | 145.6 WEATHERED ROCK (SCHIST) | 25.6 |
| 145 | | | | | | | | | | | | | | 142.8 CRYSTALLINE ROCK (SCHIST) | 28.4 |
| | 142.8 | 28.4 | 60/0.1 | | | | | | | | | | | 142.7 CRYSTALLINE ROCK (SCHIST) | 28.5 |

Boring Terminated with Standard Penetration Test Refusal at Elevation 142.7 ft IN CRYSTALLINE ROCK (SCHIST)
 *ELEVATION FROM NCDOT .TIN FILE DATED 1/8/2013

| | | | |
|--|---------------------|-------------------------|---------------------------|
| WBS 38533.1.1 | TIP B-4761 | COUNTY HALIFAX | GEOLOGIST Swartley, J. R. |
| SITE DESCRIPTION BRIDGE NO. 29 ON NC 561 OVER LITTLE FISHING CREEK | | | GROUND WTR (ft) |
| BORING NO. EB1-B | STATION 19+07 | OFFSET 10 ft RT | ALIGNMENT -L- |
| COLLAR ELEV. 171.1 ft | TOTAL DEPTH 28.5 ft | NORTHING 922,158 | EASTING 2,321,605 |
| DRILL RIG/HAMMER EFF./DATE RFO0074 CME-55 92% 07/12/2011 | | | DRILL METHOD H.S. Augers |
| DRILLER Conley, H. R. | | | HAMMER TYPE Automatic |
| START DATE 06/06/14 | COMP. DATE 06/06/14 | SURFACE WATER DEPTH N/A | |

| ELEV (ft) | DRIVE ELEV (ft) | DEPTH (ft) | BLOW COUNT | | | BLOWS PER FOOT | | | | | SAMP. NO. | LOG | SOIL AND ROCK DESCRIPTION | DEPTH (ft) | |
|-----------|-----------------|------------|------------|-------|-------|----------------|----|----|----|-----|-----------|-----|---------------------------|---|------|
| | | | 0.5ft | 0.5ft | 0.5ft | 0 | 25 | 50 | 75 | 100 | | | | | |
| 175 | | | | | | | | | | | | | | | |
| 170 | 169.7 | 1.4 | 2 | 2 | 2 | | | | | | | | M | 171.1 GROUND SURFACE ROADWAY EMBANKMENT TAN, SILTY SAND | 0.0 |
| | 167.7 | 3.4 | 1 | 1 | 2 | | | | | | | | M | 168.1 ORANGE, CLAYEY SAND | 3.0 |
| 165 | | | | | | | | | | | | | Sat. | 164.4 ALLUVIAL GRAY, CLAYEY SAND | 6.7 |
| | 162.7 | 8.4 | 2 | 1 | 3 | | | | | | | | Sat. | | |
| 160 | | | | | | | | | | | | | ▽ | | |
| | 157.7 | 13.4 | 2 | 2 | 1 | | | | | | | | Sat. | 157.1 GRAY, SILTY SAND | 14.0 |
| 155 | | | | | | | | | | | | | Sat. | | |
| | 152.7 | 18.4 | 4 | 2 | 2 | | | | | | | | Sat. | 149.4 ORANGE, SANDY CLAY | 21.7 |
| 150 | | | | | | | | | | | | | W | | |
| | 147.7 | 23.4 | 1 | 0 | 1 | | | | | | | | W | | |
| 145 | | | | | | | | | | | | | | 143.1 WEATHERED ROCK (SCHIST) | 28.0 |
| | 142.7 | 28.4 | 60/0.1 | | | | | | | | | | | 142.7 CRYSTALLINE ROCK (SCHIST) | 28.4 |
| | | | | | | | | | | | | | | 142.6 CRYSTALLINE ROCK (SCHIST) | 28.5 |

Boring Terminated with Standard Penetration Test Refusal at Elevation 142.6 ft IN CRYSTALLINE ROCK (SCHIST)
 *ELEVATION FROM NCDOT .TIN FILE DATED 1/8/2013

NCDOT BORE DOUBLE B4761_GEO_BH_BRDG0029.GPJ NC_DOT.GDT 4/2/15

NCDOT GEOTECHNICAL ENGINEERING UNIT
BORELOG REPORT

| | | | |
|--|---------------------|-------------------------------------|---------------------------|
| WBS 38533.1.1 | TIP B-4761 | COUNTY HALIFAX | GEOLOGIST Roberson, N. T. |
| SITE DESCRIPTION BRIDGE NO. 29 ON NC 561 OVER LITTLE FISHING CREEK | | | GROUND WTR (ft) |
| BORING NO. B1-A | STATION 19+61 | OFFSET 6 ft LT | ALIGNMENT -L- |
| COLLAR ELEV. 152.3 ft | TOTAL DEPTH 27.3 ft | NORTHING 922,195 | EASTING 2,321,648 |
| DRILL RIG/HAMMER EFF./DATE RFO0074 CME-55 92% 07/12/2011 | | DRILL METHOD NW Casing W/SPT & Core | HAMMER TYPE Automatic |
| DRILLER Conley, H. R. | START DATE 06/18/14 | COMP. DATE 06/18/14 | SURFACE WATER DEPTH N/A |

| ELEV (ft) | DRIVE ELEV (ft) | DEPTH (ft) | BLOW COUNT | | | BLOWS PER FOOT | | | | | SAMP. NO. | LOG | SOIL AND ROCK DESCRIPTION | DEPTH (ft) | |
|-----------|-----------------|------------|------------|-------|--------|----------------|----|----|----|-----|-----------|-----|---------------------------|--|------|
| | | | 0.5ft | 0.5ft | 0.5ft | 0 | 25 | 50 | 75 | 100 | | | | | |
| 155 | | | | | | | | | | | | | | | |
| 152.3 | 152.3 | 0.0 | 4 | 3 | 2 | | | | | | | | 152.3 | GROUND SURFACE | 0.0 |
| 150 | | | | | | | | | | | | | 149.8 | ALLUVIAL GRAY, SANDY SILT | 2.5 |
| 146.6 | 146.6 | 5.7 | 16 | 21 | 79/0.3 | | | | | | | | 146.1 | GRAY, COARSE TO SILTY SAND | 6.2 |
| 145 | | | | | | | | | | | | | 141.8 | WEATHERED ROCK (SCHIST) | 10.5 |
| 141.6 | 141.6 | 10.7 | 60/0.0 | | | | | | | | | | 141.6 | CRYSTALLINE ROCK (SCHIST) | 10.7 |
| 140 | | | | | | | | | | | | | | GRAY-GREEN, FRESH TO SLIGHTLY WEATHERED, HARD TO VERY HARD, CLOSE TO WIDE FRACTURE SPACING, SCHIST | |
| 135 | | | | | | | | | | | | | | REC=99% RQD=45% RMR=52 | |
| 130 | | | | | | | | | | | | | | | |
| 125 | | | | | | | | | | | | | | | |

Boring Terminated at Elevation 125.0 ft IN CRYSTALLINE ROCK (SCHIST)
*ELEVATION FROM NCDOT .TIN FILE DATED 1/8/2013

NCDOT BORE DOUBLE B4761_GEO_BH_BRDG0029.GPJ NC_DOT.GDT 4/2/15

NCDOT GEOTECHNICAL ENGINEERING UNIT
CORE BORING REPORT

| | | | |
|--|---------------------|-------------------------------------|---------------------------|
| WBS 38533.1.1 | TIP B-4761 | COUNTY HALIFAX | GEOLOGIST Roberson, N. T. |
| SITE DESCRIPTION BRIDGE NO. 29 ON NC 561 OVER LITTLE FISHING CREEK | | | GROUND WTR (ft) |
| BORING NO. B1-A | STATION 19+61 | OFFSET 6 ft LT | ALIGNMENT -L- |
| COLLAR ELEV. 152.3 ft | TOTAL DEPTH 27.3 ft | NORTHING 922,195 | EASTING 2,321,648 |
| DRILL RIG/HAMMER EFF./DATE RFO0074 CME-55 92% 07/12/2011 | | DRILL METHOD NW Casing W/SPT & Core | HAMMER TYPE Automatic |
| DRILLER Conley, H. R. | START DATE 06/18/14 | COMP. DATE 06/18/14 | SURFACE WATER DEPTH N/A |

| ELEV (ft) | RUN ELEV (ft) | DEPTH (ft) | RUN (ft) | DRILL RATE (Min/ft) | RUN | | SAMP. NO. | STRATA | | LOG | DESCRIPTION AND REMARKS | DEPTH (ft) | |
|-----------|---------------|------------|----------|--|---------------|--------------|----------------------|---------------|--------------|-----|-------------------------|--|------|
| | | | | | REC. (%) | RQD (%) | | REC. (%) | RQD (%) | | | | |
| 141.6 | | | | | | | | | | | Begin Coring @ 10.7 ft | | |
| 140 | 141.6 | 10.7 | 1.6 | N=60/0.0 1:44/0.6 1:44/0.6 1:26/1.0 1:27/1.0 1:21/1.0 1:28/1.0 1:10/1.0 1:04/1.0 | (1.6) 100% | (0.6) 38% | RS-1 | (16.4) 99% | (7.5) 45% | | 141.6 | GRAY-GREEN, FRESH TO SLIGHTLY WEATHERED, HARD TO VERY HARD, CLOSE TO WIDE FRACTURE SPACING, SCHIST REC=99% RQD=45% RMR=52 | 10.7 |
| 135 | 135.0 | 17.3 | 5.0 | 1:25/1.0 1:18/1.0 1:06/1.0 1:16/1.0 0:56/1.0 | (4.8) 96% | (2.9) 58% | RS-2 RS-3 RS-4 | | | | | | |
| 130 | 130.0 | 22.3 | 5.0 | 2:04/1.0 1:19/1.0 1:32/1.0 1:17/1.0 1:22/1.0 | (5.0) 100% | (1.0) 20% | | | | | | | |
| 125 | 125.0 | 27.3 | | | | | | | | | | | |

Boring Terminated at Elevation 125.0 ft IN CRYSTALLINE ROCK (SCHIST)
*ELEVATION FROM NCDOT .TIN FILE DATED 1/8/2013

NCDOT CORE DOUBLE B4761_GEO_BH_BRDG0029.GPJ NC_DOT.GDT 4/2/15

| WBS 38533.1.1 | | TIP B-4761 | | COUNTY HALIFAX | | GEOLOGIST Swartley, J. R. | | | | | | | | |
|--|-----------------|---------------------|------------|-------------------------------|--------|---------------------------|-----------------|----|----|-----|-----------|-----|---------------------------|---|
| SITE DESCRIPTION BRIDGE NO. 29 ON NC 561 OVER LITTLE FISHING CREEK | | | | | | | GROUND WTR (ft) | | | | | | | |
| BORING NO. B1-B | | STATION 19+61 | | OFFSET 7 ft RT | | ALIGNMENT -L- | | | | | | | | |
| COLLAR ELEV. 152.8 ft | | TOTAL DEPTH 10.0 ft | | NORTHING 922,183 | | EASTING 2,321,653 | | | | | | | | |
| DRILLER HAMMER EFF. DATE RFO0074 CME-55 92% 07/12/2011 | | | | DRILL METHOD NW Casing w/ SPT | | HAMMER TYPE Automatic | | | | | | | | |
| DRILLER Conley, H. R. | | START DATE 06/09/14 | | COMP. DATE 06/09/14 | | SURFACE WATER DEPTH N/A | | | | | | | | |
| ELEV (ft) | DRIVE ELEV (ft) | DEPTH (ft) | BLOW COUNT | | | BLOWS PER FOOT | | | | | SAMP. NO. | LOG | SOIL AND ROCK DESCRIPTION | |
| | | | 0.5ft | 0.5ft | 0.5ft | 0 | 25 | 50 | 75 | 100 | | | | |
| 155 | | | | | | | | | | | | | | |
| | 152.8 | 0.0 | 1 | 1 | 2 | 3 | | | | | | | 152.8 | GROUND SURFACE 0.0 |
| 150 | | | | | | | | | | | | | | ALLUVIAL GRAY AND TAN, SANDY SILT |
| | 147.8 | 5.0 | 11 | 68 | 32/0.3 | | | | | | | | 147.3 | 5.5 |
| 145 | | | | | | | | | | | | | | WEATHERED ROCK (SCHIST) |
| | 142.8 | 10.0 | 60/0.0 | | | | | | | | | | 142.8 | 10.0 |
| | | | | | | | | | | | | | | Boring Terminated with Standard Penetration Test Refusal at Elevation 142.8 ft ON CRYSTALLINE ROCK (SCHIST) *ELEVATION FROM NCDOT .TIN FILE DATED 1/8/2013 |



NCDOT GEOTECHNICAL ENGINEERING UNIT BORELOG REPORT

| | | | |
|--|---------------------|-------------------------------------|-------------------------|
| WBS 38533.1.1 | TIP B-4761 | COUNTY HALIFAX | GEOLOGIST Mohs, N. D. |
| SITE DESCRIPTION BRIDGE NO. 29 ON NC 561 OVER LITTLE FISHING CREEK | | | GROUND WTR (ft) |
| BORING NO. 2011_LT | STATION 20+11 | OFFSET 6 ft LT | ALIGNMENT -L- |
| COLLAR ELEV. 153.7 ft | TOTAL DEPTH 36.0 ft | NORTHING 922,216 | EASTING 2,321,693 |
| DRILL RIG/HAMMER EFF./DATE RFO0074 CME-55 92% 07/12/2011 | | DRILL METHOD NW Casing W/SPT & Core | HAMMER TYPE Automatic |
| DRILLER Conley, H. R. | START DATE 06/16/14 | COMP. DATE 06/17/14 | SURFACE WATER DEPTH N/A |

| ELEV (ft) | DRIVE ELEV (ft) | DEPTH (ft) | BLOW COUNT | | | BLOWS PER FOOT | | | | | SAMP. NO. | LOG | SOIL AND ROCK DESCRIPTION | DEPTH (ft) |
|-----------|-----------------|------------|------------|-------|--------|----------------|----|----|----|-----|--------------|-----|---|------------|
| | | | 0.5ft | 0.5ft | 0.5ft | 0 | 25 | 50 | 75 | 100 | | | | |
| 155 | 153.7 | 0.0 | 1 | 0 | 0 | | | | | | | | GROUND SURFACE | 0.0 |
| 150 | 149.3 | 4.4 | 3 | 45 | 55/0.3 | | | | | | | | ALLUVIAL GRAY, SILTY SAND | 4.9 |
| 145 | 144.3 | 9.4 | | | | | | | | | | | WEATHERED ROCK (SCHIST) | |
| 140 | 139.3 | 14.4 | | | | | | | | | | | | |
| 135 | 134.3 | 19.4 | | | | | | | | | | | | |
| 130 | | | | | | | | | | | RS-5 RS-6 | | CRYSTALLINE ROCK GRAY-GREEN, FRESH TO SLIGHTLY WEATHERED, HARD TO VERY HARD, CLOSE TO WIDE FRACTURE SPACING, SCHIST REC=99% RQD=77% RMR=58 | 19.4 |
| 125 | | | | | | | | | | | RS-7 | | | |
| 120 | | | | | | | | | | | RS-8 | | | |
| | | | | | | | | | | | | | Boring Terminated at Elevation 117.7 ft IN CRYSTALLINE ROCK (SCHIST) *ELEVATION FROM NCDOT .TIN FILE DATED 1/8/2013. BORING BASED ON PREVIOUS DESIGN. | 36.0 |

NCDOT BORE DOUBLE B4761_GEO_BH_BRDG0029.GPJ NC_DOT.GDT 4/2/15



NCDOT GEOTECHNICAL ENGINEERING UNIT CORE BORING REPORT

| | | | |
|--|---------------------|-------------------------------------|-------------------------|
| WBS 38533.1.1 | TIP B-4761 | COUNTY HALIFAX | GEOLOGIST Mohs, N. D. |
| SITE DESCRIPTION BRIDGE NO. 29 ON NC 561 OVER LITTLE FISHING CREEK | | | GROUND WTR (ft) |
| BORING NO. 2011_LT | STATION 20+11 | OFFSET 6 ft LT | ALIGNMENT -L- |
| COLLAR ELEV. 153.7 ft | TOTAL DEPTH 36.0 ft | NORTHING 922,216 | EASTING 2,321,693 |
| DRILL RIG/HAMMER EFF./DATE RFO0074 CME-55 92% 07/12/2011 | | DRILL METHOD NW Casing W/SPT & Core | HAMMER TYPE Automatic |
| DRILLER Conley, H. R. | START DATE 06/16/14 | COMP. DATE 06/17/14 | SURFACE WATER DEPTH N/A |

| ELEV (ft) | RUN ELEV (ft) | DEPTH (ft) | RUN (ft) | DRILL RATE (Min/ft) | RUN | | SAMP. NO. | STRATA | | LOG | DESCRIPTION AND REMARKS | DEPTH (ft) |
|-----------|---------------|------------|----------|--|----------|---------|-----------|----------|---------|-----|---|------------|
| | | | | | REC. (%) | RQD (%) | | REC. (%) | RQD (%) | | | |
| 134.3 | 134.3 | 19.4 | 1.6 | N=60/0.0 1:45/1.0 55/0.6 | (1.6) | (1.2) | RS-5 | (16.4) | (12.7) | | Begin Coring @ 19.4 ft | 19.4 |
| 130 | 132.7 | 21.0 | 5.0 | 1:30/1.0 1:05/1.0 1:17/1.0 1:29/1.0 1:18/1.0 | (4.8) | (4.0) | RS-6 | 99% | 80% | | CRYSTALLINE ROCK GRAY-GREEN, FRESH TO SLIGHTLY WEATHERED, HARD TO VERY HARD, CLOSE TO WIDE FRACTURE SPACING, SCHIST REC=99% RQD=77% RMR=58 | |
| 125 | 127.7 | 26.0 | 5.0 | 1:55/1.0 2:05/1.0 1:48/1.0 1:35/1.0 1:13/1.0 | (5.0) | (2.1) | RS-7 | | | | | |
| 120 | 122.7 | 31.0 | 5.0 | 1:42/1.0 1:14/1.0 2:10/1.0 1:47/1.0 1:44/1.0 | (5.0) | (3.2) | RS-8 | | | | | |
| | 117.7 | 36.0 | | | | | | | | | Boring Terminated at Elevation 117.7 ft IN CRYSTALLINE ROCK (SCHIST) *ELEVATION FROM NCDOT .TIN FILE DATED 1/8/2013. BORING BASED ON PREVIOUS DESIGN. | 36.0 |

NCDOT CORE DOUBLE B4761_GEO_BH_BRDG0029.GPJ NC_DOT.GDT 4/2/15

| WBS 38533.1.1 | | TIP B-4761 | | COUNTY HALIFAX | | GEOLOGIST Swartley, J. R. | | | | | | | | |
|--|-----------------|---------------------|------------|--------------------------------|-------|---------------------------|-----------------|----|----|-----|-----------|-----|---------------------------|--|
| SITE DESCRIPTION BRIDGE NO. 29 ON NC 561 OVER LITTLE FISHING CREEK | | | | | | | GROUND WTR (ft) | | | | | | | |
| BORING NO. 2011_RT | | STATION 20+11 | | OFFSET 8 ft RT | | ALIGNMENT -L- | 0 HR. N/A | | | | | | | |
| COLLAR ELEV. 153.1 ft | | TOTAL DEPTH 24.4 ft | | NORTHING 922,204 | | EASTING 2,321,699 | 24 HR. 1.0 | | | | | | | |
| DRILLER HAMMER EFF. DATE RFO0074 CME-55 92% 07/12/2011 | | | | DRILL METHOD NW Casting w/ SPT | | HAMMER TYPE Automatic | | | | | | | | |
| DRILLER Conley, H. R. | | START DATE 06/10/14 | | COMP. DATE 06/10/14 | | SURFACE WATER DEPTH N/A | | | | | | | | |
| ELEV (ft) | DRIVE ELEV (ft) | DEPTH (ft) | BLOW COUNT | | | BLOWS PER FOOT | | | | | SAMP. NO. | LOG | SOIL AND ROCK DESCRIPTION | |
| | | | 0.5ft | 0.5ft | 0.5ft | 0 | 25 | 50 | 75 | 100 | | | | |
| 155 | 153.1 | 0.0 | | | | | | | | | | | | GROUND SURFACE 0.0 |
| 150 | 148.8 | 4.3 | 1 | 1 | 1 | 2 | 3 | 70 | | | | | | ALLUVIAL TAN-BROWN, SANDY SILT |
| 145 | 143.8 | 9.3 | | | | | | | | | | | | RESIDUAL GRAY-GREEN, SAPROLITIC, SANDY SILT 5.3 |
| 140 | 138.8 | 14.3 | | | | | | | | | | | | WEATHERED ROCK (SCHIST) 8.0 |
| 135 | 133.8 | 19.3 | | | | | | | | | | | | |
| 130 | 128.8 | 24.3 | | | | | | | | | | | | CRYSTALLINE ROCK (SCHIST) 24.3 |
| | | | | | | | | | | | | | | Boring Terminated with Standard Penetration Test Refusal at Elevation 128.7 ft IN CRYSTALLINE ROCK (SCHIST) *ELEVATION FROM NCDOT .TIN FILE DATED 1/8/2013. BORING BASED ON PREVIOUS DESIGN. |

| WBS 38533.1.1 | | TIP B-4761 | | COUNTY HALIFAX | | GEOLOGIST Oti, O. B. | | | | | | | | |
|--|-----------------|---------------------|------------|-------------------------------|--------|-------------------------|-----------------|----|----|---------|-----------|-----|---------------------------|---|
| SITE DESCRIPTION BRIDGE NO. 29 ON NC 561 OVER LITTLE FISHING CREEK | | | | | | | GROUND WTR (ft) | | | | | | | |
| BORING NO. B2-A | | STATION 20+61 | | OFFSET 7 ft LT | | ALIGNMENT -L- | 0 HR. N/A | | | | | | | |
| COLLAR ELEV. 158.3 ft | | TOTAL DEPTH 24.9 ft | | NORTHING 922,238 | | EASTING 2,321,738 | 24 HR. 6.5 | | | | | | | |
| DRILLER HAMMER EFF. DATE RFO0074CME-55 92% 07/12/2011 | | | | DRILL METHOD NW Casing w/ SPT | | HAMMER TYPE Automatic | | | | | | | | |
| DRILLER Conley, H. R. | | START DATE 06/12/14 | | COMP. DATE 06/16/14 | | SURFACE WATER DEPTH N/A | | | | | | | | |
| ELEV (ft) | DRIVE ELEV (ft) | DEPTH (ft) | BLOW COUNT | | | BLOWS PER FOOT | | | | | SAMP. NO. | LOG | SOIL AND ROCK DESCRIPTION | |
| | | | 0.5ft | 0.5ft | 0.5ft | 0 | 25 | 50 | 75 | 100 | | | | |
| 160 | | | | | | | | | | | | | | |
| | 158.3 | 0.0 | WOH | WOH | WOH | 0 | | | | | | | M | 158.3 GROUND SURFACE 0.0 |
| 155 | | | | | | | | | | | | | | ALLUVIAL TAN, BROWN, AND GRAY, SANDY SILT |
| | 153.5 | 4.8 | WOH | WOH | WOH | 0 | | | | | | | M | |
| 150 | | | | | | | | | | | | | | |
| | 148.5 | 9.8 | 4 | 37 | 63/0.1 | | | | | 100/0.6 | | | | 149.3 9.0 148.0 10.3 GRAY, COARSE SAND AND GRAVEL |
| 145 | | | | | | | | | | | | | | WEATHERED ROCK (SCHIST) |
| | 143.5 | 14.8 | | | | | | | | 100/0.3 | | | | |
| 140 | | | | | | | | | | | | | | |
| | 138.5 | 19.8 | | | | | | | | 100/0.2 | | | | |
| 135 | | | | | | | | | | | | | | |
| | 133.5 | 24.8 | | | | | | | | 60/0.1 | | | | 133.5 24.8 133.4 24.9 CRYSTALLINE ROCK (SCHIST) |
| | | | | | | | | | | | | | | Boring Terminated with Standard Penetration Test Refusal at Elevation 133.4 ft IN CRYSTALLINE ROCK (SCHIST) *ELEVATION FROM NCDOT .TIN FILE DATED 1/8/2013 |



NCDOT GEOTECHNICAL ENGINEERING UNIT BORELOG REPORT



NCDOT GEOTECHNICAL ENGINEERING UNIT CORE BORING REPORT

| | | | | | | | | |
|--|-----------------|---------------------|------------|-------------------------------------|-------|---------------------------|-----------------|--|
| WBS 38533.1.1 | | TIP B-4761 | | COUNTY HALIFAX | | GEOLOGIST Swartley, J. R. | | |
| SITE DESCRIPTION BRIDGE NO. 29 ON NC 561 OVER LITTLE FISHING CREEK | | | | | | | GROUND WTR (ft) | |
| BORING NO. B2-B | | STATION 20+61 | | OFFSET 8 ft RT | | ALIGNMENT -L- | | |
| COLLAR ELEV. 159.7 ft | | TOTAL DEPTH 46.9 ft | | NORTHING 922,225 | | EASTING 2,321,744 | | |
| DRILL RIG/HAMMER EFF./DATE RFO0074 CME-55 92% 07/12/2011 | | | | DRILL METHOD NW Casing W/SPT & Core | | HAMMER TYPE Automatic | | |
| DRILLER Pinter, D. G. | | START DATE 06/11/14 | | COMP. DATE 06/11/14 | | SURFACE WATER DEPTH N/A | | |
| ELEV (ft) | DRIVE ELEV (ft) | DEPTH (ft) | BLOW COUNT | | | | SAMP. NO. | LOG |
| | | | 0.5ft | 0.5ft | 0.5ft | 0 | | |
| 160 | 159.7 | 0.0 | WOH | WOH | WOH | WOH | M | 159.7 GROUND SURFACE 0.0 |
| 155 | 154.4 | 5.3 | | | | | M | ALLUVIAL GRAY, TAN, AND BROWN, SANDY SILT WITH GRAVEL |
| 150 | 149.4 | 10.3 | 1 | 1 | 2 | | M | WEATHERED ROCK (SCHIST) |
| 145 | 144.4 | 15.3 | | | | 100/0.2 | | |
| 140 | 139.4 | 20.3 | | | | 100/0.3 | | |
| 135 | 134.4 | 25.3 | | | | 60/0.0 | | 134.4 CRYSTALLINE ROCK 25.3 |
| 130 | | | | | | | RS-9 | CRYSTALLINE ROCK GRAY-GREEN, FRESH TO SLIGHTLY WEATHERED, HARD TO VERY HARD, CLOSE TO WIDE FRACTURE SPACING, SCHIST REC=97% RQD=69% RMR=53 |
| 125 | | | | | | | RS-10 | |
| 120 | | | | | | | RS-11 | |
| 115 | | | | | | | | 112.8 Boring Terminated at Elevation 112.8 ft IN CRYSTALLINE ROCK (SCHIST) *ELEVATION FROM NCDOT .TIN FILE DATED 1/8/2013 |

NCDOT BORE DOUBLE B4761_GEO_BH_BRDG0029.GPJ NC_DOT.GDT 4/2/15

| | | | | | | | | | | | |
|--|---------------|---------------------|-------------------|--|---------------|---------------------------|-----------------|---------------|---------------|-----|--|
| WBS 38533.1.1 | | TIP B-4761 | | COUNTY HALIFAX | | GEOLOGIST Swartley, J. R. | | | | | |
| SITE DESCRIPTION BRIDGE NO. 29 ON NC 561 OVER LITTLE FISHING CREEK | | | | | | | GROUND WTR (ft) | | | | |
| BORING NO. B2-B | | STATION 20+61 | | OFFSET 8 ft RT | | ALIGNMENT -L- | | | | | |
| COLLAR ELEV. 159.7 ft | | TOTAL DEPTH 46.9 ft | | NORTHING 922,225 | | EASTING 2,321,744 | | | | | |
| DRILL RIG/HAMMER EFF./DATE RFO0074 CME-55 92% 07/12/2011 | | | | DRILL METHOD NW Casing W/SPT & Core | | HAMMER TYPE Automatic | | | | | |
| DRILLER Pinter, D. G. | | START DATE 06/11/14 | | COMP. DATE 06/11/14 | | SURFACE WATER DEPTH N/A | | | | | |
| CORE SIZE NWC3 | | | TOTAL RUN 21.6 ft | | | | | | | | |
| ELEV (ft) | RUN ELEV (ft) | DEPTH (ft) | RUN (ft) | DRILL RATE (Min/ft) | RUN | | SAMP. NO. | STRATA | | LOG | DESCRIPTION AND REMARKS |
| | | | | | REC. (%) | RQD (%) | | REC. (%) | RQD (%) | | |
| 134.4 | 132.8 | 25.3 | 1.6 | N=60/0.0 3:00/1.0 1:28/0.6 | (1.5) 94% | (0.4) 25% | | (21.0) 97% | (14.9) 69% | | Begin Coring @ 25.3 ft |
| 130 | | | 5.0 | 1:52/1.0 2:07/1.0 1:49/1.0 2:23/1.0 4:21/1.0 | (4.5) 90% | (2.9) 58% | RS-9 | | | | CRYSTALLINE ROCK GRAY-GREEN, FRESH TO SLIGHTLY WEATHERED, HARD TO VERY HARD, CLOSE TO WIDE FRACTURE SPACING, SCHIST REC=97% RQD=69% RMR=53 |
| 125 | 127.8 | 31.9 | 5.0 | 1:40/1.0 1:32/1.0 1:28/1.0 1:30/1.0 1:41/1.0 | (5.0) 100% | (4.1) 82% | RS-10 | | | | |
| 120 | 122.8 | 36.9 | 5.0 | 1:50/1.0 1:20/1.0 1:51/1.0 2:30/1.0 2:40/1.0 | (5.0) 100% | (3.4) 68% | | | | | |
| 115 | 117.8 | 41.9 | 5.0 | 1:46/1.0 1:38/1.0 1:18/1.0 1:25/1.0 1:38/1.0 | (5.0) 100% | (4.1) 82% | RS-11 | | | | |
| | 112.8 | 46.9 | | | | | | | | | Boring Terminated at Elevation 112.8 ft IN CRYSTALLINE ROCK (SCHIST) *ELEVATION FROM NCDOT .TIN FILE DATED 1/8/2013 |

NCDOT BORE DOUBLE B4761_GEO_BH_BRDG0029.GPJ NC_DOT.GDT 4/2/15

NCDOT GEOTECHNICAL ENGINEERING UNIT
BORELOG REPORT

| | | | |
|--|---------------------|--------------------------|---------------------------|
| WBS 38533.1.1 | TIP B-4761 | COUNTY HALIFAX | GEOLOGIST Swartley, J. R. |
| SITE DESCRIPTION BRIDGE NO. 29 ON NC 561 OVER LITTLE FISHING CREEK | | | GROUND WTR (ft) |
| BORING NO. EB2-A | STATION 21+16 | OFFSET 9 ft LT | ALIGNMENT -L- |
| COLLAR ELEV. 170.9 ft | TOTAL DEPTH 29.3 ft | NORTHING 922,263 | EASTING 2,321,787 |
| DRILL RIG/HAMMER EFF./DATE RFO0074 CME-55 92% 07/12/2011 | | DRILL METHOD H.S. Augers | |
| DRILLER Conley, H. R. | | START DATE 06/05/14 | COMP. DATE 06/05/14 |
| SURFACE WATER DEPTH N/A | | | |

| ELEV (ft) | DRIVE ELEV (ft) | DEPTH (ft) | BLOW COUNT | | | BLOWS PER FOOT | | | | | SAMP. NO. | LOG | SOIL AND ROCK DESCRIPTION | DEPTH (ft) | |
|-----------|-----------------|------------|------------|-------|-------|----------------|----|----|----|-----|-----------|-----|---------------------------|------------|---|
| | | | 0.5ft | 0.5ft | 0.5ft | 0 | 25 | 50 | 75 | 100 | | | | | |
| 175 | | | | | | | | | | | | | | | |
| 170 | 169.5 | 1.4 | | | | | | | | | | | | 170.9 | GROUND SURFACE |
| | 167.5 | 3.4 | 2 | 3 | 4 | | | | | | | | | | ROADWAY EMBANKMENT TAN, SILTY SAND |
| 165 | | | 2 | 2 | 2 | | | | | | | | | | |
| | 162.5 | 8.4 | 2 | 2 | 2 | | | | | | | | | | |
| 160 | | | | | | | | | | | | | | | |
| | 157.5 | 13.4 | 1 | 1 | 2 | | | | | | | | | 159.2 | ALLUVIAL ORANGE, SANDY CLAY |
| 155 | | | | | | | | | | | | | | | |
| | 152.5 | 18.4 | 1 | 1 | 2 | | | | | | | | | | |
| 150 | | | | | | | | | | | | | | | |
| | 147.5 | 23.4 | WOH | 1 | 1 | | | | | | | | | 149.9 | ALLUVIAL GRAY, SILTY SAND |
| 145 | | | | | | | | | | | | | | | |
| | 142.5 | 28.4 | | | | | | | | | | | | 145.9 | WEATHERED ROCK (SCHIST) |
| | 141.7 | 29.2 | | | | | | | | | | | | 141.7 | CRYSTALLINE ROCK (SCHIST) |
| | 141.6 | 29.3 | | | | | | | | | | | | 141.6 | CRYSTALLINE ROCK (SCHIST) |
| | | | | | | | | | | | | | | | Boring Terminated with Standard Penetration Test Refusal at Elevation 141.6 ft IN CRYSTALLINE ROCK (SCHIST) *ELEVATION FROM NCDOT .TIN FILE DATED 1/8/2013 |

| | | | |
|--|---------------------|--------------------------|---------------------------|
| WBS 38533.1.1 | TIP B-4761 | COUNTY HALIFAX | GEOLOGIST Swartley, J. R. |
| SITE DESCRIPTION BRIDGE NO. 29 ON NC 561 OVER LITTLE FISHING CREEK | | | GROUND WTR (ft) |
| BORING NO. EB2-B | STATION 21+17 | OFFSET 9 ft RT | ALIGNMENT -L- |
| COLLAR ELEV. 170.9 ft | TOTAL DEPTH 28.5 ft | NORTHING 922,248 | EASTING 2,321,795 |
| DRILL RIG/HAMMER EFF./DATE RFO0074 CME-55 92% 07/12/2011 | | DRILL METHOD H.S. Augers | |
| DRILLER Conley, H. R. | | START DATE 06/06/14 | COMP. DATE 06/06/14 |
| SURFACE WATER DEPTH N/A | | | |

| ELEV (ft) | DRIVE ELEV (ft) | DEPTH (ft) | BLOW COUNT | | | BLOWS PER FOOT | | | | | SAMP. NO. | LOG | SOIL AND ROCK DESCRIPTION | DEPTH (ft) | | |
|-----------|-----------------|------------|------------|-------|--------|----------------|----|----|----|-----|-----------|-----|---------------------------|------------|---|--------------------|
| | | | 0.5ft | 0.5ft | 0.5ft | 0 | 25 | 50 | 75 | 100 | | | | | | |
| 175 | | | | | | | | | | | | | | | | |
| 170 | 169.5 | 1.4 | | | | | | | | | | | | 170.9 | GROUND SURFACE | |
| | 167.5 | 3.4 | 2 | 2 | 2 | | | | | | | | | | ROADWAY EMBANKMENT TAN, SILTY SAND | |
| 165 | | | 2 | 1 | 2 | | | | | | | | | | 167.9 | ORANGE, SANDY CLAY |
| | 162.5 | 8.4 | 1 | 2 | 1 | | | | | | | | | | | |
| 160 | | | | | | | | | | | | | | | | |
| | 157.5 | 13.4 | 1 | 0 | 2 | | | | | | | | | 159.2 | ALLUVIAL GRAY, SANDY CLAY | |
| 155 | | | | | | | | | | | | | | | | |
| | 152.5 | 18.4 | 1 | 1 | 2 | | | | | | | | | | 152.9 | GRAY, SILTY CLAY |
| 150 | | | | | | | | | | | | | | | | |
| | 147.5 | 23.4 | WOH | 13 | 87/0.4 | | | | | | | | | 147.0 | WEATHERED ROCK (SCHIST) | |
| 145 | | | | | | | | | | | | | | | | |
| | 142.5 | 28.4 | | | | | | | | | | | | 142.5 | Boring Terminated with Standard Penetration Test Refusal at Elevation 142.4 ft IN CRYSTALLINE ROCK (SCHIST) *ELEVATION FROM NCDOT .TIN FILE DATED 1/8/2013 | |

NCDOT BORE DOUBLE B4761_GEO_BH_BRDG0029.GPJ NC_DOT.GDT 4/2/15

CORE PHOTOGRAPHS

B1-A

BOXES 1 & 2: 10.7 - 27.3 FEET



2011_LT

BOXES 1 & 2: 19.4 - 36.6 FEET



CORE PHOTOGRAPHS

B2-B
BOXES 1 - 3: 25.3 - 46.9 FEET



| ROCK TEST RESULTS | | | | | | | | | |
|--------------------------|--------|---------|----------------|-----------|-------------------------------|-------------|--------------|-----------------------------|--------------------|
| SAMPLE NO. | OFFSET | STATION | DEPTH INTERVAL | H/D RATIO | UNIT WT lb/ft ³ | Ultimate lb | Ultimate ksi | Ultimate (corrected) ksi | Sec.Mod.@ 40% Mpsi |
| RS-1 | 6'LT | 19+61 | 10.7-11.3 | 1.93 | 173.6 | 10430 | 3.79 | 3.78 | 4.6 |
| RS-2 | 6'LT | 19+61 | 14.8-15.4 | 1.82 | 173.8 | 2300 | 0.84 | 0.83 | 1.61 |
| RS-3 | 6'LT | 19+61 | 17.3-18.4 | 1.81 | 174.8 | 18440 | 6.71 | 6.62 | 5.50 |
| RS-4 | 6'LT | 19+61 | 19.7-20.2 | 1.92 | 173.5 | 19440 | 7.08 | 7.04 | 5.54 |
| RS-5 | 6'LT | 20+11 | 19.7-20.3 | 1.92 | 172.7 | 23400 | 8.50 | 8.47 | 7.55 |
| RS-6 | 6'LT | 20+11 | 20.3-20.9 | 1.88 | 173.9 | 24300 | 8.85 | 8.79 | 10.13 |
| RS-7 | 6'LT | 20+11 | 23.8-24.4 | 1.96 | 171.4 | 32000 | 11.7 | 11.64 | 8.59 |
| RS-8 | 6'LT | 20+11 | 31.4-32.3 | 1.67 | 174.5 | 9560 | 3.47 | 3.47 | 7.77 |
| RS-9 | 8'RT | 20+61 | 27.5-28.0 | 1.86 | 168.3 | 8110 | 2.96 | 2.96 | 3.68 |
| RS-10 | 8'RT | 20+61 | 33.4-33.9 | 1.94 | 174.0 | 18680 | 6.81 | 6.81 | 6.36 |
| RS-11 | 8'RT | 20+61 | 40.7-41.5 | 1.87 | 172.8 | 4170 | 1.52 | 1.52 | 1.25 |

SITE PHOTOGRAPH

Bridge No. 29 on NC 561 over Little Fishing Creek



Looking North towards End Bent 2