

**PRELIMINARY SITE ASSESSMENT
PARCELS 016 AND 017, STATE PROJECT B-4490
WBS ELEMENT 33727.1.1, CUMBERLAND COUNTY**

**REPLACE BRIDGE NO. 116 OVER CXS RAILROAD,
NORTH SOUTH RAILROAD, AND HILLSBORO STREET
ON NC 24-210, FAYETTEVILLE, NORTH CAROLINA**

Schnabel Project 11821014.33
April 8, 2014





April 8, 2014

Mr. Mohammed A. Mulla, P.E., CPM, MCE
NCDOT, Geotechnical Engineering Unit
1020 Birch Ridge Drive
Raleigh, NC 27610

RE: State Project: B-4490
WBS Element: 33727.1.1
County: Cumberland
Description: Replace Bridge No. 116 over CSX Railroad, North South Railroad, and Hillsboro Street on NC 24-210 in Fayetteville

Subject: **Preliminary Site Assessment for Parcels 016 and 017, Fayetteville, NC**
Schnabel Engineering Project 11821014.33

Dear Mr. Mulla:

SCHNABEL ENGINEERING SOUTH, P.C. (Schnabel) is pleased to submit our report for this project. This study was performed in accordance with our proposal dated January 23, 2014 as authorized by the Notice to Proceed on January 24, 2014 and was conducted under our June 2, 2011 Agreement with the NCDOT.

We appreciate the opportunity to be of service for this project. Please call us if you have any questions regarding this report.

Sincerely,

SCHNABEL ENGINEERING SOUTH, PC

A handwritten signature in blue ink that reads "Benjamin L. Bradley".

Benjamin L. Bradley, GIT
Project Scientist

A handwritten signature in blue ink that reads "Gregory B. Kuntz".

Gregory B. Kuntz, LG
Senior Associate Scientist

BB/GK

schnabel-eng.com

T/ 336-274-9456 F/ 336-274-9486
11A Oak Branch Drive / Greensboro, NC / 27407

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
PRELIMINARY SITE ASSESSMENT FOR PARCELS 016 AND 017
STATE PROJECT B-4490, WBS ELEMENT 33727.1.1
REPLACE BRIDGE NO. 116 OVER CSX RAILROAD, NORTH SOUTH RAILROAD,
AND HILLSBORO STREET ON NC 24-210
FAYETTEVILLE, CUMBERLAND COUNTY, NORTH CAROLINA

TABLE OF CONTENTS

1.0	INTRODUCTION.....	2
2.0	BACKGROUND AND SITE DESCRIPTION	2
3.0	FIELD METHODOLOGY	2
4.0	GROUNDWATER MONITORING WELLS OR REMEDIATION WELLS	3
5.0	DISCUSSION OF RESULTS.....	3
6.0	CONCLUSIONS.....	3
7.0	RECOMMENDATIONS.....	4
8.0	LIMITATIONS	4

LIST OF TABLES

Table 1, Sampling Intervals and Field Volatile Measurements
Table 2, Summary of Laboratory Results

LIST OF FIGURES

Figure 1, Vicinity Map
Figure 2, Site Map
Figure 3 and 3A, Boring Locations and Legend

APPENDICES

Appendix A, Photographs
Appendix B, Geophysics Report
Appendix C, Soil Boring Logs
Appendix D, Soil Boring GPS Coordinates
Appendix E, Laboratory Analytical Results

1.0 INTRODUCTION

The North Carolina Department of Transportation (NCDOT) is replacing a bridge over CSX Railroad, North South Railroad, and Hillsboro Street on Highway 24/210 (W. Rowan Street) in the town of Fayetteville, located in Cumberland County, North Carolina. Acquisition of properties within the right-of-way (ROW) is necessary prior to road and bridge construction. Schnabel Engineering conducted Preliminary Site Assessments (PSAs) on 10 sites (thirteen parcels) located within the proposed ROW that are of concern to the NCDOT.

This report summarizes the results of field activities conducted during the PSA for the proposed property acquisition area (Study Area) identified by NCDOT on Parcels 016 and 017. The property is located at 522 Rowan Street and is a vacant property, currently owned by Alexander Evans (Figure 1). The property line and topography are shown on Figure 2. The approximate NCDOT project limits that delineate the property acquisition area are shown on Figure 3.

The scope of work executed at the site was performed in general accordance with our cost proposal dated January 23, 2014 and was initiated based on a Notice to Proceed issued by the NCDOT Geotechnical Engineering Unit on January 24, 2014 under contract 7000012208, dated June 2, 2011.

2.0 BACKGROUND AND SITE DESCRIPTION

Structures are not located on Parcels 016 and 017. The surface of the proposed ROW is covered with grass, trees, a concrete pad, and small patches of exposed asphalt. Several utilities cross the site including buried water and storm sewer lines, and overhead electric lines are located along the ROW. The information regarding prior site use provided to Schnabel Engineering by NCDOT was that a lawn mower repair shop was located on this property during the 1980's suggesting that the site operations generated waste oil and degreasing solvent. This PSA is for the investigation of a portion of the parcel. Photographs of the Study Area are presented in Appendix A.

3.0 FIELD METHODOLOGY

Prior to mobilizing to the site to conduct the field investigation, Schnabel Engineering contacted North Carolina One Call to locate underground utilities in the Study Area of the site. Schnabel Engineering mobilized a geophysical crew to the site on January 29, 2014 and performed an electromagnetic survey of the subsurface in the proposed ROW area within the parcel. The electromagnetic survey equipment (EM61-MK2) identified various magnetic anomalies within the Study Area. The Schnabel geophysical crew returned to the Study Area on February 10, 2014 to perform ground penetrating radar (GPR) survey with a Geophysical Survey Systems SIR 3000 equipped with a 400 MHz antenna. Results of the survey suggested the presence of buried utility lines or conduits within the Study Area.

After reviewing the background information and geophysical data, Schnabel returned to Parcels 016 and 017 to conduct field screening of soils from within the Study Area. Five soil borings designated B-16/17-01 through B-16/17-05 were advanced by SAEDACCO of Fort Mill, SC along Rowan Street on February 19, 2014. The location of the soil borings are shown on Figure 3. The borings were advanced to a total depth of 10 to 12 feet below ground surface (bgs). The borings drilled within the Study Area were advanced utilizing a track-mounted Geoprobe® (Model 7822-DT) with direct push probe technology. At the completion of the sampling activities, the borings were backfilled with soil removed from the boring during sampling and/or bentonite chips.

**NCDOT Geotechnical Engineering Unit
State Project B-4490, Cumberland County**

Soils for field screening were obtained from the borings using a MacroCore® sampler fitted with a new, single-use, five foot long disposable polyvinyl chloride (PVC) liner. A portion of each 2-foot interval was placed in a separate re-sealable plastic bag. These bags were sealed and placed at ambient temperature for field screening with a MiniRAE Plus photo ionization detector (PID). Volatiles were allowed to accumulate in the headspace of each bag for approximately 15 minutes, and then the headspace of each sealed bag was scanned with the PID. Headspace screening of the soil samples indicated a concentration that ranged from 0 to 0.1 ppm at each boring location at intervals of two, four, six, eight, ten, and twelve feet bgs (Table 1, Sampling Intervals and Field Volatile Measurements). The PID was calibrated on February 19, 2014 in general accordance with the manufacturer's recommended calibration procedures. The PID readings were recorded with the soil descriptions and indications of staining or odors, if present. Logs for each boring are presented in Appendix C.

Soil samples were not submitted for laboratory analysis and Ultra Violet Fluorescence (UVF) was not performed at this parcel because PID readings did not meet or exceed 10 ppm at the screened intervals noted above. A groundwater sample was collected at B-16/17-01 using a peristaltic GeoPump 2 with a Teflon™-lined polyethylene tube. A groundwater sample was collected from this boring because it was advanced in a planned cut area for a proposed drainage easement within the proposed ROW. The water samples were placed in laboratory-supplied containers and stored on ice pending shipment to Pace Analytical in Hampstead, NC. Sample information was recorded on the Chain-of-Custody form and the samples were submitted for chemical analysis of chromium and lead by EPA Method 6010, EPA Method 625 with top 10 tentatively identified compounds (TICS), MADEP EPH and VPH, EPA Method 6200B, formaldehyde, and Method 8260. The Summary of Laboratory Results is shown on Table 2.

Soils collected from borings within the Study Area generally consisted of orangish brown Silty Sand with Clay (SM) or yellowish Clayey Sand (SC). GPS coordinates for each boring were obtained using a Trimble Pro-XRS DGPS system (Appendix D) with coordinates reported in US State Plane 1983 system, North Carolina 3200 zone, using the NAD 83 datum, with units in US survey feet.

4.0 GROUNDWATER MONITORING WELLS OR REMEDIATION WELLS

Groundwater monitoring wells and remediation wells were not observed within the proposed ROW or easement on this parcel.

5.0 DISCUSSION OF RESULTS

The geophysical survey conducted at the site did not indicate the presence of probable USTs on Parcels 016 and 017. The geophysical survey did indicate the presence of buried utility lines and conduits.

Results from the groundwater sample submitted for analysis did not show constituents that exceed the NC 2L Groundwater Quality Standards. Laboratory analytical results are summarized in Table 2. Laboratory reports for these samples are presented in Appendix E.

6.0 CONCLUSIONS

Anomalies were not observed in the EM or the GPR geophysical data at the subject properties that we interpret to be the results of metallic USTs within about 6 feet of the ground surface.

Five soil borings B-16/17-01 through B-16/17-05 were advanced to evaluate potential petroleum impact within the Study Area, and to document soil conditions.

**NCDOT Geotechnical Engineering Unit
State Project B-4490, Cumberland County**

Soil impact at Parcels 016 and 017 was not observed during the field investigation.

7.0 RECOMMENDATIONS

Based on the currently available information presented in this report, additional assessment is not recommended.

8.0 LIMITATIONS

This PSA was prepared for the use of the NCDOT. The scope of work performed at the site is limited to the tasks described in our cost proposal dated January 23, 2014. This report is not intended to represent an exhaustive research of all potential hazards that may exist. Schnabel makes no other declarations, or any express or implied warranty, as to the professional services provided under the terms of the agreement.

TABLES

Table 1, Sampling Intervals and Field Volatile Measurements

Table 2, Summary of Laboratory Results

TABLE 1
SAMPLING INTERVALS AND FIELD VOLATILE MEASUREMENTS
PARCELS 016 & 017
NCDOT B-4490, CUMBERLAND COUNTY

Depth Below Ground Surface	Soil Borings				
	B-16/17-01	B-16/17-02	B-16/17-03	B-16/17-04	B-16/17-05
0 - 2 feet	0.1	0.0	0.0	0.0	0.0
2 - 4 feet	0.0	0.0	0.0	0.0	0.0
4 - 6 feet	0.0	0.0	0.0	0.0	0.0
6 - 8 feet	0.0	0.0	0.0	0.0	0.0
8 - 10 feet	0.1	0.0	0.0	0.0	0.0
10 - 12 feet	0.0**	NS	NS	NS	NS

Notes:

Shaded cells were submitted for laboratory analysis

NS: Not Screened

**: Water Sample Taken

Field volatile measurements obtained a MiniRae Photo Ionization Detector

Measurements in parts per million (ppm)

TABLE 2
SUMMARY OF LABORATORY RESULTS
PARCELS 016 AND 017
NCDOT B-4490, CUMBERLAND COUNTY

Sample ID:	B-16/17-01	
Matrix:	NC 2L Standards	Water
Sampled Date:		2/19/2014
8015M Glycols		
Ethylene Glycol	10,000	ND
MADEP Extractable Petroleum Hydrocarbons (EPH)		
Various	Various	ND
MADEP Volatile Petroleum Hydrocarbons (VPH)		
Various	Various	ND
Metals 6010		
Chromium	10	5.8
Lead	15	ND
EPA Method 625 Semi-volatile Organic Compounds (SVOCs)		
Various	Various	ND
Method 6200B Volatile Organic Compounds (VOCs)		
Methyl-tert-butyl ether	20	0.87
Trichloroethene	3	0.57
Method 8260 Low Level VOCs		
Various	Various	ND
Carbonyl Compounds Method SW8315A		
Formaldehyde	600	75

Notes:

Units in ug/L

ND: Not Detected

MADEP: Massachusetts Department of Environmental Protection

Classifications and Water Quality Standards Applicable to the Groundwaters of North Carolina,

NCAC Title 15A Subchapter 2L, Amended April 1, 2013

Bold exceeds the standard

FIGURES



Figure 1, Vicinity Map

Figure 2, Site Map

Figure 3 and 3A, Boring Locations and Legend







NC Department of Transportation
Geotechnical Engineering Unit
State Project No. B-4490
Cumberland County, North Carolina

BORING LOCATIONS
Parcels 016, 017

Figure 3

Note: Not to Scale

*S.U.E. = Subsurface Utility Engineering

**STATE OF NORTH CAROLINA
DIVISION OF HIGHWAYS**

CONVENTIONAL PLAN SHEET SYMBOLS

BOUNDARIES AND PROPERTY:

- State Line -----
- County Line -----
- Township Line -----
- City Line -----
- Reservation Line -----
- Property Line -----
- Existing Iron Pin
- Property Corner -----
- Property Monument
- Parcel/Sequence Number
- Existing Fence Line -----
- Proposed Woven Wire Fence -----
- Proposed Chain Link Fence
- Proposed Barbed Wire Fence
- Existing Wetland Boundary
- Proposed Wetland Boundary
- Existing Endangered Animal Boundary
- Existing Endangered Plant Boundary
- Known Soil Contamination: Boundary or Site
- Potential Soil Contamination: Boundary or Site

BUILDINGS AND OTHER CULTURE:

- Gas Pump Vent or U/G Tank Cap
- Sign
- Well
- Small Mine
- Foundation
- Area Outline
- Cemetery
- Building
- School
- Church
- Dam -----

HYDROLOGY:

- Stream or Body of Water -----
- Hydro, Pool or Reservoir
- Jurisdictional Stream
- Buffer Zone 1
- Buffer Zone 2
- Flow Arrow
- Disappearing Stream
- Spring
- Wetland
- Proposed Lateral, Tail, Head Ditch
- False Sump

RAILROADS:

- Standard Gauge -----
- RR Signal Milepost
- Switch
- RR Abandoned -----
- RR Dismantled -----

RIGHT OF WAY:


- Baseline Control Point
- Existing Right of Way Marker
- Existing Right of Way Line -----
- Proposed Right of Way Line
- Proposed Right of Way Line with Iron Pin and Cap Marker
- Proposed Right of Way Line with Concrete or Granite Marker
- Existing Control of Access
- Proposed Control of Access
- Existing Easement Line
- Proposed Temporary Construction Easement
- Proposed Temporary Drainage Easement
- Proposed Permanent Drainage Easement
- Proposed Permanent Drainage / Utility Easement
- Proposed Permanent Utility Easement
- Proposed Temporary Utility Easement
- Proposed Aerial Utility Easement
- Proposed Permanent Easement with Iron Pin and Cap Marker

ROADS AND RELATED FEATURES:

- Existing Edge of Pavement -----
- Existing Curb -----
- Proposed Slope Stakes Cut
- Proposed Slope Stakes Fill
- Proposed Curb Ramp
- Curb Cut Future Ramp
- Existing Metal Guardrail
- Proposed Guardrail
- Existing Cable Guiderrail
- Proposed Cable Guiderrail
- Equality Symbol
- Pavement Removal

VEGETATION:

- Single Tree
- Single Shrub
- Hedge
- Woods Line

**EXISTING STRUCTURES:****MAJOR:**

- Bridge, Tunnel or Box Culvert
- Bridge Wing Wall, Head Wall and End Wall
- MINOR:**
- Head and End Wall
- Pipe Culvert -----
- Footbridge
- Drainage Box: Catch Basin, DI or JB
- Paved Ditch Gutter -----
- Storm Sewer Manhole
- Storm Sewer -----

UTILITIES:**POWER:**

- Existing Power Pole
- Proposed Power Pole
- Existing Joint Use Pole
- Proposed Joint Use Pole
- Power Manhole
- Power Line Tower
- Power Transformer
- U/G Power Cable Hand Hole -----
- H-Frame Pole
- Recorded U/G Power Line
- Designated U/G Power Line (S.U.E.)

TELEPHONE:

- Existing Telephone Pole
- Proposed Telephone Pole
- Telephone Manhole
- Telephone Booth
- Telephone Pedestal
- Telephone Cell Tower
- U/G Telephone Cable Hand Hole
- Recorded U/G Telephone Cable
- Designated U/G Telephone Cable (S.U.E.)
- Recorded U/G Telephone Conduit
- Designated U/G Telephone Conduit (S.U.E.)
- Recorded U/G Fiber Optics Cable
- Designated U/G Fiber Optics Cable (S.U.E.)

WATER:

- Water Manhole -----
- Water Meter
- Water Valve
- Water Hydrant
- Recorded U/G Water Line -----
- Designated U/G Water Line (S.U.E.)
- Above Ground Water Line

TV:

- TV Satellite Dish
- TV Pedestal
- TV Tower
- U/G TV Cable Hand Hole
- Recorded U/G TV Cable
- Designated U/G TV Cable (S.U.E.)
- Recorded U/G Fiber Optic Cable
- Designated U/G Fiber Optic Cable (S.U.E.)

GAS:

- Gas Valve
- Gas Meter
- Recorded U/G Gas Line -----
- Designated U/G Gas Line (S.U.E.)
- Above Ground Gas Line

SANITARY SEWER:

- Sanitary Sewer Manhole
- Sanitary Sewer Cleanout
- U/G Sanitary Sewer Line
- Above Ground Sanitary Sewer
- Recorded SS Forced Main Line
- Designated SS Forced Main Line (S.U.E.)

MISCELLANEOUS:

- Utility Pole
- Utility Pole with Base
- Utility Located Object
- Utility Traffic Signal Box
- Utility Unknown U/G Line
- U/G Tank; Water, Gas, Oil
- Underground Storage Tank, Approx. Loc.
- A/G Tank; Water, Gas, Oil
- Geoenvironmental Boring
- U/G Test Hole (S.U.E.)
- Abandoned According to Utility Records
- End of Information

APPENDIX A

PHOTOGRAPHS



Parcels 016 & 017, facing east toward B-16/17-01 and 03.



Parcels 016 & 017, facing east toward B-16/17-02, 04, and 05.

APPENDIX B

GEOPHYSICS REPORT



March 27, 2014

Mr. Mohammed A. Mulla, P.E., CPM, MCE
NCDOT, Geotechnical Engineering Unit
1020 Birch Ridge Drive
Raleigh, NC 27610

RE: State Project: B-4490
WBS Element: 33727.1.1
County: Cumberland
Description: Replace Bridge No. 116 over CSX Railroad, North South Railroad, and Hillsboro Street on NC 24-210

Subject: Project 11821014.33, Report on Geophysical Surveys
Parcels 016 & 017; Alexander Evans Property; Fayetteville, North Carolina

Dear Mr. Mulla:

SCHNABEL ENGINEERING SOUTH, PC (Schnabel) is pleased to present this report on the geophysical surveys we performed on the subject properties. The report includes two 11x17 inch color figures and two 8.5x11 inch color figures. This study was performed in accordance with our proposal for Geophysical Surveys to Locate Possible USTs dated December 26, 2013, as approved by Terry Farr on January 24, 2014, and our existing agreement dated June 2, 2011. Gordon Box provided a verbal notice to proceed on January 23, 2014.

INTRODUCTION

The field work described in this report was performed on January 28, 2014 and February 6, 2014, by Schnabel. The purpose of the geophysical surveys was to evaluate the potential presence of metal underground storage tanks (USTs) in the accessible areas of the NCDOT right-of-way and/or easement at Parcels 016 and 017. Photographs of the properties are included on Figure 1. The properties are located in the northeast quadrant of the Rowan Street and Murchison Road intersection in Fayetteville, NC.

The geophysical surveys consisted of an electromagnetic (EM) induction survey and a ground penetrating radar (GPR) survey. The EM survey was performed using a Geonics EM61-MK2 (EM61) instrument. The EM61 is a time domain metal detector that stores data digitally for later processing and review. Sensitivity to metallic objects is dependent on the size, depth, and orientation of the buried object and the amount of

noise (i.e. response from spurious metallic objects) in the area. The EM61 can generally observe a single buried 55 gallon drum at a depth of 10 feet or less. The EM61 makes measurements by creating an electromagnetic pulse and then measuring the response from metallic objects over time after the pulse is generated. We measured and recorded the response at several time increments after the pulse to help evaluate relative size and depth of metallic objects in the subsurface.

The GPR survey was performed over selected EM61 anomalies using a Geophysical Survey Systems SIR-3000 system equipped with a 400 MHz antenna to further investigate and evaluate EM responses that could indicate a potential UST. The depth penetration of the GPR signal, when using a 400 MHz antenna, is normally limited to 6 feet or less.

Photographs of the equipment used are shown on Figure 2.

FIELD METHODOLOGY

We obtained locations of geophysical data points using a sub-meter Trimble Pro-XRS differential global positioning system (DGPS). References to direction and location in this report are based on the US State Plane 1983 System, North Carolina 3200 Zone, using the NAD 83 datum, with units in US survey feet. We also recorded the locations of existing site features (signs, guy wires, etc.) with the DGPS for later correlation with the geophysical data and a site plan provided by the NCDOT. The Microstation data provided by the NCDOT appears to be offset from the DGPS data we collected. The amount (approximately 5 feet) and direction (WNW) of offset of the Microstation data appear to be consistent for all parcels where we collected data for this project.

The EM61 data were collected along parallel survey lines spaced approximately 2.5 feet apart. The EM61 and DGPS data were recorded digitally using a field computer and later transferred to a desktop computer for data processing. The GPR data were collected along survey lines spaced approximately one to two feet apart in orthogonal directions over anomalous EM readings not attributed to cultural features. The GPR data were reviewed in the field to evaluate the possible presence of USTs. The GPR data also were recorded digitally and later transferred to a desktop computer for further review.

DISCUSSION OF RESULTS

The contoured EM61 data collected over Parcels 016 & 017 and the GPR survey area locations are shown on Figure 3, EM61 Early Time Gate Response, and Figure 4, EM61 Differential Response. Areas outside the colored, contoured EM61 data were not surveyed. Early time data refer to the response measured at a short time after the initial EM pulse is generated. Early time data typically contain responses from all metal objects, small or large and shallow or deep, within the sensitivity range of the instrument. Differential data represent the difference in response between the top and bottom coils of the EM61 instrument at a later time after the initial pulse than early time data. Differential data naturally tend to filter out the effect of surface and very shallowly buried metallic objects. Typically, the differential response emphasizes anomalies from deeper and larger objects such as USTs.

We were unable to access small portions of the planned survey area due to the presence of trees and construction equipment. The EM data contain multiple anomalies that we investigated with GPR (as shown on Figures 3 and 4), all of which appear to be the result of buried utilities, reinforced concrete, or

**NCDOT, Geotechnical Engineering Unit
State Project B-4490, Cumberland County**

other metal objects at the ground surface or at shallow depths. The geophysical data collected at the site do not indicate the presence of metallic USTs within the areas surveyed.

CONCLUSIONS

As shown in Figures 3 and 4, the EM data we collected over Parcels 016 & 017 did not cover portions of the planned survey area due to the presence of trees and construction equipment within the planned survey area. The EM data include responses from several visible metallic objects at grade (e.g. signs, guy wires, etc.). We did not observe anomalies in the EM or the GPR geophysical data at the subject properties that we interpret to be the results of metallic USTs within about 6 feet of the ground surface.

LIMITATIONS

These services have been performed and this report prepared for the North Carolina Department of Transportation in accordance with generally accepted guidelines for conducting geophysical surveys. It is generally recognized that the results of geophysical surveys are non-unique and may not represent actual subsurface conditions.


We appreciate the opportunity to have provided these services. Please call if you need additional information or have any questions.

Sincerely,

SCHNABEL ENGINEERING SOUTH, PC



James W. Whitt, LG
Senior Staff Geophysicist



Gregory B. Kuntz, LG
Senior Associate

JWW:JCD:GBK

Attachments: Figures (4)

CC: NCDOT, Gordon Box

FILE: G:\2011-SDE-JOBS\11821014_00_NCDOT_2011_GEOTECHNICAL_UNIT_SERVICES\11821014_33_B-4490_CUMBERLAND COUNTY\REPORT\GEOPHYSICS\PARCEL 16 & 17\SCHNABEL GEOPHYSICAL REPORT ON PARCELS 16 & 17 (B-4490) FINAL.DOCX

Attachments:

- Figure 1 - Parcels 016 & 017 Site Photos
- Figure 2 - Photos of Geophysical Equipment Used
- Figure 3 - EM61 Early Time Gate Response
- Figure 4 - EM61 Differential Response



Parcels 016 & 017 (Alexander Evans Property), looking north



Parcels 016 & 017 (Alexander Evans Property), looking east



Schnabel
ENGINEERING

STATE PROJECT B-4490
NC DEPT. OF TRANSPORTATION
CUMBERLAND CO., NORTH CAROLINA
PROJECT NO. 11821014.33

PARCELS 016 & 017
SITE PHOTOS

FIGURE 1



Geonics EM61-MK2 Metal Detector with Trimble DGPS Unit



GSSI SIR-3000 Ground-Penetrating Radar with 400 MHz Antenna

Note: Stock photographs – not taken on site.




Schnabel
ENGINEERING

STATE PROJECT B-4490
NC DEPT. OF TRANSPORTATION
CUMBERLAND CO., NORTH CAROLINA
PROJECT NO. 11821014.33

PHOTOS OF
GEOPHYSICAL
EQUIPMENT USED

FIGURE 2




Note: The contour plot shows the difference, in millivolts (mV), between the readings from the top and bottom coils of the EM61. The difference is taken to reduce the effect of shallow metal objects and emphasize anomalies caused by deeper metallic objects, such as drums and tanks. The EM data were collected on January 28, 2014, using a Geonics EM61-MK2 instrument. Positioning for the EM61 survey was provided using a submeter Trimble ProXRS DGPS system. Coordinates are in the US State Plane 1983 System, North Carolina 3200 Zone, using the NAD 1983 datum. GPR data were acquired on February 6, 2014, using a Geophysical Survey Systems SIR 3000 equipped with a 400 MHz antenna.



STATE PROJECT B-4490
NC DEPARTMENT OF TRANSPORTATION
CUMBERLAND COUNTY, NC
PROJECT NO. 11821014.33

EM61
EARLY TIME GATE
RESPONSE



Note: The contour plot shows the difference, in millivolts (mV), between the readings from the top and bottom coils of the EM61. The difference is taken to reduce the effect of shallow metal objects and emphasize anomalies caused by deeper metallic objects, such as drums and tanks. The EM data were collected on January 28, 2014, using a Geonics EM61-MK2 instrument. Positioning for the EM61 survey was provided using a submeter Trimble ProXRS DGPS system. Coordinates are in the US State Plane 1983 System, North Carolina 3200 Zone, using the NAD 1983 datum. GPR data were acquired on February 6, 2014, using a Geophysical Survey Systems SIR 3000 equipped with a 400 MHz antenna.



STATE PROJECT B-4490
NC DEPARTMENT OF TRANSPORTATION
CUMBERLAND COUNTY, NC
PROJECT NO. 11821014.33

EM61
DIFFERENTIAL
RESPONSE

FIGURE 4

APPENDIX C

SOIL BORING LOGS

Schnabel
ENGINEERINGGEO
PROBE
LOGProject: Preliminary Site Assessments
Cumberland County
Fayetteville, North CarolinaGeo Probe Number: B-16/17-01
Contract Number: B-4490
Sheet: 1 of 1Contractor: Saedacco, Inc.
Fort Mill, South Carolina

Contractor Foreman: W. Hall

Schnabel Representative: B. Bradley

Equipment: Geoprobe 7822DT

Method: 3-1/4" Probe Rod,
Macrocore

Hammer Type:

Dates Started: 2/19/14 Finished: 2/19/14

X: 477087.242 m Y: 2034030.757 m

Ground Surface Elevation: Total Depth: 12.0 ft

Groundwater Observations

Date Time Depth Casing Caved

Encountered 2/19 12:48 PM 7.0' --- ---

DEPTH (ft)	MATERIAL DESCRIPTION	SYMBOL	ELEV (ft)	STRA TUM	SAMPLING		TESTS	REMARKS
					DEPTH	DATA		
0.2	Asphalt SILTY SAND; moist, orangeish brown	SM						
3.0	SILTY SAND WITH CLAY; wet, light gray	SM					PID = 0.1 ppm	
7.0	SAND; wet, grayish white, probable RESIDUAL material	SW			5		PID = 0.0 ppm	
9.5	CLAYEY SAND; moist, yellowish gray, probable RESIDUAL material	SC			10		PID = 0.0 ppm	
12.0						B-16/17-01	PID = 0.0 ppm	

Bottom of Geo Probe at 12.0 ft.

Boring terminated at selected depth.

Boring backfilled with bentonite and cuttings upon completion.



**GEO
PROBE
LOG**

Project: Preliminary Site Assessments
Cumberland County
Fayetteville, North Carolina

Geo Probe Number: **B-16/17-02**

Contract Number: B-4490
Sheet: 1 of 1

Contractor: Saedacco, Inc.
Fort Mill, South Carolina

Contractor Foreman: W. Hall

Schnabel Representative: B. Bradley

Equipment: Geoprobe 7822DT

Method: 3-1/4" Probe Rod,
Macrocore

Hammer Type:

Dates Started: 2/19/14 **Finished:** 2/19/14

X: 477050.529 m Y: 2034155.943 m

Ground Surface Elevation: **Total Depth:** 10.0 ft

Groundwater Observations

	Date	Time	Depth	Casing	Caved
Encountered	2/19	1:15 PM	7.0'	---	---

DEPTH (ft)	MATERIAL DESCRIPTION	SYMBOL	ELEV (ft)	STRA TUM	SAMPLING		TESTS	REMARKS
					DEPTH	DATA		
0.2	Topsoil SILTY SAND; wet, light gray, probable RESIDUAL material, yellowish gray at 9 ft	SM					PID = 0.0 ppm	
10.0					5		PID = 0.0 ppm	
					10		PID = 0.0 ppm	
							PID = 0.0 ppm	
							PID = 0.0 ppm	

Bottom of Geo Probe at 10.0 ft.

Boring terminated at selected depth.

Boring backfilled with bentonite and cuttings upon completion.



**GEO
PROBE
LOG**

Project: Preliminary Site Assessments
Cumberland County
Fayetteville, North Carolina

Geo Probe Number: **B-16/17-03**

Contract Number: B-4490

Sheet: 1 of 1

Contractor: Saedacco, Inc.
Fort Mill, South Carolina

Contractor Foreman: W. Hall

Schnabel Representative: B. Bradley

Equipment: Geoprobe 7822DT

Method: 3-1/4" Probe Rod,
Macrocore

Hammer Type:

Dates Started: 2/19/14 **Finished:** 2/19/14

X: 477063.728 m Y: 2034038.185 m

Ground Surface Elevation: **Total Depth:** 10.0 ft

Groundwater Observations

	Date	Time	Depth	Casing	Caved
--	------	------	-------	--------	-------

Encountered	▽	2/19	12:53 PM	7.0'	---	---

DEPTH (ft)	MATERIAL DESCRIPTION	SYMBOL	ELEV (ft)	STRA TUM	SAMPLING		TESTS	REMARKS
					DEPTH	DATA		
0.5	Crushed stone	SM					PID = 0.0 ppm	
	SILTY SAND WITH CLAY; wet, dark blackish brown, estimated 5 - 10% wood, probable RESIDUAL material	▽					PID = 0.0 ppm	
							PID = 0.0 ppm	
							PID = 0.0 ppm	
							PID = 0.0 ppm	
10.0								

Bottom of Geo Probe at 10.0 ft.

Boring terminated at selected depth.

Boring backfilled with bentonite and cuttings upon completion.



**GEO
PROBE
LOG**

Project: Preliminary Site Assessments
Cumberland County
Fayetteville, North Carolina

Geo Probe Number: **B-16/17-04**

Contract Number: B-4490

Sheet: 1 of 1

Contractor: Saedacco, Inc.
Fort Mill, South Carolina

Contractor Foreman: W. Hall

Schnabel Representative: B. Bradley

Equipment: Geoprobe 7822DT

Method: 3-1/4" Probe Rod,
Macrocore

Hammer Type:

Dates Started: 2/19/14 **Finished:** 2/19/14

X: 477025.219 m Y: 2034138.019 m

Ground Surface Elevation: **Total Depth:** 10.0 ft

Groundwater Observations

	Date	Time	Depth	Casing	Caved
--	------	------	-------	--------	-------

Encountered	▽	2/19	1:05 PM	6.5'	---

DEPTH (ft)	MATERIAL DESCRIPTION	SYMBOL	ELEV (ft)	STRA TUM	SAMPLING		TESTS	REMARKS
					DEPTH	DATA		
0.2	Asphalt SILTY SAND; wet, light gray, probable RESIDUAL material, yellowish gray at 9 ft	SM					PID = 0.0 ppm PID = 0.0 ppm PID = 0.0 ppm PID = 0.0 ppm	
10.0					5		PID = 0.0 ppm	

Bottom of Geo Probe at 10.0 ft.

Boring terminated at selected depth.

Boring backfilled with bentonite and cuttings upon completion.



**GEO
PROBE
LOG**

Project: Preliminary Site Assessments
Cumberland County
Fayetteville, North Carolina

Geo Probe Number: **B-16/17-05**

Contract Number: B-4490
Sheet: 1 of 1

Contractor: Saedacco, Inc.
Fort Mill, South Carolina

Contractor Foreman: W. Hall

Schnabel Representative: B. Bradley

Equipment: Geoprobe 7822DT

Method: 3-1/4" Probe Rod,
Macrocore

Hammer Type:

Dates Started: 2/19/14 **Finished:** 2/19/14

X: 476957.598 m Y: 2034130.245 m

Ground Surface Elevation: **Total Depth:** 10.0 ft

Groundwater Observations

	Date	Time	Depth	Casing	Caved
Encountered	2/19	1:24 PM	7.0'	---	---

DEPTH (ft)	MATERIAL DESCRIPTION	SYMBOL	ELEV (ft)	STRA TUM	SAMPLING		TESTS	REMARKS
					DEPTH	DATA		
0.2	Asphalt SILTY SAND; wet, light gray, probable RESIDUAL material, yellowish gray at 9 ft						PID = 0.0 ppm	
10.0					5		PID = 0.0 ppm	
					10		PID = 0.0 ppm	
							PID = 0.0 ppm	
							PID = 0.0 ppm	

Bottom of Geo Probe at 10.0 ft.

Boring terminated at selected depth.

Boring backfilled with bentonite and cuttings upon completion.

APPENDIX D

SOIL BORING GPS COORDINATES

**SOIL BORING GPS COORDINATES
NCDOT B-4490, CUMBERLAND COUNTY**

Soil Boring GPS Coordinates		
Boring Identification	Easting	Northing
	X	Y
B-16/17-01	2034030.757	477087.242
B-16/17-02	2034155.943	477050.529
B-16/17-03	2034038.185	477063.728
B-16/17-04	2034138.019	477025.219
B-16/17-05	2034130.245	476957.598

* NC State Plane 1983 System, NC 3200 Zone,
NAD 83 Datum, US Survey Feet

APPENDIX E

LABORATORY ANALYTICAL RESULTS

March 08, 2014

Chemical Testing Engineer
Materials and Tests Unit
1801 Blue Ridge Road
Raleigh, NC 27607

RE: Project: FAYETTEVILLE PSA'S 33727.1.1
Pace Project No.: 92190355

Dear Chemical Engineer:

Enclosed are the analytical results for sample(s) received by the laboratory on February 20, 2014. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

Analyses were performed at the Pace Analytical Services location indicated on the sample analyte page for analysis unless otherwise footnoted.

Some analyses have been subcontracted outside of the Pace Network. The subcontracted laboratory report has been attached.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Kevin Godwin
kevin.godwin@pacelabs.com
Project Manager

Enclosures

cc: Ben Bradley, Schnabel Engineering



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: FAYETTEVILLE PSA'S 33727.1.1
Pace Project No.: 92190355

Indiana Certification IDs

7726 Moller Road, Indianapolis, IN 46268
Illinois Certification #: 200074
Indiana Certification #: C-49-06
Kansas Certification #: E-10247
Kentucky UST Certification #: 0042

Louisiana/NELAP Certification #: 04076
Ohio VAP Certification #: CL-0065
Pennsylvania Certification #: 68-04991
West Virginia Certification #: 330

Charlotte Certification IDs

9800 Kincey Ave. Ste 100, Huntersville, NC 28078
North Carolina Drinking Water Certification #: 37706
North Carolina Field Services Certification #: 5342
North Carolina Wastewater Certification #: 12
South Carolina Certification #: 99006001

Florida/NELAP Certification #: E87627
Kentucky UST Certification #: 84
West Virginia Certification #: 357
Virginia/VELAP Certification #: 460221

Asheville Certification IDs

2225 Riverside Dr., Asheville, NC 28804
Florida/NELAP Certification #: E87648
Massachusetts Certification #: M-NC030
North Carolina Drinking Water Certification #: 37712

North Carolina Wastewater Certification #: 40
South Carolina Certification #: 99030001
West Virginia Certification #: 356
Virginia/VELAP Certification #: 460222

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: FAYETTEVILLE PSA'S 33727.1.1
Pace Project No.: 92190355

Lab ID	Sample ID	Method	Analysts	Analytics Reported	Laboratory
92190355001	B-13-01 6FT	EPA 8015 Modified	NU1	2	PASI-C
		EPA 8015 Modified	GAW	2	PASI-C
		ASTM D2974-87	LLW	1	PASI-C
92190355002	DUPLICATE -1	EPA 8015 Modified	NU1	2	PASI-C
		EPA 8015 Modified	GAW	2	PASI-C
		ASTM D2974-87	LLW	1	PASI-C
92190355003	B-16/17-01	EPA 8015 - Alcohol-Glycol	CEM	1	PASI-I
		MADEP EPH	EJK	7	PASI-C
		MADEP VPH	GAW	5	PASI-C
		EPA 6010	JMW	2	PASI-A
		EPA 625	RES	58	PASI-C
		SM 6200B	CAH	64	PASI-C
		EPA 8260	MCK	63	PASI-C
		EPA 8015 - Alcohol-Glycol	CEM	1	PASI-I
		MADEP EPH	EJK	7	PASI-C
92190355004	B-18-01	MADEP VPH	GAW	5	PASI-C
		EPA 6010	JMW	2	PASI-A
		EPA 625	RES	60	PASI-C
		SM 6200B	CAH	64	PASI-C
		EPA 8260	MCK	63	PASI-C
		EPA 8015 - Alcohol-Glycol	CEM	1	PASI-I
		MADEP EPH	EJK	7	PASI-C
92190355005	DUPLICATE-2	MADEP VPH	GAW	5	PASI-C
		EPA 6010	JMW	2	PASI-A
		EPA 625	RES	59	PASI-C
		SM 6200B	CAH	64	PASI-C
		EPA 8260	MCK	63	PASI-C
		EPA 8015 Modified	NU1	2	PASI-C
		MADEP EPH	EJK	7	PASI-C
92190355006	B-07-02 8'	EPA 8015 Modified	GAW	2	PASI-C
		MADEP VPH	GAW	5	PASI-C
		EPA 6010	JMW	2	PASI-A
		EPA 8270	RES	74	PASI-C
		EPA 8260	DLK	70	PASI-C
		ASTM D2974-87	LLW	1	PASI-C
		EPA 8015 Modified	NU1	2	PASI-C
		MADEP EPH	EJK	7	PASI-C
92190355007	B-07-06 10'				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
		EPA 8015 Modified	GAW	2	PASI-C
		MADEP VPH	GAW	5	PASI-C
		EPA 6010	JMW	2	PASI-A
		EPA 8270	RES	74	PASI-C
		EPA 8260	DLK	70	PASI-C
		ASTM D2974-87	LLW	1	PASI-C

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Method: **EPA 8015 Modified**

Description: 8015 GCS THC-Diesel

Client: NCDOT South East

Date: March 08, 2014

General Information:

4 samples were analyzed for EPA 8015 Modified. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3546 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: OEXT/26002

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 92189902002

M0: Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

- MS (Lab ID: 1141207)
 - Diesel Components
- MSD (Lab ID: 1141208)
 - Diesel Components

R1: RPD value was outside control limits.

- MSD (Lab ID: 1141208)
 - Diesel Components
 - n-Pentacosane (S)

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Method: **EPA 8015 - Alcohol-Glycol**

Description: 8015M Glycols in water

Client: NCDOT South East

Date: March 08, 2014

General Information:

3 samples were analyzed for EPA 8015 - Alcohol-Glycol. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Method: **MADEP EPH**

Description: MADEP EPH NC Soil

Client: NCDOT South East

Date: March 08, 2014

General Information:

2 samples were analyzed for MADEP EPH. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with MADEP EPH with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

QC Batch: OEXT/26076

S4: Surrogate recovery not evaluated against control limits due to sample dilution.

- B-07-02 8' (Lab ID: 92190355006)
- Nonatriacontane (S)

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

Analyte Comments:

QC Batch: OEXT/26076

N2: The lab does not hold TNI accreditation for this parameter.

- B-07-02 8' (Lab ID: 92190355006)
 - Aliphatic (C09-C18)
 - Aliphatic (C19-C36)
 - Aromatic (C11-C22)
- B-07-06 10' (Lab ID: 92190355007)
 - Aliphatic (C09-C18)
 - Aliphatic (C19-C36)

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Method: **MADEP EPH**

Description: MADEP EPH NC Soil

Client: NCDOT South East

Date: March 08, 2014

Analyte Comments:

QC Batch: OEXT/26076

N2: The lab does not hold TNI accreditation for this parameter.

- B-07-06 10' (Lab ID: 92190355007)
 - Aromatic (C11-C22)
- BLANK (Lab ID: 1143989)
 - Aliphatic (C09-C18)
 - Aliphatic (C19-C36)
 - Aromatic (C11-C22)
- LCS (Lab ID: 1143990)
 - Aliphatic (C09-C18)
 - Aliphatic (C19-C36)
 - Aromatic (C11-C22)
- LCSD (Lab ID: 1143991)
 - Aliphatic (C09-C18)
 - Aliphatic (C19-C36)
 - Aromatic (C11-C22)

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Method: **MADEP EPH**

Description: MADEP EPH NC Water

Client: NCDOT South East

Date: March 08, 2014

General Information:

3 samples were analyzed for MADEP EPH. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with MADEP EPH with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

Analyte Comments:

QC Batch: OEXT/26031

N2: The lab does not hold TNI accreditation for this parameter.

- B-16/17-01 (Lab ID: 92190355003)
 - Aliphatic (C09-C18)
 - Aliphatic (C19-C36)
 - Aromatic (C11-C22)
- B-18-01 (Lab ID: 92190355004)
 - Aliphatic (C09-C18)
 - Aliphatic (C19-C36)
 - Aromatic (C11-C22)
- BLANK (Lab ID: 1142333)
 - Aliphatic (C09-C18)
 - Aliphatic (C19-C36)

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Method: **MADEP EPH**

Description: MADEP EPH NC Water

Client: NCDOT South East

Date: March 08, 2014

Analyte Comments:

QC Batch: OEXT/26031

N2: The lab does not hold TNI accreditation for this parameter.

- BLANK (Lab ID: 1142333)
 - Aromatic (C11-C22)
- DUPLICATE-2 (Lab ID: 92190355005)
 - Aliphatic (C09-C18)
 - Aliphatic (C19-C36)
 - Aromatic (C11-C22)
- LCS (Lab ID: 1142334)
 - Aliphatic (C09-C18)
 - Aliphatic (C19-C36)
 - Aromatic (C11-C22)
- LCSD (Lab ID: 1142335)
 - Aliphatic (C09-C18)
 - Aliphatic (C19-C36)
 - Aromatic (C11-C22)

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: FAYETTEVILLE PSA'S 33727.1.1
Pace Project No.: 92190355

Method: **EPA 8015 Modified**

Description: Gasoline Range Organics

Client: NCDOT South East

Date: March 08, 2014

General Information:

4 samples were analyzed for EPA 8015 Modified. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 5035A/5030B with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Method: **MADEP VPH**

Description: VPH NC Soil

Client: NCDOT South East

Date: March 08, 2014

General Information:

2 samples were analyzed for MADEP VPH. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with MADEP VPH with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

QC Batch: GCV/7860

S1: Surrogate recovery outside laboratory control limits (confirmed by re-analysis).

- B-07-02 8' (Lab ID: 92190355006)
 - 4-Bromofluorobenzene (FID) (S)
 - 4-Bromofluorobenzene (PID) (S)
- B-07-06 10' (Lab ID: 92190355007)
 - 4-Bromofluorobenzene (FID) (S)
 - 4-Bromofluorobenzene (PID) (S)

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Method: MADEP VPH

Description: VPH NC Soil

Client: NCDOT South East

Date: March 08, 2014

Analyte Comments:

QC Batch: GCV/7860

N2: The lab does not hold TNI accreditation for this parameter.

- B-07-02 8' (Lab ID: 92190355006)
 - Aliphatic (C05-C08)
 - Aliphatic (C09-C12)
 - Aromatic (C09-C10)
- B-07-06 10' (Lab ID: 92190355007)
 - Aliphatic (C05-C08)
 - Aliphatic (C09-C12)
 - Aromatic (C09-C10)
- BLANK (Lab ID: 1152103)
 - Aliphatic (C05-C08)
 - Aliphatic (C09-C12)
 - Aromatic (C09-C10)
- LCS (Lab ID: 1152104)
 - Aliphatic (C05-C08)
 - Aliphatic (C09-C12)
 - Aromatic (C09-C10)
- LCSD (Lab ID: 1152105)
 - Aliphatic (C05-C08)
 - Aliphatic (C09-C12)
 - Aromatic (C09-C10)

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Method: **MADEP VPH**

Description: VPH NC Water

Client: NCDOT South East

Date: March 08, 2014

General Information:

3 samples were analyzed for MADEP VPH. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

Analyte Comments:

QC Batch: GCV/7835

N2: The lab does not hold TNI accreditation for this parameter.

- B-16/17-01 (Lab ID: 92190355003)
 - Aliphatic (C05-C08)
 - Aliphatic (C09-C12)
 - Aromatic (C09-C10)
- B-18-01 (Lab ID: 92190355004)
 - Aliphatic (C05-C08)
 - Aliphatic (C09-C12)
 - Aromatic (C09-C10)
- BLANK (Lab ID: 1148658)
 - Aliphatic (C05-C08)
 - Aliphatic (C09-C12)
 - Aromatic (C09-C10)

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Method: **MADEP VPH**

Description: VPH NC Water

Client: NCDOT South East

Date: March 08, 2014

Analyte Comments:

QC Batch: GCV/7835

N2: The lab does not hold TNI accreditation for this parameter.

- DUPLICATE-2 (Lab ID: 92190355005)
 - Aliphatic (C05-C08)
 - Aliphatic (C09-C12)
 - Aromatic (C09-C10)
- LCS (Lab ID: 1148659)
 - Aliphatic (C05-C08)
 - Aliphatic (C09-C12)
 - Aromatic (C09-C10)
- LCSD (Lab ID: 1148660)
 - Aliphatic (C05-C08)
 - Aliphatic (C09-C12)
 - Aromatic (C09-C10)

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: FAYETTEVILLE PSA'S 33727.1.1
Pace Project No.: 92190355

Method: EPA 6010
Description: 6010 MET ICP
Client: NCDOT South East
Date: March 08, 2014

General Information:

5 samples were analyzed for EPA 6010. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3010 with any exceptions noted below.

The samples were prepared in accordance with EPA 3050 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Method: **EPA 625**

Description: 625 MSSV

Client: NCDOT South East

Date: March 08, 2014

General Information:

3 samples were analyzed for EPA 625. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 625 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: OEXT/26010

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 92190065001

R1: RPD value was outside control limits.

- MSD (Lab ID: 1141553)
 - 2,4-Dimethylphenol
 - 2-Chlorophenol
 - N-Nitroso-di-n-propylamine
 - Phenol
 - bis(2-Chloroisopropyl) ether

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Method: **EPA 8270**

Description: 8270 MSSV Microwave

Client: NCDOT South East

Date: March 08, 2014

General Information:

2 samples were analyzed for EPA 8270. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3546 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

QC Batch: OEXT/26015

S4: Surrogate recovery not evaluated against control limits due to sample dilution.

- B-07-02 8' (Lab ID: 92190355006)
- Nitrobenzene-d5 (S)

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

Analyte Comments:

QC Batch: OEXT/26015

D3: Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

- B-07-02 8' (Lab ID: 92190355006)
- Nitrobenzene-d5 (S)

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Method: **SM 6200B**

Description: 6200B MSV

Client: NCDOT South East

Date: March 08, 2014

General Information:

3 samples were analyzed for SM 6200B. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: MSV/25905

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 92190689006

R1: RPD value was outside control limits.

- MSD (Lab ID: 1145844)
 - 1,2,3-Trichloropropane
 - 1,2-Dibromo-3-chloropropane
 - Ethanol

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Method: **EPA 8260**

Description: 8260 MSV Low Level

Client: NCDOT South East

Date: March 08, 2014

General Information:

3 samples were analyzed for EPA 8260. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Method: **EPA 8260**

Description: 8260/5035A Volatile Organics

Client: NCDOT South East

Date: March 08, 2014

General Information:

2 samples were analyzed for EPA 8260. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

QC Batch: MSV/25855

L3: Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.

- LCS (Lab ID: 1142404)
- Bromomethane
- Methylene Chloride

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

Analyte Comments:

QC Batch: MSV/25855

D3: Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

- B-07-06 10' (Lab ID: 92190355007)
- Dichlorodifluoromethane

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Method: **EPA 8260**

Description: 8260/5035A Volatile Organics

Client: NCDOT South East

Date: March 08, 2014

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Sample: B-13-01 6FT Lab ID: 92190355001 Collected: 02/19/14 14:15 Received: 02/20/14 09:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS THC-Diesel			Analytical Method: EPA 8015 Modified Preparation Method: EPA 3546					
Diesel Components	178 mg/kg		6.2	1	02/20/14 16:30	02/21/14 15:40	68334-30-5	
Surrogates								
n-Pentacosane (S)	56 %		41-119	1	02/20/14 16:30	02/21/14 15:40	629-99-2	
Gasoline Range Organics			Analytical Method: EPA 8015 Modified Preparation Method: EPA 5035A/5030B					
Gasoline Range Organics	24.0 mg/kg		5.3	1	02/21/14 09:04	02/21/14 16:26	8006-61-9	
Surrogates								
4-Bromofluorobenzene (S)	124 %		70-167	1	02/21/14 09:04	02/21/14 16:26	460-00-4	
Percent Moisture			Analytical Method: ASTM D2974-87					
Percent Moisture	19.5 %		0.10	1			03/03/14 11:58	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Sample: DUPLICATE -1 Lab ID: **92190355002** Collected: 02/19/14 00:00 Received: 02/20/14 09:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS THC-Diesel			Analytical Method: EPA 8015 Modified Preparation Method: EPA 3546					
Diesel Components	486 mg/kg		12.0	2	02/20/14 16:30	02/21/14 17:43	68334-30-5	
Surrogates								
n-Pentacosane (S)	69 %		41-119	2	02/20/14 16:30	02/21/14 17:43	629-99-2	
Gasoline Range Organics			Analytical Method: EPA 8015 Modified Preparation Method: EPA 5035A/5030B					
Gasoline Range Organics	36.8 mg/kg		4.8	1	02/21/14 09:04	02/21/14 17:35	8006-61-9	
Surrogates								
4-Bromofluorobenzene (S)	147 %		70-167	1	02/21/14 09:04	02/21/14 17:35	460-00-4	
Percent Moisture			Analytical Method: ASTM D2974-87					
Percent Moisture	16.9 %		0.10	1			03/03/14 11:58	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Sample: B-16/17-01	Lab ID: 92190355003	Collected: 02/19/14 13:00	Received: 02/20/14 09:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015M Glycols in water	Analytical Method: EPA 8015 - Alcohol-Glycol							
Ethylene glycol	ND	mg/L	10.0	1		02/26/14 14:12	107-21-1	
MADEP EPH NC Water	Analytical Method: MADEP EPH Preparation Method: MADEP EPH							
Aliphatic (C09-C18)	ND	ug/L	100	1	02/21/14 10:25	02/24/14 19:13		N2
Aliphatic (C19-C36)	ND	ug/L	100	1	02/21/14 10:25	02/24/14 19:13		N2
Aromatic (C11-C22)	ND	ug/L	100	1	02/21/14 10:25	02/24/14 19:13		N2
Surrogates								
Nonatriacontane (S)	52 %		40-140	1	02/21/14 10:25	02/24/14 19:13	7194-86-7	
o-Terphenyl (S)	59 %		40-140	1	02/21/14 10:25	02/24/14 19:13	84-15-1	
2-Fluorobiphenyl (S)	43 %		40-140	1	02/21/14 10:25	02/24/14 19:13	321-60-8	
2-Bromonaphthalene (S)	62 %		40-140	1	02/21/14 10:25	02/24/14 19:13	580-13-2	
VPH NC Water	Analytical Method: MADEP VPH							
Aliphatic (C05-C08)	ND	ug/L	50.0	1		03/02/14 01:35		N2
Aliphatic (C09-C12)	ND	ug/L	50.0	1		03/02/14 01:35		N2
Aromatic (C09-C10)	ND	ug/L	50.0	1		03/02/14 01:35		N2
Surrogates								
4-Bromofluorobenzene (FID) (S)	90 %		70-130	1		03/02/14 01:35	460-00-4	
4-Bromofluorobenzene (PID) (S)	84 %		70-130	1		03/02/14 01:35	460-00-4	
6010 MET ICP	Analytical Method: EPA 6010 Preparation Method: EPA 3010							
Chromium	5.8	ug/L	5.0	1	02/21/14 10:00	02/21/14 22:26	7440-47-3	
Lead	ND	ug/L	5.0	1	02/21/14 10:00	02/21/14 22:26	7439-92-1	
625 MSSV	Analytical Method: EPA 625 Preparation Method: EPA 625							
Acenaphthene	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:24	83-32-9	
Acenaphthylene	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:24	208-96-8	
Anthracene	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:24	120-12-7	
Benzo(a)anthracene	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:24	56-55-3	
Benzo(a)pyrene	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:24	50-32-8	
Benzo(b)fluoranthene	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:24	205-99-2	
Benzo(g,h,i)perylene	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:24	191-24-2	
Benzo(k)fluoranthene	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:24	207-08-9	
4-Bromophenylphenyl ether	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:24	101-55-3	
Butylbenzylphthalate	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:24	85-68-7	
4-Chloro-3-methylphenol	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:24	59-50-7	
bis(2-Chloroethoxy)methane	ND	ug/L	10.0	1	02/20/14 13:00	02/28/14 03:24	111-91-1	
bis(2-Chloroethyl) ether	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:24	111-44-4	
bis(2-Chloroisopropyl) ether	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:24	108-60-1	
2-Chloronaphthalene	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:24	91-58-7	
2-Chlorophenol	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:24	95-57-8	
4-Chlorophenylphenyl ether	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:24	7005-72-3	
Chrysene	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:24	218-01-9	
Dibenz(a,h)anthracene	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:24	53-70-3	
3,3'-Dichlorobenzidine	ND	ug/L	25.0	1	02/20/14 13:00	02/28/14 03:24	91-94-1	
2,4-Dichlorophenol	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:24	120-83-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Sample: B-16/17-01	Lab ID: 92190355003	Collected: 02/19/14 13:00	Received: 02/20/14 09:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
625 MSSV	Analytical Method: EPA 625 Preparation Method: EPA 625							
Diethylphthalate	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:24	84-66-2	
2,4-Dimethylphenol	ND ug/L		10.0	1	02/20/14 13:00	02/28/14 03:24	105-67-9	
Dimethylphthalate	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:24	131-11-3	
Di-n-butylphthalate	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:24	84-74-2	
4,6-Dinitro-2-methylphenol	ND ug/L		20.0	1	02/20/14 13:00	02/28/14 03:24	534-52-1	
2,4-Dinitrophenol	ND ug/L		50.0	1	02/20/14 13:00	02/28/14 03:24	51-28-5	
2,4-Dinitrotoluene	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:24	121-14-2	
2,6-Dinitrotoluene	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:24	606-20-2	
Di-n-octylphthalate	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:24	117-84-0	
bis(2-Ethylhexyl)phthalate	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:24	117-81-7	
Fluoranthene	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:24	206-44-0	
Fluorene	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:24	86-73-7	
Hexachloro-1,3-butadiene	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:24	87-68-3	
Hexachlorobenzene	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:24	118-74-1	
Hexachlorocyclopentadiene	ND ug/L		10.0	1	02/20/14 13:00	02/28/14 03:24	77-47-4	
Hexachloroethane	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:24	67-72-1	
Indeno(1,2,3-cd)pyrene	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:24	193-39-5	
Isophorone	ND ug/L		10.0	1	02/20/14 13:00	02/28/14 03:24	78-59-1	
Naphthalene	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:24	91-20-3	
Nitrobenzene	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:24	98-95-3	
2-Nitrophenol	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:24	88-75-5	
4-Nitrophenol	ND ug/L		50.0	1	02/20/14 13:00	02/28/14 03:24	100-02-7	
N-Nitrosodimethylamine	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:24	62-75-9	
N-Nitroso-di-n-propylamine	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:24	621-64-7	
N-Nitrosodiphenylamine	ND ug/L		10.0	1	02/20/14 13:00	02/28/14 03:24	86-30-6	
Pentachlorophenol	ND ug/L		10.0	1	02/20/14 13:00	02/28/14 03:24	87-86-5	
Phenanthrene	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:24	85-01-8	
Phenol	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:24	108-95-2	
Pyrene	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:24	129-00-0	
1,2,4-Trichlorobenzene	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:24	120-82-1	
2,4,6-Trichlorophenol	ND ug/L		10.0	1	02/20/14 13:00	02/28/14 03:24	88-06-2	
Surrogates								
Nitrobenzene-d5 (S)	39 %		10-120	1	02/20/14 13:00	02/28/14 03:24	4165-60-0	
2-Fluorobiphenyl (S)	37 %		15-120	1	02/20/14 13:00	02/28/14 03:24	321-60-8	
Terphenyl-d14 (S)	69 %		11-131	1	02/20/14 13:00	02/28/14 03:24	1718-51-0	
Phenol-d6 (S)	19 %		10-120	1	02/20/14 13:00	02/28/14 03:24	13127-88-3	
2-Fluorophenol (S)	26 %		10-120	1	02/20/14 13:00	02/28/14 03:24	367-12-4	
2,4,6-Tribromophenol (S)	59 %		10-137	1	02/20/14 13:00	02/28/14 03:24	118-79-6	
6200B MSV	Analytical Method: SM 6200B							
Benzene	ND ug/L		0.50	1		02/26/14 21:32	71-43-2	
Bromobenzene	ND ug/L		0.50	1		02/26/14 21:32	108-86-1	
Bromochloromethane	ND ug/L		0.50	1		02/26/14 21:32	74-97-5	
Bromodichloromethane	ND ug/L		0.50	1		02/26/14 21:32	75-27-4	
Bromoform	ND ug/L		0.50	1		02/26/14 21:32	75-25-2	
Bromomethane	ND ug/L		5.0	1		02/26/14 21:32	74-83-9	
n-Butylbenzene	ND ug/L		0.50	1		02/26/14 21:32	104-51-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Sample: B-16/17-01	Lab ID: 92190355003	Collected: 02/19/14 13:00	Received: 02/20/14 09:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6200B MSV	Analytical Method: SM 6200B							
sec-Butylbenzene	ND ug/L		0.50	1		02/26/14 21:32	135-98-8	
tert-Butylbenzene	ND ug/L		0.50	1		02/26/14 21:32	98-06-6	
Carbon tetrachloride	ND ug/L		0.50	1		02/26/14 21:32	56-23-5	
Chlorobenzene	ND ug/L		0.50	1		02/26/14 21:32	108-90-7	
Chloroethane	ND ug/L		1.0	1		02/26/14 21:32	75-00-3	
Chloroform	ND ug/L		0.50	1		02/26/14 21:32	67-66-3	
Chloromethane	ND ug/L		1.0	1		02/26/14 21:32	74-87-3	
2-Chlorotoluene	ND ug/L		0.50	1		02/26/14 21:32	95-49-8	
4-Chlorotoluene	ND ug/L		0.50	1		02/26/14 21:32	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		1.0	1		02/26/14 21:32	96-12-8	
Dibromochloromethane	ND ug/L		0.50	1		02/26/14 21:32	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		0.50	1		02/26/14 21:32	106-93-4	
Dibromomethane	ND ug/L		0.50	1		02/26/14 21:32	74-95-3	
1,2-Dichlorobenzene	ND ug/L		0.50	1		02/26/14 21:32	95-50-1	
1,3-Dichlorobenzene	ND ug/L		0.50	1		02/26/14 21:32	541-73-1	
1,4-Dichlorobenzene	ND ug/L		0.50	1		02/26/14 21:32	106-46-7	
Dichlorodifluoromethane	ND ug/L		0.50	1		02/26/14 21:32	75-71-8	
1,1-Dichloroethane	ND ug/L		0.50	1		02/26/14 21:32	75-34-3	
1,2-Dichloroethane	ND ug/L		0.50	1		02/26/14 21:32	107-06-2	
1,1-Dichloroethene	ND ug/L		0.50	1		02/26/14 21:32	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		0.50	1		02/26/14 21:32	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		0.50	1		02/26/14 21:32	156-60-5	
1,2-Dichloropropane	ND ug/L		0.50	1		02/26/14 21:32	78-87-5	
1,3-Dichloropropane	ND ug/L		0.50	1		02/26/14 21:32	142-28-9	
2,2-Dichloropropane	ND ug/L		0.50	1		02/26/14 21:32	594-20-7	
1,1-Dichloropropene	ND ug/L		0.50	1		02/26/14 21:32	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		0.50	1		02/26/14 21:32	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		0.50	1		02/26/14 21:32	10061-02-6	
Diisopropyl ether	ND ug/L		0.50	1		02/26/14 21:32	108-20-3	
Ethanol	ND ug/L		200	1		02/26/14 21:32	64-17-5	
Ethylbenzene	ND ug/L		0.50	1		02/26/14 21:32	100-41-4	
Hexachloro-1,3-butadiene	ND ug/L		2.0	1		02/26/14 21:32	87-68-3	
Isopropylbenzene (Cumene)	ND ug/L		0.50	1		02/26/14 21:32	98-82-8	
Methylene Chloride	ND ug/L		2.0	1		02/26/14 21:32	75-09-2	
Methyl-tert-butyl ether	0.87 ug/L		0.50	1		02/26/14 21:32	1634-04-4	
Naphthalene	ND ug/L		2.0	1		02/26/14 21:32	91-20-3	
n-Propylbenzene	ND ug/L		0.50	1		02/26/14 21:32	103-65-1	
Styrene	ND ug/L		0.50	1		02/26/14 21:32	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		0.50	1		02/26/14 21:32	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		0.50	1		02/26/14 21:32	79-34-5	
Tetrachloroethene	ND ug/L		0.50	1		02/26/14 21:32	127-18-4	
Toluene	ND ug/L		0.50	1		02/26/14 21:32	108-88-3	
1,2,3-Trichlorobenzene	ND ug/L		2.0	1		02/26/14 21:32	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		2.0	1		02/26/14 21:32	120-82-1	
1,1,1-Trichloroethane	ND ug/L		0.50	1		02/26/14 21:32	71-55-6	
1,1,2-Trichloroethane	ND ug/L		0.50	1		02/26/14 21:32	79-00-5	
Trichloroethene	0.57 ug/L		0.50	1		02/26/14 21:32	79-01-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Sample: B-16/17-01	Lab ID: 92190355003	Collected: 02/19/14 13:00	Received: 02/20/14 09:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6200B MSV	Analytical Method: SM 6200B							
Trichlorofluoromethane	ND ug/L		1.0	1		02/26/14 21:32	75-69-4	
1,2,3-Trichloropropane	ND ug/L		0.50	1		02/26/14 21:32	96-18-4	
1,2,4-Trimethylbenzene	ND ug/L		0.50	1		02/26/14 21:32	95-63-6	
1,3,5-Trimethylbenzene	ND ug/L		0.50	1		02/26/14 21:32	108-67-8	
Vinyl chloride	ND ug/L		1.0	1		02/26/14 21:32	75-01-4	
m&p-Xylene	ND ug/L		1.0	1		02/26/14 21:32	179601-23-1	
o-Xylene	ND ug/L		0.50	1		02/26/14 21:32	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	102 %		70-130	1		02/26/14 21:32	17060-07-0	
4-Bromofluorobenzene (S)	95 %		70-130	1		02/26/14 21:32	460-00-4	
Toluene-d8 (S)	101 %		70-130	1		02/26/14 21:32	2037-26-5	
8260 MSV Low Level	Analytical Method: EPA 8260							
Acetone	ND ug/L		25.0	1		02/22/14 02:55	67-64-1	
Benzene	ND ug/L		1.0	1		02/22/14 02:55	71-43-2	
Bromobenzene	ND ug/L		1.0	1		02/22/14 02:55	108-86-1	
Bromochloromethane	ND ug/L		1.0	1		02/22/14 02:55	74-97-5	
Bromodichloromethane	ND ug/L		1.0	1		02/22/14 02:55	75-27-4	
Bromoform	ND ug/L		1.0	1		02/22/14 02:55	75-25-2	
Bromomethane	ND ug/L		2.0	1		02/22/14 02:55	74-83-9	
2-Butanone (MEK)	ND ug/L		5.0	1		02/22/14 02:55	78-93-3	
Carbon tetrachloride	ND ug/L		1.0	1		02/22/14 02:55	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		02/22/14 02:55	108-90-7	
Chloroethane	ND ug/L		1.0	1		02/22/14 02:55	75-00-3	
Chloroform	ND ug/L		1.0	1		02/22/14 02:55	67-66-3	
Chloromethane	ND ug/L		1.0	1		02/22/14 02:55	74-87-3	
2-Chlorotoluene	ND ug/L		1.0	1		02/22/14 02:55	95-49-8	
4-Chlorotoluene	ND ug/L		1.0	1		02/22/14 02:55	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		5.0	1		02/22/14 02:55	96-12-8	
Dibromochloromethane	ND ug/L		1.0	1		02/22/14 02:55	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		02/22/14 02:55	106-93-4	
Dibromomethane	ND ug/L		1.0	1		02/22/14 02:55	74-95-3	
1,2-Dichlorobenzene	ND ug/L		1.0	1		02/22/14 02:55	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		02/22/14 02:55	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		02/22/14 02:55	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		02/22/14 02:55	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		02/22/14 02:55	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		02/22/14 02:55	107-06-2	
1,1-Dichloroethene	ND ug/L		1.0	1		02/22/14 02:55	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		1.0	1		02/22/14 02:55	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		1.0	1		02/22/14 02:55	156-60-5	
1,2-Dichloropropane	ND ug/L		1.0	1		02/22/14 02:55	78-87-5	
1,3-Dichloropropane	ND ug/L		1.0	1		02/22/14 02:55	142-28-9	
2,2-Dichloropropane	ND ug/L		1.0	1		02/22/14 02:55	594-20-7	
1,1-Dichloropropene	ND ug/L		1.0	1		02/22/14 02:55	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		1.0	1		02/22/14 02:55	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		1.0	1		02/22/14 02:55	10061-02-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Sample: B-16/17-01	Lab ID: 92190355003	Collected: 02/19/14 13:00	Received: 02/20/14 09:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level	Analytical Method: EPA 8260							
Diisopropyl ether	ND ug/L		1.0	1		02/22/14 02:55	108-20-3	
Ethylbenzene	ND ug/L		1.0	1		02/22/14 02:55	100-41-4	
Hexachloro-1,3-butadiene	ND ug/L		1.0	1		02/22/14 02:55	87-68-3	
2-Hexanone	ND ug/L		5.0	1		02/22/14 02:55	591-78-6	
p-Isopropyltoluene	ND ug/L		1.0	1		02/22/14 02:55	99-87-6	
Methylene Chloride	ND ug/L		2.0	1		02/22/14 02:55	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/L		5.0	1		02/22/14 02:55	108-10-1	
Methyl-tert-butyl ether	ND ug/L		1.0	1		02/22/14 02:55	1634-04-4	
Naphthalene	ND ug/L		1.0	1		02/22/14 02:55	91-20-3	
Styrene	ND ug/L		1.0	1		02/22/14 02:55	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		1.0	1		02/22/14 02:55	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		02/22/14 02:55	79-34-5	
Tetrachloroethene	ND ug/L		1.0	1		02/22/14 02:55	127-18-4	
Toluene	ND ug/L		1.0	1		02/22/14 02:55	108-88-3	
1,2,3-Trichlorobenzene	ND ug/L		1.0	1		02/22/14 02:55	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		1.0	1		02/22/14 02:55	120-82-1	
1,1,1-Trichloroethane	ND ug/L		1.0	1		02/22/14 02:55	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		02/22/14 02:55	79-00-5	
Trichloroethene	ND ug/L		1.0	1		02/22/14 02:55	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		02/22/14 02:55	75-69-4	
1,2,3-Trichloropropane	ND ug/L		1.0	1		02/22/14 02:55	96-18-4	
Vinyl acetate	ND ug/L		2.0	1		02/22/14 02:55	108-05-4	
Vinyl chloride	ND ug/L		1.0	1		02/22/14 02:55	75-01-4	
Xylene (Total)	ND ug/L		2.0	1		02/22/14 02:55	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		02/22/14 02:55	179601-23-1	
o-Xylene	ND ug/L		1.0	1		02/22/14 02:55	95-47-6	
Surrogates								
4-Bromofluorobenzene (S)	98 %		70-130	1		02/22/14 02:55	460-00-4	
1,2-Dichloroethane-d4 (S)	96 %		70-130	1		02/22/14 02:55	17060-07-0	
Toluene-d8 (S)	97 %		70-130	1		02/22/14 02:55	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Sample: B-18-01	Lab ID: 92190355004	Collected: 02/19/14 14:30	Received: 02/20/14 09:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015M Glycols in water	Analytical Method: EPA 8015 - Alcohol-Glycol							
Ethylene glycol	ND	mg/L	10.0	1		02/26/14 14:17	107-21-1	
MADEP EPH NC Water	Analytical Method: MADEP EPH Preparation Method: MADEP EPH							
Aliphatic (C09-C18)	ND	ug/L	100	1	02/21/14 10:25	02/24/14 19:45		N2
Aliphatic (C19-C36)	ND	ug/L	100	1	02/21/14 10:25	02/24/14 19:45		N2
Aromatic (C11-C22)	ND	ug/L	100	1	02/21/14 10:25	02/24/14 19:45		N2
Surrogates								
Nonatriacontane (S)	67 %		40-140	1	02/21/14 10:25	02/24/14 19:45	7194-86-7	
o-Terphenyl (S)	50 %		40-140	1	02/21/14 10:25	02/24/14 19:45	84-15-1	
2-Fluorobiphenyl (S)	61 %		40-140	1	02/21/14 10:25	02/24/14 19:45	321-60-8	
2-Bromonaphthalene (S)	74 %		40-140	1	02/21/14 10:25	02/24/14 19:45	580-13-2	
VPH NC Water	Analytical Method: MADEP VPH							
Aliphatic (C05-C08)	ND	ug/L	50.0	1		03/02/14 01:58		N2
Aliphatic (C09-C12)	ND	ug/L	50.0	1		03/02/14 01:58		N2
Aromatic (C09-C10)	ND	ug/L	50.0	1		03/02/14 01:58		N2
Surrogates								
4-Bromofluorobenzene (FID) (S)	85 %		70-130	1		03/02/14 01:58	460-00-4	
4-Bromofluorobenzene (PID) (S)	82 %		70-130	1		03/02/14 01:58	460-00-4	
6010 MET ICP	Analytical Method: EPA 6010 Preparation Method: EPA 3010							
Chromium	10.4	ug/L	5.0	1	02/21/14 10:00	02/21/14 22:29	7440-47-3	
Lead	ND	ug/L	5.0	1	02/21/14 10:00	02/21/14 22:29	7439-92-1	
625 MSSV	Analytical Method: EPA 625 Preparation Method: EPA 625							
Acenaphthene	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:51	83-32-9	
Acenaphthylene	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:51	208-96-8	
Anthracene	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:51	120-12-7	
Benzo(a)anthracene	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:51	56-55-3	
Benzo(a)pyrene	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:51	50-32-8	
Benzo(b)fluoranthene	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:51	205-99-2	
Benzo(g,h,i)perylene	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:51	191-24-2	
Benzo(k)fluoranthene	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:51	207-08-9	
4-Bromophenylphenyl ether	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:51	101-55-3	
Butylbenzylphthalate	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:51	85-68-7	
4-Chloro-3-methylphenol	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:51	59-50-7	
bis(2-Chloroethoxy)methane	ND	ug/L	10.0	1	02/20/14 13:00	02/28/14 03:51	111-91-1	
bis(2-Chloroethyl) ether	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:51	111-44-4	
bis(2-Chloroisopropyl) ether	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:51	108-60-1	
2-Chloronaphthalene	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:51	91-58-7	
2-Chlorophenol	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:51	95-57-8	
4-Chlorophenylphenyl ether	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:51	7005-72-3	
Chrysene	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:51	218-01-9	
Dibenz(a,h)anthracene	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:51	53-70-3	
3,3'-Dichlorobenzidine	ND	ug/L	25.0	1	02/20/14 13:00	02/28/14 03:51	91-94-1	
2,4-Dichlorophenol	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 03:51	120-83-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Sample: B-18-01	Lab ID: 92190355004	Collected: 02/19/14 14:30	Received: 02/20/14 09:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
625 MSSV	Analytical Method: EPA 625 Preparation Method: EPA 625							
Diethylphthalate	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:51	84-66-2	
2,4-Dimethylphenol	ND ug/L		10.0	1	02/20/14 13:00	02/28/14 03:51	105-67-9	
Dimethylphthalate	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:51	131-11-3	
Di-n-butylphthalate	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:51	84-74-2	
4,6-Dinitro-2-methylphenol	ND ug/L		20.0	1	02/20/14 13:00	02/28/14 03:51	534-52-1	
2,4-Dinitrophenol	ND ug/L		50.0	1	02/20/14 13:00	02/28/14 03:51	51-28-5	
2,4-Dinitrotoluene	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:51	121-14-2	
2,6-Dinitrotoluene	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:51	606-20-2	
Di-n-octylphthalate	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:51	117-84-0	
bis(2-Ethylhexyl)phthalate	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:51	117-81-7	
Fluoranthene	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:51	206-44-0	
Fluorene	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:51	86-73-7	
Hexachloro-1,3-butadiene	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:51	87-68-3	
Hexachlorobenzene	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:51	118-74-1	
Hexachlorocyclopentadiene	ND ug/L		10.0	1	02/20/14 13:00	02/28/14 03:51	77-47-4	
Hexachloroethane	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:51	67-72-1	
Indeno(1,2,3-cd)pyrene	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:51	193-39-5	
Isophorone	ND ug/L		10.0	1	02/20/14 13:00	02/28/14 03:51	78-59-1	
Naphthalene	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:51	91-20-3	
Nitrobenzene	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:51	98-95-3	
2-Nitrophenol	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:51	88-75-5	
4-Nitrophenol	ND ug/L		50.0	1	02/20/14 13:00	02/28/14 03:51	100-02-7	
N-Nitrosodimethylamine	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:51	62-75-9	
N-Nitroso-di-n-propylamine	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:51	621-64-7	
N-Nitrosodiphenylamine	ND ug/L		10.0	1	02/20/14 13:00	02/28/14 03:51	86-30-6	
Pentachlorophenol	ND ug/L		10.0	1	02/20/14 13:00	02/28/14 03:51	87-86-5	
Phenanthrene	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:51	85-01-8	
Phenol	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:51	108-95-2	
Pyrene	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:51	129-00-0	
1,2,4-Trichlorobenzene	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 03:51	120-82-1	
2,4,6-Trichlorophenol	ND ug/L		10.0	1	02/20/14 13:00	02/28/14 03:51	88-06-2	
Surrogates								
Nitrobenzene-d5 (S)	48 %		10-120	1	02/20/14 13:00	02/28/14 03:51	4165-60-0	
2-Fluorobiphenyl (S)	48 %		15-120	1	02/20/14 13:00	02/28/14 03:51	321-60-8	
Terphenyl-d14 (S)	68 %		11-131	1	02/20/14 13:00	02/28/14 03:51	1718-51-0	
Phenol-d6 (S)	31 %		10-120	1	02/20/14 13:00	02/28/14 03:51	13127-88-3	
2-Fluorophenol (S)	35 %		10-120	1	02/20/14 13:00	02/28/14 03:51	367-12-4	
2,4,6-Tribromophenol (S)	61 %		10-137	1	02/20/14 13:00	02/28/14 03:51	118-79-6	
Tentatively Identified Compounds								
Unknown	113 ug/L			1	02/20/14 13:00	02/28/14 03:51		N
Unknown	168 ug/L			1	02/20/14 13:00	02/28/14 03:51		N
6200B MSV	Analytical Method: SM 6200B							
Benzene	ND ug/L		0.50	1			02/26/14 21:48	71-43-2
Bromobenzene	ND ug/L		0.50	1			02/26/14 21:48	108-86-1
Bromochloromethane	ND ug/L		0.50	1			02/26/14 21:48	74-97-5
Bromodichloromethane	ND ug/L		0.50	1			02/26/14 21:48	75-27-4

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Sample: B-18-01	Lab ID: 92190355004	Collected: 02/19/14 14:30	Received: 02/20/14 09:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6200B MSV	Analytical Method: SM 6200B							
Bromoform	ND ug/L		0.50	1		02/26/14 21:48	75-25-2	
Bromomethane	ND ug/L		5.0	1		02/26/14 21:48	74-83-9	
n-Butylbenzene	ND ug/L		0.50	1		02/26/14 21:48	104-51-8	
sec-Butylbenzene	ND ug/L		0.50	1		02/26/14 21:48	135-98-8	
tert-Butylbenzene	ND ug/L		0.50	1		02/26/14 21:48	98-06-6	
Carbon tetrachloride	ND ug/L		0.50	1		02/26/14 21:48	56-23-5	
Chlorobenzene	ND ug/L		0.50	1		02/26/14 21:48	108-90-7	
Chloroethane	ND ug/L		1.0	1		02/26/14 21:48	75-00-3	
Chloroform	ND ug/L		0.50	1		02/26/14 21:48	67-66-3	
Chloromethane	ND ug/L		1.0	1		02/26/14 21:48	74-87-3	
2-Chlorotoluene	ND ug/L		0.50	1		02/26/14 21:48	95-49-8	
4-Chlorotoluene	ND ug/L		0.50	1		02/26/14 21:48	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		1.0	1		02/26/14 21:48	96-12-8	
Dibromochloromethane	ND ug/L		0.50	1		02/26/14 21:48	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		0.50	1		02/26/14 21:48	106-93-4	
Dibromomethane	ND ug/L		0.50	1		02/26/14 21:48	74-95-3	
1,2-Dichlorobenzene	ND ug/L		0.50	1		02/26/14 21:48	95-50-1	
1,3-Dichlorobenzene	ND ug/L		0.50	1		02/26/14 21:48	541-73-1	
1,4-Dichlorobenzene	ND ug/L		0.50	1		02/26/14 21:48	106-46-7	
Dichlorodifluoromethane	ND ug/L		0.50	1		02/26/14 21:48	75-71-8	
1,1-Dichloroethane	ND ug/L		0.50	1		02/26/14 21:48	75-34-3	
1,2-Dichloroethane	ND ug/L		0.50	1		02/26/14 21:48	107-06-2	
1,1-Dichloroethene	ND ug/L		0.50	1		02/26/14 21:48	75-35-4	
cis-1,2-Dichloroethene	8.7 ug/L		0.50	1		02/26/14 21:48	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		0.50	1		02/26/14 21:48	156-60-5	
1,2-Dichloropropane	ND ug/L		0.50	1		02/26/14 21:48	78-87-5	
1,3-Dichloropropane	ND ug/L		0.50	1		02/26/14 21:48	142-28-9	
2,2-Dichloropropane	ND ug/L		0.50	1		02/26/14 21:48	594-20-7	
1,1-Dichloropropene	ND ug/L		0.50	1		02/26/14 21:48	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		0.50	1		02/26/14 21:48	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		0.50	1		02/26/14 21:48	10061-02-6	
Diisopropyl ether	ND ug/L		0.50	1		02/26/14 21:48	108-20-3	
Ethanol	ND ug/L		200	1		02/26/14 21:48	64-17-5	
Ethylbenzene	ND ug/L		0.50	1		02/26/14 21:48	100-41-4	
Hexachloro-1,3-butadiene	ND ug/L		2.0	1		02/26/14 21:48	87-68-3	
Isopropylbenzene (Cumene)	ND ug/L		0.50	1		02/26/14 21:48	98-82-8	
Methylene Chloride	ND ug/L		2.0	1		02/26/14 21:48	75-09-2	
Methyl-tert-butyl ether	1.3 ug/L		0.50	1		02/26/14 21:48	1634-04-4	
Naphthalene	ND ug/L		2.0	1		02/26/14 21:48	91-20-3	
n-Propylbenzene	ND ug/L		0.50	1		02/26/14 21:48	103-65-1	
Styrene	ND ug/L		0.50	1		02/26/14 21:48	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		0.50	1		02/26/14 21:48	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		0.50	1		02/26/14 21:48	79-34-5	
Tetrachloroethene	28.9 ug/L		0.50	1		02/26/14 21:48	127-18-4	
Toluene	ND ug/L		0.50	1		02/26/14 21:48	108-88-3	
1,2,3-Trichlorobenzene	ND ug/L		2.0	1		02/26/14 21:48	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		2.0	1		02/26/14 21:48	120-82-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Sample: B-18-01	Lab ID: 92190355004	Collected: 02/19/14 14:30	Received: 02/20/14 09:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6200B MSV	Analytical Method: SM 6200B							
1,1,1-Trichloroethane	ND ug/L		0.50	1		02/26/14 21:48	71-55-6	
1,1,2-Trichloroethane	ND ug/L		0.50	1		02/26/14 21:48	79-00-5	
Trichloroethene	8.8 ug/L		0.50	1		02/26/14 21:48	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		02/26/14 21:48	75-69-4	
1,2,3-Trichloropropane	ND ug/L		0.50	1		02/26/14 21:48	96-18-4	
1,2,4-Trimethylbenzene	ND ug/L		0.50	1		02/26/14 21:48	95-63-6	
1,3,5-Trimethylbenzene	ND ug/L		0.50	1		02/26/14 21:48	108-67-8	
Vinyl chloride	ND ug/L		1.0	1		02/26/14 21:48	75-01-4	
m&p-Xylene	ND ug/L		1.0	1		02/26/14 21:48	179601-23-1	
o-Xylene	ND ug/L		0.50	1		02/26/14 21:48	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	103 %		70-130	1		02/26/14 21:48	17060-07-0	
4-Bromofluorobenzene (S)	96 %		70-130	1		02/26/14 21:48	460-00-4	
Toluene-d8 (S)	101 %		70-130	1		02/26/14 21:48	2037-26-5	
8260 MSV Low Level	Analytical Method: EPA 8260							
Acetone	ND ug/L		25.0	1		02/22/14 03:10	67-64-1	
Benzene	ND ug/L		1.0	1		02/22/14 03:10	71-43-2	
Bromobenzene	ND ug/L		1.0	1		02/22/14 03:10	108-86-1	
Bromochloromethane	ND ug/L		1.0	1		02/22/14 03:10	74-97-5	
Bromodichloromethane	ND ug/L		1.0	1		02/22/14 03:10	75-27-4	
Bromoform	ND ug/L		1.0	1		02/22/14 03:10	75-25-2	
Bromomethane	ND ug/L		2.0	1		02/22/14 03:10	74-83-9	
2-Butanone (MEK)	ND ug/L		5.0	1		02/22/14 03:10	78-93-3	
Carbon tetrachloride	ND ug/L		1.0	1		02/22/14 03:10	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		02/22/14 03:10	108-90-7	
Chloroethane	ND ug/L		1.0	1		02/22/14 03:10	75-00-3	
Chloroform	ND ug/L		1.0	1		02/22/14 03:10	67-66-3	
Chloromethane	ND ug/L		1.0	1		02/22/14 03:10	74-87-3	
2-Chlorotoluene	ND ug/L		1.0	1		02/22/14 03:10	95-49-8	
4-Chlorotoluene	ND ug/L		1.0	1		02/22/14 03:10	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		5.0	1		02/22/14 03:10	96-12-8	
Dibromochloromethane	ND ug/L		1.0	1		02/22/14 03:10	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		02/22/14 03:10	106-93-4	
Dibromomethane	ND ug/L		1.0	1		02/22/14 03:10	74-95-3	
1,2-Dichlorobenzene	ND ug/L		1.0	1		02/22/14 03:10	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		02/22/14 03:10	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		02/22/14 03:10	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		02/22/14 03:10	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		02/22/14 03:10	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		02/22/14 03:10	107-06-2	
1,1-Dichloroethene	ND ug/L		1.0	1		02/22/14 03:10	75-35-4	
cis-1,2-Dichloroethene	7.4 ug/L		1.0	1		02/22/14 03:10	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		1.0	1		02/22/14 03:10	156-60-5	
1,2-Dichloropropane	ND ug/L		1.0	1		02/22/14 03:10	78-87-5	
1,3-Dichloropropane	ND ug/L		1.0	1		02/22/14 03:10	142-28-9	
2,2-Dichloropropane	ND ug/L		1.0	1		02/22/14 03:10	594-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Sample: B-18-01	Lab ID: 92190355004	Collected: 02/19/14 14:30	Received: 02/20/14 09:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level	Analytical Method: EPA 8260							
1,1-Dichloropropene	ND ug/L		1.0	1		02/22/14 03:10	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		1.0	1		02/22/14 03:10	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		1.0	1		02/22/14 03:10	10061-02-6	
Diisopropyl ether	ND ug/L		1.0	1		02/22/14 03:10	108-20-3	
Ethylbenzene	ND ug/L		1.0	1		02/22/14 03:10	100-41-4	
Hexachloro-1,3-butadiene	ND ug/L		1.0	1		02/22/14 03:10	87-68-3	
2-Hexanone	ND ug/L		5.0	1		02/22/14 03:10	591-78-6	
p-Isopropyltoluene	ND ug/L		1.0	1		02/22/14 03:10	99-87-6	
Methylene Chloride	ND ug/L		2.0	1		02/22/14 03:10	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/L		5.0	1		02/22/14 03:10	108-10-1	
Methyl-tert-butyl ether	1.1 ug/L		1.0	1		02/22/14 03:10	1634-04-4	
Naphthalene	ND ug/L		1.0	1		02/22/14 03:10	91-20-3	
Styrene	ND ug/L		1.0	1		02/22/14 03:10	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		1.0	1		02/22/14 03:10	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		02/22/14 03:10	79-34-5	
Tetrachloroethene	30.1 ug/L		1.0	1		02/22/14 03:10	127-18-4	
Toluene	ND ug/L		1.0	1		02/22/14 03:10	108-88-3	
1,2,3-Trichlorobenzene	ND ug/L		1.0	1		02/22/14 03:10	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		1.0	1		02/22/14 03:10	120-82-1	
1,1,1-Trichloroethane	ND ug/L		1.0	1		02/22/14 03:10	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		02/22/14 03:10	79-00-5	
Trichloroethene	9.0 ug/L		1.0	1		02/22/14 03:10	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		02/22/14 03:10	75-69-4	
1,2,3-Trichloropropane	ND ug/L		1.0	1		02/22/14 03:10	96-18-4	
Vinyl acetate	ND ug/L		2.0	1		02/22/14 03:10	108-05-4	
Vinyl chloride	ND ug/L		1.0	1		02/22/14 03:10	75-01-4	
Xylene (Total)	ND ug/L		2.0	1		02/22/14 03:10	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		02/22/14 03:10	179601-23-1	
o-Xylene	ND ug/L		1.0	1		02/22/14 03:10	95-47-6	
Surrogates								
4-Bromofluorobenzene (S)	97 %		70-130	1		02/22/14 03:10	460-00-4	
1,2-Dichloroethane-d4 (S)	95 %		70-130	1		02/22/14 03:10	17060-07-0	
Toluene-d8 (S)	97 %		70-130	1		02/22/14 03:10	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Sample: DUPLICATE-2	Lab ID: 92190355005	Collected: 02/19/14 00:00	Received: 02/20/14 09:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015M Glycols in water	Analytical Method: EPA 8015 - Alcohol-Glycol							
Ethylene glycol	ND	mg/L	10.0	1		02/26/14 14:22	107-21-1	
MADEP EPH NC Water	Analytical Method: MADEP EPH Preparation Method: MADEP EPH							
Aliphatic (C09-C18)	ND	ug/L	100	1	02/21/14 10:25	02/24/14 20:17		N2
Aliphatic (C19-C36)	ND	ug/L	100	1	02/21/14 10:25	02/24/14 20:17		N2
Aromatic (C11-C22)	ND	ug/L	100	1	02/21/14 10:25	02/24/14 20:17		N2
Surrogates								
Nonatriacontane (S)	58 %		40-140	1	02/21/14 10:25	02/24/14 20:17	7194-86-7	
o-Terphenyl (S)	73 %		40-140	1	02/21/14 10:25	02/24/14 20:17	84-15-1	
2-Fluorobiphenyl (S)	83 %		40-140	1	02/21/14 10:25	02/24/14 20:17	321-60-8	
2-Bromonaphthalene (S)	104 %		40-140	1	02/21/14 10:25	02/24/14 20:17	580-13-2	
VPH NC Water	Analytical Method: MADEP VPH							
Aliphatic (C05-C08)	ND	ug/L	50.0	1		03/02/14 02:21		N2
Aliphatic (C09-C12)	ND	ug/L	50.0	1		03/02/14 02:21		N2
Aromatic (C09-C10)	ND	ug/L	50.0	1		03/02/14 02:21		N2
Surrogates								
4-Bromofluorobenzene (FID) (S)	86 %		70-130	1		03/02/14 02:21	460-00-4	
4-Bromofluorobenzene (PID) (S)	83 %		70-130	1		03/02/14 02:21	460-00-4	
6010 MET ICP	Analytical Method: EPA 6010 Preparation Method: EPA 3010							
Chromium	ND	ug/L	5.0	1	02/21/14 10:00	02/21/14 22:33	7440-47-3	
Lead	ND	ug/L	5.0	1	02/21/14 10:00	02/21/14 22:33	7439-92-1	
625 MSSV	Analytical Method: EPA 625 Preparation Method: EPA 625							
Acenaphthene	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 04:17	83-32-9	
Acenaphthylene	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 04:17	208-96-8	
Anthracene	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 04:17	120-12-7	
Benzo(a)anthracene	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 04:17	56-55-3	
Benzo(a)pyrene	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 04:17	50-32-8	
Benzo(b)fluoranthene	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 04:17	205-99-2	
Benzo(g,h,i)perylene	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 04:17	191-24-2	
Benzo(k)fluoranthene	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 04:17	207-08-9	
4-Bromophenylphenyl ether	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 04:17	101-55-3	
Butylbenzylphthalate	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 04:17	85-68-7	
4-Chloro-3-methylphenol	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 04:17	59-50-7	
bis(2-Chloroethoxy)methane	ND	ug/L	10.0	1	02/20/14 13:00	02/28/14 04:17	111-91-1	
bis(2-Chloroethyl) ether	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 04:17	111-44-4	
bis(2-Chloroisopropyl) ether	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 04:17	108-60-1	
2-Chloronaphthalene	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 04:17	91-58-7	
2-Chlorophenol	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 04:17	95-57-8	
4-Chlorophenylphenyl ether	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 04:17	7005-72-3	
Chrysene	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 04:17	218-01-9	
Dibenz(a,h)anthracene	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 04:17	53-70-3	
3,3'-Dichlorobenzidine	ND	ug/L	25.0	1	02/20/14 13:00	02/28/14 04:17	91-94-1	
2,4-Dichlorophenol	ND	ug/L	5.0	1	02/20/14 13:00	02/28/14 04:17	120-83-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Sample: DUPLICATE-2	Lab ID: 92190355005	Collected: 02/19/14 00:00	Received: 02/20/14 09:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
625 MSSV	Analytical Method: EPA 625 Preparation Method: EPA 625							
Diethylphthalate	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 04:17	84-66-2	
2,4-Dimethylphenol	ND ug/L		10.0	1	02/20/14 13:00	02/28/14 04:17	105-67-9	
Dimethylphthalate	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 04:17	131-11-3	
Di-n-butylphthalate	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 04:17	84-74-2	
4,6-Dinitro-2-methylphenol	ND ug/L		20.0	1	02/20/14 13:00	02/28/14 04:17	534-52-1	
2,4-Dinitrophenol	ND ug/L		50.0	1	02/20/14 13:00	02/28/14 04:17	51-28-5	
2,4-Dinitrotoluene	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 04:17	121-14-2	
2,6-Dinitrotoluene	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 04:17	606-20-2	
Di-n-octylphthalate	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 04:17	117-84-0	
bis(2-Ethylhexyl)phthalate	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 04:17	117-81-7	
Fluoranthene	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 04:17	206-44-0	
Fluorene	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 04:17	86-73-7	
Hexachloro-1,3-butadiene	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 04:17	87-68-3	
Hexachlorobenzene	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 04:17	118-74-1	
Hexachlorocyclopentadiene	ND ug/L		10.0	1	02/20/14 13:00	02/28/14 04:17	77-47-4	
Hexachloroethane	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 04:17	67-72-1	
Indeno(1,2,3-cd)pyrene	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 04:17	193-39-5	
Isophorone	ND ug/L		10.0	1	02/20/14 13:00	02/28/14 04:17	78-59-1	
Naphthalene	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 04:17	91-20-3	
Nitrobenzene	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 04:17	98-95-3	
2-Nitrophenol	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 04:17	88-75-5	
4-Nitrophenol	ND ug/L		50.0	1	02/20/14 13:00	02/28/14 04:17	100-02-7	
N-Nitrosodimethylamine	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 04:17	62-75-9	
N-Nitroso-di-n-propylamine	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 04:17	621-64-7	
N-Nitrosodiphenylamine	ND ug/L		10.0	1	02/20/14 13:00	02/28/14 04:17	86-30-6	
Pentachlorophenol	ND ug/L		10.0	1	02/20/14 13:00	02/28/14 04:17	87-86-5	
Phenanthrene	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 04:17	85-01-8	
Phenol	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 04:17	108-95-2	
Pyrene	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 04:17	129-00-0	
1,2,4-Trichlorobenzene	ND ug/L		5.0	1	02/20/14 13:00	02/28/14 04:17	120-82-1	
2,4,6-Trichlorophenol	ND ug/L		10.0	1	02/20/14 13:00	02/28/14 04:17	88-06-2	
Surrogates								
Nitrobenzene-d5 (S)	42 %		10-120	1	02/20/14 13:00	02/28/14 04:17	4165-60-0	
2-Fluorobiphenyl (S)	44 %		15-120	1	02/20/14 13:00	02/28/14 04:17	321-60-8	
Terphenyl-d14 (S)	79 %		11-131	1	02/20/14 13:00	02/28/14 04:17	1718-51-0	
Phenol-d6 (S)	17 %		10-120	1	02/20/14 13:00	02/28/14 04:17	13127-88-3	
2-Fluorophenol (S)	26 %		10-120	1	02/20/14 13:00	02/28/14 04:17	367-12-4	
2,4,6-Tribromophenol (S)	58 %		10-137	1	02/20/14 13:00	02/28/14 04:17	118-79-6	
Tentatively Identified Compounds								
Tetrachloroethylene	5.1 ug/L			1	02/20/14 13:00	02/28/14 04:17	127-18-4	N
6200B MSV	Analytical Method: SM 6200B							
Benzene	ND ug/L		0.50	1		02/26/14 22:05	71-43-2	
Bromobenzene	ND ug/L		0.50	1		02/26/14 22:05	108-86-1	
Bromochloromethane	ND ug/L		0.50	1		02/26/14 22:05	74-97-5	
Bromodichloromethane	ND ug/L		0.50	1		02/26/14 22:05	75-27-4	
Bromoform	ND ug/L		0.50	1		02/26/14 22:05	75-25-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Sample: DUPLICATE-2	Lab ID: 92190355005	Collected: 02/19/14 00:00	Received: 02/20/14 09:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6200B MSV		Analytical Method: SM 6200B						
Bromomethane	ND ug/L		5.0	1		02/26/14 22:05	74-83-9	
n-Butylbenzene	ND ug/L		0.50	1		02/26/14 22:05	104-51-8	
sec-Butylbenzene	ND ug/L		0.50	1		02/26/14 22:05	135-98-8	
tert-Butylbenzene	ND ug/L		0.50	1		02/26/14 22:05	98-06-6	
Carbon tetrachloride	ND ug/L		0.50	1		02/26/14 22:05	56-23-5	
Chlorobenzene	ND ug/L		0.50	1		02/26/14 22:05	108-90-7	
Chloroethane	ND ug/L		1.0	1		02/26/14 22:05	75-00-3	
Chloroform	ND ug/L		0.50	1		02/26/14 22:05	67-66-3	
Chloromethane	ND ug/L		1.0	1		02/26/14 22:05	74-87-3	
2-Chlorotoluene	ND ug/L		0.50	1		02/26/14 22:05	95-49-8	
4-Chlorotoluene	ND ug/L		0.50	1		02/26/14 22:05	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		1.0	1		02/26/14 22:05	96-12-8	
Dibromochloromethane	ND ug/L		0.50	1		02/26/14 22:05	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		0.50	1		02/26/14 22:05	106-93-4	
Dibromomethane	ND ug/L		0.50	1		02/26/14 22:05	74-95-3	
1,2-Dichlorobenzene	ND ug/L		0.50	1		02/26/14 22:05	95-50-1	
1,3-Dichlorobenzene	ND ug/L		0.50	1		02/26/14 22:05	541-73-1	
1,4-Dichlorobenzene	ND ug/L		0.50	1		02/26/14 22:05	106-46-7	
Dichlorodifluoromethane	ND ug/L		0.50	1		02/26/14 22:05	75-71-8	
1,1-Dichloroethane	ND ug/L		0.50	1		02/26/14 22:05	75-34-3	
1,2-Dichloroethane	ND ug/L		0.50	1		02/26/14 22:05	107-06-2	
1,1-Dichloroethene	ND ug/L		0.50	1		02/26/14 22:05	75-35-4	
cis-1,2-Dichloroethene	8.9 ug/L		0.50	1		02/26/14 22:05	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		0.50	1		02/26/14 22:05	156-60-5	
1,2-Dichloropropane	ND ug/L		0.50	1		02/26/14 22:05	78-87-5	
1,3-Dichloropropane	ND ug/L		0.50	1		02/26/14 22:05	142-28-9	
2,2-Dichloropropane	ND ug/L		0.50	1		02/26/14 22:05	594-20-7	
1,1-Dichloropropene	ND ug/L		0.50	1		02/26/14 22:05	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		0.50	1		02/26/14 22:05	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		0.50	1		02/26/14 22:05	10061-02-6	
Diisopropyl ether	ND ug/L		0.50	1		02/26/14 22:05	108-20-3	
Ethanol	ND ug/L		200	1		02/26/14 22:05	64-17-5	
Ethylbenzene	ND ug/L		0.50	1		02/26/14 22:05	100-41-4	
Hexachloro-1,3-butadiene	ND ug/L		2.0	1		02/26/14 22:05	87-68-3	
Isopropylbenzene (Cumene)	ND ug/L		0.50	1		02/26/14 22:05	98-82-8	
Methylene Chloride	ND ug/L		2.0	1		02/26/14 22:05	75-09-2	
Methyl-tert-butyl ether	1.4 ug/L		0.50	1		02/26/14 22:05	1634-04-4	
Naphthalene	ND ug/L		2.0	1		02/26/14 22:05	91-20-3	
n-Propylbenzene	ND ug/L		0.50	1		02/26/14 22:05	103-65-1	
Styrene	ND ug/L		0.50	1		02/26/14 22:05	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		0.50	1		02/26/14 22:05	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		0.50	1		02/26/14 22:05	79-34-5	
Tetrachloroethene	28.1 ug/L		0.50	1		02/26/14 22:05	127-18-4	
Toluene	ND ug/L		0.50	1		02/26/14 22:05	108-88-3	
1,2,3-Trichlorobenzene	ND ug/L		2.0	1		02/26/14 22:05	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		2.0	1		02/26/14 22:05	120-82-1	
1,1,1-Trichloroethane	ND ug/L		0.50	1		02/26/14 22:05	71-55-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Sample: DUPLICATE-2	Lab ID: 92190355005	Collected: 02/19/14 00:00	Received: 02/20/14 09:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6200B MSV	Analytical Method: SM 6200B							
1,1,2-Trichloroethane	ND ug/L		0.50	1		02/26/14 22:05	79-00-5	
Trichloroethene	8.6 ug/L		0.50	1		02/26/14 22:05	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		02/26/14 22:05	75-69-4	
1,2,3-Trichloropropane	ND ug/L		0.50	1		02/26/14 22:05	96-18-4	
1,2,4-Trimethylbenzene	ND ug/L		0.50	1		02/26/14 22:05	95-63-6	
1,3,5-Trimethylbenzene	ND ug/L		0.50	1		02/26/14 22:05	108-67-8	
Vinyl chloride	ND ug/L		1.0	1		02/26/14 22:05	75-01-4	
m&p-Xylene	ND ug/L		1.0	1		02/26/14 22:05	179601-23-1	
o-Xylene	ND ug/L		0.50	1		02/26/14 22:05	95-47-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	102 %		70-130	1		02/26/14 22:05	17060-07-0	
4-Bromofluorobenzene (S)	96 %		70-130	1		02/26/14 22:05	460-00-4	
Toluene-d8 (S)	101 %		70-130	1		02/26/14 22:05	2037-26-5	
8260 MSV Low Level	Analytical Method: EPA 8260							
Acetone	ND ug/L		25.0	1		02/22/14 03:26	67-64-1	
Benzene	ND ug/L		1.0	1		02/22/14 03:26	71-43-2	
Bromobenzene	ND ug/L		1.0	1		02/22/14 03:26	108-86-1	
Bromochloromethane	ND ug/L		1.0	1		02/22/14 03:26	74-97-5	
Bromodichloromethane	ND ug/L		1.0	1		02/22/14 03:26	75-27-4	
Bromoform	ND ug/L		1.0	1		02/22/14 03:26	75-25-2	
Bromomethane	ND ug/L		2.0	1		02/22/14 03:26	74-83-9	
2-Butanone (MEK)	ND ug/L		5.0	1		02/22/14 03:26	78-93-3	
Carbon tetrachloride	ND ug/L		1.0	1		02/22/14 03:26	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		02/22/14 03:26	108-90-7	
Chloroethane	ND ug/L		1.0	1		02/22/14 03:26	75-00-3	
Chloroform	ND ug/L		1.0	1		02/22/14 03:26	67-66-3	
Chloromethane	ND ug/L		1.0	1		02/22/14 03:26	74-87-3	
2-Chlorotoluene	ND ug/L		1.0	1		02/22/14 03:26	95-49-8	
4-Chlorotoluene	ND ug/L		1.0	1		02/22/14 03:26	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		5.0	1		02/22/14 03:26	96-12-8	
Dibromochloromethane	ND ug/L		1.0	1		02/22/14 03:26	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		02/22/14 03:26	106-93-4	
Dibromomethane	ND ug/L		1.0	1		02/22/14 03:26	74-95-3	
1,2-Dichlorobenzene	ND ug/L		1.0	1		02/22/14 03:26	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		02/22/14 03:26	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		02/22/14 03:26	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		02/22/14 03:26	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		02/22/14 03:26	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		02/22/14 03:26	107-06-2	
1,1-Dichloroethene	ND ug/L		1.0	1		02/22/14 03:26	75-35-4	
cis-1,2-Dichloroethene	7.2 ug/L		1.0	1		02/22/14 03:26	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		1.0	1		02/22/14 03:26	156-60-5	
1,2-Dichloropropane	ND ug/L		1.0	1		02/22/14 03:26	78-87-5	
1,3-Dichloropropane	ND ug/L		1.0	1		02/22/14 03:26	142-28-9	
2,2-Dichloropropane	ND ug/L		1.0	1		02/22/14 03:26	594-20-7	
1,1-Dichloropropene	ND ug/L		1.0	1		02/22/14 03:26	563-58-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Sample: DUPLICATE-2	Lab ID: 92190355005	Collected: 02/19/14 00:00	Received: 02/20/14 09:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level		Analytical Method: EPA 8260						
cis-1,3-Dichloropropene	ND ug/L		1.0	1		02/22/14 03:26	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		1.0	1		02/22/14 03:26	10061-02-6	
Diisopropyl ether	ND ug/L		1.0	1		02/22/14 03:26	108-20-3	
Ethylbenzene	ND ug/L		1.0	1		02/22/14 03:26	100-41-4	
Hexachloro-1,3-butadiene	ND ug/L		1.0	1		02/22/14 03:26	87-68-3	
2-Hexanone	ND ug/L		5.0	1		02/22/14 03:26	591-78-6	
p-Isopropyltoluene	ND ug/L		1.0	1		02/22/14 03:26	99-87-6	
Methylene Chloride	ND ug/L		2.0	1		02/22/14 03:26	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/L		5.0	1		02/22/14 03:26	108-10-1	
Methyl-tert-butyl ether	1.1 ug/L		1.0	1		02/22/14 03:26	1634-04-4	
Naphthalene	ND ug/L		1.0	1		02/22/14 03:26	91-20-3	
Styrene	ND ug/L		1.0	1		02/22/14 03:26	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		1.0	1		02/22/14 03:26	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		02/22/14 03:26	79-34-5	
Tetrachloroethene	29.5 ug/L		1.0	1		02/22/14 03:26	127-18-4	
Toluene	ND ug/L		1.0	1		02/22/14 03:26	108-88-3	
1,2,3-Trichlorobenzene	ND ug/L		1.0	1		02/22/14 03:26	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		1.0	1		02/22/14 03:26	120-82-1	
1,1,1-Trichloroethane	ND ug/L		1.0	1		02/22/14 03:26	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		02/22/14 03:26	79-00-5	
Trichloroethene	8.7 ug/L		1.0	1		02/22/14 03:26	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		02/22/14 03:26	75-69-4	
1,2,3-Trichloropropane	ND ug/L		1.0	1		02/22/14 03:26	96-18-4	
Vinyl acetate	ND ug/L		2.0	1		02/22/14 03:26	108-05-4	
Vinyl chloride	ND ug/L		1.0	1		02/22/14 03:26	75-01-4	
Xylene (Total)	ND ug/L		2.0	1		02/22/14 03:26	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		02/22/14 03:26	179601-23-1	
o-Xylene	ND ug/L		1.0	1		02/22/14 03:26	95-47-6	
Surrogates								
4-Bromofluorobenzene (S)	98 %		70-130	1		02/22/14 03:26	460-00-4	
1,2-Dichloroethane-d4 (S)	94 %		70-130	1		02/22/14 03:26	17060-07-0	
Toluene-d8 (S)	97 %		70-130	1		02/22/14 03:26	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Sample: B-07-02 8' Lab ID: **92190355006** Collected: 02/18/14 16:20 Received: 02/20/14 09:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS THC-Diesel			Analytical Method: EPA 8015 Modified Preparation Method: EPA 3546					
Diesel Components	559 mg/kg		11.3	2	02/22/14 11:00	02/24/14 14:54	68334-30-5	
Surrogates								
n-Pentacosane (S)	90 %		41-119	2	02/22/14 11:00	02/24/14 14:54	629-99-2	
MADEP EPH NC Soil			Analytical Method: MADEP EPH Preparation Method: MADEP EPH					
Aliphatic (C09-C18)	202 mg/kg		90.7	8	02/24/14 15:58	02/26/14 17:16		N2
Aliphatic (C19-C36)	ND mg/kg		90.7	8	02/24/14 15:58	02/26/14 17:16		N2
Aromatic (C11-C22)	90.0 mg/kg		11.3	1	02/24/14 15:58	02/26/14 01:39		N2
Surrogates								
Nonatriacontane (S)	0 %		40-140	8	02/24/14 15:58	02/26/14 17:16	7194-86-7	S4
o-Terphenyl (S)	81 %		40-140	1	02/24/14 15:58	02/26/14 01:39	84-15-1	
2-Fluorobiphenyl (S)	101 %		40-140	1	02/24/14 15:58	02/26/14 01:39	321-60-8	
2-Bromonaphthalene (S)	136 %		40-140	1	02/24/14 15:58	02/26/14 01:39	580-13-2	
Gasoline Range Organics			Analytical Method: EPA 8015 Modified Preparation Method: EPA 5035A/5030B					
Gasoline Range Organics	3760 mg/kg		97.6	20	02/28/14 02:49	02/28/14 21:36	8006-61-9	
Surrogates								
4-Bromofluorobenzene (S)	114 %		70-167	20	02/28/14 02:49	02/28/14 21:36	460-00-4	
VPH NC Soil			Analytical Method: MADEP VPH Preparation Method: MADEP VPH					
Aliphatic (C05-C08)	280 mg/kg		31.4	10	03/06/14 17:00	03/07/14 12:13		N2
Aliphatic (C09-C12)	1260 mg/kg		31.4	10	03/06/14 17:00	03/07/14 12:13		N2
Aromatic (C09-C10)	743 mg/kg		31.4	10	03/06/14 17:00	03/07/14 12:13		N2
Surrogates								
4-Bromofluorobenzene (FID) (S)	227 %		70-130	10	03/06/14 17:00	03/07/14 12:13	460-00-4	S1
4-Bromofluorobenzene (PID) (S)	244 %		70-130	10	03/06/14 17:00	03/07/14 12:13	460-00-4	S1
6010 MET ICP			Analytical Method: EPA 6010 Preparation Method: EPA 3050					
Chromium	5.5 mg/kg		0.44	1	02/26/14 13:05	02/27/14 02:45	7440-47-3	
Lead	34.8 mg/kg		0.44	1	02/26/14 13:05	02/27/14 02:45	7439-92-1	
8270 MSSV Microwave			Analytical Method: EPA 8270 Preparation Method: EPA 3546					
Acenaphthene	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	83-32-9	
Acenaphthylene	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	208-96-8	
Aniline	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	62-53-3	
Anthracene	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	120-12-7	
Benzo(a)anthracene	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	56-55-3	
Benzo(a)pyrene	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	50-32-8	
Benzo(b)fluoranthene	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	205-99-2	
Benzo(g,h,i)perylene	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	191-24-2	
Benzo(k)fluoranthene	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	207-08-9	
Benzoic Acid	ND ug/kg		18700	10	02/20/14 16:05	02/26/14 19:45	65-85-0	
Benzyl alcohol	ND ug/kg		7480	10	02/20/14 16:05	02/26/14 19:45	100-51-6	
4-Bromophenylphenyl ether	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	101-55-3	
Butylbenzylphthalate	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	85-68-7	
4-Chloro-3-methylphenol	ND ug/kg		7480	10	02/20/14 16:05	02/26/14 19:45	59-50-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Sample: B-07-02 8' Lab ID: 92190355006 Collected: 02/18/14 16:20 Received: 02/20/14 09:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Microwave		Analytical Method: EPA 8270 Preparation Method: EPA 3546						
4-Chloroaniline	ND ug/kg		18700	10	02/20/14 16:05	02/26/14 19:45	106-47-8	
bis(2-Chloroethoxy)methane	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	111-91-1	
bis(2-Chloroethyl) ether	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	111-44-4	
bis(2-Chloroisopropyl) ether	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	108-60-1	
2-Chloronaphthalene	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	91-58-7	
2-Chlorophenol	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	95-57-8	
4-Chlorophenylphenyl ether	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	7005-72-3	
Chrysene	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	218-01-9	
Dibenz(a,h)anthracene	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	53-70-3	
Dibenzofuran	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	132-64-9	
1,2-Dichlorobenzene	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	95-50-1	
1,3-Dichlorobenzene	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	541-73-1	
1,4-Dichlorobenzene	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	106-46-7	
3,3'-Dichlorobenzidine	ND ug/kg		18700	10	02/20/14 16:05	02/26/14 19:45	91-94-1	
2,4-Dichlorophenol	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	120-83-2	
Diethylphthalate	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	84-66-2	
2,4-Dimethylphenol	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	105-67-9	
Dimethylphthalate	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	131-11-3	
Di-n-butylphthalate	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	84-74-2	
4,6-Dinitro-2-methylphenol	ND ug/kg		7480	10	02/20/14 16:05	02/26/14 19:45	534-52-1	
2,4-Dinitrophenol	ND ug/kg		18700	10	02/20/14 16:05	02/26/14 19:45	51-28-5	
2,4-Dinitrotoluene	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	121-14-2	
2,6-Dinitrotoluene	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	606-20-2	
Di-n-octylphthalate	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	117-84-0	
bis(2-Ethylhexyl)phthalate	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	117-81-7	
Fluoranthene	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	206-44-0	
Fluorene	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	86-73-7	
Hexachloro-1,3-butadiene	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	87-68-3	
Hexachlorobenzene	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	118-74-1	
Hexachlorocyclopentadiene	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	77-47-4	
Hexachloroethane	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	67-72-1	
Indeno(1,2,3-cd)pyrene	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	193-39-5	
Isophorone	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	78-59-1	
1-Methylnaphthalene	8220 ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	90-12-0	
2-Methylnaphthalene	15100 ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	91-57-6	
2-Methylphenol(o-Cresol)	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	95-48-7	
3&4-Methylphenol(m&p Cresol)	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45		
Naphthalene	23800 ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	91-20-3	
2-Nitroaniline	ND ug/kg		18700	10	02/20/14 16:05	02/26/14 19:45	88-74-4	
3-Nitroaniline	ND ug/kg		18700	10	02/20/14 16:05	02/26/14 19:45	99-09-2	
4-Nitroaniline	ND ug/kg		7480	10	02/20/14 16:05	02/26/14 19:45	100-01-6	
Nitrobenzene	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	98-95-3	
2-Nitrophenol	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	88-75-5	
4-Nitrophenol	ND ug/kg		18700	10	02/20/14 16:05	02/26/14 19:45	100-02-7	
N-Nitrosodimethylamine	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	62-75-9	
N-Nitroso-di-n-propylamine	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	621-64-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Sample: B-07-02 8' Lab ID: 92190355006 Collected: 02/18/14 16:20 Received: 02/20/14 09:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Microwave	Analytical Method: EPA 8270 Preparation Method: EPA 3546							
N-Nitrosodiphenylamine	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	86-30-6	
Pentachlorophenol	ND ug/kg		18700	10	02/20/14 16:05	02/26/14 19:45	87-86-5	
Phenanthrene	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	85-01-8	
Phenol	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	108-95-2	
Pyrene	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	129-00-0	
1,2,4-Trichlorobenzene	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	120-82-1	
2,4,5-Trichlorophenol	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	95-95-4	
2,4,6-Trichlorophenol	ND ug/kg		3740	10	02/20/14 16:05	02/26/14 19:45	88-06-2	
Surrogates								
Nitrobenzene-d5 (S)	0 %		23-110	10	02/20/14 16:05	02/26/14 19:45	4165-60-0	D3,S4
2-Fluorobiphenyl (S)	0 %		30-110	10	02/20/14 16:05	02/26/14 19:45	321-60-8	
Terphenyl-d14 (S)	0 %		28-110	10	02/20/14 16:05	02/26/14 19:45	1718-51-0	
Phenol-d6 (S)	0 %		22-110	10	02/20/14 16:05	02/26/14 19:45	13127-88-3	
2-Fluorophenol (S)	0 %		13-110	10	02/20/14 16:05	02/26/14 19:45	367-12-4	
2,4,6-Tribromophenol (S)	0 %		27-110	10	02/20/14 16:05	02/26/14 19:45	118-79-6	
8260/5035A Volatile Organics	Analytical Method: EPA 8260							
Acetone	ND ug/kg		106000	1000		02/21/14 19:24	67-64-1	
Benzene	ND ug/kg		5290	1000		02/21/14 19:24	71-43-2	
Bromobenzene	ND ug/kg		5290	1000		02/21/14 19:24	108-86-1	
Bromochloromethane	ND ug/kg		5290	1000		02/21/14 19:24	74-97-5	
Bromodichloromethane	ND ug/kg		5290	1000		02/21/14 19:24	75-27-4	
Bromoform	ND ug/kg		5290	1000		02/21/14 19:24	75-25-2	
Bromomethane	ND ug/kg		10600	1000		02/21/14 19:24	74-83-9	
2-Butanone (MEK)	ND ug/kg		106000	1000		02/21/14 19:24	78-93-3	
n-Butylbenzene	30500 ug/kg		5290	1000		02/21/14 19:24	104-51-8	
sec-Butylbenzene	ND ug/kg		5290	1000		02/21/14 19:24	135-98-8	
tert-Butylbenzene	ND ug/kg		5290	1000		02/21/14 19:24	98-06-6	
Carbon tetrachloride	ND ug/kg		5290	1000		02/21/14 19:24	56-23-5	
Chlorobenzene	ND ug/kg		5290	1000		02/21/14 19:24	108-90-7	
Chloroethane	ND ug/kg		10600	1000		02/21/14 19:24	75-00-3	
Chloroform	ND ug/kg		5290	1000		02/21/14 19:24	67-66-3	
Chloromethane	ND ug/kg		10600	1000		02/21/14 19:24	74-87-3	
2-Chlorotoluene	ND ug/kg		5290	1000		02/21/14 19:24	95-49-8	
4-Chlorotoluene	ND ug/kg		5290	1000		02/21/14 19:24	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/kg		5290	1000		02/21/14 19:24	96-12-8	
Dibromochloromethane	ND ug/kg		5290	1000		02/21/14 19:24	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/kg		5290	1000		02/21/14 19:24	106-93-4	
Dibromomethane	ND ug/kg		5290	1000		02/21/14 19:24	74-95-3	
1,2-Dichlorobenzene	ND ug/kg		5290	1000		02/21/14 19:24	95-50-1	
1,3-Dichlorobenzene	ND ug/kg		5290	1000		02/21/14 19:24	541-73-1	
1,4-Dichlorobenzene	ND ug/kg		5290	1000		02/21/14 19:24	106-46-7	
Dichlorodifluoromethane	ND ug/kg		10600	1000		02/21/14 19:24	75-71-8	
1,1-Dichloroethane	ND ug/kg		5290	1000		02/21/14 19:24	75-34-3	
1,2-Dichloroethane	ND ug/kg		5290	1000		02/21/14 19:24	107-06-2	
1,1-Dichloroethene	ND ug/kg		5290	1000		02/21/14 19:24	75-35-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Sample: B-07-02 8' Lab ID: 92190355006 Collected: 02/18/14 16:20 Received: 02/20/14 09:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics	Analytical Method: EPA 8260							
cis-1,2-Dichloroethene	ND ug/kg		5290 1000			02/21/14 19:24	156-59-2	
trans-1,2-Dichloroethene	ND ug/kg		5290 1000			02/21/14 19:24	156-60-5	
1,2-Dichloropropane	ND ug/kg		5290 1000			02/21/14 19:24	78-87-5	
1,3-Dichloropropane	ND ug/kg		5290 1000			02/21/14 19:24	142-28-9	
2,2-Dichloropropane	ND ug/kg		5290 1000			02/21/14 19:24	594-20-7	
1,1-Dichloropropene	ND ug/kg		5290 1000			02/21/14 19:24	563-58-6	
cis-1,3-Dichloropropene	ND ug/kg		5290 1000			02/21/14 19:24	10061-01-5	
trans-1,3-Dichloropropene	ND ug/kg		5290 1000			02/21/14 19:24	10061-02-6	
Diisopropyl ether	ND ug/kg		5290 1000			02/21/14 19:24	108-20-3	
Ethylbenzene	81300 ug/kg		5290 1000			02/21/14 19:24	100-41-4	
Hexachloro-1,3-butadiene	ND ug/kg		5290 1000			02/21/14 19:24	87-68-3	
2-Hexanone	ND ug/kg		52900 1000			02/21/14 19:24	591-78-6	
Isopropylbenzene (Cumene)	30700 ug/kg		5290 1000			02/21/14 19:24	98-82-8	
p-Isopropyltoluene	22000 ug/kg		5290 1000			02/21/14 19:24	99-87-6	
Methylene Chloride	ND ug/kg		21100 1000			02/21/14 19:24	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/kg		52900 1000			02/21/14 19:24	108-10-1	
Methyl-tert-butyl ether	ND ug/kg		5290 1000			02/21/14 19:24	1634-04-4	
Naphthalene	41300 ug/kg		5290 1000			02/21/14 19:24	91-20-3	
n-Propylbenzene	68000 ug/kg		5290 1000			02/21/14 19:24	103-65-1	
Styrene	ND ug/kg		5290 1000			02/21/14 19:24	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/kg		5290 1000			02/21/14 19:24	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/kg		5290 1000			02/21/14 19:24	79-34-5	
Tetrachloroethene	ND ug/kg		5290 1000			02/21/14 19:24	127-18-4	
Toluene	36700 ug/kg		5290 1000			02/21/14 19:24	108-88-3	
1,2,3-Trichlorobenzene	ND ug/kg		5290 1000			02/21/14 19:24	87-61-6	
1,2,4-Trichlorobenzene	ND ug/kg		5290 1000			02/21/14 19:24	120-82-1	
1,1,1-Trichloroethane	ND ug/kg		5290 1000			02/21/14 19:24	71-55-6	
1,1,2-Trichloroethane	ND ug/kg		5290 1000			02/21/14 19:24	79-00-5	
Trichloroethene	ND ug/kg		5290 1000			02/21/14 19:24	79-01-6	
Trichlorofluoromethane	ND ug/kg		5290 1000			02/21/14 19:24	75-69-4	
1,2,3-Trichloropropane	ND ug/kg		5290 1000			02/21/14 19:24	96-18-4	
1,2,4-Trimethylbenzene	329000 ug/kg		26400 5000			02/24/14 18:12	95-63-6	
1,3,5-Trimethylbenzene	109000 ug/kg		5290 1000			02/21/14 19:24	108-67-8	
Vinyl acetate	ND ug/kg		52900 1000			02/21/14 19:24	108-05-4	
Vinyl chloride	ND ug/kg		10600 1000			02/21/14 19:24	75-01-4	
Xylene (Total)	285000 ug/kg		10600 1000			02/21/14 19:24	1330-20-7	
m&p-Xylene	196000 ug/kg		10600 1000			02/21/14 19:24	179601-23-1	
o-Xylene	89600 ug/kg		5290 1000			02/21/14 19:24	95-47-6	
Surrogates								
Toluene-d8 (S)	103 %		70-130 1000			02/21/14 19:24	2037-26-5	
4-Bromofluorobenzene (S)	91 %		70-130 1000			02/21/14 19:24	460-00-4	
1,2-Dichloroethane-d4 (S)	115 %		70-132 1000			02/21/14 19:24	17060-07-0	

Percent Moisture

Analytical Method: ASTM D2974-87

Percent Moisture

11.8 %

0.10 1

03/03/14 11:58

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Sample: B-07-06 10' Lab ID: **92190355007** Collected: 02/18/14 16:10 Received: 02/20/14 09:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS THC-Diesel Analytical Method: EPA 8015 Modified Preparation Method: EPA 3546								
Diesel Components	ND mg/kg		5.9	1	02/22/14 11:00	02/24/14 10:30	68334-30-5	
Surrogates								
n-Pentacosane (S)	84 %		41-119	1	02/22/14 11:00	02/24/14 10:30	629-99-2	
MADEP EPH NC Soil Analytical Method: MADEP EPH Preparation Method: MADEP EPH								
Aliphatic (C09-C18)	ND mg/kg		11.8	1	02/24/14 15:58	02/26/14 02:11		N2
Aliphatic (C19-C36)	ND mg/kg		11.8	1	02/24/14 15:58	02/26/14 02:11		N2
Aromatic (C11-C22)	ND mg/kg		11.8	1	02/24/14 15:58	02/26/14 02:11		N2
Surrogates								
Nonatriacontane (S)	72 %		40-140	1	02/24/14 15:58	02/26/14 02:11	7194-86-7	
o-Terphenyl (S)	79 %		40-140	1	02/24/14 15:58	02/26/14 02:11	84-15-1	
2-Fluorobiphenyl (S)	73 %		40-140	1	02/24/14 15:58	02/26/14 02:11	321-60-8	
2-Bromonaphthalene (S)	81 %		40-140	1	02/24/14 15:58	02/26/14 02:11	580-13-2	
Gasoline Range Organics Analytical Method: EPA 8015 Modified Preparation Method: EPA 5035A/5030B								
Gasoline Range Organics	10.3 mg/kg		6.2	1	02/28/14 02:49	02/28/14 21:13	8006-61-9	
Surrogates								
4-Bromofluorobenzene (S)	98 %		70-167	1	02/28/14 02:49	02/28/14 21:13	460-00-4	
VPH NC Soil Analytical Method: MADEP VPH Preparation Method: MADEP VPH								
Aliphatic (C05-C08)	ND mg/kg		3.4	1	03/06/14 17:00	03/07/14 13:22		N2
Aliphatic (C09-C12)	ND mg/kg		3.4	1	03/06/14 17:00	03/07/14 13:22		N2
Aromatic (C09-C10)	ND mg/kg		3.4	1	03/06/14 17:00	03/07/14 13:22		N2
Surrogates								
4-Bromofluorobenzene (FID) (S)	219 %		70-130	1	03/06/14 17:00	03/07/14 13:22	460-00-4	S1
4-Bromofluorobenzene (PID) (S)	204 %		70-130	1	03/06/14 17:00	03/07/14 13:22	460-00-4	S1
6010 MET ICP Analytical Method: EPA 6010 Preparation Method: EPA 3050								
Chromium	5.4 mg/kg		0.57	1	02/26/14 13:05	02/27/14 02:48	7440-47-3	
Lead	9.0 mg/kg		0.57	1	02/26/14 13:05	02/27/14 02:48	7439-92-1	
8270 MSSV Microwave Analytical Method: EPA 8270 Preparation Method: EPA 3546								
Acenaphthene	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	83-32-9	
Acenaphthylene	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	208-96-8	
Aniline	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	62-53-3	
Anthracene	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	120-12-7	
Benzo(a)anthracene	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	56-55-3	
Benzo(a)pyrene	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	50-32-8	
Benzo(b)fluoranthene	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	205-99-2	
Benzo(g,h,i)perylene	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	191-24-2	
Benzo(k)fluoranthene	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	207-08-9	
Benzoic Acid	ND ug/kg		1950	1	02/20/14 16:05	02/26/14 20:12	65-85-0	
Benzyl alcohol	ND ug/kg		780	1	02/20/14 16:05	02/26/14 20:12	100-51-6	
4-Bromophenylphenyl ether	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	101-55-3	
Butylbenzylphthalate	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	85-68-7	
4-Chloro-3-methylphenol	ND ug/kg		780	1	02/20/14 16:05	02/26/14 20:12	59-50-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Sample: B-07-06 10' Lab ID: **92190355007** Collected: 02/18/14 16:10 Received: 02/20/14 09:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Microwave		Analytical Method: EPA 8270 Preparation Method: EPA 3546						
4-Chloroaniline	ND ug/kg		1950	1	02/20/14 16:05	02/26/14 20:12	106-47-8	
bis(2-Chloroethoxy)methane	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	111-91-1	
bis(2-Chloroethyl) ether	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	111-44-4	
bis(2-Chloroisopropyl) ether	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	108-60-1	
2-Chloronaphthalene	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	91-58-7	
2-Chlorophenol	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	95-57-8	
4-Chlorophenylphenyl ether	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	7005-72-3	
Chrysene	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	218-01-9	
Dibenz(a,h)anthracene	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	53-70-3	
Dibenzo furan	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	132-64-9	
1,2-Dichlorobenzene	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	95-50-1	
1,3-Dichlorobenzene	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	541-73-1	
1,4-Dichlorobenzene	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	106-46-7	
3,3'-Dichlorobenzidine	ND ug/kg		1950	1	02/20/14 16:05	02/26/14 20:12	91-94-1	
2,4-Dichlorophenol	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	120-83-2	
Diethylphthalate	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	84-66-2	
2,4-Dimethylphenol	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	105-67-9	
Dimethylphthalate	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	131-11-3	
Di-n-butylphthalate	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	84-74-2	
4,6-Dinitro-2-methylphenol	ND ug/kg		780	1	02/20/14 16:05	02/26/14 20:12	534-52-1	
2,4-Dinitrophenol	ND ug/kg		1950	1	02/20/14 16:05	02/26/14 20:12	51-28-5	
2,4-Dinitrotoluene	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	121-14-2	
2,6-Dinitrotoluene	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	606-20-2	
Di-n-octylphthalate	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	117-84-0	
bis(2-Ethylhexyl)phthalate	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	117-81-7	
Fluoranthene	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	206-44-0	
Fluorene	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	86-73-7	
Hexachloro-1,3-butadiene	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	87-68-3	
Hexachlorobenzene	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	118-74-1	
Hexachlorocyclopentadiene	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	77-47-4	
Hexachloroethane	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	67-72-1	
Indeno(1,2,3-cd)pyrene	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	193-39-5	
Isophorone	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	78-59-1	
1-Methylnaphthalene	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	90-12-0	
2-Methylnaphthalene	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	91-57-6	
2-Methylphenol(o-Cresol)	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	95-48-7	
3&4-Methylphenol(m&p Cresol)	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12		
Naphthalene	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	91-20-3	
2-Nitroaniline	ND ug/kg		1950	1	02/20/14 16:05	02/26/14 20:12	88-74-4	
3-Nitroaniline	ND ug/kg		1950	1	02/20/14 16:05	02/26/14 20:12	99-09-2	
4-Nitroaniline	ND ug/kg		780	1	02/20/14 16:05	02/26/14 20:12	100-01-6	
Nitrobenzene	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	98-95-3	
2-Nitrophenol	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	88-75-5	
4-Nitrophenol	ND ug/kg		1950	1	02/20/14 16:05	02/26/14 20:12	100-02-7	
N-Nitrosodimethylamine	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	62-75-9	
N-Nitroso-di-n-propylamine	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	621-64-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: FAYETTEVILLE PSA'S 33727.1.1
Pace Project No.: 92190355

Sample: B-07-06 10' Lab ID: 92190355007 Collected: 02/18/14 16:10 Received: 02/20/14 09:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Microwave		Analytical Method: EPA 8270 Preparation Method: EPA 3546						
N-Nitrosodiphenylamine	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	86-30-6	
Pentachlorophenol	ND ug/kg		1950	1	02/20/14 16:05	02/26/14 20:12	87-86-5	
Phenanthrene	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	85-01-8	
Phenol	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	108-95-2	
Pyrene	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	129-00-0	
1,2,4-Trichlorobenzene	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	120-82-1	
2,4,5-Trichlorophenol	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	95-95-4	
2,4,6-Trichlorophenol	ND ug/kg		390	1	02/20/14 16:05	02/26/14 20:12	88-06-2	
Surrogates								
Nitrobenzene-d5 (S)	68 %		23-110	1	02/20/14 16:05	02/26/14 20:12	4165-60-0	
2-Fluorobiphenyl (S)	63 %		30-110	1	02/20/14 16:05	02/26/14 20:12	321-60-8	
Terphenyl-d14 (S)	54 %		28-110	1	02/20/14 16:05	02/26/14 20:12	1718-51-0	
Phenol-d6 (S)	74 %		22-110	1	02/20/14 16:05	02/26/14 20:12	13127-88-3	
2-Fluorophenol (S)	70 %		13-110	1	02/20/14 16:05	02/26/14 20:12	367-12-4	
2,4,6-Tribromophenol (S)	84 %		27-110	1	02/20/14 16:05	02/26/14 20:12	118-79-6	
8260/5035A Volatile Organics		Analytical Method: EPA 8260						
Acetone	ND ug/kg		2280	25		02/21/14 19:43	67-64-1	
Benzene	ND ug/kg		114	25		02/21/14 19:43	71-43-2	
Bromobenzene	ND ug/kg		114	25		02/21/14 19:43	108-86-1	
Bromochloromethane	ND ug/kg		114	25		02/21/14 19:43	74-97-5	
Bromodichloromethane	ND ug/kg		114	25		02/21/14 19:43	75-27-4	
Bromoform	ND ug/kg		114	25		02/21/14 19:43	75-25-2	
Bromomethane	ND ug/kg		228	25		02/21/14 19:43	74-83-9	
2-Butanone (MEK)	ND ug/kg		2280	25		02/21/14 19:43	78-93-3	
n-Butylbenzene	ND ug/kg		114	25		02/21/14 19:43	104-51-8	
sec-Butylbenzene	ND ug/kg		114	25		02/21/14 19:43	135-98-8	
tert-Butylbenzene	ND ug/kg		114	25		02/21/14 19:43	98-06-6	
Carbon tetrachloride	ND ug/kg		114	25		02/21/14 19:43	56-23-5	
Chlorobenzene	ND ug/kg		114	25		02/21/14 19:43	108-90-7	
Chloroethane	ND ug/kg		228	25		02/21/14 19:43	75-00-3	
Chloroform	ND ug/kg		114	25		02/21/14 19:43	67-66-3	
Chloromethane	ND ug/kg		228	25		02/21/14 19:43	74-87-3	
2-Chlorotoluene	ND ug/kg		114	25		02/21/14 19:43	95-49-8	
4-Chlorotoluene	ND ug/kg		114	25		02/21/14 19:43	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/kg		114	25		02/21/14 19:43	96-12-8	
Dibromochloromethane	ND ug/kg		114	25		02/21/14 19:43	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/kg		114	25		02/21/14 19:43	106-93-4	
Dibromomethane	ND ug/kg		114	25		02/21/14 19:43	74-95-3	
1,2-Dichlorobenzene	ND ug/kg		114	25		02/21/14 19:43	95-50-1	
1,3-Dichlorobenzene	ND ug/kg		114	25		02/21/14 19:43	541-73-1	
1,4-Dichlorobenzene	ND ug/kg		114	25		02/21/14 19:43	106-46-7	
Dichlorodifluoromethane	ND ug/kg		228	25		02/21/14 19:43	75-71-8	D3
1,1-Dichloroethane	ND ug/kg		114	25		02/21/14 19:43	75-34-3	
1,2-Dichloroethane	ND ug/kg		114	25		02/21/14 19:43	107-06-2	
1,1-Dichloroethene	ND ug/kg		114	25		02/21/14 19:43	75-35-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Sample: B-07-06 10' Lab ID: 92190355007 Collected: 02/18/14 16:10 Received: 02/20/14 09:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics	Analytical Method: EPA 8260							
cis-1,2-Dichloroethene	ND ug/kg		114	25		02/21/14 19:43	156-59-2	
trans-1,2-Dichloroethene	ND ug/kg		114	25		02/21/14 19:43	156-60-5	
1,2-Dichloropropane	ND ug/kg		114	25		02/21/14 19:43	78-87-5	
1,3-Dichloropropane	ND ug/kg		114	25		02/21/14 19:43	142-28-9	
2,2-Dichloropropane	ND ug/kg		114	25		02/21/14 19:43	594-20-7	
1,1-Dichloropropene	ND ug/kg		114	25		02/21/14 19:43	563-58-6	
cis-1,3-Dichloropropene	ND ug/kg		114	25		02/21/14 19:43	10061-01-5	
trans-1,3-Dichloropropene	ND ug/kg		114	25		02/21/14 19:43	10061-02-6	
Diisopropyl ether	ND ug/kg		114	25		02/21/14 19:43	108-20-3	
Ethylbenzene	ND ug/kg		114	25		02/21/14 19:43	100-41-4	
Hexachloro-1,3-butadiene	ND ug/kg		114	25		02/21/14 19:43	87-68-3	
2-Hexanone	ND ug/kg		1140	25		02/21/14 19:43	591-78-6	
Isopropylbenzene (Cumene)	ND ug/kg		114	25		02/21/14 19:43	98-82-8	
p-Isopropyltoluene	ND ug/kg		114	25		02/21/14 19:43	99-87-6	
Methylene Chloride	ND ug/kg		456	25		02/21/14 19:43	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/kg		1140	25		02/21/14 19:43	108-10-1	
Methyl-tert-butyl ether	ND ug/kg		114	25		02/21/14 19:43	1634-04-4	
Naphthalene	ND ug/kg		114	25		02/21/14 19:43	91-20-3	
n-Propylbenzene	119 ug/kg		114	25		02/21/14 19:43	103-65-1	
Styrene	ND ug/kg		114	25		02/21/14 19:43	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/kg		114	25		02/21/14 19:43	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/kg		114	25		02/21/14 19:43	79-34-5	
Tetrachloroethene	ND ug/kg		114	25		02/21/14 19:43	127-18-4	
Toluene	ND ug/kg		114	25		02/21/14 19:43	108-88-3	
1,2,3-Trichlorobenzene	ND ug/kg		114	25		02/21/14 19:43	87-61-6	
1,2,4-Trichlorobenzene	ND ug/kg		114	25		02/21/14 19:43	120-82-1	
1,1,1-Trichloroethane	ND ug/kg		114	25		02/21/14 19:43	71-55-6	
1,1,2-Trichloroethane	ND ug/kg		114	25		02/21/14 19:43	79-00-5	
Trichloroethene	ND ug/kg		114	25		02/21/14 19:43	79-01-6	
Trichlorofluoromethane	ND ug/kg		114	25		02/21/14 19:43	75-69-4	
1,2,3-Trichloropropane	ND ug/kg		114	25		02/21/14 19:43	96-18-4	
1,2,4-Trimethylbenzene	ND ug/kg		114	25		02/21/14 19:43	95-63-6	
1,3,5-Trimethylbenzene	ND ug/kg		114	25		02/21/14 19:43	108-67-8	
Vinyl acetate	ND ug/kg		1140	25		02/21/14 19:43	108-05-4	
Vinyl chloride	ND ug/kg		228	25		02/21/14 19:43	75-01-4	
Xylene (Total)	ND ug/kg		228	25		02/21/14 19:43	1330-20-7	
m&p-Xylene	ND ug/kg		228	25		02/21/14 19:43	179601-23-1	
o-Xylene	ND ug/kg		114	25		02/21/14 19:43	95-47-6	
Surrogates								
Toluene-d8 (S)	98 %		70-130	25		02/21/14 19:43	2037-26-5	
4-Bromofluorobenzene (S)	90 %		70-130	25		02/21/14 19:43	460-00-4	
1,2-Dichloroethane-d4 (S)	76 %		70-132	25		02/21/14 19:43	17060-07-0	
Percent Moisture	Analytical Method: ASTM D2974-87							
Percent Moisture	15.4 %		0.10	1		03/03/14 11:58		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

QC Batch: GCSV/12153 Analysis Method: EPA 8015 - Alcohol-Glycol

QC Batch Method: EPA 8015 - Alcohol-Glycol Analysis Description: EPA 8015 Modified

Associated Lab Samples: 92190355003, 92190355004, 92190355005

METHOD BLANK: 1052253 Matrix: Water

Associated Lab Samples:

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylene glycol	mg/L	ND	10.0	02/26/14 12:29	

LABORATORY CONTROL SAMPLE: 1052254

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Ethylene glycol	mg/L	250	218	87	79-129	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1052255 1052256

Parameter	Units	MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.	MS Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Ethylene glycol	mg/L	ND	250	250	284	261	112	103	67-133	8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

QC Batch:	GCV/7826	Analysis Method:	EPA 8015 Modified
QC Batch Method:	EPA 5035A/5030B	Analysis Description:	Gasoline Range Organics
Associated Lab Samples:	92190355001, 92190355002		

METHOD BLANK: 1142278 Matrix: Solid

Associated Lab Samples: 92190355001, 92190355002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Gasoline Range Organics	mg/kg	ND	6.0	02/21/14 12:12	
4-Bromofluorobenzene (S)	%	96	70-167	02/21/14 12:12	

LABORATORY CONTROL SAMPLE: 1142279

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Gasoline Range Organics	mg/kg	49.8	55.4	111	70-165	
4-Bromofluorobenzene (S)	%			105	70-167	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1142280 1142281

Parameter	Units	92190355001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Gasoline Range Organics	mg/kg	24.0	44.5	44.5	77.8	89.0	121	146	47-187	13	
4-Bromofluorobenzene (S)	%						130	122	70-167		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1142282 1142283

Parameter	Units	92190355002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Gasoline Range Organics	mg/kg	36.8	40	40	91.6	95.6	137	147	47-187	4	
4-Bromofluorobenzene (S)	%						161	162	70-167		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

QC Batch:	GCV/7833	Analysis Method:	EPA 8015 Modified
QC Batch Method:	EPA 5035A/5030B	Analysis Description:	Gasoline Range Organics
Associated Lab Samples:	92190355006, 92190355007		

METHOD BLANK:	1148112	Matrix:	Solid
---------------	---------	---------	-------

Associated Lab Samples: 92190355006, 92190355007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Gasoline Range Organics	mg/kg	ND	6.0	02/28/14 15:21	
4-Bromofluorobenzene (S)	%	101	70-167	02/28/14 15:21	

LABORATORY CONTROL SAMPLE: 1148113

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Gasoline Range Organics	mg/kg	50	48.9	98	70-165	
4-Bromofluorobenzene (S)	%			98	70-167	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1148114 1148115

Parameter	Units	92190992004 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Gasoline Range Organics	mg/kg	ND	48.6	48.6	51.6	53.5	106	110	47-187	3	
4-Bromofluorobenzene (S)	%						100	96	70-167		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

QC Batch:	GCV/7860	Analysis Method:	MADEP VPH
QC Batch Method:	MADEP VPH	Analysis Description:	VPH NC Soil
Associated Lab Samples:	92190355006, 92190355007		

METHOD BLANK: 1152103 Matrix: Solid

Associated Lab Samples: 92190355006, 92190355007

Parameter	Units	Blank Result	Reporting Limit		Analyzed	Qualifiers
Aliphatic (C05-C08)	mg/kg	ND	2.5	03/06/14 19:42	N2	
Aliphatic (C09-C12)	mg/kg	ND	2.5	03/06/14 19:42	N2	
Aromatic (C09-C10)	mg/kg	ND	2.5	03/06/14 19:42	N2	
4-Bromofluorobenzene (FID) (S)	%	121	70-130	03/06/14 19:42		
4-Bromofluorobenzene (PID) (S)	%	108	70-130	03/06/14 19:42		

LABORATORY CONTROL SAMPLE & LCSD: 1152104

1152105

Parameter	Units	Spike Conc.	LCS	LCSD	LCS	LCSD	% Rec	Max RPD	RPD	Qualifiers
			Result	Result	% Rec	% Rec	Limits			
Aliphatic (C05-C08)	mg/kg	7.5	6.6	6.4	88	85	70-130	4	25	N2
Aliphatic (C09-C12)	mg/kg	7.5	4.3	4.1	57	55	30-130	4	25	N2
Aromatic (C09-C10)	mg/kg	2.5	ND	ND	92	87	70-130		25	N2
4-Bromofluorobenzene (FID) (S)	%				75	72	70-130			
4-Bromofluorobenzene (PID) (S)	%				81	77	70-130			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

QC Batch:	GCV/7835	Analysis Method:	MADEP VPH
QC Batch Method:	MADEP VPH	Analysis Description:	VPH NC Water
Associated Lab Samples:	92190355003, 92190355004, 92190355005		

METHOD BLANK: 1148658 Matrix: Water

Associated Lab Samples: 92190355003, 92190355004, 92190355005

Parameter	Units	Blank Result	Reporting			Qualifiers
			Limit	Analyzed		
Aliphatic (C05-C08)	ug/L	ND	50.0	03/01/14 20:36	N2	
Aliphatic (C09-C12)	ug/L	ND	50.0	03/01/14 20:36	N2	
Aromatic (C09-C10)	ug/L	ND	50.0	03/01/14 20:36	N2	
4-Bromofluorobenzene (FID) (S)	%	92	70-130	03/01/14 20:36		
4-Bromofluorobenzene (PID) (S)	%	91	70-130	03/01/14 20:36		

LABORATORY CONTROL SAMPLE & LCSD: 1148659 1148660

Parameter	Units	Spike Conc.	LCS	LCSD	LCS	LCSD	% Rec	Max RPD	RPD	Qualifiers
			Result	Result	% Rec	% Rec	Limits			
Aliphatic (C05-C08)	ug/L	300	272	261	91	87	70-130	4	25	N2
Aliphatic (C09-C12)	ug/L	300	316	297	105	99	30-130	6	25	N2
Aromatic (C09-C10)	ug/L	100	108	105	108	105	70-130	3	25	N2
4-Bromofluorobenzene (FID) (S)	%				103	101	70-130			
4-Bromofluorobenzene (PID) (S)	%				103	102	70-130			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

QC Batch:	MPRP/15312	Analysis Method:	EPA 6010
QC Batch Method:	EPA 3050	Analysis Description:	6010 MET
Associated Lab Samples:	92190355006, 92190355007		

METHOD BLANK:	1145621	Matrix:	Solid
---------------	---------	---------	-------

Associated Lab Samples: 92190355006, 92190355007

Parameter	Units	Blank	Reporting	Analyzed	Qualifiers
		Result	Limit		
Chromium	mg/kg	ND	0.50	02/27/14 01:27	
Lead	mg/kg	ND	0.50	02/27/14 01:27	

LABORATORY CONTROL SAMPLE: 1145622

Parameter	Units	Spike	LCS	LCS	% Rec	Qualifiers
		Conc.	Result	% Rec	Limits	
Chromium	mg/kg	50	50.7	101	80-120	
Lead	mg/kg	50	51.5	103	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1145623 1145624

Parameter	Units	92190738001 Result	MS	MSD	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
			Spike Conc.	Spike Conc.							
Chromium	mg/kg	2.85	43.1	46.3	46.0	49.7	100	101	75-125	8	
Lead	mg/kg	0.905	43.1	46.3	46.3	48.2	105	102	75-125	4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

QC Batch:	MPRP/15285	Analysis Method:	EPA 6010
QC Batch Method:	EPA 3010	Analysis Description:	6010 MET
Associated Lab Samples:	92190355003, 92190355004, 92190355005		

METHOD BLANK: 1142293 Matrix: Water

Associated Lab Samples: 92190355003, 92190355004, 92190355005

Parameter	Units	Blank	Reporting	Analyzed	Qualifiers
		Result	Limit		
Chromium	ug/L	ND	5.0	02/21/14 20:58	
Lead	ug/L	ND	5.0	02/21/14 20:58	

LABORATORY CONTROL SAMPLE: 1142294

Parameter	Units	Spike	LCS	LCS	% Rec	Qualifiers
		Conc.	Result	% Rec	Limits	
Chromium	ug/L	500	509	102	80-120	
Lead	ug/L	500	501	100	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1142295 1142296

Parameter	Units	92190489009	MS	MSD	MS	MSD	MS	MSD	% Rec	% Rec	RPD	Qual
		Result	Spike	Spike								
Chromium	ug/L	28.9	500	500	523	523	99	99	99	75-125	0	
Lead	ug/L	20.4	500	500	468	469	90	90	90	75-125	0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

QC Batch:	MSV/25905	Analysis Method:	SM 6200B
QC Batch Method:	SM 6200B	Analysis Description:	6200B MSV
Associated Lab Samples:	92190355003, 92190355004, 92190355005		

METHOD BLANK: 1145841 Matrix: Water

Associated Lab Samples: 92190355003, 92190355004, 92190355005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	0.50	02/26/14 18:47	
1,1,1-Trichloroethane	ug/L	ND	0.50	02/26/14 18:47	
1,1,2,2-Tetrachloroethane	ug/L	ND	0.50	02/26/14 18:47	
1,1,2-Trichloroethane	ug/L	ND	0.50	02/26/14 18:47	
1,1-Dichloroethane	ug/L	ND	0.50	02/26/14 18:47	
1,1-Dichloroethene	ug/L	ND	0.50	02/26/14 18:47	
1,1-Dichloropropene	ug/L	ND	0.50	02/26/14 18:47	
1,2,3-Trichlorobenzene	ug/L	ND	2.0	02/26/14 18:47	
1,2,3-Trichloropropane	ug/L	ND	0.50	02/26/14 18:47	
1,2,4-Trichlorobenzene	ug/L	ND	2.0	02/26/14 18:47	
1,2,4-Trimethylbenzene	ug/L	ND	0.50	02/26/14 18:47	
1,2-Dibromo-3-chloropropane	ug/L	ND	1.0	02/26/14 18:47	
1,2-Dibromoethane (EDB)	ug/L	ND	0.50	02/26/14 18:47	
1,2-Dichlorobenzene	ug/L	ND	0.50	02/26/14 18:47	
1,2-Dichloroethane	ug/L	ND	0.50	02/26/14 18:47	
1,2-Dichloropropane	ug/L	ND	0.50	02/26/14 18:47	
1,3,5-Trimethylbenzene	ug/L	ND	0.50	02/26/14 18:47	
1,3-Dichlorobenzene	ug/L	ND	0.50	02/26/14 18:47	
1,3-Dichloropropane	ug/L	ND	0.50	02/26/14 18:47	
1,4-Dichlorobenzene	ug/L	ND	0.50	02/26/14 18:47	
2,2-Dichloropropane	ug/L	ND	0.50	02/26/14 18:47	
2-Chlorotoluene	ug/L	ND	0.50	02/26/14 18:47	
4-Chlorotoluene	ug/L	ND	0.50	02/26/14 18:47	
Benzene	ug/L	ND	0.50	02/26/14 18:47	
Bromobenzene	ug/L	ND	0.50	02/26/14 18:47	
Bromochloromethane	ug/L	ND	0.50	02/26/14 18:47	
Bromodichloromethane	ug/L	ND	0.50	02/26/14 18:47	
Bromoform	ug/L	ND	0.50	02/26/14 18:47	
Bromomethane	ug/L	ND	5.0	02/26/14 18:47	
Carbon tetrachloride	ug/L	ND	0.50	02/26/14 18:47	
Chlorobenzene	ug/L	ND	0.50	02/26/14 18:47	
Chloroethane	ug/L	ND	1.0	02/26/14 18:47	
Chloroform	ug/L	ND	0.50	02/26/14 18:47	
Chloromethane	ug/L	ND	1.0	02/26/14 18:47	
cis-1,2-Dichloroethene	ug/L	ND	0.50	02/26/14 18:47	
cis-1,3-Dichloropropene	ug/L	ND	0.50	02/26/14 18:47	
Dibromochloromethane	ug/L	ND	0.50	02/26/14 18:47	
Dibromomethane	ug/L	ND	0.50	02/26/14 18:47	
Dichlorodifluoromethane	ug/L	ND	0.50	02/26/14 18:47	
Diisopropyl ether	ug/L	ND	0.50	02/26/14 18:47	
Ethanol	ug/L	ND	200	02/26/14 18:47	
Ethylbenzene	ug/L	ND	0.50	02/26/14 18:47	
Hexachloro-1,3-butadiene	ug/L	ND	2.0	02/26/14 18:47	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

METHOD BLANK: 1145841

Matrix: Water

Associated Lab Samples: 92190355003, 92190355004, 92190355005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Isopropylbenzene (Cumene)	ug/L	ND	0.50	02/26/14 18:47	
m&p-Xylene	ug/L	ND	1.0	02/26/14 18:47	
Methyl-tert-butyl ether	ug/L	ND	0.50	02/26/14 18:47	
Methylene Chloride	ug/L	ND	2.0	02/26/14 18:47	
n-Butylbenzene	ug/L	ND	0.50	02/26/14 18:47	
n-Propylbenzene	ug/L	ND	0.50	02/26/14 18:47	
Naphthalene	ug/L	ND	2.0	02/26/14 18:47	
o-Xylene	ug/L	ND	0.50	02/26/14 18:47	
sec-Butylbenzene	ug/L	ND	0.50	02/26/14 18:47	
Styrene	ug/L	ND	0.50	02/26/14 18:47	
tert-Butylbenzene	ug/L	ND	0.50	02/26/14 18:47	
Tetrachloroethene	ug/L	ND	0.50	02/26/14 18:47	
Toluene	ug/L	ND	0.50	02/26/14 18:47	
trans-1,2-Dichloroethene	ug/L	ND	0.50	02/26/14 18:47	
trans-1,3-Dichloropropene	ug/L	ND	0.50	02/26/14 18:47	
Trichloroethene	ug/L	ND	0.50	02/26/14 18:47	
Trichlorofluoromethane	ug/L	ND	1.0	02/26/14 18:47	
Vinyl chloride	ug/L	ND	1.0	02/26/14 18:47	
1,2-Dichloroethane-d4 (S)	%	101	70-130	02/26/14 18:47	
4-Bromofluorobenzene (S)	%	98	70-130	02/26/14 18:47	
Toluene-d8 (S)	%	101	70-130	02/26/14 18:47	

LABORATORY CONTROL SAMPLE: 1145842

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	49.0	98	60-140	
1,1,1-Trichloroethane	ug/L	50	53.7	107	60-140	
1,1,2,2-Tetrachloroethane	ug/L	50	50.2	100	60-140	
1,1,2-Trichloroethane	ug/L	50	52.9	106	60-140	
1,1-Dichloroethane	ug/L	50	49.2	98	60-140	
1,1-Dichloroethene	ug/L	50	48.0	96	60-140	
1,1-Dichloropropene	ug/L	50	51.3	103	60-140	
1,2,3-Trichlorobenzene	ug/L	50	49.1	98	60-140	
1,2,3-Trichloropropane	ug/L	50	49.8	100	60-140	
1,2,4-Trichlorobenzene	ug/L	50	49.1	98	60-140	
1,2,4-Trimethylbenzene	ug/L	50	51.4	103	60-140	
1,2-Dibromo-3-chloropropane	ug/L	50	64.7	129	60-140	
1,2-Dibromoethane (EDB)	ug/L	50	52.8	106	60-140	
1,2-Dichlorobenzene	ug/L	50	48.3	97	60-140	
1,2-Dichloroethane	ug/L	50	47.9	96	60-140	
1,2-Dichloropropene	ug/L	50	50.1	100	60-140	
1,3,5-Trimethylbenzene	ug/L	50	52.4	105	60-140	
1,3-Dichlorobenzene	ug/L	50	47.3	95	60-140	
1,3-Dichloropropene	ug/L	50	51.3	103	60-140	
1,4-Dichlorobenzene	ug/L	50	47.7	95	60-140	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

LABORATORY CONTROL SAMPLE: 1145842

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,2-Dichloropropane	ug/L	50	55.4	111	60-140	
2-Chlorotoluene	ug/L	50	48.4	97	60-140	
4-Chlorotoluene	ug/L	50	49.8	100	60-140	
Benzene	ug/L	50	52.3	105	60-140	
Bromobenzene	ug/L	50	49.8	100	60-140	
Bromoform	ug/L	50	52.0	104	60-140	
Bromochloromethane	ug/L	50	55.3	111	60-140	
Bromodichloromethane	ug/L	50	44.8	90	60-140	
Bromoform	ug/L	50	36.3	73	60-140	
Bromomethane	ug/L	50	46.6	93	60-140	
Carbon tetrachloride	ug/L	50	50.6	101	60-140	
Chlorobenzene	ug/L	50	48.7	97	60-140	
Chloroethane	ug/L	50	51.2	102	60-140	
Chloroform	ug/L	50	45.3	91	60-140	
Chloromethane	ug/L	50	48.1	96	60-140	
cis-1,2-Dichloroethene	ug/L	50	48.3	97	60-140	
cis-1,3-Dichloropropene	ug/L	50	48.0	96	60-140	
Dibromochloromethane	ug/L	50	50.6	101	60-140	
Dibromomethane	ug/L	50	38.5	77	60-140	
Dichlorodifluoromethane	ug/L	50	50.4	101	60-140	
Diisopropyl ether	ug/L	2000	1710	85	60-140	
Ethanol	ug/L					
Ethylbenzene	ug/L	50	50.8	102	60-140	
Hexachloro-1,3-butadiene	ug/L	50	50.4	101	60-140	
Isopropylbenzene (Cumene)	ug/L	50	54.0	108	60-140	
m&p-Xylene	ug/L	100	105	105	60-140	
Methyl-tert-butyl ether	ug/L	50	50.5	101	60-140	
Methylene Chloride	ug/L	50	53.9	108	60-140	
n-Butylbenzene	ug/L	50	50.8	102	60-140	
n-Propylbenzene	ug/L	50	52.7	105	60-140	
Naphthalene	ug/L	50	49.0	98	60-140	
o-Xylene	ug/L	50	52.2	104	60-140	
sec-Butylbenzene	ug/L	50	52.1	104	60-140	
Styrene	ug/L	50	55.3	111	60-140	
tert-Butylbenzene	ug/L	50	51.8	104	60-140	
Tetrachloroethene	ug/L	50	51.2	102	60-140	
Toluene	ug/L	50	50.5	101	60-140	
trans-1,2-Dichloroethene	ug/L	50	46.7	93	60-140	
trans-1,3-Dichloropropene	ug/L	50	47.5	95	60-140	
Trichloroethene	ug/L	50	49.9	100	60-140	
Trichlorofluoromethane	ug/L	50	50.3	101	60-140	
Vinyl chloride	ug/L	50	48.4	97	60-140	
1,2-Dichloroethane-d4 (S)	%			99	70-130	
4-Bromofluorobenzene (S)	%			100	70-130	
Toluene-d8 (S)	%			99	70-130	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Parameter	Units	92190689006		MS		MSD		1145843		1145844	
		Result	Conc.	Spike	Spike	MS	MSD	MS	MSD	% Rec	% Rec
				Conc.	Result	Result	% Rec	Result	% Rec	Limits	RPD
1,1,1,2-Tetrachloroethane	ug/L	ND	20	20	17.9	14.3	89	72	60-140	22	
1,1,1-Trichloroethane	ug/L	ND	20	20	21.3	17.1	106	85	60-140	22	
1,1,2-Tetrachloroethane	ug/L	ND	20	20	20.6	15.3	103	76	60-140	30	
1,1,2-Trichloroethane	ug/L	ND	20	20	21.3	16.5	107	83	60-140	25	
1,1-Dichloroethane	ug/L	ND	20	20	21.0	16.8	105	84	60-140	22	
1,1-Dichloroethene	ug/L	ND	20	20	20.2	16.8	101	84	60-140	19	
1,1-Dichloropropene	ug/L	ND	20	20	21.4	17.2	107	86	60-140	22	
1,2,3-Trichlorobenzene	ug/L	ND	20	20	17.4	14.0	87	70	60-140	22	
1,2,3-Trichloropropane	ug/L	ND	20	20	20.3	14.8	101	74	60-140	31	R1
1,2,4-Trichlorobenzene	ug/L	ND	20	20	17.4	14.0	87	70	60-140	22	
1,2,4-Trimethylbenzene	ug/L	ND	20	20	19.3	15.1	96	76	60-140	24	
1,2-Dibromo-3-chloropropane	ug/L	ND	20	20	22.5	16.2	113	81	60-140	32	R1
1,2-Dibromoethane (EDB)	ug/L	ND	20	20	21.5	16.4	108	82	60-140	27	
1,2-Dichlorobenzene	ug/L	ND	20	20	18.2	14.2	91	71	60-140	24	
1,2-Dichloroethane	ug/L	2.4	20	20	23.0	18.1	103	79	60-140	24	
1,2-Dichloropropane	ug/L	ND	20	20	20.6	16.0	103	80	60-140	25	
1,3,5-Trimethylbenzene	ug/L	ND	20	20	19.5	15.5	97	77	60-140	23	
1,3-Dichlorobenzene	ug/L	ND	20	20	17.7	13.9	89	70	60-140	24	
1,3-Dichloropropane	ug/L	ND	20	20	21.2	16.2	106	81	60-140	26	
1,4-Dichlorobenzene	ug/L	ND	20	20	17.6	14.1	88	70	60-140	23	
2,2-Dichloropropane	ug/L	ND	20	20	18.8	15.5	94	78	60-140	19	
2-Chlorotoluene	ug/L	ND	20	20	18.7	14.9	94	74	60-140	23	
4-Chlorotoluene	ug/L	ND	20	20	19.0	14.9	95	74	60-140	24	
Benzene	ug/L	ND	20	20	20.7	16.6	104	83	60-140	22	
Bromobenzene	ug/L	ND	20	20	19.0	14.8	95	74	60-140	25	
Bromochloromethane	ug/L	ND	20	20	22.3	17.5	112	88	60-140	24	
Bromodichloromethane	ug/L	ND	20	20	19.5	15.6	98	78	60-140	22	
Bromoform	ug/L	ND	20	20	15.7	13.0	78	65	60-140	19	
Bromomethane	ug/L	ND	20	20	14.7	15.1	74	76	60-140	3	
Carbon tetrachloride	ug/L	ND	20	20	17.5	15.6	88	78	60-140	11	
Chlorobenzene	ug/L	ND	20	20	19.8	15.6	99	78	60-140	24	
Chloroethane	ug/L	ND	20	20	22.3	19.5	111	97	60-140	13	
Chloroform	ug/L	ND	20	20	21.3	16.7	106	83	60-140	24	
Chloromethane	ug/L	ND	20	20	18.5	17.8	93	89	60-140	4	
cis-1,2-Dichloroethene	ug/L	ND	20	20	20.4	16.2	102	81	60-140	23	
cis-1,3-Dichloropropene	ug/L	ND	20	20	16.9	13.6	85	68	60-140	21	
Dibromochloromethane	ug/L	ND	20	20	17.2	13.8	86	69	60-140	22	
Dibromomethane	ug/L	ND	20	20	20.0	15.2	100	76	60-140	27	
Dichlorodifluoromethane	ug/L	ND	20	20	15.3	17.9	77	90	60-140	16	
Diisopropyl ether	ug/L	0.55	20	20	22.1	17.1	108	83	60-140	26	
Ethanol	ug/L	ND	800	800	772	559	97	70	60-140	32	R1
Ethylbenzene	ug/L	ND	20	20	19.7	15.7	99	78	60-140	23	
Hexachloro-1,3-butadiene	ug/L	ND	20	20	17.6	14.2	88	71	60-140	21	
Isopropylbenzene (Cumene)	ug/L	ND	20	20	20.5	16.2	102	81	60-140	23	
m&p-Xylene	ug/L	ND	40	40	39.0	31.5	97	79	60-140	21	
Methyl-tert-butyl ether	ug/L	6.6	20	20	28.2	22.8	108	81	60-140	21	
Methylene Chloride	ug/L	ND	20	20	21.6	16.0	108	80	60-140	30	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Parameter	Units	92190689006		MS		MSD		1145844		% Rec Limits	RPD	Qual
		Result	Conc.	Spike	Spike	MS	MSD	MS	MSD			
				Conc.	Result	Result	% Rec	% Rec	% Rec			
n-Butylbenzene	ug/L	ND	20	20	17.8	14.6	89	73	60-140	20		
n-Propylbenzene	ug/L	ND	20	20	19.8	15.8	99	79	60-140	23		
Naphthalene	ug/L	ND	20	20	18.6	14.2	93	71	60-140	27		
o-Xylene	ug/L	ND	20	20	20.0	15.8	100	79	60-140	24		
sec-Butylbenzene	ug/L	ND	20	20	19.4	15.7	97	78	60-140	21		
Styrene	ug/L	ND	20	20	20.8	16.2	104	81	60-140	25		
tert-Butylbenzene	ug/L	ND	20	20	19.4	15.6	97	78	60-140	22		
Tetrachloroethene	ug/L	ND	20	20	19.9	16.1	99	81	60-140	21		
Toluene	ug/L	ND	20	20	19.7	15.8	99	79	60-140	22		
trans-1,2-Dichloroethene	ug/L	ND	20	20	19.3	15.6	97	78	60-140	21		
trans-1,3-Dichloropropene	ug/L	ND	20	20	16.9	13.6	85	68	60-140	21		
Trichloroethene	ug/L	ND	20	20	19.3	15.3	96	77	60-140	23		
Trichlorofluoromethane	ug/L	ND	20	20	21.3	18.2	106	91	60-140	15		
Vinyl chloride	ug/L	ND	20	20	20.1	18.6	101	93	60-140	8		
1,2-Dichloroethane-d4 (S)	%						101	100	70-130			
4-Bromofluorobenzene (S)	%						100	100	70-130			
Toluene-d8 (S)	%						100	100	70-130			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

QC Batch:	MSV/25862	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV Low Level
Associated Lab Samples:	92190355003, 92190355004, 92190355005		

METHOD BLANK: 1142847 Matrix: Water

Associated Lab Samples: 92190355003, 92190355004, 92190355005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	1.0	02/22/14 00:19	
1,1,1-Trichloroethane	ug/L	ND	1.0	02/22/14 00:19	
1,1,2,2-Tetrachloroethane	ug/L	ND	1.0	02/22/14 00:19	
1,1,2-Trichloroethane	ug/L	ND	1.0	02/22/14 00:19	
1,1-Dichloroethane	ug/L	ND	1.0	02/22/14 00:19	
1,1-Dichloroethene	ug/L	ND	1.0	02/22/14 00:19	
1,1-Dichloropropene	ug/L	ND	1.0	02/22/14 00:19	
1,2,3-Trichlorobenzene	ug/L	ND	1.0	02/22/14 00:19	
1,2,3-Trichloropropane	ug/L	ND	1.0	02/22/14 00:19	
1,2,4-Trichlorobenzene	ug/L	ND	1.0	02/22/14 00:19	
1,2-Dibromo-3-chloropropane	ug/L	ND	5.0	02/22/14 00:19	
1,2-Dibromoethane (EDB)	ug/L	ND	1.0	02/22/14 00:19	
1,2-Dichlorobenzene	ug/L	ND	1.0	02/22/14 00:19	
1,2-Dichloroethane	ug/L	ND	1.0	02/22/14 00:19	
1,2-Dichloropropane	ug/L	ND	1.0	02/22/14 00:19	
1,3-Dichlorobenzene	ug/L	ND	1.0	02/22/14 00:19	
1,3-Dichloropropane	ug/L	ND	1.0	02/22/14 00:19	
1,4-Dichlorobenzene	ug/L	ND	1.0	02/22/14 00:19	
2,2-Dichloropropane	ug/L	ND	1.0	02/22/14 00:19	
2-Butanone (MEK)	ug/L	ND	5.0	02/22/14 00:19	
2-Chlorotoluene	ug/L	ND	1.0	02/22/14 00:19	
2-Hexanone	ug/L	ND	5.0	02/22/14 00:19	
4-Chlorotoluene	ug/L	ND	1.0	02/22/14 00:19	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	5.0	02/22/14 00:19	
Acetone	ug/L	ND	25.0	02/22/14 00:19	
Benzene	ug/L	ND	1.0	02/22/14 00:19	
Bromobenzene	ug/L	ND	1.0	02/22/14 00:19	
Bromochloromethane	ug/L	ND	1.0	02/22/14 00:19	
Bromodichloromethane	ug/L	ND	1.0	02/22/14 00:19	
Bromoform	ug/L	ND	1.0	02/22/14 00:19	
Bromomethane	ug/L	ND	2.0	02/22/14 00:19	
Carbon tetrachloride	ug/L	ND	1.0	02/22/14 00:19	
Chlorobenzene	ug/L	ND	1.0	02/22/14 00:19	
Chloroethane	ug/L	ND	1.0	02/22/14 00:19	
Chloroform	ug/L	ND	1.0	02/22/14 00:19	
Chloromethane	ug/L	ND	1.0	02/22/14 00:19	
cis-1,2-Dichloroethene	ug/L	ND	1.0	02/22/14 00:19	
cis-1,3-Dichloropropene	ug/L	ND	1.0	02/22/14 00:19	
Dibromochloromethane	ug/L	ND	1.0	02/22/14 00:19	
Dibromomethane	ug/L	ND	1.0	02/22/14 00:19	
Dichlorodifluoromethane	ug/L	ND	1.0	02/22/14 00:19	
Diisopropyl ether	ug/L	ND	1.0	02/22/14 00:19	
Ethylbenzene	ug/L	ND	1.0	02/22/14 00:19	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

METHOD BLANK: 1142847

Matrix: Water

Associated Lab Samples: 92190355003, 92190355004, 92190355005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Hexachloro-1,3-butadiene	ug/L	ND	1.0	02/22/14 00:19	
m&p-Xylene	ug/L	ND	2.0	02/22/14 00:19	
Methyl-tert-butyl ether	ug/L	ND	1.0	02/22/14 00:19	
Methylene Chloride	ug/L	ND	2.0	02/22/14 00:19	
Naphthalene	ug/L	ND	1.0	02/22/14 00:19	
o-Xylene	ug/L	ND	1.0	02/22/14 00:19	
p-Isopropyltoluene	ug/L	ND	1.0	02/22/14 00:19	
Styrene	ug/L	ND	1.0	02/22/14 00:19	
Tetrachloroethene	ug/L	ND	1.0	02/22/14 00:19	
Toluene	ug/L	ND	1.0	02/22/14 00:19	
trans-1,2-Dichloroethene	ug/L	ND	1.0	02/22/14 00:19	
trans-1,3-Dichloropropene	ug/L	ND	1.0	02/22/14 00:19	
Trichloroethene	ug/L	ND	1.0	02/22/14 00:19	
Trichlorofluoromethane	ug/L	ND	1.0	02/22/14 00:19	
Vinyl acetate	ug/L	ND	2.0	02/22/14 00:19	
Vinyl chloride	ug/L	ND	1.0	02/22/14 00:19	
Xylene (Total)	ug/L	ND	2.0	02/22/14 00:19	
1,2-Dichloroethane-d4 (S)	%	96	70-130	02/22/14 00:19	
4-Bromofluorobenzene (S)	%	98	70-130	02/22/14 00:19	
Toluene-d8 (S)	%	97	70-130	02/22/14 00:19	

LABORATORY CONTROL SAMPLE: 1142848

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	50.2	100	70-130	
1,1,1-Trichloroethane	ug/L	50	43.0	86	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	48.8	98	70-130	
1,1,2-Trichloroethane	ug/L	50	48.2	96	70-130	
1,1-Dichloroethane	ug/L	50	42.1	84	70-130	
1,1-Dichloroethene	ug/L	50	40.6	81	70-132	
1,1-Dichloropropene	ug/L	50	43.0	86	70-130	
1,2,3-Trichlorobenzene	ug/L	50	46.5	93	70-135	
1,2,3-Trichloropropane	ug/L	50	49.3	99	70-130	
1,2,4-Trichlorobenzene	ug/L	50	48.2	96	70-134	
1,2-Dibromo-3-chloropropane	ug/L	50	47.6	95	70-130	
1,2-Dibromoethane (EDB)	ug/L	50	49.8	100	70-130	
1,2-Dichlorobenzene	ug/L	50	50.1	100	70-130	
1,2-Dichloroethane	ug/L	50	43.2	86	70-130	
1,2-Dichloropropane	ug/L	50	46.5	93	70-130	
1,3-Dichlorobenzene	ug/L	50	48.8	98	70-130	
1,3-Dichloropropane	ug/L	50	50.5	101	70-130	
1,4-Dichlorobenzene	ug/L	50	49.8	100	70-130	
2,2-Dichloropropane	ug/L	50	39.4	79	58-145	
2-Butanone (MEK)	ug/L	100	87.8	88	70-145	
2-Chlorotoluene	ug/L	50	49.7	99	70-130	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

LABORATORY CONTROL SAMPLE: 1142848

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2-Hexanone	ug/L	100	97.5	97	70-144	
4-Chlorotoluene	ug/L	50	51.1	102	70-130	
4-Methyl-2-pentanone (MIBK)	ug/L	100	94.2	94	70-140	
Acetone	ug/L	100	86.4	86	50-175	
Benzene	ug/L	50	47.6	95	70-130	
Bromobenzene	ug/L	50	49.8	100	70-130	
Bromochloromethane	ug/L	50	43.3	87	70-130	
Bromodichloromethane	ug/L	50	47.2	94	70-130	
Bromoform	ug/L	50	49.8	100	70-130	
Bromomethane	ug/L	50	43.6	87	54-130	
Carbon tetrachloride	ug/L	50	48.1	96	70-132	
Chlorobenzene	ug/L	50	48.8	98	70-130	
Chloroethane	ug/L	50	39.9	80	64-134	
Chloroform	ug/L	50	41.9	84	70-130	
Chloromethane	ug/L	50	44.1	88	64-130	
cis-1,2-Dichloroethene	ug/L	50	42.1	84	70-131	
cis-1,3-Dichloropropene	ug/L	50	45.0	90	70-130	
Dibromochloromethane	ug/L	50	50.4	101	70-130	
Dibromomethane	ug/L	50	46.6	93	70-131	
Dichlorodifluoromethane	ug/L	50	46.0	92	56-130	
Diisopropyl ether	ug/L	50	43.4	87	70-130	
Ethylbenzene	ug/L	50	48.4	97	70-130	
Hexachloro-1,3-butadiene	ug/L	50	46.4	93	70-130	
m&p-Xylene	ug/L	100	99.8	100	70-130	
Methyl-tert-butyl ether	ug/L	50	44.4	89	70-130	
Methylene Chloride	ug/L	50	50.2	100	63-130	
Naphthalene	ug/L	50	48.2	96	70-138	
o-Xylene	ug/L	50	49.4	99	70-130	
p-Isopropyltoluene	ug/L	50	50.0	100	70-130	
Styrene	ug/L	50	51.0	102	70-130	
Tetrachloroethene	ug/L	50	49.6	99	70-130	
Toluene	ug/L	50	46.5	93	70-130	
trans-1,2-Dichloroethene	ug/L	50	40.9	82	70-130	
trans-1,3-Dichloropropene	ug/L	50	47.1	94	70-132	
Trichloroethene	ug/L	50	46.1	92	70-130	
Trichlorofluoromethane	ug/L	50	43.7	87	62-133	
Vinyl acetate	ug/L	100	84.4	84	66-157	
Vinyl chloride	ug/L	50	44.1	88	69-130	
Xylene (Total)	ug/L	150	149	99	70-130	
1,2-Dichloroethane-d4 (S)	%			95	70-130	
4-Bromofluorobenzene (S)	%			96	70-130	
Toluene-d8 (S)	%			97	70-130	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Parameter	Units	92190582001		MS		MSD		1143591		1143592	
		Result	Conc.	Spike	Spike	MS	MSD	MS	MSD	% Rec	% Rec
				Conc.	Result	Result	Result	% Rec	% Rec	Limits	RPD
1,1-Dichloroethene	ug/L	ND	50	50	45.5	44.9	91	90	70-166	1	
Benzene	ug/L	ND	50	50	50.3	50.6	101	101	70-148	1	
Chlorobenzene	ug/L	ND	50	50	51.5	52.1	103	104	70-146	1	
Toluene	ug/L	ND	50	50	48.1	48.5	96	97	70-155	1	
Trichloroethene	ug/L	ND	50	50	52.8	52.7	106	105	69-151	0	
1,2-Dichloroethane-d4 (S)	%						100	101	70-130		
4-Bromofluorobenzene (S)	%						97	96	70-130		
Toluene-d8 (S)	%						96	96	70-130		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

QC Batch:	MSV/25855	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV 5035A Volatile Organics
Associated Lab Samples:	92190355006, 92190355007		

METHOD BLANK: 1142403 Matrix: Solid

Associated Lab Samples: 92190355006, 92190355007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	ND	5.0	02/21/14 11:34	
1,1,1-Trichloroethane	ug/kg	ND	5.0	02/21/14 11:34	
1,1,2,2-Tetrachloroethane	ug/kg	ND	5.0	02/21/14 11:34	
1,1,2-Trichloroethane	ug/kg	ND	5.0	02/21/14 11:34	
1,1-Dichloroethane	ug/kg	ND	5.0	02/21/14 11:34	
1,1-Dichloroethene	ug/kg	ND	5.0	02/21/14 11:34	
1,1-Dichloropropene	ug/kg	ND	5.0	02/21/14 11:34	
1,2,3-Trichlorobenzene	ug/kg	ND	5.0	02/21/14 11:34	
1,2,3-Trichloropropane	ug/kg	ND	5.0	02/21/14 11:34	
1,2,4-Trichlorobenzene	ug/kg	ND	5.0	02/21/14 11:34	
1,2,4-Trimethylbenzene	ug/kg	ND	5.0	02/21/14 11:34	
1,2-Dibromo-3-chloropropane	ug/kg	ND	5.0	02/21/14 11:34	
1,2-Dibromoethane (EDB)	ug/kg	ND	5.0	02/21/14 11:34	
1,2-Dichlorobenzene	ug/kg	ND	5.0	02/21/14 11:34	
1,2-Dichloroethane	ug/kg	ND	5.0	02/21/14 11:34	
1,2-Dichloropropane	ug/kg	ND	5.0	02/21/14 11:34	
1,3,5-Trimethylbenzene	ug/kg	ND	5.0	02/21/14 11:34	
1,3-Dichlorobenzene	ug/kg	ND	5.0	02/21/14 11:34	
1,3-Dichloropropane	ug/kg	ND	5.0	02/21/14 11:34	
1,4-Dichlorobenzene	ug/kg	ND	5.0	02/21/14 11:34	
2,2-Dichloropropane	ug/kg	ND	5.0	02/21/14 11:34	
2-Butanone (MEK)	ug/kg	ND	101	02/21/14 11:34	
2-Chlorotoluene	ug/kg	ND	5.0	02/21/14 11:34	
2-Hexanone	ug/kg	ND	50.4	02/21/14 11:34	
4-Chlorotoluene	ug/kg	ND	5.0	02/21/14 11:34	
4-Methyl-2-pentanone (MIBK)	ug/kg	ND	50.4	02/21/14 11:34	
Acetone	ug/kg	ND	101	02/21/14 11:34	
Benzene	ug/kg	ND	5.0	02/21/14 11:34	
Bromobenzene	ug/kg	ND	5.0	02/21/14 11:34	
Bromochloromethane	ug/kg	ND	5.0	02/21/14 11:34	
Bromodichloromethane	ug/kg	ND	5.0	02/21/14 11:34	
Bromoform	ug/kg	ND	5.0	02/21/14 11:34	
Bromomethane	ug/kg	ND	10.1	02/21/14 11:34	
Carbon tetrachloride	ug/kg	ND	5.0	02/21/14 11:34	
Chlorobenzene	ug/kg	ND	5.0	02/21/14 11:34	
Chloroethane	ug/kg	ND	10.1	02/21/14 11:34	
Chloroform	ug/kg	ND	5.0	02/21/14 11:34	
Chloromethane	ug/kg	ND	10.1	02/21/14 11:34	
cis-1,2-Dichloroethene	ug/kg	ND	5.0	02/21/14 11:34	
cis-1,3-Dichloropropene	ug/kg	ND	5.0	02/21/14 11:34	
Dibromochloromethane	ug/kg	ND	5.0	02/21/14 11:34	
Dibromomethane	ug/kg	ND	5.0	02/21/14 11:34	
Dichlorodifluoromethane	ug/kg	ND	10.1	02/21/14 11:34	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

METHOD BLANK: 1142403

Matrix: Solid

Associated Lab Samples: 92190355006, 92190355007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diisopropyl ether	ug/kg	ND	5.0	02/21/14 11:34	
Ethylbenzene	ug/kg	ND	5.0	02/21/14 11:34	
Hexachloro-1,3-butadiene	ug/kg	ND	5.0	02/21/14 11:34	
Isopropylbenzene (Cumene)	ug/kg	ND	5.0	02/21/14 11:34	
m&p-Xylene	ug/kg	ND	10.1	02/21/14 11:34	
Methyl-tert-butyl ether	ug/kg	ND	5.0	02/21/14 11:34	
Methylene Chloride	ug/kg	ND	20.2	02/21/14 11:34	
n-Butylbenzene	ug/kg	ND	5.0	02/21/14 11:34	
n-Propylbenzene	ug/kg	ND	5.0	02/21/14 11:34	
Naphthalene	ug/kg	ND	5.0	02/21/14 11:34	
o-Xylene	ug/kg	ND	5.0	02/21/14 11:34	
p-Isopropyltoluene	ug/kg	ND	5.0	02/21/14 11:34	
sec-Butylbenzene	ug/kg	ND	5.0	02/21/14 11:34	
Styrene	ug/kg	ND	5.0	02/21/14 11:34	
tert-Butylbenzene	ug/kg	ND	5.0	02/21/14 11:34	
Tetrachloroethene	ug/kg	ND	5.0	02/21/14 11:34	
Toluene	ug/kg	ND	5.0	02/21/14 11:34	
trans-1,2-Dichloroethene	ug/kg	ND	5.0	02/21/14 11:34	
trans-1,3-Dichloropropene	ug/kg	ND	5.0	02/21/14 11:34	
Trichloroethene	ug/kg	ND	5.0	02/21/14 11:34	
Trichlorofluoromethane	ug/kg	ND	5.0	02/21/14 11:34	
Vinyl acetate	ug/kg	ND	50.4	02/21/14 11:34	
Vinyl chloride	ug/kg	ND	10.1	02/21/14 11:34	
Xylene (Total)	ug/kg	ND	10.1	02/21/14 11:34	
1,2-Dichloroethane-d4 (S)	%	113	70-132	02/21/14 11:34	
4-Bromofluorobenzene (S)	%	92	70-130	02/21/14 11:34	
Toluene-d8 (S)	%	98	70-130	02/21/14 11:34	

LABORATORY CONTROL SAMPLE: 1142404

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	47.4	44.8	94	70-131	
1,1,1-Trichloroethane	ug/kg	47.4	51.2	108	70-141	
1,1,2,2-Tetrachloroethane	ug/kg	47.4	47.6	100	70-130	
1,1,2-Trichloroethane	ug/kg	47.4	44.9	95	70-132	
1,1-Dichloroethane	ug/kg	47.4	49.3	104	70-143	
1,1-Dichloroethene	ug/kg	47.4	49.2	104	70-137	
1,1-Dichloropropene	ug/kg	47.4	54.0	114	70-135	
1,2,3-Trichlorobenzene	ug/kg	47.4	50.5	106	69-153	
1,2,3-Trichloropropane	ug/kg	47.4	45.4	96	70-130	
1,2,4-Trichlorobenzene	ug/kg	47.4	51.0	108	55-171	
1,2,4-Trimethylbenzene	ug/kg	47.4	51.9	109	70-149	
1,2-Dibromo-3-chloropropane	ug/kg	47.4	45.6	96	68-141	
1,2-Dibromoethane (EDB)	ug/kg	47.4	48.1	101	70-130	
1,2-Dichlorobenzene	ug/kg	47.4	46.4	98	70-140	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

LABORATORY CONTROL SAMPLE: 1142404

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichloroethane	ug/kg	47.4	45.9	97	70-137	
1,2-Dichloropropane	ug/kg	47.4	45.5	96	70-133	
1,3,5-Trimethylbenzene	ug/kg	47.4	50.0	105	70-143	
1,3-Dichlorobenzene	ug/kg	47.4	45.4	96	70-144	
1,3-Dichloropropane	ug/kg	47.4	46.5	98	70-132	
1,4-Dichlorobenzene	ug/kg	47.4	46.5	98	70-142	
2,2-Dichloropropane	ug/kg	47.4	52.1	110	68-152	
2-Butanone (MEK)	ug/kg	94.9	114	120	70-149	
2-Chlorotoluene	ug/kg	47.4	48.2	102	70-141	
2-Hexanone	ug/kg	94.9	94.7	100	70-149	
4-Chlorotoluene	ug/kg	47.4	48.8	103	70-149	
4-Methyl-2-pentanone (MIBK)	ug/kg	94.9	93.5	99	70-153	
Acetone	ug/kg	94.9	113	119	70-157	
Benzene	ug/kg	47.4	48.2	102	70-130	
Bromobenzene	ug/kg	47.4	47.1	99	70-141	
Bromo(chloromethane	ug/kg	47.4	49.1	104	70-149	
Bromodichloromethane	ug/kg	47.4	43.4	92	70-130	
Bromoform	ug/kg	47.4	45.9	97	70-131	
Bromomethane	ug/kg	47.4	66.1	139	64-136 L3	
Carbon tetrachloride	ug/kg	47.4	42.3	89	70-154	
Chlorobenzene	ug/kg	47.4	44.6	94	70-135	
Chloroethane	ug/kg	47.4	47.9	101	68-151	
Chloroform	ug/kg	47.4	48.0	101	70-130	
Chloromethane	ug/kg	47.4	50.2	106	70-132	
cis-1,2-Dichloroethene	ug/kg	47.4	49.1	104	70-140	
cis-1,3-Dichloropropene	ug/kg	47.4	45.9	97	70-137	
Dibromochloromethane	ug/kg	47.4	44.4	94	70-130	
Dibromomethane	ug/kg	47.4	43.5	92	70-136	
Dichlorodifluoromethane	ug/kg	47.4	55.5	117	36-148	
Diisopropyl ether	ug/kg	47.4	50.3	106	70-139	
Ethylbenzene	ug/kg	47.4	45.9	97	70-137	
Hexachloro-1,3-butadiene	ug/kg	47.4	41.2	87	70-145	
Isopropylbenzene (Cumene)	ug/kg	47.4	48.3	102	70-141	
m&p-Xylene	ug/kg	94.9	93.0	98	70-140	
Methyl-tert-butyl ether	ug/kg	47.4	51.0	107	45-150	
Methylene Chloride	ug/kg	47.4	71.0	150	70-133 L3	
n-Butylbenzene	ug/kg	47.4	54.1	114	65-155	
n-Propylbenzene	ug/kg	47.4	51.1	108	70-148	
Naphthalene	ug/kg	47.4	63.7	134	70-148	
o-Xylene	ug/kg	47.4	46.2	97	70-141	
p-Isopropyltoluene	ug/kg	47.4	51.6	109	70-148	
sec-Butylbenzene	ug/kg	47.4	51.0	108	70-145	
Styrene	ug/kg	47.4	47.5	100	70-138	
tert-Butylbenzene	ug/kg	47.4	45.1	95	70-143	
Tetrachloroethene	ug/kg	47.4	43.9	93	70-140	
Toluene	ug/kg	47.4	44.6	94	70-130	
trans-1,2-Dichloroethene	ug/kg	47.4	49.2	104	70-136	
trans-1,3-Dichloropropene	ug/kg	47.4	44.8	94	70-138	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

LABORATORY CONTROL SAMPLE: 1142404

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Trichloroethene	ug/kg	47.4	43.5	92	70-132	
Trichlorofluoromethane	ug/kg	47.4	53.1	112	69-134	
Vinyl acetate	ug/kg	94.9	126	133	24-161	
Vinyl chloride	ug/kg	47.4	55.2	116	55-140	
Xylene (Total)	ug/kg	142	139	98	70-141	
1,2-Dichloroethane-d4 (S)	%			111	70-132	
4-Bromofluorobenzene (S)	%			87	70-130	
Toluene-d8 (S)	%			97	70-130	

MATRIX SPIKE SAMPLE: 1143264

Parameter	Units	92190486003 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	ug/kg	<4.5	44.4	55.8	126	49-180	
Benzene	ug/kg	<4.5	44.4	55.0	124	50-166	
Chlorobenzene	ug/kg	<4.5	44.4	49.5	112	43-169	
Toluene	ug/kg	<4.5	44.4	55.8	126	52-163	
Trichloroethene	ug/kg	<4.5	44.4	58.2	131	49-167	
1,2-Dichloroethane-d4 (S)	%				91	70-132	
4-Bromofluorobenzene (S)	%				97	70-130	
Toluene-d8 (S)	%				108	70-130	

SAMPLE DUPLICATE: 1143263

Parameter	Units	92190486001 Result	Dup Result	RPD	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<4.1	ND		
1,1,1-Trichloroethane	ug/kg	<4.1	ND		
1,1,2,2-Tetrachloroethane	ug/kg	<4.1	ND		
1,1,2-Trichloroethane	ug/kg	<4.1	ND		
1,1-Dichloroethane	ug/kg	<4.1	ND		
1,1-Dichloroethene	ug/kg	<4.1	ND		
1,1-Dichloropropene	ug/kg	<4.1	ND		
1,2,3-Trichlorobenzene	ug/kg	<4.1	ND		
1,2,3-Trichloropropane	ug/kg	<4.1	ND		
1,2,4-Trichlorobenzene	ug/kg	<4.1	ND		
1,2,4-Trimethylbenzene	ug/kg	<4.1	ND		
1,2-Dibromo-3-chloropropane	ug/kg	<4.1	ND		
1,2-Dibromoethane (EDB)	ug/kg	<4.1	ND		
1,2-Dichlorobenzene	ug/kg	<4.1	ND		
1,2-Dichloroethane	ug/kg	<4.1	ND		
1,2-Dichloropropane	ug/kg	<4.1	ND		
1,3,5-Trimethylbenzene	ug/kg	<4.1	ND		
1,3-Dichlorobenzene	ug/kg	<4.1	ND		
1,3-Dichloropropane	ug/kg	<4.1	ND		
1,4-Dichlorobenzene	ug/kg	<4.1	ND		
2,2-Dichloropropane	ug/kg	<4.1	ND		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

SAMPLE DUPLICATE: 1143263

Parameter	Units	92190486001	Dup Result	RPD	Qualifiers
2-Butanone (MEK)	ug/kg	<82.9	ND		
2-Chlorotoluene	ug/kg	<4.1	ND		
2-Hexanone	ug/kg	<41.5	ND		
4-Chlorotoluene	ug/kg	<4.1	ND		
4-Methyl-2-pentanone (MIBK)	ug/kg	<41.5	ND		
Acetone	ug/kg	<82.9	27.1J		
Benzene	ug/kg	<4.1	ND		
Bromobenzene	ug/kg	<4.1	ND		
Bromochloromethane	ug/kg	<4.1	ND		
Bromodichloromethane	ug/kg	<4.1	ND		
Bromoform	ug/kg	<4.1	ND		
Bromomethane	ug/kg	<8.3	ND		
Carbon tetrachloride	ug/kg	<4.1	ND		
Chlorobenzene	ug/kg	<4.1	ND		
Chloroethane	ug/kg	<8.3	ND		
Chloroform	ug/kg	<4.1	ND		
Chloromethane	ug/kg	<8.3	ND		
cis-1,2-Dichloroethene	ug/kg	<4.1	ND		
cis-1,3-Dichloropropene	ug/kg	<4.1	ND		
Dibromochloromethane	ug/kg	<4.1	ND		
Dibromomethane	ug/kg	<4.1	ND		
Dichlorodifluoromethane	ug/kg	<8.3	ND		
Diisopropyl ether	ug/kg	<4.1	ND		
Ethylbenzene	ug/kg	<4.1	ND		
Hexachloro-1,3-butadiene	ug/kg	<4.1	ND		
Isopropylbenzene (Cumene)	ug/kg	<4.1	ND		
m&p-Xylene	ug/kg	<8.3	ND		
Methyl-tert-butyl ether	ug/kg	<4.1	ND		
Methylene Chloride	ug/kg	<16.6	2.6J		
n-Butylbenzene	ug/kg	<4.1	ND		
n-Propylbenzene	ug/kg	<4.1	ND		
Naphthalene	ug/kg	<4.1	ND		
o-Xylene	ug/kg	<4.1	ND		
p-Isopropyltoluene	ug/kg	<4.1	ND		
sec-Butylbenzene	ug/kg	<4.1	ND		
Styrene	ug/kg	<4.1	ND		
tert-Butylbenzene	ug/kg	<4.1	ND		
Tetrachloroethene	ug/kg	<4.1	ND		
Toluene	ug/kg	<4.1	ND		
trans-1,2-Dichloroethene	ug/kg	<4.1	ND		
trans-1,3-Dichloropropene	ug/kg	<4.1	ND		
Trichloroethene	ug/kg	<4.1	ND		
Trichlorofluoromethane	ug/kg	<4.1	ND		
Vinyl acetate	ug/kg	<41.5	ND		
Vinyl chloride	ug/kg	<8.3	ND		
Xylene (Total)	ug/kg	<8.3	ND		
1,2-Dichloroethane-d4 (S)	%	117	88	29	
4-Bromofluorobenzene (S)	%	87	92	6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

SAMPLE DUPLICATE: 1143263

Parameter	Units	92190486001	Dup Result	RPD	Qualifiers
Toluene-d8 (S)	%	97	111	13	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

QC Batch:	OEXT/26010	Analysis Method:	EPA 625
QC Batch Method:	EPA 625	Analysis Description:	625 MSS
Associated Lab Samples:	92190355003, 92190355004, 92190355005		

METHOD BLANK: 1141550 Matrix: Water

Associated Lab Samples: 92190355003, 92190355004, 92190355005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	ug/L	ND	5.0	02/28/14 07:26	
2,4,6-Trichlorophenol	ug/L	ND	10.0	02/28/14 07:26	
2,4-Dichlorophenol	ug/L	ND	5.0	02/28/14 07:26	
2,4-Dimethylphenol	ug/L	ND	10.0	02/28/14 07:26	
2,4-Dinitrophenol	ug/L	ND	50.0	02/28/14 07:26	
2,4-Dinitrotoluene	ug/L	ND	5.0	02/28/14 07:26	
2,6-Dinitrotoluene	ug/L	ND	5.0	02/28/14 07:26	
2-Chloronaphthalene	ug/L	ND	5.0	02/28/14 07:26	
2-Chlorophenol	ug/L	ND	5.0	02/28/14 07:26	
2-Nitrophenol	ug/L	ND	5.0	02/28/14 07:26	
3,3'-Dichlorobenzidine	ug/L	ND	25.0	02/28/14 07:26	
4,6-Dinitro-2-methylphenol	ug/L	ND	20.0	02/28/14 07:26	
4-Bromophenylphenyl ether	ug/L	ND	5.0	02/28/14 07:26	
4-Chloro-3-methylphenol	ug/L	ND	5.0	02/28/14 07:26	
4-Chlorophenylphenyl ether	ug/L	ND	5.0	02/28/14 07:26	
4-Nitrophenol	ug/L	ND	50.0	02/28/14 07:26	
Acenaphthene	ug/L	ND	5.0	02/28/14 07:26	
Acenaphthylene	ug/L	ND	5.0	02/28/14 07:26	
Anthracene	ug/L	ND	5.0	02/28/14 07:26	
Benzo(a)anthracene	ug/L	ND	5.0	02/28/14 07:26	
Benzo(a)pyrene	ug/L	ND	5.0	02/28/14 07:26	
Benzo(b)fluoranthene	ug/L	ND	5.0	02/28/14 07:26	
Benzo(g,h,i)perylene	ug/L	ND	5.0	02/28/14 07:26	
Benzo(k)fluoranthene	ug/L	ND	5.0	02/28/14 07:26	
bis(2-Chloroethoxy)methane	ug/L	ND	10.0	02/28/14 07:26	
bis(2-Chloroethyl) ether	ug/L	ND	5.0	02/28/14 07:26	
bis(2-Chloroisopropyl) ether	ug/L	ND	5.0	02/28/14 07:26	
bis(2-Ethylhexyl)phthalate	ug/L	ND	5.0	02/28/14 07:26	
Butylbenzylphthalate	ug/L	ND	5.0	02/28/14 07:26	
Chrysene	ug/L	ND	5.0	02/28/14 07:26	
Di-n-butylphthalate	ug/L	ND	5.0	02/28/14 07:26	
Di-n-octylphthalate	ug/L	ND	5.0	02/28/14 07:26	
Dibenz(a,h)anthracene	ug/L	ND	5.0	02/28/14 07:26	
Diethylphthalate	ug/L	ND	5.0	02/28/14 07:26	
Dimethylphthalate	ug/L	ND	5.0	02/28/14 07:26	
Fluoranthene	ug/L	ND	5.0	02/28/14 07:26	
Fluorene	ug/L	ND	5.0	02/28/14 07:26	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	02/28/14 07:26	
Hexachlorobenzene	ug/L	ND	5.0	02/28/14 07:26	
Hexachlorocyclopentadiene	ug/L	ND	10.0	02/28/14 07:26	
Hexachloroethane	ug/L	ND	5.0	02/28/14 07:26	
Indeno(1,2,3-cd)pyrene	ug/L	ND	5.0	02/28/14 07:26	
Isophorone	ug/L	ND	10.0	02/28/14 07:26	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

METHOD BLANK: 1141550

Matrix: Water

Associated Lab Samples: 92190355003, 92190355004, 92190355005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
N-Nitroso-di-n-propylamine	ug/L	ND	5.0	02/28/14 07:26	
N-Nitrosodimethylamine	ug/L	ND	5.0	02/28/14 07:26	
N-Nitrosodiphenylamine	ug/L	ND	10.0	02/28/14 07:26	
Naphthalene	ug/L	ND	5.0	02/28/14 07:26	
Nitrobenzene	ug/L	ND	5.0	02/28/14 07:26	
Pentachlorophenol	ug/L	ND	10.0	02/28/14 07:26	
Phenanthrrene	ug/L	ND	5.0	02/28/14 07:26	
Phenol	ug/L	ND	5.0	02/28/14 07:26	
Pyrene	ug/L	ND	5.0	02/28/14 07:26	
2,4,6-Tribromophenol (S)	%	88	10-137	02/28/14 07:26	
2-Fluorobiphenyl (S)	%	74	15-120	02/28/14 07:26	
2-Fluorophenol (S)	%	46	10-120	02/28/14 07:26	
Nitrobenzene-d5 (S)	%	73	10-120	02/28/14 07:26	
Phenol-d6 (S)	%	33	10-120	02/28/14 07:26	
Terphenyl-d14 (S)	%	99	11-131	02/28/14 07:26	

LABORATORY CONTROL SAMPLE: 1141551

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	ug/L	50	36.0	72	44-142	
2,4,6-Trichlorophenol	ug/L	50	19.6	39	37-144	
2,4-Dichlorophenol	ug/L	50	23.9	48	1-191	
2,4-Dimethylphenol	ug/L	50	31.7	63	32-119	
2,4-Dinitrophenol	ug/L	250	49.5J	20	1-181	
2,4-Dinitrotoluene	ug/L	50	54.3	109	39-139	
2,6-Dinitrotoluene	ug/L	50	51.3	103	50-158	
2-Chloronaphthalene	ug/L	50	34.2	68	60-118	
2-Chlorophenol	ug/L	50	23.6	47	23-134	
2-Nitrophenol	ug/L	50	20.8	42	29-182	
3,3'-Dichlorobenzidine	ug/L	100	107	107	1-262	
4,6-Dinitro-2-methylphenol	ug/L	100	34.2	34	1-181	
4-Bromophenylphenyl ether	ug/L	50	44.3	89	53-127	
4-Chloro-3-methylphenol	ug/L	100	59.7	60	22-147	
4-Chlorophenylphenyl ether	ug/L	50	48.4	97	25-158	
4-Nitrophenol	ug/L	250	48.6J	19	1-132	
Acenaphthene	ug/L	50	40.8	82	47-145	
Acenaphthylene	ug/L	50	42.0	84	33-145	
Anthracene	ug/L	50	46.2	92	1-166	
Benzo(a)anthracene	ug/L	50	45.7	91	33-143	
Benzo(a)pyrene	ug/L	50	49.2	98	17-163	
Benzo(b)fluoranthene	ug/L	50	44.9	90	24-159	
Benzo(g,h,i)perylene	ug/L	50	45.0	90	1-219	
Benzo(k)fluoranthene	ug/L	50	41.4	83	11-162	
bis(2-Chloroethoxy)methane	ug/L	50	41.6	83	33-184	
bis(2-Chloroethyl) ether	ug/L	50	44.4	89	12-158	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

LABORATORY CONTROL SAMPLE: 1141551

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
bis(2-Chloroisopropyl) ether	ug/L	50	44.1	88	36-166	
bis(2-Ethylhexyl)phthalate	ug/L	50	47.1	94	8-158	
Butylbenzylphthalate	ug/L	50	45.3	91	1-152	
Chrysene	ug/L	50	47.2	94	17-168	
Di-n-butylphthalate	ug/L	50	45.1	90	1-118	
Di-n-octylphthalate	ug/L	50	54.2	108	4-146	
Dibenz(a,h)anthracene	ug/L	50	49.3	99	1-227	
Diethylphthalate	ug/L	50	45.5	91	1-114	
Dimethylphthalate	ug/L	50	41.6	83	1-112	
Fluoranthene	ug/L	50	50.5	101	26-137	
Fluorene	ug/L	50	47.8	96	59-121	
Hexachloro-1,3-butadiene	ug/L	50	32.1	64	24-116	
Hexachlorobenzene	ug/L	50	40.0	80	1-152	
Hexachlorocyclopentadiene	ug/L	50	25.9	52	25-150	
Hexachloroethane	ug/L	50	33.9	68	40-113	
Indeno(1,2,3-cd)pyrene	ug/L	50	48.5	97	1-171	
Isophorone	ug/L	50	48.3	97	21-196	
N-Nitroso-di-n-propylamine	ug/L	50	51.2	102	1-230	
N-Nitrosodimethylamine	ug/L	50	18.9	38	25-150	
N-Nitrosodiphenylamine	ug/L	50	34.8	70	25-150	
Naphthalene	ug/L	50	41.5	83	21-133	
Nitrobenzene	ug/L	50	39.1	78	35-180	
Pentachlorophenol	ug/L	100	39.6	40	14-176	
Phenanthrone	ug/L	50	44.9	90	54-120	
Phenol	ug/L	50	15.0	30	5-112	
Pyrene	ug/L	50	47.2	94	52-115	
2,4,6-Tribromophenol (S)	%			58	10-137	
2-Fluorobiphenyl (S)	%			75	15-120	
2-Fluorophenol (S)	%			25	10-120	
Nitrobenzene-d5 (S)	%			73	10-120	
Phenol-d6 (S)	%			22	10-120	
Terphenyl-d14 (S)	%			94	11-131	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1141552 1141553

Parameter	Units	MS		MSD		MS		MSD		% Rec Limits	RPD	Qual
		92190065001	Spike Conc.	Spike Conc.	MS Result	MSD Result	% Rec	MSD % Rec				
1,2,4-Trichlorobenzene	ug/L	ND	100	100	78.9	64.5	79	65	44-142	20		
2,4,6-Trichlorophenol	ug/L	ND	100	100	87.6	77.0	88	77	37-144	13		
2,4-Dichlorophenol	ug/L	ND	100	100	106	84.4	106	84	1-191	23		
2,4-Dimethylphenol	ug/L	ND	100	100	73.8	48.8	74	49	32-119	41 R1		
2,4-Dinitrophenol	ug/L	ND	500	500	263	286	53	57	1-181	9		
2,4-Dinitrotoluene	ug/L	ND	100	100	105	95.2	105	95	39-139	10		
2,6-Dinitrotoluene	ug/L	ND	100	100	105	97.3	105	97	50-158	7		
2-Chloronaphthalene	ug/L	ND	100	100	76.9	64.0	77	64	60-118	18		
2-Chlorophenol	ug/L	ND	100	100	114	78.3	114	78	23-134	37 R1		
2-Nitrophenol	ug/L	ND	100	100	94.9	74.9	95	75	29-182	24		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Parameter	Units	92190065001		MS		MSD		1141553		% Rec Limits	RPD	Qual
		Result	Conc.	Spike	Spike	MS	MSD	MS	MSD			
				Conc.	Result	Result	% Rec	% Rec	% Rec			
3,3'-Dichlorobenzidine	ug/L	ND	200	200	115	124	58	62	1-262	7		
4,6-Dinitro-2-methylphenol	ug/L	ND	200	200	156	152	78	76	1-181	3		
4-Bromophenylphenyl ether	ug/L	ND	100	100	95.3	87.4	95	87	53-127	9		
4-Chloro-3-methylphenol	ug/L	ND	200	200	218	191	109	96	22-147	13		
4-Chlorophenylphenyl ether	ug/L	ND	100	100	98.1	89.0	98	89	25-158	10		
4-Nitrophenol	ug/L	ND	500	500	272	225	54	45	1-132	19		
Acenaphthene	ug/L	ND	100	100	88.4	75.5	88	76	47-145	16		
Acenaphthylene	ug/L	ND	100	100	91.1	77.9	91	78	33-145	16		
Anthracene	ug/L	ND	100	100	93.0	81.8	93	82	1-166	13		
Benzo(a)anthracene	ug/L	ND	100	100	90.0	83.6	90	84	33-143	7		
Benzo(a)pyrene	ug/L	ND	100	100	96.2	87.6	96	88	17-163	9		
Benzo(b)fluoranthene	ug/L	ND	100	100	94.0	86.8	94	87	24-159	8		
Benzo(g,h,i)perylene	ug/L	ND	100	100	89.4	78.4	89	78	1-219	13		
Benzo(k)fluoranthene	ug/L	ND	100	100	84.7	79.4	85	79	11-162	6		
bis(2-Chloroethoxy)methane	ug/L	ND	100	100	92.3	74.8	92	75	33-184	21		
bis(2-Chloroethyl) ether	ug/L	ND	100	100	97.6	78.5	98	78	12-158	22		
bis(2-Chloroisopropyl) ether	ug/L	ND	100	100	97.2	70.9	97	71	36-166	31 R1		
bis(2-Ethylhexyl)phthalate	ug/L	ND	100	100	90.9	86.0	91	86	8-158	5		
Butylbenzylphthalate	ug/L	ND	100	100	89.1	86.1	89	86	1-152	3		
Chrysene	ug/L	ND	100	100	93.5	88.6	94	89	17-168	5		
Di-n-butylphthalate	ug/L	ND	100	100	87.5	79.7	88	80	1-118	9		
Di-octylphthalate	ug/L	ND	100	100	101	91.7	101	92	4-146	10		
Dibenz(a,h)anthracene	ug/L	ND	100	100	96.1	85.8	96	86	1-227	11		
Diethylphthalate	ug/L	ND	100	100	86.6	80.4	87	80	1-114	7		
Dimethylphthalate	ug/L	ND	100	100	84.2	79.0	84	79	1-112	6		
Fluoranthene	ug/L	ND	100	100	97.9	82.5	98	82	26-137	17		
Fluorene	ug/L	ND	100	100	95.9	86.7	96	87	59-121	10		
Hexachloro-1,3-butadiene	ug/L	ND	100	100	67.7	57.7	68	58	24-116	16		
Hexachlorobenzene	ug/L	ND	100	100	83.7	76.0	84	76	1-152	10		
Hexachlorocyclopentadiene	ug/L	ND	100	100	67.6	53.4	68	53	25-150	24		
Hexachloroethane	ug/L	ND	100	100	69.9	54.7	70	55	40-113	24		
Indeno(1,2,3-cd)pyrene	ug/L	ND	100	100	95.7	84.4	96	84	1-171	13		
Isophorone	ug/L	ND	100	100	104	84.1	104	84	21-196	21		
N-Nitroso-di-n-propylamine	ug/L	ND	100	100	124	74.2	124	74	1-230	50 R1		
N-Nitrosodimethylamine	ug/L	ND	100	100	55.1	44.2	55	44	25-150	22		
N-Nitrosodiphenylamine	ug/L	ND	100	100	76.3	70.5	76	70	25-150	8		
Naphthalene	ug/L	ND	100	100	91.5	73.2	92	73	21-133	22		
Nitrobenzene	ug/L	ND	100	100	96.7	75.6	97	76	35-180	24		
Pentachlorophenol	ug/L	ND	200	200	168	139	84	70	14-176	19		
Phenanthrene	ug/L	ND	100	100	92.6	82.6	93	83	54-120	11		
Phenol	ug/L	ND	100	100	91.8	53.4	92	53	5-112	53 R1		
Pyrene	ug/L	ND	100	100	97.9	93.6	98	94	52-115	4		
2,4,6-Tribromophenol (S)	%						107		95	10-137		
2-Fluorobiphenyl (S)	%						84		74	15-120		
2-Fluorophenol (S)	%						71		55	10-120		
Nitrobenzene-d5 (S)	%						82		68	10-120		
Phenol-d6 (S)	%						84		50	10-120		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:			1141552		1141553						
Parameter	Units	Result	MS Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Terphenyl-d14 (S)	%						98	99	11-131		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

QC Batch: OEXT/26002 Analysis Method: EPA 8015 Modified

QC Batch Method: EPA 3546 Analysis Description: 8015 Solid GCSV

Associated Lab Samples: 92190355001, 92190355002

METHOD BLANK: 1141205 Matrix: Solid

Associated Lab Samples: 92190355001, 92190355002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diesel Components	mg/kg	ND	5.0	02/20/14 14:23	
n-Pentacosane (S)	%	70	41-119	02/20/14 14:23	

LABORATORY CONTROL SAMPLE: 1141206

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Diesel Components	mg/kg	66.7	47.9	72	49-113	
n-Pentacosane (S)	%			79	41-119	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1141207 1141208

Parameter	Units	92189902002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Diesel Components	mg/kg	101	79.5	79.5	80.5	185	-25	106	10-146	79	M0,R1
n-Pentacosane (S)	%						66	94	41-119		R1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

QC Batch: OEXT/26043 Analysis Method: EPA 8015 Modified

QC Batch Method: EPA 3546 Analysis Description: 8015 Solid GCSV

Associated Lab Samples: 92190355006, 92190355007

METHOD BLANK: 1142830 Matrix: Solid

Associated Lab Samples: 92190355006, 92190355007

Parameter	Units	Blank Result	Reporting Limit		Analyzed	Qualifiers
			5.0	02/22/14 14:47		
Diesel Components	mg/kg	ND				
n-Pentacosane (S)	%	78	41-119	02/22/14 14:47		

LABORATORY CONTROL SAMPLE & LCSD: 1142831 1142833

Parameter	Units	Spike Conc.	LCS	LCSD	LCS	LCSD	% Rec	RPD	Max RPD	Qualifiers
			Result	Result	% Rec	% Rec	Limits			
Diesel Components	mg/kg	66.7	51.6	52.6	77	79	49-113	2	30	
n-Pentacosane (S)	%				88	73	41-119			

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1143312 1143313

Parameter	Units	MS	MSD	MS	MSD	MS	MSD	% Rec	% Rec	RPD	Qual
		92190639002	Spike Conc.								
Diesel Components	mg/kg	90.5	73.9	73.9	153	125	85	47	10-146	20	
n-Pentacosane (S)	%						72	61	41-119		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

QC Batch:	OEXT/26015	Analysis Method:	EPA 8270
QC Batch Method:	EPA 3546	Analysis Description:	8270 Solid MSSV Microwave
Associated Lab Samples:	92190355006, 92190355007		

METHOD BLANK: 1141738 Matrix: Solid

Associated Lab Samples: 92190355006, 92190355007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	ug/kg	ND	330	02/25/14 15:56	
1,2-Dichlorobenzene	ug/kg	ND	330	02/25/14 15:56	
1,3-Dichlorobenzene	ug/kg	ND	330	02/25/14 15:56	
1,4-Dichlorobenzene	ug/kg	ND	330	02/25/14 15:56	
1-Methylnaphthalene	ug/kg	ND	330	02/25/14 15:56	
2,4,5-Trichlorophenol	ug/kg	ND	330	02/25/14 15:56	
2,4,6-Trichlorophenol	ug/kg	ND	330	02/25/14 15:56	
2,4-Dichlorophenol	ug/kg	ND	330	02/25/14 15:56	
2,4-Dimethylphenol	ug/kg	ND	330	02/25/14 15:56	
2,4-Dinitrophenol	ug/kg	ND	1650	02/25/14 15:56	
2,4-Dinitrotoluene	ug/kg	ND	330	02/25/14 15:56	
2,6-Dinitrotoluene	ug/kg	ND	330	02/25/14 15:56	
2-Chloronaphthalene	ug/kg	ND	330	02/25/14 15:56	
2-Chlorophenol	ug/kg	ND	330	02/25/14 15:56	
2-Methylnaphthalene	ug/kg	ND	330	02/25/14 15:56	
2-Methylphenol(o-Cresol)	ug/kg	ND	330	02/25/14 15:56	
2-Nitroaniline	ug/kg	ND	1650	02/25/14 15:56	
2-Nitrophenol	ug/kg	ND	330	02/25/14 15:56	
3&4-Methylphenol(m&p Cresol)	ug/kg	ND	330	02/25/14 15:56	
3,3'-Dichlorobenzidine	ug/kg	ND	1650	02/25/14 15:56	
3-Nitroaniline	ug/kg	ND	1650	02/25/14 15:56	
4,6-Dinitro-2-methylphenol	ug/kg	ND	660	02/25/14 15:56	
4-Bromophenylphenyl ether	ug/kg	ND	330	02/25/14 15:56	
4-Chloro-3-methylphenol	ug/kg	ND	660	02/25/14 15:56	
4-Chloroaniline	ug/kg	ND	1650	02/25/14 15:56	
4-Chlorophenylphenyl ether	ug/kg	ND	330	02/25/14 15:56	
4-Nitroaniline	ug/kg	ND	660	02/25/14 15:56	
4-Nitrophenol	ug/kg	ND	1650	02/25/14 15:56	
Acenaphthene	ug/kg	ND	330	02/25/14 15:56	
Acenaphthylene	ug/kg	ND	330	02/25/14 15:56	
Aniline	ug/kg	ND	330	02/25/14 15:56	
Anthracene	ug/kg	ND	330	02/25/14 15:56	
Benzo(a)anthracene	ug/kg	ND	330	02/25/14 15:56	
Benzo(a)pyrene	ug/kg	ND	330	02/25/14 15:56	
Benzo(b)fluoranthene	ug/kg	ND	330	02/25/14 15:56	
Benzo(g,h,i)perylene	ug/kg	ND	330	02/25/14 15:56	
Benzo(k)fluoranthene	ug/kg	ND	330	02/25/14 15:56	
Benzoic Acid	ug/kg	ND	1650	02/25/14 15:56	
Benzyl alcohol	ug/kg	ND	660	02/25/14 15:56	
bis(2-Chloroethoxy)methane	ug/kg	ND	330	02/25/14 15:56	
bis(2-Chloroethyl) ether	ug/kg	ND	330	02/25/14 15:56	
bis(2-Chloroisopropyl) ether	ug/kg	ND	330	02/25/14 15:56	
bis(2-Ethylhexyl)phthalate	ug/kg	ND	330	02/25/14 15:56	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

METHOD BLANK: 1141738

Matrix: Solid

Associated Lab Samples: 92190355006, 92190355007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Butylbenzylphthalate	ug/kg	ND	330	02/25/14 15:56	
Chrysene	ug/kg	ND	330	02/25/14 15:56	
Di-n-butylphthalate	ug/kg	ND	330	02/25/14 15:56	
Di-n-octylphthalate	ug/kg	ND	330	02/25/14 15:56	
Dibenz(a,h)anthracene	ug/kg	ND	330	02/25/14 15:56	
Dibenzofuran	ug/kg	ND	330	02/25/14 15:56	
Diethylphthalate	ug/kg	ND	330	02/25/14 15:56	
Dimethylphthalate	ug/kg	ND	330	02/25/14 15:56	
Fluoranthene	ug/kg	ND	330	02/25/14 15:56	
Fluorene	ug/kg	ND	330	02/25/14 15:56	
Hexachloro-1,3-butadiene	ug/kg	ND	330	02/25/14 15:56	
Hexachlorobenzene	ug/kg	ND	330	02/25/14 15:56	
Hexachlorocyclopentadiene	ug/kg	ND	330	02/25/14 15:56	
Hexachloroethane	ug/kg	ND	330	02/25/14 15:56	
Indeno(1,2,3-cd)pyrene	ug/kg	ND	330	02/25/14 15:56	
Isophorone	ug/kg	ND	330	02/25/14 15:56	
N-Nitroso-di-n-propylamine	ug/kg	ND	330	02/25/14 15:56	
N-Nitrosodimethylamine	ug/kg	ND	330	02/25/14 15:56	
N-Nitrosodiphenylamine	ug/kg	ND	330	02/25/14 15:56	
Naphthalene	ug/kg	ND	330	02/25/14 15:56	
Nitrobenzene	ug/kg	ND	330	02/25/14 15:56	
Pentachlorophenol	ug/kg	ND	1650	02/25/14 15:56	
Phenanthrene	ug/kg	ND	330	02/25/14 15:56	
Phenol	ug/kg	ND	330	02/25/14 15:56	
Pyrene	ug/kg	ND	330	02/25/14 15:56	
2,4,6-Tribromophenol (S)	%	85	27-110	02/25/14 15:56	
2-Fluorobiphenyl (S)	%	80	30-110	02/25/14 15:56	
2-Fluorophenol (S)	%	80	13-110	02/25/14 15:56	
Nitrobenzene-d5 (S)	%	73	23-110	02/25/14 15:56	
Phenol-d6 (S)	%	78	22-110	02/25/14 15:56	
Terphenyl-d14 (S)	%	105	28-110	02/25/14 15:56	

LABORATORY CONTROL SAMPLE: 1141739

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	ug/kg	1670	1220	73	39-101	
1,2-Dichlorobenzene	ug/kg	1670	1210	73	36-110	
1,3-Dichlorobenzene	ug/kg	1670	1190	71	35-110	
1,4-Dichlorobenzene	ug/kg	1670	1210	73	35-110	
1-Methylnaphthalene	ug/kg	1670	1380	83	45-105	
2,4,5-Trichlorophenol	ug/kg	1670	1400	84	48-109	
2,4,6-Trichlorophenol	ug/kg	1670	1290	77	45-111	
2,4-Dichlorophenol	ug/kg	1670	1420	85	51-116	
2,4-Dimethylphenol	ug/kg	1670	1510	90	42-103	
2,4-Dinitrophenol	ug/kg	8330	5120	61	28-103	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

LABORATORY CONTROL SAMPLE: 1141739

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dinitrotoluene	ug/kg	1670	1550	93	46-114	
2,6-Dinitrotoluene	ug/kg	1670	1490	89	48-112	
2-Chloronaphthalene	ug/kg	1670	1100	66	44-105	
2-Chlorophenol	ug/kg	1670	1400	84	36-110	
2-Methylnaphthalene	ug/kg	1670	1430	86	39-112	
2-Methylphenol(o-Cresol)	ug/kg	1670	1410	85	39-101	
2-Nitroaniline	ug/kg	3330	2810	84	44-111	
2-Nitrophenol	ug/kg	1670	1380	83	41-100	
3&4-Methylphenol(m&p Cresol)	ug/kg	1670	1420	85	43-103	
3,3'-Dichlorobenzidine	ug/kg	3330	2820	84	10-150	
3-Nitroaniline	ug/kg	3330	2840	85	35-110	
4,6-Dinitro-2-methylphenol	ug/kg	3330	2480	74	38-118	
4-Bromophenylphenyl ether	ug/kg	1670	1380	83	47-115	
4-Chloro-3-methylphenol	ug/kg	3330	2950	88	43-127	
4-Chloroaniline	ug/kg	3330	2750	82	34-109	
4-Chlorophenylphenyl ether	ug/kg	1670	1400	84	44-115	
4-Nitroaniline	ug/kg	3330	2980	89	37-111	
4-Nitrophenol	ug/kg	8330	6710	80	21-152	
Acenaphthene	ug/kg	1670	1250	75	38-117	
Acenaphthylene	ug/kg	1670	1320	79	46-107	
Aniline	ug/kg	1670	1230	74	29-110	
Anthracene	ug/kg	1670	1430	86	50-110	
Benzo(a)anthracene	ug/kg	1670	1380	83	47-116	
Benzo(a)pyrene	ug/kg	1670	1470	88	47-106	
Benzo(b)fluoranthene	ug/kg	1670	1420	85	47-109	
Benzo(g,h,i)perylene	ug/kg	1670	1280	77	39-115	
Benzo(k)fluoranthene	ug/kg	1670	1330	80	45-117	
Benzoic Acid	ug/kg	8330	5600	67	16-110	
Benzyl alcohol	ug/kg	3330	2470	74	38-105	
bis(2-Chloroethoxy)methane	ug/kg	1670	1280	77	39-110	
bis(2-Chloroethyl) ether	ug/kg	1670	1320	79	19-119	
bis(2-Chloroisopropyl) ether	ug/kg	1670	1180	71	21-110	
bis(2-Ethylhexyl)phthalate	ug/kg	1670	1380	83	35-116	
Butylbenzylphthalate	ug/kg	1670	1420	85	38-110	
Chrysene	ug/kg	1670	1430	86	49-110	
Di-n-butylphthalate	ug/kg	1670	1310	79	43-109	
Di-n-octylphthalate	ug/kg	1670	1460	87	37-109	
Dibenz(a,h)anthracene	ug/kg	1670	1390	83	43-116	
Dibenzofuran	ug/kg	1670	1190	71	45-106	
Diethylphthalate	ug/kg	1670	1270	76	41-114	
Dimethylphthalate	ug/kg	1670	1210	72	43-110	
Fluoranthene	ug/kg	1670	1450	87	50-114	
Fluorene	ug/kg	1670	1390	83	46-114	
Hexachloro-1,3-butadiene	ug/kg	1670	1220	73	28-111	
Hexachlorobenzene	ug/kg	1670	1240	74	46-120	
Hexachlorocyclopentadiene	ug/kg	1670	995	60	18-119	
Hexachloroethane	ug/kg	1670	1160	69	33-110	
Indeno(1,2,3-cd)pyrene	ug/kg	1670	1380	83	42-115	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

LABORATORY CONTROL SAMPLE: 1141739

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Isophorone	ug/kg	1670	1380	83	44-109	
N-Nitroso-di-n-propylamine	ug/kg	1670	1080	65	43-104	
N-Nitrosodimethylamine	ug/kg	1670	1100	66	29-110	
N-Nitrosodiphenylamine	ug/kg	1670	1150	69	48-113	
Naphthalene	ug/kg	1670	1330	80	41-110	
Nitrobenzene	ug/kg	1670	1320	79	38-110	
Pentachlorophenol	ug/kg	3330	2490	75	32-128	
Phenanthrene	ug/kg	1670	1380	83	50-110	
Phenol	ug/kg	1670	1460	88	28-106	
Pyrene	ug/kg	1670	1680	101	45-114	
2,4,6-Tribromophenol (S)	%			95	27-110	
2-Fluorobiphenyl (S)	%			77	30-110	
2-Fluorophenol (S)	%			87	13-110	
Nitrobenzene-d5 (S)	%			77	23-110	
Phenol-d6 (S)	%			87	22-110	
Terphenyl-d14 (S)	%			103	28-110	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

QC Batch: OEXT/26076

Analysis Method: MADEP EPH

QC Batch Method: MADEP EPH

Analysis Description: MADEP EPH NC Soil

Associated Lab Samples: 92190355006, 92190355007

METHOD BLANK: 1143989

Matrix: Solid

Associated Lab Samples: 92190355006, 92190355007

Parameter	Units	Blank Result	Reporting Limit		Analyzed	Qualifiers
			Limit	Analyzed		
Aliphatic (C09-C18)	mg/kg	ND	10.0	02/25/14 18:45	N2	
Aliphatic (C19-C36)	mg/kg	ND	10.0	02/25/14 18:45	N2	
Aromatic (C11-C22)	mg/kg	ND	10.0	02/25/14 18:45	N2	
2-Bromonaphthalene (S)	%	86	40-140	02/25/14 18:45		
2-Fluorobiphenyl (S)	%	79	40-140	02/25/14 18:45		
Nonatriacontane (S)	%	68	40-140	02/25/14 18:45		
o-Terphenyl (S)	%	86	40-140	02/25/14 18:45		

LABORATORY CONTROL SAMPLE & LCSD: 1143990

1143991

Parameter	Units	Spike Conc.	LCS	LCSD	LCS	LCSD	% Rec Limits	RPD	Max RPD	Qualifiers
			Result	Result	% Rec	% Rec				
Aliphatic (C09-C18)	mg/kg	10	ND	ND	78	81	40-140		50	N2
Aliphatic (C19-C36)	mg/kg	13.3	11.1	12.7	83	95	40-140	13	50	N2
Aromatic (C11-C22)	mg/kg	28.3	15.5	22.0	55	78	40-140	34	50	N2
2-Bromonaphthalene (S)	%				52	67	40-140			
2-Fluorobiphenyl (S)	%				47	62	40-140			
Nonatriacontane (S)	%				66	85	40-140			
o-Terphenyl (S)	%				47	68	40-140			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

QC Batch:	OEXT/26031	Analysis Method:	MADEP EPH
QC Batch Method:	MADEP EPH	Analysis Description:	MADEP EPH NC Water
Associated Lab Samples:	92190355003, 92190355004, 92190355005		

METHOD BLANK: 1142333 Matrix: Water

Associated Lab Samples: 92190355003, 92190355004, 92190355005

Parameter	Units	Blank Result	Reporting Limit		Analyzed	Qualifiers
			Limit	Analyzed		
Aliphatic (C09-C18)	ug/L	ND	100	02/24/14 17:37	N2	
Aliphatic (C19-C36)	ug/L	ND	100	02/24/14 17:37	N2	
Aromatic (C11-C22)	ug/L	ND	100	02/24/14 17:37	N2	
2-Bromonaphthalene (S)	%	103	40-140	02/24/14 17:37		
2-Fluorobiphenyl (S)	%	84	40-140	02/24/14 17:37		
Nonatriacontane (S)	%	60	40-140	02/24/14 17:37		
o-Terphenyl (S)	%	77	40-140	02/24/14 17:37		

LABORATORY CONTROL SAMPLE & LCSD: 1142334

1142335

Parameter	Units	Spike Conc.	LCS	LCSD	LCS	LCSD	% Rec Limits	RPD	Max RPD		Qualifiers
			Result	Result	% Rec	% Rec			RPD	Max RPD	
Aliphatic (C09-C18)	ug/L	300	150	148	50	49	40-140	2	50	N2	
Aliphatic (C19-C36)	ug/L	400	226	225	56	56	40-140	0	50	N2	
Aromatic (C11-C22)	ug/L	850	583	811	69	95	40-140	33	50	N2	
2-Bromonaphthalene (S)	%				83	112	40-140				
2-Fluorobiphenyl (S)	%				71	103	40-140				
Nonatriacontane (S)	%				64	66	40-140				
o-Terphenyl (S)	%				75	95	40-140				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

QC Batch: PMST/6289 Analysis Method: ASTM D2974-87

QC Batch Method: ASTM D2974-87 Analysis Description: Dry Weight/Percent Moisture

Associated Lab Samples: 92190355001, 92190355002, 92190355006, 92190355007

SAMPLE DUPLICATE: 1146587

Parameter	Units	Result	Dup Result	RPD	Qualifiers
Percent Moisture	%	19.5	20.1	3	

SAMPLE DUPLICATE: 1146588

Parameter	Units	Result	Dup Result	RPD	Qualifiers
Percent Moisture	%	16.6	16.8	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PRL - Pace Reporting Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Acid preservation may not be appropriate for 2-Chloroethylvinyl ether, Styrene, and Vinyl chloride.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-A Pace Analytical Services - Asheville

PASI-C Pace Analytical Services - Charlotte

PASI-I Pace Analytical Services - Indianapolis

ANALYTE QUALIFIERS

D3 Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

L3 Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.

M0 Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

N Tentatively identified compound (TIC) based on mass spectral library search

N2 The lab does not hold TNI accreditation for this parameter.

R1 RPD value was outside control limits.

S1 Surrogate recovery outside laboratory control limits (confirmed by re-analysis).

S4 Surrogate recovery not evaluated against control limits due to sample dilution.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
92190355001	B-13-01 6FT	EPA 3546	OEXT/26002	EPA 8015 Modified	GCSV/16718
92190355002	DUPLICATE -1	EPA 3546	OEXT/26002	EPA 8015 Modified	GCSV/16718
92190355006	B-07-02 8'	EPA 3546	OEXT/26043	EPA 8015 Modified	GCSV/16735
92190355007	B-07-06 10'	EPA 3546	OEXT/26043	EPA 8015 Modified	GCSV/16735
92190355003	B-16/17-01	EPA 8015 - Alcohol-Glycol	GCSV/12153		
92190355004	B-18-01	EPA 8015 - Alcohol-Glycol	GCSV/12153		
92190355005	DUPLICATE-2	EPA 8015 - Alcohol-Glycol	GCSV/12153		
92190355006	B-07-02 8'	MADEP EPH	OEXT/26076	MADEP EPH	GCSV/16765
92190355007	B-07-06 10'	MADEP EPH	OEXT/26076	MADEP EPH	GCSV/16765
92190355003	B-16/17-01	MADEP EPH	OEXT/26031	MADEP EPH	GCSV/16758
92190355004	B-18-01	MADEP EPH	OEXT/26031	MADEP EPH	GCSV/16758
92190355005	DUPLICATE-2	MADEP EPH	OEXT/26031	MADEP EPH	GCSV/16758
92190355001	B-13-01 6FT	EPA 5035A/5030B	GCV/7826	EPA 8015 Modified	GCV/7828
92190355002	DUPLICATE -1	EPA 5035A/5030B	GCV/7826	EPA 8015 Modified	GCV/7828
92190355006	B-07-02 8'	EPA 5035A/5030B	GCV/7833	EPA 8015 Modified	GCV/7834
92190355007	B-07-06 10'	EPA 5035A/5030B	GCV/7833	EPA 8015 Modified	GCV/7834
92190355006	B-07-02 8'	MADEP VPH	GCV/7860	MADEP VPH	GCV/7865
92190355007	B-07-06 10'	MADEP VPH	GCV/7860	MADEP VPH	GCV/7865
92190355003	B-16/17-01	MADEP VPH	GCV/7835		
92190355004	B-18-01	MADEP VPH	GCV/7835		
92190355005	DUPLICATE-2	MADEP VPH	GCV/7835		
92190355006	B-07-02 8'	EPA 3050	MPRP/15312	EPA 6010	ICP/13889
92190355007	B-07-06 10'	EPA 3050	MPRP/15312	EPA 6010	ICP/13889
92190355003	B-16/17-01	EPA 3010	MPRP/15285	EPA 6010	ICP/13867
92190355004	B-18-01	EPA 3010	MPRP/15285	EPA 6010	ICP/13867
92190355005	DUPLICATE-2	EPA 3010	MPRP/15285	EPA 6010	ICP/13867
92190355003	B-16/17-01	EPA 625	OEXT/26010	EPA 625	MSSV/8797
92190355004	B-18-01	EPA 625	OEXT/26010	EPA 625	MSSV/8797
92190355005	DUPLICATE-2	EPA 625	OEXT/26010	EPA 625	MSSV/8797
92190355006	B-07-02 8'	EPA 3546	OEXT/26015	EPA 8270	MSSV/8785
92190355007	B-07-06 10'	EPA 3546	OEXT/26015	EPA 8270	MSSV/8785
92190355003	B-16/17-01	SM 6200B	MSV/25905		
92190355004	B-18-01	SM 6200B	MSV/25905		
92190355005	DUPLICATE-2	SM 6200B	MSV/25905		
92190355003	B-16/17-01	EPA 8260	MSV/25862		
92190355004	B-18-01	EPA 8260	MSV/25862		
92190355005	DUPLICATE-2	EPA 8260	MSV/25862		
92190355006	B-07-02 8'	EPA 8260	MSV/25855		
92190355007	B-07-06 10'	EPA 8260	MSV/25855		
92190355001	B-13-01 6FT	ASTM D2974-87	PMST/6289		
92190355002	DUPLICATE -1	ASTM D2974-87	PMST/6289		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: FAYETTEVILLE PSA'S 33727.1.1

Pace Project No.: 92190355

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
92190355006	B-07-02 8'	ASTM D2974-87	PMST/6289		
92190355007	B-07-06 10'	ASTM D2974-87	PMST/6289		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

Client Name: Schabel Eng.

Courier: Fed Ex UPS USPS Client Commercial Pace Other _____Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Optional

Proj. Due Date:
Proj. Name:Packing Material: Bubble Wrap Bubble Bags None Other _____Thermometer Used: IR Gun T1102 T1301 Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Temp Correction Factor T1102: No Correction T1301: No Correction

Corrected Cooler Temp.: 5.8 °C Biological Tissue is Frozen: Yes No N/A

Temp should be above freezing to 6°C

Comments:

Date and Initials of person examining
contents: 2/21/2014

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12. Received 2 extra samples not on COC EPH, metals by lot # 8270, VPH kit, and 8260 kit not on COC. Sample #1 ID - B-07-07 8 2/18/14 at 1610 Sample #2 ID - B-07-06 15 2/18/14 at 1610
-Includes date/time/ID/Analysis Matrix:		
All containers needing preservation have been checked:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
exceptions: VOA, coliform, TOC, O&G, WI-DRO (water)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Samples checked for dechlorination:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	14.
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	15.
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted: Ben Bradley Date/Time: 2/20/14

Comments/ Resolution: Ben informed to analyze extra samples for: DRO, GRO, 8260, 8270, Cr + Pb, VPH, + BPD, + K2

SCUR Review: Date: 2/20/14
SRF Review: Date: 2/21/14

WO# : 92190355



Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

CHAIN-OF-CUSTODY / Analytical Request Document
The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A

Required Client Information:

Company: Schmedt Engineering
Address: 1-A Oak Branch Dr.
Greensboro, NC 27407
Email To: Bradley.Schmedt@schmedt.com
Phone: Fax:

Section B

Required Project Information:

Report To: Ben Bradley
Copy To: WTS_Elimat_33727.1.f
Purchase Order No.:
Project Name: Fayetteville PSAC
Project Number: B-44490

Section C

Invoice Information:

Attention:
Address:
Page Quote
Reference:
Page Project Manager:
Pace Profile #:

Page: 1 of 1

1785329

REGULATORY AGENCY

NPDES GROUND WATER DRINKING WATER

UST RCRA OTHER

Site Location
STATE: _____

Requested Due Date/TAT:

Project Number:

Sample Temp at Collection

of Containers

Analysis Test

Y/N

Matrix Codes
Required Client Information

MATRIX / CODE
Drinking Water
Water
Waste Water
Product
Soil/Solid
Oil
Wipe
Air
Tissue
Other

Preservatives
COLLECTED
DATE TIME DATE TIME
COMPOSITE
START END/GRAB

SAMPLE TEMP AT COLLECTION
OF CONTAINERS
Unpreserved
H₂SO₄
HNO₃
HCl
NaOH
Na₂S₂O₃
Methanol
Other

TPH Gas
TPH Diesel
Cr+Pb
VPH
EDTA
625+10 Tils
6200B
Ethylene Glycol
Ethanol
Halogenated/Non Halogenated

Residual Chlorine (Y/N)

Pace Project No./Lab I.D.
02P0355

Accepted By / Affiliation
Date Time
Relinquished By / Affiliation
Date Time
Additional Comments
Date Time

Sample Conditions
Temp in °C
Received on Ice (Y/N)
Custody Sealed Cooler (Y/N)
Samples Intact (Y/N)

ITEM #	SAMPLE ID (A-Z, 0-9 / .) Sample IDs MUST BE UNIQUE	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	DATE	TIME	DATE	TIME	Preservatives		Analysis Test		Residual Chlorine (Y/N)		Request Analysis Filtered (Y/N)
								COLLECTED	DATE	TIME	Y/N			
1	B-13-01-6 FT	SLG	2-19	2:15							X	TPH Gas		
2	Duplicate - 1	SLG	2-19								X	TPH Diesel		
3	B-16/17-01	WT	2-19	13:00							X	Cr+Pb		
4	B-18-01	WT	2-19	14:30							X	VPH		
5	Duplicate - 2	WT	2-19								X	EDTA		
6											X	625+10 Tils		
7											X	6200B		
8											X	Ethylene Glycol		
9											X	Ethanol		
10											X	Halogenated/Non Halogenated		
11											X			
12											X			

ORIGINAL

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER:

SIGNATURE of SAMPLER:

DATE Signed:



ANALYTICAL ENVIRONMENTAL SERVICES, INC.

February 24, 2014

Kevin Godwin
Pace Analytical Services, Inc.
9800 Kincey Avenue, Suite 100
Huntersville NC 28078

TEL: (704) 875-9092
FAX: (704) 875-9091

RE: 92190355

Dear Kevin Godwin:

Order No: 1402F81

Analytical Environmental Services, Inc. received 3 samples on 2/20/2014 10:25:00 AM for the analyses presented in following report.

No problems were encountered during the analyses. Additionally, all results for the associated Quality Control samples were within EPA and/or AES established limits. Any discrepancies associated with the analyses contained herein will be noted and submitted in the form of a project Case Narrative.

AES' certifications are as follows:

-NELAC/Florida Certification number E87582 for analysis of Environmental Water, soil/hazardous waste, and Drinking Water Microbiology, effective 07/01/13-06/30/14.
-AIHA-LAP, LLC Laboratory ID: 100671 for Industrial Hygiene samples (Organics, Inorganics), Environmental Lead (Paint, Soil, Dust Wipes, Air), and Environmental Microbiology (Fungal) effective until 09/01/15.

These results relate only to the items tested. This report may only be reproduced in full.

If you have any questions regarding these test results, please feel free to call.

A handwritten signature in black ink, appearing to read "James Forrest".

James Forrest
Project Manager

Chain of Custody

Pace Analytical®
www.pacelabs.com

1402F81

Workorder: 92190355 Workorder Name: FAYETTEVILLE PSAS 33727.1.1
 Report/Invoice To: Subcontractor: Date: 3/6/2014
 Kevin Godwin
 Pace Analytical Charlotte
 9800 Kinsey Ave. Suite 100
 Huntersville, NC 28078
 Phone (704)875-9092
 Email: kevin.godwin@pacelabs.com

Item	Sample ID	Collect Date/Time	Lab ID	Matrix	Preserved	Comments
1	B-16/17-01	2/19/2014 13:00	92190355003	Water	2	X X X
2	B-18-01	2/19/2014 14:30	92190355004	Water	2	
3	DUPLICATE-2	2/19/2014 00:00	92190355005	Water	2	
4						
5						

Transfers	Released By	Date/Time	Received By	Date/Time	Comments
1	<i>John Godwin</i>	2/21/14 14:22			
2	<i>John Godwin</i>		<i>John Godwin</i>	7/1/14 2:24pm	
3					

Cooler Temperature on Receipt °C	Custody Seal Y or N	Received on Ice Y or N	Samples Intact Y or N



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:	
Company: Schramm Engineering	Report To: Ben Bradley	Address: 11-A Oak Branch Dr.	Copy To:	Attention:	
Address: Greensboro, NC 27407				Company Name:	
Email To: Ben Bradley@schramm-engineering.com	Purchase Order No.:			Address:	NBS Element 3327.1.1
Phone: (336) 244-4490	Project Name:	Fayetteville PSAs		Pace Quote Reference:	<input type="checkbox"/> NPDES <input type="checkbox"/> GROUND WATER <input type="checkbox"/> DRINKING WATER
Fax: (336) 244-4490	Project Number:			Pace Manager:	<input type="checkbox"/> UST <input type="checkbox"/> RCRA <input type="checkbox"/> OTHER
Requested Due Date/TAT:				Site Location:	
				STATE:	

SAMPLE ID		COLLECTED		Preservatives		ANALYSIS TEST		REQUESTED ANALYSIS Filtered (Y/N)	
ITEM #	Sample IDs MUST BE UNIQUE (A-Z, 0-9 / -)	MATRIX CODES Drinking Water Waste Water Product Soil/Solid Oil Wipe Air Tissue Other	MATRIX CODE DRINKING WATER P SL WP AR TS OT	COMPOSITE ENDOGRAB START	COMPOSITE ENDOGRAB	UNPRESERVED	CONTAMINERS	# OF CONTAINERS	PACE PROJECT NO./LAB I.D.
1	B-16/17-01	WT	WT	12/19	13:00	X	X	2	2014-10-25
2	B-18-01	WT	WT	12/19	14:30	X	X	2	
3	Duplicate - 2			12/19				2	
4									
5									
6									
7									
8									
9									
10									
11									
12									
ADDITIONAL COMMENTS		RELINQUISHED BY / AFFILIATION		ACCEPTED BY / AFFILIATION		DATE	TIME	SAMPLE CONDITIONS	
						2014	10:25		
SAMPLER NAME AND SIGNATURE									
ORIGINATOR: Benjamin J. Bradley 2-19-14 (5:54:pm 13)									
PRINT Name of SAMPLER: _____									
SIGNATURE of SAMPLER: _____									
DATE Signed (MM/DD/YY): _____									
Samples In tact: (Y/N)									
Received on C Date (MM/DD/YY)									
Custody Seal Cool or (Y/N)									
Pace (Y/N)									

*Important Note: By signing this form you are accepting Pace's NET 30 day payment terms and agreeing to late charges of 1.5% per month for any invoices not paid within 30 days.

Client: Pace Analytical Services, Inc.
Project: 92190355
Lab ID: 1402F81

Case Narrative

An additional Chain of Custody was received from Kevin Godwin via email 2/21/2014 2:26pm and was included in the report.

Analytical Environmental Services, Inc**Date:** 24-Feb-14

Client:	Pace Analytical Services, Inc.	Client Sample ID:	B-16/17-01					
Project Name:	92190355	Collection Date:	2/19/2014 1:00:00 PM					
Lab ID:	1402F81-001	Matrix:	Aqueous					
Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst

Carbonyl Compounds by HPLC SW8315A

Formaldehyde	75	50	ug/L	187291	1	02/21/2014 14:39	RF
--------------	----	----	------	--------	---	------------------	----

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- NC Not confirmed
- < Less than Result value
- J Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc**Date:** 24-Feb-14

Client:	Pace Analytical Services, Inc.	Client Sample ID:	B-18-01
Project Name:	92190355	Collection Date:	2/19/2014 2:30:00 PM
Lab ID:	1402F81-002	Matrix:	Aqueous

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
----------	--------	-----------------	------	-------	---------	-----------------	---------------	---------

Carbonyl Compounds by HPLC SW8315A

Formaldehyde	180	50		ug/L	187291	1	02/21/2014 14:53	RF
--------------	-----	----	--	------	--------	---	------------------	----

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- NC Not confirmed
- < Less than Result value
- J Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc**Date:** 24-Feb-14

Client:	Pace Analytical Services, Inc.	Client Sample ID:	DUPLICATE-2
Project Name:	92190355	Collection Date:	2/19/2014
Lab ID:	1402F81-003	Matrix:	Aqueous

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
----------	--------	-----------------	------	-------	---------	-----------------	---------------	---------


Carbonyl Compounds by HPLC SW8315A

Formaldehyde	220	50		ug/L	187291	1	02/21/2014 15:07	RF
--------------	-----	----	--	------	--------	---	------------------	----

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- NC Not confirmed
- < Less than Result value
- J Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc.**Sample/Cooler Receipt Checklist**Client PaceWork Order Number 1402F81Checklist completed by 
SignatureDate 2-20-14Carrier name: FedEx UPS Courier Client US Mail Other _____Shipping container/coolers in good condition? Yes No Not Present Custody seals intact on shipping container/coolers? Yes No Not Present Custody seals intact on sample bottles? Yes No Not Present Container/Temp Blank temperature in compliance? (4°C±2)* Yes No Cooler #1 3.2 Cooler #2 _____ Cooler #3 _____ Cooler #4 _____ Cooler #5 _____ Cooler #6 _____Chain of custody present? Yes No Chain of custody signed when relinquished and received? Yes No Chain of custody agrees with sample labels? Yes No Samples in proper container/bottle? Yes No Sample containers intact? Yes No Sufficient sample volume for indicated test? Yes No All samples received within holding time? Yes No Was TAT marked on the COC? Yes No Proceed with Standard TAT as per project history? Yes No Not Applicable Water - VOA vials have zero headspace? No VOA vials submitted Yes No Water - pH acceptable upon receipt? Yes No Not Applicable Adjusted? _____ Checked by P _____Sample Condition: Good Other(Explain) _____(For diffusive samples or AIHA lead) Is a known blank included? Yes No **See Case Narrative for resolution of the Non-Conformance.**

* Samples do not have to comply with the given range for certain parameters.

Client: Pace Analytical Services, Inc.
Project: 92190355
Lab Order: 1402F81

Dates Report

Lab Sample ID	Client Sample ID	Collection Date	Matrix	Test Name	TCLP Date	Prep Date	Analysis Date
1402F81-001A	B-16/17-01	2/19/2014 1:00:00PM	Aqueous	Carbonyl Compounds by HPLC SW8315		02/20/2014	02/21/2014
1402F81-002A	B-18-01	2/19/2014 2:30:00PM	Aqueous	Carbonyl Compounds by HPLC SW8315		02/20/2014	02/21/2014
1402F81-003A	DUPLICATE-2	2/19/2014 12:00:00AM	Aqueous	Carbonyl Compounds by HPLC SW8315		02/20/2014	02/21/2014

Client: Pace Analytical Services, Inc.
Project Name: 92190355
Workorder: 1402F81

ANALYTICAL QC SUMMARY REPORT**BatchID: 187291**

Sample ID: MB-187291	Client ID:				Units: ug/L	Prep Date: 02/20/2014	Run No: 261755				
SampleType: MLBK	TestCode: Carbonyl Compounds by HPLC SW8315A				BatchID: 187291	Analysis Date: 02/21/2014	Seq No: 5503066				
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
Formaldehyde	BRL	50									
Sample ID: LCS-187291	Client ID:				Units: ug/L	Prep Date: 02/20/2014	Run No: 261755				
SampleType: LCS	TestCode: Carbonyl Compounds by HPLC SW8315A				BatchID: 187291	Analysis Date: 02/21/2014	Seq No: 5503067				
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
Formaldehyde	1064	50	1000	16.41	105	70	130				
Sample ID: 1402F30-001AMS	Client ID:				Units: ug/L	Prep Date: 02/20/2014	Run No: 261755				
SampleType: MS	TestCode: Carbonyl Compounds by HPLC SW8315A				BatchID: 187291	Analysis Date: 02/21/2014	Seq No: 5503074				
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
Formaldehyde	1455	50	1000	632.7	82.2	42	124				
Sample ID: 1402F30-001AMSD	Client ID:				Units: ug/L	Prep Date: 02/20/2014	Run No: 261755				
SampleType: MSD	TestCode: Carbonyl Compounds by HPLC SW8315A				BatchID: 187291	Analysis Date: 02/21/2014	Seq No: 5503077				
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
Formaldehyde	1360	50	1000	632.7	72.7	42	124	1455	6.72	29.4	

Qualifiers:	>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
	BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
	J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
	Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		