STATE	STATE PROJECT REFERENCE NO.	SHEET NO.	TOTAL SHEETS
N.C.	34820.1.1 (U-2524C)	1	183

ID: U-2524C

CONTRACT:

NOTE: SEE SHEET 2A FOR PLAN SHEET LAYOUT AT TIME OF INVESTIGATION

CONTENTS

LINE	STATION	PLAN	PROFILE	XSECT
-L-	265+75 to 275+00	4, 5	27	
-L-	275+00 to 284+00	5, 6	27, 28	79–97
-L-	284+00 to 296+50	6, 7	28, 29	
-L-	296+50	7	29	98, 99
-L-	296+50 to 297+50	7	29	
-L-	297+50 to 302+50	7	29	100–108
-L-	302+50 to 303+50	7	29	
-L-	303+50	7	29	109, 110
-L-	303+50 to 311+00	7, 8	29, 30	
-L-	311+00	8	30	111, 112
-L-	311+00 to 316+00	8	30	
-L-	316+00	8	30	113, 114
-L-	316+00 to 318+00	8	30	
-L-	318+00	8	30	115
-L-	318+00 to 368+50	8–12	30–34	
-L-	368+50 to 374+50	12	34	116–131
-L-	374+50 to 416+00	12–14	34–37	
-L-	416+00	14	37	132, 133
-L-	416+00 to 421+50	14, 15	37, 38	
-L-	421+50	15	38	134
-L-	421+50 to 424+00	15	38	
-L-	424+00	15	38	135
-L-	424+00 to 425+50	15	38	
-L-	425+50 to 431+00	15	38	136–157
-L-	431+00 to 453+50	15–17	38–40	
-L-	453+50	17	40	158
-L-	453+50 to 457+50	17	40	
-L-	457+50	17	40	158
-L-	457+50 to 459+50	17	40	
-L-	459+50 to 460+00	17	40	159, 160
-L-	460+00 to 462+00	17	40, 41	
-L-	462+00	17	41	161
-L-	462+00 to 463+50	17, 18	41	
-L-	463+50 to 467+50	18	41	162–166
-L-	467+50 to 509+00	18–20	41–44	
-L-	509+00	20	44	167
-L-	509+00 to 510+00	20	44	
-L-	510+00	20	44	168
-L-	510+00 to 513+00	20	44	
-L-	513+00	20	44	169
-L-	513+00 to 519+00	20	44, 45	
-Y-	21+50 to 28+00	5	46	
-Y2-	18+50 to 27+00	9, 21	47, 48	
-Y3-	18+00 to 35+00	13, 14	49, 50	
-Y6-	17+00 to 32+16	16, 23, 24	51, 52	
-Y8-	11+00 to 27+00	19, 25, 26	53, 54	
-RPAY4-	0+00 to 14+38	14, 15	55, 56	
-RPBY4-	0+00 to 13+03	14	57, 58	
-RPCY4-	0+00 to 13+30	14	59, 60	
-RPDY4-	0+00 to 16+05	14, 15	61, 62	
-SPAY4-	0+00 to 4+44	14	63	
-SPBY4-	0+00 to 5+54	14	64	
-SPCY4-	0+00 to 4+91	14	65	
-SPDY4-	0+00 to 4+43	14	66	
-RPAY8-	0+00 to 14+54	19, 20	67, 68	
-RPBY8-	0+00 to 13+91	19	69, 70	
-RPCY8-	0+00 to 13+79	19	71, 72	
-RPDY8-	0+00 to 14+59	19, 20	73, 74	
-SPAY8-	0+00 to 4+66	19	75	
-SPBY8-	0+00 to 4+92	19	76	
-SPCY8-	0+00 to 4+08	19	77	
-SPDY8-	0+00 to 4+65	19	78	

RETAINING WALLS:			
-RWL1-	-L- 319+50 LT	8	170, 171
-RWL2-	-L- 333+00 RT	9, 10	172, 173
-RWL3-	-L- 357+50 LT	11	170, 171
-RWL4-	-L- 425+00 RT	15, 16	174–177
-RWL5-	-L- 448+50 RT	16, 17	176, 177
-RWL6-	-L- 470+50 RT	18, 19	178, 179
-RWL7-	-L- 491+00 LT	19	180, 181
-RWL8-	-L- 491+00 RT	19	180, 181
-RWL9-	-L- 496+50 LT	19	182, 183
-RWL10-	-L- 496+50 RT	19	182, 183

DRAWN BY: *T.T. WALKER, N.D.MOHS, T.P. MOOREFIELD*

STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
GEOTECHNICAL ENGINEERING UNIT

ROADWAY SUBSURFACE INVESTIGATION

PROJ. REFERENCE NO. *34820.1.1 (U-2524C)* F.A. PROJ. *STP-NHF-121-1(1)*

COUNTY *GUILFORD*

PROJECT DESCRIPTION *GREENSBORO WESTERN LOOP FROM SOUTH OF BRYAN BLVD. TO 2380 FEET EAST OF SR 2303 (LAWNDALE DR.)*

INVENTORY

CAUTION NOTICE

THE SUBSURFACE INFORMATION AND THE SUBSURFACE INVESTIGATION ON WHICH IT IS BASED WERE MADE FOR THE PURPOSE OF STUDY, PLANNING, AND DESIGN, AND NOT FOR CONSTRUCTION OR PAY PURPOSES. THE VARIOUS FIELD BORING LOGS, ROCK CORES, AND SOIL TEST DATA AVAILABLE MAY BE REVIEWED OR INSPECTED IN RALEIGH BY CONTACTING THE N. C. DEPARTMENT OF TRANSPORTATION, GEOTECHNICAL ENGINEERING UNIT AT (919) 250-4088. NEITHER THE SUBSURFACE PLANS AND REPORTS, NOR THE FIELD BORING LOGS, ROCK CORES, OR SOIL TEST DATA ARE PART OF THE CONTRACT.

GENERAL SOIL AND ROCK STRATA DESCRIPTIONS AND INDICATED BOUNDARIES ARE BASED ON A GEOTECHNICAL INTERPRETATION OF ALL AVAILABLE SUBSURFACE DATA AND MAY NOT NECESSARILY REFLECT THE ACTUAL SUBSURFACE CONDITIONS BETWEEN BORINGS OR BETWEEN SAMPLED STRATA WITHIN THE BOREHOLE. THE LABORATORY SAMPLE DATA AND THE IN SITU (IN-PLACE) TEST DATA CAN BE RELIED ON ONLY TO THE DEGREE OF RELIABILITY INHERENT IN THE STANDARD TEST METHOD. THE OBSERVED WATER LEVELS OR SOIL MOISTURE CONDITIONS INDICATED IN THE SUBSURFACE INVESTIGATIONS ARE AS RECORDED AT THE TIME OF THE INVESTIGATION. THESE WATER LEVELS OR SOIL MOISTURE CONDITIONS MAY VARY CONSIDERABLY WITH TIME ACCORDING TO CLIMATIC CONDITIONS INCLUDING TEMPERATURES, PRECIPITATION, AND WIND, AS WELL AS OTHER NON-CLIMATIC FACTORS.

THE BIDDER OR CONTRACTOR IS CAUTIONED THAT DETAILS SHOWN ON THE SUBSURFACE PLANS ARE PRELIMINARY ONLY AND IN MANY CASES THE FINAL DESIGN DETAILS ARE DIFFERENT. FOR BIDDING AND CONSTRUCTION PURPOSES, REFER TO THE CONSTRUCTION PLANS AND DOCUMENTS FOR FINAL DESIGN INFORMATION ON THIS PROJECT. THE DEPARTMENT DOES NOT WARRANT OR GUARANTEE THE SUFFICIENCY OR ACCURACY OF THE INVESTIGATION MADE, NOR THE INTERPRETATIONS MADE, OR OPINION OF THE DEPARTMENT AS TO THE TYPE OF MATERIALS AND CONDITIONS TO BE ENCOUNTERED. THE BIDDER OR CONTRACTOR IS CAUTIONED TO MAKE SUCH INDEPENDENT SUBSURFACE INVESTIGATIONS AS HE DEEMS NECESSARY TO SATISFY HIMSELF AS TO CONDITIONS TO BE ENCOUNTERED ON THIS PROJECT. THE CONTRACTOR SHALL HAVE NO CLAIM FOR ADDITIONAL COMPENSATION OR FOR AN EXTENSION OF TIME FOR ANY REASON RESULTING FROM THE ACTUAL CONDITIONS ENCOUNTERED AT THE SITE DIFFERING FROM THOSE INDICATED IN THE SUBSURFACE INFORMATION.

NC DOT PERSONNEL 2006	NC DOT PERSONNEL 2004	NC DOT PERSONNEL 2000
N.D. MOHS	*O.B.OTI*	*S.W.MILLER*
T.P.MOOREFIELD	*H.R.CONLEY*	*R.BRANNON*
T.T.WALKER	*D.W.DIXON*	*H.R.CONLEY*
H.R.CONLEY		
D.W.DIXON		
M.L.REEDER		

NC DOT PERSONNEL 1993-1995	TRIGON PERSONNEL 2006	S&ME PERSONNEL 2006
J.L.PILIPCHUK	*D.GOODNIGHT*	*N.BRADLEY*
M.M.COUNTIE	*W.DUGGINS*	*S.JOHNSON*
O.B.OTI	*R.TOOTHMAN*	*A.MARTIN*
A.SANDERSON		
H.R.CONLEY		
F.M.HELD		
J.R.MCCRAY		

INVESTIGATED BY *T.P. MOOREFIELD*

CHECKED BY *T.P. MOOREFIELD*

SUBMITTED BY *N.T. ROBERSON*

DATE *SEPTEMBER 2007*

NORTH CAROLINA LICENSED SEAL 1301 GEOLOGIST THOMAS P. MOOREFIELD 9-25-07

NOTE - THE INFORMATION CONTAINED HEREIN IS NOT IMPLIED OR GUARANTEED BY THE N. C. DEPARTMENT OF TRANSPORTATION AS BEING ACCURATE NOR IT IS CONSIDERED TO BE PART OF THE PLANS, SPECIFICATIONS, OR CONTRACT FOR THE PROJECT.

NOTE - BY HAVING REQUESTED THIS INFORMATION THE CONTRACTOR SPECIFICALLY WAIVES ANY CLAIMS FOR INCREASED COMPENSATION OR EXTENSION OF TIME BASED ON DIFFERENCES BETWEEN THE CONDITIONS INDICATED HEREIN AND THE ACTUAL CONDITIONS AT THE PROJECT SITE.

PROJECT REFERENCE NO.	SHEET NO.
34820.1.1 (U-2524C)	2

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
GEOTECHNICAL ENGINEERING UNIT

SUBSURFACE INVESTIGATION

SOIL AND ROCK LEGEND, TERMS, SYMBOLS, AND ABBREVIATIONS

SOIL DESCRIPTION

SOIL IS CONSIDERED TO BE THE UNCONSOLIDATED, SEMI-CONSOLIDATED, OR WEATHERED EARTH MATERIALS THAT CAN BE PENETRATED WITH A CONTINUOUS FLIGHT POWER AUGER, AND YIELD LESS THAN 100 BLOWS PER FOOT ACCORDING TO STANDARD PENETRATION TEST (AASHTO T206, ASTM D-1586). SOIL CLASSIFICATION IS BASED ON THE AASHTO SYSTEM. BASIC DESCRIPTIONS GENERALLY SHALL INCLUDE: CONSISTENCY, COLOR, TEXTURE, MOISTURE, AASHTO CLASSIFICATION, AND OTHER PERTINENT FACTORS SUCH AS MINERALOGICAL COMPOSITION, ANGULARITY, STRUCTURE, PLASTICITY, ETC. EXAMPLE:

VERY STIFF, GRAY, SILTY CLAY, MOIST WITH INTERBEDDED FINE SAND LAYERS, HIGHLY PLASTIC, A-7-6

SOIL LEGEND AND AASHTO CLASSIFICATION

GENERAL CLASS.	GRANULAR MATERIALS (≤ 35% PASSING #200)							SILT-CLAY MATERIALS (> 35% PASSING #200)				ORGANIC MATERIALS		
GROUP CLASS.	A-1		A-3	A-2				A-4	A-5	A-6	A-7	A-1, A-2 A-3	A-4, A-5 A-6, A-7	
	A-1-a	A-1-b		A-2-4	A-2-5	A-2-6	A-2-7				A-7-5 A-7-6			
SYMBOL														
% PASSING • 10 • 40 • 200	50 MX 30 MX 15 MX	50 MX 25 MX	51 MN 10 MX	35 MX	35 MX	35 MX	35 MX	36 MN	36 MN	36 MN	36 MN	GRANULAR SOILS	SILT-CLAY SOILS	MUCK, PEAT
LIQUID LIMIT	6 MX		NP	40 MX	41 MN	40 MX	41 MN	40 MX	41 MN	40 MX	41 MN	SOILS WITH LITTLE OR MODERATE AMOUNTS OF ORGANIC MATTER		HIGHLY ORGANIC SOILS
PLASTIC INDEX				10 MX	10 MX	11 MN	11 MN	10 MX	10 MX	11 MN	11 MN			
GROUP INDEX	0		0	0		4 MX		8 MX	12 MX	16 MX	No MX			
USUAL TYPES OF MAJOR MATERIALS	STONE FRAGS. GRAVEL, AND SAND		FINE SAND	SILTY OR CLAYEY GRAVEL AND SAND				SILTY SOILS		CLAYEY SOILS				
GEN. RATING AS A SUBGRADE	EXCELLENT TO GOOD							FAIR TO POOR				FAIR TO POOR	POOR	UNSUITABLE

PI OF A-7-5 SUBGROUP IS ≤ LL - 30 ; PI OF A-7-6 SUBGROUP IS > LL - 30

CONSISTENCY OR DENSENESS

PRIMARY SOIL TYPE	COMPACTNESS OR CONSISTENCY	RANGE OF STANDARD PENETRATION RESISTENCE (N-VALUE)	RANGE OF UNCONFINED COMPRESSIVE STRENGTH ($TONS/FT^2$)
GENERALLY GRANULAR MATERIAL (NON-COHESIVE)	VERY LOOSE LOOSE MEDIUM DENSE DENSE VERY DENSE	<4 4 TO 10 10 TO 30 30 TO 50 >50	N/A
GENERALLY SILT-CLAY MATERIAL (COHESIVE)	VERY SOFT SOFT MEDIUM STIFF STIFF VERY STIFF HARD	<2 2 TO 4 4 TO 8 8 TO 15 15 TO 30 >30	<0.25 0.25 TO 0.50 0.5 TO 1.0 1 TO 2 2 TO 4 >4

TEXTURE OR GRAIN SIZE

U.S. STD. SIEVE SIZE	4	10	40	60	200	270
OPENING (MM)	4.76	2.00	0.42	0.25	0.075	0.053

BOULDER (BLDR.)	COBBLE (COB.)	GRAVEL (GR.)	COARSE SAND (CSE. SD.)	FINE SAND (F SD.)	SILT (SL.)	CLAY (CL.)

GRAIN SIZE	MM	305	75	2.0	0.25	0.05	0.005
	IN.	12	3				

SOIL MOISTURE - CORRELATION OF TERMS

SOIL MOISTURE SCALE (ATTERBERG LIMITS)	FIELD MOISTURE DESCRIPTION	GUIDE FOR FIELD MOISTURE DESCRIPTION
	- SATURATED - (SAT.)	USUALLY LIQUID; VERY WET, USUALLY FROM BELOW THE GROUND WATER TABLE
LL — LIQUID LIMIT		
PLASTIC RANGE (PI)	- WET - (W)	SEMISOLID; REQUIRES DRYING TO ATTAIN OPTIMUM MOISTURE
PL — PLASTIC LIMIT		
OM — OPTIMUM MOISTURE SL — SHRINKAGE LIMIT	- MOIST - (M)	SOLID; AT OR NEAR OPTIMUM MOISTURE
	- DRY - (D)	REQUIRES ADDITIONAL WATER TO ATTAIN OPTIMUM MOISTURE

PLASTICITY

	PLASTICITY INDEX (PI)	DRY STRENGTH
NONPLASTIC	0-5	VERY LOW
LOW PLASTICITY	6-15	SLIGHT
MED. PLASTICITY	16-25	MEDIUM
HIGH PLASTICITY	26 OR MORE	HIGH

COLOR

DESCRIPTIONS MAY INCLUDE COLOR OR COLOR COMBINATIONS (TAN, RED, YELLOW-BROWN, BLUE-GRAY), MODIFIERS SUCH AS LIGHT, DARK, STREAKED, ETC. ARE USED TO DESCRIBE APPEARANCE.

GRADATION

WELL GRADED - INDICATES A GOOD REPRESENTATION OF PARTICLE SIZES FROM FINE TO COARSE.
UNIFORM - INDICATES THAT SOIL PARTICLES ARE ALL APPROXIMATELY THE SAME SIZE. (ALSO POORLY GRADED)
GAP-GRADED - INDICATES A MIXTURE OF UNIFORM PARTICLES OF TWO OR MORE SIZES.

ANGULARITY OF GRAINS

THE ANGULARITY OR ROUNDNESS OF SOIL GRAINS IS DESIGNATED BY THE TERMS: ANGULAR, SUBANGULAR, SUBROUNDED, OR ROUNDED.

MINERALOGICAL COMPOSITION

MINERAL NAMES SUCH AS QUARTZ, FELDSPAR, MICA, TALC, KAOLIN, ETC. ARE USED IN DESCRIPTIONS WHENEVER THEY ARE CONSIDERED OF SIGNIFICANCE.

COMPRESSIBILITY

SLIGHTLY COMPRESSIBLE	LIQUID LIMIT LESS THAN 31
MODERATELY COMPRESSIBLE	LIQUID LIMIT EQUAL TO 31-50
HIGHLY COMPRESSIBLE	LIQUID LIMIT GREATER THAN 50

PERCENTAGE OF MATERIAL

ORGANIC MATERIAL	GRANULAR SOILS	SILT - CLAY SOILS	OTHER MATERIAL	
TRACE OF ORGANIC MATTER	2 - 3%	3 - 5%	TRACE	1 - 10%
LITTLE ORGANIC MATTER	3 - 5%	5 - 12%	LITTLE	10 - 20%
MODERATELY ORGANIC	5 - 10%	12 - 20%	SOME	20 - 35%
HIGHLY ORGANIC	>10%	>20%	HIGHLY	35% AND ABOVE

GROUND WATER

- WATER LEVEL IN BORE HOLE IMMEDIATELY AFTER DRILLING
- STATIC WATER LEVEL AFTER 24 HOURS
- PW — PERCHED WATER, SATURATED ZONE, OR WATER BEARING STRATA
- SPRING OR SEEP

MISCELLANEOUS SYMBOLS

- ROADWAY EMBANKMENT (RE) WITH SOIL DESCRIPTION
- SOIL SYMBOL
- ARTIFICIAL FILL (AF) OTHER THAN ROADWAY EMBANKMENT
- INFERRED SOIL BOUNDARY
- INFERRED ROCK LINE
- ALLUVIAL SOIL BOUNDARY
- 25/025 — DIP & DIP DIRECTION OF ROCK STRUCTURES
- SOUNDING ROD
- SPT N / CPT / DPT / DHT / VST / PMT — TEST BORING
- AUGER BORING
- CORE BORING
- MW — MONITORING WELL
- PIEZOMETER INSTALLATION
- SLOPE INDICATOR INSTALLATION
- SPT N-VALUE
- REF — SPT REFUSAL

SAMPLE DESIGNATIONS
S - BULK SAMPLE
SS - SPLIT SPOON SAMPLE
ST - SHELBY TUBE SAMPLE
RS - ROCK SAMPLE
RT - RECOMPACTED TRIAXIAL SAMPLE
CBR - CALIFORNIA BEARING RATIO SAMPLE

ABBREVIATIONS

AR - AUGER REFUSAL
BT - BORING TERMINATED
CL. - CLAY
CPT - CONE PENETRATION TEST
CSE. - COARSE
DMT - DILATOMETER TEST
DPT - DYNAMIC PENETRATION TEST
e - VOID RATIO
F - FINE
FOSS. - FOSSILIFEROUS
FRAC. - FRACTURED, FRACTURES
FRAGS. - FRAGMENTS
HI. - HIGHLY
MED. - MEDIUM
MICA. - MICACEOUS
MOD. - MODERATELY
NP - NON PLASTIC
ORG. - ORGANIC
PMT - PRESSUREMETER TEST
SAP. - SAPROLITIC
SD. - SAND, SANDY
SL. - SILT, SILTY
SLI. - SLIGHTLY
TCR - TRICONE REFUSAL
w - MOISTURE CONTENT
V - VERY
VST - VANE SHEAR TEST
WEA. - WEATHERED
γ - UNIT WEIGHT
γ_d - DRY UNIT WEIGHT

EQUIPMENT USED ON SUBJECT PROJECT

DRILL UNITS:
- ■ MOBILE B-57
- ■ BK-51
- ■ CME-45C
- ■ CME-550
- □ PORTABLE HOIST
- ■ CME-850 TRAX
- □ _____

ADVANCING TOOLS:
- □ CLAY BITS
- ■ 6" CONTINUOUS FLIGHT AUGER
- ■ 8" HOLLOW AUGERS
- ■ HARD FACED FINGER BITS
- □ TUNG.-CARBIDE INSERTS
- □ CASING □ W/ ADVANCER
- ■ TRICONE 2⅜ " STEEL TEETH
- □ TRICONE _____ " TUNG.-CARB.
- □ CORE BIT
- □ _____

HAMMER TYPE:
- ■ AUTOMATIC ■ MANUAL

CORE SIZE:
- □ -B_____
- □ -N_____
- □ -H_____

HAND TOOLS:
- □ POST HOLE DIGGER
- □ HAND AUGER
- □ SOUNDING ROD
- □ VANE SHEAR TEST
- ■ 1" SOIL PROBE

ROCK DESCRIPTION

HARD ROCK IS NON-COASTAL PLAIN MATERIAL THAT IF TESTED, WOULD YIELD SPT REFUSAL. AN INFERRED ROCK LINE INDICATES THE LEVEL AT WHICH NON-COASTAL PLAIN MATERIAL WOULD YIELD SPT REFUSAL. SPT REFUSAL IS PENETRATION BY A SPLIT SPOON SAMPLER EQUAL TO OR LESS THAN 0.1 FOOT PER 60 BLOWS. IN NON-COASTAL PLAIN MATERIAL, THE TRANSITION BETWEEN SOIL AND ROCK IS OFTEN REPRESENTED BY A ZONE OF WEATHERED ROCK.
ROCK MATERIALS ARE TYPICALLY DIVIDED AS FOLLOWS:

WEATHERED ROCK (WR)	NON-COASTAL PLAIN MATERIAL THAT WOULD YIELD SPT N VALUES > 100 BLOWS PER FOOT IF TESTED.
CRYSTALLINE ROCK (CR)	FINE TO COARSE GRAIN IGNEOUS AND METAMORPHIC ROCK THAT WOULD YIELD SPT REFUSAL IF TESTED. ROCK TYPE INCLUDES GRANITE, GNEISS, GABBRO, SCHIST, ETC.
NON-CRYSTALLINE ROCK (NCR)	FINE TO COARSE GRAIN METAMORPHIC AND NON-COASTAL PLAIN SEDIMENTARY ROCK THAT WOULD YEILD SPT REFUSAL IF TESTED. ROCK TYPE INCLUDES PHYLLITE, SLATE, SANDSTONE, ETC.
COASTAL PLAIN SEDIMENTARY ROCK (CP)	COASTAL PLAIN SEDIMENTS CEMENTED INTO ROCK, BUT MAY NOT YIELD SPT REFUSAL. ROCK TYPE INCLUDES LIMESTONE, SANDSTONE, CEMENTED SHELL BEDS, ETC.

WEATHERING

FRESH	ROCK FRESH, CRYSTALS BRIGHT, FEW JOINTS MAY SHOW SLIGHT STAINING. ROCK RINGS UNDER HAMMER IF CRYSTALLINE.
VERY SLIGHT (V SLI.)	ROCK GENERALLY FRESH, JOINTS STAINED, SOME JOINTS MAY SHOW THIN CLAY COATINGS IF OPEN, CRYSTALS ON A BROKEN SPECIMEN FACE SHINE BRIGHTLY. ROCK RINGS UNDER HAMMER BLOWS IF OF A CRYSTALLINE NATURE.
SLIGHT (SLI.)	ROCK GENERALLY FRESH, JOINTS STAINED AND DISCOLORATION EXTENDS INTO ROCK UP TO 1 INCH. OPEN JOINTS MAY CONTAIN CLAY. IN GRANITOID ROCKS SOME OCCASIONAL FELDSPAR CRYSTALS ARE DULL AND DISCOLORED. CRYSTALLINE ROCKS RING UNDER HAMMER BLOWS.
MODERATE (MOD.)	SIGNIFICANT PORTIONS OF ROCK SHOW DISCOLORATION AND WEATHERING EFFECTS. IN GRANITOID ROCKS, MOST FELDSPARS ARE DULL AND DISCOLORED, SOME SHOW CLAY. ROCK HAS DULL SOUND UNDER HAMMER BLOWS AND SHOWS SIGNIFICANT LOSS OF STRENGTH AS COMPARED WITH FRESH ROCK.
MODERATELY SEVERE (MOD. SEV.)	ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. IN GRANITOID ROCKS, ALL FELDSPARS DULL AND DISCOLORED AND A MAJORITY SHOW KAOLINIZATION. ROCK SHOWS SEVERE LOSS OF STRENGTH AND CAN BE EXCAVATED WITH A GEOLOGIST'S PICK. ROCK GIVES 'CLUNK' SOUND WHEN STRUCK. *IF TESTED, WOULD YIELD SPT REFUSAL*
SEVERE (SEV.)	ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. ROCK FABRIC CLEAR AND EVIDENT BUT REDUCED IN STRENGTH TO STRONG SOIL. IN GRANITOID ROCKS ALL FELDSPARS ARE KAOLINIZED TO SOME EXTENT. SOME FRAGMENTS OF STRONG ROCK USUALLY REMAIN. *IF TESTED, YIELDS SPT N VALUES > 100 BPF*
VERY SEVERE (V SEV.)	ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. ROCK FABRIC ELEMENTS ARE DISCERNIBLE BUT THE MASS IS EFFECTIVELY REDUCED TO SOIL STATUS, WITH ONLY FRAGMENTS OF STRONG ROCK REMAINING. SAPROLITE IS AN EXAMPLE OF ROCK WEATHERED TO A DEGREE SUCH THAT ONLY MINOR VESTIGES OF THE ORIGINAL ROCK FABRIC REMAIN. *IF TESTED, YIELDS SPT N VALUES < 100 BPF*
COMPLETE	ROCK REDUCED TO SOIL. ROCK FABRIC NOT DISCERNIBLE, OR DISCERNIBLE ONLY IN SMALL AND SCATTERED CONCENTRATIONS. QUARTZ MAY BE PRESENT AS DIKES OR STRINGERS. SAPROLITE IS ALSO AN EXAMPLE.

ROCK HARDNESS

VERY HARD	CANNOT BE SCRATCHED BY KNIFE OR SHARP PICK. BREAKING OF HAND SPECIMENS REQUIRES SEVERAL HARD BLOWS OF THE GEOLOGIST'S PICK.
HARD	CAN BE SCRATCHED BY KNIFE OR PICK ONLY WITH DIFFICULTY. HARD HAMMER BLOWS REQUIRED TO DETACH HAND SPECIMEN.
MODERATELY HARD	CAN BE SCRATCHED BY KNIFE OR PICK. GOUGES OR GROOVES TO 0.25 INCHES DEEP CAN BE EXCAVATED BY HARD BLOW OF A GEOLOGIST'S PICK. HAND SPECIMENS CAN BE DETACHED BY MODERATE BLOWS.
MEDIUM HARD	CAN BE GROOVED OR GOUGED 0.05 INCHES DEEP BY FIRM PRESSURE OF KNIFE OR PICK POINT. CAN BE EXCAVATED IN SMALL CHIPS TO PEICES 1 INCH MAXIMUM SIZE BY HARD BLOWS OF THE POINT OF A GEOLOGIST'S PICK.
SOFT	CAN BE GROVED OR GOUGED READILY BY KNIFE OR PICK. CAN BE EXCAVATED IN FRAGMENTS FROM CHIPS TO SEVERAL INCHES IN SIZE BY MODERATE BLOWS OF A PICK POINT. SMALL, THIN PIECES CAN BE BROKEN BY FINGER PRESSURE.
VERY SOFT	CAN BE CARVED WITH KNIFE. CAN BE EXCAVATED READILY WITH POINT OF PICK. PIECES 1 INCH OR MORE IN THICKNESS CAN BE BROKEN BY FINGER PRESSURE. CAN BE SCRATCHED READILY BY FINGERNAIL.

FRACTURE SPACING

TERM	SPACING
VERY WIDE	MORE THAN 10 FEET
WIDE	3 TO 10 FEET
MODERATELY CLOSE	1 TO 3 FEET
CLOSE	0.16 TO 1 FEET
VERY CLOSE	LESS THAN 0.16 FEET

BEDDING

TERM	THICKNESS
VERY THICKLY BEDDED	> 4 FEET
THICKLY BEDDED	1.5 - 4 FEET
THINLY BEDDED	0.16 - 1.5 FEET
VERY THINLY BEDDED	0.03 - 0.16 FEET
THICKLY LAMINATED	0.008 - 0.03 FEET
THINLY LAMINATED	< 0.008 FEET

INDURATION

FOR SEDIMENTARY ROCKS, INDURATION IS THE HARDENING OF THE MATERIAL BY CEMENTING, HEAT, PRESSURE, ETC.

FRIABLE	RUBBING WITH FINGER FREES NUMEROUS GRAINS; GENTLE BLOW BY HAMMER DISINTEGRATES SAMPLE.
MODERATELY INDURATED	GRAINS CAN BE SEPARATED FROM SAMPLE WITH STEEL PROBE; BREAKS EASILY WHEN HIT WITH HAMMER.
INDURATED	GRAINS ARE DIFFICULT TO SEPARATE WITH STEEL PROBE; DIFFICULT TO BREAK WITH HAMMER.
EXTREMELY INDURATED	SHARP HAMMER BLOWS REQUIRED TO BREAK SAMPLE; SAMPLE BREAKS ACROSS GRAINS.

TERMS AND DEFINITIONS

ALLUVIUM (ALLUV.) - SOILS THAT HAVE BEEN TRANSPORTED BY WATER.

AQUIFER - A WATER BEARING FORMATION OR STRATA.

ARENACEOUS - APPLIED TO ROCKS THAT HAVE BEEN DERIVED FROM SAND OR THAT CONTAIN SAND.

ARGILLACEOUS - APPLIED TO ALL ROCKS OR SUBSTANCES COMPOSED OF CLAY MINERALS, OR HAVING A NOTABLE PROPORTION OF CLAY IN THEIR COMPOSITION, AS SHALE, SLATE, ETC.

ARTESIAN - GROUND WATER THAT IS UNDER SUFFICIENT PRESSURE TO RISE ABOVE THE LEVEL AT WHICH IT IS ENCOUNTERED, BUT WHICH DOES NOT NECESSARILY RISE TO OR ABOVE THE GROUND SURFACE.

CALCAREOUS (CALC.) - SOILS THAT CONTAIN APPRECIABLE AMOUNTS OF CALCIUM CARBONATE.

COLLUVIUM - ROCK FRAGMENTS MIXED WITH SOIL DEPOSITED BY GRAVITY ON SLOPE OR AT BOTTOM OF SLOPE.

CORE RECOVERY (REC.) - TOTAL LENGTH OF ALL MATERIAL RECOVERED IN THE CORE BARREL DIVIDED BY TOTAL LENGTH OF CORE RUN AND EXPRESSED AS A PERCENTAGE.

DIKE - A TABULAR BODY OF IGNEOUS ROCK THAT CUTS ACROSS THE STRUCTURE OF ADJACENT ROCKS OR CUTS MASSIVE ROCK.

DIP - THE ANGLE AT WHICH A STRATUM OR ANY PLANAR FEATURE IS INCLINED FROM THE HORIZONTAL.

DIP DIRECTION (DIP AZIMUTH) - THE DIRECTION OR BEARING OF THE HORIZONTAL TRACE OF THE LINE OF DIP, MEASURED CLOCKWISE FROM NORTH.

FAULT - A FRACTURE OR FRACTURE ZONE ALONG WHICH THERE HAS BEEN DISPLACEMENT OF THE SIDES RELATIVE TO ONE ANOTHER PARALLEL TO THE FRACTURE.

FISSILE - A PROPERTY OF SPLITTING ALONG CLOSELY SPACED PARALLEL PLANES.

FLOAT - ROCK FRAGMENTS ON SURFACE NEAR THEIR ORIGINAL POSITION AND DISLODGED FROM PARENT MATERIAL.

FLOOD PLAIN (FP) - LAND BORDERING A STREAM, BUILT OF SEDIMENTS DEPOSITED BY THE STREAM.

FORMATION (FM.) - A MAPPABLE GEOLOGIC UNIT THAT CAN BE RECOGNIZED AND TRACED IN THE FIELD.

JOINT - FRACTURE IN ROCK ALONG WHICH NO APPRECIABLE MOVEMENT HAS OCCURRED.

LEDGE - A SHELF-LIKE RIDGE OR PROJECTION OF ROCK WHOSE THICKNESS IS SMALL COMPARED TO ITS LATERAL EXTENT.

LENS - A BODY OF SOIL OR ROCK THAT THINS OUT IN ONE OR MORE DIRECTIONS.

MOTTLED (MOT.) - IRREGULARLY MARKED WITH SPOTS OF DIFFERENT COLORS. MOTTLING IN SOILS USUALLY INDICATES POOR AERATION AND LACK OF GOOD DRAINAGE.

PERCHED WATER - WATER MAINTAINED ABOVE THE NORMAL GROUND WATER LEVEL BY THE PRESENCE OF AN INTERVENING IMPERVIOUS STRATUM.

RESIDUAL (RES.) SOIL - SOIL FORMED IN PLACE BY THE WEATHERING OF ROCK.

ROCK QUALITY DESIGNATION (RQD) - A MEASURE OF ROCK QUALITY DESCRIBED BY TOTAL LENGTH OF ROCK SEGMENTS EQUAL TO OR GREATER THAN 4 INCHES DIVIDED BY THE TOTAL LENGTH OF CORE RUN AND EXPRESSED AS A PERCENTAGE.

SAPROLITE (SAP.) - RESIDUAL SOIL THAT RETAINS THE RELIC STRUCTURE OR FABRIC OF THE PARENT ROCK.

SILL - AN INTRUSIVE BODY OF IGNEOUS ROCK OF APPROXIMATELY UNIFORM THICKNESS AND RELATIVELY THIN COMPARED WITH ITS LATERAL EXTENT, THAT HAS BEEN EMPLACED PARALLEL TO THE BEDDING OR SCHISTOSITY OF THE INTRUDED ROCKS.

SLICKENSIDE - POLISHED AND STRIATED SURFACE THAT RESULTS FROM FRICTION ALONG A FAULT OR SLIP PLANE.

STANDARD PENETRATION TEST (PENETRATION RESISTANCE) (SPT) - NUMBER OF BLOWS (N OR BPF) OF A 140 LB. HAMMER FALLING 30 INCHES REQUIRED TO PRODUCE A PENETRATION OF 1 FOOT INTO SOIL WITH A 2 INCH OUTSIDE DIAMETER SPLIT SPOON SAMPLER. SPT REFUSAL IS PENETRATION EQUAL TO OR LESS THAN 0.1 FOOT PER 60 BLOWS.

STRATA CORE RECOVERY (SREC.) - TOTAL LENGTH OF STRATA MATERIAL RECOVERED DIVIDED BY TOTAL LENGTH OF STRATUM AND EXPRESSED AS A PERCENTAGE.

STRATA ROCK QUALITY DESIGNATION (SRQD) - A MEASURE OF ROCK QUALITY DESCRIBED BY TOTAL LENGTH OF ROCK SEGMENTS WITHIN A STRATUM EQUAL TO OR GREATER THAN 4 INCHES DIVIDED BY THE TOTAL LENGTH OF STRATA AND EXPRESSED AS A PERCENTAGE.

TOPSOIL (TS.) - SURFACE SOILS USUALLY CONTAINING ORGANIC MATTER.

BENCH MARK: _____

ELEVATION: _____ FT.

NOTES:

REVISED 02/23/06

09/08/99

TIP PROJECT: U-2524C

See Sheet 1-A For Index of Sheets



VICINITY MAP

STATE OF NORTH CAROLINA
DIVISION OF HIGHWAYS

STATE	STATE PROJECT REFERENCE NO.	SHEET NO.	TOTAL SHEETS
N.C.	U-2524C	2A	183
STATE PROJ. NO.	F.A. PROJ. NO.	DESCRIPTION	
34820.1.13	STP-NHF-121-1(1)	P.E.	

GUILFORD COUNTY

LOCATION: GREENSBORO-WESTERN LOOP FROM SOUTH OF BRYAN BLVD. TO 2380 FEET EAST OF SR 2303 (LAWNDALE DRIVE).

TYPE OF WORK: GRADING, PAVING, CULVERTS, DRAINAGE, STRUCTURES, GUARDRAIL, SIGNING, ITS, TRAFFIC SIGNAL, SIGNING, AND RETAINING WALLS.



END TIP PROJECT U-2524BB
BEGIN TIP PROJECT U-2524C
STA. 265+74.75 -L-

BEGIN CONSTRUCTION
POT STA. 217+35.51 -L-

END TIP PROJECT U-2524C
STA. 519+00.00 -L-

25% SUBMITTAL

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION
PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

CLEARING ON THIS PROJECT SHALL BE PERFORMED TO THE LIMITS ESTABLISHED BY METHOD___.

PROJECT: 34820.1.13

GRAPHIC SCALES

PLANS 50 25 0 50 100
PROFILE (HORIZONTAL) 50 25 0 50 100
PROFILE (VERTICAL) 50 25 0 10 20

DESIGN DATA

ADT 2008 = 41,985
ADT 2028 = 71,908
DHV = 10 %
D = 60 %
T = 15 %
(5% TTST & 10% DUAL)
V = 70 MPH
FUNCT. CLASS. = FREEWAY

PROJECT LENGTH

LENGTH ROADWAY TIP PROJECT U-2524C = 3.955 MILES

LENGTH STRUCTURES TIP PROJECT U-2524C = 0.841 MILES

TOTAL LENGTH OF TIP PROJECT U-2524C = 4.796 MILES

Prepared in the Office of:
Parsons
401 Harrison Oaks Blvd., Suite 200
Cary, N.C. for the
DIVISION OF HIGHWAYS

2002 STANDARD SPECIFICATIONS

RIGHT OF WAY DATE: APRIL 21, 2006

LETTING DATE: APRIL 15, 2008

VICTOR M. CHAVEZ, P.E.
PROJECT ENGINEER

DAVID GARRETT
PROJECT DESIGN ENGINEER

NCDOT CONTACT: CATHY S. HOUSER, P.E.
PROJECT ENGINEER ROADWAY DESIGN

ROBERT J. STROUP, P.E.
PROJECT DESIGN ENGINEER ROADWAY DESIGN

HYDRAULICS ENGINEER

SIGNATURE: P.E.

ROADWAY DESIGN ENGINEER

SIGNATURE: P.E.

DIVISION OF HIGHWAYS STATE OF NORTH CAROLINA

P.E.
STATE DESIGN ENGINEER

DEPARTMENT OF TRANSPORTATION FEDERAL HIGHWAY ADMINISTRATION

APPROVED
DIVISION ADMINISTRATOR *DATE*

10-SEP-2007 13:28
H:\erv\raleigh\Investigation\tip\u2524c_geo_rdwy\cadd_geotech\planprof\u2524c_geo_tsh.dgn
tmoorefield AT GEL204499

STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION

Michael F. Easley
GOVERNOR

P.O. BOX 25201, RALEIGH, N.C. 27611-5201

Lyndo Tippett
SECRETARY

September 14, 2007

STATE PROJECT: 34820.1.1 (U-2524C)
FEDERAL PROJECT: STP-NHF-121-1(1)
COUNTY: Guilford

DESCRIPTION: Greensboro Western Loop from South of Bryan Blvd. to 2380 feet East of SR 2303 (Lawndale Dr.)

SUBJECT: Geotechnical Report – Inventory

Project Description

This project consists of a new six to eight lane roadway, 4.8 miles in length, in the northwestern portion of the City of Greensboro. Grading on this segment of the Greensboro Western Loop begins just north of Bryan Boulevard at the end of U-2524BB, which is currently under construction. The proposed roadway (-L-) proceeds northeastward through undeveloped woods and pastures until -L- Sta. 379+45. At that point, a 4199-foot long bridge is to be constructed over Drawbridge Parkway (-Y3-), the Horsepen Creek floodplain, and Battleground Avenue (-Y4-) (see Plan Sheet Nos. 13 through 15). A single-point interchange with associated off- and on- ramp bridges will provide access to Battleground Avenue. The proposed roadway extends eastward from the end of the bridge (-L- Sta. 421+44), through a wooded area, until it reaches Cotswold Avenue (at approximately -L- Sta. 450+00, see Plan Sheet No. 17). From that point, the proposed -L- alignment parallels Cotswold Avenue to its intersection with Lawndale Boulevard (-Y8-). A proposed single-point interchange provides access to Lawndale Boulevard (see Plan Sheet No. 19). From Lawndale Boulevard, the project extends 2400 feet eastward to its terminus at -L- Sta. 519+00. The project includes ten retaining walls. Six of the walls are proposed to limit the project's impact on existing structures and facilities. Four retaining walls are proposed at the Lawndale interchange.

This subsurface investigation report includes borings from several different investigations undertaken during the past 14 years. In February 1993, the NCDOT's geotechnical unit's field crew drilled six borings in the landfill area just north of Fleming Road (see Plan Sheet Nos. 5 and 6), using an ATV-mounted BK-51 with a manual hammer. In June and July 1994, and in August 1995, the NCDOT Geotechnical Unit completed a subsurface investigation for the project U-2524D, which consisted of a proposed four-lane roadway connecting Old Battleground Road to Lawndale Drive. This roadway was never constructed. Instead, a two-lane roadway (Cotswold Avenue) was constructed along the same corridor. ATV-mounted CME-45C and BK-51 drill machines with manual hammers were used during the 1994 and 1995 field investigations. Four borings completed by the Geotechnical Unit's crew during the U-2524BB subsurface investigation (August 2000), are included in this report, as well as ten borings which were drilled on a preliminary -L- alignment between Fleming Road (-Y3-) and Cotswold Avenue (August 2004). All NCDOT Geotechnical Unit borings drilled since 2000 were completed using an ATV-mounted CME-550 drill machine with an automatic hammer. The remainder of the borings used for the investigation of this project were completed during the period July through October 2006 using four drill crews (the Geotechnical Unit field crew and three consultant drilling crews). The Trigon Engineering drill crews used an ATV-mounted B-57 drill machine with a manual hammer, as well as a track-mounted CME-850 with an automatic hammer. S&ME used an ATV-mounted BK-51 with a manual hammer. Throughout the various investigations, Standard Penetration Tests were performed in selected borings and additional borings were advanced using continuous flight augers. Representative soil samples were collected for visual classification in the field and submitted for laboratory analysis by NCDOT's Materials and Tests Unit.

The following alignments, totaling 7.7 miles, were investigated. Subsurface soil profiles, or cross-sections, of these alignments are included in this report:

Line	Station		
-L-	265+74	to	519+00
-Y-	21+50	to	28+00
-Y2-	18+50	to	27+00
-Y3-	18+00	to	35+00
-Y6-	17+00	to	32+16
-Y8-	11+00	to	27+00
-RPAY4-	0+00	to	14+38
-RPBY4-	0+00	to	13+03
-RPCY4-	0+00	to	13+30
-RPDY4-	0+00	to	16+05
-SPAY4-	0+00	to	4+44
-SPBY4-	0+00	to	5+54
-SPCY4-	0+00	to	4+91
-SPDY4-	0+00	to	4+43
-RPAY8-	0+00	to	14+54
-RPBY8-	0+00	to	13+91
-RPCY8-	0+00	to	13+79
-RPDY8-	0+00	to	14+59
-SPAY8-	0+00	to	4+66
-SPBY8-	0+00	to	4+92
-SPCY8-	0+00	to	4+08
-SPDY8-	0+00	to	4+65

Ten retaining walls, totaling 5,509 feet in length, were investigated. Subsurface soil profiles of the wall envelopes are included in this report:

Retaining Wall No.	Wall Location	Station		
1	-L- 319+50 LT	10+00	to	12+75
2	-L- 333+00 RT	10+00	to	18+62
3	-L- 357+50 LT	9+75	to	12+00
4	-L- 425+00 RT	10+00	to	26+50
5	-L- 448+50 RT	10+00	to	13+00
6	-L- 470+50 RT	10+35	to	20+00
7	-L- 491+00 LT	10+00	to	13+07
8	-L- 491+00 RT	10+00	to	13+07
9	-L- 496+50 LT	9+35	to	14+00
10	-L- 496+50 RT	9+47	to	11+00

Areas of Special Geotechnical Interest

1) Highly Plastic Clay Soils: Occurrences of highly plastic clay soil (Plasticity Index greater than 25) are noted below:

Alignment	Station	Offset
-L-	273+62	CL
-L-	299+00	90 LT
-L-	301+00	45 RT
-L-	321+00	90 RT
-L-	336+60	80 RT
-L-	342+00	CL
-L-	357+50	74 LT
-L-	358+30	63 LT
-L-	359+30	CL
-L-	362+00	CL
-L-	370+50	120 RT
-L-	373+00	100 RT
-L-	425+50	85 RT
-L-	429+00	133 RT
-L-	442+00	97 RT
-L-	444+13	15 RT
-L-	448+50	CL
-L-	464+30	40 LT
-L-	464+95	CL
-L-	466+25	30 LT
-L-	476+50	82 RT
-L-	477+46	116 RT
-L-	487+45	83 LT
-L-	489+45	75 LT
-L-	490+95	87 LT
-L-	507+00	110 RT
-L-	515+00	100 RT
-Y3-	25+00	CL
-SPAY4-	3+86	38 RT

2) Crystalline Rock: Crystalline rock was encountered in the following borings:

Alignment	Station	Offset
-L-	266+67	49 RT
-L-	268+37	CL
-L-	284+50	CL
-L-	290+50	CL
-L-	296+50	40 LT
-L-	296+50	50 RT
-L-	313+90	CL
-L-	316+00	70 RT
-L-	317+77	45 RT
-L-	342+00	CL
-L-	354+70	CL
-L-	355+00	CL
-L-	359+30	CL
-L-	366+00	90 RT
-L-	369+50	120 RT
-L-	370+00	70 RT
-L-	370+50	CL
-L-	370+50	90 RT
-L-	371+50	120 RT
-L-	372+50	30 LT
-L-	372+50	40 RT
-L-	373+00	100 RT
-L-	415+75	110 LT
-L-	416+08	57 RT
-L-	421+55	95 LT
-L-	426+50	88 RT
-L-	427+08	116 RT
-L-	427+50	88 RT
-L-	428+00	108 RT
-L-	428+50	88 RT
-L-	429+00	CL
-L-	429+50	77 RT
-L-	430+00	119 RT

-L-	430+50	72 RT
-L-	431+00	121 RT
-L-	501+00	CL
-RPAY4	5+87	4 RT
-RPBY4-	10+50	CL
-RPDY8-	5+74	CL
-RWL1-	10+00	CL
-RWL1-	10+66	11 RT
-RWL3-	10+20	CL
-RWL3-	10+80	11 RT
-RWL3-	11+40	21 RT
-RWL3-	12+00	CL
-RWL4-	11+50	30 LT
-RWL4-	12+10	2 LT
-RWL4-	12+50	30 LT
-RWL4-	13+00	10 LT
-RWL4-	13+50	30 LT
-RWL4-	14+50	41 LT
-RWL4-	15+00	1 RT
-RWL4-	15+50	46 LT
-RWL4-	16+00	3 LT
-RWL4-	18+00	4 LT
-RWL4-	18+55	21 LT
-RWL4-	19+00	CL
-RWL4-	19+50	34 LT
-RWL4-	19+95	5 RT
-RWL4-	20+50	15 LT
-RWL4-	21+00	8 RT
-RWL4-	26+50	28 RT
-RWL7-	11+45	14 LT
-RWL7-	12+45	16 LT
-RWL8-	12+45	6 RT
-RWL9-	11+75	7 RT

3) Buried Landfill (-L- 275+28 to 283+10): A landfill containing up to sixty feet of artificial fill soil occurs just north of Fleming Rd. (see Plansheet Nos. 5 and 6). The fill consists of soil intermixed with construction debris and woody material. The landfill is discussed in detail below in the section entitled "Buried Landfill".

4) Spring (-L- 345+27/ 49'RT): A flowing spring is located within the cut slope at this site (see Plansheet No. 10). At the time of this investigation, a steady stream of water flowed from this hillside spring.

Physiography and Geology

The project is located in the Piedmont area of North Carolina. A mixture of homes, apartments, condominiums, townhomes, pastures, wooded areas, and wetlands are located along the project corridor. The terrain is moderately rolling. The proposed roadway crosses the Horsepen Creek floodplain just south and north of Battleground Avenue. The Horsepen Creek floodplain is a significant wetland area, approximately 500 to 1,000 feet in width. Horsepen Creek flows northward in to Lake Brandt. Several small streams and wet-weather runs cross the -L- alignment as well.

Geologically, the project is located along the northeast-trending boundary of the Carolina Slate Belt and the Charlotte Belt. Soils within the Charlotte Belt are derived from the weathering of the underlying bedrock composed of granite intrusions. Soils within the Carolina Slate Belt are derived from metamorphosed granite and diorite intrusions. The Carolina Slate Belt rock units are generally foliated, and trend in a northeasterly direction.

Soil Properties

Soils encountered at the project site include roadway embankment soils, artificial fill soils, alluvial sediments, and residual soils.

Roadway embankment soil occurs in several locations on the project. Approximately ten feet of roadway embankment soil, consisting of medium stiff to stiff, moist silty clay, overlies alluvial soil where Battleground Avenue crosses the Horsepen Creek floodplain. Two to three feet of roadway embankment soil occurs beneath Cotswold Avenue at its intersection with Lawndale Avenue (-Y8-). The gray-brown, stiff, moist sandy clay (A-7-6) overlies either residual soil or alluvial soil.

Artificial fill soil was encountered in several areas on the project. The most significant occurrence of artificial fill soil is the buried landfill located just north of Fleming Road (see Plan Sheets Nos. 5 and 6). The landfill contains up to 60 feet of silty clay (A-7-6) and sandy clay (A-6) with minor amounts of sandy silt (A-4) and silty sand (A-2-4) soil, intermixed with pieces of concrete, bricks, and wood. Organic content (by weight) of samples retrieved from the 2006 borings ranged from 3.1% to 21.0%. The landfill is discussed in detail later in this report. Other occurrences of artificial fill soil generally consist of medium stiff to stiff silty clay (A-7-6) and sandy clay (A-6). These soils occur in fill areas constructed for townhome and apartment sites, parking areas, landscape berms, sewerlines, pipelines, and other similar areas.

Alluvial soils occur in the small creeks which flow across the alignment in several areas. These soils generally consist of loose, silty sand (A-2-4). Alluvial soil also occurs within the Horsepen Creek floodplain. The floodplain is approximately 500 to 800 feet in width in the vicinity of Battleground Avenue (see Plan Sheets Nos. 13 and 14).. The alluvial soil within the floodplain is up to 22 feet thick, consisting of interbedded loose silty sand (A-2-4) and clayey sand (A-2-6), and medium stiff to stiff sandy clay (A-6) and silty clay (A-7-6) (see Profile Sheet Nos. 37, 55 through 66, and Cross-section Sheet Nos. 132 and 133). Trace amounts of

organic material occur within the alluvial soils in the floodplain. Alluvial soil also occurs in several places beneath the Cotswold Avenue roadway embankment from -L- 480+50 to its intersection with Lawndale Avenue (-Y8-) (see Plan Sheet No. 19, and Profile Sheet Nos.42 and 43). The alluvial soil was deposited along a small creek, which flowed eastward, generally in the same location as the existing Cotswold Avenue. The alluvial soil is 3 to 5 feet in thickness and consists of loose to medium dense, silty sand (A-2-4) with minor gravel, interbedded with soft to medium stiff, sandy clay (A-6). Alluvial soil also occurs along Richland Creek from -RPCY8- 2+25, across -RPCY8- from 12+00 to 13+70, -RPDY8- 12+30 to 15+00, -RPAY8- 6+20 to 8+90, and on -L- from 495+00/CL to approximately 510+00/LT. These alluvial soils are 3 to 5 feet in thickness, and consist of medium stiff sandy clay (A-6), silty clay (A-7-6), and sandy silt (A-4) interbedded with loose silty sand (A-2-4) and gravel.

The residual soils are derived from the in-place weathering of the underlying metamorphosed granite, gabbro, and diorite bedrock. Clay soil is the most common soil in the project area. These clay soils are generally medium stiff to stiff and consist of sandy clay and silty clay (A-6, A-7-5, and A-7-6). Significant amounts of medium stiff to hard, moist, sandy silt (A-4) are also present. Residual, highly plastic "cap" clays occur at the ground surface over several areas of the project. Areas containing highly plastic soils (plasticity indices of greater than 25) are listed above in the section "Areas of Special Geotechnical Interest".

Rock Properties

Weathered rock and crystalline rock occur in several areas of the project. The weathered rock is derived from the underlying Carolina Slate Belt and Charlotte Belt bedrock and ranges from 1 to 15 feet or more in thickness. The crystalline bedrock consists mostly of granite and diorite, and metamorphosed granite (meta-granite), diorite (meta-diorite), and gneiss.

Groundwater

Groundwater was encountered in numerous borings. Groundwater depths in residual soil are variable across the project, ranging from 1 to 41 feet below the ground surface. Groundwater is shallow in alluvial floodplain soils, generally occurring 2 to 3 feet below the ground surface. Groundwater measurements from the borings completed during the years 1993 through 1995 may not reflect the current groundwater conditions. Based on this investigation, groundwater is not anticipated to cause problems during construction.

Buried Landfill (-L- 275+28 to 283+10)

A buried landfill is located just north of Fleming Road (see Plan Sheet Nos. 5 and 6, Profile Sheet No. 27 and 28, and Cross-section Sheet Nos. 79 to 97). The landfill contains up to 60 feet of fill soil. The landfill was initially investigated in 1993. Reports from that period indicate that the fill material was placed in the landfill approximately 15 years before the investigation (late 1970's). The fill material is believed to have come from the expansion of the nearby Piedmont Triad International Airport. The fill soil appears to be free of garbage and rubbish. No fill material has been added since the investigation in 1993.

Six Standard Penetration Test borings were drilled in 1993 through the fill material to residual. The percentage (by volume) of wood and other organic material retrieved in the sampler was estimated for each drive in the artificial fill soil. No soil samples, or organic samples, were analyzed from the 1993 investigation. Thirteen additional SPT borings were drilled in 2006 to further delineate the landfill material. Soil samples were taken and analyzed for soil quality and organic content.

The landfill soils consist mostly of silty clay (A-7-6) and sandy clay (A-6) with minor amounts of sandy silt (A-4) and silty sand (A-2-4) intermixed with pieces of concrete, bricks, and wood. Of the 35 SPT drives (borings completed in 1993) that encountered organic material, 43% consisted of greater than 49% organics (estimated by volume). The organic material was generally comprised of woody material, believed to be derived from rotting stumps, trees, organic-rich alluvial soils. Twenty-six percent of the drives contained organic percentages of 10 to 49%. Organic content (by weight) of samples retrieved from the 2006 borings ranged from 3.1% to 21.0%. Ninety-two percent of the 38 samples submitted contained 10% or less organics.

No void spaces were noted in any of the field logs. Each of the nineteen borings was advanced to residual soil without difficulty, suggesting the scarcity of large pieces of concrete, or similar construction debris. Groundwater was encountered in eleven of the 2006 borings. Groundwater elevations ranged from ±866 feet in residual soil at 276+50, to ±841 feet in fill soil left of 281+50. The 1993 groundwater measurements suggest that the water table was lower 13 years ago.

Spring (-L- 345+27/ 49'RT

A flowing spring is located within the cut slope at this site (see Plansheet No. 10). At the time of this investigation, a steady stream of water flowed from this hillside spring.

Debris Piles (-L- 343+00 to 344+00)

Two debris piles occur to the left and right of -L- 344+00. Each area is approximately 100 feet in length and 50 feet in width. The debris is comprised of an old car, appliance pieces, cans, bottles, and various construction scrap.

Retaining Wall No. 1 (-L- 319+50 LT)

This 275-foot long wall is proposed to reduce the impact on an adjacent stream and sewer line easement (see Plan Sheet No. 8 and Retaining Wall Sheet No. 170). This fill wall approximately 14 feet in height, is situated on both alluvial soil and residual soil. The alluvial soil consists of loose to medium dense silty sand, six to ten feet in thickness, overlying weathered rock. The residual soil consists of very stiff sandy clay (A-6) and stiff clayey silt (A-5).

Retaining Wall No. 2 (-L- 333+00 RT)

Retaining Wall No. 2 is 862 feet in length. The wall is designed to limit the impact on the City of Greensboro's recreation facilities adjacent to the proposed roadway (see Plan Sheet Nos. 9 and 10, and Retaining Wall Sheet No. 172). This cut wall, which is up to 30 feet in

height, is situated in competent residual soil. The residual soil consists of four to eleven feet of stiff to hard, silty clay (A-7-5 and A-7-6), overlying stiff to hard, clayey silt (A-5) and sandy silt (A-4), or medium dense to very dense, silty sand (A-2-4 and A-2-5) and coarse sand (A-1-b). Groundwater was encountered at, or below, the base of the proposed wall.

Retaining Wall No. 3 (-L- 357+50 LT)

Retaining Wall No. 2 is a fill wall, approximately 16 feet in height and 225 feet in length. The wall limits the encroachment on a small stream that flows parallel to the roadway (see Plan Sheet No. 11, and Retaining Wall Sheet No. 170). The wall is to be constructed on seven to ten feet of embankment fill which is to be placed over residual soil and alluvial soil. The residual soil occurs from -RWL3- 9+75 to 11+10, and consists of very stiff, silty clay (A-7-5 and A-7-6). The remainder of the fill (11+10 to 12+00) will be placed over six feet of very stiff, moist sandy and silty alluvial clay (A-7-6 and A-6). Groundwater was encountered at 12 to 24 feet below the present ground surface.

Retaining Wall No. 4 (-L- 425+00 RT)

This 1650-foot long wall is proposed to reduce the impact on an adjacent apartment complex (see Plan Sheet Nos. 15 and 16, and Retaining Wall Sheet Nos. 174 and 176). This cut wall ranges from 30 to 35 feet in height. Weathered rock and crystalline rock is expected to occur within the wall excavation from -RWL4- 11+25 to 13+75. The remainder of the wall is situated in residual soil consisting of a surface layer of stiff to very stiff, silty clay (A7-5 and A-7-6) overlying medium stiff to very stiff, clayey silt (A-5) or sandy silt (A-4), and loose to dense, silty sand (A-2-4) and coarse sand (A-1-b). Weathered rock and crystalline rock occur beneath the residual soils, and the base of the wall, except as noted above. A berm of artificial fill soil has been constructed at the tree line behind the apartment complex (approximately -RWL4- 12+80 to 18+20). The fill soil is three to twelve feet thick and consists of very soft to medium stiff, silty clay. Groundwater was encountered in numerous borings below the base of the proposed wall.

Retaining Wall No. 5 (-L- 448+50 RT)

Retaining Wall No. 5 is 300 feet in length and 12 to 15 feet in height. This cut wall is proposed to minimize the impact on the adjacent apartment complex (see Plan Sheet Nos. 16 and 17, and Retaining Wall Sheet No. 176). Artificial fill soil and residual soil occurs at the site. The fill soil consists of six feet very stiff, moist, silty clay (A-7-5), located at -RWL5- 11+35 to 12+35. The residual soils consist of stiff to hard, moist to wet, silty clay (A-7-5) and clayey silt (A-5), and medium dense, moist silty sand (A-2-4). Groundwater was encountered three to five feet below the base of the proposed wall.

Retaining Wall No. 6 (-L- 470+50 RT)

Retaining Wall No. 6 is 965 feet in length. The wall is designed to limit the impact on the homes which are located at the top of the cut slope (see Plan Sheet Nos. 18 and 19, and Retaining Wall Sheet No. 178). This cut wall, which is up to 16 feet in height, is situated in competent residual soil. The residual soil consists of a two to seven-foot thick soft to very stiff, silty cap clay (A-7-5 and A-7-6) at the ground surface. Below the surface clay, the soil consists of stiff to very stiff, dry, clayey silt (A-5) and sandy silt (A-4), and loose to medium dense, dry to wet, silty sand (A-2-4) and coarse sand (A-1-b). Groundwater was encountered in several of the borings below the base of the proposed wall.

Retaining Wall No. 7 (-L- 491+00 LT)

Retaining Wall No. 7, 307 feet in length, is located within the single-point interchange at Lawndale Drive (-Y8-), (see Plan Sheet No. 19, and Retaining Wall Sheet No. 180). This fill wall, up to 34 feet in height, is situated on roadway embankment soil underlain by artificial fill and alluvial soil. The roadway embankment is two to four feet thick. Artificial fill is six feet thick and consists of stiff, moist, silty clay (A-7-6). The alluvial soil consists of medium stiff to very stiff, dry to moist, sandy silt (A-4), and sandy clay (A-6), and loose to medium dense, moist to wet, clayey sand (A-2-6) and coarse sand (A-1-b). Groundwater was encountered below the base of the proposed wall in all three borings.

Retaining Wall No. 8 (-L- 491+00 RT)

Retaining Wall No. 8 is 307 feet in length. This wall also occurs within the single-point interchange at Lawndale Drive (-Y8-), (see Plan Sheet No. 19, and Retaining Wall Sheet 180). This wall, which is up to 30 feet in height, is situated on residual and alluvial soil. The residual soil consists of nine to fourteen foot of medium stiff to stiff, moist, silty clay (A-7-5) and (A-7-6) and sandy clay (A-6). Medium stiff, clayey silt (A-5), hard, sandy silt (A-4), and loose to dense, moist to wet, silty sand (A-2-4) and coarse sand (A-1-b) underlie the residual clays. The alluvial soils occur from 11+75 to the end of the wall, and consist of medium stiff, moist, silty clay (A-7-6), stiff, moist, sandy silt (A-4), and medium dense, moist, coarse sand (A-1-b). Groundwater was encountered in all borings below the base of the proposed wall.

Retaining Wall No. 9 (-L- 496+50 LT)

Retaining Wall No. 9 is 465 feet in length. This fill wall is located within the single-point interchange at Lawndale Drive (-Y8-), (see Plan Sheet No. 19, and Retaining Wall Sheet 182). This wall, which is up to 35 feet in height, is situated on artificial fill, residual soil, and alluvial soil. The artificial fill consists of stiff, sandy clay (A-6), and very stiff, sandy silt (A-4). This fill is associated with the construction of the adjacent apartments. Residual soils consist of stiff, sandy clay (A-6), and medium to very dense, moist to wet, silty sand (A-2-4), and coarse sand (A-1-b). Alluvial soils are loose, wet, silty sand (A-2-4), and medium stiff, moist to wet, sandy silt (A-4). Richland Creek flows under the proposed wall at -RWL9- 11+25. Groundwater was encountered in all borings below the base of the proposed wall.

Retaining Wall No. 10 (-L- 496+50 RT)

Retaining Wall No. 10 is 153 feet in length. This wall is part of the single-point interchange with Lawndale Drive (-Y8-), (see Plan Sheet No. 19, and Retaining Wall Sheet 182). This wall, which is up to 27 feet in height, is situated on artificial fill underlain by alluvial and residual soil. Artificial fill consists of stiff, sandy clay (A-6), four to seven feet thick. Alluvial soils consist of stiff, moist, silty clay (A-7-6), and medium dense, saturated, silty sand (A-2-4). Groundwater was encountered in all borings below the base of the proposed wall.

Bulk Samples

The following bulk samples were taken for tests to determine engineering properties of the soil.

Sample No.	Location	Depth (ft)	Test
ST-1	-L-, 266+67, RT	22.4-24.4	Triaxial CU
RT-1	-L-, 271+00, CL	7.1-17.1	Remolded Triaxial
CBR-1	-L-, 271+00, CL	22.1-31.4	California Bearing Ratio
RT-2	-L-, 450+80, LT	10.0-25.0	Remolded Triaxial
CBR-2	-L-, 450+80, LT	25.0-28.0	California Bearing Ratio
RT-1	-L-, 476+85, CL	2.0-20.0	Remolded Triaxial
CBR-1	-L-, 476+85, CL	20.0-28.7	California Bearing Ratio
ST-1	-L-, 509+00, LT	0.0-1.0	Triaxial CU

Prepared by,

Thomas P. Moorefield
Project Geological Engineer

PROJECT REFERENCE NO.	SHEET NO.
34820.1.1(U-2524C)	3F

EARTHWORK BALANCE SHEET

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	4

0 50 100
FEET

260+00

NC GRID NAD 83

BEGIN R/W ACQUISITION U-2524C
END STATE PROJECT U-2524BB
BEGIN STATE PROJECT U-2524C
POC STA. 265+74.75 -L-
(FORMERLY METRIC STA. 81+00.000)

265+00

U-2524BB
(UNDER CONSTRUCTION,
JUNE 2007)

-L-

RESIDUAL

MATCH LINE -L- STA 267+00 SEE SHEET 5

C C

C C

8/17/99

10-SEP-2007 15:15
L:\ERO\Raleigh Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\PlanProf\U2524C_GEO_psh_inv004_006.dgn
*walker GE\221425


PROJECT REFERENCE NO.
U-2524C
SHEET NO.
5
MATCH LINE -L- STA 281+00 SEE SHEET 6
MATCH LINE -L- STA 267+00 SEE SHEET 4
MATCH LINE A-A
MATCH LINE B-B
NC GRID NAD 83
280+00
270+00
275+00
15+00
RESIDUAL
ARTIFICIAL FILL (BURIED LANDFILL)
RESIDUAL
BEGIN BRIDGE STA 25+80.00 +/- -Y-
END BRIDGE STA 25+80.00 +/- -Y-
END CONSTRUCTION POT Sta 24+58.58 -Y- Detour
POC Sta 31+57.39 -Y-
MATCH EXIST PVMT SLOPE & ELEV.
-Y- DETOUR
SR 2136 FLEMING RD
PINE/HARDWOOD WOODS
PINE/HARDWOOD HEDGEROW
CEDAR/PINE
PINES
ISBKD
ISFD
ISBARNS
GR PARKING
W/L
-Y-
-L-
-L- (future)

MATCH LINE –L– STA 281+00 SEE SHEET 5



MATCH LINE –L– STA 295+00 SEE SHEET 7

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	6

MATCH LINE –L– STA 295+00 SEE SHEET 6



MATCH LINE –L– STA 309+00 SEE SHEET 8

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	7

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	8

0 50 100
FEET

NC GRID NAD 83

MATCH LINE –L– STA 309+00 SEE SHEET 7

MATCH LINE –L– STA 323+00 SEE SHEET 9

310+00

315+00

320+00

RESIDUAL

ALLUVIAL

RETAINING WALL NO. 1

PROPOSED SINGLE-FACED CONCRETE BARRIER

PROPOSED GUARDRAIL

GRAN-350

CAT-1

25SW - 46" MID POST

8/17/98

14-SEP-2007 16:29
i:\ero\raleigh investigation\tip\u2524c_geo_rdwy\cadd_geotech\planprof\U2524C_GEO_psh_inv008_010.dgn
twalker GT 1221425

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	9

0 50 100
FEET

NC GRID NAD 83

MATCH LINE -Y2- STA 19+00 SEE SHEET 21

-Y2- DETOUR

BEGIN BRIDGE
STA 21+60.00 +/- -Y2-

RESIDUAL

MATCH LINE -L- STA 323+00 SEE SHEET 8

MATCH LINE -L- STA 337+00 SEE SHEET 10

RETAINING WALL NO. 2

END BRIDGE
STA 23+90.00 +/- -Y2-

SOCCER FIELD

LIGHTED SOFTBALL FIELD

RETENTION POND

MATCH LINE C-C

END CONSTRUCTION
PT Sta 26+04.22 -Y2- Detour=
Sta 30+47.54 -Y2-
MATCH EXIST. PVMT
SLOPE & ELEV.

325+00

330+00

335+00

20+00

25+00

30+00

BOLTED SHUT

8/17/99

10-SEP-2007 15:16
L:\ERO\Raleigh_Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\PlanProf\u2524c_geo_psh_inv009_01i.dgn
twalker ATT_GEJ22125

8/17/99

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	10

0 50 100
FEET

NC GRID NAD 83

340+00

345+00

350+00

S

B

ISFD

C C C

8/17/99

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	11

0 50 100
FEET

NC GRID NAD 83

355+00

360+00

RETAINING WALL NO. 3

ALLUVIAL

RESIDUAL

PROPOSED GUARDRAIL

PROPOSED SINGLE-FACED CONCRETE BARRIER

PROPOSED GUARDRAIL

ALLUVIAL

RESIDUAL

CAT-1

GRAU-350

MATCH LINE -L- STA 351+00 SEE SHEET 10

MATCH LINE -L- STA 365+00 SEE SHEET 12

RESIDUAL

RESIDUAL

GRAU-350

PROPOSED GUARDRAIL

CAT-1

50" CMP

WALL

MAIL CARDKY

BK

32" HW

PES

30" CONC

18" CONC PLASTIC

72" CMP

CONC

30" CRG

18" CONC

CB

20' BST

30" CRG

21' BST

15" PVC

12" PVC

10-SEP-2007 15:16
L:\ERO\Raleigh Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\PlanProf\U2524C_GEO_psh_inv011_013.dgn
tiwalker AT GEJ221425

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	12

0 50 100
FEET

NC GRID NAD 83

MATCH LINE -L- STA 365+00 SEE SHEET 11

MATCH LINE -L- STA 379+00 SEE SHEET 13

365+00

370+00

375+00

15+00

RESIDUAL

RESIDUAL

PROPOSED GUARDRAIL

PROPOSED GUARDRAIL

CAT-1

ISFD

2SFD

2SFD

ISBKBUS

ISBKAPTS

CONC

CONC RUINS

6" WM

48" RCP

48" RCP

24" CONC

6" CONC

CB

DI

DK

GRAV-350

8/17/99

10-SEP-2007 15:16
L:\ERD\Raleigh\Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\PlanProf\U2524C_GEO_pah_inv012_014.dgn
tmoker AT GEO22425

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	13

0 50 100
FEET

8/17/98

NC GRID NAD 83

MATCH LINE -L- STA 379+00 SEE SHEET 12

BEGIN BRIDGE
STA. 379+45.00 -L-

380+00

385+00

20+00

25+00

35+00

40+00

2SFAPTS

METER

WD STAIRS

WD WALL

WD SIGN

CONC SPILLWAY

15" CONC CB

END NOT FOUND

48" CMP

FES

RESIDUAL

ALLUVIAL

MATCH LINE -L- STA 393+00 SEE SHEET 14

BEGIN CONST.
17+00.00 -Y3-
MATCH EXIST. PVMT
SLOPE & ELEV.

HORSE PEN CREEK TRIBUTARY

BK SIGN

TH#4

10-SEP-2007 15:16
L:\EPO\Raleigh Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\PlanProf\U2524C_GEO_psh_inv013_015.dgn
*kwalker CE\122125

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	14

0 100 200
FEET

NC GRID NAD 83

MATCH LINE D-D -Y4- STA STA. 20+00

MATCH LINE D-D -Y4- STA STA. 20+00

RESIDUAL

ALLUVIAL

RESIDUAL

ALLUVIAL

RESIDUAL

ARTIFICIAL FILL

ALLUVIAL

ARTIFICIAL FILL

ALLUVIAL

ARTIFICIAL FILL

ALLUVIAL

ARTIFICIAL FILL

ALLUVIAL

ARTIFICIAL FILL

ALLUVIAL

ROADWAY EMBANKMENT

MATCH LINE -L- STA 393+00 SEE SHEET 15

MATCH LINE -L- STA 421+00 SEE SHEET 17

MATCH LINE -Y4- STA 35+00 SEE SHEET 22

A

B

C

D

8/17/99

10-SEP-2007 15:17
L:\ENV\Raleigh Investigation\TIP\U2524C_GEO_RDWY\CADD\GEOTECH\PlanProf\U2524c_Geo_psh_inv814_816.dgn
tsaylor AT GE3720143

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	15

0 50 100
FEET

NC GRID NAD 83

END BRIDGE
STA. 421+44.00 -L-

425+00

430+00

435+00

ALLUVIAL

RESIDUAL

RESIDUAL

MATCH LINE -L- STA 421+00 SEE SHEET 14

MATCH LINE -L- STA 435+00 SEE SHEET 16

RETAINING WALL NO. 4

ARTIFICIAL FILL

ARTIFICIAL FILL

GRAU 350

MIXED HARDWOODS

MIXED WOODS

MIXED HARDWOODS

MIXED HARDWOODS & PINE

CAT-1

RIP RAP

SPILLWAY INLET

24" CMP

RETENTION POND

24" CONC

APPROXIMATE LOCATION HOT FIELD LOCATED

W/D RET WALL

WD STEPS

WD DECK

PLANTER

60" WD LATTICE

60" CONC WALK

18" W/D RET WALL

ISLAND

24" C&O

CONC DUMPSTER PAD

6" CORR. PLASTIC PIPE

60" CONC S-WALK

3SFAPTS

2SFAPT

36" CONC WALK

8" CONC

18" CONC

18" BLK WALL

WD POLE W/ LT

CB

LT

BST

G

10-SEP-2007 15:17
L:\ERD\Raleigh Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\PlanProf\U2524C_GEO_psh_rv015_017.dgn
tkoelker AT CE.121425

8/17/99

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	16

0 50 100
FEET

NAD 83
NC GRID

MATCH LINE SEE SHEET 24

-Y6- STA 28+00 MATCH LINE SEE SHEET 24

MATCH LINE -L- STA 435+00 SEE SHEET 15

MATCH LINE -L- STA 449+00 SEE SHEET 17

MATCH LINE SEE SHEET 23

MATCH LINE SEE SHEET -Y6- STA 18+00

END BRIDGE
STA. 26+50.00 +/- -Y6-

BEGIN BRIDGE
STA. 24+00.00 +/- -Y6-

RETAINING WALL NO. 4

RETAINING WALL NO. 5

END CONST.
15+25.00 -Y6A-
MATCH EXIST. PVMT. SLOPE & ELEV.'S

440+00

445+00

25+00

20+00

15+00

RESIDUAL

RESIDUAL

RESIDUAL

-L-

-Y6A-

HARDWOODS

MIXED HARDWOODS

MIXED WOODS

HARDWOOD ON SLOPE

OPEN YARD

GRASS

35F APTS

35BK APTS

35 BK&F APTS

ISFD

SWING BRIDGE

WD WALK

WALK STEPS

WD RESTROOM

W/D DECK

60' WD POST & IRON

MAIL BOXES

MAIL BOX

SPILLWAY INLET

18' CMP

RIP RAP

SIDE FLOW DITCH

JB (APPROXIMATE LOCATION) NOT FIELD LOCATED

24" CONC

18" CONC

15" CONC

12" CONC

15" CMP

48" WD/WW

96" RCP

CONC

CB

LP

SIGN

BK COLUMNS

S

10-SEP-2007 15:17
L:\NCDOT\Raleigh Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\PlanProf\U2524C_GEO_psh_rnv016_018.dgn
kwalker AT GEJ22425

8/17/99

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	17

0 50 100
FEET

NC GRID NAD 83

MATCH LINE SEE SHEET 24

MATCH LINE SEE SHEET 16

STA 449+00

STA 463+00

MATCH LINE SEE SHEET 18

BEGIN CONST. 10+00.00 -Y7A- MATCH EXIST. PVMT SLOPE & ELEV.

END CONST. 13+45.00 -Y1A- MATCH EXIST. PVMT SLOPE & ELEV.

RESIDUAL

ARTIFICIAL FILL

ROADWAY EMBANKMENT

RETAINING WALL NO. 5

60" MTL/WW

36" CONC WALK

3S BK&F APTS

ISF&BK APTS

2SFD ABAND

ISBKD CHURCH

MAIL BOX

GRAU-350

PLANTED PINES

LANDSCAPE TIMBER & BLOCK STEPS

PLANTER

GRASS

MIXED WOODS

MIXED HARDWOODS

WOODS

10-SEP-2007 15:17
L:\ERO\Raleigh Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\PlanProf\U2524C_GEO_psh_inv017_019.dgn
twalker GEJ221425

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	18

0 50 100
FEET

NC GRID NAD 83

MATCH LINE -L- STA 463+00 SEE SHEET 17

MATCH LINE -L- STA 477+00 SEE SHEET 19

BM #17
-BL- STA 229+39
235' LEFT
ELEV. 797.59

RESIDUAL

ROADWAY EMBANKMENT

COTSWOLD AVENUE

RETAINING WALL NO. 6

PROPOSED RETAINING WALL

12' TERRA COTTA

60' BK WALL

48" BK WALL

36" WD WALL

48" WD/WW

72" WD

72" WD RET WALL

40' WD H-RAIL

48" WD RAIL

48" WD GATE

WD WORK BENCH

MIXED WOODS

WOODS

POND

2SFD

2SBKD

ISFD

ISBKD

2SFAPTS

300' TAPER

600' ACCELERATION LANE

DUKE POWER HIGH VOLTAGE POWER LINE

PLANTER

LANDSCAPE TIMBERS

STEPS

24" CONC

48" CONC

72" CHL

48" CHL

8" DIP

8" TERRA COTTA

CAT-1

EORI

FES

MTL

CONC

DK

BK

GATE

POWER POLE

8.0 VALVE (NOT FOUND IN FIELD)

60' TYP.

19-SEP-2007 14:42
i:\eng\raleigh investigation\tip\u2524c_geo_rdwy\cadd_geotech\planprof\U2524C_GEO_psh_inv018_020.dgn
*walker

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	19

0 100 200
FEET

MATCH LINE -Y8- STA 11+50 SEE SHEET 25

NC GRID NAD 83

RESIDUAL
ARTIFICIAL FILL
ROADWAY EMBANKMENT
ALLUVIAL
RETAINING WALL NO.9
RETAINING WALL NO.10
RETAINING WALL NO.8
RETAINING WALL NO.6
PROPOSED SINGLE-FACED CONCRETE BARRIER
PROPOSED SINGLE-FACED CONCRETE BARRIER W/ TRAFFIC SEPARATOR
PROPOSED SINGLE-FACED CONCRETE BARRIER W/ MEDIAN DRAINAGE
A
B
C
D

MATCH LINE -Y8- STA 4+00 SEE SHEET 18

MATCH LINE -Y8- STA 4+77+00 SEE

MATCH LINE -Y8- STA 5+05+00 SEE SHEET 20

MATCH LINE -Y8- STA 26+00 SEE SHEET 26

8/17/99

14-SEP-2007 11:28
i:\raleigh investigation\tip\u2524c_geo.rdwg\cadd_geotech\plenprof\U2524C_GE0_psh_rnv019_B21.dgn
walker

8/17/95

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	20

0 50 100
FEET

NC GRID NAD 83

505+00

510+00

515+00

END CONSTRUCTION
END STATE PROJECT U-2524C
BEGIN STATE PROJECT U-2525
POT STA. 519+00.00 -L-

MIXED WOODS

ALLUVIAL

GRAU-350

-L-

RESIDUAL

CAT-1

RESIDUAL

500+00

MATCH LINE -L- STA 505+00 SEE SHEET 19

10-SEP-2007 15:19
L:\LEHD\Raleigh Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\PlanProf\U2524C_GEO_psh_inv020_022.dgn
tlwalker
Default GEJ22125

8/17/99

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	21

0 50 100
FEET

NC GRID NAD 83

15+00

ISBKD

ISBKD

PINES

GSD

12" CONC

12" CONC

12" CONC

-Y2-

-L-

DETOUR RESIDUAL

MATCH LINE -L- STA 19+00 SEE SHEET 9

15" CONC

6" GATE

15" CONC

15" CONC

GRASS 15" CONC

GRASS

FLAG POLE

18" CONC

60" CONC

15" CONC

15" CONC

15" CONC

CB

GRASS

CANOPY

CANOPY

ISBK
CALDWELL ACADEMY SCHOOL

BK

CONC

BEGIN CONSTRUCTION
PC Sta 10+00.00 -Y2- Detour=
Sta 14+99.73 -Y2-
MATCH EXIST. PVMT
SLOPE & ELEV.

15+00

10-JUL-2007 08:34
User: mmoore
Design: C:\projects\investigation\tip\u2524c_geo_rdwy\cadd_geotech\planprof\u2524c_geo_psh_inv021_023.dgn
Active Ref: C:\projects\2261\54

8/17/99

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	22

0 50 100
FEET

NC GRID NAD 83

MATCH LINE -Y4- STA 35+00 SEE SHEET 14

END CONST.
40+00.00 -Y4-
MATCH EXIST. PVMT
SLOPE & ELEV.

35+00
40+00
45+00

ARTIFICIAL FILL
ALLUVIAL
RESIDUAL
ROADWAY EMBANKMENT
PROPOSED GUARDRAIL
BOX FULL OF SILT
RIP RAP
GRAU 350
-Y4-
CONC CANOPY
ISBKBUS
64' WD DUMPSTER
CONC PAD W/ VAC
AIR CANOPY W/ GAS PUMPS
UG TANKS
CONC
SIGN
SIGN POST
12' CONC POOL
60' CONC
RETENTION POND
72" CHL
15" CONC
24" CONC
18" CONC
30" RCP
30" MTL CPL
WD PLANK STEEL GIRDER BRIDGE
LO' HW & WW'S
APPROXIMATE LOCATION NOT FIELD LOCATED
EMB NOT FOUND

10-JUL-2007 08:36
I:\eric\roles\investigation\tip\u2524c_geo_rdwy\cadd_geotech\planprof\u2524c_geo_psh_inv022_024.dgn
nmons


MATCH LINE -Y6- STA 18+00 SEE SHEET 16
RESIDUAL
BEGIN CONST. @450.00 -Y6- MATCH EXIST. PVMT SLOPE & ELEV.
18+00
NC GRID, NAD 83
PROJECT REFERENCE NO.
U-2524C
SHEET NO.
23
0
60
100
FEET
35BK APTS
25FAPTS
MIXED WOODS
ELECTRIC METER
SIGN
WD RET WALL
CONC TENNIS COURT
48" WD RET WALL
72" BLK WALL
-Y6-
GRASS
25BKAPTS
25IKD
25FDAPTS
MIXED HARDWOODS
15IKBUS
15FDAPTS
PLANTED SLOPE
24" MTL CRL
36" MTL CRL

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	24

0 50 100
FEET

NC GRID NAD 83

MATCH LINE SEE SHEET 16

BEGIN CONST.
12+00.00 -Y5-
MATCH EXIST.PVMT
SLOPE & ELEV.

END CONST.
32+41.04 -Y6-
MATCH EXIST.PVMT
SLOPE & ELEV.

-Y6- STA 28+00 MATCH LINE SEE SHEET 16

MATCH LINE SEE SHEET 17

MATCH LINE SEE SHEET 17

RESIDUAL

10-JUL-2007 08:38
I:\eng\ve\ee\Investigation\tip\u2524c_geo_rdwy\cadd_geotech\planprof\u2524c_geo_psh_inv024_026.dgn
nmchs A1 DGN V22.01.01

8/17/99

8/17/99

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	25

0 60 100

FEET

NC GRID, NAD 83

BEGIN CONST.
10+00.00 -Y8-
MATCH EXIST.PVMT
SLOPE & ELEV.

RESIDUAL

Y8

MATCH LINE -Y8- STA 11+50 SEE SHEET 19

10-JUL-2007 08:39
i:\ecs\vdot\projects\gastigation\tip\u2524c_geo_rdwy\cadd_geotech\planprof\u2524c_geo_psh_inv025_027.dgn
mcmays All DC/226154

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	26

0 50 100
FEET

NC GRID NAD 83

MATCH LINE –Y8– STA 26+00 SEE SHEET 19

END CONST.
27+50.00 -Y8-
MATCH EXIST. PVMT
SLOPE & ELEV.

30+00

RESIDUAL

-Y8-

2SBKAPTS

2SBKAPTS

2SBKAPTS

2SBKAPTS

48" CONC

48" CONC

12' BK WALL

12' MIN.

8' BK WALL

12' RET WALL

18' RET WALL

SPLINTER LANDSCAPE TIMBERS

SIGN

15" CONC

15" CONC

15" CONC

15" CONC

SMD JERS

W.T. ELEC TOWER

I.T. W/ CONC

I.T. W/ CONC

1SBKBUS

60" CONC

10-JUL-2007 08:40
I:\ero\raleigh\investigation\tip\u2524c_geo_rdwy\cadd_geotech\planprof\u2524c_geo_psh_inv026_028.dgn
nmobs
AT RE\226154

8/17/99

5/14/99

(A) RESIDUAL, RED-TAN, MEDIUM STIFF, MOIST, SILTY CLAY

(B) RESIDUAL, RED, TAN, AND BROWN, STIFF TO VERY STIFF, MOIST, SANDY SILT

(C) RESIDUAL, TAN, VERY STIFF, MOIST, SANDY SILT

(D) ARTIFICIAL FILL, GRAY TO RED-BROWN, SOFT TO HARD, MOIST, SANDY CLAY WITH WOOD DEBRIS

(E) ARTIFICIAL FILL, ORANGE, BROWN, BLACK, AND DARK GREEN, MEDIUM STIFF TO STIFF, MOIST, SANDY SILT INTERMIXED WITH WOOD DEBRIS

(F) ARTIFICIAL FILL, BLACK AND GRAY, MEDIUM STIFF TO STIFF, MOIST, SILTY CLAY WITH TRACE ORGANIC MATTER, INTERMIXED WITH WOOD DEBRIS



SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT G.SAND	F.SAND	SILT	CLAY	% PASSING (SIEVES) 10	40	200	% MOISTURE	% ORGANIC
SS-11	49' RT	266+67	2.6-4.1	A-2-4(0)	33	NP	39.9	31.4	16.6	12.1	85	63	29	-	-
SS-12	49' RT	266+67	7.6-9.1	A-7-5(14)	57	16	6.6	30.0	51.3	12.1	97	92	72	35.3	-
SS-13	49' RT	266+67	12.6-14.0	A-5(0)	43	NP	30.2	32.0	25.7	12.1	96	77	42	17.2	-
SS-14	49' RT	266+67	22.4-24.0	A-5(0)	48	NP	26.4	39.7	21.9	12.1	99	88	39	44.0	-
ST-1	49' RT	266+67	22.4-24.4	A-2-4(0)	34	4	49.8	25.8	16.3	8.1	93	57	27	19.7	-
S-9	CL	268+37	8.0-22.0	A-2-4(0)	30	NP	49.1	26.6	12.2	12.1	88	57	25	-	-
S-10	CL	268+37	27.0-32.0	A-4(0)	36	NP	36.5	30.2	19.2	14.1	98	75	37	-	-
S-7	CL	271+00	12.1-17.1	A-2-4(0)	27	NP	43.7	29.8	14.4	12.1	99	70	31	-	-
S-8	CL	271+00	22.1-27.1	A-2-4(0)	31	NP	43.5	29.8	14.6	12.1	99	72	31	-	-
CBR-1	CL	271+00	22.1-31.4	A-2-4(0)	37	10	44.9	28.0	13.1	14.1	97	67	32	-	-
RT-1	CL	271+00	7.1-17.1	A-4(0)	30	NP	33.8	34.0	18.1	14.1	97	77	38	-	-
SS-1	CL	273+62	2.8-4.3	A-7-6(18)	55	29	22.6	15.3	13.8	48.3	100	85	65	-	-
SS-2	CL	273+62	7.8-9.3	A-7-5(4)	46	14	30.2	27.8	19.8	22.2	100	79	47	-	-
SS-3	CL	273+62	12.8-14.2	A-5(11)	41	10	34.8	27.8	21.2	16.1	100	77	42	-	-
SS-4	CL	273+62	22.7-24.2	A-2-4(0)	33	NP	49.9	33.4	10.6	6.0	100	70	20	-	-
SS-5	CL	273+62	33.9-34.2	A-2-4(0)	32	NP	36.3	46.1	9.6	8.1	100	89	21	-	-
SS-6	CL	273+62	37.7-39.2	A-2-4(0)	36	4	44.8	28.1	17.0	10.1	99	68	32	-	-
SS-1	CL	275+10	3.7-5.2	A-7-6(6)	42	16	39.1	13.2	15.3	32.4	98	79	52	-	-
SS-2	CL	275+10	8.7-10.2	A-5(0)	51	NP	13.2	45.2	19.4	22.3	100	96	50	-	-
SS-3	CL	275+10	13.7-15.2	A-4(0)	30	4	35.7	29.6	18.5	16.2	98	75	40	-	-
SS-4	CL	275+10	18.7-20.2	A-2-4(0)	32	4	45.0	27.0	15.9	12.2	97	66	33	-	-
SS-5	CL	275+10	23.7-25.0	A-2-4(0)	32	NP	40.7	30.2	18.9	10.1	100	74	35	-	-
SS-6	CL	275+10	28.7-30.0	A-2-4(0)	34	NP	44.0	29.4	14.5	12.2	90	59	29	-	-
SS-7	CL	275+10	33.7-35.0	A-2-4(0)	40	NP	38.9	32.6	18.3	10.1	100	75	34	-	-
SS-8	CL	275+10	38.7-40.0	A-2-4(0)	36	NP	47.4	26.7	15.7	10.1	99	65	31	-	-
SS-9	CL	276+50	3.5-5.0	A-4(11)	25	6	19.7	26.1	31.9	22.3	83	71	51	-	-
SS-10	CL	276+50	8.5-10.0	A-4(4)	35	9	15.2	28.0	34.5	22.3	92	80	60	-	5.8
SS-11	CL	276+50	13.5-15.0	A-6(8)	37	15	12.4	26.5	30.7	30.4	91	84	63	-	7.7
SS-12	CL	276+50	18.5-20.0	A-6(2)	39	13	19.5	25.1	23.0	32.4	65	57	40	-	8.0
SS-14	CL	276+50	28.5-30.0	A-2-5(0)	42	6	48.2	20.9	16.7	14.2	96	59	35	-	-

12-SEP-2007 10:58
L:\ERO\Raleigh_Investigation\TIP\U2524C_GEO_ROWY\CADD_GEOTECH\PlanProf\U2524C_GEO_pf1_L.dgn

5/14/99

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	28

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-1011	CL	284+50	3.5-5.0	A-6(11)	29	14	38.8	26.1	10.0	25.1	95	67	37	-	-
SS-1012	CL	284+50	8.5-10.0	A-2-4(0)	28	3	52.9	26.7	11.3	9.0	91	57	22	-	-
SS-1015	CL	284+50	23.5-25.0	A-2-4(0)	31	NP	45.8	30.5	15.7	8.0	96	69	27	-	-
SS-1006	70' RT	287+50	3.5-5.0	A-2-4(0)	26	NP	49.2	28.1	12.7	10.0	89	59	24	-	-
SS-63	CL	290+50	3.6-5.1	A-5(11)	42	8	22.9	40.7	20.2	16.2	98	84	43	-	-
SS-64	CL	290+50	8.6-10.1	A-4(0)	40	8	36.0	33.2	16.6	14.2	97	76	36	-	-
SS-65	CL	290+50	13.6-15.1	A-2-4(0)	23	NP	38.3	39.5	14.2	8.1	93	71	27	-	-
SS-107	90' LT	293+00	4.0-5.5	A-2-6(11)	40	13	42.9	25.7	13.2	18.2	89	61	32	-	-
SS-108	90' LT	293+00	9.0-10.5	A-2-4(0)	27	NP	52.6	28.3	13.0	6.1	89	54	21	-	-



(A) ARTIFICIAL FILL, BROWN AND GRAY, VERY SOFT TO VERY STIFF, MOIST TO WET, SANDY CLAY WITH LITTLE ORGANIC MATTER, INTERMIXED WITH WOOD DEBRIS

(B) RESIDUAL, TAN-BROWN, DENSE, MOIST, SILTY SAND

24-SEP-2007 10:36
I:\ero_raleigh_projects\tip\u2524c_geo_rdwy\coadd_geotech\planprof\U2524C_GEO_pf1_L.dgn

5/14/99

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	29

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
S-70	90' LT	299+00	0.0-1.0	A-7-6(24)	57	37	10.1	23.7	19.6	46.6	97	93	69	-	-
S-71	90' LT	299+00	10.7-12.0	A-6(2)	27	11	28.1	27.7	17.8	26.3	100	82	50	-	-
S-68	45' RT	301+00	0.0-1.0	A-7-6(21)	66	41	28.1	15.6	11.7	44.5	99	79	58	-	-
S-69	45' RT	301+00	7.7-9.0	A-7-6(3)	42	17	40.3	19.6	13.8	26.3	95	63	41	-	-
SS-87	CL	307+00	3.5-5.0	A-7-5(3)	43	12	35.8	22.9	19.0	22.3	96	71	45	-	-
SS-88	CL	307+00	8.5-10.0	A-2-4(0)	40	NP	46.2	23.7	16.0	14.2	98	64	34	-	-
SS-91	CL	307+00	23.5-25.0	A-2-4(0)	37	NP	51.6	25.5	14.8	8.1	91	54	25	-	-



12-SEP-2007 10:59
L:\ENV\Raleigh Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\PlanProf\U2524C_GEO_pf1_L.dgn
tmeiner AT gdt99429

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	30

5/14/99

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-31	CL	309+27	2.7-4.2	A-7-5(4)	50	12	34.2	23.5	16.1	26.2	100	76	47	-	-
SS-32	CL	309+27	7.7-9.2	A-2-4(0)	37	NP	44.7	24.1	17.1	14.1	92	61	33	-	-
SS-33	CL	309+27	12.7-14.2	A-2-4(0)	33	NP	49.7	23.9	16.3	10.1	93	58	29	-	-
SS-34	CL	309+27	22.7-24.2	A-2-5(0)	41	NP	49.3	26.6	18.1	6.0	90	57	25	-	-
SS-35	CL	309+27	37.7-39.2	A-2-4(0)	32	NP	50.5	28.8	12.7	8.0	90	57	23	-	-
S-139	90' RT	321+00	3.0-4.5	A-7-5(16)	56	26	22.5	16.6	16.3	44.6	100	85	64	-	-
S-140	90' RT	321+00	15.0-16.0	A-7-5(8)	46	15	13.2	33.2	27.3	26.3	100	93	61	-	-



Ⓐ ALLUVIAL, GRAY, LOOSE, WET TO SATURATED, SILTY SAND

Ⓑ RESIDUAL, RED-BROWN, STIFF, MOIST, SILTY CLAY, HIGHLY PLASTIC

12-SEP-2007 10:59
I:\ENG\Raleigh\Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\PlanProf\U2524C_GEO_pf1_1.dgn
Engineer

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	31

5/14/99

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-134	CL	324+00	3.5-5.0	A-7-5(12)	56	19	16.8	27.4	17.3	38.5	100	89	62	-	-
SS-135	CL	324+00	8.5-10.0	A-7-5(11)	47	11	41.7	22.3	13.7	22.3	96	67	39	-	-
SS-136	CL	324+00	13.5-15.0	A-2-4(0)	40	3	47.0	28.6	18.3	6.1	97	64	29	-	-
SS-127	105' RT	327+00	3.5-5.0	A-5(0)	49	4	34.2	26.7	16.7	22.3	100	79	44	-	-
SS-128	105' RT	327+00	8.5-10.0	A-2-5(0)	51	4	51.3	28.6	12.1	8.1	99	65	24	-	-
SS-130	105' RT	327+00	18.5-20.0	A-2-5(0)	44	3	33.2	41.7	16.9	8.1	100	83	33	-	-
SS-131	105' RT	327+00	23.5-25.0	A-1-b(0)	27	NP	56.9	23.7	13.3	6.1	89	49	22	-	-
SS-121	15' LT	329+00	3.1-4.6	A-5(2)	52	10	29.6	33.0	19.1	18.2	99	80	43	-	-
SS-122	15' LT	329+00	8.1-9.6	A-2-5(0)	47	3	44.4	27.4	22.2	6.1	99	68	33	-	-
SS-123	15' LT	329+00	13.1-14.6	A-2-4(0)	35	3	52.7	23.5	17.7	6.1	89	53	26	-	-
SS-124	15' LT	329+00	18.1-19.6	A-2-4(0)	14	NP	48.4	30.2	15.3	6.1	95	64	25	-	-
SS-125	15' LT	329+00	23.1-24.6	A-2-5(0)	42	3	44.2	28.4	19.4	8.1	96	65	32	-	-
SS-126	15 LT	329+00	28.1-29.6	A-5(0)	41	5	40.3	28.0	21.6	10.1	98	72	36	-	-
SS-19	CL	333+06	4.5-6.0	A-7-5(22)	77	22	11.3	19.7	24.7	44.3	100	94	74	-	-
SS-20	CL	333+06	9.5-11.0	A-2-4(0)	37	NP	42.7	29.2	20.1	8.0	99	71	33	-	-
SS-21	CL	333+06	19.5-21.0	A-5(0)	41	NP	43.3	24.5	22.1	10.1	98	67	36	-	-
SS-22	CL	333+06	29.5-31.0	A-2-4(0)	39	NP	49.5	26.2	16.3	8.0	94	59	27	-	-
SS-23	CL	333+06	44.5-46.0	A-2-4(0)	37	NP	51.3	24.7	17.9	6.0	90	54	25	-	-



13-JAN-2007 11:41
C:\DOT\Projects\Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\PlanProf\U2524C_GEO_prfil.dgn

5/14/99

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	32

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-1027	CL	337+00	3.0-4.5	A-7-5(10)	57	20	28.1	18.3	15.0	38.7	97	75	57	-	-
SS-1028	CL	337+00	8.0-9.5	A-5(0)	41	5	38.1	27.2	16.5	18.2	97	68	39	-	-
SS-1029	CL	337+00	13.0-14.5	A-2-4(0)	38	NP	45.4	27.6	14.9	12.2	99	67	33	-	-
SS-16	CL	338+73	5.0-6.5	A-5(2)	46	7	33.4	25.2	21.3	20.1	97	73	46	-	-
SS-17	CL	338+73	15.0-16.5	A-5(0)	41	NP	42.1	23.7	18.1	16.1	96	66	38	-	-
SS-18	CL	338+73	25.0-26.5	A-2-4(0)	35	NP	45.5	22.1	20.3	12.1	92	60	34	-	-
SS-1048	CL	342+00	1.0-2.0	A-7-5(22)	61	30	18.4	13.2	19.8	48.6	100	87	71	-	-
SS-1049	CL	345+00	3.9-5.4	A-6(2)	37	13	41.7	21.7	14.3	22.3	98	68	40	-	-
SS-1050	CL	345+00	8.9-10.4	A-6(11)	32	12	45.8	22.1	13.9	18.2	100	65	36	-	-
SS-1051	CL	345+00	13.9-15.4	A-5(0)	58	NP	20.9	47.0	24.0	8.1	100	93	41	-	-
SS-1052	CL	345+00	23.9-25.4	A-2-4(0)	35	NP	53.9	30.2	11.9	4.1	90	53	19	-	-
SS-1018	CL	348+00	3.5-5.0	A-7-5(8)	50	14	21.1	25.5	25.3	28.1	100	87	60	-	-
SS-1019	CL	348+00	8.5-10.0	A-7-5(5)	48	13	29.3	23.1	23.5	24.1	99	75	53	-	-
SS-1021	CL	348+00	18.5-20.0	A-5(0)	55	NP	23.7	35.7	26.5	14.1	99	86	49	-	-
SS-1022	CL	348+00	23.5-25.0	A-1-b(0)	35	NP	57.1	22.3	14.6	6.0	91	50	23	-	-



[3:\JAN 2007 11:41
Cadd\Roadway\Geotech\Plan Prof\U2524C_GEO_pf_LL.dgn
Level: 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255]

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	33

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-1023	90' RT	350+50	3.5-5.0	A-2-5(0)	46	NP	56.8	27.3	9.8	6.0	99	65	18	-	-
SS-1024	90' RT	350+50	8.5-10.0	A-5(0)	52	NP	32.9	32.3	20.7	14.1	100	81	40	-	-
SS-1025	90' RT	350+50	13.5-15.0	A-2-4(0)	39	NP	50.5	32.0	11.4	6.0	96	65	22	-	-
SS-1027	90' RT	350+50	23.5-25.0	A-2-5(0)	43	NP	51.6	27.8	12.6	8.0	95	59	24	-	-
SS-1028	CL	354+70	0.0-6.0	A-7-5(13)	55	20	20.5	21.1	18.3	40.2	100	86	63	-	-
SS-200	CL	359+30	3.5-5.0	A-7-6(19	52	30	20.4	15.9	15.2	48.4	100	87	68	-	-
SS-201	CL	359+30	8.5-10.0	A-2-4(0)	29	8	40.4	30.5	9.0	20.2	97	72	32	-	-
SS-202	CL	359+30	13.5-15.0	A-2-4(0)	29	NP	46.6	34.9	10.4	8.1	97	69	23	-	-
S-198	CL	362+00	3.5-4.5	A-7-6(14)	53	28	26.2	17.6	11.8	44.4	100	81	59	-	-
S-199	CL	362+00	21.0-22.0	A-5(0)	41	4	39.0	22.2	18.7	20.2	97	70	42	-	-



5/14/99

17-JUL-2007 15:20
User: vrdesign
File: c:\projects\tip\u2524c_geo_rdwg\cadd_geotech\planprof\u2524c_geo_pf1_1.dgn

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	34

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-192	60' LT	364+00	3.6-5.1	A-5(2)	43	9	38.1	21.0	18.7	22.2	100	71	46	-	-
SS-193	60' LT	364+00	8.6-10.1	A-5(1)	41	8	32.7	28.3	20.9	18.2	97	75	45	-	-
SS-194	60' LT	364+00	13.6-15.1	A-4(0)	39	4	37.9	27.2	22.7	12.1	95	69	41	-	-
SS-195	60' LT	364+00	18.6-20.1	A-5(0)	45	4	36.3	30.3	25.3	8.1	96	69	40	-	-
SS-189	90' RT	366+00	3.6-5.1	A-7-5(9)	53	19	30.0	18.2	11.2	40.5	100	79	54	-	-
SS-190	90' RT	366+00	9.6-10.1	A-2-4(0)	33	NP	44.4	28.4	11.0	16.2	100	72	32	-	-
SS-13	CL	371+77	4.5-6.0	A-7-5(10)	53	21	25.8	20.9	17.1	36.2	97	81	56	-	-
SS-14	CL	371+77	9.5-11.0	A-4(0)	38	NP	33.2	32.2	20.5	14.1	100	78	41	-	-
SS-15	CL	371+77	14.5-16.0	A-2-4(0)	26	NP	40.6	32.0	19.3	8.0	99	74	33	-	-



P:SEP 2007 10:59
L:\ENGR\Raleigh\projstuggston\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\PlanProf\U2524C_GEO_pf1_L.dgn

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	35

5/14/99

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-257	8' RT	379+50	3.8-5.3	A-4(0)	37	NP	18.0	48.1	13.7	20.2	100	94	41	-	-
SS-258	8' RT	379+50	23.8-25.3	A-1-b(0)	32	NP	52.7	25.9	11.3	10.1	82	50	22	-	-
SS-36	CL	380+07	2.8-4.3	A-7-5(30)	63	33	6.4	17.9	27.4	48.3	100	96	81	-	-
SS-37	CL	380+07	7.8-9.3	A-7-6(8)	42	21	13.1	38.2	12.5	36.2	99	93	53	-	-
SS-38	CL	380+07	12.8-14.3	A-5(0)	51	NP	18.9	45.7	25.4	10.1	100	93	47	-	-
SS-39	CL	380+07	22.8-24.3	A-2-5(0)	41	NP	30.2	47.7	14.1	8.0	100	88	31	-	-
SS-40	CL	380+07	32.8-34.3	A-2-5(0)	41	NP	29.2	48.3	14.5	8.0	100	86	32	-	-
SS-41	CL	380+07	42.8-44.3	A-2-4(0)	33	NP	23.1	51.3	15.5	10.1	100	89	34	-	-
SS-42	CL	380+07	47.8-49.3	A-2-4(0)	30	NP	42.7	39.8	11.5	6.0	95	73	22	-	-



13-JUN-2007 11:42
L:\ERO\Raleigh_Investigation\TIP\U2524C_GEO_ROWY\CADD_GEOTECH\PlanProf\U2524C_GEO_pf1_L.dgn
mmahs 8.1 DGN 1.226154

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	36

5/14/99

PROPOSED BRIDGE

PROPOSED GRADE

HORSEPEN CREEK FLOODPLAIN

GROUND SURFACE

ALLUVIAL

860 850 840 830 820 810 800 790 780 770 760 750 740 730 720 710 700 690 680 670

392+00 393+00 394+00 395+00 396+00 397+00 398+00 399+00 400+00 401+00 402+00 403+00 404+00 405+00

17-JUL-2007 14:55
I:\projects\geotechnical\investigation\sip\u2524c_geo_rdwy\cadd_geotech\planprof\U2524C_GEO_pf1_L.dgn
User:rcrisp

5/14/99

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	37

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-274	4' RT	405+91	1.0-2.5	A-6(9)	38	19	6.5	41.2	16.0	36.4	100	99	61	-	-
SS-275	4' RT	405+91	3.5-5.0	A-2-6(1)	32	15	51.5	19.2	5.1	24.2	95	65	29	-	-
SS-276	4' RT	405+91	6.0-7.5	A-6(8)	37	16	15.2	29.9	18.6	36.4	99	91	61	-	-
SS-277	4' RT	405+91	8.5-10.0	A-2-4(0)	26	NP	49.5	34.7	5.7	10.1	100	74	20	-	-

NOTE: THE LOCATIONS OF GAS PIPELINES AND BOUNDARIES OF ASSOCIATED ARTIFICIAL FILL AREAS ARE APPROXIMATED.



25-OCT-2007 07:45
I:\ero\raleigh\investigation\tip\u2524c_geo_rdwy\cadd_geotech\planprof\u2524c_geo_pf1_1.dgn
jwalker
gt RE 1991456

5/14/99

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	38

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-43	CL	421+02	2.7-4.2	A-7-5(7)	62	12	17.9	34.4	17.5	30.2	100	95	54	-	-
SS-44	CL	421+02	7.7-9.2	A-2-4(0)	34	NP	39.2	41.6	11.1	8.0	98	79	25	-	-
SS-940	CL	429+00	3.5-5.0	A-7-5(11)	56	23	23.1	26.1	14.5	36.4	100	84	56	-	-
SS-889	37' LT	431+00	3.5-5.0	A-7-5(5)	50	12	25.7	28.1	21.9	24.3	100	84	53	-	-
SS-890	37' LT	431+00	8.5-10.0	A-4(0)	32	NP	27.7	37.4	24.8	10.1	100	84	43	-	-
SS-891	37' LT	431+00	13.5-15.0	A-2-4(0)	39	NP	40.8	34.8	18.3	6.1	100	75	31	-	-
SS-828	CL	433+00	3.5-5.0	A-2-5(0)	41	NP	21.9	52.0	11.9	14.2	100	94	33	-	-
SS-829	CL	433+00	8.5-10.0	A-5(0)	48	NP	23.3	46.8	19.8	10.1	98	85	37	-	-
SS-831	CL	433+00	18.5-20.0	A-2-5(0)	43	NP	14.6	66.4	13.0	6.1	100	97	28	-	-
SS-832	CL	433+00	23.5-25.0	A-2-5(0)	45	NP	16.4	62.1	13.4	8.1	100	96	30	-	-
SS-833	CL	433+00	28.5-30.0	A-2-4(0)	40	NP	34.3	39.4	18.2	8.1	98	79	32	-	-



14-SEP-2007 08:07
\\Vero\raleigh investigation\tip\u2524c_geo_rdwy\cadd_geotech\planprof\u2524c_geo_pf1_1.dgn
dgn (E) 1:1

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	39

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-791	70' LT	435+50	3.5-5.0	A-7-5(3)	45	15	25.3	37.4	10.9	26.3	100	87	44	-	-
SS-792	70' LT	435+50	8.5-10.0	A-2-5(0)	45	NP	39.7	40.7	9.5	10.1	100	80	26	-	-
SS-796	70' LT	435+50	28.5-30.0	A-2-5(0)	42	NP	40.6	37.3	15.0	7.1	100	74	29	-	-
SS-8	CL	436+77	3.5-5.0	A-5(0)	45	NP	20.3	41.4	20.1	18.1	100	93	44	-	-
SS-9	CL	436+77	8.5-10.0	A-7-5(14)	58	14	7.4	27.6	42.9	22.1	100	96	75	28.1	-
SS-10	CL	436+77	13.5-15.0	A-5(11)	54	NP	13.1	41.0	31.8	14.1	100	95	54	28.3	-
SS-11	CL	436+77	18.5-20.0	A-5(11)	50	NP	14.5	42.9	32.6	10.1	100	97	54	32.5	-
SS-12	CL	436+77	28.5-30.6	A-5(0)	50	NP	15.5	40.0	34.4	10.1	93	86	50	-	-
SS-702	61' RT	437+50	3.5-5.0	A-5(5)	57	6	17.0	30.9	19.3	32.8	100	91	57	-	-
SS-703	61' RT	437+50	8.5-10.0	A-2-5(0)	55	NP	45.9	21.3	16.5	16.4	100	90	35	-	-
SS-704	61' RT	437+50	13.5-15.0	A-5(0)	56	NP	22.1	42.2	23.4	12.3	100	90	43	-	-
SS-725	17' LT	438+80	3.5-5.0	A-7-5(12)	60	15	7.7	33.0	30.9	28.4	100	96	67	-	-
SS-726	17' LT	438+80	8.5-10.0	A-5(0)	46	NP	18.2	42.8	26.8	12.2	99	89	48	-	-
SS-727	17' LT	438+80	13.5-15.0	A-5(11)	51	NP	18.4	35.1	34.3	12.2	100	88	56	-	-
SS-728	17' LT	438+80	18.5-20.0	A-2-4(0)	33	NP	44.2	36.7	14.1	5.1	100	75	25	-	-



SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-638	70' RT	440+00	3.5-5.0	A-5(0)	52	5	30.5	33.0	14.0	22.5	100	81	41	-	-
SS-639	70' RT	440+00	8.5-10.0	A-5(6)	55	7	12.7	31.7	26.9	28.7	100	94	62	-	-
SS-640	70' RT	440+00	13.5-15.0	A-2-5(0)	48	NP	30.1	43.2	16.5	10.2	99	82	32	-	-
SS-643	70' RT	440+00	28.5-30.0	A-5(0)	53	NP	22.7	44.0	25.1	8.2	100	90	42	-	-
SS-600	15' RT	444+13	3.5-5.0	A-7-5(32)	75	27	5.3	11.8	24.2	58.8	100	97	88	-	-
SS-601	15' RT	444+13	8.5-10.0	A-7-5(11)	60	11	9.9	25.9	39.8	24.3	100	96	69	-	-
SS-602	15' RT	444+13	13.5-15.0	A-5(0)	42	4	32.0	30.8	14.9	22.3	100	78	46	-	-
SS-990	25' RT	446+83	3.5-5.0	A-7-5(11)	59	18	10.4	37.3	16.1	36.1	100	94	59	-	-
SS-991	25' RT	446+83	8.5-10.0	A-5(3)	49	5	9.0	47.2	21.7	22.1	100	95	54	-	-
SS-992	25' RT	446+83	13.5-15.0	A-5(0)	42	NP	11.6	53.8	20.5	14.1	100	97	46	-	-
SS-993	25' RT	446+83	18.5-20.0	A-5(0)	54	NP	23.9	45.4	20.7	10.0	100	88	40	-	-
SS-994	25' RT	446+83	23.5-25.0	A-5(1)	51	NP	14.1	40.6	29.3	16.1	97	91	53	-	-
SS-995	25' RT	446+83	28.5-30.0	A-7-5(11)	55	14	10.6	31.7	39.6	18.1	98	91	66	-	-

Ⓐ RESIDUAL, TAN, STIFF, MOIST, CLAYEY SILT

Ⓑ RESIDUAL, RED-BROWN, STIFF, MOIST, CLAYEY SILT

Ⓒ RESIDUAL, TAN-RED, VERY STIFF, MOIST, SILTY CLAY, HIGHLY PLASTIC

Ⓓ RESIDUAL, TAN-RED, LOOSE, MOIST, SILTY SAND

Ⓔ RESIDUAL, TAN-RED, STIFF, MOIST, SILTY CLAY

Ⓕ RESIDUAL, TAN-RED, STIFF, MOIST, CLAYEY SILT

Ⓖ RESIDUAL, TAN, LOOSE TO MEDIUM DENSE, SILTY SAND

5/14/99

13-SEP-2007 13:55
I:\eng\roleigh investigation\tip\u2524c_geo_rdwy\cadd_geotech\planprof\u2524c_geo_pf1_1.dgn
tmaher

5/14/99

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	40

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT C.SAND	F.SAND	SILT	CLAY	% PASSING (SIEVES) 10	40	200	% MOISTURE	% ORGANIC
SS-996	CL	448+50	3.5-5.0	A-7-5(27)	73	26	3.0	22.5	22.3	52.2	100	99	80	-	-
SS-997	CL	448+50	8.5-10.0	A-7-5(22)	70	26	16.9	18.1	30.9	34.1	100	88	71	-	-
SS-998	CL	448+50	13.5-15.0	A-5(5)	56	8	22.1	32.9	24.9	20.1	100	85	55	-	-
SS-999	CL	448+50	18.5-20.0	A-7-5(24)	70	24	6.4	21.7	33.7	38.2	100	96	78	-	-
SS-1000	CL	448+50	23.5-25.0	A-7-5(18)	58	18	4.6	24.7	38.6	32.1	100	98	79	-	-
SS-1001	CL	448+50	28.5-30.0	A-7-5(28)	67	30	7.8	19.3	34.7	38.2	100	96	79	-	-
SS-1002	CL	448+50	33.5-35.0	A-7-5(27)	67	29	7.2	20.1	32.5	40.2	100	97	79	-	-
SS-1003	CL	448+50	38.5-40.0	A-7-5(19)	63	28	10.6	24.3	34.9	30.1	94	88	66	-	-
SS-1004	CL	448+50	43.5-45.0	A-7-5(28)	73	33	9.6	18.7	35.5	36.1	97	93	74	-	-
SS-1005	CL	448+50	48.5-50.0	A-2-4(0)	36	NP	39.6	33.5	18.9	8.0	94	68	32	-	-
SS-97	95' LT	450+80	0.0-1.5	A-7-6(16)	51	25	17.0	16.0	14.0	53.0	100	90	69	-	-
SS-100	95' LT	450+80	4.2-5.7	A-7-5(15)	76	24	8.0	22.0	27.0	43.0	100	96	74	-	-
SS-101	95' LT	450+80	14.2-15.7	A-5(11)	51	8	30.0	41.0	17.0	12.0	99	79	38	-	-
SS-102	95' LT	450+80	29.2-30.7	A-5(5)	56	NP	9.0	50.0	31.0	10.0	100	97	53	-	-
SS-103	95' LT	450+80	34.5-36.0	A-2-4(0)	37	NP	28.0	46.0	18.0	8.0	100	86	35	-	-
RT-2	95' LT	450+80	10.0-25.0	A-7-5(13)	63	22	11.0	33.0	26.0	30.0	99	92	61	-	-
CBR-2	95' LT	450+80	25.0-28.0	A-7-5(3)	48	15	19.0	44.0	21.0	16.0	100	91	42	-	-



Ⓐ ARTIFICIAL FILL, GRAY-TAN, SOFT TO MEDIUM STIFF, MOIST, SANDY CLAY

Ⓑ BROWN, GRAY, AND WHITE, MEDIUM DENSE TO DENSE, MOIST, SILTY SAND

Ⓒ RESIDUAL, BROWN, GRAY, AND WHITE, MEDIUM DENSE TO DENSE, MOIST, SILTY SAND

27-SEP-2007 09:14
I:\eng\raleigh investigation\tip\u2524c_geo_rdwy\cadd_geotech\planprof\u2524c_geo_pf1_1.dgn
Imagestation AT (GEOPAK)

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	41

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
S-89	CL	463+00	0.0-4.0	A-6(6)	33	16	22.0	25.0	14.0	39.0	98	87	55	-	-
S-90	CL	463+00	4.0-18.0	A-4(0)	36	9	26.0	40.0	18.0	16.0	86	73	36	-	-
SS-900	40' LT	464+30	3.5-5.0	A-7-5(31)	75	36	12.0	13.8	15.2	59.0	98	90	76	-	-
SS-901	40' LT	464+30	13.5-15.0	A-7-6(11)	54	25	21.2	25.6	18.6	34.6	96	84	55	-	-
SS-84	CL	464+95	0.0-1.5	A-7-5(18)	60	26	11.0	11.0	9.0	69.0	100	95	79	-	-
SS-85	CL	464+95	8.7-10.2	A-7-6(18)	58	29	18.0	16.0	13.0	53.0	100	90	68	-	-
SS-86	CL	464+95	13.8-15.3	A-6(3)	34	18	37.0	26.0	13.0	24.0	95	73	38	-	-
SS-87	CL	464+95	18.7-20.2	A-2-4(0)	35	8	47.0	28.0	17.0	8.0	72	47	22	-	-
SS-902	30' LT	466+25	3.5-5.0	A-7-5(35)	77	39	12.8	11.0	5.0	71.2	100	93	78	-	-
SS-903	30' LT	466+25	8.5-10.0	A-7-5(41)	93	55	17.1	10.4	11.5	61.0	93	81	70	-	-
SS-904	30' LT	466+25	13.5-15.0	A-7-5(37)	80	47	12.6	16.1	8.2	63.1	100	93	74	-	-
SS-905	30' LT	466+25	18.5-20.0	A-2-4(0)	37	2	31.3	42.7	15.8	10.2	99	85	33	-	-
SS-88	CL	466+95	12.0-18.0	A-2-5(0)	41	10	32.0	30.0	20.0	18.0	82	66	35	-	-
SS-932	13' RT	470+00	4.0-5.5	A-5(0)	50	9	40.7	25.8	23.4	10.2	93	66	36	-	-
SS-933	13' RT	470+00	19.0-20.5	A-1-b(0)	35	5	47.0	24.2	20.7	8.1	68	41	24	-	-



Ⓐ RESIDUAL, GRAY-TAN, STIFF, DRY TO MOIST, SANDY CLAY

Ⓑ ALLUVIAL, TAN TO GRAY, SOFT, MOIST, SILTY CLAY AND SANDY SILT

Ⓒ ALLUVIAL, GRAY AND WHITE, LOOSE TO MEDIUM DENSE, MOIST, SILTY SAND

Ⓓ ARTIFICIAL FILL, GRAY-TAN, SOFT TO MEDIUM STIFF, MOIST, SANDY CLAY

NOTE: GROUNDWATER DEPTH WAS NOT MEASURED IN SOIL PROBES (1994) AT 468+50 AND 468+95

02-NOV-2007 13:36
I:\engr\raleigh\projects\gstation\tip\u2524c_geo_rdwy\coadd_geotech\planprof\U2524C_GEO_pf1_L.dgn
tsingle er

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	42

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-71	CL	476+95	13.2-14.7	A-2-4(0)	40	NP	40.0	36.0	18.0	6.0	81	61	25	-	-
SS-72	CL	476+95	28.2-29.7	A-2-4(0)	39	NP	37.0	42.0	17.0	4.0	89	70	25	-	-
RT-1	CL	476+95	2.0-20.0	A-6(11)	40	11	33.0	23.0	26.0	18.0	87	68	41	-	-
CBR-1	CL	476+95	20.0-29.7	A-7-5(2)	42	12	32.0	25.0	25.0	18.0	85	66	40	-	-
S-67	CL	483+95	5.0-13.5	A-2-4(0)	34	NP	38.0	31.0	21.0	10.0	77	58	24	-	-
S-65	CL	487+45	0.0-2.0	A-6(4)	32	13	29.0	25.0	20.0	26.0	100	82	50	-	-
S-66	CL	487+45	2.0-5.5	A-2-4(0)	17	NP	47.0	36.0	9.0	8.0	85	63	17	-	-



14-SEP-2007 09:11
I:\ero\raleigh\investigation\tip\u2524c_geo_rdwy\cadd_geotech\planprof\u2524c_geo_pf1.dgn
walter

5/14/99

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	43

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-54	10' LT	490+95	2.0-4.0	A-6(5)	32	11	19.0	25.0	27.0	29.0	97	87	58	-	-
S-68	12' RT	493+45	0.0-2.5	A-6(9)	34	14	5.0	33.0	29.0	33.0	100	98	70	-	-
SS-9	CL	494+45	0.0-1.5	A-7-6(8)	42	21	17.0	22.0	24.0	37.0	96	86	62	-	-
SS-10	CL	494+45	4.0-5.5	A-6(10)	37	14	3.0	15.0	48.0	34.0	100	99	86	-	-
SS-11	CL	494+45	9.0-10.5	A-2-5(0)	41	NP	38.0	36.0	20.0	6.0	83	64	27	-	-
SS-12	CL	494+45	24.0-25.5	A-2-4(0)	26	NP	48.0	33.0	15.0	4.0	79	54	18	-	-
SS-939	CL	498+50	3.8-5.3	A-2-4(0)	30	5	38.8	36.8	20.3	4.1	96	71	31	-	-
SS-940	CL	498+50	8.8-10.3	A-2-4(0)	29	3	43.7	34.6	17.7	4.1	83	58	24	-	-
SS-941	CL	498+50	18.8-20.3	A-4(0)	23	3	23.8	42.9	19.1	14.2	99	89	41	-	-
SS-934	CL	501+00	1.0-2.0	A-7-6(9)	43	19	19.3	22.8	19.3	38.6	93	81	59	-	-
SS-935	CL	501+00	4.2-5.7	A-6(6)	31	11	13.4	26.4	29.7	30.5	99	92	68	-	-
SS-936	CL	501+00	9.2-10.7	A-1-a(0)	21	NP	55.9	26.2	11.8	6.1	48	28	11	-	-
SS-937	CL	501+00	14.2-15.7	A-2-4(0)	31	4	40.7	37.2	16.1	6.1	99	71	30	-	-
SS-938	CL	501+00	29.2-30.7	A-2-4(0)	26	NP	45.1	31.9	16.9	6.1	100	70	29	-	-



23-JUN-2007 08:42
11.ang raleigh DEPT\projection\tip\u2524c_geo_rdwy\cadd_geotech\planprof\U2524C_GEO_prf_L.dgn

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	44

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-964	CL	504+00	2.6-4.1	A-4(0)	25	2	20.4	39.2	19.9	20.4	94	83	48	-	-
SS-965	CL	504+00	7.6-9.1	A-2-4(0)	25	NP	46.4	35.3	12.2	6.1	98	68	24	-	-
SS-978	90' LT	513+50	3.0-4.5	A-7-5(11)	46	16	10.4	29.8	33.2	26.6	100	96	69	-	-
SS-979	90' LT	513+50	8.0-9.5	A-1-b(0)	31	NP	46.2	26.6	17.1	10.2	76	49	25	-	-
SS-980	90' LT	513+50	18.0-19.5	A-4(1)	37	5	23.1	34.3	26.3	16.3	100	89	52	-	-
SS-981	90' LT	513+50	23.0-24.5	A-4(0)	35	3	28.0	32.9	22.8	16.3	100	85	47	-	-
SS-982	90' LT	513+50	38.0-39.5	A-5(2)	41	7	15.3	42.5	29.9	12.3	87	80	47	-	-
S-983	100' RT	515+00	1.0-2.0	A-7-6(27)	61	32	8.6	17.6	16.6	57.2	100	95	78	-	-
SS-984	100' RT	515+00	4.0-5.5	A-7-5(6)	44	13	18.2	34.5	26.9	20.4	98	88	56	-	-
SS-985	100' RT	515+00	24.0-25.5	A-4(0)	33	NP	17.0	49.2	21.6	12.3	100	92	45	-	-
SS-986	100' RT	515+00	29.0-30.5	A-7-6(19)	56	37	9.8	43.9	29.9	16.3	100	95	60	-	-
SS-996	100' LT	516+00	3.6-4.6	A-7-5(11)	49	13	8.1	30.6	30.9	30.4	100	95	71	-	-
SS-997	100' LT	516+00	8.6-10.1	A-7-5(13)	57	13	3.0	35.7	37.0	24.3	100	98	75	-	-
SS-998	100' LT	516+00	18.6-20.1	A-7-5(10)	56	11	4.7	43.4	39.8	12.2	100	97	69	-	-
SS-987	100' RT	517+00	4.0-5.5	A-4(6)	40	8	2.9	38.0	28.5	30.6	100	99	70	-	-
SS-988	100' RT	517+00	9.0-10.5	A-5(7)	46	9	2.0	45.6	32.0	20.4	100	99	69	-	-
SS-989	100' RT	517+00	14.0-15.5	A-7-5(11)	51	11	1.8	42.9	34.8	20.4	100	99	74	-	-
SS-990	100' RT	517+00	19.0-20.5	A-5(6)	46	9	3.7	55.0	29.1	12.3	100	98	63	-	-
SS-991	100' RT	517+00	29.0-30.5	A-5(3)	42	6	1.8	56.4	29.5	12.3	100	99	60	-	-
SS-992	100' RT	517+00	43.2-44.7	A-2-4(0)	30	NP	48.4	29.0	14.4	8.2	83	52	24	-	-



14-SEP-2007 11:18
\\ero\raleigh investigation\tip\u2524c_geo_rdwy\cadd_geotech\planprof\u2524c_geo_pf1_1.dgn
kwalker

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	45

5/14/99

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-993	95' RT	519+00	4.0-5.5	A-7-5(25)	66	21	0.6	22.1	30.3	47.0	100	100	87	-	-
SS-994	95' RT	519+00	14.0-15.5	A-5(7)	50	8	3.9	45.1	28.5	22.5	100	99	66	-	-
SS-995	95' RT	519+00	29.0-30.5	A-5(4)	46	5	9.4	46.2	24.0	20.4	100	97	60	-	-

Ⓐ RESIDUAL, RED, ORANGE, AND TAN, VERY STIFF, MOIST, SANDY SILT



880 870 860 850 840 830 820 810 800 790 780 770 760 750 740 730 720 710 700 690

518+00 519+00 520+00

17-JUL-2007 14:32
I:\projects\geo_investigation\tip\u2524c_geo_rdwy\cadd_geotech\planprof\U2524C_GEO_pf1_L.dgn
USER:rgallagher

5/14/99

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	46

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-1	61' RT	24+57	2.8-4.3	A-7-6(18)	55	29	22.6	15.3	13.8	48.3	100	85	65	-	-
SS-2	61' RT	24+57	7.8-9.3	A-7-5(4)	46	14	30.2	27.8	19.8	22.2	100	79	47	-	-
SS-3	61' RT	24+57	12.8-14.2	A-5(1)	41	10	34.8	27.8	21.2	16.1	100	77	42	-	-
SS-4	61' RT	24+57	22.7-24.2	A-2-4(0)	33	NP	49.9	33.4	10.6	6.0	100	70	20	-	-
SS-5	61' RT	24+57	33.9-34.2	A-2-4(0)	32	NP	36.3	46.1	9.6	8.1	100	89	21	-	-
SS-6	61' RT	24+57	37.7-39.2	A-2-4(0)	36	4	44.8	28.1	17.0	10.1	99	68	32	-	-
SS-10	103' LT	26+95	3.2-4.7	A-7-5(7)	49	13	25.8	22.6	19.1	32.5	100	82	57	-	-
SS-11	103' LT	26+95	8.2-9.7	A-4(0)	32	6	38.2	30.1	21.5	10.2	100	75	38	-	-



14-SEP-2007 09:10
L:\ERO\Raleigh_Proj\Design\TIP\U2524C_GEO_ROWY\CADD_GEOTECH\PlanProf\U2524c_GEO_pf1_gl-8.dgn

5/14/99

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	47

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-19	33' LT	22+52	4.5-6.0	A-7-5(22)	77	22	11.3	19.7	24.7	44.3	100	94	74	-	-
SS-20	33' LT	22+52	9.5-11.0	A-2-4(0)	37	NP	42.7	29.2	20.1	8.0	99	71	33	-	-
SS-21	33' LT	22+52	19.5-21.0	A-5(0)	41	NP	43.3	24.5	22.1	10.1	98	67	36	-	-
SS-22	33' LT	22+52	29.5-31.0	A-2-4(0)	39	NP	49.5	26.2	16.3	8.0	94	59	27	-	-
SS-23	33' LT	22+52	44.5-46.0	A-2-4(0)	37	NP	51.3	24.7	17.9	6.0	90	54	25	-	-



14-SEP-2007 09:09
L:\ERO\Raleigh\Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\PlanProf\u2524c_GEO_pfi_gi-8.dgn

5/14/99

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	48

930
920
910
900
890
880
870
860
850
840
830
820
810
800
790
780
770

END GRADE
STA. 27+00 -Y2-

PROPOSED GRADE

EXISTING GROUND

RESIDUAL, RED-BROWN TO TAN, STIFF, MOIST, SILTY CLAY

TAN-BROWN, MEDIUM DENSE, MOIST, SILTY SAND

TAN-BROWN TO GRAY, STIFF, MOIST, CLAYEY SILT

TAN-BROWN TO GRAY, MEDIUM DENSE TO DENSE, SILTY SAND

-Y2-

24+00 25+00 26+00 27+00 28+00 29+00 30+00 31+00 32+00 33+00 34+00 35+00

14-SEP-2007 09:10
L:\ERG\Kalegr_Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\PlanProf\u2524c_GEO_pf1_gl-8.dgn

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	49

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-260	6' LT	25+00	3.2-4.7	A-7-6(17)	56	28	20.0	19.4	12.1	48.5	100	87	64	-	-
SS-261	6' LT	25+00	13.2-14.7	A-2-5(0)	44	NP	32.3	53.9	7.7	6.1	100	90	20	-	-

POC STA. 384+89.37 -L- = POT STA. 20+46.69 -Y3-
EL = 800.23

-L- ℄

PROPOSED BRIDGES

BEGIN GRADE
STA. 18+00.00 -Y3-
EL = 763.31

DRAWBRIDGE PARKWAY (SR 2499)

SS-260
SS-261
6' LT

GROUND SURFACE

EXISTING ROADWAY

PROPOSED GRADE

EXISTING ROADWAY

RESIDUAL

(26) RED-BROWN TO BROWN, STIFF TO VERY STIFF, MOIST,

(9) SILTY CLAY HIGHLY PLASTIC

(22) BROWN, MEDIUM DENSE, MOIST, SILTY SAND

DRY
08/06

-Y3-

850 840 830 820 810 800 790 780 770 760 750 740 730 720 710 700 690 680 670 660

15+00 16+00 17+00 18+00 19+00 20+00 21+00 22+00 23+00 24+00 25+00 26+00 27+00 28+00 29+00

5/14/99

17-JUL-2007 15:00
\\wwo\PROJECTS\Investigation\tip\u2524c_geo_rdwy\caadd_geotech\planprof\u2524c_GEO_pf1_yj1-8.dgn

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	50

5/14/99

END GRADE
BEGIN OVERLAY
STA. 31+50.00 -Y3-
EL = 762.81

END GRADE
BEGIN OVERLAY
STA. 35+00.00 -Y3-
EL = 766.00

DRAWBRIDGE PARKWAY
(SR 2499)

PROPOSED GRADE

EXISTING ROADWAY

GROUND SURFACE

-Y3-

860 850 840 830 820 810 800 790 780 770 760 750 740 730 720 710 700 690 680 670 660

29+00 30+00 31+00 32+00 33+00 34+00 35+00 36+00 37+00 38+00 39+00 40+00 41+00 42+00

[7-JUL-2007 15:01
I:\wbcfiles\projects\2524c\dgn\2524c-geo_rdwy\cadd_geotech\planprof\u2524c_GEO_pf_yl-8.dgn
Twaters, Microstation]

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	51

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-1	CL	23+20	3.0-4.5	A-7-5(12)	63	20	17.5	26.8	17.5	38.2	100	91	60	-	-
SS-2	CL	23+20	8.0-9.5	A-7-5(8)	63	11	18.1	27.0	26.8	28.2	100	89	60	34.8	-
SS-3	CL	23+20	13.0-14.5	A-5(0)	50	NP	15.7	51.5	18.7	14.1	97	92	44	41.6	-
SS-4	CL	23+20	18.0-19.5	A-5(0)	44	NP	25.6	32.2	34.2	8.0	100	86	50	-	-
SS-5	CL	23+20	23.0-24.5	A-5(0)	54	NP	16.5	40.0	31.4	12.1	82	73	46	58.7	-
SS-6	CL	23+20	28.0-29.5	A-2-4(0)	38	NP	28.2	43.3	22.5	6.0	100	84	35	-	-
SS-7	CL	23+20	33.0-34.5	A-2-4(0)	34	NP	34.4	43.5	14.1	8.0	94	79	27	-	-
SS-990	6' LT	24+81	3.5-5.0	A-7-5(11)	59	18	10.4	37.3	16.1	36.1	100	94	59	-	-
SS-991	6' LT	24+81	8.5-10.0	A-5(3)	49	5	9.0	47.2	21.7	22.1	100	95	54	-	-
SS-992	6' LT	24+81	13.5-15.0	A-5(0)	42	NP	11.6	53.8	20.5	14.1	100	97	46	-	-
SS-993	6' LT	24+81	18.5-20.0	A-5(0)	54	NP	23.9	45.4	20.7	10.0	100	88	40	-	-
SS-994	6' LT	24+81	23.5-25.0	A-5(1)	51	NP	14.1	40.6	29.3	16.1	97	91	53	-	-
SS-995	6' LT	24+81	28.5-30.0	A-7-5(11)	55	14	10.6	31.7	39.6	18.1	98	91	66	-	-



5/14/99

14-SEP-2007 08:18
L:\ERO\Raleigh_Projects\Transportation\TIP\U2524C_GEO_ROWY\CADD_GEOTECH\PlanProf\u2524a_GEO_pf_gl-8.dgn
tmoyer

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	52

5/14/99

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-98	46' RT	27+02	5.0-16.0	A-7-5(15)	62	22	11.0	24.0	34.0	31.0	100	94	69	-	-
SS-99	46' RT	27+02	16.0-37.0	A-7-5(5)	45	14	13.0	40.0	29.0	18.0	100	95	53	-	-



[7-JUL-2007 15:31
i:\eco\projects\investigation\tip\u2524c_geo_rdwy\cadd_geotech\planprof\u2524c_geo_pf1_gj1-8.dgn
default
$$$$USER
$$$$PLOTSCALE
$$$$PLOTDEVICE]

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	53

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
S-17	60' RT	16+70	0.5-6.0	A-6(9)	40	23	25.0	24.0	14.0	37.0	100	86	55	-	-
S-18	60' RT	16+70	6.0-11.0	A-7-6(9)	42	25	18.0	23.0	18.0	41.0	98	88	61	-	-
S-19	60' RT	16+70	11.0-13.0	A-4(1)	39	9	32.0	34.0	22.0	12.0	98	78	38	-	-
SS-9	77' RT	18+77	0.0-1.5	A-7-6(8)	42	21	17.0	22.0	24.0	37.0	96	86	62	-	-
SS-10	77' RT	18+77	4.0-5.5	A-6(10)	37	14	3.0	15.0	48.0	34.0	100	99	86	-	-
SS-11	77' RT	18+77	9.0-10.5	A-2-5(0)	41	NP	38.0	36.0	20.0	6.0	83	64	27	-	-
SS-12	77' RT	18+77	24.0-25.5	A-2-4(0)	26	NP	48.0	33.0	15.0	4.0	79	54	18	-	-



5/14/99
14-SEP-2017 13:37
I:\ero\raleigh\investigation\tip\u2524c_geo_rdwy\cadd_geotech\plan_prof\u2524c_geo_pf1_ul-8.dgn
User: ERO

5/14/99

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	54

870
860
850
840
830
820
810
800
790
780
770
760
750
740
730
720
710

END GRADE
STA. 27+00.00 -Y8-
EL = 813.54

PROPOSED GRADE

EXISTING GROUND

EXISTING LAWNDALE DR. (SR 2303)

RESIDUAL, BROWN, MEDIUM STIFF, MOIST, SANDY CLAY

-Y8-

24+00 25+00 26+00 27+00 28+00 29+00 30+00 31+00

14-SEP-2007 09:10
L:\NCROY\Raleigh Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\PlanProf\U2524c_GEO_pf1_gl-8.dgn

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	55

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-43	59' LT	0+41	2.7-4.2	A-7-5(7)	62	12	17.9	34.4	17.5	30.2	100	95	54	-	-
SS-44	59' LT	0+41	7.7-9.2	A-2-4(0)	34	NP	39.2	41.6	11.1	8.0	98	79	25	-	-
SS-6	4' RT	5+87	0.0-1.5	A-4(1)	30	10	36.8	23.2	15.7	24.4	98	73	43	-	-
SS-7	4' RT	5+87	3.3-4.8	A-7-6(17)	44	17	1.4	20.7	41.3	36.6	100	99	88	-	-
SS-8	4' RT	5+87	8.3-9.8	A-6(10)	40	18	3.3	42.5	29.9	24.4	100	99	65	-	-
SS-9	4' RT	5+87	13.3-14.8	A-2-4(0)	28	NP	42.7	36.4	12.8	8.1	98	72	26	-	-

NOTE: THE LOCATIONS OF GAS PIPELINES AND BOUNDARIES OF ASSOCIATED ARTIFICIAL FILL AREAS ARE APPROXIMATED.



(A) RESIDUAL, TAN-BROWN, MEDIUM STIFF, MOIST, SILTY CLAY

(B) ARTIFICIAL FILL BROWN, STIFF, MOIST, SANDY SILT

-RPAY4-

5/14/99

18-JUN-2007 15:17
R:\Roadway Design\Projects\Investigation\TIP\U2524C_GEO_ROW\CADD_GEOTECH\Plan Prof\U2524C_GEO_pf_ramp_sr43yd.dgn

5/14/99

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	56

860
850
840
830
820
810
800
790
780
770
760
750
740
730
720
710
700
690
680
670
660

BATTLEGROUND AVENUE

END GRADE
STA 14+38.49 RP 'A' =
STA 29+28.60 -Y4-, 41' LT
EL. = 758.51

EXISTING GROUND

PROPOSED GRADE

ROADWAY EMBANKMENT

ALLUVIAL, BROWN AND GRAY, MEDIUM STIFF, MOIST TO WET, SANDY CLAY

(A) GRAY, LOOSE TO MEDIUM DENSE, SATURATED, SILTY SAND

TAN-GRAY-BROWN, LOOSE, MOIST, SILTY SAND

WEATHERED ROCK (GNEISS)

(A) RESIDUAL, TAN-GRAY-BROWN, MEDIUM STIFF TO VERY STIFF, MOIST, SANDY CLAY AND SILTY CLAY

14+00 15+00 16+00

-RPAY4-

8-JUN-2007 15:17
H:\NCDOT\Projects\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\PlanProf\U2524C_GEO_pf1_ramp_y4&y8.dgn

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	57

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-269	CL	10+50	1.0-2.5	A-4(0)	28	6	26.9	43.6	13.3	16.2	100	96	37	-	-
SS-270	CL	10+50	3.5-5.0	A-6(8)	33	15	10.5	32.3	22.8	34.3	100	94	66	-	-
SS-271	CL	10+50	6.0-7.5	A-4(2)	31	9	5.7	56.4	19.8	18.2	100	100	47	-	-
SS-272	CL	10+50	8.5-10.0	A-3(0)	28	NP	55.2	37.2	1.6	6.1	100	76	10	-	-
SS-274	117' RT	11+94	1.0-2.5	A-6(9)	38	19	6.5	41.2	16.0	36.4	100	99	61	-	-
SS-275	117' RT	11+94	3.5-5.0	A-2-6(1)	32	15	51.5	19.2	5.1	24.2	95	65	29	-	-
SS-276	117' RT	11+94	6.0-7.5	A-6(8)	37	16	15.2	29.9	18.6	36.4	99	91	61	-	-
SS-277	117' RT	11+94	8.5-10.0	A-2-4(0)	26	NP	49.5	34.7	5.7	10.1	100	74	20	-	-



-RPBY4-

5/14/99
18-JUN-2007 15:17
I:\Highway\Projects\U2524C\Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\PlanProf\U2524C_GEO_pf_ramp_y4y8.dgn
User: cfe122126

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	58

860
850
840
830
820
810
800
790
780
770
760
750
740
730
720
710
700
690
680
670
660

EXISTING GROUND
BATTLEGROUND AVENUE
PROPOSED GRADE
ROADWAY EMBANKMENT
ALLUVIAL
BROWN, MEDIUM STIFF TO VERY STIFF, MOIST TO WET, SANDY SILT AND SANDY CLAY

14+00
15+00

-RPBY4-

850 840 830 820 810 800 790 780 770 760 750 740 730 720 710 700 690 680 670 660

5/14/99
18-JUN-2007 15:18
11x17 Scale is 1" = 20'
C:\Projects\Investigation\TIP\U2524C_GEO_ROWY\CADD_GEOTECH\PlanProf\U2524C_GEO_pf1_romp_y4u8.dgn

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	59

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-274	149' LT	12+46	1.0-2.5	A-6(9)	38	19	6.5	41.2	16.0	36.4	100	99	61	-	-
SS-275	149' LT	12+46	3.5-5.0	A-2-6(1)	32	15	51.5	19.2	5.1	24.2	95	65	29	-	-
SS-276	149' LT	12+46	6.0-7.5	A-6(8)	37	16	15.2	29.9	18.6	36.4	99	91	61	-	-
SS-277	149' LT	12+46	8.5-10.0	A-2-4(0)	26	NP	49.5	34.7	5.7	10.1	100	74	20	-	-

BEGIN GRADE
STA 0+00 RP 'C' =
STA 395+09.81 -L-, 59' RT
EL. = 794.99

PROPOSED GRADE

PROPOSED BRIDGE

END GRADE
STA 13+30.23 RP 'C' =
STA 29+72.32 -Y4-, 35' RT
EL. = 758.85

END BRIDGE
STA 12+00.00 RP 'C'

BATTLEGROUND AVE.

ROADWAY EMBANKMENT

HORSEPEN CREEK FLOODPLAIN

EXISTING GROUND

SS-274
SS-275
SS-276
SS-277
149' LT

ALLUVIAL, BROWN, MEDIUM STIFF, WET, CLAYEY SAND

GRAY, LOOSE TO SATURATED MEDIUM DENSE, SILTY SAND

CRYSTALLINE (GNEISS) ROCK

Ⓐ ALLUVIAL, BROWN, LOOSE, WET, CLAYEY SAND

Ⓑ ALLUVIAL, GRAY, MEDIUM STIFF, MOIST, SANDY CLAY WITH TRACE ORGANIC MATERIAL

Ⓒ RESIDUAL, TAN-GRAY-BROWN, MEDIUM STIFF TO VERY VERY STIFF, MOIST, SANDY CLAY AND SILTY CLAY

-RPCY4-

870 860 850 840 830 820 810 800 790 780 770 760 750 740 730 720 710 700 690 680 670

0 1+00 2+00 3+00 4+00 5+00 6+00 7+00 8+00 9+00 10+00 11+00 12+00 13+00 14+00

5/14/99

18-JUN-2007 15:18
I:\Projects\Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\PlanProf\U2524C_GEO_pf1_ramp-y4&y8.dgn
Engineer
cf1221195

5/14/99

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	60

860
850
840
830
820
810
800
790
780
770
760
750
740
730
720
710
700
690
680
670
660

EXISTING GROUND

BATTLEGROUND AVE.

PROPOSED GRADE

ROADWAY EMBANKMENT

(A) RESIDUAL, TAN-GRAY-BROWN, MEDIUM STIFF TO VERY STIFF, MOIST, SANDY CLAY AND SILTY CLAY

(A) ALLUVIAL, BROWN AND GRAY, MEDIUM STIFF, MOIST TO WET, SANDY CLAY

14+00 15+00

-RPCY4-

[8-JUN-2007 15:18
$USERNAME
$DGNFILE
$DGNFILE

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	61

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
S-977	36' LT	0+32	5.0-6.0	A-2-4(0)	33	NP	42.2	32.7	13.1	12.0	95	69	29	-	-
SS-43	71' RT	3+16	2.7-4.2	A-7-5(7)	62	12	17.9	34.4	17.5	30.2	100	95	54	-	-
SS-44	71' RT	3+16	7.7-9.2	A-2-4(0)	34	NP	39.2	41.6	11.1	8.0	98	79	25	-	-

NOTE: THE LOCATIONS OF GAS PIPELINES AND BOUNDARIES OF ASSOCIATED ARTIFICIAL FILL AREAS ARE APPROXIMATED.



-RPDY4-

5/14/99

18-JUN-2007 15:18
I:\Projects\Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\PlanProf\U2524C_GEO_pf1_ramp_g48g8.dgn
tlundy
dgn_lib\geo.dgn
dgn\29129

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	62

NOTE: THE LOCATIONS OF GAS PIPELINES AND BOUNDARIES OF ASSOCIATED ARTIFICIAL FILL AREAS ARE APPROXIMATED.



860 850 840 830 820 810 800 790 780 770 760 750 740 730 720 710 700 690 680 670 660

14+00 15+00 16+00 17+00 18+00

-RPDY4-

5/14/99
18-JUN-2007 15:18
I:\projects\Transportation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\PlanProf\U2524C_GED_pfl_ramp_y4&y8.dgn
$user
$cell_library
$level_mask

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	63

5/14/99



SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT C.SAND	F.SAND	SILT	CLAY	% PASSING (SIEVES) 10	40	200	% MOISTURE	% ORGANIC
SS-45	38' RT	3+86	2.0-3.5	A-6(6)	39	21	33.4	22.3	12.1	32.2	96	74	46	-	-
SS-46	38' RT	3+86	7.0-8.5	A-7-6(22)	51	29	14.9	10.1	24.7	50.3	100	90	77	25.7	-
SS-47	38' RT	3+86	12.0-13.5	A-7-6(27)	51	28	7.0	7.8	32.8	52.3	100	96	88	-	-
SS-48	38' RT	3+86	17.0-18.5	A-2-4(0)	26	NP	18.3	52.7	16.9	12.1	100	95	35	-	-

-SPAY4-

8-JAN-2007 15:17
H:\HEC-RAS.6.3\Projects\Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\PlanProf\U2524C_GEO_pf1_spur-y4y8.dgn
U2524C_GEO_pf1_spur-y4y8.dgn

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	64



SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-262	15' RT	3+00	1.0-2.5	A-7-6(19)	41	24	10.3	8.3	57.2	24.2	100	93	83	-	-
SS-263	15' RT	3+00	3.5-5.0	A-7-6(19)	48	23	12.3	11.3	29.9	46.5	100	92	79	-	-
SS-264	15' RT	3+00	6.0-7.5	A-6(7)	37	15	4.6	45.1	24.0	26.3	100	99	62	-	-
SS-266	15' RT	3+00	13.5-15.0	A-1-b(0)	26	NP	78.9	16.8	0.3	4.0	92	28	6	-	-
SS-267	15' RT	3+00	18.5-20.0	A-6(12)	35	19	9.3	24.2	26.1	40.4	100	95	74	-	-

-SPBY4-

18-JUN-2007 15:17
I:\HIGHWAY\Planning\Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\PlanProf\U2524C_GEO_pf1_spur_y4&y8.dgn
User: ATP
Level: GEOTECH
Active Cell: GEO_PF1_2426

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	65

5/14/99

NOTE: THE LOCATIONS OF GAS PIPELINES AND BOUNDARIES OF ASSOCIATED ARTIFICIAL FILL AREAS ARE APPROXIMATED.



–SPCY4–

18-JUN-2007 15:17
U:\Engineering\Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\PlanProf\U2524C_GEO_pf1_spur_y4&y8.dgn

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	66

5/14/99

NOTE: THE BOUNDARIES OF THE GAS PIPELINE ARTIFICIAL FILL AREAS ARE APPROXIMATED.



-SPDY4-

8-JUN-2007 15:17
R:\STD\Roadway\Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\PlanProf\U2524C_GEO_pf1_spur_sf4&8.dgn
User: ADKER

5/14/99

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	67

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-966	13' LT	2+23	3.1-4.6	A-6(7)	34	11	6.9	33.3	29.1	30.6	100	96	71	-	-
SS-967	13' LT	2+23	13.1-14.6	A-2-4(0)	31	NP	26.1	49.8	17.9	6.1	100	89	30	-	-
SS-959	47' RT	7+73	3.5-5.0	A-2-4(0)	22	NP	66.2	22.5	4.2	7.2	96	55	14	-	-
SS-960	47' RT	7+73	8.5-10.0	A-2-4(0)	32	NP	38.8	35.3	19.7	6.1	93	70	30	-	-
SS-950	CL	10+26	4.9-6.4	A-6(5)	31	11	18.9	24.0	22.6	34.6	100	88	64	-	-
SS-951	CL	10+26	9.9-11.4	A-2-4(0)	34	5	45.3	33.5	15.0	6.1	76	52	21	-	-



-RPAY8-

23-JUN-2007 09:30
c:\projects\geotechnical investigation\tip\u2524c_geo_rdwy\cadd_geotech\planprof\u2524c_geo_pf_ramp_y4&y8.dgn
mpeters
DGN: RP 12.02.02

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	68

5/14/99

870
860
850
840
830
820
810
800
790
780
770
760
750
740
730
720
710
700
690
680
670

END GRADE
STA 14+54.47 RP 'A' =
STA 18+57.73 -Y8-, 29' LT
EL. = 773.37

EXISTING GROUND

LAWNDALE DRIVE

PROPOSED GRADE

ROADWAY EMBANKMENT,
RED-BROWN, STIFF, MOIST, SILTY CLAY
ALLUVIAL

TAN-BROWN, STIFF, MOIST, SANDY CLAY
RESIDUAL

GREEN-GRAY, BROWN, AND ORANGE, LOOSE
DENSE, MOIST, SILTY SAND

14+00 15+00 16+00 17+00

-RPAY8-

23-JUN-2007 10:06
11_ver_valeri_ncdot_org
Invenstigation\tip\u2524c_geo_rdwy\cadd_geotech\planprof\U2524C_GED_pf1_ramp_y4y8.dgn

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	69

5/14/99

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-41	31' RT	5+80	0.0-1.5	A-7-6(16)	51	29	15.0	19.0	15.0	51.0	100	92	69	-	-
SS-42	31' RT	5+80	6.4-7.6	A-7-6(17)	63	29	18.0	17.0	16.0	49.0	100	89	67	-	-
SS-43	31' RT	5+80	8.7-10.2	A-7-6(6)	43	26	31.0	19.0	15.0	35.0	78	61	41	-	-
SS-44	31' RT	5+80	11.3-12.0	A-2-5(0)	42	9	35.0	27.0	26.0	12.0	69	52	30	-	-
SS-45	31' RT	5+80	13.7-15.2	A-2-4(0)	40	NP	39.0	36.0	21.0	4.0	78	59	24	-	-
SS-46	31' RT	5+80	18.7-20.2	A-2-4(0)	38	NP	39.0	35.0	22.0	4.0	72	55	22	-	-
S-63	56' RT	9+26	0.0-4.5	A-7-6(12)	49	24	22.0	21.0	22.0	35.0	99	86	59	-	-
S-64	56' RT	9+26	4.5-9.0	A-7-6(12)	51	25	23.0	22.0	20.0	35.0	100	85	60	-	-

BEGIN GRADE
STA 0+00 RP 'B' =
STA 481+63.22 -L-, 59' LT
EL. = 793.89

END GRADE
STA 13+91.78 RP 'B' =
STA 18+38.57 -Y8-, 41' RT
EL. = 773.26

SS-41
SS-42
SS-43
SS-44
SS-45
SS-46

S-63
S-64

23' RT
91' RT
56' RT
62' RT

PROPOSED GRADE
EXISTING GROUND
RESIDUAL, RED-BROWN, MEDIUM STIFF TO VERY STIFF, TAN, GRAY, AND GREEN,
MOIST, SILTY CLAY
MEDIUM DENSE,
HIGHLY PLASTIC
MOIST, SILTY SAND
ARTIFICIAL FILL, RED-BROWN, SOFT TO MEDIUM
RED, TAN, AND GREEN, MEDIUM STIFF, MOIST,
RESIDUAL, TAN, BROWN,
6/94
STIFF, MOIST, SILTY CLAY, SILTY CLAY
AND WHITE, LOOSE TO DENSE, MOIST
TO WET, SILTY SAND AND CLAYEY SAND
ROADWAY EMBANKMENT
COTSWOLD AVENUE

(4) (10) (19) (24) (11) (12) DRY 7/94

(21) (19) (20) (22) (12) (10) (14) DRY 6/94

DRY 9/06

(A) ALLUVIAL, LIGHT BROWN, MEDIUM STIFF, MOIST, SILTY CLAY

-RPBY8-

860 850 840 830 820 810 800 790 780 770 760 750 740 730 720 710 700 690 680

0 1+00 2+00 3+00 4+00 5+00 6+00 7+00 8+00 9+00 10+00 11+00 12+00 13+00 14+00

03-JAN-2008 14:44
User: raleigh
Workspace: RDETAIL05

I:\projects\Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\PlanProf\U2524C_GEO_pf1_ramp_y48y8.dgn

5/14/99

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	70

850
840
830
820
810
800
790
780
770
760
750
740
730
720
710
700
690
680
670

LAWNDALE DRIVE

PROPOSED GRADE

Ⓐ

ALLUVIAL, TAN-BROWN, STIFF, MOIST, / SANDY CLAY

RESIDUAL, BROWN, GREEN, AND ORANGE, LOOSE TO DENSE, MOIST, SILTY SAND

Ⓐ *ROADWAY EMBANKMENT, RED-BROWN, STIFF, MOIST, SILTY CLAY*

14+00 15+00

-RPBY8-

23-JUN-2007 10:45
i:\ecp\raleigh\projects\tip\u2524c_geo_rdwy\cadd_geotech\planprof\U2524C_GEO_pfl_ramp_y4&y8.dgn
ecp\raleigh\projects\tip\u2524c_geo_rdwy\cadd_geotech\planprof\U2524C_GEO_pfl_ramp_y4&y8.dgn

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	71

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-51	25' LT	4+38	0.0-1.5	A-4(0)	22	3	24.0	44.0	14.0	18.0	100	91	37	-	-
SS-52	25' LT	4+38	3.8-5.3	A-2-5(0)	45	5	36.0	33.0	25.0	6.0	78	60	29	-	-
SS-53	25' LT	4+38	13.9-15.4	A-2-5(0)	44	8	35.0	34.0	25.0	6.0	78	61	28	-	-
SS-58	84' LT	9+50	0.0-1.5	A-6(10)	39	19	15.0	25.0	21.0	39.0	100	92	66	-	-
SS-59	84' LT	9+50	2.1-3.6	A-7-6(11)	42	21	13.0	25.0	19.0	43.0	100	93	68	21.3	-
SS-60	84' LT	9+50	4.3-5.8	A-7-6(9)	44	18	9.0	38.0	20.0	33.0	100	98	62	-	-
SS-61	84' LT	9+50	6.8-8.3	A-7-5(5)	46	11	28.0	26.0	30.0	16.0	99	81	52	-	-
SS-62	84' LT	9+50	14.3-15.8	A-5(2)	47	7	31.0	30.0	33.0	6.0	93	72	45	30.5	-
SS-13	60' LT	12+35	2.1-3.6	A-4(8)	31	10	7.0	26.0	39.0	28.0	100	97	75	-	-
SS-14	60' LT	12+35	4.6-5.6	A-1-b(0)	23	5	58.0	22.0	8.0	12.0	68	38	16	-	-
SS-15	60' LT	12+35	14.2-15.7	A-2-4(0)	36	8	41.0	28.0	25.0	6.0	89	62	33	-	-
SS-16	60' LT	12+35	24.2-25.7	A-4(1)	34	6	29.0	39.0	26.0	6.0	100	84	39	-	-



(A) ALLUVIAL, TAN, LOOSE, MOIST, SILTY SAND
(B) ARTIFICIAL FILL, TAN, STIFF, MOIST, SILTY SAND
(C) ALLUVIAL, TAN-BROWN, MEDIUM STIFF, MOIST, SILTY CLAY
(D) ALLUVIAL, TAN AND BROWN, STIFF, MOIST, SANDY SILT
(E) ALLUVIAL, TAN, MEDIUM DENSE, MOIST, COARSE SAND
(F) ALLUVIAL, TAN-BROWN, STIFF, MOIST, SANDY CLAY
(G) ROADWAY EMBANKMENT, RED-BROWN, STIFF, MOIST, SILTY CLAY

-RPCY8-

29-JUN-2007 10:51
I:\eng\raleigh\projects\boston\tip\u2524c_geo_rdwy\eadd_geotech\planprof\U2524C_GEO_pf1_ramp_y4y8.dgn
jeff.lineberger@ncdot.gov

5/14/99

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	72

850
840
830
820
810
800
790
780
770
760
750
740
730
720
710
700
690
680
670

Ⓐ ROADWAY EMBANKMENT, RED-BROWN, STIFF, MOIST, SILTY CLAY
Ⓑ ALLUVIAL, TAN-BROWN, STIFF, MOIST, SANDY CLAY



14+00 15+00 16+00

-RPCY8-

23-JUN-2007 10:51
c:\projects\investigation\tip\u2524c_geo_rdwy\cadd_geotech\plan prof\U2524C_GEO_pf_ramp_y4&y8.dgn
USER: eakin
PW: 1221D05

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	73

5/14/99

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							G.SAND	F.SAND	SILT	CLAY	10	40	200		
S-968	43' LT	2+78	1.0-2.0	A-7-6(22)	53	29	8.2	19.4	15.2	57.2	95	91	74	-	-
S-969	43' LT	2+78	5.0-6.0	A-6(8)	35	16	16.1	27.4	17.7	38.8	100	91	62	-	-
SS-962	CL	5+74	2.9-3.5	A-6(3)	35	17	24.5	33.3	13.6	28.6	80	67	40	-	-
SS-963	CL	5+74	7.9-9.4	A-1-b(0)	23	NP	65.2	21.5	7.3	6.1	58	28	10	-	-
SS-961	CL	8+23	3.4-4.9	A-4(0)	28	NP	23.7	47.0	21.1	8.2	100	90	40	-	-



-RPDY8-

29-JUN-2007 11:32
I:\engr\raleigh\projects\investigation\tip\u2524c_geo_rdwy\cadd_geotech\planprof\U2524C_GEO_pf1_ramp_y48y8.dgn
User: rpdy8

5/14/99

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	74

850 840 830 820 810 800 790 780 770 760 750 740 730 720 710 700 690 680 670

END GRADE
STA 14+59.64 RP 'D' =
STA 19+14.32 -Y8-, 35' LT
EL. = 773.59



Ⓐ ROADWAY EMBANKMENT, RED-BROWN, STIFF, MOIST, SILTY CLAY

Ⓑ ALLUVIAL, TAN-BROWN, STIFF, MOIST, SANDY CLAY

14+00 15+00 16+00

-RPDY8-

23-JUN-2007 11:32
11_x24_color.ctb DF 121295

I:\projects\investigation\tip\U2524c_geo_rdwy\cadd_geotech\planprof\U2524C_GEO_pf1_ramp_y4y8.dgn

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	75

5/14/99

870
860
850
840
830
820
810
800
790
780
770
760
750
740
730
720
710
700
690
680

BEGIN GRADE
STA 0+00 SP 'A' =
STA 9+76.66 RP 'A', 12' RT
EL. = 785.02

END GRADE
STA 4+66.43 SP 'A' =
STA 15+79.41 -Y8-, 35' LT
EL. = 778.13

PROPOSED GRADE

LAWNDALE DRIVE

GROUND SURFACE

(A) RESIDUAL, TAN, ORANGE, AND BROWN, DENSE TO VERY DENSE, MOIST, SILTY SAND

WEATHERED ROCK
(META-DIORITE)

(A) RESIDUAL, BROWN, MEDIUM STIFF, MOIST, SANDY CLAY

0 1+00 2+00 3+00 4+00 5+00

-SPAY8-

18-JUN-2007 15:17
\\Ncdot.ad.gov\dfs1\proj\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\Plan-pf\U2524C_GEO_pf_spur_y48y8.dgn

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	76

5/14/99



Ⓐ RESIDUAL, RED, TAN, AND GREEN, MEDIUM STIFF, MOIST, SILTY CLAY

Ⓑ ALLUVIAL, GRAY-GREEN, LOOSE, MOIST, SANDY CLAY

Ⓒ ALLUVIAL, LIGHT BROWN, SOFT, MOIST, SILTY CLAY

870 860 850 840 830 820 810 800 790 780 770 760 750 740 730 720 710 700 690 680

0 1+00 2+00 3+00 4+00

-SPBY8-

8:\JUN 2007 15\TIP Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\Plan-of\U2524C_GEO_pf1_spur_y48y8.dgn
11:52:26 AM
GEOPAK

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	77



SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT C.SAND	F.SAND	SILT	CLAY	% PASSING (SIEVES) 10	40	200	% MOISTURE	% ORGANIC
SS-58	96' LT	0+27	0.0-1.5	A-6(10)	39	19	15.0	25.0	21.0	39.0	100	92	66	-	-
SS-59	96' LT	0+27	2.1-3.6	A-7-6(11)	42	21	13.0	25.0	19.0	43.0	100	93	68	21.3	-
SS-60	96' LT	0+27	4.3-5.8	A-7-6(9)	44	18	9.0	38.0	20.0	33.0	100	98	62	-	-
SS-61	96' LT	0+27	6.8-8.3	A-7-5(5)	46	11	28.0	26.0	30.0	16.0	99	81	52		-
SS-62	96' LT	0+27	14.3-15.8	A-5(2)	47	7	31.0	30.0	33.0	6.0	93	72	45	30.5	-
SS-21	49' LT	3+78	0.5-1.5	A-7-6(12)	41	19	7.0	21.0	37.0	35.0	100	96	79	-	-
SS-22	49' LT	3+78	4.2-5.2	A-6(9)	33	13	7.0	28.0	37.0	28.0	100	96	73	-	-
SS-23	49' LT	3+78	2.4-8.1	A-1-b(0)	19	NP	67.0	21.0	8.0	4.0	54	26	8	-	-
SS-24	49' LT	3+78	9.2-10.2	A-2-4(0)	33	6	42.0	31.0	21.0	6.0	96	67	32	-	-

-SPCY8-

18-JUN-2007 15:17
I:\HIGHWAY\Projects\Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\PlanProf\U2524C_GEO_pfl_spur_y48y8.dgn
User: cfizziel
Cell: GEOPROFILE

5/14/99

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	78

870
860
850
840
830
820
810
800
790
780
770
760
750
740
730
720
710
700
690
680

BEGIN GRADE
STA 0+00 SP 'D' =
STA 10+25.93 RP 'D'
EL. = 784.16

END GRADE
STA 4+65.75 SP 'D' =
STA 22+81.25 -Y8-.35' LT
EL. = 786.92

PROPOSED GRADE

RESIDUAL; TAN-ORANGE, HARD, DRY, SANDY SILT

EXISTING GROUND

0 1+00 2+00 3+00 4+00

-SPDY8-

18-JUN-2007 15:17
I:\HIGHWAY\Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\PlanProf\U2524C_GEO_pf1_spur_y48_y8.dgn
tmeier
DGN: 122142R

8/23/99

PROJ. REFERENCE NO.	SHEET NO.
U-2524C	79

0 5 10

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT C.SAND	F.SAND	SILT	CLAY	% PASSING (SIEVES) 10	40	200	% MOISTURE	% ORGANIC
SS-1	CL	275+10	3.7-5.2	A-7-6(6)	42	16	39.1	13.2	15.3	32.4	98	79	52	-	-
SS-2	CL	275+10	8.7-10.2	A-5(0)	51	NP	13.2	45.2	19.4	22.3	100	96	50	-	-
SS-3	CL	275+10	13.7-15.2	A-4(0)	30	4	35.7	29.6	18.5	16.2	98	75	40	-	-
SS-4	CL	275+10	18.7-20.2	A-2-4(0)	32	4	45.0	27.0	15.9	12.2	97	66	33	-	-
SS-5	CL	275+10	23.7-25.0	A-2-4(0)	32	NP	40.7	30.2	18.9	10.1	100	74	35	-	-
SS-6	CL	275+10	28.7-30.0	A-2-4(0)	34	NP	44.0	29.4	14.5	12.2	90	59	29	-	-
SS-7	CL	275+10	33.7-35.0	A-2-4(0)	40	NP	38.9	32.6	18.3	10.1	100	75	34	-	-
SS-8	CL	275+10	38.7-40.0	A-2-4(0)	36	NP	47.4	26.7	15.7	10.1	99	65	31	-	-



-4-

13-JUN-2007 08:41
U:\ERD\Projects\Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xsec\u2524c_geo_xsi_landf11.dgn
twalker
GEU221225

8/23/99

PROJ. REFERENCE NO.	SHEET NO.
U-2524C	80

0 5 10

0 20 40 60 80 100 120 140 160 180 200 220

890 880 870 940 930 920 910 900 890 880 870 860

GROUND SURFACE

RESIDUAL, ORANGE, VERY STIFF, MOIST, SILTY CLAY

BROWN AND RED, VERY STIFF, MOIST, CLAYEY SILT

TAN, VERY STIFF, MOIST, SANDY SILT

TAN TO BROWN-GRAY, MEDIUM DENSE, MOIST TO WET, SILTY SAND

PROPOSED GRADE

6d 5.305d 2d

275+50

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	#200		
SS-1	CL	275+10	3.7-5.2	A-7-6(6)	42	16	39.1	13.2	15.3	32.4	98	79	52	-	-
SS-2	CL	275+10	8.7-10.2	A-5(0)	51	NP	13.2	45.2	19.4	22.3	100	96	50	-	-
SS-3	CL	275+10	13.7-15.2	A-4(0)	30	4	35.7	29.6	18.5	16.2	98	75	40	-	-
SS-4	CL	275+10	18.7-20.2	A-2-4(0)	32	4	45.0	27.0	15.9	12.2	97	66	33	-	-
SS-5	CL	275+10	23.7-25.0	A-2-4(0)	32	NP	40.7	30.2	18.9	10.1	100	74	35	-	-
SS-6	CL	275+10	28.7-30.0	A-2-4(0)	34	NP	44.0	29.4	14.5	12.2	90	59	29	-	-
SS-7	CL	275+10	33.7-35.0	A-2-4(0)	40	NP	38.9	32.6	18.3	10.1	100	75	34	-	-
SS-8	CL	275+10	38.7-40.0	A-2-4(0)	36	NP	47.4	26.7	15.7	10.1	99	65	31	-	-

SS-1 SS-5
SS-2 SS-6
SS-3 SS-7
SS-4 SS-8
10' AHEAD

GROUND SURFACE

27 18 22 26 20 17 13 19

7/06

RESIDUAL, ORANGE, VERY STIFF, MOIST, SILTY CLAY

BROWN AND RED, VERY STIFF, MOIST, CLAYEY SILT

TAN, VERY STIFF, MOIST, SANDY SILT

TAN TO BROWN-GRAY, MEDIUM DENSE, MOIST TO WET, SILTY SAND

PROPOSED GRADE

6d 5.305d 2d

275+00

—L—

0 20 40 60 80 100 120 140 160 180 200 220 240 260 280

13-JUN-2007 08:10
L:\ENGR\Roadway\Projects\on\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xsc\u2524c_geo_xsl_landfill.dgn
tswalker
AT GE1221128

0 5 10	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	81

280 260 240 220 200 180 160 140 120 100 80 60

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT C.SAND	F.SAND	SILT	CLAY	% PASSING (SIEVES) 10	40	200	% MOISTURE	% ORGANIC
SS-9	CL	276+50	3.5-5.0	A-4(1)	25	6	19.7	26.1	31.9	22.3	83	71	51	-	-
SS-10	CL	276+50	8.5-10.0	A-4(4)	35	9	15.2	28.0	34.5	22.3	92	80	60	-	5.8
SS-11	CL	276+50	13.5-15.0	A-6(8)	37	15	12.4	26.5	30.7	30.4	91	84	63	-	7.7
SS-12	CL	276+50	18.5-20.0	A-6(2)	39	13	19.5	25.1	23.0	32.4	65	57	40	-	8.0
SS-14	CL	276+50	28.5-30.0	A-2-5(0)	42	6	48.2	20.9	16.7	14.2	96	59	35	-	-

910 900 890 880 870 860

SS-9
SS-10
SS-11
SS-12
SS-13
SS-14

GROUND SURFACE
ARTIFICIAL FILL, GRAY, MEDIUM STIFF TO STIFF, MOIST, SANDY SILT WITH LITTLE ORGANIC MATTER
ARTIFICIAL FILL, GRAY AND BROWN, SOFT TO HARD, MOIST, SANDY CLAY WITH LITTLE ORGANIC MATTER
2% PROPOSED GRADE
6%
6%
5.30%
RESIDUAL, TAN, MEDIUM DENSE, MOIST, SILTY SAND
7/06

276+50

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT C.SAND	F.SAND	SILT	CLAY	% PASSING (SIEVES) 10	40	200	% MOISTURE	% ORGANIC
SS-42	141' LT	276+00	3.8-5.2	A-6(8)	37	16	15.9	21.7	28.2	34.2	94	85	63	-	-
SS-43	141' LT	276+00	8.8-10.2	A-7-5(7)	45	13	19.5	22.7	21.6	36.2	98	85	62	-	-
SS-44	141' LT	276+00	13.8-15.2	A-5(0)	46	4	37.6	32.0	20.4	10.1	100	75	37	-	-

910 900 890 880 870

SS-42
SS-43
SS-44

Ⓐ ARTIFICIAL FILL, GRAY, MEDIUM STIFF TO STIFF, MOIST, SANDY SILT WITH TRACE ORGANIC MATERIAL
GROUND SURFACE
ARTIFICIAL FILL
ARTIFICIAL FILL, RED-BROWN, MEDIUM STIFF, MOIST, SANDY CLAY
RESIDUAL, RED-BROWN, VERY SOFT TO STIFF, MOIST, CLAYEY SILT
2%
PROPOSED GRADE
6%
5.30%
WHITE AND GRAY, MOIST, SANDY SILT
RESIDUAL, TAN, MEDIUM DENSE, MOIST, SILTY SAND
DRY
9/06

276+00

280 260 240 220 200 180 160 140 120 100 80 60 40 20 0

19-SEP-2007 08:37
I:\ver\raleigh\investigation\tip\u2524c_geo_rdwy\cadd_geotech\xsc\u2524c_geo_xs1_landfill.dgn
twalker
AT DEV221425

0 5 10	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	82

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-8	CL	275+10	38.7-40.0	A-2-4(0)	36	NP	47.4	26.7	15.7	10.1	99	65	31	-	-
SS-9	CL	276+50	3.5-5.0	A-4(1)	25	6	19.7	26.1	31.9	22.3	83	71	51	-	-
SS-10	CL	276+50	8.5-10.0	A-4(4)	35	9	15.2	28.0	34.5	22.3	92	80	60	-	-
SS-11	CL	276+50	13.5-15.0	A-6(8)	37	15	12.4	26.5	30.7	30.4	91	84	63	-	-
SS-12	CL	276+50	18.5-20.0	A-6(2)	39	13	19.5	25.1	23.0	32.4	65	57	40	-	-
SS-14	CL	276+50	28.5-30.0	A-2-5(0)	42	6	48.2	20.9	16.7	14.2	96	59	35	-	-



SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-10	168' RT	276+00	3.2-4.7	A-7-5(7)	49	13	25.8	22.6	19.1	32.5	100	82	57	-	-
SS-11	168' RT	276+00	8.2-9.7	A-4(0)	32	6	38.2	30.1	21.5	10.2	100	75	38	-	-

28-SEP-2007 08:06
L:\ERD\Raleigh Div\Projects\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xsc\u2524c_geo_xsl_landfill.dgn
tlwalker
AT GEN221425

8/23/99

0 5 10	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	83

280 260 240 220 200 180 160 140 120 100 80 60

890 880 870 860 850

GROUND SURFACE

17' AHEAD

ARTIFICIAL FILL, GRAY, BROWN, AND BLACK, SOFT TO STIFF, MOIST TO WET, SANDY CLAY AND SILTY CLAY WITH LITTLE ORGANIC MATTER

2d

6d

PROPOSED GRADE

ARTIFICIAL FILL, TAN, BROWN, AND ORANGE, STIFF TO VERY STIFF, MOIST, SANDY SILT WITH WOOD AND OTHER CONSTRUCTION DEBRIS

6d

5.305%

RESIDUAL, TAN TO RED-BROWN, STIFF TO VERY STIFF, MOIST TO WET, SANDY SILT AND CLAYEY SILT

RESIDUAL, ORANGE, MEDIUM DENSE, MOIST, SILTY SAND

DRY 27.5

16 14 14 22 23 11 23

277+50

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT C.SAND	F.SAND	SILT	CLAY	% PASSING (SIEVES) 10	40	200	% MOISTURE	% ORGANIC
SS-15	100' LT	277+00	3.9-5.4	A-6(7)	35	14	13.8	25.7	28.1	32.4	95	85	63	-	4.1
SS-17	100' LT	277+00	13.9-15.4	A-2-6(0)	36	12	37.3	21.7	14.7	26.3	75	56	34	-	3.2
SS-19	100' LT	277+00	23.9-25.4	A-4(0)	38	7	43.2	24.9	21.8	10.1	98	67	38	-	-
SS-20	100' LT	277+00	28.9-30.4	A-5(2)	42	5	26.7	26.7	24.2	22.3	96	75	52	-	-
SS-21	100' LT	277+00	33.9-35.4	A-4(0)	39	8	39.3	26.1	24.4	10.1	87	63	36	-	-

SS-15
SS-17
SS-18
SS-19
SS-20
SS-21

Ⓐ ARTIFICIAL FILL, ORANGE AND TAN TO DARK BROWN, STIFF TO VERY STIFF, MOIST, SANDY SILT WITH SIGNIFICANT AMOUNTS OF WOOD AND CONSTRUCTION DEBRIS

GROUND SURFACE

ARTIFICIAL FILL, BROWN, MEDIUM DENSE, LITTLE ORGANIC MATTER RESIDUAL, TAN TO RED

GRAY AND BROWN, VERY STIFF TO HARD, MOIST SANDY CLAY WITH TRACE ORGANIC MATTER

2V

PROPOSED GRADE

6d

5.305%

MOIST, CLAYEY SAND WITH BROWN, STIFF TO VERY STIFF, MOIST TO WET, SANDY SILT AND CLAYEY SILT

1.0%

RESIDUAL, TAN TO BROWN-GRAY, MEDIUM DENSE, MOIST TO WET, SILTY SAND

46 19 13 13 15 15 16

277+00

900 890 880 870 860 850

280 260 240 220 200 180 160 140 120 100 80 60 40 20 0

-L-

13-JUN-2007 08:11
I:\ENGRAleigh\Projects\Location\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xsc\u2524c_geo_xsl_landfill.dgn
User: GEOTECH

8/23/99

0 5 10	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	84

0 20 40 60 80 100 120 140 160 180 200 220

890 880 870 860

17' AHEAD

(B) RESIDUAL, TAN TO RED-BROWN, STIFF TO VERY STIFF, MOIST TO WET, SANDY SILT AND CLAYEY SILT

(C) ARTIFICIAL FILL, GRAY, BROWN, AND BLACK, SOFT TO STIFF, MOIST TO WET, SANDY CLAY AND SILTY CLAY WITH LITTLE ORGANIC MATTER

GROUND SURFACE

ARTIFICIAL FILL

TAN, BROWN, AND ORANGE, STIFF TO VERY STIFF, MOIST, SANDY SILT WITH WOOD AND OTHER CONSTRUCTION DEBRIS

16 14 14 22 23 11 23

DRY 2/93

6V 5.305V

PROPOSED GRADE 2V

RESIDUAL, ORANGE, MEDIUM DENSE, MOIST, SILTY SAND

6V

(B) (C)

277+50

900 890 880 870 860 850

(A) ARTIFICIAL FILL, GRAY AND BROWN, VERY STIFF TO HARD, MOIST, SANDY CLAY WITH TRACE ORGANIC MATTER

SS-22 SS-23 SS-24 SS-25 SS-27

GROUND SURFACE

ARTIFICIAL FILL, ORANGE AND TAN TO DARK BROWN, STIFF TO VERY STIFF, MOIST, SANDY SILT WITH SIGNIFICANT AMOUNTS OF WOOD AND CONSTRUCTION DEBRIS

ARTFICIAL FILL, GRAY, RED AND BROWN, MEDIUM STIFF TO HARD MOIST, SANDY CLAY AND SILTY CLAY WITH LITTLE TO MODERATE ORGANIC MATTER

4 100/.7 39 14 16 12 18

2:1 PROPOSED GRADE

6V 5.305V

SILTY SAND

7/06

RESIDUAL, TAN TO BROWN-GRAY, MEDIUM DENSE, MOIST TO WET,

(A)

277+00

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							G.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-22	100 RT	277+00	3.7-5.2	A-6(10)	38	17	15.6	22.9	29.1	32.4	100	89	68	-	3.7
SS-23	100 RT	277+00	8.7-10.2	A-6(6)	39	17	21.1	21.9	20.6	36.5	87	74	54	-	3.7
SS-24	100 RT	277+00	13.7-15.2	A-7-6(8)	42	15	15.8	26.7	25.0	32.4	97	86	61	-	9.6
SS-25	100 RT	277+00	18.7-20.2	A-2-4(0)	34	NP	40.1	31.4	16.3	12.2	99	72	34	-	-
SS-27	100 RT	277+00	33.7-35.2	A-2-4(0)	33	7	50.1	21.9	15.9	12.2	96	59	31	-	-

900 890 880 870 860 850

0 20 40 60 80 100 120 140 160 180 200 220 240 260 280

-4-

28-SEP-2007 08:06
L:\VERO\Raleigh Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xsc\u2524c_geo_xsi_landfill.dgn
tswalker
AT GE121425

8/23/99

0 5 10	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	85

280 260 240 220 200 180 160 140 120 100 80 60

880 870 860 850

Ⓐ ARTIFICIAL FILL, BROWN, STIFF, MOIST, SANDY SILT

GROUND SURFACE

17' AHEAD

ARTIFICIAL FILL, ORANGE-BROWN TO GREEN-BROWN, MEDIUM STIFF TO STIFF, SILTY CLAY HIGHLY ORGANIC WITH SIGNIFICANT AMOUNTS OF WOOD AND CONSTRUCTION DEBRIS

8% PROPOSED GRADE

6% 6% 5.305%

RESIDUAL, TAN, MEDIUM DENSE, MOIST, SILTY SAND

DRY 2/93

278+50

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-46	102' LT	278+00	4.0-5.5	A-7-6(7)	41	15	20.6	22.9	26.1	30.4	93	81	58	-	6.8
SS-47	102' LT	278+00	9.0-10.5	A-6(7)	37	16	16.4	25.1	24.1	34.4	93	82	59	-	-
SS-48	102' LT	278+00	14.0-15.5	A-6(7)	40	18	22.3	20.2	23.1	34.4	92	79	56	-	6.5
SS-49	102' LT	278+00	19.0-20.5	A-7-6(3)	41	13	32.4	26.3	17.0	24.3	99	78	46	-	-
SS-50	102' LT	278+00	24.0-25.5	A-5(0)	41	NP	36.0	31.0	18.8	14.2	100	79	38	-	-

SS-46 SS-47 SS-48 SS-49 SS-50

GROUND SURFACE

ARTIFICIAL FILL, BROWN TO BLACK, SOFT TO MEDIUM STIFF, MOIST TO WET, SILTY CLAY AND SANDY CLAY WITH LITTLE ORGANIC MATTER

ARTIFICIAL FILL, TAN, BROWN, AND ORANGE, STIFF TO VERY STIFF, MOIST, SANDY SILT WITH WOOD AND CONSTRUCTION DEBRIS

2% PROPOSED GRADE 6% 6% 5.305%

RESIDUAL, RED-BROWN, STIFF, MOIST, SILTY CLAY

RESIDUAL, RED-BROWN, VERY STIFF, MOIST, CLAYEY SILT

1/06

RESIDUAL, ORANGE, TAN, AND TAN-WHITE, MEDIUM DENSE, MOIST, SILTY SAND

278+00

-L-

280 260 240 220 200 180 160 140 120 100 80 60 40 20 0

900 890 880 870 860 850

16-JUL-2007 14:53
i:\eng\raleigh\projects\transportation\tip\u2524c_geo_rdwy\cadd_geotech\xsc\u2524c_geo_xs_landfill.dgn
User:cor

8/23/99

PROJ. REFERENCE NO.	SHEET NO.
U-2524C	86

0 5 10

0 20 40 60 80 100 120 140 160 180 200 220

900 890 880 870 860 850

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT G.SAND	% BY WEIGHT F.SAND	% BY WEIGHT SILT	% BY WEIGHT CLAY	% PASSING (SIEVES) 10	% PASSING (SIEVES) 40	% PASSING (SIEVES) 200	% MOISTURE	% ORGANIC
SS-12	147' RT	278+50	3.8-5.3	A-7-6(5)	41	15	25.6	19.9	17.9	36.6	89	74	52	-	-
SS-13	147' RT	278+50	8.8-10.3	A-2-4(0)	31	6	50.6	23.0	10.2	16.3	94	58	28	-	-

SS-12
SS-13

17' AHEAD

(B) ARTIFICIAL FILL, BROWN, STIFF, MOIST, SANDY SILT

GROUND SURFACE

ARTIFICIAL FILL, ORANGE-BROWN TO GREEN-BROWN, MEDIUM STIFF TO STIFF, SILTY CLAY, HIGHLY ORGANIC WITH SIGNIFICANT AMOUNTS OF WOOD AND OTHER CONSTRUCTION DEBRIS

6vl 5.305sl PROPOSED GRADE 6vl 2sl

RESIDUAL, TAN, MEDIUM DENSE, DRY TO MOIST, SILTY SAND

DRY 2/93

DRY 9/06

278+50

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT G.SAND	% BY WEIGHT F.SAND	% BY WEIGHT SILT	% BY WEIGHT CLAY	% PASSING (SIEVES) 10	% PASSING (SIEVES) 40	% PASSING (SIEVES) 200	% MOISTURE	% ORGANIC
SS-29	110' RT	278+00	3.7-5.2	A-6(8)	36	14	13.0	17.8	32.7	36.5	89	81	67	-	6.8
SS-30	110' RT	278+00	8.7-10.2	A-5(3)	43	8	22.9	32.2	22.6	22.3	100	81	51	-	-
SS-31	110' RT	278+00	13.7-15.2	A-5(4)	53	8	24.5	29.2	22.0	24.3	100	86	52	-	-
SS-32	110' RT	278+00	18.7-20.2	A-4(0)	34	6	44.8	23.1	20.0	12.2	99	66	37	-	-
SS-35	110' RT	278+00	33.7-35.2	A-2-4(0)	32	5	47.0	23.5	17.3	12.2	92	60	31	-	-
SS-36	110' RT	278+00	38.7-40.2	A-5(0)	59	NP	21.7	38.7	29.5	10.1	100	93	46	-	-

SS-29
SS-30
SS-31
SS-32
SS-35
SS-36

(A) RESIDUAL, RED-BROWN, VERY STIFF, MOIST, CLAYEY SILT

GROUND SURFACE

ARTIFICIAL FILL, TAN, BROWN, AND ORANGE, STIFF TO VERY STIFF, MOIST, SANDY SILT WITH WOOD OTHER CONSTRUCTION AND DEBRIS

ARTIFICIAL FILL, STIFF, MOIST, SANDY CLAY WITH LITTLE ORGANIC MATTER

6vl 5.305sl PROPOSED GRADE 6vl 2sl

RESIDUAL, TAN AND RED-BROWN, STIFF TO VERY STIFF, MOIST, CLAYEY SILT AND SANDY SILT

RESIDUAL, ORANGE, TAN, AND TAN-WHITE, MEDIUM DENSE, MOIST, SILTY SAND

RED-BROWN, STIFF, WET, CLAYEY SILT

9/06

278+00

-L-

0 20 40 60 80 100 120 140 160 180 200 220 240 260 280

28-SEP-2007 09:03
I:\eng\raleigh\dyestigation\tip\u2524c_geo_rdwy\cadd_geotech\xsc\u2524c_geo_xsi_landfill.dgn
tswalker AT DEV221425

0 5 10	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	87



SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-54	110' LT	279+00	3.7-5.2	A-6(5)	39	16	19.2	30.0	22.5	28.3	91	78	51	-	5.7
SS-56	110' LT	279+00	13.7-15.2	A-7-6(7)	41	19	20.9	21.3	21.5	36.4	81	70	51	-	5.3
SS-57	110' LT	279+00	18.7-20.2	A-7-6(10)	43	21	20.9	19.8	22.9	36.4	92	79	58	-	5.6
SS-60	110' LT	279+00	33.7-35.2	A-2-5(0)	42	NP	44.9	29.6	13.4	12.1	95	66	29	-	-

8/23/99

0 5 10	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	88

0 20 40 60 80 100 120 140 160 180 200 220

17' AHEAD

880 870 860 850

ARTIFICIAL FILL, ORANGE, BROWN, BLACK, AND DARK GREEN, MEDIUM STIFF TO STIFF, MOIST, SANDY SILT INTERMIXED WITH WOOD DEBRIS

GROUND SURFACE

PROPOSED GRADE 2%

6.0% 5.52% 6.0%

ARTIFICIAL FILL, BLACK, STIFF, MOIST, SILTY CLAY INTERMIXED WITH WOOD DEBRIS

RESIDUAL, TAN, WHITE, AND BLACK, MEDIUM DENSE, MOIST, SILTY SAND

279+50

900 890 880 870 860 850 840

SS-37 SS-38 SS-39 SS-42 SS-43 SS-44 SS-45

GROUND SURFACE

ARTIFICIAL FILL, ORANGE, BROWN, AND BLACK, MEDIUM STIFF TO STIFF, MOIST, SANDY SILT

6.0% 5.36% 6.0%

PROPOSED GRADE 2%

GRAY TO BLACK, STIFF TO VERY STIFF, MOIST, SILTY CLAY WITH TRACE ORGANIC MATTER, INTERMIXED WITH WOOD DEBRIS

RESIDUAL, TAN, MEDIUM DENSE, DRY TO MOIST, SILTY SAND

RESIDUAL, TAN, BROWN-RED, AND WHITE, MEDIUM STIFF TO VERY STIFF, MOIST TO WET, CLAYEY SILT

17.0ft

279+00

-L-

0 20 40 60 80 100 120 140 160 180 200 220 240 260 280

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT C.SAND	% BY WEIGHT F.SAND	% BY WEIGHT SILT	% BY WEIGHT CLAY	% PASSING (SIEVES) 10	% PASSING (SIEVES) 40	% PASSING (SIEVES) 200	% MOISTURE	% ORGANIC
SS-37	119' RT	279+00	3.2-4.7	A-7-6(17)	42	18	24.9	23.9	20.8	30.4	96	81	53	-	4.3
SS-38	119' RT	279+00	8.2-9.7	A-7-6(8)	41	20	23.9	22.3	15.3	38.5	92	78	54	-	4.8
SS-39	119' RT	279+00	13.2-14.7	A-7-6(17)	42	20	23.7	21.3	16.5	38.5	84	71	50	-	4.7
SS-42	119' RT	279+00	28.2-29.7	A-5(3)	55	7	22.5	35.9	29.5	12.2	100	88	48	-	-
SS-43	119' RT	279+00	33.2-34.7	A-5(0)	41	6	40.5	23.1	24.2	12.2	97	67	41	-	-
SS-44	119' RT	279+00	38.2-39.7	A-5(0)	41	6	37.5	25.7	20.6	16.2	97	72	41	-	-
SS-45	119' RT	279+00	43.2-44.7	A-2-4(0)	35	4	44.7	27.5	19.6	8.1	96	65	32	-	-

13-JUN-2007 08:40
$USER
c:\projects\projection\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xsc\U2524c_geo_xs1_lendfill.dgn
tsrader
GEOPAK (IV)

0 5 10	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	89



SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT C.SAND	F.SAND	SILT	CLAY	% PASSING (SIEVES) 10	40	200	% MOISTURE	% ORGANIC
SS-18	185' LT	279+93	3.9-5.4	A-2-6(1)	38	15	30.6	19.7	29.6	20.1	59	45	32	-	5.1
SS-19	185' LT	279+93	8.9-10.4	A-7-6(6)	41	18	20.9	19.5	31.5	28.1	81	70	52	-	4.9
SS-20	185' LT	279+93	13.9-15.4	A-6(7)	40	16	18.1	20.1	29.6	32.2	86	76	57	-	6.4
SS-21	185' LT	279+93	18.9-20.4	A-7-6(7)	42	17	21.3	20.9	27.6	30.2	85	73	54	-	6.4
SS-22	185' LT	279+93	23.9-25.4	A-6(6)	38	15	23.1	22.5	26.2	28.1	93	79	55	-	4.9
SS-23	185' LT	279+93	28.9-30.4	A-2-7(0)	42	11	29.3	22.5	24.0	24.1	62	50	33	-	9.4
SS-24	185' LT	279+93	33.9-40.4	A-2-7(0)	44	12	29.1	21.3	27.4	22.1	51	41	27	-	15.9
SS-25	185' LT	279+93	38.9-39.9	A-2-7(0)	47	15	40.2	15.7	28.0	16.1	33	23	15	-	21.0
SS-26	185' LT	279+93	39.9-40.4	A-6(4)	36	15	37.2	19.9	14.8	28.1	100	74	46	-	-
SS-27	185' LT	279+93	43.9-45.4	A-2-5(0)	48	NP	39.8	36.2	18.0	6.0	97	76	28	-	-
SS-28	185' LT	279+93	48.9-50.4	A-2-4(0)	35	NP	45.8	32.2	14.0	8.0	88	65	23	-	-

15-JUN-2007 08:57
D:\projects\preservation\tip\u2524c_geo_rdwy\cadd_geotech\xsc\u2524c_geo_xsl_landfill.dgn
tlewis
PW DEV221425

8/23/99

PROJ. REFERENCE NO.	SHEET NO.
U-2524C	90

0 5 10

0 20 40 60 80 100 120 140 160 180 200 220

880 870 860 850 840 830

GROUND SURFACE

17' AHEAD

ARTIFICIAL FILL.

BROWN AND ORANGE, MEDIUM STIFF TO STIFF, MOIST, SANDY SILT WITH GRAVEL, INTERMIXED WITH WOOD DEBRIS

6:1 5.869:1 PROPOSED GRADE 6:1 2:1

BROWN, SOFT TO MEDIUM STIFF, MOIST, SILTY CLAY WITH GRAVEL, INTERMIXED WITH WOOD DEBRIS

RESIDUAL, GREEN AND WHITE, LOOSE TO MEDIUM DENSE, WET, SILTY SAND

11 6 2 7 5 7 8 2 7 13

2/93

280+50

900 890 880 870 860 850 840

GROUND SURFACE

ARTIFICIAL FILL, ORANGE, BROWN, BLACK, AND DARK GREEN, MEDIUM STIFF TO STIFF, MOIST, SANDY SILT INTERMIXED WITH WOOD DEBRIS

6:1 5.69:1 6:1 PROPOSED GRADE 2:1

ARTIFICIAL FILL, BROWN, GRAY, AND RED, VERY SOFT TO STIFF, MOIST, SILTY CLAY

4 2 4 1 11

09/06

RESIDUAL, TAN, WHITE, AND BLACK, MEDIUM DENSE, MOIST, SILTY SAND

WEATHERED ROCK

50/0.1

CRYSTALLINE ROCK

280+00

SS-14
SS-15
SS-16
SS-17

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT C.SAND	% BY WEIGHT F.SAND	% BY WEIGHT SILT	% BY WEIGHT CLAY	% PASSING (SIEVES) #10	% PASSING (SIEVES) #40	% PASSING (SIEVES) #200	% MOISTURE	% ORGANIC
SS-14	139' RT	280+00	3.2-4.7	A-7-6(9)	47	20	21.3	24.0	22.2	32.5	94	82	55	-	5.4
SS-15	139' RT	280+00	8.2-9.7	A-7-6(8)	42	16	18.1	22.2	23.2	36.6	97	87	62	-	7.4
SS-16	139' RT	280+00	18.2-19.7	A-7-6(8)	43	16	19.3	21.1	23.0	36.6	96	84	61	-	7.2
SS-17	139' RT	280+00	23.2-24.7	A-7-6(6)	42	14	17.3	19.3	26.8	36.6	80	71	54	-	11.4

0 20 40 60 80 100 120 140 160 180 200 220 240 260 280

09-JUL-2007 09:14
I:\ero\roadprojects\investigation\tip\u2524c_geo_rdy\cadd_geotech\xsc\u2524c_geo_xsl_landfill.dgn
mahs

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT C.SAND	F.SAND	SILT	CLAY	% PASSING (SIEVES) 10	40	200	% MOISTURE	% ORGANIC
SS-29	150' LT	281+50	3.8-5.3	A-6(3)	34	12	29.7	21.1	27.0	22.1	87	68	47	-	4.0
SS-30	150' LT	281+50	8.8-10.3	A-7-6(8)	43	22	20.9	19.7	23.2	36.2	82	70	52	-	4.6
SS-31	150' LT	281+50	13.8-15.3	A-6(4)	37	13	19.5	22.9	27.4	30.2	86	76	53	-	4.7
SS-32	150' LT	281+50	18.8-20.3	A-6(3)	31	11	22.9	26.1	24.8	26.1	91	78	51	-	4.2
SS-33	150' LT	281+50	28.8-30.3	A-6(2)	35	13	22.9	22.9	30.1	24.1	73	62	43	-	4.9
SS-34	150' LT	281+50	33.8-35.0	A-6(11)	32	11	22.7	26.1	27.0	24.1	77	66	41	-	-
SS-35	150' LT	281+50	48.8-50.3	A-2-4(0)	23	NP	29.3	44.0	14.6	12.1	80	68	26	-	3.1
SS-36	150' LT	281+50	63.8-65.3	A-2-4(0)	29	NP	48.2	31.8	16.0	4.0	89	60	23	-	-

SS-29 | SS-33
SS-30 | SS-34
SS-31 | SS-35
SS-36



8/23/99
13-JUN-2007 08:56
i:\eng\raleigh drv\station\tip\u2524c_geo_rdwy\addl_geotech\xsc\u2524c_geo_xsl_landfill.dgn
tswiker AT GEOZ2-PS

8/23/99

PROJ. REFERENCE NO.	SHEET NO.
U-2524C	92

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-37	125' RT	281+50	4.0-5.5	A-6(2)	37	12	26.3	24.1	23.4	26.1	82	67	44	-	4.3
SS-38	125' RT	281+50	9.0-10.5	A-7-6(4)	43	17	27.5	18.5	27.8	26.1	77	62	44	-	4.8
SS-39	125' RT	281+50	14.0-15.5	A-6(5)	36	12	18.5	21.5	29.8	30.2	88	77	58	-	4.7
SS-40	125' RT	281+50	34.0-35.5	A-2-4(0)	20	NP	42.4	29.3	18.2	10.1	98	70	33	-	-
SS-41	125' RT	281+50	39.0-40.5	A-2-4(0)	37	6	43.4	28.3	22.2	6.0	99	68	35	-	-



13-JUN-2007 08:10
L:\ERD\Roledata\investigation\TIP\U2524C_GEO_ROW\CADD_GEOTECH\xsc\u2524c_geo_xsl_londfill.dgn
ttwalker AT GEOTECH

8/23/99

0 5 10	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	93

280 260 240 220 200 180 160 140 120 100 80 60 40 20 0

870 860 850 840 830 820 880

GROUND SURFACE

PROPOSED GRADE

6:1 6:1 6:1 6:1 6:1

ARTIFICIAL FILL,
BROWN AND GRAY, VERY SOFT TO VERY STIFF, MOIST TO WET, SILTY CLAY AND SANDY CLAY WITH TRACE ORGANIC MATTER, INTERMIXED WITH WOOD DEBRIS

RESIDUAL, WHITE, BLACK, AND BROWN, LOOSE TO VERY DENSE, MOIST, SILTY SAND

282+50

ARTIFICIAL FILL,
BROWN, VERY STIFF TO HARD, SATURATED SILTY SAND WITH LITTLE ORGANICS, INTERMIXED WITH WOOD DEBRIS

RESIDUAL, WHITE, BLACK, AND BROWN, LOOSE TO VERY DENSE, MOIST, SILTY SAND

282+00

-L-

24-SEP-2007 09:54
i:\eng\raleigh\projects\gation\tip\u2524c_geo_rdwy\cadd_geotech\xsc\u2524c_geo_xs_landfill.dgn
tiwalker AT GEO22426

8/23/99

PROJ. REFERENCE NO.	SHEET NO.
U-2524C	94

0 5 10

0 20 40 60 80 100 120 140 160 180 200 220

870
860
850
840
830
820

6:1 6:1 PROPOSED GRADE GROUND SURFACE 2:1 6:1 2:1 1.5:1

ARTIFICIAL FILL,
BROWN AND GRAY, VERY SOFT TO VERY STIFF, MOIST TO WET, SILTY CLAY AND
SANDY CLAY WITH TRACE ORGANIC MATTER, INTERMIXED WITH WOOD DEBRIS

RESIDUAL, TAN, BLACK, AND WHITE, MEDIUM DENSE TO DENSE, MOIST, SILTY SAND

282+50

GROUND SURFACE

6:1 6:1 PROPOSED GRADE 2:1 6:1 2:1 1.5:1

ARTIFICIAL FILL,
BROWN AND GRAY, VERY SOFT TO VERY STIFF, MOIST TO WET, SILTY CLAY AND
SANDY CLAY WITH TRACE ORGANIC MATTER, INTERMIXED WITH WOOD DEBRIS

RESIDUAL, TAN, BLACK, AND WHITE, MEDIUM DENSE TO DENSE, MOIST, SILTY SAND

282+00

-L-

0 20 40 60 80 100 120 140 160 180 200 220 240 260 280

24-SEP-2007 09:54
i:\erc\raleigh\geostigation\tip\u2524c_geo_rdwy\cadd_geotech\xso\u2524c_geo_xsi_landfill.dgn
twalker
AT GEOTECH

8/23/99

0 5 10	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	95

280 260 240 220 200 180 160 140 120 100 80 60

860 850 840 830

PROPOSED GRADE

3 | 6.1 | 6.1

2.1

GROUND SURFACE

RESIDUAL, TAN-GRAY, VERY STIFF, MOIST, SANDY CLAY

284+00

PROPOSED GRADE

3 | 6.1 | 6.1

2.1

Ⓐ ARTIFICIAL FILL, BROWN AND GRAY, VERY SOFT TO VERY STIFF, MOIST, SILTY CLAY AND SANDY CLAY WITH TRACE ORGANIC MATTER INTERMIXED WITH WOOD DEBRIS

Ⓐ

RESIDUAL, TAN, BLACK, AND WHITE, MEDIUM DENSE TO DENSE, MOIST, SILTY SAND

GROUND SURFACE

283+50

PROPOSED GRADE

3 | 6.1 | 6.1

2.05:1

ARTIFICIAL FILL

GROUND SURFACE

BROWN AND GRAY, VERY SOFT TO VERY STIFF, MOIST TO WET, SILTY CLAY AND SANDY CLAY WITH TRACE ORGANIC MATTER, INTERMIXED WITH WOOD DEBRIS

RESIDUAL, WHITE, BLACK, AND BROWN, LOOSE TO VERY DENSE, MOIST, SILTY SAND

283+00

-L-

280 260 240 220 200 180 160 140 120 100 80 60 40 20 0

24-SEP-2007 09:53
i:\eng\raleigh\projects\tip\u2524c_geo_rdwy\cadd_geotech\xsc\u2524c_geo_xsc_landfill.dgn
tlwalker AT GEV221425

8/23/99

0 5 10	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	96



-4-

24-SEP-2007 09:54
I:\erp\raleigh\investigation\tip\u2524c_geo_rdwy\cadd_geotech\xsc\u2524c_geo_xs1_landfill.dgn
tlwalker
AT GEV221425

8/23/99

PROJ. REFERENCE NO.	SHEET NO.
U-2524C	97

0 5 10



24-SEP-2007 09:55
I:\wry\raleigh\projects\station\tip\u2524c_geo_rdwy\cadd_geotech\xsc\u2524c_geo_xs1_landfill.dgn
tlwalker
MT DEV22425

8/23/99

PROJ. REFERENCE NO.	SHEET NO.
U-2524C	98

0 2.5 5

140 130 120 110 100 90 80 70 60 50 40 30 20 10 0

880 875 870 865 860 855 850 845 840 835 830 825 820 815

PROPOSED GRADE

3:1

6:1

GROUND SURFACE

RESIDUAL, DARK GRAY TO BLACK, MEDIUM DENSE, (26) 60/0.1 MOIST, SILTY SAND

CRYSTALLINE ROCK (GNEISS)

SS-72

7/96

296+50

-L-

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-72	40' LT	296+50	3.2-4.7	A-2-4(0)	30	NP	49.2	30.8	9.9	10.1	83	55	20	-	-

19-SEP-2007 07:49
I:\ERO\Raleigh Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xsc\u2524c_geo_xs1_1.dgn
tiwalker
ATT GEJ221425

8/23/99

PROJ. REFERENCE NO. U-2524C

SHEET NO. 99

0 2.5 5

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-74	50' RT	296+50	3.4-4.9	A-2-4(0)	28	NP	48.8	31.6	11.5	8.1	87	52	21	-	-

SS-74

PROPOSED GRADE

6:1

2:1

GROUND SURFACE

RESIDUAL, TAN-GRAY, DENSE, (35)

MOIST, SILTY SAND

7/06

(60/0.)

CRYSTALLINE ROCK (GNEISS)

296+50

-L-

850 845 840 835 830 825 820 815

0 10 20 30 40 50 60 70 80 90 100 110 120 130 140

13-JUN-2007 08:30
User:kerr
Name:e:\projects\tip\u2524c_geo_rdwy\cadd_geotech\xsc\u2524c_geo_xs_1.dgn

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	100

140 130 120 110 100 90 80 70 60 50 40 30

855 850 845 840

2:1 6:1 PROPOSED GRADE 6:1

GROUND SURFACE

RESIDUAL, BROWN, STIFF, MOIST, SANDY CLAY, HIGHLY PLASTIC

BROWN, STIFF, MOIST, SANDY CLAY

298+50

850 845 840 835

6:1 6:1 PROPOSED GRADE 6:1

GROUND SURFACE

RESIDUAL, BROWN, STIFF, MOIST, SILTY CLAY, HIGHLY PLASTIC

BROWN, STIFF, MOIST, SANDY CLAY

298+00

850 845 840 835

3.57:1 PROPOSED GRADE 6:1

GROUND SURFACE

RESIDUAL, BROWN, STIFF, MOIST, SILTY CLAY, HIGHLY PLASTIC

BROWN, STIFF, MOIST, SANDY CLAY

297+50

—L—

140 130 120 110 100 90 80 70 60 50 40 30 20 10 0

09-JUL-2007 09:20
N:\ens\projects\preconstruction\tip\u2524c_geo_rdwy\coddd_geotech\xsc\u2524c_geo_xs1_1.dgn
ens 1:1 0.0000 0.0000

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	101

0 10 20 30 40 50 60 70 80 90 100 110

PROPOSED GRADE

6:1

3.64:1

GROUND SURFACE

RESIDUAL, BROWN, STIFF, MOIST, SILTY CLAY, HIGHLY PLASTIC

BROWN, STIFF, MOIST, SANDY CLAY

845 840 835

298+50

PROPOSED GRADE

6:1

2.78:1

Ⓐ RESIDUAL, BROWN, STIFF, MOIST, SILTY CLAY, HIGHLY PLASTIC

GROUND SURFACE

BROWN, STIFF, MOIST, SANDY CLAY

850 845 840 835

298+00

PROPOSED GRADE

6:1

2:1

GROUND SURFACE

BROWN, STIFF, MOIST, SANDY CLAY

850 845 840 835 830

297+50

0 10 20 30 40 50 60 70 80 90 100 110 120 130 140

09-JUL-2007 09:21
I:\ero_roadway_projects\geotech\tip\u2524c_geo_rdwy\cadd_geotech\xsc\u2524c_geo_xsc_1.dgn
mears
All DEVICES

8/23/99

PROJ. REFERENCE NO.	SHEET NO.
U-2524C	101

0 2.5 5

0 10 20 30 40 50 60 70 80 90 100 110

298+50

6:1 PROPOSED GRADE 3.64:1

GROUND SURFACE

RESIDUAL, BROWN, STIFF, MOIST, SILTY CLAY, HIGHLY PLASTIC

BROWN, STIFF, MOIST, SANDY CLAY

845 840 835

298+00

6:1 PROPOSED GRADE 2.78:1

(A) RESIDUAL, BROWN, STIFF, MOIST, SILTY CLAY, HIGHLY PLASTIC

GROUND SURFACE

BROWN, STIFF, MOIST, SANDY CLAY

850 845 840 835

297+50

6:1 PROPOSED GRADE 2:1

GROUND SURFACE

BROWN, STIFF, MOIST, SANDY CLAY

850 845 840 835 830

—L—

0 10 20 30 40 50 60 70 80 90 100 110 120 130 140

09-JUL-2007 09:21
I:\proj\raleigh\geotech\xsp\u2524c_geo_rdwy\cadd_geotech\xss\u2524c_geo_xss_1.dgn
nmohs
AT DE:U2261524

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	102



SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
S-70	90' LT	299+00	0.0-1.0	A-7-6(24)	57	37	10.1	23.7	19.6	46.6	97	93	69	-	-
S-71	90' LT	299+00	10.7-12.0	A-6(2)	27	11	28.1	27.7	17.8	26.3	100	82	50	-	-

09-JUL-2007 09:22
I:\proj\2524c\design\tip\u2524c_geo_rdwy\cadd_geotech\xsc\u2524c_geo_xsc_1.dgn
mmoss

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	103

140 130 120 110 100 90 80 70 60 50 40 30

870 865 860 855 850 845 840

GROUND SURFACE

2:1

RESIDUAL, RED-BROWN, STIFF, MOIST, SILTY, HIGHLY PLASTIC

6:1

PROPOSED GRADE 6:1

LIGHT BROWN, STIFF, MOIST TO WET, SILTY CLAY

300+50

870 865 860 855 850 845 840

GROUND SURFACE

2:1

RESIDUAL, RED-BROWN TO BROWN, STIFF, MOIST, SILTY CLAY

6:1

PROPOSED GRADE

6:1

BROWN, STIFF, MOIST TO WET, SILTY CLAY

300+00

—L—

140 130 120 110 100 90 80 70 60 50 40 30 20 10 0

09-JUL-2007 09:23
i:\eroj\roj\prj\investigation\tip\u2524c_geo_rdwy\cadd_geotech\xsc\u2524c_geo_xs1.1.dgn
nmohs
A1 BE J226164

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	104

0 10 20 30 40 50 60 70 80 90 100 110

850 845 840

GROUND SURFACE

PROPOSED GRADE

6:1

6:1

3.92:1

RESIDUAL, RED-BROWN, STIFF, MOIST, SILTY CLAY, HIGHLY PLASTIC

LIGHT BROWN, STIFF, MOIST TO WET, SILTY CLAY

300+50

850 845 840

PROPOSED GRADE

GROUND SURFACE

6:1

6:1

2.83:1

RESIDUAL, RED-BROWN TO BROWN, STIFF, MOIST, SILTY CLAY, HIGHLY PLASTIC

BROWN, STIFF, MOIST TO WET, SILTY CLAY

300+00

850 845 840 835

PROPOSED GRADE

6:1

6:1

GROUND SURFACE

6:1

RESIDUAL, BROWN, STIFF, MOIST, SILTY CLAY, HIGHLY PLASTIC

BROWN, STIFF, MOIST, SANDY CLAY

299+50

850 845 840 835

PROPOSED GRADE

6:1

GROUND SURFACE

5:1

RESIDUAL, BROWN, STIFF, MOIST, SILTY CLAY, HIGHLY PLASTIC

BROWN, STIFF, MOIST, SANDY CLAY

299+00

—L—

0 10 20 30 40 50 60 70 80 90 100 110 120 130 140

12-JUL-2007 13:28
I:\projects\transportation\tip\u2524c_geo_rdwy\eddd_geotech\xsc\u2524c_geo_xs1_1.dgn
tlwalker
0.0221425

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	105

140 130 120 110 100 90 80 70 60 50 40 30

860 855 850 845 840

GROUND SURFACE

RESIDUAL, RED-BROWN, STIFF, MOIST, SILTY CLAY, HIGHLY PLASTIC

LIGHT BROWN, STIFF, MOIST, SILTY CLAY

2:1

6:1

PROPOSED GRADE

6:1

860 855 850 845 840

301+50

870 865 860 855 850 845 840

GROUND SURFACE

RESIDUAL, RED-BROWN, STIFF, MOIST, SILTY CLAY, HIGHLY PLASTIC

PROPOSED GRADE

6:1

2:1

6:1

LIGHT BROWN, STIFF, MOIST TO WET, SILTY CLAY

301+00

-L-

140 130 120 110 100 90 80 70 60 50 40 30 20 10 0

12-JUL-2007 13:27
\\pwcgsv01\projects\tip\u2524c_geo_rdwy\cadd_geotech\xso\u2524c_geo_xs1_1.dgn
twalker
DEJ221425

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	106

140 130 120 110 100 90 80 70 60 50 40 30

865 860 855 850 845 840 835

GROUND SURFACE

PROPOSED GRADE

2:1

6:1

RESIDUAL, RED-BROWN, STIFF, MOIST, CLAYEY SILT

BROWN, WHITE, AND GRAY, MEDIUM DENSE, MOIST, SILTY SAND

6:1

BROWN, STIFF, MOIST, SILTY CLAY

302+50

865 860 855 850 845 840 835

RESIDUAL, RED-BROWN, STIFF, MOIST, SILTY CLAY, HIGHLY PLASTIC

GROUND SURFACE

2:1

RED-BROWN, STIFF, MOIST, CLAYEY SILT

PROPOSED GRADE

6:1

6:1

BROWN, WHITE, AND GRAY, MEDIUM DENSE, MOIST, SILTY SAND

BROWN, STIFF, MOIST, SILTY CLAY

302+00

865 860 855 850 845 840 835

-L-

140 130 120 110 100 90 80 70 60 50 40 30 20 10 0

19-SEP-2007 07:50
L:\ERO\Raleigh\Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xsc\u2524c_geo_xsc_1.dgn
tlwalker
AT GEU22125

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	107



SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
S-68	45' RT	301 +00	0.0-1.0	A-7-6(21)	66	41	28.1	15.6	11.7	44.5	99	79	58	-	-
S-69	45' RT	301 +00	7.7-9.0	A-7-6(3)	42	17	40.3	19.6	13.8	26.3	95	63	41	-	-

03-JAN-2008 15:10
I:\env\raleigh\projects\tip\u2524c_geo_rdwy\cadd_geotech\xso\u2524c_geo_xs1_1.dgn
tiwalker

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	108



07-JAN-2006 15:09
I:\projects\investigation\tip\u2524c_geo_rdwy\cadd_geotech\xsc\u2524c_geo_xs1_1.dgn
twalker
AT DE\221225

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	109

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-75	90' LT	303+50	3.8-5.3	A-5(3)	58	8	30.2	28.3	15.2	26.3	100	82	47	-	-
SS-76	90' LT	303+50	8.8-10.3	A-7-5(5)	52	13	31.6	22.3	17.8	28.3	98	77	49	-	-
SS-77	90' LT	303+50	13.8-15.3	A-2-5(0)	45	NP	48.8	21.1	16.0	14.2	96	67	34	-	-



19-SEP-2007 07:51
L:\VERD\Re.dgn [Dyestigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xsc\u2524c_geo_xs1.1.dgn
tswalker AT GEO221425

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	110

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-82	90' RT	303+50	3.9-5.4	A-5(0)	53	NP	34.4	29.6	21.9	14.2	97	76	41	-	-
SS-83	90' RT	303+50	8.9-10.4	A-2-4(0)	38	NP	40.3	32.2	19.4	8.1	94	71	31	-	-
SS-85	90' RT	303+50	18.9-20.4	A-1-b(0)	36	NP	53.6	24.3	16.0	6.1	86	49	24	-	-



303+50
-L-

13-JUN-2007 08:30
I:\projects\transportation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xsec\u2524c_geo_xs1_1.dgn
User:kdavis
PW:\\Default

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	111

140 130 120 110 100 90 80 70 60 50 40 30 20 10 0

870 865 860 855 850 845 840 835 830 825 820

GROUND SURFACE

RESIDUAL, DARK GRAY TO TAN, DENSE TO VERY DENSE, MOIST, SILTY SAND

MATCHLINE

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-99	98' LT	310+80	3.3-4.8	A-2-4(0)	31	9	43.7	28.5	13.6	14.2	97	69	31	-	-
SS-100	98' LT	310+80	8.3-9.8	A-2-4(0)	33	NP	37.2	39.3	15.4	8.1	97	78	29	-	-

SS-99
SS-100
20' BACK

29
60
74
52
59 07/06
84
100/0.6
43

2:1

RESIDUAL, DARK GRAY TO TAN, DENSE TO VERY DENSE, MOIST, SILTY SAND

GROUND SURFACE

6:1

PROPOSED GRADE

6:1

WEATHERED ROCK (GNEISS)

311+00

-L-

09-JUL-2007 09:23
H:\wdl_v8i\projects\geotech\tip\u2524c_geo_rdwy\oddd_geotech\xsc\u2524c_geo_xs1_1.dgn
mons
DEJ226164

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	112

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-93	80' RT	311+00	3.0-4.5	A-7-5(5)	56	15	31.8	26.5	13.4	28.3	99	78	46	-	-
SS-94	80' RT	311+00	8.0-9.5	A-7-5(9)	56	14	22.7	20.9	24.1	32.4	100	85	61	-	-
SS-95	80' RT	311+00	13.0-14.5	A-2-4(0)	37	7	44.1	23.3	20.4	12.1	84	54	33	-	-



13-JUN-2007 08:31
L:\VERO\Raleigh\Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xsc\u2524c_geo_xsi_1.dgn
twalker
AT GEJ22125

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	113

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-300	90' LT	316+00	3.3-4.8	A-2-4(0)	34	8	38.4	32.1	9.3	20.2	89	67	30	-	-



-4-

13-JUN-2007 08:25
L:\ERD\Raleigh Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xss\u2524c_geo_xsl_1.dgn
twalker
AT GEV221425

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	114

316+00

-L-

6:1

PROPOSED GRADE 2:1

Ⓐ ALLUVIAL, GRAY, LOOSE, WET TO SATURATED, SILTY SAND

RESIDUAL, TAN, MEDIUM DENSE, MOIST, SILTY SAND

WEATHERED ROCK (META-GRANITE)

CRYSTALLINE ROCK (META-GRANITE)

100/0.7

100/0.4

60/0.1

DRY 8/06

GROUND SURFACE

RESIDUAL, TAN, MEDIUM DENSE, MOIST, S

WEATHERED ROCK (META-GRANITE)

830 825 820 815 810 805 800 795 790

0 10 20 30 40 50 60 70 80 90 100 110 120 130 140

09-JUL-2007 09:33
I:\eroja\pdot_projects\location\tip\u2524c_geo_rdwy\cadd_geotech\xsc\u2524c_geo_xs1.dgn
mons Alt DC.12815

8/23/99

PROJ. REFERENCE NO.	SHEET NO.
U-2524C	115

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-164	43' RT	317+77	3.7-5.2	A-2-6(0)	32	12	66.0	15.5	2.3	16.1	90	45	18	-	-



13-JUN-2007 08:31
User:Raleigh
Ltscale=1 GEOTECH\vsc\U2524c_geo_xsl_1.dgn

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	116



SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-183	90' RT	368+50	3.6-5.1	A-7-6(11)	48	21	26.7	16.0	12.7	44.6	100	82	60	-	-
SS-184	90' RT	368+50	8.6-10.1	A-6(3)	40	14	37.5	24.7	11.4	26.3	100	74	43	-	-
SS-185	90' RT	368+50	13.6-15.1	A-5(0)	42	NP	39.9	26.7	21.2	12.2	100	75	37	-	-

13-JUN-2007 08:31
L:\ERO\Raleigh Projects\Division\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xsc\u2524c_geo_xs1.dgn
tbaker
AT GEO221425

8/23/99

PROJ. REFERENCE NO.	SHEET NO.
U-2524C	117

0 2.5 5

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-248	45' LT	369+92	3.5-5.0	A-2-4(0)	28	4	45.5	26.9	7.5	20.2	100	71	32	-	-
SS-249	45' LT	369+92	8.5-10.0	A-2-4(0)	36	NP	28.5	44.0	15.4	12.1	100	88	33	-	-
SS-250	45' LT	369+92	18.5-20.0	A-4(0)	33	5	36.8	29.1	9.9	24.2	100	75	40	-	-



13-JUN-2007 08:25
L:\ERD\Roadway\Projects\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xsc\u2524c_geo_xsl_1.dgn
ttwolker GEOPAK 8.1

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	118



13-JUN-2007 08:31
L:\ERDCAD\default\investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xsc\U2524c_geo_xsc_1.dgn
ttwalker
AT GEJ221438

8/23/99

PROJ. REFERENCE NO.	SHEET NO.
U-2524C	119

0 2.5 5

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
S-254	70' RT	370+00	3.8-4.8	A-6(6)	40	18	30.3	22.8	8.5	38.4	97	77	50	-	-



13-JUN-2007 08:33
L:\ERO\Raleigh Div\Design Section\TIP\U2524C_GEO_ROWY\CADD_GEOTECH\xsc\u2524c_geo_xs_1.dgn
Swalker
AT DEV22425

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	120

140 130 120 110 100 90 80 70 60 50 40 30

820 815 810 805 800 795

GROUND SURFACE

PROPOSED GRADE

6:1 6:1 6:1

RESIDUAL, TAN-BROWN, MEDIUM DENSE, MOIST, SILTY SAND

WEATHERED ROCK (META-GRANITE)

CRYSTALLINE ROCK (META-GRANITE)

371+00

825 820 815 810 805 800

GROUND SURFACE

6:1

RESIDUAL, RED-BROWN, MEDIUM DENSE, MOIST, SILTY SAND

PROPOSED GRADE

6:1

TAN, VERY STIFF TO HARD, MOIST, SANDY SILT

WEATHERED ROCK (META-GRANITE)

CRYSTALLINE ROCK (META-GRANITE)

DRY 8/06

370+50

140 130 120 110 100 90 80 70 60 50 40 30 20 10 0

-L-

13-JUN-2007 08:25
\\Raleigh1\projects\Preconstruction\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xsc\u2524c_geo_xsl_1.dgn
User: ajgeiger

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	121

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-182	90' RT	370+50	3.3-4.0	A-4(0)	37	7	33.8	31.2	14.7	20.3	100	76	41	-	-
S-243	120' RT	370+50	3.5-5.0	A-7-5(24)	67	37	20.4	16.0	9.1	54.5	98	84	65	-	-



13-JUN-2007 08:33
\\ENGRD\Proj\Geotechnical\Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xsc\u2524c_geo_xs1.dgn
ttwalker

8/23/99

PROJ. REFERENCE NO.	SHEET NO.
U-2524C	122

0 2.5 5

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT C.SAND	% BY WEIGHT F.SAND	% BY WEIGHT SILT	% BY WEIGHT CLAY	% PASSING (SIEVES) 10	% PASSING (SIEVES) 40	% PASSING (SIEVES) 200	% MOISTURE	% ORGANIC
S-252	70' RT	371+00	3.3-4.3	A-6(6)	36	19	32.1	20.2	9.3	38.4	97	75	50	-	-



09-JUL-2007 09:39
I:\projects\P&R\GE\222654\geotechnical\tip\u2524c_geo_rdwy\cadd_geotech\xsc\u2524c_geo_xs1_1.dgn
nmehs

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	123

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-13	CL	371+77	4.5-6.0	A-7-5(10)	53	21	25.8	20.9	17.1	36.2	97	81	56	-	-
SS-14	CL	371+77	9.5-11.0	A-4(0)	38	NP	33.2	32.2	20.5	14.1	100	78	41	-	-
SS-15	CL	371+77	14.5-16.0	A-2-4(0)	26	NP	40.6	32.0	19.3	8.0	99	74	33	-	-



-L-

13-JUN-2007 08:26
I:\VEROSTA\Projects\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xsc\u2524c_geo_xs1_1.dgn
ATT GEJ22125
ttwalker

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	124

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
S-246	120' RT	371+50	5.0-6.0	A-4(0)	37	NP	24.8	31.5	17.4	26.3	97	82	49	-	-



09-JUL-2007 09:42
User:rmahoney
Plan:
mahoney
\\Projectmanagement\tip\u2524c_geo_rdwy\eadd_geotech\vsc\u2524c_geo_xs1_1.dgn

8/23/99

PROJ. REFERENCE NO.	SHEET NO.
U-2524C	125

0 2.5 5

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-13	CL	371+77	4.5-6.0	A-7-5(10)	53	21	25.8	20.9	17.1	36.2	97	81	56	-	-
SS-14	CL	371+77	9.5-11.0	A-4(0)	38	NP	33.2	32.2	20.5	14.1	100	78	41	-	-
SS-15	CL	371+77	14.5-16.0	A-2-4(0)	26	NP	40.6	32.0	19.3	8.0	99	74	33	-	-





09-JUL-2007 09:44
I:\wro\roj\pbj226154\invest\tip\u2524c_geo_rdwy\cadd_geotech\xsc\u2524c_geo_xs1_1.dgn
nmorris

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	126

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-234	30' LT	372+50	8.7-10.2	A-4(0)	38	NP	31.5	28.9	15.4	24.2	99	81	43	-	-



372+50

-L-

13-JUN-2007 08:26
I:\ERD\Roadway\projects\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xsc\u2524c_geo_xsl_1.dgn
twalker
GEJ221425

8/23/99

PROJ. REFERENCE NO.	SHEET NO.
U-2524C	127

0 2.5 5

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-175	40' RT	372+50	3.6-5.1	A-5(11)	41	7	32.8	30.4	16.5	20.3	100	78	42	-	-
SS-176	40' RT	372+50	8.6-10.1	A-5(12)	50	5	23.3	36.5	26.0	14.2	100	89	48	-	-
SS-177	40' RT	372+50	13.6-15.1	A-5(10)	57	NP	37.9	26.5	23.4	12.2	100	76	40	-	-
SS-178	40' RT	372+50	18.6-20.1	A-5(10)	41	NP	30.2	35.9	21.8	12.2	100	85	39	-	-

MATCHLINE

GROUND SURFACE

RESIDUAL, TAN-RED-BROWN, VERY STIFF TO HARD, MOIST, CLAYEY SILT

WEATHERED ROCK (META-GRANITE)

CRYSTALLINE ROCK (META-GRANITE)

SS-175
SS-176
SS-177
SS-178

GROUND SURFACE

RESIDUAL, TAN-RED-BROWN, VERY STIFF TO HARD, MOIST, CLAYEY SILT

37
22
29
40
60/0.2

WEATHERED ROCK (META-GRANITE)

100/0.7
60/0.0

DRY 8/06

6:1

6:1

2:1

CRYSTALLINE ROCK (META-GRANITE)

PROPOSED GRADE

372+50

-L-

09-JUL-2007 09:45
I:\projects\transportation\tip\u2524c_geo_rdwy\cadd_geotech\xs\u2524c_geo_xs1.dgn
nmorris
PE 226164
AT

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	128

140 130 120 110 100 90 80 70 60 50 40 30

820 815 810 805 800 795 790 785

GROUND SURFACE

RESIDUAL,

RED-BROWN, STIFF TO VERY STIFF, MOIST, SILTY CLAY, HIGHLY PLASTIC

6:1

PROPOSED GRADE

6:1

RED-BROWN, VERY STIFF TO HARD, MOIST, SANDY SILT

WEATHERED ROCK (META-GRANITE)

CRYSTALLINE ROCK
(META-GRANITE)

373+50

820 815 810 805 800 795 790 785

GROUND SURFACE

PROPOSED GRADE

6:1

6:1

RESIDUAL, RED-BROWN, STIFF, MOIST, SILTY CLAY, HIGHLY PLASTIC

RED-BROWN, VERY STIFF TO HARD, MOIST, SANDY SILT AND CLAYEY SILT

WEATHERED ROCK (META-GRANITE)

CRYSTALLINE ROCK
(META-GRANITE)

373+00

-L-

140 130 120 110 100 90 80 70 60 50 40 30 20 10 0

13-JUN-2007 08:26
L:\ERD\Projects\Transportation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xsc\u2524c_geo_xsl_1.dgn
tcwalker
AT GE122128

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	129

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
S-256	100' RT	373+00	3.5-4.5	A-7-5(22)	66	34	21.6	16.4	9.5	52.5	100	86	65	-	-

MATCHLINE

GROUND SURFACE

RESIDUAL, RED-BROWN, STIFF, MOIST, SILTY CLAY, HIGHLY PLASTIC

WEATHERED ROCK (META-GRANITE)

S-256

GROUND SURFACE

RESIDUAL, RED-BROWN, STIFF, MOIST, SILTY CLAY, HIGHLY PLASTIC

WEATHERED ROCK (META-GRANITE)

CRYSTALLINE ROCK (META-GRANITE)

PROPOSED GRADE

6:1

6:1

2:1

373+00

-L-

09-JUL-2007 09:48
I:\projects\stigation\tip\u2524c_geo_rdwy\cadd_geotech\xss\u2524c_geo_xs1.dgn
nmehs
4.1 SE_J226154

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	130

0 10 20 30 40 50 60 70 80 90 100 110

830 825 820 815 810 805 800 795 790

GROUND SURFACE

RESIDUAL, RED-BROWN, STIFF TO VERY STIFF, MOIST, SILTY CLAY, HIGHLY PLASTIC

RED-BROWN, VERY STIFF TO HARD, MOIST, SANDY SILT

WEATHERED ROCK (META-GRANITE)

CRYSTALLINE ROCK (META-GRANITE)

6:1

6:1

2:1

PROPOSED GRADE

373+50

-L-

0 10 20 30 40 50 60 70 80 90 100 110 120 130 140

830 825 820 815 810 805 800 795 790

13-JUN-2007 08:35
L:\ERD\Geology\Projects\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xsc\u2524c_geo_xsc_1.dgn
tlwalker
GEOPAK GE_221128

8/23/99

PROJ. REFERENCE NO.	SHEET NO.
U-2524C	131

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-238	90' RT	374+50	3.5-5.0	A-7-5(14)	60	20	14.5	24.6	12.3	48.5	100	91	66	-	-
SS-239	90' RT	374+50	8.5-10.0	A-4(0)	36	NP	32.1	27.1	16.6	24.2	98	77	46	-	-

SS-238
SS-239



15-JUN-2007 10:28
I:\wro_col\geotech\projects\tip\u2524c_geo_rdwy\cadd_geotech\xsc\u2524c_geo_xs1_1.dgn
nmehs
AT GEJ226154

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	132

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-6	110' LT	415+75	0.0-1.5	A-4(1)	30	10	36.8	23.2	15.7	24.4	98	73	43	-	-
SS-7	110' LT	415+75	3.3-4.8	A-7-6(17)	44	17	1.4	20.7	41.3	36.6	100	99	88	-	-
SS-8	110' LT	415+75	8.3-9.8	A-6(10)	40	18	3.3	42.5	29.9	24.4	100	99	65	-	-
SS-9	110' LT	415+75	13.3-14.8	A-2-4(0)	28	NP	42.7	36.4	12.8	8.1	98	72	26	-	-

NOTE: THE LOCATIONS OF GAS PIPELINES AND BOUNDARIES OF ASSOCIATED ARTIFICIAL FILL AREAS ARE APPROXIMATED



19-SEP-2007 07:52
L:\ERD\Raleigh Projects\Division\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xsc\u2524c_geo_xs1_L_416.dgn
tswiker

8/23/99

PROJ. REFERENCE NO.	SHEET NO.
U-2524C	133

0 2.5 5

NOTE: THE LOCATIONS OF GAS PIPELINES AND BOUNDARIES OF ASSOCIATED ARTIFICIAL FILL AREAS ARE APPROXIMATED

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-1	57' RT	416+08	0.0-1.5	A-6(6)	38	13	18.5	30.1	23.0	28.5	100	90	58	-	-
SS-2	57' RT	416+08	8.5-10.0	A-2-4(0)	23	NP	24.0	56.9	6.9	12.2	100	98	25	-	-
SS-3	57' RT	416+08	13.5-15.0	A-2-4(0)	31	NP	60.0	26.4	3.5	10.2	95	62	15	-	-
SS-4	57' RT	416+08	18.5-20.0	A-1-b(0)	23	NP	63.2	25.6	3.0	8.1	88	49	13	-	-
SS-5	57' RT	416+08	23.5-25.0	A-1-b(0)	22	NP	83.2	11.2	0.5	5.1	90	26	6	-	-

SS-1
SS-2
SS-3
SS-4
SS-5

8' AHEAD

GAS PIPELINE

HORSEPEN CREEK

ARTIFICIAL FILL

ARTIFICIAL FILL, BROWN, VERY SOFT TO SOFT, MOIST, SANDY CLAY

09/06

ALLUVIAL, GRAY, VERY LOOSE TO LOOSE, WET TO SATURATED, SILTY SAND AND COARSE SAND

WEATHERED ROCK (META-DIORITE)

60/0.

CRYSTALLINE ROCK (META-DIORITE)

416+00

770 765 760 755 750 745 740 735 730 725 720

0 10 20 30 40 50 60 70 80 90 100 110 120 130 140

17-JUL-2007 13:36
H:\WALKER\e-sig\investigation\tip\u2524c_geo_rdwy\cadd_geotech\xsc\u2524c_geo_xsc_L_416.dgn
DGN: DE7221426

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	134

140 130 120 110 100 90 80 70 60 50 40 30 20 10 0

800 795 790 785 780 775 770 765 760 755 750 745 740 735 730 725 720

MATCHLINE

RESIDUAL, RED-TAN, MEDIUM STIFF, MOIST, SILTY CLAY

PROPOSED GRADE

6:1

2:1

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-985	95' LT	421+55	8.5-10.0	A-2-4(0)	32	NP	47.2	32.6	13.2	7.0	100	69	25	-	-
SS-987	95' LT	421+55	18.5-20.0	A-2-4(0)	31	NP	44.4	35.3	14.3	6.0	92	65	25	-	-

SS-985
SS-987

5' AHEAD

GROUND SURFACE

RESIDUAL, RED-TAN, MEDIUM STIFF, MOIST, SILTY CLAY

100/0.4

WEATHERED ROCK

LEDGE

08/06

TAN, DENSE, (32) MOIST, SILTY SAND

100/0.7

WEATHERED ROCK INTERBEDDED WITH SILTY (75) (META-GRANITE) VERY DENSE SAND

100/0.3

WEATHERED ROCK (META-GRANITE)

100/0.8

60/0.0

CRYSTALLINE ROCK (META-GRANITE)

421+50

-L-

13-JUN-2007 08:26
L:\ERD\Raleigh Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xsc\u2524c_geo_xs_1.dgn
ttwalker AT GEN221425

8/23/99

0 2.5 5

PROJ. REFERENCE NO.	SHEET NO.
U-2524C	135

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
S-977	95' RT	424+00	5.0-6.0	A-2-4(0)	33	NP	42.2	32.7	13.1	12.0	95	69	29	-	-

RPDY4
0+92.91

SS-977

GROUND SURFACE

4.308:1

RESIDUAL, TAN-RED, STIFF, MOIST, SILTY

CLAY, HIGHLY PLASTIC

2:1

SILTY SAND

TAN, MEDIUM DENSE TO VERY DENSE, MOIST, SI

DRY
8/06

424+00

-L-

800 795 790 785 780 775 770 765 760

0 10 20 30 40 50 60 70 80 90 100 110 120 130 140

13-JUN-2007 08:35
I:\UNICONS\Projects\Navigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xsc\u2524c_geo_xs1_1.dgn
tiwalker
ACTIVE GEOTECH

8/23/99

PROJ. REFERENCE NO.	SHEET NO.
U-2524C	136

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-971	85' RT	425+50	3.5-5.0	A-7-6(11)	55	26	26.9	22.2	10.4	40.4	98	79	54	-	-
SS-972	85' RT	425+50	8.5-10.0	A-2-5(0)	44	NP	45.2	32.9	11.8	10.0	100	67	28	-	-



13-JUN-2007 08:36
J:\VERO\Roadway\Projection\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xsc\u2524c_geo_xs1_1.dgn
twalker
AT GEJ22125

8/23/99

PROJ. REFERENCE NO.	SHEET NO.
U-2524C	137

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-963	107' RT	426+00	3.5-5.0	A-7-6(3)	41	14	36.8	24.7	16.3	22.2	100	76	43	-	-
SS-967	107' RT	426+00	23.5-25.0	A-5(0)	41	3	29.3	35.4	23.2	12.1	96	79	42	-	-

SS-963
SS-967

GROUND SURFACE

RESIDUAL, TAN-RED, STIFF, DRY TO MOIST, SILTY CLAY

RESIDUAL, TAN, LOOSE TO MEDIUM DENSE, DRY TO MOIST, SILTY SAND

PROPOSED GRADE

RED-TAN, VERY STIFF TO HARD, MOIST, CLAYEY SILT

4.308:1

2:1

6:1

2:1

(13) (10) (11) (13) (15) (24) (29) (59)

DRY 8/06

426+00

-L-

03-JUL-2007 11:12
User:\Applications\Projects\Investigation\tip\u2524c_geo_rdwy\coadd_geotech\xsc\u2524c_geo_xs1_1.dgn
Active Config: 226164

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	138

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-978	58' LT	426+50	3.5-5.0	A-2-4(0)	39	NP	46.8	33.3	11.8	8.0	93	63	25	-	-
SS-981	58' LT	426+50	18.5-20.0	A-2-5(0)	41	NP	43.5	36.5	13.0	7.0	93	66	25	-	-
SS-983	58' LT	426+50	28.5-30.0	A-2-4(0)	31	NP	50.3	30.5	13.2	6.0	94	59	24	-	-

SS-978
SS-981
SS-983



13-JUN-2007 08:26
L:\ERDCRoleOfCryostration\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xso\u2524c_geo_xs1_1.dgn
twalker
ATGEJ221435

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	139

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-961	88' RT	426+50	3.5-5.0	A-5(3)	43	10	25.5	32.0	14.3	28.3	100	84	48	-	-
SS-962	88' RT	426+50	8.5-10.0	A-2-4(0)	33	NP	49.6	30.6	11.6	8.1	84	56	21	-	-



09-JUL-2007 10:24
n:\env\roll_gf_1226\investigation\tip\u2524c_geo_rdwg\cadd_geotech\xs\u2524c_geo_xs1_1.dgn

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	140

140 130 120 110 100 90 80 70 60 50 40 30

810
805
800
795
790
785
780
775

GROUND SURFACE

RESIDUAL, TAN, DENSE, DRY TO MOIST, SILTY SAND

2.67:1

6.01:1

PROPOSED GRADE

6:1

WEATHERED ROCK
(META-GRANITE)

CRYSTALLINE ROCK
(META-GRANITE)

427+00

—L—

140 130 120 110 100 90 80 70 60 50 40 30 20 10 0

15-JUN-2007 10:29
I:\projects\transportation\tip\u2524c_geo_rdwy\cadd_geotech\xsc\u2524c_geo_xs1_1.dgn
nmehs

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	141

0 10 20 30 40 50 60 70 80 90 100 110 120 130 140

825 820 815 810 805 800 795 790 785 780 775

ARTIFICIAL FILL, TAN-RED, VERY STIFF, MOIST, SILTY CLAY

8' AHEAD

2:1

GROUND SURFACE

60/0.1

60/0.0

DRY 8/06

RESIDUAL, TAN, DENSE, DRY TO MOIST, SILTY SAND

WEATHERED ROCK (META-GRANITE)

CRYSTALLINE ROCK (META-GRANITE)

4.749:1

PROPOSED GRADE

6:1

2:1

427+00

-L-

13-JUN-2007 08:37
L:\ERD\Raleigh\Projects\TIP\U2524C_GEO_ROW\CADD_GEOTECH\xsc\u2524c_geo_xs1.dgn
tswalker
AT GEJ722426

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	142

140 130 120 110 100 90 80 70 60 50 40 30

810 805 800 795 790 785 780 775 770

GROUND SURFACE

RESIDUAL, RED-TAN, DENSE TO VERY DENSE, DRY TO MOIST, SILTY SAND

2:1

6.01:1

PROPOSED GRADE

6:1

WEATHERED ROCK (META-GRANITE)

CRYSTALLINE ROCK (META-GRANITE)

427+50

20 10 0

15-JUN-2007 10:30
I:\roadway\plan_to_cad\gastonia\tip\u2524c_gen_rdwy\cadd_geotech\xsc\u2521c_geo_xsl1.dgn
mmorris
DEC22854

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	143

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-956	88' RT	427+50	3.5-5.0	A-2-4(0)	32	NP	45.3	30.9	11.6	12.1	95	67	28	-	-
SS-957	88' RT	427+50	8.5-10.0	A-2-4(0)	33	NP	47.1	31.5	11.2	10.1	81	56	22	-	-



15-JUN-2007 10:31
i:\pro\raleigh\u2524c\stagestation\tip\u2524c_geo_rdwy\eddl_geotech\vsc\u2524c_geo_xsl_1.dgn
mdot 4.0 ec22.dgn

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	144



13-JUN-2007 08:27
J:\GEOTECH\projects\on\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xsc\u2524c_geo_xs1_1.dgn
tiwalker
ATT_GEJ22125

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	145

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-948	108' RT	428+00	3.5-4.5	A-7-5(5)	47	11	25.1	28.5	14.1	32.4	100	85	53	-	-
SS-949	108' RT	428+00	8.5-10.0	A-2-5(0)	42	NP	42.5	35.8	13.7	8.1	92	64	25	-	-
SS-952	108' RT	428+00	23.5-25.0	A-1-b(0)	30	NP	58.1	28.6	9.2	4.0	85	49	15	-	-



09-JUL-2007 10:27
I:\ers\raleigh\investigation\tip\u2524c_geo_rdwy\cadd_geotech\xss\u2524c_geo_xs1_1.dgn
nmohs
ALT GE_1226154

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	146

140 130 120 110 100 90 80 70 60 50 40 30

820 815 810 805 800 795 790 785 780 775

GROUND SURFACE

RESIDUAL, TAN-RED, VERY STIFF, MOIST, SILTY CLAY

PROPOSED GRADE

6:1

6:1

WEATHERED ROCK (META-GRANITE) INTERBEDDED WITH MEDIUM DENSE, COARSE SAND LAYERS

CRYSTALLINE ROCK (META-GRANITE)

428+50

-L-

140 130 120 110 100 90 80 70 60 50 40 30 20 10 0

13-JUN-2007 08:27
L:\ERDOR\Roleff\Projects\on\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xsc\u2524c_geo_xs1_1.dgn
ttwalker
AT GEJ221425

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	147

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-943	88' RT	428+50	3.5-5.0	A-7-5(10)	50	20	18.0	28.9	18.7	34.4	100	90	59	-	-
SS-945	88' RT	428+50	13.5-14.0	A-1-b(0)	28	NP	60.9	28.5	6.6	4.0	85	48	13	-	-



428+50

-L-

13-JUN-2007 08:39
I:\ENGR\Roadway\Projects\Location\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xsc\u2524c_geo_xs1.dgn
ttwalker

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	148

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-940	CL	429+00	3.5-5.0	A-7-5(11)	56	23	23.1	26.1	14.5	36.4	100	84	56	-	-

SS-940

Ⓐ CRYSTALLINE ROCK (LEDGE)

Ⓑ RED-TAN, STIFF TO HARD, MOIST, CLAYEY SILT

GROUND SURFACE

RESIDUAL, TAN-RED, STIFF TO VERY STIFF, MOIST, SILTY CLAY

2:1

PROPOSED GRADE

6:1

RED-TAN, LOOSE TO VERY DENSE, DRY TO MOIST, SILTY SAND

6:1

WEATHERED ROCK (META-GRANITE)

CRYSTALLINE ROCK (META-GRANITE)

15

60/0.1

100/0.8

60/0.0

DRY 8/06

Ⓐ

Ⓑ

429+00

-L-

830 825 820 815 810 805 800 795 790 785 780 775

140 130 120 110 100 90 80 70 60 50 40 30 20 10 0

13-JUN-2007 08:27
I:\projects\Preconstruction\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xsc\u2524c_geo_xsc1.dgn
User:kmcleary
GEOPAK GEOTECH 08.01.01.08

8/23/99

PROJ. REFERENCE NO.	SHEET NO.
U-2524C	149

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-940	CL	429+00	3.5-5.0	A-7-5(11)	56	23	23.1	26.1	14.5	36.4	100	84	56	-	-
SS-918	133' RT	429+00	3.5-5.0	A-7-5(12)	57	20	15.2	27.3	19.1	38.4	97	89	61	-	-
SS-919	133' RT	429+00	8.5-10.0	A-7-5(15)	59	28	21.4	23.5	14.7	40.4	100	87	60	-	-
SS-920	133' RT	429+00	13.5-15.0	A-5(1)	48	6	24.7	37.2	17.9	20.2	100	87	45	-	-
SS-923	133' RT	429+00	28.5-30.0	A-4(0)	38	NP	32.4	38.6	18.9	10.1	99	76	37	-	-

Ⓐ CRYSTALLINE ROCK (LEDGE)

Ⓑ ARTIFICIAL FILL, TAN-RED, VERY STIFF, MOIST, SILTY CLAY, HIGHLY PLASTIC

SS-940

SS-918
SS-919
SS-920
SS-923

GROUND SURFACE

ARTIFICIAL FILL, TAN-RED, MEDIUM STIFF, MOIST, SILTY CLAY

RESIDUAL, TAN-RED, STIFF TO VERY STIFF, MOIST, SILTY CLAY

RED-TAN, STIFF TO HARD, MOIST, CLAYEY SILT

TAN, VERY STIFF, DRY TO MOIST, SANDY SILT

WEATHERED ROCK (META-GRANITE)

CRYSTALLINE ROCK (META-GRANITE)

TAN, VERY DENSE, MOIST, COARSE SAND

PROPOSED GRADE

5.80:1

6:1

2:1

15 — 60/0.1 — 60/0.0 — DRY 8/06

7 — 21 — 10 — 69 — 15 — 16 — 19 — 16 — 21 — 24 — 84 — 100/0.8 — DRY 8/06

429+00

—L—

835 830 825 820 815 810 805 800 795 790 785 780 775 770 765 760

0 10 20 30 40 50 60 70 80 90 100 110 120 130 140

09-JUL-2007 15:12
N:\work in progress\tip\u2524c_geo_rdwg\eddd_geotech\xsc\u2524c_geo_xsl_1.dgn
tiwang

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	150

140 130 120 110 100 90 80 70 60 50 40 30 20 10 0

830 825 820 815 810 805 800 795 790 785 780

GROUND SURFACE

RESIDUAL, TAN-RED, VERY STIFF, MOIST, SILTY CLAY

RED-TAN, TAN, AND WHITE, LOOSE TO VERY DENSE, DRY, SILTY SAND

WEATHERED ROCK (META-GRANITE)

CRYSTALLINE ROCK (META-GRANITE)

2:1 PROPOSED GRADE

6:1

6:1

429+50

-L-

13-JUN-2007 08:27
I:\EPSCAD\Projects\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xsc\u2524c_geo_xsl_1.dgn
ttwalker
$I GEU221428

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-930	77' RT	429+50	3.5-5.0	A-7-5(4)	47	13	29.3	29.7	16.7	24.3	100	82	47	-	-
SS-931	77' RT	429+50	8.5-10.0	A-5(3)	52	7	25.5	34.0	20.3	20.2	100	86	49	-	-
SS-932	77' RT	429+50	13.5-15.0	A-2-5(0)	42	NP	41.9	30.1	17.9	10.1	97	71	33	-	-
SS-933	77' RT	429+50	18.5-20.0	A-2-5(0)	44	3	34.6	38.0	17.3	10.1	100	78	35	-	-
SS-934	77' RT	429+50	23.5-25.0	A-2-4(0)	31	NP	44.5	34.8	12.6	8.1	95	68	25	-	-
SS-936	77' RT	429+50	33.5-35.0	A-2-4(0)	36	NP	40.4	39.2	14.3	6.1	94	73	26	-	-
SS-937	77' RT	429+50	38.5-40.0	A-2-4(0)	35	NP	45.5	34.0	14.5	6.1	85	60	23	-	-



429+50

-L-

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	152

140 130 120 110 100 90 80 70 60 50 40 30

835 830 825 820 815 810 805 800 795 790 785 780

GROUND SURFACE

RESIDUAL, RED-TAN, VERY STIFF, MOIST, SILTY CLAY

TAN TO RED-TAN, LOOSE TO MEDIUM DENSE, DRY TO MOIST, SILTY SAND

2:1

PROPOSED GRADE

6:1

WEATHERED ROCK (META-GRANITE)

6:1

CRYSTALLINE ROCK (META-GRANITE)

430+00

-L-

140 130 120 110 100 90 80 70 60 50 40 30 20 10 0

13-JUN-2007 08:28
L:\ERD\Projects\transition\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xss\U2524c_geo_xs1_1.dgn
ttwalker GEV22128

8/23/99

PROJ. REFERENCE NO.	SHEET NO.
U-2524C	153

0 2.5 5

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-908	119' RT	430+00	3.5-5.0	A-7-5(10)	54	16	17.4	28.3	24.0	30.3	100	90	61	-	-
SS-909	119' RT	430+00	8.5-10.0	A-7-5(3)	41	11	27.9	27.9	24.0	20.2	100	82	50	-	-
SS-910	119' RT	430+00	13.5-15.0	A-2-4(0)	40	NP	50.6	31.3	14.1	4.0	100	63	24	-	-
SS-911	119' RT	430+00	18.5-20.0	A-5(3)	48	10	20.0	41.1	30.8	8.1	100	89	49	-	-
SS-912	119' RT	430+00	23.5-25.0	A-2-4(0)	36	NP	39.0	34.6	20.3	6.1	96	72	32	-	-
SS-913	119' RT	430+00	28.5-30.0	A-2-5(0)	43	NP	42.5	35.0	16.5	6.1	98	74	27	-	-
SS-914	119' RT	430+00	33.5-35.0	A-2-4(0)	36	NP	41.1	36.6	16.3	6.1	98	70	29	-	-

SS-908
SS-909
SS-910
SS-911
SS-912
SS-913
SS-914



15-JUN-2007 10:31
[S:\projects\geotech\tip\u2524c_geo_rdwg\cadd_geotech\xsc\u2524c_geo_xs1_1.dgn
nmehs Y:\pf_GE_122615\]

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	154

140 130 120 110 100 90 80 70 60 50 40 30 20 10 0

835 830 825 820 815 810 805 800 795 790 785 780

GROUND SURFACE

RESIDUAL, TAN-RED, STIFF, MOIST, SILTY CLAY

2:1

PROPOSED GRADE

6:1

6:1

TAN, LOOSE TO DENSE, DRY TO MOIST, SILTY SAND

WEATHERED ROCK (META-GRANITE)

CRYSTALLINE ROCK (META-GRANITE)

430+50

-L-

13-JUN-2007 08:29
I:\GEOTECH\Geology\Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xsc\U2524c_geo_xsc_1.dgn
User:tlwalker
PSF GEOPAK 8.1.1

8/23/99

PROJ. REFERENCE NO.	SHEET NO.
U-2524C	155

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-898	72' RT	430+50	3.5-5.0	A-5(2)	43	10	35.8	25.3	20.7	18.2	95	72	42	-	-
SS-899	72' RT	430+50	8.5-10.0	A-2-4(0)	33	NP	52.8	27.3	13.9	6.1	97	59	24	-	-
SS-902	72' RT	430+50	23.5-25.0	A-2-5(0)	41	NP	34.8	41.9	19.3	4.0	95	74	28	-	-
SS-903	72' RT	430+50	28.5-30.0	A-2-4(0)	32	NP	46.5	27.9	19.5	6.1	98	83	32	-	-



13-JUN-2007 08:43
\\WRO\Raleigh_Projects\Division\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xsc\u2524c_geo_xsl_1.dgn
ATL_DEL2.tbl
Traveler

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	156

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-889	37' LT	431 +00	3.5-5.0	A-7-5(5)	50	12	25.7	28.1	21.9	24.3	100	84	53	-	-
SS-890	37' LT	431 +00	8.5-10.0	A-4(0)	32	NP	27.7	37.4	24.8	10.1	100	84	43	-	-
SS-891	37' LT	431 +00	13.5-15.0	A-2-4(0)	39	NP	40.8	34.8	18.3	6.1	100	75	31	-	-

SS-889
SS-890
SS-891

GROUND SURFACE

RESIDUAL, RED-TAN, STIFF, MOIST, SILTY CLAY

TAN, MEDIUM STIFF TO STIFF, DRY TO MOIST, SANDY SILT

TAN, MEDIUM DENSE, MOIST, SILTY SAND

PROPOSED GRADE

2:1

6:1

6:1

13
10
12
11
12
11
23
18
26

DRY
7/06

431+00

-L-

840 835 830 825 820 815 810 805 800 795 790 785

140 130 120 110 100 90 80 70 60 50 40 30 20 10 0

03-JAN-2008 15:12
User: raleigh
Pw: ...\geotechnical_investigation\tip\u2524c_geo_rdwy\cadd_geotech\xsc\u2524c_geo_xs1_1.dgn

8/23/99

PROJ. REFERENCE NO.	SHEET NO.
U-2524C	157

0 2.5 5

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-879	121' RT	431+00	3.5-5.0	A-4(0)	40	NP	11.7	58.4	19.7	10.1	100	96	40	-	-
SS-880	121' RT	431+00	8.5-10.0	A-5(0)	45	NP	14.2	57.8	21.9	6.1	98	94	36	-	-
SS-882	121' RT	431+00	18.5-20.0	A-5(0)	45	NP	28.9	41.9	21.1	8.1	100	84	37	-	-

SS-879
SS-880
SS-882

GROUND SURFACE

RESIDUAL, RED-TAN, STIFF, MOIST, SILTY CLAY

ARTIFICIAL FILL, MEDIUM STIFF TO STIFF, MOIST, SILTY CLAY

TAN, MEDIUM STIFF TO STIFF, DRY TO MOIST, SANDY SILT

WHITE TO TAN, STIFF TO VERY STIFF, MOIST, CLAYEY SILT

PROPOSED GRADE

6:1

6:1

2:1

TAN, MEDIUM DENSE, MOIST, SILTY SAND

8
6
8
9
10
14
18
27
90
100/0.7
7/06
WEATHERED ROCK 100/0.4 (GNEISS)
60/0.0
CRYSTALLINE ROCK (GNEISS)
60/0.0

845 840 835 830 825 820 815 810 805 800 795 790 785 780 775 770

0 10 20 30 40 50 60 70 80 90 100 110 120 130 140

431+00

-L-

19-SEP-2007 07:53
L:\ERO\Raleigh_projects\tip\u2524c_geo_rdwy\cadd_geotech\xsa\u2524c_geo_xsa_1.dgn
ttwalker
AT GEO221425

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	158



SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-923	53' RT	457+50	1.0-2.0	A-7-5(8)	52	18	24.6	24.4	18.5	32.5	97	81	54	-	-
SS-924	53' RT	457+50	4.0-5.0	A-7-6(6)	44	20	29.9	25.4	14.2	30.5	93	72	46	-	-
MS-925	53' RT	457+50	20.0-21.0	-	-	-	-	-	-	-	-	-	-	32.5	-

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-921	75' RT	453+30	4.0-5.5	A-7-6(9)	42	22	24.2	22.2	12.9	40.7	93	79	43	-	-
SS-922	75' RT	453+30	9.0-10.5	A-5(2)	55	10	30.5	30.7	12.3	26.4	98	79	43	-	-



27-JUN-2007 13:44
I:\engr\raleigh\dgn\projects\tip\u2524c_geo_rdwy\addl_geotech\xsc\u2524c_geo_xsc_1.dgn
User:eshi

0 2.5 5

PROJ. REFERENCE NO.	SHEET NO.
U-2524C	159

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-104	35' LT	459+98	0.0-5.0	A-6(4)	30	18	32.0	25.0	12.0	31.0	95	77	44	-	-
SS-105	35' LT	459+98	5.0-15.0	A-6(2)	35	13	33.0	32.0	19.0	16.0	95	74	39	-	-



09-JUL-2007 10:43
I:\projects\investigation\tip\u2524c_geo_rdwy\cadd_geotech\xsc\u2524c_geo_xs1_1.dgn
Users: APLOTT226154

8/23/99

PROJ. REFERENCE NO.	SHEET NO.
U-2524C	160

0 2.5 5

0 10 20 30 40 50 60 70 80 90 100 110

840 835 830 825 820 815 810

PROPOSED GRADE

6:1

2.34:1

Ⓑ

COTSWOLD AVENUE

GROUND SURFACE

ROADWAY EMBANKMENT, RED-BROWN, STIFF, MOIST, SILTY CLAY

RESIDUAL, GRAY-TAN, STIFF, MOIST TO WET, SANDY CLAY

ALLUVIAL, GRAY, STIFF, WET, SANDY CLAY

RESIDUAL, BLUE-GRAY, VERY STIFF, MOIST, SANDY SILT

Ⓑ ARTIFICIAL FILL, GRAY-TAN, SOFT TO MEDIUM STIFF, MOIST, SANDY CLAY

460+00

845 840 835 830 825 820 815 810 805 800

PROPOSED GRADE

6:1

2.24:1

Ⓐ ARTIFICIAL FILL, GRAY-TAN, SOFT TO MEDIUM STIFF, MOIST, SANDY CLAY

Ⓑ ALLUVIAL, GRAY, STIFF, WET, SANDY CLAY

SS-926
SS-927
SS-928
SS-929
15' AHEAD

COTSWOLD AVENUE

GROUND SURFACE

ROADWAY EMBANKMENT, RED-BROWN, STIFF, MOIST, SILTY CLAY

RESIDUAL, GRAY-TAN, STIFF, MOIST TO WET, SANDY CLAY

RESIDUAL, BLUE-GRAY, VERY STIFF, MOIST, SANDY SILT

ORANGE, TAN, BROWN, AND WHITE, MEDIUM DENSE TO VERY DENSE, MOIST TO WET, SILTY SAND AND COARSE SAND

WEATHERED ROCK (GNEISS)

10 18 26 74 64

1/06

459+50

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-926	60' RT	459+65	3.9-5.4	A-6(4)	32	14	28.0	23.4	16.1	32.5	95	78	50	-	-
SS-927	60' RT	459+65	8.9-10.4	A-4(1)	25	9	29.9	25.6	18.1	26.4	95	76	48	-	-
SS-928	60' RT	459+65	13.9-15.4	A-2-4(0)	34	NP	42.7	33.9	19.3	4.1	80	56	24	-	-
SS-929	60' RT	459+65	23.9-25.4	A-1-b(0)	30	NP	55.1	27.6	13.2	4.1	74	43	16	-	-

0 10 20 30 40 50 60 70 80 90 100 110 120 130 140

09-JUL-2007 10:38
I:\env\projects\tip\u2524c_geo_rdwy\cadd_geotech\xsc\u2524c_geo_xs1_1.dgn
nmehs
A1 DE_22x16.5

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	161

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-930	60' RT	462+00	4.3-5.8	A-4(1)	26	10	32.5	30.5	14.6	22.4	95	76	40	-	-
SS-931	60' RT	462+00	9.3-10.8	A-2-4(0)	38	9	40.9	29.5	15.4	14.2	83	61	29	-	-



19-SEP-2007 07:54
L:\ERD\Raleigh Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xsc\u2524c_geo_xs1_1.dgn
ttwalker AT GEJ221425

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	162

140 130 120 110 100 90 80 70 60 50 40 30

835
830
825
820
815
810

GROUND SURFACE
2:1
6:1
PROPOSED GRADE
6:1

RESIDUAL, RED-BROWN, HARD, DRY TO MOIST, SILTY CLAY, HIGHLY PLASTIC

GRAY, VERY STIFF, MOIST, SILTY CLAY AND SANDY CLAY

GRAY-TAN, STIFF TO VERY STIFF, MOIST TO WET, SANDY SILT

464+00

835
830
825
820

PROPOSED GRADE
2:1
6:1
6:1
GROUND SURFACE

RESIDUAL, BROWN-RED, STIFF TO VERY STIFF, DRY TO MOIST, SANDY CLAY

463+50

-L-

140 130 120 110 100 90 80 70 60 50 40 30 20 10 0

19-SEP-2007 07:54
L:\VERO\Raleigh Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xsc\u2524c_geo_xs1_1.dgn
twalker
41 GE/22/25

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	163

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-900	40' LT	464+30	3.5-5.0	A-7-5(31)	75	36	12.0	13.8	15.2	59.0	98	90	76	-	-
SS-901	40' LT	464+30	13.5-15.0	A-7-6(11)	54	25	21.2	25.6	18.6	34.6	96	84	55	-	-



-L-

25-OCT-2007 10:14
L:\preconstruction\tip\u2524c_geo_rdwy\coddl_geotech\xsc\u2524c_geo_xs1_1.dgn
tlwalker
DEU22125

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	164



SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT C.SAND	% BY WEIGHT F.SAND	% BY WEIGHT SILT	% BY WEIGHT CLAY	% PASSING (SIEVES) 10	% PASSING (SIEVES) 40	% PASSING (SIEVES) 200	% MOISTURE	% ORGANIC
SS-84	CL	464+95	0.0-1.5	A-7-5(18)	60	26	11.0	11.0	9.0	69.0	100	95	79	-	-
SS-85	CL	464+95	8.7-10.2	A-7-6(18)	58	29	18.0	16.0	13.0	53.0	100	90	68	-	-
SS-86	CL	464+95	13.8-15.3	A-6(3)	34	18	37.0	26.0	13.0	24.0	95	73	38	-	-
SS-87	CL	464+95	18.7-20.2	A-2-4(0)	35	8	47.0	28.0	17.0	8.0	72	47	22	-	-

19-SEP-2007 08:43
I:\ervraleigh\projects\station\tip\u2524c_geo_rdwy\cadd_geotech\xsc\u2524c_geo_xs1.dgn
twalker AT DEV221425

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	165



SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT C.SAND	% BY WEIGHT F.SAND	% BY WEIGHT SILT	% BY WEIGHT CLAY	% PASSING (SIEVES) 10	% PASSING (SIEVES) 40	% PASSING (SIEVES) 200	% MOISTURE	% ORGANIC
SS-902	30' LT	466+25	3.5-5.0	A-7-5(35)	77	39	12.8	11.0	5.0	71.2	100	93	78	-	-
SS-903	30' LT	466+25	8.5-10.0	A-7-5(41)	93	55	17.1	10.4	11.5	61.0	93	81	70	-	-
SS-904	30' LT	466+25	13.5-15.0	A-7-5(37)	80	47	12.6	16.1	8.2	63.1	100	93	74	-	-
SS-905	30' LT	466+25	18.5-20.0	A-2-4(0)	37	2	31.3	42.7	15.8	10.2	99	85	33	-	-

-4-

27-SEP-2007 15:05
C:\ERD\Roldp\Investigation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xsc\u2524c_geo_xsi_1.dgn
tbaker
AP GEJ221426

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	166

140 130 120 110 100 90 80 70 60 50 40 30

825 820 815 810

PROPOSED GRADE

6:1

6:1

Ⓐ ROADWAY EMBANKMENT, RED-BROWN, STIFF, MOIST, SILTY CLAY

RESIDUAL, RED-BROWN TO RED-TAN, STIFF TO HARD, DRY TO MOIST, SILTY CLAY, HIGHLY PLASTIC

GROUND SURFACE

ROADWAY EMBANKMENT Ⓐ

GRAY-TAN, STIFF, MOIST, SANDY CLAY

GRAY, MEDIUM DENSE, MOIST, SILTY SAND

467+50

825 820 815 810

835 830 825 820 815 810 805 800

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-88	CL	466+95	12.0-18.0	A-2-5(0)	41	10	32.0	30.0	20.0	18.0	82	66	35	-	-

2:1

ARTIFICIAL FILL (BENEATH TOWNHOMES) 6:1

PROPOSED GRADE

6:1

GROUND SURFACE

RESIDUAL, RED-BROWN TO RED-TAN, STIFF TO HARD, DRY TO MOIST, SILTY CLAY, HIGHLY PLASTIC

GRAY-TAN, STIFF, MOIST, SANDY CLAY

GRAY, MEDIUM DENSE, MOIST, SILTY SAND

SS-88
5' BACK

7/06

467+00

140 130 120 110 100 90 80 70 60 50 40 30 20 10 0

—4—

19-SEP-2007 08:56
I:\Ver\raleigh\projects\tip\u2524c_geo_rdwy\coda_geotech\xsc\u2524c_geo_xs1_1.dgn
twalker
AT 0E\221425

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	167

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-999	115' LT	509+00	0.0-1.5	A-7-6(13)	43	15	5.3	21.5	40.8	32.4	100	98	82	-	-
ST-1	115' LT	509+00	0.0-1.0	A-6(9)	36	12	5.9	25.6	18.1	50.5	98	96	77	30.0	-



19-SEP-2007 08:04
I:\ergv\raleigh\projects\tip\u2524c_geo_rdwy\cadd_geotech\xsec\u2524c_geo_xs_1.dgn
tlwalker
PT DEV221425

8/23/99

0 2.5 5	PROJ. REFERENCE NO.	SHEET NO.
	U-2524C	168

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT C.SAND	F.SAND	SILT	CLAY	% PASSING (SIEVES) 10	40	200	% MOISTURE	% ORGANIC
SS-970	100' RT	510+00	4.1 -5.6	A-7-5(13)	51	16	14.3	21.0	27.9	36.8	99	90	71	-	-
SS-972	100' RT	510+00	9.1 -10.6	A-4(3)	38	6	21.7	32.3	29.7	16.3	100	89	57	-	-
SS-973	100' RT	510+00	24.1 -25.6	A-5(0)	43	5	17.8	50.1	22.0	10.2	95	86	41	-	-

MATCHLINE

GROUND SURFACE

RESIDUAL, ORANGE, VERY STIFF, MOIST, SILTY CLAY

TAN AND TAN-ORANGE, VERY STIFF, MOIST, SANDY SILT

SS-970
SS-972
SS-973

GROUND SURFACE

RESIDUAL, ORANGE, VERY STIFF, MOIST, SILTY CLAY

TAN AND TAN-ORANGE, VERY STIFF, MOIST,

SANDY SILT

CLAYEY SILT

ORANGE-BROWN, HARD, MOIST,

WEATHERED ROCK

(META-DIORITE)

21
18
22
20
46
100/0.6

DRY
7/06

6:1

PROPOSED GRADE

6:1

2:1

510+00

—L—

09-JUL-2007 10:32
i:\ero_roj\pb_jcvestigation\tip\u2524c_geo_rdwy\cadd_geotech\xsc\u2524c_geo_xsl1.dgn
nmohs
AT DE J226154

8/23/99

PROJ. REFERENCE NO.	SHEET NO.
U-2524C	169

0 2.5 5

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-974	100' RT	513+00	4.0-5.5	A-7-5(17)	60	18	6.1	26.8	26.3	40.9	100	97	76	-	-
SS-975	100' RT	513+00	9.0-10.5	A-5(2)	45	7	8.8	56.8	22.2	12.3	100	97	47	-	-
SS-976	100' RT	513+00	14.0-15.5	A-5(7)	53	8	5.7	41.5	34.4	18.4	100	97	66	-	-
SS-977	100' RT	513+00	39.0-40.5	A-2-4(0)	34	NP	37.4	36.2	20.3	6.1	89	64	32	-	-

MATCHLINE

GROUND SURFACE

RESIDUAL.

RED-ORANGE, VERY STIFF, MOIST, SILTY CLAY

ORANGE, TAN, AND PINK, STIFF TO VERY STIFF, MOIST, CLAYEY SILT

SS-974
SS-975
SS-976
SS-977

GROUND SURFACE

TAN-ORANGE, VERY STIFF, MOIST, SANDY SILT

PINK, MEDIUM DENSE, DRY TO MOIST, COARSE SAND

TAN-ORANGE, VERY STIFF, MOIST, SANDY SILT

RESIDUAL, RED-ORANGE, VERY STIFF, MOIST, SILTY CLAY

ORANGE, TAN, AND PINK, STIFF TO VERY STIFF, MOIST, CLAYEY SILT

WEATHERED ROCK (MET-A-GRANITE)

DRY 7/06

PROPOSED GRADE

6:1

6:1

2:1

17 13 15 15 24 25 25 73 (A)

513+00

-L-

19-SEP-2007 07:58
L:\ERO\Raleigh\Projs\tgation\TIP\U2524C_GEO_RDWY\CADD_GEOTECH\xsc\u2524c_geo_xs1_1.dgn
tlwalker AT GEU221425

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	170



WALL -RWLI- PLAN & PROFILE





WALL -RWL3- PLAN & PROFILE



8/17/99

19-SEP-2007 08:56
I:\ero\raleigh\investigation\tip\u2524c_geo_rdwy\CADD_GEOTECH\PlanProf\retaining wall_rwll.dgn
tbaker
GE 121425

RETAINING WALL 1

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-147	CL	10+00	2.9-4.4	A-2-4(0)	32	NP	66.7	19.9	7.4	6.1	100	51	16	-	-
SS-153	11' RT	10+66	3.2-4.7	A-2-4(0)	36	NP	60.0	23.3	8.6	8.1	96	55	19	-	-
SS-141	CL	11+25	3.5-5.0	A-2-4(0)	31	NP	46.2	30.2	13.5	10.1	81	57	23	-	-
SS-142	CL	11+25	8.5-10.0	A-2-4(0)	34	NP	54.7	31.0	8.2	6.1	89	57	16	-	-
SS-157	26' RT	11+70	4.4-5.9	A-6(1)	30	11	38.7	26.1	14.9	20.3	98	73	39	-	-
SS-158	26' RT	11+70	9.4-10.9	A-4(0)	30	NP	38.7	35.5	15.7	10.1	94	71	48	-	-
SS-159	26' RT	11+70	14.4-15.9	A-2-4(0)	36	NP	51.9	29.4	14.7	4.1	90	54	22	-	-
SS-160	26' RT	11+70	19.4-20.9	A-2-4(0)	36	NP	38.7	33.2	20.0	8.1	91	68	32	-	-
SS-169	27' RT	12+66	4.0-5.5	A-5(1)	54	NP	19.0	36.9	27.9	16.2	99	91	50	-	-
SS-171	27' RT	12+66	14.0-15.5	A-5(0)	48	NP	23.1	40.7	28.1	8.1	100	90	46	-	-
SS-172	27' RT	12+66	19.0-20.5	A-2-4(0)	38	NP	50.1	30.2	13.7	6.1	92	58	24	-	-
SS-173	27' RT	12+66	24.0-25.5	A-4(0)	37	NP	30.8	41.3	19.8	8.1	100	84	36	-	-

RETAINING WALL 3

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-220	CL	10+20	3.0-4.5	A-7-5(16)	64	30	26.2	18.6	8.8	46.4	100	83	59	-	-
SS-221	CL	10+20	8.0-9.5	A-4(1)	39	9	35.5	25.0	13.2	26.2	99	76	43	-	-
SS-222	CL	10+20	13.0-14.5	A-4(0)	32	NP	37.3	29.1	17.5	16.1	98	73	39	-	-
SS-223	CL	10+20	18.0-19.5	A-2-4(0)	34	NP	42.2	32.9	14.8	10.1	95	70	29	-	-
SS-214	11' RT	10+80	3.0-4.5	A-7-6(12)	53	27	30.9	17.6	13.1	38.4	100	78	55	-	-
SS-215	11' RT	10+80	8.0-9.5	A-2-4(0)	30	NP	52.1	24.8	9.0	14.1	93	58	25	-	-
SS-216	11' RT	10+80	13.0-14.5	A-2-5(0)	50	NP	40.0	35.5	16.4	8.1	94	70	29	-	-
SS-207	21' RT	11+40	3.5-5.0	A-7-6(5)	41	22	39.6	18.8	9.4	32.3	99	70	44	-	-
SS-208	21' RT	11+40	8.5-10.0	A-6(1)	36	11	40.2	22.8	12.8	24.2	90	64	38	-	-
SS-209	21' RT	11+40	13.5-15.0	A-1-b(0)	33	NP	54.9	23.8	13.2	8.1	83	46	22	-	-
SS-210	21' RT	11+40	0.0-0.0	A-2-4(0)	28	NP	46.4	31.5	14.0	8.1	86	59	24	-	-
SS-226	CL	12+00	3.8-5.3	A-6(3)	40	19	45.8	18.0	8.0	28.3	100	67	39	-	-
SS-227	CL	12+00	8.8-1.1	A-2-6(0)	30	11	39.2	27.2	11.4	22.2	87	63	33	-	-
SS-228	CL	12+00	13.8-15.3	A-2-4(0)	36	NP	40.2	33.7	7.9	18.2	95	73	30	-	-
SS-230	CL	12+00	23.8-25.3	A-2-4(0)	25	NP	47.9	31.3	8.7	12.1	90	61	24	-	-

8/17/98

23-JUN-2007 11:22
C:\Documents and Settings\mnorris\Application Data\Bentley\InterCAD SELECTseries 2\projects\active\u2524c_geo_rdwy\cadd_geotech\planprof\retaining wall_rwll.dgn

8/17/99

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	172



WALL -RWL2- PLAN & PROFILE



(A) RESIDUAL, ORANGE-TAN AND RED, STIFF TO HARD, MOIST, SILTY CLAY

(B) RESIDUAL, PINK, GRAY AND WHITE, MEDIUM DENSE TO VERY DENSE, MOIST, SILTY SAND AND COARSE SAND

(C) RESIDUAL, ORANGE-TAN, GRAY AND WHITE, STIFF TO HARD, MOIST, SANDY SILT AND CLAYEY SILT

8/17/99

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	173

RETAINING WALL 2

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-1000	6 LT	10+00	3.9-5.4	A-7-5(2)	49	15	41.7	23.1	12.9	22.3	99	69	39	-	-
SS-1001	6 LT	10+00	13.9-15.4	A-2-4(0)	39	9	49.8	20.6	18.4	11.1	96	58	33	-	-
SS-1002	6 LT	10+00	33.9-35.4	A-2-4(0)	36	8	52.3	18.0	17.5	12.2	87	49	30	-	-
SS-1003	15 RT	10+60	4.0-5.5	A-5(1)	49	9	36.5	29.2	16.1	18.2	99	76	40	-	-
SS-1004	15 RT	10+60	9.0-10.5	A-2-5(0)	45	NP	51.0	28.8	15.2	5.1	96	61	25	-	-
SS-1005	15 RT	10+60	29.0-30.5	A-2-4(0)	37	NP	52.9	29.7	12.4	5.1	92	57	21	-	-
SS-1006	18 LT	11+20	3.6-5.1	A-5(0)	44	NP	22.1	41.9	15.7	20.3	100	91	43	-	-
SS-1007	18 LT	11+20	8.6-10.1	A-2-5(0)	41	NP	37.1	40.1	16.7	6.1	100	81	28	-	-
SS-1008	18 LT	11+20	13.6-15.1	A-2-4(0)	37	NP	48.6	33.0	14.3	4.1	97	62	23	-	-
SS-1009	18 LT	11+20	43.6-45.1	A-2-4(0)	36	NP	44.2	35.9	12.9	7.1	94	68	24	-	-
SS-1010	10 RT	11+80	2.8-4.3	A-7-5(7)	54	16	30.2	21.1	16.3	32.4	99	78	52	-	-
SS-1011	10 RT	11+80	7.8-9.3	A-4(0)	39	7	47.6	19.7	14.5	18.2	97	60	36	-	-
SS-1012	10 RT	11+80	42.8-49.8	A-2-5(0)	43	NP	40.9	39.5	13.5	6.1	96	77	24	-	-
SS-1013	10 RT	11+80	47.8-49.3	A-2-4(0)	37	NP	55.3	28.2	12.5	4.1	91	51	20	-	-
SS-1014	25 RT	12+40	3.0-4.5	A-7-5(3)	46	12	35.3	24.1	16.3	24.3	97	73	45	-	-
SS-1015	25 RT	12+40	8.0-9.5	A-2-5(0)	45	NP	45.2	28.8	11.9	14.2	96	68	30	-	-
SS-1015B	9 RT	13+00	3.4-4.9	A-5(2)	46	10	38.5	21.5	17.7	22.3	99	71	44	-	-
SS-1016	9 RT	13+00	13.4-14.9	A-5(0)	44	7	35.3	30.4	14.1	20.3	100	78	39	-	-
SS-1017	9 RT	13+00	18.4-19.4	A-2-4(0)	36	NP	53.5	24.7	11.7	10.1	98	61	26	-	-
SS-1018	9 RT	13+00	23.4-24.9	A-2-4(0)	35	7	56.9	17.4	15.5	10.1	94	50	27	-	-
SS-1019	26 LT	13+60	2.9-4.4	A-7-5(10)	58	27	29.0	15.2	13.3	42.6	83	64	50	-	-
SS-1020	26 LT	13+60	7.9-9.4	A-2-5(0)	42	8	41.1	29.0	15.7	14.2	95	65	35	-	-
SS-1021	8 RT	14+20	3.2-4.7	A-7-5(17)	68	25	23.1	15.8	22.6	38.5	100	83	64	-	-
SS-1022	8 RT	14+20	8.2-9.7	A-5(9)	61	10	14.2	28.6	22.8	34.4	100	93	64	-	-
SS-1023	8 RT	14+20	14.0-14.7	A-5(1)	43	10	38.7	28.0	19.1	14.2	100	72	40	-	-
SS-1024	8 RT	14+20	23.2-24.7	A-5(0)	51	5	33.0	32.4	16.3	18.2	98	76	41	-	-
SS-1025	8 RT	14+20	38.2-39.7	A-2-4(0)	40	NP	51.1	32.6	10.2	6.1	100	70	21	-	-
SS-1026	8 RT	14+20	53.2-54.7	A-2-4(0)	32	NP	48.8	34.2	10.8	6.1	92	60	21	-	-
SS-1030	26 LT	14+80	3.1-4.6	A-7-5(12)	63	21	24.9	19.0	13.5	42.6	99	82	59	-	-
SS-1031	26 LT	14+80	8.1-9.6	A-5(0)	43	3	30.0	40.1	13.7	16.2	100	84	38	-	-
SS-1032	7 RT	15+40	3.0-4.5	A-7-5(9)	54	19	30.8	18.2	10.4	40.5	100	78	55	-	-
SS-1032B	7 RT	15+40	8.0-9.5	A-5(2)	47	10	40.3	21.6	13.7	24.4	99	70	42	-	-
SS-1033	7 RT	15+40	13.0-14.5	A-1-b(0)	31	NP	58.4	22.7	10.8	8.1	92	49	22	-	-
SS-1034	7 RT	15+40	48.0-49.5	A-2-5(0)	44	NP	27.6	46.8	19.6	6.1	100	88	35	-	-
SS-1035	26 LT	16+00	3.0-4.5	A-7-5(11)	60	23	18.4	32.6	8.4	40.5	100	93	55	-	-
SS-1036	26 LT	16+00	8.0-9.5	A-2-5(0)	41	NP	35.5	45.8	10.6	8.1	100	88	25	-	-
SS-1037	26 LT	16+00	18.0-19.5	A-2-5(0)	42	NP	54.3	28.4	9.2	8.1	97	64	20	-	-
SS-1038	26 LT	16+00	33.0-34.5	A-2-5(0)	41	NP	51.9	30.2	9.8	8.1	93	62	21	-	-
SS-1039	7 RT	16+60	2.7-4.2	A-7-5(11)	64	17	23.7	21.9	13.9	40.5	100	84	59	-	-
SS-1040	7 RT	16+60	7.7-9.2	A-2-5(0)	50	NP	42.8	31.8	15.3	10.1	98	69	32	-	-
SS-1041	7 RT	16+60	17.7-19.2	A-5(0)	48	NP	36.7	28.0	19.1	16.2	100	73	41	-	-
SS-1042	7 RT	16+60	42.7-44.2	A-5(0)	42	NP	27.2	41.5	17.1	14.2	100	86	40	-	-
SS-1043	7 RT	16+60	47.7-49.2	A-2-4(0)	39	NP	46.6	33.6	13.7	6.1	92	63	23	-	-
SS-1044	26 LT	17+20	3.0-4.5	A-7-5(25)	63	25	10.7	12.6	26.0	50.7	100	92	82	-	-
SS-1045	26 LT	17+20	13.0-14.5	A-2-5(0)	57	NP	41.7	37.1	17.1	4.1	97	71	27	-	-
SS-1046	5 RT	18+00	3.0-4.5	A-7-5(3)	47	12	34.9	24.5	18.3	22.3	100	72	46	-	-
SS-1047	5 RT	18+00	8.0-9.5	A-2-4(0)	33	NP	51.5	25.7	14.7	8.1	100	62	28	-	-

8/17/98

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	174



WALL -RWL4- PLAN & PROFILE



19-SEP-2007 07:35
I:\eng\raleigh investigation\tip\u2524c_geo_rdwy\cadd_geotech\PlanProf\RETAINING WALL_RWL3.dgn
mwalker
DT 08/12/05

8/17/99

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	175

RETAINING WALL 4

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT C.SAND	F.SAND	SILT	CLAY	% PASSING (SIEVES) 10	40	200	% MOISTURE	% ORGANIC
SS-971	32 LT	10+50	3.5-5.0	A-7-6(11)	55	26	26.9	22.2	10.4	40.4	98	79	54	-	-
SS-972	32 LT	10+50	8.5-10.0	A-2-5(0)	44	NP	45.2	32.9	11.8	10.0	100	67	28	-	-
SS-963	11 LT	11+00	3.5-5.0	A-7-6(3)	41	14	36.8	24.7	16.3	22.2	100	76	43	-	-
SS-967	11 LT	11+00	23.5-25.0	A-5(0)	41	3	29.3	35.4	23.2	12.1	96	79	42	-	-
SS-961	30 LT	11+50	3.5-5.0	A-5(3)	43	10	25.5	32.0	14.3	28.3	100	84	48	-	-
SS-962	30 LT	11+50	8.5-10.0	A-2-4(0)	33	NP	49.6	30.6	11.6	8.1	84	56	21	-	-
SS-956	30 LT	12+50	3.5-5.0	A-2-4(0)	32	NP	45.3	30.9	11.6	12.1	95	67	28	-	-
SS-957	30 LT	12+50	8.5-10.0	A-2-4(0)	33	NP	47.1	31.5	11.2	10.1	81	56	22	-	-
SS-948	10 LT	13+00	3.5-4.5	A-7-5(5)	47	11	25.1	28.5	14.1	32.4	100	85	53	-	-
SS-949	10 LT	13+00	8.5-10.0	A-2-5(0)	42	NP	42.5	35.8	13.7	8.1	92	64	25	-	-
SS-952	10 LT	13+00	23.5-25.0	A-1-b(0)	30	NP	58.1	28.6	9.2	4.0	85	49	15	-	-
SS-943	30 LT	13+50	3.5-5.0	A-7-5(10)	50	20	18.0	28.9	18.7	34.4	100	90	59	-	-
SS-945	30 LT	13+50	13.5-14.0	A-1-b(0)	28	NP	60.9	28.5	6.6	4.0	85	48	13	-	-
SS-918	15 RT	14+00	3.5-5.0	A-7-5(12)	57	20	15.2	27.3	19.1	38.4	97	89	61	-	-
SS-919	15 RT	14+00	8.5-10.0	A-7-5(15)	59	28	21.4	23.5	14.7	40.4	100	87	60	-	-
SS-920	15 RT	14+00	13.5-15.0	A-5(11)	48	6	24.7	37.2	17.9	20.2	100	87	45	-	-
SS-923	15 RT	14+00	28.5-30.0	A-4(0)	38	NP	32.4	38.6	18.9	10.1	99	76	37	-	-
SS-930	41 LT	14+50	3.5-5.0	A-7-5(4)	47	13	29.3	29.7	16.7	24.3	100	82	47	-	-
SS-931	41 LT	14+50	8.5-10.0	A-5(3)	52	7	25.5	34.0	20.3	20.2	100	86	49	-	-
SS-932	41 LT	14+50	13.5-15.0	A-2-5(0)	42	NP	41.9	30.1	17.9	10.1	97	71	33	-	-
SS-933	41 LT	14+50	18.5-20.0	A-2-5(0)	44	3	34.6	38.0	17.3	10.1	100	78	35	-	-
SS-934	41 LT	14+50	23.5-25.0	A-2-4(0)	31	NP	44.5	34.8	12.6	8.1	95	68	25	-	-
SS-936	41 LT	14+50	33.5-35.0	A-2-4(0)	36	NP	40.4	39.2	14.3	6.1	94	73	26	-	-
SS-937	41 LT	14+50	38.5-40.0	A-2-4(0)	35	NP	45.5	34.0	14.5	6.1	85	60	23	-	-
SS-908	1 RT	15+00	3.5-5.0	A-7-5(10)	54	16	17.4	28.3	24.0	30.3	100	90	61	-	-
SS-909	1 RT	15+00	8.5-10.0	A-7-5(3)	41	11	27.9	27.9	24.0	20.2	100	82	50	-	-
SS-910	1 RT	15+00	13.5-15.0	A-2-4(0)	40	NP	50.6	31.3	14.1	4.0	100	63	24	-	-
SS-911	1 RT	15+00	18.5-20.0	A-5(3)	48	10	20.0	41.1	30.8	8.1	100	89	49	-	-
SS-912	1 RT	15+00	23.5-25.0	A-2-4(0)	36	NP	39.0	34.6	20.3	6.1	96	72	32	-	-
SS-913	1 RT	15+00	28.5-30.0	A-2-5(0)	43	NP	42.5	35.0	16.5	6.1	98	74	27	-	-
SS-914	1 RT	15+00	33.5-35.0	A-2-4(0)	36	NP	41.1	36.6	16.3	6.1	98	70	29	-	-
SS-898	46 LT	15+50	3.5-5.0	A-5(2)	43	10	35.8	25.3	20.7	18.2	95	72	42	-	-
SS-899	46 LT	15+50	8.5-10.0	A-2-4(0)	33	NP	52.8	27.3	13.9	6.1	97	59	24	-	-
SS-902	46 LT	15+50	23.5-25.0	A-2-5(0)	41	NP	34.8	41.9	19.3	4.0	95	74	28	-	-
SS-903	46 LT	15+50	28.5-30.0	A-2-4(0)	32	NP	46.5	27.9	19.5	6.1	98	83	32	-	-
SS-879	3 LT	16+00	3.5-5.0	A-4(0)	40	NP	11.7	58.4	19.7	10.1	100	96	40	-	-
SS-880	3 LT	16+00	8.5-10.0	A-5(0)	45	NP	14.2	57.8	21.9	6.1	98	94	36	-	-
SS-882	3 LT	16+00	18.5-20.0	A-5(0)	45	NP	28.9	41.9	21.1	8.1	100	84	37	-	-
SS-868	30 LT	16+50	3.5-5.0	A-7-5(8)	55	14	14.8	30.5	28.4	26.3	95	88	58	-	-
SS-869	30 LT	16+50	8.5-10.0	A-5(0)	57	NP	14.2	49.9	27.8	8.1	100	96	45	-	-
SS-870	30 LT	16+50	13.5-15.0	A-2-5(0)	46	NP	26.5	45.9	19.5	8.1	100	88	35	-	-
SS-871	30 LT	16+50	18.5-20.0	A-2-5(0)	54	NP	29.1	47.7	17.1	6.1	100	89	30	-	-
SS-872	30 LT	16+50	23.5-25.0	A-5(0)	52	NP	12.1	55.6	22.1	10.1	99	92	44	-	-
SS-873	30 LT	16+50	28.5-30.0	A-2-5(0)	47	NP	25.1	47.7	21.1	6.1	100	92	33	-	-
SS-874	30 LT	16+50	33.5-35.0	A-5(0)	61	NP	17.0	52.0	27.0	4.0	100	97	40	-	-
SS-875	30 LT	16+50	38.5-40.0	A-4(0)	38	NP	22.2	51.0	20.7	6.1	100	92	37	-	-
SS-857	3 LT	17+00	3.5-5.0	A-2-5(0)	53	NP	24.5	50.6	18.9	6.1	100	90	31	-	-
SS-858	3 LT	17+00	8.5-10.0	A-7-5(5)	59	11	13.8	42.9	31.2	12.1	100	98	51	-	-
SS-859	3 LT	17+00	12.5-15.0	A-5(0)	55	NP	18.8	41.1	30.0	10.1	99	92	48	-	-
SS-860	3 LT	17+00	18.5-20.0	A-5(0)	55	NP	17.6	47.9	26.4	8.1	100	90	45	-	-
SS-861	3 LT	17+00	23.5-25.0	A-2-4(0)	40	NP	43.9	35.4	12.6	8.1	97	69	26	-	-
SS-862	3 LT	17+00	28.5-30.0	A-2-5(0)	44	NP	26.7	49.5	17.7	6.1	99	88	31	-	-
SS-864	3 LT	17+00	38.5-40.0	A-2-4(0)	29	NP	38.8	40.0	15.1	6.1	98	77	27	-	-
SS-847	30 LT	17+50	3.5-5.0	A-7-5(5)	52	12	20.8	34.4	24.6	20.2	100	88	52	-	-

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT C.SAND	F.SAND	SILT	CLAY	% PASSING (SIEVES) 10	40	200	% MOISTURE	% ORGANIC
SS-848	30 LT	17+50	8.5-10.0	A-5(0)	49	NP	21.4	53.0	19.5	6.1	100	89	36	-	-
SS-837	4 LT	18+00	3.5-5.0	A-7-5(5)	51	12	20.2	35.4	20.0	24.3	100	90	51	-	-
SS-838	4 LT	18+00	8.5-10.0	A-5(0)	54	NP	21.1	40.3	24.5	14.2	100	89	46	-	-
SS-839	4 LT	18+00	13.5-15.0	A-2-5(0)	41	NP	30.7	46.1	15.1	8.1	99	87	29	-	-
SS-840	4 LT	18+00	18.5-20.0	A-2-5(0)	45	NP	33.0	42.7	16.3	8.1	92	78	30	-	-
SS-818	21 LT	18+55	3.5-5.0	A-5(0)	52	NP	22.3	44.1	17.4	16.2	100	90	41	-	-
SS-819	21 LT	18+55	8.5-10.0	A-5(0)	41	NP	22.5	46.0	19.4	12.1	100	91	39	-	-
SS-824	21 LT	18+55	33.5-35.0	A-5(0)	44	NP	15.4	48.8	25.7	10.1	97	90	45	-	-
SS-808	CL	19+00	3.5-5.0	A-5(3)	53	10	28.5	27.9	17.2	26.3	99	81	47	-	-
SS-809	CL	19+00	8.5-10.0	A-5(5)	59	8	11.1	41.1	29.6	18.2	100	94	56	-	-
SS-811	CL	19+00	18.5-20.0	A-5(0)	53	NP	28.5	40.9	22.5	8.1	100	86	40	-	-
SS-798	34 LT	19+50	3.5-5.0	A-7-5(11)	54	14	13.6	27.3	26.7	32.4	100	91	67	-	-
SS-799	34 LT	19+50	8.5-10.0	A-5(8)	51	9	7.9	35.0	32.8	24.3	100	97	68	-	-
SS-800	34 LT	19+50	13.5-15.0	A-5(3)	52	5	12.6	39.3	23.9	24.3	100	96	54	-	-
SS-801	34 LT	19+50	18.5-20.0	A-2-5(0)	49	NP	31.2	41.9	16.8	10.1	100	88	33	-	-
SS-802	34 LT	19+50	23.5-25.0	A-2-5(0)	45	NP	16.8	59.3	15.8	8.1	100	95	33	-	-
SS-804	34 LT	19+50	33.5-35.0	A-2-4(0)	38	NP	30.5	47.0	15.5	7.1	100	86	31	-	-
SS-806	34 LT	19+50	43.5-45.0	A-2-4(0)	30	NP	32.2	44.1	16.6	7.1	100	84	32	-	-
SS-780	5 RT	19+95	3.5-5.0	A-7-5(15)	59	18	8.5	28.9	24.1	38.5	100	96	71	-	-
SS-781	5 RT	19+95	8.5-10.0	A-5(11)	45	5	22.7	38.5	22.7	16.2	98	86	45	-	-
SS-782	5 RT	19+95	13.5-15.0	A-5(0)	53	NP	26.1	42.1	19.6	12.1	90	74	36	-	-
SS-783	5 RT	19+95	18.5-20.0	A-5(0)	50	NP	19.4	51.6	18.8	10.1	99	90	37	-	-
SS-784	5 RT	19+95	23.5-25.0	A-5(0)	51	NP	10.5	57.1	20.2	12.1	100	96	42	-	-
SS-785	5 RT	19+95	28.5-30.0	A-5(0)	41	NP	13.4	46.4	28.1	12.1	100	93	52	-	-
SS-769	15 LT	20+50	3.5-5.0	A-7-5(21)	71	25	8.3	26.9	16.2	48.6	100	97	71	-	-
SS-770	15 LT	20+50	8.5-10.0	A-5(5)	55	9	9.1	44.9	21.7	24.3	100	97	55	-	-
SS-771	15 LT	20+50	13.5-15.0	A-5(3)	52	5	13.4	42.7	29.8	14.2	100	95	54	-	-
SS-772	15 LT	20+50	18.5-20.0	A-5(0)	49	NP	17.6	46.4	23.9	12.1	99	91	46	-	-
SS-777	15 LT	20+50	43.5-45.0	A-2-4(0)	35	NP	38.5	41.4	13.1	7.1	98	77	26	-	-
SS-757	8 RT	21+00	3.5-5.0	A-7-5(14)	68	15	12.2	22.9	20.4	44.6	100	94	69	-	-
SS-758	8 RT	21+00	8.5-10.0	A-7-5(13)	70	19	8.7	35.9	27.1	28.4	100	99	61	-	-
SS-759	8 RT	21+00	13.5-15.0	A-7-5(9)	56	12	6.5	40.7	36.6	16.2	100	98	63	-	-
SS-760	8 RT	21+00	18.5-20.0	A-5(2)	57	NP	6.3	51.0	28.5	14.2	100	98	54	-	-
SS-763	8 RT	21+00	33.5-35.0	A-5(0)	48	NP	14.8	55.3	21.9	8.1	100	96	41	-	-
SS-745	23 LT	21+43	3.5-5.0	A-5(5)	62	9	19.9	33.8	15.9	30.4	99	90	51	-	-
SS-746	23 LT	21+43	8.5-10.0	A-2-4(0)	40	NP	40.5	38.9	12.5	8.1	100	79	25	-	-
SS-751	23 LT	21+43	33.5-35.0	A-4(0)	37	NP	18.4	46.8	28.7	6.1	100	94	45	-	-
SS-732	12 RT	22+00	3.5-5.0	A-7-5(25)	79	25	8.9	21.3	25.2	44.6	100	94	75	-	-
SS-733	12 RT	22+00	8.5-10.0	A-5(0)	52	NP	18.4	45.6	21.8	14.2	100	92	44	-	-
SS-735	12 RT	22+00	18.5-20.0	A-5(0)	52	NP	15.2	49.4	27.3	8.1	92	86	41	-	-
SS-736	12 RT	22+00	23.5-25.0	A-2-5(0)	47	NP	28.6	48.0	17.3	6.1	100	88	31	-	-
SS-740	12 RT	22+00	43.5-45.0	A-5(0)	43	NP	24.5	45.8	25.6	4.1	98	84	36	-	-
SS-741	12 RT	22+00	48.5-50.0	A-5(0)	43	NP	22.3	45.8	25.8	6.1	97	87	40	-	-
SS-712	20 LT	22+50	3.5-5.0	A-7-5(22)	69	23	6.9	21.7	26.8	44.6	100	97	76	-	-
SS-713	20 LT	22+50	8.5-10.0	A-5(6)	54	9	13.6	34.9	27.3	24.3	97	90	57	-	-
SS-714	20 LT	22+50	13.5-15.0	A-5(0)	58	NP	23.3	42.6	22.0	12.2	100	90	40	-	-
SS-716	20 LT	22+50	0.0-0.0	A-5(3)	49	2	12.0	33.6	40.2	14.2	98	93	64	-	-
SS-717	20 LT	22+50	28.5-30.0	A-2-5(0)	44	NP	38.9	42.1	14.9	4.1	100	81	24	-	-
SS-689	1 LT	23+00	3.5-5.0	A-5(0)	46	NP	14.5	42.4	18.5	24.6	100	96	50	-	-
SS-690	1 LT	23+00	8.5-10.0	A-5(0)	51	NP	13.1	55.5	21.2	10.2	100	97	40	-	-
SS-693	1 LT	23+00	23.5-25.0	A-2-4(0)	35	NP	44.6	32.8	12.4	10.2	87	61	24	-	-
SS-695	1 LT	23+00	33.5-35.0	A-2-5(0)	52	NP	31.7	42.8	19.3	6.1	100	86	32	-	-
SS-697	1 LT	23+00	43.5-45.0	A-2-4(0)	30	NP	41.8	39.7	10.3	8.2	96	72	25	-	-
SS-698	1 LT	23+00	48.5-50.0	A-2-4(0)	35	NP	26.8	58.8	8.3	6.1	100	90	22	-	-

23-JUN-2007 11:24
C:\Projects\projects\geotech\tip\u2524c_geo_rdwg\eadd_geotech\planprof\retaining wall_rw13.dgn
nmorris
All DGN Files

8/17/99

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	176



WALL -RWL4- PLAN & PROFILE



WALL -RWL5- PLAN & PROFILE



Ⓐ RESIDUAL, TAN-RED, STIFF, MOIST, SILTY CLAY
Ⓑ RESIDUAL, TAN, RED AND WHITE, STIFF TO VERY STIFF, MOIST, SANDY SILT AND CLAYEY SILT
Ⓒ RESIDUAL, RED, TAN AND WHITE, MED. DENSE TO VERY DENSE, MOIST, SILTY SAND
Ⓓ WEATHERED ROCK (GNEISS)



Ⓐ ARTFICIAL FILL, RED-BROWN, VERY STIFF, MOIST, SILTY CLAY

29-JUN-2007 09:12
K:\projects\investigation\tip\u2524c_geo_rdwy\cadd_geotech\plan+prof\RETAINING WALL_RWL4.dgn
tmeeler GE1221.225

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	177

RETAINING WALL 4

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-689	1 LT	23+00	3.5-5.0	A-5(0)	46	NP	14.5	42.4	18.5	24.6	100	96	50	-	-
SS-690	1 LT	23+00	8.5-10.0	A-5(0)	51	NP	13.1	55.5	21.2	10.2	100	97	40	-	-
SS-693	1 LT	23+00	23.5-25.0	A-2-4(0)	35	NP	44.6	32.8	12.4	10.2	87	61	24	-	-
SS-695	1 LT	23+00	33.5-35.0	A-2-5(0)	52	NP	31.7	42.8	19.3	6.1	100	86	32	-	-
SS-697	1 LT	23+00	43.5-45.0	A-2-4(0)	30	NP	41.8	39.7	10.3	8.2	96	72	25	-	-
SS-698	1 LT	23+00	48.5-50.0	A-2-4(0)	35	NP	26.8	58.8	8.3	6.1	100	90	22	-	-
SS-677	18 LT	23+50	3.5-5.0	A-5(0)	46	NP	25.0	36.0	12.4	26.6	100	86	46	-	-
SS-678	18 LT	23+50	8.5-10.0	A-5(0)	44	NP	18.0	47.9	19.8	14.3	100	93	43	-	-
SS-679	18 LT	23+50	13.5-15.0	A-2-5(0)	46	NP	30.7	46.7	14.4	8.2	99	86	28	-	-
SS-667	8 RT	24+00	3.5-5.0	A-7-5(15)	64	21	5.9	37.5	19.8	36.8	100	98	64	-	-
SS-668	8 RT	24+00	8.5-10.0	A-7-5(6)	59	11	12.9	41.1	23.4	22.5	100	94	54	-	-
SS-669	8 RT	24+00	13.5-15.0	A-5(0)	58	NP	19.9	48.9	21.0	10.2	100	93	38	-	-
SS-672	8 RT	24+00	28.5-30.0	A-2-4(0)	39	NP	37.5	43.6	10.7	8.2	99	78	26	-	-
SS-675	8 RT	24+00	43.5-45.0	A-2-4(0)	35	NP	33.2	48.1	12.6	6.1	96	82	25	-	-
SS-657	18 LT	24+50	3.5-5.0	A-5(5)	58	9	19.0	32.5	17.7	30.7	100	91	53	-	-
SS-658	18 LT	24+50	8.5-10.0	A-7-5(9)	64	19	17.2	35.8	20.4	26.6	100	89	53	-	-
SS-660	18 LT	24+50	18.5-20.0	A-2-5(0)	55	NP	59.6	14.5	17.7	8.2	100	68	27	-	-
SS-666	18 LT	24+50	48.5-50.0	A-5(1)	45	8	18.8	47.7	25.3	8.2	100	92	44	-	-
SS-646	10 RT	25+00	3.5-5.0	A-7-5(6)	55	15	17.4	38.5	15.5	28.7	100	92	50	-	-
SS-647	10 RT	25+00	8.5-10.0	A-5(5)	57	8	10.0	42.8	26.7	20.5	100	97	56	-	-
SS-648	10 RT	25+00	12.5-15.0	A-5(9)	54	10	9.0	33.6	34.9	22.5	100	97	67	-	-
SS-649	10 RT	25+00	18.5-20.0	A-2-5(0)	51	NP	25.6	48.3	20.0	6.1	100	88	34	-	-
SS-652	10 RT	25+00	33.5-35.0	A-2-4(0)	34	NP	36.6	37.9	17.3	8.2	99	80	33	-	-
SS-628	22 LT	25+50	3.5-5.0	A-5(4)	55	9	27.2	25.9	18.5	28.4	100	86	51	-	-
SS-629	22 LT	25+50	8.5-10.0	A-4(0)	39	3	18.8	45.6	25.3	10.2	100	92	46	-	-
SS-630	22 LT	25+50	13.5-15.0	A-4(0)	39	6	27.4	34.4	24.0	14.2	93	77	42	-	-
SS-631	22 LT	25+50	18.5-20.0	A-5(0)	51	7	26.8	42.0	23.0	8.2	93	80	37	-	-
SS-632	22 LT	25+50	23.5-25.0	A-2-5(0)	45	NP	31.9	45.0	16.9	6.1	100	81	31	-	-
SS-634	22 LT	25+50	33.5-35.0	A-2-4(0)	40	NP	38.7	42.0	13.2	6.1	100	78	26	-	-
SS-619	CL	25+93	3.5-5.0	A-5(7)	53	8	12.4	28.6	28.7	30.4	100	94	64	-	-
SS-620	CL	25+93	8.5-10.0	A-5(2)	52	8	25.3	36.1	20.4	18.2	100	87	44	-	-
SS-624	CL	25+93	28.5-30.0	A-2-5(0)	42	NP	32.2	48.2	13.5	6.1	100	85	27	-	-
SS-612	28 LT	26+50	3.5-5.0	A-7-5(11)	41	11	25.9	41.1	8.6	24.3	100	88	39	-	-
SS-614	28 LT	26+50	13.5-15.0	A-5(0)	59	NP	15.2	49.8	28.9	6.1	100	94	45	-	-
SS-617	28 LT	26+50	28.5-30.0	A-2-4(0)	35	NP	33.4	53.1	9.4	4.1	99	85	21	-	-
SS-606	6 LT	27+00	3.5-5.0	A-7-5(26)	68	31	9.1	19.7	22.6	48.6	100	95	75	-	-
SS-607	6 LT	27+00	8.5-10.0	A-5(11)	49	5	27.6	34.2	17.9	20.3	100	87	43	-	-
SS-608	6 LT	27+00	13.5-15.0	A-2-5(0)	41	NP	45.6	41.5	8.8	4.1	100	77	18	-	-

RETAINING WALL 5

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-906	15 RT	10+50	3.5-5.0	A-7-5(8)	61	17	12.8	40.1	12.5	34.6	100	96	53	-	-
SS-907	15 RT	10+50	13.5-15.0	A-7-5(8)	59	16	14.0	40.5	21.1	24.4	100	94	54	-	-
SS-908	15 RT	10+50	18.5-20.0	A-7-5(11)	50	12	33.2	34.0	18.6	14.2	96	74	38	-	-
SS-909	15 RT	10+50	33.5-35.0	A-2-5(0)	51	4	29.7	41.3	16.8	12.2	96	81	35	-	-
SS-910	6 LT	11+20	3.5-5.0	A-7-5(17)	64	23	18.5	19.1	23.7	38.7	100	88	67	-	-
SS-911	6 LT	11+20	13.5-15.0	A-7-5(8)	59	15	14.2	37.6	23.7	24.4	100	97	55	-	-
SS-912	6 LT	11+20	23.5-25.0	A-7-5(7)	59	12	20.8	32.3	28.6	18.3	100	87	55	-	-
SS-913	6 LT	11+20	33.5-35.0	A-5(3)	50	6	22.6	29.9	33.3	14.2	99	86	54	-	-
SS-917	1 LT	11+80	3.5-5.0	A-7-5(8)	60	14	22.2	26.4	14.8	36.6	100	86	56	-	-
SS-918	1 LT	11+80	8.5-10.0	A-5(11)	48	7	31.7	29.7	18.2	20.3	98	77	44	-	-
SS-919	1 LT	11+80	13.5-15.0	A-2-5(0)	42	NP	33.4	38.3	12.1	16.3	96	78	34	-	-
SS-920	1 LT	11+80	28.5-30.0	A-5(2)	44	10	34.4	25.0	26.3	14.2	90	65	43	-	-
SS-914	21 LT	12+50	3.5-5.0	A-7-5(8)	56	16	23.2	24.2	16.0	36.6	98	83	56	-	-
SS-915	21 LT	12+50	8.5-10.0	A-5(2)	53	7	29.5	29.5	22.7	18.3	98	79	46	-	-
SS-916	21 LT	12+50	13.5-15.0	A-2-5(0)	43	NP	43.5	26.7	15.6	14.2	95	64	34	-	-

29-JUN-2007 11:24
I:\eng\raleigh\projects\tip\u2524c_geo.rdwg\cadd_geotech\planprof\retaining wall_rw14.dgn
mmoore

8/17/99

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	178



WALL -RWL6- PLAN & PROFILE



Ⓐ RESIDUAL, TAN, RED, WHITE, BROWN, AND GRAY, SOFT TO VERY STIFF, MOIST, SILTY CLAY

Ⓑ RESIDUAL, TAN, RED, WHITE, AND GRAY, STIFF TO VERY STIFF, DRY, CLAYEY SILT AND SANDY SILT

Ⓒ RESIDUAL, TAN, WHITE, AND GRAY, LOOSE TO MEDIUM DENSE, DRY TO WET, SILTY SAND AND COARSE SAND

23-JUN-2007 09:14
c:\projects\geop investigation\tip \u2524c_geo_rdwy\cadd_geotech\planprof\RETAINING WALL_RWL5.dgn
itwalker

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	179

RETAINING WALL 6

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-504	4 RT	10+90	0.0-1.5	A-7-6(9)	45	18	22.2	20.0	19.4	38.4	96	80	58	-	-
SS-505	4 RT	10+90	3.7-5.2	A-5(0)	42	NP	34.7	28.1	19.0	18.2	97	74	40	-	-
SS-506	4 RT	10+90	8.7-10.2	A-2-5(0)	41	NP	41.8	30.7	21.4	6.1	81	58	26	-	-
SS-507	6 RT	11+92	0.0-1.5	A-7-5(15)	54	21	17.8	15.8	18.0	48.5	100	88	69	-	-
SS-508	6 RT	11+92	2.5-4.0	A-7-5(4)	51	13	29.1	26.7	22.0	22.2	97	77	47	-	-
SS-509	6 RT	11+92	7.5-9.0	A-1-b(0)	43	NP	48.9	25.5	21.6	4.0	77	48	23	-	-
SS-510	6 RT	11+92	17.5-19.0	A-1-b(0)	37	NP	50.3	23.8	19.8	6.1	73	45	22	-	-
SS-511	8 RT	12+92	0.0-1.5	A-7-6(11)	42	18	19.8	16.0	17.8	46.5	100	86	67	-	-
SS-512	8 RT	12+92	3.3-4.8	A-7-5(14)	56	21	17.8	22.6	29.3	30.3	100	87	64	-	-
SS-513	8 RT	12+92	8.3-9.8	A-2-5(0)	44	NP	40.8	28.1	23.0	8.1	96	68	33	-	-
SS-514	8 RT	12+92	18.3-19.8	A-2-4(0)	29	NP	40.4	33.5	22.0	4.0	77	58	24	-	-
SS-515	8 RT	12+92	23.3-24.8	A-1-b(0)	32	NP	44.2	28.9	22.8	4.0	73	49	23	-	-
SS-517	26 LT	13+94	0.0-1.5	A-7-6(15)	49	25	18.4	17.0	18.2	46.5	97	84	65	-	-
SS-518	26 LT	13+94	4.4-5.9	A-5(0)	42	NP	34.5	31.1	22.2	12.1	97	76	38	-	-
SS-519	26 LT	13+94	14.4-15.9	A-7-5(5)	48	14	28.5	25.1	32.3	14.1	98	79	50	-	-
SS-520	26 LT	13+94	19.4-20.9	A-2-5(0)	41	NP	38.6	29.5	23.8	8.1	89	66	31	-	-
SS-521	26 LT	13+94	24.4-25.9	A-4(0)	38	NP	41.4	28.7	23.8	6.1	81	55	28	-	-
SS-522	26 LT	14+46	4.5-6.0	A-4(0)	36	NP	36.8	25.5	29.7	8.1	95	70	40	-	-
SS-523	26 LT	14+46	14.5-16.0	A-2-5(0)	44	NP	38.0	28.5	25.5	8.1	92	69	35	-	-
SS-73	31 LT	14+96	3.2-4.7	A-7-5(7)	54	18	31.0	23.0	20.0	26.0	100	80	50	-	-
MS-74	31 LT	14+96	8.2-9.7											20.2	-
SS-75	31 LT	14+96	13.2-14.7	A-2-5(0)	41	NP	46.0	28.0	18.0	8.0	90	61	21	-	-
MS-76	31 LT	14+96	18.2-19.7											20.6	-
MS-77	31 LT	14+96	23.2-24.7											23.9	-
MS-78	31 LT	14+96	28.2-29.7											24.9	-
MS-79	31 LT	14+96	33.2-34.7											26.4	-
MS-80	31 LT	14+96	38.2-39.7											22.9	-
SS-524	31 LT	15+44	0.0-1.5	A-7-6(11)	43	19	20.4	15.8	19.4	44.4	100	86	66	-	-
SS-525	31 LT	15+44	3.7-5.2	A-7-5(5)	51	21	27.1	24.8	29.9	18.2	100	82	51	-	-
SS-526	31 LT	15+44	8.7-10.2	A-5(0)	42	NP	34.5	24.4	30.9	10.1	96	72	42	-	-
SS-527	31 LT	15+44	18.7-20.2	A-2-5(0)	41	NP	38.8	25.9	27.3	8.1	84	61	33	-	-
SS-528	31 LT	15+44	28.7-30.2	A-2-4(0)	40	NP	37.0	31.1	25.9	6.1	82	62	30	-	-
SS-529	28 LT	16+00	4.2-5.7	A-4(0)	38	NP	38.2	27.3	24.4	10.1	100	73	39	-	-
SS-530	28 LT	16+00	14.2-15.7	A-2-5(0)	45	NP	39.0	26.1	26.9	8.1	89	64	34	-	-
SS-531	28 LT	16+00	24.2-25.7	A-2-4(0)	38	NP	39.4	27.3	25.3	8.1	79	57	30	-	-
SS-532	30 LT	16+50	0.0-1.5	A-7-5(22)	61	28	16.0	13.1	16.4	54.5	100	90	73	-	-
SS-533	30 LT	16+50	4.2-5.7	A-5(0)	41	NP	34.9	25.9	25.1	14.1	100	74	43	-	-
SS-534	30 LT	16+50	14.2-15.7	A-5(0)	43	NP	35.4	27.1	27.5	10.1	90	68	38	-	-
SS-535	CL	17+00	4.2-5.7	A-4(0)	40	NP	31.1	25.3	31.5	12.1	100	80	48	-	-
SS-536	CL	17+00	9.2-10.2	A-5(0)	45	NP	33.9	30.9	27.1	8.1	98	77	39	-	-
SS-537	CL	17+00	19.2-20.7	A-2-4(0)	37	NP	40.8	28.9	24.2	6.1	96	68	33	-	-
SS-503	CL	17+46	0.0-1.5	A-7-5(31)	75	36	13.3	13.9	16.2	56.6	100	92	75	-	-
SS-500	CL	18+00	3.7-5.2	A-4(0)	39	4	28.9	33.1	25.9	12.1	100	80	43	-	-
SS-501	CL	18+00	8.7-10.2	A-4(0)	39	7	34.3	32.9	26.7	6.1	100	79	38	-	-
SS-502	CL	18+00	18.7-20.2	A-5(0)	41	NP	36.0	29.1	28.9	6.1	96	73	38	-	-

29-JUN-2007 11:25
i:\ero\roadway\design\tip\u2524c_geo_rdwy\cadd_geotech\planprof\retaining wall_rw15.dgn
mmorris

8/17/99

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	180



WALL -RWL7- PLAN & PROFILE



WALL -RWL8- PLAN & PROFILE





29-JUN-2007 09:22
I:\eng\raleigh\projects\tip\u2524c_geo_rdwy\ceadd_geotech\planprof\retaining wall_rwl6.dgn
User: ceadd

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	181

RETAINING WALL 7

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-32	12 LT	9+95	0.1-1.5	A-7-6(14)	51	29	20.0	23.0	14.0	43.0	100	89	60		-
SS-33	12 LT	9+95	4.0-5.5	A-7-5(16)	60	27	19.0	20.0	22.0	39.0	100	88	65		-
SS-34	12 LT	9+95	9.0-10.5	A-4(2)	25	10	27.0	30.0	19.0	24.0	97	82	46		-
ST-2	12 LT	9+95	10.0-12.0	A-4(2)	24	9	26.0	30.0	15.0	29.0	91	78	44	22.6	-
SS-35	12 LT	9+95	14.0-15.5	A-7-6(5)	44	16	24.0	26.0	28.0	22.0	88	73	50		-
SS-36	12 LT	9+95	24.0-25.5	A-2-4(0)	31	NP	43.0	36.0	19.0	2.0	82	60	21		-
SS-27	14 LT	11+45	0.4-1.5	A-6(4)	31	11	23.0	28.0	27.0	22.0	100	87	54		-
SS-29	14 LT	11+45	4.1-5.6	A-1-b(0)	21	NP	56.0	32.0	5.0	7.0	79	50	11		-
SS-30	14 LT	11+45	6.5-8.0	A-2-6(0)	39	11	41.0	31.0	22.0	6.0	74	52	25		-
SS-31	14 LT	11+45	14.1-15.6	A-2-4(0)	37	5	43.0	31.0	22.0	4.0	71	47	26		-
SS-25	16 LT	12+45	4.0-5.5	A-2-6(0)	27	11	35.0	31.0	16.0	18.0	93	75	35		-
SS-26	16 LT	12+45	9.0-10.5	A-2-4(0)	38	8	40.0	35.0	21.0	4.0	78	58	24	-	-

RETAINING WALL 8

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-58	16 RT	10+10	0.0-1.5	A-6(10)	39	19	15.0	25.0	21.0	39.0	100	92	66	-	-
SS-59	16 RT	10+10	2.1-3.6	A-7-6(11)	42	21	13.0	25.0	19.0	43.0	100	93	68	21.3	-
SS-60	16 RT	10+10	4.3-5.8	A-7-6(9)	44	18	9.0	38.0	20.0	33.0	100	98	62	-	-
SS-61	16 RT	10+10	6.8-8.3	A-7-5(5)	46	11	28.0	26.0	30.0	16.0	99	81	52		-
SS-62	16 RT	10+10	14.3-15.8	A-5(2)	47	7	31.0	30.0	33.0	6.0	93	72	45	30.5	-
SS-1	4 LT	11+45	0.0-1.5	A-7-6(5)	47	24	26.0	20.0	17.0	37.0	95	78	55	-	-
SS-2	4 LT	11+45	4.1-5.6	A-7-5(4)	49	14	35.0	24.0	23.0	18.0	98	75	44	-	-
SS-3	4 LT	11+45	9.2-10.7	A-2-5(0)	48	10	34.0	26.0	26.0	14.0	78	60	35	25.1	-
SS-4	4 LT	11+45	11.7-13.2	A-2-5(0)	44	4	37.0	33.0	24.0	6.0	90	68	33	34.3	-
SS-5	4 LT	11+45	14.2-15.7											37.0	
SS-6	4 LT	11+45	16.7-18.2	A-2-5(0)	41	NP	40.0	31.0	23.0	6.0	92	66	33	37.3	-
SS-7	4 LT	11+45	29.3-30.8	A-1-b(0)	30	NP	45.0	33.0	16.0	6.0	71	49	20	-	-
SS-8	4 LT	11+45	34.3-35.8	A-1-b(0)	30	NP	38.0	36.0	22.0	4.0	78	58	26		-
SS-13	6 RT	12+45	2.1-3.6	A-4(8)	31	10	7.0	26.0	39.0	28.0	100	97	75	-	-
SS-14	6 RT	12+45	4.6-5.6	A-1-b(0)	23	5	58.0	22.0	8.0	12.0	68	38	16	-	-
SS-15	6 RT	12+45	14.2-15.7	A-2-4(0)	36	8	41.0	28.0	25.0	6.0	89	62	33	-	-
SS-16	6 RT	12+45	24.2-25.7	A-4(1)	34	6	29.0	39.0	26.0	6.0	100	84	39	-	-

29-JUN-2007 11:26
I:\pro\v8\geotech\investigation\tip\u2524c_geo_rdwy\cadd_geotech\planprof\retaining wall_rw16.dgn
rmoss
$$$$ 226154

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	182



WALL -RWL9- PLAN & PROFILE



WALL -RWL10- PLAN & PROFILE





8/17/99

02-NOV-2007 14:33
i:\ero\raleigh investigation\tip\u2524c_geo_rdwy\cadd_geotech\planprof\retaining wall_rw17.dgn
ltrasker
GE 221 425

PROJECT REFERENCE NO.	SHEET NO.
U-2524C	183

RETAINING WALL 9

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-947	9' RT	10+10	4.5-6.0	A-1-b(0)	25	6	43.3	28.3	10.2	18.3	65	47	22		-
SS-948	32' LT	10+70	4.4-5.9	A-6(5)	31	13	13.2	36.0	26.4	24.4	93	86	57		-
SS-949	32' LT	10+70	9.4-10.9	A-2-4(0)	36	7	46.3	30.1	17.5	6.1	75	50	22		-
SS-952	7' RT	11+75	3.2-4.7	A-2-4(0)	22	NP	59.1	23.4	7.3	10.2	96	57	20		-
SS-953	CL	12+50	3.1-4.6	A-2-4(0)	20	NP	55.7	28.5	7.7	8.1	80	52	16		-
SS-954	CL	12+50	8.1-9.6	A-2-4(0)	28	NP	50.4	32.5	11.0	6.1	82	53	19		-
SS-955	32' LT	13+10	3.2-4.7	A-4(4)	31	10	17.7	31.7	26.2	24.4	98	88	58		-
SS-956	32' LT	13+10	8.2-9.7	A-1-b(0)	29	5	49.0	31.7	13.2	6.1	78	48	20		-
S-957	6' LT	14+00	2.0-3.0	A-4(3)	30	10	15.0	38.4	22.2	24.4	100	95	55		-
SS-958	6' LT	14+00	8.1-9.6	A-2-4(0)	30	5	38.4	35.8	17.7	8.1	93	69	30		-

RETAINING WALL 10

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C.SAND	F.SAND	SILT	CLAY	10	40	200		
SS-945	8' LT	9+18	3.8-5.0	A-6(5)	40	16	22.4	27.6	21.5	28.5	86	73	48		-
SS-946	8' LT	9+18	8.8-10.3	A-2-4(0)	39	3	29.7	39.6	24.6	6.1	76	61	30		-
SS-947B	8' LT	9+18	13.8-15.3	A-2-5(0)	44	7	43.5	30.7	21.7	4.1	79	56	25		-
S-942	2' RT	11+50	1.0-2.0	A-6(8)	39	18	20.1	22.0	23.4	34.6	93	80	59		-
SS-943	2' RT	11+50	9.3-10.7	A-2-4(0)	28	5	54.9	27.0	12.0	6.1	88	53	20		-
SS-944	2' RT	11+50	14.3-15.8	A-2-4(0)	28	2	44.1	30.9	18.9	6.1	97	66	31		-

29-JUN-2007 11:09
I:\ero\raleigh\projects\tip\u2524c_geo_rdwy\cadd_geotech\planprof\retaining wall_rw17.dgn
mmohs