


PROJECT REFERENCE NO.	SHEET NO.
R-2915C	EC-33/CONST.13
RW SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

CLEAN WATER DIVERSION
(Not to Scale)



Place Matting for Erosion Control on Slope as Work Allows.
-L- Sta. 376+00 to Sta. 381+00 LT

24 INCH TEMPORARY PIPE FOR CWD

90 x 15 x 3
ID 13.10

70 x 15 x 3
ID 13.11

Place Matting for Erosion Control on Slope as Work Allows.
-L- Sta. 369+00 to Sta. 375+40 LT

55 x 20 x 3
1.5 inch Skimmer with 0.875 inch Orifice Diameter
4 ft. weir
ID 13.8

50 x 20 x 3
1.5 inch Skimmer with 0.875 inch Orifice Diameter
4 ft. weir
ID 13.9

75 x 15 x 3
Qty: 2 ID 13.6

75 x 15 x 3
Qty: 3 ID 13.5

Streambank Reforestation
-Y9- Sta. 13+45 to Sta. 13+60 LT
-Y9- Sta. 13+75 to Sta. 13+90 LT

80 x 40 x 3
2 inch Skimmer with 1.625 inch Orifice Diameter
14 ft. weir
ID 13.7


Place Matting for Erosion Control on Slope as Work Allows.
-L- Sta. 374+60 to Sta. 381+00 RT

Place Matting for Erosion Control on Slope as Work Allows.
-L- Sta. 369+00 RT to -Y9- Sta. 15+50 RT

INSTALL MATTING FOR EROSION CONTROL IN PROPOSED DITCH LINES.
(SEE MATTING SUMMARY)

RCBC TO BE BACKFILLED W/LARGE NATIVE MATERIAL.

UTILIZE FABRIC INSERT INLET PROTECTION DEVICE IN LIEU OF ROCK INLET SEDIMENT TRAP TYPE 'C' TO AVOID IMPOUNDING RUNOFF ON ROADWAY OPEN TO PUBLIC AND AS DIRECTED.



NAD 83
CORS

MATCH TO SHEET 12 -L- STA. 369+00.00

MATCH TO SHEET 13

REVISIONS

12:50:10 PM
R-2915C.ec_PSH13.dgn
C:\PROJECTS\2915C\DRAWINGS\EC-33\CONST.13