

GEL

Engineering of NC INC

an affiliate of **The GEL Group INC**

PRELIMINARY SITE ASSESSMENT REPORT

**6850 NC Hwy. 107
Jackson County Property, Parcel 013
Cullowhee, North Carolina
State Project R-4753
WBS Element #39999.1.1
Jackson County**

North Carolina Department of Transportation
Geotechnical Engineering Unit
1589 Mail Service Center
Raleigh, North Carolina 27699-1589

June 12, 2014

PRELIMINARY SITE ASSESSMENT REPORT

**6850 NC Hwy. 107
Jackson County Property, Parcel 013
Cullowhee, North Carolina
State Project R-4753, WBS Element #39999.1.1
Jackson County**

TABLE OF CONTENTS

Section	Subject	Page
Signature Page		ii
Executive Summary.....		iii
1.0 Introduction		1
2.0 Background		1
3.0 Local Geology and Surroundings		2
4.0 Subsurface Investigation		3
4.1 Geophysical Survey		3
4.1.1 Ground Penetrating Radar Methodology		4
4.1.2 Time Domain Electromagnetic Methodology		5
4.1.3 Field Procedures		5
4.2 Subsurface Soil Investigation		6
5.0 Conclusions and Recommendations.....		8

Figures

- 1 Site Location Map
- 2 Designated Investigation Area for Parcel 013
- 3 Site Map Showing Results of Geophysical Investigation
- 4 Site Map Showing Locations of Soil Borings
- 5 Supplemental Legend for Use with Figures 2, 3, and 4

Tables

- 1 Summary of Analytical Results for Collected Soil Samples

Appendices


- I Photographs
- II Soil Boring Lithologic Logs
- III Certificates of Analysis and Chain of Custody Records for Soil Samples

Signature Page

This document, entitled *Preliminary Site Assessment Report*, has been prepared for the Jackson County Property (Parcel 013), located at 6850 NC Hwy. 107 in Cullowhee, North Carolina (State Project R-4753, WBS Element #39999.1.1, Jackson County). It has been prepared by GEL Engineering of NC, Inc. in accordance with the Notice to Proceed provided by the North Carolina Department of Transportation-GeoEnvironmental Section, Geotechnical Engineering Unit for the exclusive use of the North Carolina Department of Transportation. It has been prepared in accordance with accepted quality control practices and has been reviewed by the undersigned.

GEL ENGINEERING OF NC, INC.
an Affiliate of The GEL Group, Inc.

Andrew D. Eyer, L.G.
Senior Project Manager



06 - 12 - 14

Date

PRELIMINARY SITE ASSESSMENT REPORT

**6850 NC Hwy. 107
Jackson County Property, Parcel 013
Cullowhee, North Carolina
State Project R-4753, WBS Element #39999.1.1
Jackson County**

Executive Summary

The subject site is the Jackson County property (Parcel 013) located at 6850 NC Hwy. 107 in Jackson County, North Carolina. The primary purpose of this investigation was to evaluate the presence or absence of underground storage tanks (USTs) and constituents of concern in soil within the proposed and existing North Carolina Department of Transportation (NCDOT) Right-of-Way (ROW) and easements adjacent to Parcel 013, as a result of previous and/or current operations at the subject site.

The property comprising Parcel 013 is East Laporte River Access Park, operated by Jackson County. It had reportedly contained a former Exxon service station that was closed approximately 30 years ago, based on information provided by NCDOT and owners of other properties in the vicinity of site. No structures remained at the site following demolition of the former service station in the late 2000s.

The files reviewed at the Asheville Regional Office of the North Carolina Department of Environment and Natural Resources (NCDENR) did not contain any information about Parcel 006. There is currently no visible evidence of existing USTs or vents at the site, and NCDENR representatives of the UST Section confirmed that the site has no assigned UST Facility ID number and that no UST Incident number has ever been assigned to the site. No groundwater monitoring wells were observed at the site.

GEL Engineering of NC, Inc. (GEL) performed a preliminary site assessment within the NCDOT northerly ROW and proposed easements adjacent to Parcel 013 that included a geophysical investigation, and the collection and analysis of soil samples. No subsurface anomalies indicative of "Known USTs," "Probable USTs," or "Possible USTs" were identified within the investigation area.

Executive Summary (continued)

Soil samples were collected for analysis from five borings constructed within the investigation area and analyzed for petroleum hydrocarbon constituents, volatile organic compounds (VOCs), and semi-volatile organic compounds (SVOCs). No constituents were detected in any of the soil samples at levels exceeding NCDENR regulatory action levels or standards. No additional environmental investigation of the soil at Parcel 013 by NCDOT is recommended at this time.

PRELIMINARY SITE ASSESSMENT REPORT

**6850 NC Hwy. 107
Jackson County Property, Parcel 013
Cullowhee, North Carolina
State Project R-4753, WBS Element #39999.1.1
Jackson County**

1.0 Introduction

This document presents the details of a geophysical survey and preliminary site assessment performed within the accessible portions of the North Carolina Department of Transportation (NCDOT) Right-of-Way (ROW) and proposed easements at the Jackson County property (Parcel 013) located at 6850 NC Hwy. 107 in Jackson County, North Carolina.

Parcel 013 is currently the East Laporte River Access Park, operated by Jackson County. It was reportedly a former Exxon service station that was closed approximately 30 years ago. The site location is shown in Figure 1, an excerpt from the United States Geological Survey (USGS) 7.5-minute quadrangle map of Sylva South and Tuckasegee, North Carolina. The preliminary site assessment (PSA) was conducted by GEL Engineering of NC, Inc. (GEL) in accordance with the Notice to Proceed issued by NCDOT on February 5, 2014.

The primary purpose of this investigation was to evaluate the presence or absence of underground storage tanks (USTs) and/or constituents of concern in soil within accessible portions of the existing and proposed easements and NCDOT ROWs as a result of current and/or former operations.

2.0 Background

NCDOT is planning road improvements to the area in the vicinity of NC Hwy. 107 in Jackson County, North Carolina. NCDOT wanted to assess the area in the existing and proposed ROW and easements on the north side of NC Hwy 107 fronting Parcel 013 to evaluate the presence or absence of USTs and soil contamination related to the former on-site operations, and the impact (if any) of these operations on the proposed road improvements. Figures 2 through 4 show the general site layout for Parcel 013.

The property comprising Parcel 013 is East Laporte River Access Park, operated by Jackson County. It had reportedly contained a former Exxon service station that was closed approximately 30 years ago, based on information provided by NCDOT and owners of other properties in the vicinity of site. Photograph 6 in Appendix I shows the former service station in 2006 prior to demolition and the locations of suspected former pump island(s) and petroleum UST(s). No structures remained within the PSA investigation area following demolition of the former service station in the late 2000s, but the remnants of an abandoned water supply well remain within the investigation area, as shown in Photograph 5 and in Figure 4.

The files reviewed at the Asheville Regional Office of the North Carolina Department of Environment and Natural Resources (NCDENR) did not contain any information about Parcel 013. NCDENR representatives of the UST Section confirmed that the site has no assigned UST Facility ID number and that no UST Incident number has ever been assigned to the site. No groundwater monitoring wells were observed at the site.

3.0 Local Geology and Surroundings

Parcel 013 is located in a sparsely developed area of Jackson County, North Carolina. Surrounding land uses include residential and commercial activities. It is located in an unincorporated area between Cullowhee and Tuckasegee, North Carolina.

This area is located in the Blue Ridge Belt within the Blue Ridge Physiographic of North Carolina. The land surface of the area is characterized by mountainous terrain. The Blue Ridge Belt is typified by a complex of sedimentary, metamorphic, and igneous rocks, including felsic gneiss and granite that are Late Proterozoic in age. Parcel 013 is located adjacent to and within the Tuckasegee River floodplain.

The United States Department of Agriculture's *Web Soil Survey* (2014) (<http://websoilsurvey.nrcs.usda.gov/app/WebSoilSurvey.aspx>) maps the native soil in the investigation area as "Braddock-Urban Land Complex" (BrC), which is characterized as stream terraces consisting of clay and clay loam derived from old alluvium. The soils encountered at the site during the preliminary site assessment for Parcel 013 consisted predominantly of brown/orange, clayey silt overlying saprolite and weathered bedrock.

Groundwater was not encountered in borings constructed as part of the preliminary site assessment. Previous depth to groundwater measurements made in monitoring wells

located at sites in the vicinity of Parcel 13 indicate the water table is located at depths of at least 20 feet below ground surface (bgs). Based on the USGS topographic map presented as Figure 1, the site is located approximately 2150 feet above mean sea level. The topography in Figure 1 indicates that groundwater in the vicinity of Parcel 013 most likely flows in a westerly direction towards the Tuckasegee River. Storm water from the site, as well as from adjacent sites surrounding Parcel 013, flows in a westerly direction to the river.

4.0 Subsurface Investigation

To evaluate the presence or absence of USTs and/or impact to subsurface soil within the accessible portions of the existing and proposed easements and NCDOT ROWs at Parcel 013, GEL performed a limited site assessment within the accessible portions of the highlighted area shown in Figure 2 that consisted of the following tasks:

- Performance of a geophysical investigation to identify the presence or absence of USTs and associated appurtenances within the accessible portions of the existing and proposed easements and ROWs.
- Soil vapor screening of soil samples collected from subsurface soil borings located within the accessible portions of the existing and proposed easements and ROWs to evaluate the potential presence or absence of soil impact from petroleum constituents of concern.
- Collection and laboratory analysis of soil samples from the subsurface borings.

The details of these tasks are discussed in the following sections.

4.1 Geophysical Survey

The geophysical survey included the deployment of ground penetrating radar (GPR) technology and time domain electromagnetic technology (TDEM) to the site. These technologies were used in concert with one another in order to identify subsurface metallic anomalies and, more specifically, to identify the potential presence of USTs within the investigation area. A brief description of each technology is presented in the following paragraphs followed by a discussion of the results of the geophysical investigation.

4.1.1 Ground Penetrating Radar Methodology

A RAMAC digital radar control system configured with a 250 Megahertz (MHz) antenna array was used in this investigation. GPR is an electromagnetic geophysical method that detects interfaces between subsurface materials with differing dielectric constants. The GPR system consists of an antenna that houses the transmitter and receiver, a digital control unit that both generates and digitally records the GPR data, and a color video monitor to view data as they are collected in the field.

The transmitter radiates repetitive short-duration electromagnetic waves (at radar frequencies) into the earth from an antenna moving across the ground surface. These radar waves are reflected back to the receiver from the interface of materials with different dielectric constants. The intensity of the reflected signal is a function of the contrast in the dielectric constant between the materials, the conductivity of the material through which the wave is traveling, and the frequency of the signal. Subsurface features that commonly cause such reflections are: 1) natural geologic conditions, such as changes in sediment composition, bedding, and cementation horizons and voids; or 2) unnatural changes to the subsurface, such as disturbed soils, soil backfill, buried debris, tanks, pipelines, and utilities. The digital control unit processes the signal from the receiver and produces a continuous cross-section of the subsurface interface reflection events.

GPR data profiles are collected along transects, which are measured paths along which the GPR antenna is moved. During a survey, marks are placed in the data by the operator at designated points along the GPR transects or with a survey wheel odometer. These marks allow for a correlation between the GPR data and the position of the GPR antenna on the ground.

Depth of investigation of the GPR signal is highly site-specific and is limited by signal attenuation (absorption) in the subsurface materials. Signal attenuation is dependent on the electrical conductivity of the subsurface materials. Signal attenuation is greatest in materials with relatively high electrical conductivities, such as clays, brackish groundwater, or groundwater with a high dissolved solid content from natural or man-made sources. Signal attenuation is lowest in relatively low-conductivity materials, such as dry sand or rock. Depth of investigation is also dependent on the antenna's transmitting frequency. Depth of investigation generally increases as transmitting

frequency decreases; however, the ability to resolve smaller subsurface features is diminished as frequency is decreased.

The GPR antenna used at this site is internally shielded from aboveground interference sources. Accordingly, the GPR response is not affected by overhead power lines, metallic buildings, or nearby objects.

4.1.2 Time Domain Electromagnetic Methodology

The TDEM methods measure the electrical conductivity of subsurface materials. The conductivity is determined by inducing (from a transmitter) a time or frequency-varying magnetic field and measuring (with a receiver) the amplitude and phase shift of an induced secondary magnetic field. The secondary magnetic field is created by subsurface conductive materials behaving as an inductor as the primary magnetic field is passed through them.

The Geonics EM-61 system used in this investigation operates within these principles. However, the EM-61 TDEM system can discriminate between moderately conductive earth materials and very conductive metallic targets. The EM-61 consists of a portable coincident loop time domain transmitter and receiver with a 0.5-meter by 1.0-meter coil system. The EM-61 generates 150 pulses per second and measures the response from the ground after transmission or between pulses. The secondary EM responses from metallic targets are of longer duration than those created by conductive earth materials. By recording the later time EM arrivals, only the response from metallic targets is measured, rather than the field generated by the earth material.

4.1.3 Field Procedures

The GPR and TDEM field investigation was performed on March 4, 2014, within the accessible portions of the existing and proposed easements and ROWs at Parcel 013, as shown in Figure 3. A GPR system time range setting of 90 nanoseconds (ns) was used during the entire investigation. This range was determined after a series of test lines were conducted to evaluate the GPR response in the local geologic section. Interpretation of the GPR data was conducted in the field and any potential anomalies were marked in the field. GPR data processing typically included band pass filtering, background removal, horizontal smoothing, and gain adjustments. TDEM was also used

to scan the project site. Any electromagnetic anomalies indicative of buried metallic objects were marked in the field.

It should be noted that NC 811 underground utility locations had been performed within the investigation area at Parcel 013 prior to the initiation of the preliminary site assessment field activities at the site and were marked with paint.

The TDEM and GPR data did not indicate the presence of “Known USTs,” “Probable USTs,” or “Possible USTs” in the subsurface of the investigation area. Additionally, there was no visual evidence of USTs in the investigation area. However, EM-61 signatures were identified within the investigation area, as shown mostly in Figure 3. It was concluded that the signatures were caused by buried metallic debris. The EM-61 area containing the signature near the northwest end of the investigation area (as shown in Figure 3) was penetrated to a depth of 5 feet below ground surface (bgs) using direct push technology (DPT) at two location to confirm the presence or absence of USTs. No USTs were encountered.

As shown in Figure 3, a GPR anomaly was identified within the investigation area along the southwestern edge of NC Hwy 107. The EM-61 data did not indicate the presence of any metallic objects in the subsurface within the anomaly. The anomaly area was also penetrated to a depth of 5 feet bgs using DPT, but no USTs were encountered.

4.2 Subsurface Soil Investigation

To evaluate the presence or absence of impact to subsurface soil by constituents of concern, GEL collected soil samples from six subsurface soil borings at Parcel 013, S13-1 through S13-5, on March 4, 2014 for analysis of total petroleum hydrocarbon indicator parameters. The soil borings were constructed within accessible portions of the existing and proposed easements and NCDOT ROWs at Parcel 013, as shown in Figures 2 and 4, and in Photographs 1 through 4 in Appendix I. The northing and easting coordinates for the boring locations are listed in the table below.

**Summary of Location Data and PID Measurements
for Soil Samples Collected for Analysis at Parcel 013**

Soil Boring	Depth Interval of Soil Sample Collected for Analysis (feet bgs)	PID Reading (ppm)	Northing	Easting
S13-1	7-8	0.0	589667.162	763068.438
S13-2	7-8	0.0	589636.933	763107.100
S13-3	4-5	0.0	589602.001	763100.006
S13-4	7-8	0.0	589578.370	763137.596
S13-5	7-8	0.0	589517.459	763133.438

Notes:

- 1) Northings and Eastings are based on the NC State Plane Coordinate System
- 2) bgs = below ground surface
- 3) PID = photoionization detector
- 4) ppm = parts per million

All borings were advanced to a total depth of 8 feet below ground surface (bgs). Soil samples were collected at depths of 3-4 feet bgs and 7-8 feet bgs from each borehole except S13-3, in which DPT refusal was encountered at 5 feet bgs. One soil sample was collected at a depth of 4-5 feet bgs in boring S13-3. All soil samples were inspected for indications of impact by constituents of concern, including petroleum hydrocarbons, such as odors, discoloration, or visible sheen. This sampling was accomplished using DPT provided by Regional Probing Services. Soil boring lithologic logs are attached as Appendix II of this document. Groundwater was not encountered in any borings.

The soil samples were screened for the presence of organic vapors using a portable photoionization detector (PID). The PID measures the concentration of organic compounds in the vapor space above a soil sample resulting from volatilization of organic compounds contained in the soil. To screen the soils, each sample was placed in a clean, resealable polyethylene bag. The bag was sealed, and the sample was allowed to equilibrate for approximately 5 minutes, after which time a small opening was made in the bag. The probe of the PID was then inserted into the bag, and the airspace above the soil was screened for organic vapors.

No organic vapor concentrations were measured in any of the soil screening samples collected from the five borings. Therefore, to assess the subsurface soil quality, soil samples collected from the 7 to 8-foot depth interval in borings S13-1, S13-2, S13-4, and

S13-5, and the sample collected from the 4 to 5-foot depth interval in boring S13-3 were designated for analysis.

Following completion of the soil sampling activities, all borings were abandoned by filling the boreholes with soil cuttings and hydrated bentonite. The backfill for borings S13-2 and S3-4 was topped off with asphalt patch material. Splits for each soil sample were submitted to QROS' analytical laboratory in Wilmington, North Carolina for analysis of petroleum hydrocarbon constituents using Ultra-violet Fluorescence Spectrometry. To address suspected previous auto repair operations that may have been conducted at the site, splits of the soil samples were also submitted to Pace for analysis of volatile organic compounds (VOCs) using EPA Method 8260B and semi-volatile organic compounds (SVOCs) using EPA Method 8270D. The analytical results are included on the Certificates of Analysis provided in Appendix III, and a summary of the analytical results is presented in Table 1.


The QROS results indicate that neither GRO nor DRO was detected at a level exceeding the respective NCDENR action levels (10 milligrams per kilogram (mg/kg)). No SVOCs were detected by Pace in any of the soil samples but one VOC, acetone, was detected in sample S13-1 at a level of 0.133 mg/kg, which is significantly below the NCDENR MSCC of 24 mg/kg for acetone.

5.0 Conclusions and Recommendations

GEL performed a preliminary site assessment within the accessible portions of the existing and proposed easements and NCDOT ROWs at Parcel 013 that included a geophysical investigation and the collection and analysis of soil samples. No subsurface anomalies indicative of suspected or known USTs were identified within the investigation area.

Soil samples were collected for analysis from five borings constructed within the investigation area and analyzed for petroleum hydrocarbon, VOCs, and SVOCs. Neither GRO, DRO, VOCs, nor SVOCs were detected in any of the collected soil samples at levels exceeding NCDENR regulatory action levels or standards. No additional environmental investigation of the soil at Parcel 013 by NCDOT is recommended at this time.

FIGURES



GEL Engineering of NC Inc.

an affiliate of THE GEL GROUP INC
ENVIRONMENTAL • ENGINEERING • SURVEYING

problem solved

Post Office Box 14262
Research Triangle Park, NC 27709
P 919.544.1100
F 919.237.9177
www.gel.com

PROJECT: ncddt01513



PRELIMINARY SITE ASSESSMENT
PARCEL 013
JACKSON COUNTY, NORTH CAROLINA
TIP NO. R-4753, WBS ELEMENT NO. 39999.1.1

DATE: May 27, 2014

SITE LOCATION
MAP

FIGURE
1

DRAWN BY: TJP APPRV. BY: ADE




NO SCALE

SEE FIGURE 5 FOR
SUPPLEMENTAL LEGEND
FOR USE WITH FIGURE 2


		PROJECT: nc01513		
		PRELIMINARY SITE ASSESSMENT	DESIGNATED INVESTIGATION AREA FOR PARCEL 013	FIGURE 2
GEL ENGINEERING of NC, Inc. <i>an Affiliate of THE GEL GROUP, Inc.</i>	GEL	JACKSON COUNTY, NORTH CAROLINA TIP NO. R-4753, WBS ELEMENT NO. 39999.1.1		
		Post Office Box 14262 Research Triangle Park, NC 27709 (919) 544-1100		
		DATE: May 5, 2014	DRAWN BY: ADE	

SEE FIGURE 5 FOR SUPPLEMENTAL LEGEND FOR USE WITH FIGURE 3



NOTES:

1. UNDERGROUND FEATURES WERE LOCATED USING VISUAL EVIDENCE, GROUND PENETRATING RADAR (GPR), AND TIME DOMAIN ELECTROMAGNETIC (TDEM) METHODS. OTHER BURIED UTILITIES AND STRUCTURES MAY EXIST BUT WERE NOT DETECTED DUE TO LIMITATIONS OF THE GEOPHYSICAL METHODS, SITE ACCESS, AND/OR HIGH TARGET CONGESTION. THEREFORE, DUE CAUTION SHOULD BE USED WHEN PERFORMING SUBSURFACE EXCAVATION ACTIVITIES WHERE POTENTIAL CONFLICTS EXIST. GEL ENGINEERING OF NC, INC. IS NOT RESPONSIBLE FOR DAMAGES THAT MAY OCCUR. IDENTIFYING THE LOCATION OF SOME UTILITIES MAY ONLY BE POSSIBLE WITH VACUUM OR OTHER EXCAVATION METHODS.
2. FIELD SURVEY CONDUCTED ON 3.3.2014 - 3.6.2014.
3. DATA FROM GEONICS, LTD. EM-61 MKII AND MALA GEOSCIENCE GROUND PENETRATING RADAR.
4. BASE MAP PROVIDED BY NCDOT. GEL ENGINEERING OF NC IS NOT LIABLE FOR ACCURACY.



GEL Engineering of NC Inc.

an Affiliate of THE GEL GROUP, INC
ØXØJUP T ØPVØSÁ ØPØØØÙØPØA ÅWÜXØYØØ

problem solved

PROJECT: ncdt01513
Post Office Box 14262
Research Triangle Park, NC 27709
P 919-544-1100
F 919-406-1807
www.gel.com

PRELIMINARY SITE ASSESSMENT
PARCEL 013
JACKSON COUNTY, NORTH CAROLINA
TIP NO. R-4753, WBS ELEMENT NO. 39999.1.1


DATE: Jun 16, 2014

SITE MAP SHOWING RESULTS OF
GEOPHYSICAL INVESTIGATION

FIGURE
3

DRAWN BY: TJP

APPRV. BY: ADE

**LEGEND**

S13-1 ● SOIL BORING LOCATION

○ WATER SUPPLY WELL

APPROXIMATE SCALE: 1" = 30'
0' 15' 30' 60'



Engineering of NC Inc.

an Affiliate of THE GEL GROUP, INC
ØXØUPT ØVØSA ØPØØÙØFOA ÅWÜXØYØO

problem solved

Post Office Box 14262
Research Triangle Park, NC 27709
P 919-544-1100
F 919-406-1807
www.gel.com

PROJECT: ncdt01513

PRELIMINARY SITE ASSESSMENT
PARCEL 013
JACKSON COUNTY, NORTH CAROLINA
TIP NO. R-4753, WBS ELEMENT NO. 39999.1.1

DATE: Jun 16, 2014

SITE MAP SHOWING LOCATIONS OF
SOIL BORINGSFIGURE
4

DRAWN BY: TJP

APPRV. BY: ADE

STATE OF NORTH CAROLINA
 DIVISION OF HIGHWAYS

PROJECT NUMBER: R-200C

DRAWN BY: ADE

CONVENTIONAL PLAN SHEET SYMBOLS

BOUNDARIES AND PROPERTY:

- State Line
- County Line
- Township Line
- City Line
- Reservation Line
- Property Line
- Existing Iron Pin
- Property Corner
- Property Monument
- Parcel/Sequence Number
- Existing Fence Line
- Proposed Woven Wire Fence
- Proposed Chain Link Fence
- Proposed Barbed Wire Fence
- Existing Wetland Boundary
- Proposed Wetland Boundary
- Existing Endangered Animal Boundary
- Existing Endangered Plant Boundary
- Known Soil Contamination: Area or Site
- Potential Soil Contamination: Area or Site

BUILDINGS AND OTHER CULTURE:

- Gas Pump Vent or UG Tank Cap
- Sign
- Well
- Small Mine
- Foundation
- Area Outline
- Cemetery
- Building
- School
- Church
- Dam

HYDROLOGY:

- Stream or Body of Water
- Hydro, Pool or Reservoir
- Jurisdictional Stream
- Buffer Zone 1
- Buffer Zone 2
- Flow Arrow
- Disappearing Stream
- Spring
- Wetland
- Proposed Lateral, Tail, Head Ditch
- False Sump

RAILROADS:

- Standard Gauge
- RR Signal Milepost
- Switch
- RR Abandoned
- RR Dismantled



RIGHT OF WAY:

- Baseline Control Point
- Existing Right of Way Marker
- Existing Right of Way Line
- Proposed Right of Way Line
- Proposed Right of Way Line with Iron Pin and Cap Marker
- Proposed Right of Way Line with Concrete or Granite R/W Marker
- Proposed Control of Access Line with Concrete CA Marker
- Existing Control of Access
- Proposed Control of Access
- Existing Easement Line
- Proposed Temporary Construction Easement
- Proposed Temporary Drainage Easement
- Proposed Permanent Drainage Easement
- Proposed Permanent Drainage / Utility Easement
- Proposed Permanent Utility Easement
- Proposed Temporary Utility Easement
- Proposed Aerial Utility Easement
- Proposed Permanent Easement with Iron Pin and Cap Marker



ROADS AND RELATED FEATURES:

- Existing Edge of Pavement
- Existing Curb
- Proposed Slope Stakes Cut
- Proposed Slope Stakes Fill
- Proposed Curb Ramp
- Existing Metal Guardrail
- Proposed Guardrail
- Existing Cable Guiderrail
- Proposed Cable Guiderrail
- Equality Symbol
- Pavement Removal
- VEGETATION:
- Single Tree
- Single Shrub
- Hedge
- Woods Line



EXISTING STRUCTURES:

- MAJOR:
 - Bridge, Tunnel or Box Culvert
 - Bridge Wing Wall, Head Wall and End Wall
- MINOR:
 - Head and End Wall
 - Pipe Culvert
 - Footbridge
 - Drainage Box: Catch Basin, DI or JB
 - Paved Ditch Gutter
 - Storm Sewer Manhole
 - Storm Sewer

UTILITIES:

- POWER:
 - Existing Power Pole
 - Proposed Power Pole
 - Existing Joint Use Pole
 - Proposed Joint Use Pole
 - Power Manhole
 - Power Line Tower
 - Power Transformer
 - UG Power Cable Hand Hole
 - H-Frame Pole
 - Recorded UG Power Line
 - Designated UG Power Line (S.U.E.)
- TELEPHONE:
 - Existing Telephone Pole
 - Proposed Telephone Pole
 - Telephone Manhole
 - Telephone Booth
 - Telephone Pedestal
 - Telephone Cell Tower
 - UG Telephone Cable Hand Hole
 - Recorded UG Telephone Cable
 - Designated UG Telephone Cable (S.U.E.)
 - Recorded UG Telephone Conduit
 - Designated UG Telephone Conduit (S.U.E.)
 - Recorded UG Fiber Optics Cable
 - Designated UG Fiber Optics Cable (S.U.E.)

GAS:

- Gas Valve
- Gas Meter
- Recorded UG Gas Line
- Designated UG Gas Line (S.U.E.)
- Above Ground Gas Line

SANITARY SEWER:

- Sanitary Sewer Manhole
- Sanitary Sewer Cleanout
- UG Sanitary Sewer Line
- Above Ground Sanitary Sewer
- Recorded SS Forced Main Line
- Designated SS Forced Main Line (S.U.E.)

MISCELLANEOUS:

- Utility Pole
- Utility Pole with Base
- Utility Located Object
- Utility Traffic Signal Box
- Utility Unknown UG Line
- UG Tank; Water, Gas, Oil
- Underground Storage Tank, Approx. Loc.
- AG Tank; Water, Gas, Oil
- Geoenvironmental Boring
- UG Test Hole (S.U.E.)
- Abandoned According to Utility Records
- AATUR
- E.O.I.

NOTE: LEGEND WAS PROVIDED BY NCDOT

GEL ENGINEERING of NC, Inc. an Affiliate of THE GEL GROUP, Inc.	PROJECT: ncdt01513 PRELIMINARY SITE ASSESSMENT PARCEL 013 JACKSON COUNTY, NORTH CAROLINA TIP NO. R-4753, WBS ELEMENT NO. 39999.1.1 DATE: May 6, 2014	SUPPLEMENTAL LEGEND FOR USE WITH FIGURES 2, 3, AND 4	FIGURE
			5
		DRAWN BY: ADE	

TABLES

TABLE 1
SUMMARY OF ANALYTICAL RESULTS FOR COLLECTED SOIL SAMPLES

Preliminary Site Assessment
Parcel 013, 6850 NC Hwy. 107
Jackson County, North Carolina
State Project No. R-4753, WBS Element #39999.1.1

Sample ID	QROS Results							Pace Results	
	GASOLINE RANGE ORGANICS (GRO)	DIESEL RANGE ORGANICS (DRO)	BTEX (C6-C9)	TPH (C5-C35)	Total Aromatics (C10-C35)	16 EPA PAHs	Benzo(a)pyrene	VOCs	SVOCs
S13-1	<0.1	<0.4	<0.1	<0.8	<0.1	<0.1	<0.01	0.133	ND
S13-2	<0.2	<0.4	<0.2	<0.4	0.03	<0.1	<0.01	<0.0951	ND
S13-3	<0.1	<0.4	<0.1	<0.8	<0.1	<0.1	<0.01	<0.0759	ND
S13-4	0.65	<0.4	0.65	0.65	<0.1	<0.1	<0.01	<0.0909	ND
S13-5	<0.1	6.9	<0.1	6.9	5.3	0.24	<0.01	<0.0810	ND
NCDENR Action Level	10	10							
NCDENR MSCC							0.088	24	

Notes:

- 1) All reported values are shown in milligrams per kilogram (mg/kg).
- 2) MSCC = NC DENR's Maximum Soil Contaminant Concentration Levels (April 2012); MSCC shown is the lowest of established Residential Soil Cleanup Levels and Soil-to Groundwater Maximum Contaminant Concentration shown in the NC DENR MSCC Table for any given constituent
- 3) ND = Not detected
- 4) Reported values exceeding corresponding NC DENR Action Levels or MSCCs are highlighted in yellow.

APPENDICES

APPENDIX I
PHOTOGRAPHS



Photograph 1: View looking northeast at location of soil boring S13-1. Fence corner in background is approximate northwest property corner.



Photograph 2: View looking southeast at locations of soil borings S13-2, S13-3, and S13-4.




Photograph 3: View looking southeast at locations of soil borings S13-1 and S13-3.



Photograph 4: View looking north at location of soil boring S13-5.



Photograph 5: View looking east at abandoned water supply well.



Photograph 6: View looking south at closed service station in August 2006, prior to Demolition (photograph provided by NCDOT).

APPENDIX II

SOIL BORING LITHOLOGIC LOGS

SOIL BORING LOG

Boring/Well No.: **S13-1**

Date Started: 3/4/14

Date Completed: 3/4/14

No.	Depth Interval	Blow Counts	PID (ppm)	Soil Description	Soil Type
1	0.0' – 1.0'	--	--	Red Brown Sandy Silt with Gravel, Moist	ML
2	1.0' – 5.0'	--	0.0	Saprolite	
3	5.0' – 8.0'	--	0.0	Saprolite	
4					
5				Total depth = 8 feet below land surface	
6					
7					
8					
9					
10					

Notes:

- 1) 5-foot continuous cores using DPT.
- 2) PID readings shown are for discrete samples collected at depth intervals of 3'– 4', and 7'– 8'

SOIL BORING LOG

Boring/Well No.: **S13-2**

Date Started: 3/4/14

Date Completed: 3/4/14

No.	Depth Interval	Blow Counts	PID (ppm)	Soil Description	Soil Type
1	0.0' – 1.0'	--	--	Orange Brown Silt, Damp	ML
2	1.0' – 3.5'	--	--	Saprolite, Damp, Weathered Rock, Silts and Clay throughout	
3	3.5' – 4.0'	--	0.0	Orange Brown Silt, Damp	ML
4	4.0' – 8.0'	--	0.0	Saprolite	
5					
6				Total depth = 8 feet below land surface	
7					
8					
9					
10					

Notes:

- 1) 5-foot continuous cores using DPT.
- 2) PID readings shown are for discrete samples collected at depth intervals of 3'– 4', and 7'– 8'

SOIL BORING LOG

Boring/Well No.: **S13-3**

Date Started: 3/4/14

Date Completed: 3/4/14

No.	Depth Interval	Blow Counts	PID (ppm)	Soil Description	Soil Type
1	0.0' – 0.5'	--	--	Brown Silt with Organics, Moist	ML
2	0.5' – 5.0'	--	0.0	Saprolite, Refusal at 5'	
3					
4				Total depth = 5 feet below land surface	
5					
6					
7					
8					
9					
10					

Notes:

- 1) 5-foot continuous cores using DPT.
- 2) PID readings shown are for a discrete sample collected at depth interval of 4' – 5'.

SOIL BORING LOG

Boring/Well No.: **S13-4**

Date Started: 3/4/14

Date Completed: 3/4/14

No.	Depth Interval	Blow Counts	PID (ppm)	Soil Description	Soil Type
1	0.0' – 5.0'	--	0.0	Saprolite, Damp, Weathered Rock, Silts and Clay throughout	
2	5.0' – 8.0'	--	0.0	Saprolite, Damp, Weathered Rock, Silts and Clay throughout	
3					
4				Total depth = 8 feet below land surface	
5					
6					
7					
8					
9					
10					

Notes:

- 1) 5-foot continuous cores using DPT.
- 2) PID readings shown are for discrete samples collected at depth intervals of 3'– 4', and 7'– 8'

SOIL BORING LOG

Boring/Well No.: **S13-5**

Date Started: 3/4/14

Date Completed: 3/4/14

No.	Depth Interval	Blow Counts	PID (ppm)	Soil Description	Soil Type
1	0.0' – 1.0'	--	--	Red Brown Silt with Sand, Damp	ML
2	1.0' – 5.0'	--	0.0	Saprolite, Moist, Asphalt at 1.5'	
3	5.0' – 8.0'	--	0.0	Red Brown Sandy Clay, Moist	CL
4					
5				Total depth = 8 feet below land surface	
6					
7					
8					
9					
10					

Notes:

- 1) 5-foot continuous cores using DPT.
- 2) PID readings shown are for discrete samples collected at depth intervals of 3'– 4', and 7'– 8'

APPENDIX III

**CERTIFICATES OF ANALYSIS AND
CHAIN OF CUSTODY RECORD FOR SOIL SAMPLES**

QROS, LLC Results



Hydrocarbon Analysis Results

Client: GEL Engineering

Address: Durham, NC

Samples taken

Wednesday, March 5, 2014

Samples extracted

Wednesday, March 5, 2014

Samples analysed

Thursday, March 6, 2014

Contact: Andrew Eyer

Operator

Rachel Menoher

Project: NCDTO 1513

Matrix	Sample ID	Dilution used	BTEX (C6 - C9)	GRO (C5 - C10)	DRO (C10 - C35)	TPH (C5 - C35)	Total Aromatics (C10-C35)	16 EPA PAHs	BaP	Ratios			HC Fingerprint Match
										% light	% mid	% heavy	
s	S78-3	16.0	<0.2	<0.2	2.7	2.7	2.1	0.13	<0.01	55.3	29.2	15.6	V.Deg.PHC 86.5%
s	S78-4	17.0	<0.2	<0.2	<0.4	<0.4	0.03	<0.1	<0.01	90.4	9.6	0	Deg.Gas (FCM) (P) 24.6%
s	S78-5	14.0	<0.1	<0.1	<0.3	<0.3	<0.1	<0.1	<0.01	100	0	0	Deg.Gas (FCM) (P) 27%
s	S78-6	14.0	<0.1	<0.1	<0.4	<0.7	<0.1	<0.1	<0.01	0	0	100	#DIV/0!
s	S78-7	14.0	<0.1	<0.1	<0.3	<0.7	<0.1	<0.1	<0.01	0	0	100	#DIV/0!
s	S13-1	15.0	<0.1	<0.1	<0.4	<0.8	<0.1	<0.1	<0.01	0	0	100	#DIV/0!
s	S13-2	16.0	<0.2	<0.2	<0.4	<0.4	0.03	<0.1	<0.01	0	0	100	TPH not detected
s	S13-3	15.0	<0.1	<0.1	<0.4	<0.8	<0.1	<0.1	<0.01	0	0	100	#DIV/0!
s	S13-4	17.0	0.65	0.65	<0.4	0.65	<0.1	<0.1	<0.01	100	0	0	Deg.Gas (FCM) 29.8%
s	S13-5	13.0	<0.1	<0.1	6.9	6.9	5.3	0.24	<0.01	36.1	49.3	14.5	V.Deg.PHC 97.3%

Initial Calibrator QC check OK

Results generated by a QED HC-1 analyser. Concentration values in mg/kg for soil samples and mg/L for water samples. Soil values are not corrected for moisture or stone content

Fingerprints provide a tentative hydrocarbon identification. The abbreviations are:- FCM = Results calculated using Fundamental Calibration Mode : % = confidence for sample fingerprint match to library (SBS) or (LBS) = Site Specific or Library Background Subtraction applied to result : (PFM) = Poor Fingerprint Match : (T) = Turbid : (P) = Particulate present

V.Deg.PHC 86.5%

S78-3

Deg.Gas (FCM) (P) 24.6%

S78-4

QED
3643

QED
987

Deg.Gas (FCM) (P) 27%

S78-5

#DIV/0!

S78-6

QED
657

QED
706

#DIV/0!

S78-7

#DIV/0!

S13-1

QED
782

QED
603

TPH not detected

S13-2

#DIV/0!

S13-3

QED
1158

QED
697

Deg.Gas (FCM) 29.8%

S13-4

V.Deg.PHC 97.3%

S13-5

QED
646

QED
12692



Chain of Custody Record and Analytical Request Form

Sample ID	Sample Collection			TAT Requested	
QED UVF	Date	Time	Initials	24 Hour	48 Hour
S6-1	3-4-14	09:30	RSG		✓
S6-2		09:45			✓
S6-3		10:10			✓
S6-4		10:30			✓
S13-1		11:10			✓
S13-3		11:34			✓
S13-5		11:57			✓
S13-2		13:05			✓
S13-4		13:25			✓
S71-3		14:55			✓
S53-1		15:25			✓
S53-2		15:40			✓
S53-3	↓	16:00	↓		✓
S69-4	3-5-14	09:15	RSG		✓
S69-3	↓	09:40	↓		✓
S69-2	↓	09:56	↓		✓
S69-1	↓	10:15	↓		✓

Client:	GEL
Contact:	Andrew Eyer
Phone:	(919) 323-8828
Email:	ade@gel.com
Project Reference:	NCDTO1513

Each Sample will be analyzed for total
BTEX, GRO, DRO, TPH, and PAH

Each Sample will generate a fingerprint
representative of the petroleum product
within the sample. Electronic Data will be
submitted to the email above.

Relinquished by	Date/time	Accepted by	Date/time
Not D.O.	3-5-14 13:50	J. Brown	3-6-14 12:30 p.m.
Relinquished by	Date/time	Accepted by	Date/time
Relinquished by	Date/time	Accepted by	Date/time

SHIP TO: QROS

420 Raleigh Street Suite E
Wilmington, NC 28412

Pace Analytical Services Results

March 17, 2014

Andrew Eyer
GEL Engineering of NC
PO Box 14262
Research Triangle, NC 27709

RE: Project: WBS:39999.1.1 JACKSON CO
Pace Project No.: 92192150


Dear Andrew Eyer:

Enclosed are the analytical results for sample(s) received by the laboratory on March 06, 2014. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

Analyses were performed at the Pace Analytical Services location indicated on the sample analyte page for analysis unless otherwise footnoted.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Angela Baioni
angela.baioni@pacelabs.com
Project Manager

Enclosures

cc: Chemical Testing Engineer, NCDOT



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: WBS:39999.1.1 JACKSON CO
Pace Project No.: 92192150

Charlotte Certification IDs

9800 Kincey Ave. Ste 100, Huntersville, NC 28078
North Carolina Drinking Water Certification #: 37706
North Carolina Field Services Certification #: 5342
North Carolina Wastewater Certification #: 12
South Carolina Certification #: 99006001

Florida/NELAP Certification #: E87627
Kentucky UST Certification #: 84
West Virginia Certification #: 357
Virginia/VELAP Certification #: 460221

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: WBS:39999.1.1 JACKSON CO
Pace Project No.: 92192150

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
92192150001	S13-1	EPA 8270	BPJ	74	PASI-C
		EPA 8260	DLK	70	PASI-C
		ASTM D2974-87	LLW	1	PASI-C
92192150002	S13-3	EPA 8270	BPJ	74	PASI-C
		EPA 8260	DLK	70	PASI-C
		ASTM D2974-87	LLW	1	PASI-C
92192150003	S13-5	EPA 8270	BPJ	74	PASI-C
		EPA 8260	DLK	70	PASI-C
		ASTM D2974-87	LLW	1	PASI-C
92192150004	S13-2	EPA 8270	BPJ	74	PASI-C
		EPA 8260	DLK	70	PASI-C
		ASTM D2974-87	LLW	1	PASI-C
92192150005	S13-4	EPA 8270	BPJ	74	PASI-C
		EPA 8260	DLK	70	PASI-C
		ASTM D2974-87	LLW	1	PASI-C
92192150006	S71-1	EPA 8270	BPJ	74	PASI-C
		EPA 8260	DLK	70	PASI-C
		ASTM D2974-87	LLW	1	PASI-C
92192150007	S71-2	EPA 8270	BPJ	74	PASI-C
		EPA 8260	DLK	70	PASI-C
		ASTM D2974-87	LLW	1	PASI-C
92192150008	S71-3	EPA 8270	BPJ	74	PASI-C
		EPA 8260	DLK	70	PASI-C
		ASTM D2974-87	LLW	1	PASI-C
92192150009	S69-1	EPA 8270	BPJ	74	PASI-C
		EPA 8260	DLK	70	PASI-C
		ASTM D2974-87	LLW	1	PASI-C
92192150010	MW20-1	EPA 8270	BPJ	74	PASI-C
		EPA 8260	MCK	71	PASI-C
		ASTM D2974-87	BPJ	74	PASI-C
92192150011	MW20-3	EPA 8270	MCK	71	PASI-C
		EPA 8260	BPJ	74	PASI-C

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

Sample: S13-1 Lab ID: **92192150001** Collected: 03/04/14 11:10 Received: 03/06/14 10:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Microwave	Analytical Method: EPA 8270 Preparation Method: EPA 3546							
Acenaphthene	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	83-32-9	
Acenaphthylene	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	208-96-8	
Aniline	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	62-53-3	
Anthracene	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	120-12-7	
Benzo(a)anthracene	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	56-55-3	
Benzo(a)pyrene	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	50-32-8	
Benzo(b)fluoranthene	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	205-99-2	
Benzo(g,h,i)perylene	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	191-24-2	
Benzo(k)fluoranthene	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	207-08-9	
Benzoic Acid	ND ug/kg		1920	1	03/07/14 11:20	03/14/14 20:23	65-85-0	
Benzyl alcohol	ND ug/kg		769	1	03/07/14 11:20	03/14/14 20:23	100-51-6	
4-Bromophenylphenyl ether	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	101-55-3	
Butylbenzylphthalate	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	85-68-7	
4-Chloro-3-methylphenol	ND ug/kg		769	1	03/07/14 11:20	03/14/14 20:23	59-50-7	
4-Chloroaniline	ND ug/kg		1920	1	03/07/14 11:20	03/14/14 20:23	106-47-8	
bis(2-Chloroethoxy)methane	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	111-91-1	
bis(2-Chloroethyl) ether	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	111-44-4	
bis(2-Chloroisopropyl) ether	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	108-60-1	
2-Chloronaphthalene	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	91-58-7	
2-Chlorophenol	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	95-57-8	
4-Chlorophenylphenyl ether	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	7005-72-3	
Chrysene	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	218-01-9	
Dibenz(a,h)anthracene	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	53-70-3	
Dibenzofuran	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	132-64-9	
1,2-Dichlorobenzene	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	95-50-1	
1,3-Dichlorobenzene	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	541-73-1	
1,4-Dichlorobenzene	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	106-46-7	
3,3'-Dichlorobenzidine	ND ug/kg		1920	1	03/07/14 11:20	03/14/14 20:23	91-94-1	
2,4-Dichlorophenol	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	120-83-2	
Diethylphthalate	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	84-66-2	
2,4-Dimethylphenol	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	105-67-9	
Dimethylphthalate	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	131-11-3	
Di-n-butylphthalate	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	84-74-2	
4,6-Dinitro-2-methylphenol	ND ug/kg		769	1	03/07/14 11:20	03/14/14 20:23	534-52-1	
2,4-Dinitrophenol	ND ug/kg		1920	1	03/07/14 11:20	03/14/14 20:23	51-28-5	
2,4-Dinitrotoluene	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	121-14-2	
2,6-Dinitrotoluene	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	606-20-2	
Di-n-octylphthalate	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	117-84-0	
bis(2-Ethylhexyl)phthalate	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	117-81-7	
Fluoranthene	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	206-44-0	
Fluorene	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	86-73-7	
Hexachloro-1,3-butadiene	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	87-68-3	
Hexachlorobenzene	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	118-74-1	
Hexachlorocyclopentadiene	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	77-47-4	
Hexachloroethane	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	67-72-1	
Indeno(1,2,3-cd)pyrene	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	193-39-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

Sample: S13-1 Lab ID: 92192150001 Collected: 03/04/14 11:10 Received: 03/06/14 10:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Microwave		Analytical Method: EPA 8270 Preparation Method: EPA 3546						
Isophorone	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	78-59-1	
1-Methylnaphthalene	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	90-12-0	
2-Methylnaphthalene	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	91-57-6	
2-Methylphenol(o-Cresol)	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	95-48-7	
3&4-Methylphenol(m&p Cresol)	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23		
Naphthalene	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	91-20-3	
2-Nitroaniline	ND ug/kg		1920	1	03/07/14 11:20	03/14/14 20:23	88-74-4	
3-Nitroaniline	ND ug/kg		1920	1	03/07/14 11:20	03/14/14 20:23	99-09-2	
4-Nitroaniline	ND ug/kg		769	1	03/07/14 11:20	03/14/14 20:23	100-01-6	
Nitrobenzene	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	98-95-3	
2-Nitrophenol	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	88-75-5	
4-Nitrophenol	ND ug/kg		1920	1	03/07/14 11:20	03/14/14 20:23	100-02-7	
N-Nitrosodimethylamine	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	62-75-9	
N-Nitroso-di-n-propylamine	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	621-64-7	
N-Nitrosodiphenylamine	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	86-30-6	
Pentachlorophenol	ND ug/kg		1920	1	03/07/14 11:20	03/14/14 20:23	87-86-5	
Phenanthrene	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	85-01-8	
Phenol	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	108-95-2	
Pyrene	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	129-00-0	
1,2,4-Trichlorobenzene	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	120-82-1	
2,4,5-Trichlorophenol	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	95-95-4	
2,4,6-Trichlorophenol	ND ug/kg		385	1	03/07/14 11:20	03/14/14 20:23	88-06-2	
Surrogates								
Nitrobenzene-d5 (S)	52 %		23-110	1	03/07/14 11:20	03/14/14 20:23	4165-60-0	
2-Fluorobiphenyl (S)	53 %		30-110	1	03/07/14 11:20	03/14/14 20:23	321-60-8	
Terphenyl-d14 (S)	62 %		28-110	1	03/07/14 11:20	03/14/14 20:23	1718-51-0	
Phenol-d6 (S)	41 %		22-110	1	03/07/14 11:20	03/14/14 20:23	13127-88-3	
2-Fluorophenol (S)	36 %		13-110	1	03/07/14 11:20	03/14/14 20:23	367-12-4	
2,4,6-Tribromophenol (S)	29 %		27-110	1	03/07/14 11:20	03/14/14 20:23	118-79-6	
8260/5035A Volatile Organics		Analytical Method: EPA 8260						
Acetone	133 ug/kg		87.6	1		03/11/14 20:54	67-64-1	A+
Benzene	ND ug/kg		4.4	1		03/11/14 20:54	71-43-2	
Bromobenzene	ND ug/kg		4.4	1		03/11/14 20:54	108-86-1	
Bromochloromethane	ND ug/kg		4.4	1		03/11/14 20:54	74-97-5	
Bromodichloromethane	ND ug/kg		4.4	1		03/11/14 20:54	75-27-4	
Bromoform	ND ug/kg		4.4	1		03/11/14 20:54	75-25-2	
Bromomethane	ND ug/kg		8.8	1		03/11/14 20:54	74-83-9	
2-Butanone (MEK)	ND ug/kg		87.6	1		03/11/14 20:54	78-93-3	
n-Butylbenzene	ND ug/kg		4.4	1		03/11/14 20:54	104-51-8	
sec-Butylbenzene	ND ug/kg		4.4	1		03/11/14 20:54	135-98-8	
tert-Butylbenzene	ND ug/kg		4.4	1		03/11/14 20:54	98-06-6	
Carbon tetrachloride	ND ug/kg		4.4	1		03/11/14 20:54	56-23-5	
Chlorobenzene	ND ug/kg		4.4	1		03/11/14 20:54	108-90-7	
Chloroethane	ND ug/kg		8.8	1		03/11/14 20:54	75-00-3	
Chloroform	ND ug/kg		4.4	1		03/11/14 20:54	67-66-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

Sample: S13-1 Lab ID: 92192150001 Collected: 03/04/14 11:10 Received: 03/06/14 10:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics		Analytical Method: EPA 8260						
Chloromethane	ND ug/kg		8.8	1		03/11/14 20:54	74-87-3	
2-Chlorotoluene	ND ug/kg		4.4	1		03/11/14 20:54	95-49-8	
4-Chlorotoluene	ND ug/kg		4.4	1		03/11/14 20:54	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/kg		4.4	1		03/11/14 20:54	96-12-8	
Dibromochloromethane	ND ug/kg		4.4	1		03/11/14 20:54	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/kg		4.4	1		03/11/14 20:54	106-93-4	
Dibromomethane	ND ug/kg		4.4	1		03/11/14 20:54	74-95-3	
1,2-Dichlorobenzene	ND ug/kg		4.4	1		03/11/14 20:54	95-50-1	
1,3-Dichlorobenzene	ND ug/kg		4.4	1		03/11/14 20:54	541-73-1	
1,4-Dichlorobenzene	ND ug/kg		4.4	1		03/11/14 20:54	106-46-7	
Dichlorodifluoromethane	ND ug/kg		8.8	1		03/11/14 20:54	75-71-8	
1,1-Dichloroethane	ND ug/kg		4.4	1		03/11/14 20:54	75-34-3	
1,2-Dichloroethane	ND ug/kg		4.4	1		03/11/14 20:54	107-06-2	
1,1-Dichloroethene	ND ug/kg		4.4	1		03/11/14 20:54	75-35-4	
cis-1,2-Dichloroethene	ND ug/kg		4.4	1		03/11/14 20:54	156-59-2	
trans-1,2-Dichloroethene	ND ug/kg		4.4	1		03/11/14 20:54	156-60-5	
1,2-Dichloropropane	ND ug/kg		4.4	1		03/11/14 20:54	78-87-5	
1,3-Dichloropropane	ND ug/kg		4.4	1		03/11/14 20:54	142-28-9	
2,2-Dichloropropane	ND ug/kg		4.4	1		03/11/14 20:54	594-20-7	
1,1-Dichloropropene	ND ug/kg		4.4	1		03/11/14 20:54	563-58-6	
cis-1,3-Dichloropropene	ND ug/kg		4.4	1		03/11/14 20:54	10061-01-5	
trans-1,3-Dichloropropene	ND ug/kg		4.4	1		03/11/14 20:54	10061-02-6	
Diisopropyl ether	ND ug/kg		4.4	1		03/11/14 20:54	108-20-3	
Ethylbenzene	ND ug/kg		4.4	1		03/11/14 20:54	100-41-4	
Hexachloro-1,3-butadiene	ND ug/kg		4.4	1		03/11/14 20:54	87-68-3	
2-Hexanone	ND ug/kg		43.8	1		03/11/14 20:54	591-78-6	
Isopropylbenzene (Cumene)	ND ug/kg		4.4	1		03/11/14 20:54	98-82-8	
p-Isopropyltoluene	ND ug/kg		4.4	1		03/11/14 20:54	99-87-6	
Methylene Chloride	ND ug/kg		17.5	1		03/11/14 20:54	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/kg		43.8	1		03/11/14 20:54	108-10-1	
Methyl-tert-butyl ether	ND ug/kg		4.4	1		03/11/14 20:54	1634-04-4	
Naphthalene	ND ug/kg		4.4	1		03/11/14 20:54	91-20-3	
n-Propylbenzene	ND ug/kg		4.4	1		03/11/14 20:54	103-65-1	
Styrene	ND ug/kg		4.4	1		03/11/14 20:54	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/kg		4.4	1		03/11/14 20:54	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/kg		4.4	1		03/11/14 20:54	79-34-5	
Tetrachloroethene	ND ug/kg		4.4	1		03/11/14 20:54	127-18-4	
Toluene	ND ug/kg		4.4	1		03/11/14 20:54	108-88-3	
1,2,3-Trichlorobenzene	ND ug/kg		4.4	1		03/11/14 20:54	87-61-6	
1,2,4-Trichlorobenzene	ND ug/kg		4.4	1		03/11/14 20:54	120-82-1	
1,1,1-Trichloroethane	ND ug/kg		4.4	1		03/11/14 20:54	71-55-6	
1,1,2-Trichloroethane	ND ug/kg		4.4	1		03/11/14 20:54	79-00-5	
Trichloroethene	ND ug/kg		4.4	1		03/11/14 20:54	79-01-6	
Trichlorofluoromethane	ND ug/kg		4.4	1		03/11/14 20:54	75-69-4	
1,2,3-Trichloropropane	ND ug/kg		4.4	1		03/11/14 20:54	96-18-4	
1,2,4-Trimethylbenzene	ND ug/kg		4.4	1		03/11/14 20:54	95-63-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO
Pace Project No.: 92192150

Sample: S13-1 Lab ID: **92192150001** Collected: 03/04/14 11:10 Received: 03/06/14 10:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics	Analytical Method: EPA 8260							
1,3,5-Trimethylbenzene	ND ug/kg		4.4	1		03/11/14 20:54	108-67-8	
Vinyl acetate	ND ug/kg		43.8	1		03/11/14 20:54	108-05-4	
Vinyl chloride	ND ug/kg		8.8	1		03/11/14 20:54	75-01-4	
Xylene (Total)	ND ug/kg		8.8	1		03/11/14 20:54	1330-20-7	
m&p-Xylene	ND ug/kg		8.8	1		03/11/14 20:54	179601-23-1	
o-Xylene	ND ug/kg		4.4	1		03/11/14 20:54	95-47-6	
Surrogates								
Toluene-d8 (S)	101 %		70-130	1		03/11/14 20:54	2037-26-5	
4-Bromofluorobenzene (S)	96 %		70-130	1		03/11/14 20:54	460-00-4	
1,2-Dichloroethane-d4 (S)	110 %		70-132	1		03/11/14 20:54	17060-07-0	
Percent Moisture	Analytical Method: ASTM D2974-87							
Percent Moisture	14.2 %		0.10	1		03/07/14 15:02		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

Sample: S13-3 Lab ID: 92192150002 Collected: 03/04/14 11:34 Received: 03/06/14 10:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Microwave		Analytical Method: EPA 8270 Preparation Method: EPA 3546						
Acenaphthene	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	83-32-9	
Acenaphthylene	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	208-96-8	
Aniline	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	62-53-3	
Anthracene	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	120-12-7	
Benzo(a)anthracene	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	56-55-3	
Benzo(a)pyrene	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	50-32-8	
Benzo(b)fluoranthene	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	205-99-2	
Benzo(g,h,i)perylene	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	191-24-2	
Benzo(k)fluoranthene	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	207-08-9	
Benzoic Acid	ND ug/kg		1790	1	03/07/14 11:20	03/14/14 20:51	65-85-0	
Benzyl alcohol	ND ug/kg		714	1	03/07/14 11:20	03/14/14 20:51	100-51-6	
4-Bromophenylphenyl ether	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	101-55-3	
Butylbenzylphthalate	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	85-68-7	
4-Chloro-3-methylphenol	ND ug/kg		714	1	03/07/14 11:20	03/14/14 20:51	59-50-7	
4-Chloroaniline	ND ug/kg		1790	1	03/07/14 11:20	03/14/14 20:51	106-47-8	
bis(2-Chloroethoxy)methane	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	111-91-1	
bis(2-Chloroethyl) ether	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	111-44-4	
bis(2-Chloroisopropyl) ether	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	108-60-1	
2-Chloronaphthalene	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	91-58-7	
2-Chlorophenol	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	95-57-8	
4-Chlorophenylphenyl ether	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	7005-72-3	
Chrysene	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	218-01-9	
Dibenz(a,h)anthracene	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	53-70-3	
Dibenzo furan	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	132-64-9	
1,2-Dichlorobenzene	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	95-50-1	
1,3-Dichlorobenzene	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	541-73-1	
1,4-Dichlorobenzene	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	106-46-7	
3,3'-Dichlorobenzidine	ND ug/kg		1790	1	03/07/14 11:20	03/14/14 20:51	91-94-1	
2,4-Dichlorophenol	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	120-83-2	
Diethylphthalate	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	84-66-2	
2,4-Dimethylphenol	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	105-67-9	
Dimethylphthalate	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	131-11-3	
Di-n-butylphthalate	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	84-74-2	
4,6-Dinitro-2-methylphenol	ND ug/kg		714	1	03/07/14 11:20	03/14/14 20:51	534-52-1	
2,4-Dinitrophenol	ND ug/kg		1790	1	03/07/14 11:20	03/14/14 20:51	51-28-5	
2,4-Dinitrotoluene	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	121-14-2	
2,6-Dinitrotoluene	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	606-20-2	
Di-n-octylphthalate	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	117-84-0	
bis(2-Ethylhexyl)phthalate	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	117-81-7	
Fluoranthene	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	206-44-0	
Fluorene	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	86-73-7	
Hexachloro-1,3-butadiene	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	87-68-3	
Hexachlorobenzene	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	118-74-1	
Hexachlorocyclopentadiene	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	77-47-4	
Hexachloroethane	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	67-72-1	
Indeno(1,2,3-cd)pyrene	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	193-39-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO
Pace Project No.: 92192150

Sample: S13-3 Lab ID: 92192150002 Collected: 03/04/14 11:34 Received: 03/06/14 10:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Microwave	Analytical Method: EPA 8270 Preparation Method: EPA 3546							
Isophorone	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	78-59-1	
1-Methylnaphthalene	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	90-12-0	
2-Methylnaphthalene	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	91-57-6	
2-Methylphenol(o-Cresol)	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	95-48-7	
3&4-Methylphenol(m&p Cresol)	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51		
Naphthalene	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	91-20-3	
2-Nitroaniline	ND ug/kg		1790	1	03/07/14 11:20	03/14/14 20:51	88-74-4	
3-Nitroaniline	ND ug/kg		1790	1	03/07/14 11:20	03/14/14 20:51	99-09-2	
4-Nitroaniline	ND ug/kg		714	1	03/07/14 11:20	03/14/14 20:51	100-01-6	
Nitrobenzene	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	98-95-3	
2-Nitrophenol	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	88-75-5	
4-Nitrophenol	ND ug/kg		1790	1	03/07/14 11:20	03/14/14 20:51	100-02-7	
N-Nitrosodimethylamine	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	62-75-9	
N-Nitroso-di-n-propylamine	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	621-64-7	
N-Nitrosodiphenylamine	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	86-30-6	
Pentachlorophenol	ND ug/kg		1790	1	03/07/14 11:20	03/14/14 20:51	87-86-5	
Phenanthrene	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	85-01-8	
Phenol	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	108-95-2	
Pyrene	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	129-00-0	
1,2,4-Trichlorobenzene	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	120-82-1	
2,4,5-Trichlorophenol	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	95-95-4	
2,4,6-Trichlorophenol	ND ug/kg		357	1	03/07/14 11:20	03/14/14 20:51	88-06-2	
Surrogates								
Nitrobenzene-d5 (S)	50 %		23-110	1	03/07/14 11:20	03/14/14 20:51	4165-60-0	
2-Fluorobiphenyl (S)	51 %		30-110	1	03/07/14 11:20	03/14/14 20:51	321-60-8	
Terphenyl-d14 (S)	78 %		28-110	1	03/07/14 11:20	03/14/14 20:51	1718-51-0	
Phenol-d6 (S)	52 %		22-110	1	03/07/14 11:20	03/14/14 20:51	13127-88-3	
2-Fluorophenol (S)	46 %		13-110	1	03/07/14 11:20	03/14/14 20:51	367-12-4	
2,4,6-Tribromophenol (S)	48 %		27-110	1	03/07/14 11:20	03/14/14 20:51	118-79-6	
8260/5035A Volatile Organics	Analytical Method: EPA 8260							
Acetone	ND ug/kg		75.9	1		03/11/14 21:14	67-64-1	
Benzene	ND ug/kg		3.8	1		03/11/14 21:14	71-43-2	
Bromobenzene	ND ug/kg		3.8	1		03/11/14 21:14	108-86-1	
Bromochloromethane	ND ug/kg		3.8	1		03/11/14 21:14	74-97-5	
Bromodichloromethane	ND ug/kg		3.8	1		03/11/14 21:14	75-27-4	
Bromoform	ND ug/kg		3.8	1		03/11/14 21:14	75-25-2	
Bromomethane	ND ug/kg		7.6	1		03/11/14 21:14	74-83-9	
2-Butanone (MEK)	ND ug/kg		75.9	1		03/11/14 21:14	78-93-3	
n-Butylbenzene	ND ug/kg		3.8	1		03/11/14 21:14	104-51-8	
sec-Butylbenzene	ND ug/kg		3.8	1		03/11/14 21:14	135-98-8	
tert-Butylbenzene	ND ug/kg		3.8	1		03/11/14 21:14	98-06-6	
Carbon tetrachloride	ND ug/kg		3.8	1		03/11/14 21:14	56-23-5	
Chlorobenzene	ND ug/kg		3.8	1		03/11/14 21:14	108-90-7	
Chloroethane	ND ug/kg		7.6	1		03/11/14 21:14	75-00-3	
Chloroform	ND ug/kg		3.8	1		03/11/14 21:14	67-66-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

Sample: S13-3 Lab ID: 92192150002 Collected: 03/04/14 11:34 Received: 03/06/14 10:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics	Analytical Method: EPA 8260							
Chloromethane	ND ug/kg		7.6	1		03/11/14 21:14	74-87-3	
2-Chlorotoluene	ND ug/kg		3.8	1		03/11/14 21:14	95-49-8	
4-Chlorotoluene	ND ug/kg		3.8	1		03/11/14 21:14	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/kg		3.8	1		03/11/14 21:14	96-12-8	
Dibromochloromethane	ND ug/kg		3.8	1		03/11/14 21:14	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/kg		3.8	1		03/11/14 21:14	106-93-4	
Dibromomethane	ND ug/kg		3.8	1		03/11/14 21:14	74-95-3	
1,2-Dichlorobenzene	ND ug/kg		3.8	1		03/11/14 21:14	95-50-1	
1,3-Dichlorobenzene	ND ug/kg		3.8	1		03/11/14 21:14	541-73-1	
1,4-Dichlorobenzene	ND ug/kg		3.8	1		03/11/14 21:14	106-46-7	
Dichlorodifluoromethane	ND ug/kg		7.6	1		03/11/14 21:14	75-71-8	
1,1-Dichloroethane	ND ug/kg		3.8	1		03/11/14 21:14	75-34-3	
1,2-Dichloroethane	ND ug/kg		3.8	1		03/11/14 21:14	107-06-2	
1,1-Dichloroethene	ND ug/kg		3.8	1		03/11/14 21:14	75-35-4	
cis-1,2-Dichloroethene	ND ug/kg		3.8	1		03/11/14 21:14	156-59-2	
trans-1,2-Dichloroethene	ND ug/kg		3.8	1		03/11/14 21:14	156-60-5	
1,2-Dichloropropane	ND ug/kg		3.8	1		03/11/14 21:14	78-87-5	
1,3-Dichloropropane	ND ug/kg		3.8	1		03/11/14 21:14	142-28-9	
2,2-Dichloropropane	ND ug/kg		3.8	1		03/11/14 21:14	594-20-7	
1,1-Dichloropropene	ND ug/kg		3.8	1		03/11/14 21:14	563-58-6	
cis-1,3-Dichloropropene	ND ug/kg		3.8	1		03/11/14 21:14	10061-01-5	
trans-1,3-Dichloropropene	ND ug/kg		3.8	1		03/11/14 21:14	10061-02-6	
Diisopropyl ether	ND ug/kg		3.8	1		03/11/14 21:14	108-20-3	
Ethylbenzene	ND ug/kg		3.8	1		03/11/14 21:14	100-41-4	
Hexachloro-1,3-butadiene	ND ug/kg		3.8	1		03/11/14 21:14	87-68-3	
2-Hexanone	ND ug/kg		37.9	1		03/11/14 21:14	591-78-6	
Isopropylbenzene (Cumene)	ND ug/kg		3.8	1		03/11/14 21:14	98-82-8	
p-Isopropyltoluene	ND ug/kg		3.8	1		03/11/14 21:14	99-87-6	
Methylene Chloride	ND ug/kg		15.2	1		03/11/14 21:14	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/kg		37.9	1		03/11/14 21:14	108-10-1	
Methyl-tert-butyl ether	ND ug/kg		3.8	1		03/11/14 21:14	1634-04-4	
Naphthalene	ND ug/kg		3.8	1		03/11/14 21:14	91-20-3	
n-Propylbenzene	ND ug/kg		3.8	1		03/11/14 21:14	103-65-1	
Styrene	ND ug/kg		3.8	1		03/11/14 21:14	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/kg		3.8	1		03/11/14 21:14	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/kg		3.8	1		03/11/14 21:14	79-34-5	
Tetrachloroethene	ND ug/kg		3.8	1		03/11/14 21:14	127-18-4	
Toluene	ND ug/kg		3.8	1		03/11/14 21:14	108-88-3	
1,2,3-Trichlorobenzene	ND ug/kg		3.8	1		03/11/14 21:14	87-61-6	
1,2,4-Trichlorobenzene	ND ug/kg		3.8	1		03/11/14 21:14	120-82-1	
1,1,1-Trichloroethane	ND ug/kg		3.8	1		03/11/14 21:14	71-55-6	
1,1,2-Trichloroethane	ND ug/kg		3.8	1		03/11/14 21:14	79-00-5	
Trichloroethene	ND ug/kg		3.8	1		03/11/14 21:14	79-01-6	
Trichlorofluoromethane	ND ug/kg		3.8	1		03/11/14 21:14	75-69-4	
1,2,3-Trichloropropane	ND ug/kg		3.8	1		03/11/14 21:14	96-18-4	
1,2,4-Trimethylbenzene	ND ug/kg		3.8	1		03/11/14 21:14	95-63-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO
Pace Project No.: 92192150

Sample: S13-3 **Lab ID: 92192150002** Collected: 03/04/14 11:34 Received: 03/06/14 10:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics	Analytical Method: EPA 8260							
1,3,5-Trimethylbenzene	ND ug/kg		3.8	1		03/11/14 21:14	108-67-8	
Vinyl acetate	ND ug/kg		37.9	1		03/11/14 21:14	108-05-4	
Vinyl chloride	ND ug/kg		7.6	1		03/11/14 21:14	75-01-4	
Xylene (Total)	ND ug/kg		7.6	1		03/11/14 21:14	1330-20-7	
m&p-Xylene	ND ug/kg		7.6	1		03/11/14 21:14	179601-23-1	
o-Xylene	ND ug/kg		3.8	1		03/11/14 21:14	95-47-6	
Surrogates								
Toluene-d8 (S)	99 %		70-130	1		03/11/14 21:14	2037-26-5	
4-Bromofluorobenzene (S)	95 %		70-130	1		03/11/14 21:14	460-00-4	
1,2-Dichloroethane-d4 (S)	122 %		70-132	1		03/11/14 21:14	17060-07-0	
Percent Moisture	Analytical Method: ASTM D2974-87							
Percent Moisture	7.6 %		0.10	1		03/07/14 15:02		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

Sample: S13-5 Lab ID: 92192150003 Collected: 03/04/14 11:57 Received: 03/06/14 10:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Microwave	Analytical Method: EPA 8270 Preparation Method: EPA 3546							
Isophorone	ND ug/kg		390	1	03/07/14 11:20	03/14/14 21:19	78-59-1	
1-Methylnaphthalene	ND ug/kg		390	1	03/07/14 11:20	03/14/14 21:19	90-12-0	
2-Methylnaphthalene	ND ug/kg		390	1	03/07/14 11:20	03/14/14 21:19	91-57-6	
2-Methylphenol(o-Cresol)	ND ug/kg		390	1	03/07/14 11:20	03/14/14 21:19	95-48-7	
3&4-Methylphenol(m&p Cresol)	ND ug/kg		390	1	03/07/14 11:20	03/14/14 21:19		
Naphthalene	ND ug/kg		390	1	03/07/14 11:20	03/14/14 21:19	91-20-3	
2-Nitroaniline	ND ug/kg		1950	1	03/07/14 11:20	03/14/14 21:19	88-74-4	
3-Nitroaniline	ND ug/kg		1950	1	03/07/14 11:20	03/14/14 21:19	99-09-2	
4-Nitroaniline	ND ug/kg		780	1	03/07/14 11:20	03/14/14 21:19	100-01-6	
Nitrobenzene	ND ug/kg		390	1	03/07/14 11:20	03/14/14 21:19	98-95-3	
2-Nitrophenol	ND ug/kg		390	1	03/07/14 11:20	03/14/14 21:19	88-75-5	
4-Nitrophenol	ND ug/kg		1950	1	03/07/14 11:20	03/14/14 21:19	100-02-7	
N-Nitrosodimethylamine	ND ug/kg		390	1	03/07/14 11:20	03/14/14 21:19	62-75-9	
N-Nitroso-di-n-propylamine	ND ug/kg		390	1	03/07/14 11:20	03/14/14 21:19	621-64-7	
N-Nitrosodiphenylamine	ND ug/kg		390	1	03/07/14 11:20	03/14/14 21:19	86-30-6	
Pentachlorophenol	ND ug/kg		1950	1	03/07/14 11:20	03/14/14 21:19	87-86-5	
Phenanthrrene	ND ug/kg		390	1	03/07/14 11:20	03/14/14 21:19	85-01-8	
Phenol	ND ug/kg		390	1	03/07/14 11:20	03/14/14 21:19	108-95-2	
Pyrene	ND ug/kg		390	1	03/07/14 11:20	03/14/14 21:19	129-00-0	
1,2,4-Trichlorobenzene	ND ug/kg		390	1	03/07/14 11:20	03/14/14 21:19	120-82-1	
2,4,5-Trichlorophenol	ND ug/kg		390	1	03/07/14 11:20	03/14/14 21:19	95-95-4	
2,4,6-Trichlorophenol	ND ug/kg		390	1	03/07/14 11:20	03/14/14 21:19	88-06-2	
Surrogates								
Nitrobenzene-d5 (S)	54 %		23-110	1	03/07/14 11:20	03/14/14 21:19	4165-60-0	
2-Fluorobiphenyl (S)	52 %		30-110	1	03/07/14 11:20	03/14/14 21:19	321-60-8	
Terphenyl-d14 (S)	59 %		28-110	1	03/07/14 11:20	03/14/14 21:19	1718-51-0	
Phenol-d6 (S)	48 %		22-110	1	03/07/14 11:20	03/14/14 21:19	13127-88-3	
2-Fluorophenol (S)	43 %		13-110	1	03/07/14 11:20	03/14/14 21:19	367-12-4	
2,4,6-Tribromophenol (S)	38 %		27-110	1	03/07/14 11:20	03/14/14 21:19	118-79-6	
8260/5035A Volatile Organics	Analytical Method: EPA 8260							
Acetone	ND ug/kg		81.0	1		03/11/14 21:34	67-64-1	
Benzene	ND ug/kg		4.0	1		03/11/14 21:34	71-43-2	
Bromobenzene	ND ug/kg		4.0	1		03/11/14 21:34	108-86-1	
Bromoform	ND ug/kg		4.0	1		03/11/14 21:34	74-97-5	
Bromochloromethane	ND ug/kg		4.0	1		03/11/14 21:34	75-27-4	
Bromodichloromethane	ND ug/kg		4.0	1		03/11/14 21:34	75-25-2	
Bromoform	ND ug/kg		4.0	1		03/11/14 21:34	75-25-2	
Bromomethane	ND ug/kg		8.1	1		03/11/14 21:34	74-83-9	
2-Butanone (MEK)	ND ug/kg		81.0	1		03/11/14 21:34	78-93-3	
n-Butylbenzene	ND ug/kg		4.0	1		03/11/14 21:34	104-51-8	
sec-Butylbenzene	ND ug/kg		4.0	1		03/11/14 21:34	135-98-8	
tert-Butylbenzene	ND ug/kg		4.0	1		03/11/14 21:34	98-06-6	
Carbon tetrachloride	ND ug/kg		4.0	1		03/11/14 21:34	56-23-5	
Chlorobenzene	ND ug/kg		4.0	1		03/11/14 21:34	108-90-7	
Chloroethane	ND ug/kg		8.1	1		03/11/14 21:34	75-00-3	
Chloroform	ND ug/kg		4.0	1		03/11/14 21:34	67-66-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

Sample: S13-5 Lab ID: 92192150003 Collected: 03/04/14 11:57 Received: 03/06/14 10:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics	Analytical Method: EPA 8260							
Chloromethane	ND ug/kg		8.1	1		03/11/14 21:34	74-87-3	
2-Chlorotoluene	ND ug/kg		4.0	1		03/11/14 21:34	95-49-8	
4-Chlorotoluene	ND ug/kg		4.0	1		03/11/14 21:34	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/kg		4.0	1		03/11/14 21:34	96-12-8	
Dibromochloromethane	ND ug/kg		4.0	1		03/11/14 21:34	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/kg		4.0	1		03/11/14 21:34	106-93-4	
Dibromomethane	ND ug/kg		4.0	1		03/11/14 21:34	74-95-3	
1,2-Dichlorobenzene	ND ug/kg		4.0	1		03/11/14 21:34	95-50-1	
1,3-Dichlorobenzene	ND ug/kg		4.0	1		03/11/14 21:34	541-73-1	
1,4-Dichlorobenzene	ND ug/kg		4.0	1		03/11/14 21:34	106-46-7	
Dichlorodifluoromethane	ND ug/kg		8.1	1		03/11/14 21:34	75-71-8	
1,1-Dichloroethane	ND ug/kg		4.0	1		03/11/14 21:34	75-34-3	
1,2-Dichloroethane	ND ug/kg		4.0	1		03/11/14 21:34	107-06-2	
1,1-Dichloroethene	ND ug/kg		4.0	1		03/11/14 21:34	75-35-4	
cis-1,2-Dichloroethene	ND ug/kg		4.0	1		03/11/14 21:34	156-59-2	
trans-1,2-Dichloroethene	ND ug/kg		4.0	1		03/11/14 21:34	156-60-5	
1,2-Dichloropropane	ND ug/kg		4.0	1		03/11/14 21:34	78-87-5	
1,3-Dichloropropane	ND ug/kg		4.0	1		03/11/14 21:34	142-28-9	
2,2-Dichloropropane	ND ug/kg		4.0	1		03/11/14 21:34	594-20-7	
1,1-Dichloropropene	ND ug/kg		4.0	1		03/11/14 21:34	563-58-6	
cis-1,3-Dichloropropene	ND ug/kg		4.0	1		03/11/14 21:34	10061-01-5	
trans-1,3-Dichloropropene	ND ug/kg		4.0	1		03/11/14 21:34	10061-02-6	
Diisopropyl ether	ND ug/kg		4.0	1		03/11/14 21:34	108-20-3	
Ethylbenzene	ND ug/kg		4.0	1		03/11/14 21:34	100-41-4	
Hexachloro-1,3-butadiene	ND ug/kg		4.0	1		03/11/14 21:34	87-68-3	
2-Hexanone	ND ug/kg		40.5	1		03/11/14 21:34	591-78-6	
Isopropylbenzene (Cumene)	ND ug/kg		4.0	1		03/11/14 21:34	98-82-8	
p-Isopropyltoluene	ND ug/kg		4.0	1		03/11/14 21:34	99-87-6	
Methylene Chloride	ND ug/kg		16.2	1		03/11/14 21:34	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/kg		40.5	1		03/11/14 21:34	108-10-1	
Methyl-tert-butyl ether	ND ug/kg		4.0	1		03/11/14 21:34	1634-04-4	
Naphthalene	ND ug/kg		4.0	1		03/11/14 21:34	91-20-3	
n-Propylbenzene	ND ug/kg		4.0	1		03/11/14 21:34	103-65-1	
Styrene	ND ug/kg		4.0	1		03/11/14 21:34	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/kg		4.0	1		03/11/14 21:34	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/kg		4.0	1		03/11/14 21:34	79-34-5	
Tetrachloroethene	ND ug/kg		4.0	1		03/11/14 21:34	127-18-4	
Toluene	ND ug/kg		4.0	1		03/11/14 21:34	108-88-3	
1,2,3-Trichlorobenzene	ND ug/kg		4.0	1		03/11/14 21:34	87-61-6	
1,2,4-Trichlorobenzene	ND ug/kg		4.0	1		03/11/14 21:34	120-82-1	
1,1,1-Trichloroethane	ND ug/kg		4.0	1		03/11/14 21:34	71-55-6	
1,1,2-Trichloroethane	ND ug/kg		4.0	1		03/11/14 21:34	79-00-5	
Trichloroethene	ND ug/kg		4.0	1		03/11/14 21:34	79-01-6	
Trichlorofluoromethane	ND ug/kg		4.0	1		03/11/14 21:34	75-69-4	
1,2,3-Trichloropropane	ND ug/kg		4.0	1		03/11/14 21:34	96-18-4	
1,2,4-Trimethylbenzene	ND ug/kg		4.0	1		03/11/14 21:34	95-63-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO
Pace Project No.: 92192150

Sample: S13-5 Lab ID: **92192150003** Collected: 03/04/14 11:57 Received: 03/06/14 10:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics	Analytical Method: EPA 8260							
1,3,5-Trimethylbenzene	ND ug/kg		4.0	1		03/11/14 21:34	108-67-8	
Vinyl acetate	ND ug/kg		40.5	1		03/11/14 21:34	108-05-4	
Vinyl chloride	ND ug/kg		8.1	1		03/11/14 21:34	75-01-4	
Xylene (Total)	ND ug/kg		8.1	1		03/11/14 21:34	1330-20-7	
m&p-Xylene	ND ug/kg		8.1	1		03/11/14 21:34	179601-23-1	
o-Xylene	ND ug/kg		4.0	1		03/11/14 21:34	95-47-6	
Surrogates								
Toluene-d8 (S)	99 %		70-130	1		03/11/14 21:34	2037-26-5	
4-Bromofluorobenzene (S)	94 %		70-130	1		03/11/14 21:34	460-00-4	
1,2-Dichloroethane-d4 (S)	117 %		70-132	1		03/11/14 21:34	17060-07-0	
Percent Moisture	Analytical Method: ASTM D2974-87							
Percent Moisture	15.4 %		0.10	1		03/07/14 15:02		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

Sample: S13-2 Lab ID: 92192150004 Collected: 03/04/14 13:05 Received: 03/06/14 10:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Microwave		Analytical Method: EPA 8270 Preparation Method: EPA 3546						
Acenaphthene	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	83-32-9	
Acenaphthylene	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	208-96-8	
Aniline	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	62-53-3	
Anthracene	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	120-12-7	
Benzo(a)anthracene	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	56-55-3	
Benzo(a)pyrene	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	50-32-8	
Benzo(b)fluoranthene	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	205-99-2	
Benzo(g,h,i)perylene	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	191-24-2	
Benzo(k)fluoranthene	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	207-08-9	
Benzoic Acid	ND ug/kg		1930	1	03/07/14 11:20	03/14/14 21:48	65-85-0	
Benzyl alcohol	ND ug/kg		772	1	03/07/14 11:20	03/14/14 21:48	100-51-6	
4-Bromophenylphenyl ether	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	101-55-3	
Butylbenzylphthalate	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	85-68-7	
4-Chloro-3-methylphenol	ND ug/kg		772	1	03/07/14 11:20	03/14/14 21:48	59-50-7	
4-Chloroaniline	ND ug/kg		1930	1	03/07/14 11:20	03/14/14 21:48	106-47-8	
bis(2-Chloroethoxy)methane	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	111-91-1	
bis(2-Chloroethyl) ether	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	111-44-4	
bis(2-Chloroisopropyl) ether	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	108-60-1	
2-Chloronaphthalene	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	91-58-7	
2-Chlorophenol	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	95-57-8	
4-Chlorophenylphenyl ether	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	7005-72-3	
Chrysene	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	218-01-9	
Dibenz(a,h)anthracene	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	53-70-3	
Dibenzofuran	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	132-64-9	
1,2-Dichlorobenzene	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	95-50-1	
1,3-Dichlorobenzene	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	541-73-1	
1,4-Dichlorobenzene	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	106-46-7	
3,3'-Dichlorobenzidine	ND ug/kg		1930	1	03/07/14 11:20	03/14/14 21:48	91-94-1	
2,4-Dichlorophenol	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	120-83-2	
Diethylphthalate	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	84-66-2	
2,4-Dimethylphenol	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	105-67-9	
Dimethylphthalate	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	131-11-3	
Di-n-butylphthalate	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	84-74-2	
4,6-Dinitro-2-methylphenol	ND ug/kg		772	1	03/07/14 11:20	03/14/14 21:48	534-52-1	
2,4-Dinitrophenol	ND ug/kg		1930	1	03/07/14 11:20	03/14/14 21:48	51-28-5	
2,4-Dinitrotoluene	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	121-14-2	
2,6-Dinitrotoluene	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	606-20-2	
Di-n-octylphthalate	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	117-84-0	
bis(2-Ethylhexyl)phthalate	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	117-81-7	
Fluoranthene	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	206-44-0	
Fluorene	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	86-73-7	
Hexachloro-1,3-butadiene	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	87-68-3	
Hexachlorobenzene	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	118-74-1	
Hexachlorocyclopentadiene	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	77-47-4	
Hexachloroethane	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	67-72-1	
Indeno(1,2,3-cd)pyrene	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	193-39-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO
Pace Project No.: 92192150

Sample: S13-2 Lab ID: 92192150004 Collected: 03/04/14 13:05 Received: 03/06/14 10:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Microwave	Analytical Method: EPA 8270 Preparation Method: EPA 3546							
Isophorone	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	78-59-1	
1-Methylnaphthalene	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	90-12-0	
2-Methylnaphthalene	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	91-57-6	
2-Methylphenol(o-Cresol)	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	95-48-7	
3&4-Methylphenol(m&p Cresol)	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48		
Naphthalene	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	91-20-3	
2-Nitroaniline	ND ug/kg		1930	1	03/07/14 11:20	03/14/14 21:48	88-74-4	
3-Nitroaniline	ND ug/kg		1930	1	03/07/14 11:20	03/14/14 21:48	99-09-2	
4-Nitroaniline	ND ug/kg		772	1	03/07/14 11:20	03/14/14 21:48	100-01-6	
Nitrobenzene	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	98-95-3	
2-Nitrophenol	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	88-75-5	
4-Nitrophenol	ND ug/kg		1930	1	03/07/14 11:20	03/14/14 21:48	100-02-7	
N-Nitrosodimethylamine	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	62-75-9	
N-Nitroso-di-n-propylamine	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	621-64-7	
N-Nitrosodiphenylamine	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	86-30-6	
Pentachlorophenol	ND ug/kg		1930	1	03/07/14 11:20	03/14/14 21:48	87-86-5	
Phenanthrene	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	85-01-8	
Phenol	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	108-95-2	
Pyrene	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	129-00-0	
1,2,4-Trichlorobenzene	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	120-82-1	
2,4,5-Trichlorophenol	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	95-95-4	
2,4,6-Trichlorophenol	ND ug/kg		386	1	03/07/14 11:20	03/14/14 21:48	88-06-2	
Surrogates								
Nitrobenzene-d5 (S)	41 %		23-110	1	03/07/14 11:20	03/14/14 21:48	4165-60-0	
2-Fluorobiphenyl (S)	41 %		30-110	1	03/07/14 11:20	03/14/14 21:48	321-60-8	
Terphenyl-d14 (S)	51 %		28-110	1	03/07/14 11:20	03/14/14 21:48	1718-51-0	
Phenol-d6 (S)	38 %		22-110	1	03/07/14 11:20	03/14/14 21:48	13127-88-3	
2-Fluorophenol (S)	39 %		13-110	1	03/07/14 11:20	03/14/14 21:48	367-12-4	
2,4,6-Tribromophenol (S)	38 %		27-110	1	03/07/14 11:20	03/14/14 21:48	118-79-6	
8260/5035A Volatile Organics	Analytical Method: EPA 8260							
Acetone	ND ug/kg		95.1	1		03/11/14 21:54	67-64-1	
Benzene	ND ug/kg		4.8	1		03/11/14 21:54	71-43-2	
Bromobenzene	ND ug/kg		4.8	1		03/11/14 21:54	108-86-1	
Bromoform	ND ug/kg		4.8	1		03/11/14 21:54	74-97-5	
Bromochloromethane	ND ug/kg		4.8	1		03/11/14 21:54	75-27-4	
Bromodichloromethane	ND ug/kg		4.8	1		03/11/14 21:54	75-25-2	
Bromoform	ND ug/kg		4.8	1		03/11/14 21:54	75-25-2	
Bromomethane	ND ug/kg		9.5	1		03/11/14 21:54	74-83-9	
2-Butanone (MEK)	ND ug/kg		95.1	1		03/11/14 21:54	78-93-3	
n-Butylbenzene	ND ug/kg		4.8	1		03/11/14 21:54	104-51-8	
sec-Butylbenzene	ND ug/kg		4.8	1		03/11/14 21:54	135-98-8	
tert-Butylbenzene	ND ug/kg		4.8	1		03/11/14 21:54	98-06-6	
Carbon tetrachloride	ND ug/kg		4.8	1		03/11/14 21:54	56-23-5	
Chlorobenzene	ND ug/kg		4.8	1		03/11/14 21:54	108-90-7	
Chloroethane	ND ug/kg		9.5	1		03/11/14 21:54	75-00-3	
Chloroform	ND ug/kg		4.8	1		03/11/14 21:54	67-66-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

Sample: S13-2 Lab ID: 92192150004 Collected: 03/04/14 13:05 Received: 03/06/14 10:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics	Analytical Method: EPA 8260							
Chloromethane	ND ug/kg		9.5	1		03/11/14 21:54	74-87-3	
2-Chlorotoluene	ND ug/kg		4.8	1		03/11/14 21:54	95-49-8	
4-Chlorotoluene	ND ug/kg		4.8	1		03/11/14 21:54	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/kg		4.8	1		03/11/14 21:54	96-12-8	
Dibromochloromethane	ND ug/kg		4.8	1		03/11/14 21:54	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/kg		4.8	1		03/11/14 21:54	106-93-4	
Dibromomethane	ND ug/kg		4.8	1		03/11/14 21:54	74-95-3	
1,2-Dichlorobenzene	ND ug/kg		4.8	1		03/11/14 21:54	95-50-1	
1,3-Dichlorobenzene	ND ug/kg		4.8	1		03/11/14 21:54	541-73-1	
1,4-Dichlorobenzene	ND ug/kg		4.8	1		03/11/14 21:54	106-46-7	
Dichlorodifluoromethane	ND ug/kg		9.5	1		03/11/14 21:54	75-71-8	
1,1-Dichloroethane	ND ug/kg		4.8	1		03/11/14 21:54	75-34-3	
1,2-Dichloroethane	ND ug/kg		4.8	1		03/11/14 21:54	107-06-2	
1,1-Dichloroethene	ND ug/kg		4.8	1		03/11/14 21:54	75-35-4	
cis-1,2-Dichloroethene	ND ug/kg		4.8	1		03/11/14 21:54	156-59-2	
trans-1,2-Dichloroethene	ND ug/kg		4.8	1		03/11/14 21:54	156-60-5	
1,2-Dichloropropane	ND ug/kg		4.8	1		03/11/14 21:54	78-87-5	
1,3-Dichloropropane	ND ug/kg		4.8	1		03/11/14 21:54	142-28-9	
2,2-Dichloropropane	ND ug/kg		4.8	1		03/11/14 21:54	594-20-7	
1,1-Dichloropropene	ND ug/kg		4.8	1		03/11/14 21:54	563-58-6	
cis-1,3-Dichloropropene	ND ug/kg		4.8	1		03/11/14 21:54	10061-01-5	
trans-1,3-Dichloropropene	ND ug/kg		4.8	1		03/11/14 21:54	10061-02-6	
Diisopropyl ether	ND ug/kg		4.8	1		03/11/14 21:54	108-20-3	
Ethylbenzene	ND ug/kg		4.8	1		03/11/14 21:54	100-41-4	
Hexachloro-1,3-butadiene	ND ug/kg		4.8	1		03/11/14 21:54	87-68-3	
2-Hexanone	ND ug/kg		47.5	1		03/11/14 21:54	591-78-6	
Isopropylbenzene (Cumene)	ND ug/kg		4.8	1		03/11/14 21:54	98-82-8	
p-Isopropyltoluene	ND ug/kg		4.8	1		03/11/14 21:54	99-87-6	
Methylene Chloride	ND ug/kg		19.0	1		03/11/14 21:54	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/kg		47.5	1		03/11/14 21:54	108-10-1	
Methyl-tert-butyl ether	ND ug/kg		4.8	1		03/11/14 21:54	1634-04-4	
Naphthalene	ND ug/kg		4.8	1		03/11/14 21:54	91-20-3	
n-Propylbenzene	ND ug/kg		4.8	1		03/11/14 21:54	103-65-1	
Styrene	ND ug/kg		4.8	1		03/11/14 21:54	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/kg		4.8	1		03/11/14 21:54	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/kg		4.8	1		03/11/14 21:54	79-34-5	
Tetrachloroethene	ND ug/kg		4.8	1		03/11/14 21:54	127-18-4	
Toluene	ND ug/kg		4.8	1		03/11/14 21:54	108-88-3	
1,2,3-Trichlorobenzene	ND ug/kg		4.8	1		03/11/14 21:54	87-61-6	
1,2,4-Trichlorobenzene	ND ug/kg		4.8	1		03/11/14 21:54	120-82-1	
1,1,1-Trichloroethane	ND ug/kg		4.8	1		03/11/14 21:54	71-55-6	
1,1,2-Trichloroethane	ND ug/kg		4.8	1		03/11/14 21:54	79-00-5	
Trichloroethene	ND ug/kg		4.8	1		03/11/14 21:54	79-01-6	
Trichlorofluoromethane	ND ug/kg		4.8	1		03/11/14 21:54	75-69-4	
1,2,3-Trichloropropane	ND ug/kg		4.8	1		03/11/14 21:54	96-18-4	
1,2,4-Trimethylbenzene	ND ug/kg		4.8	1		03/11/14 21:54	95-63-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

Sample: S13-2 **Lab ID: 92192150004** Collected: 03/04/14 13:05 Received: 03/06/14 10:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics	Analytical Method: EPA 8260							
1,3,5-Trimethylbenzene	ND ug/kg		4.8	1		03/11/14 21:54	108-67-8	
Vinyl acetate	ND ug/kg		47.5	1		03/11/14 21:54	108-05-4	
Vinyl chloride	ND ug/kg		9.5	1		03/11/14 21:54	75-01-4	
Xylene (Total)	ND ug/kg		9.5	1		03/11/14 21:54	1330-20-7	
m&p-Xylene	ND ug/kg		9.5	1		03/11/14 21:54	179601-23-1	
o-Xylene	ND ug/kg		4.8	1		03/11/14 21:54	95-47-6	
Surrogates								
Toluene-d8 (S)	100 %		70-130	1		03/11/14 21:54	2037-26-5	
4-Bromofluorobenzene (S)	97 %		70-130	1		03/11/14 21:54	460-00-4	
1,2-Dichloroethane-d4 (S)	114 %		70-132	1		03/11/14 21:54	17060-07-0	
Percent Moisture	Analytical Method: ASTM D2974-87							
Percent Moisture	14.5 %		0.10	1		03/07/14 15:02		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO
 Pace Project No.: 92192150

Sample: S13-4 Lab ID: 92192150005 Collected: 03/04/14 13:25 Received: 03/06/14 10:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics	Analytical Method: EPA 8260							
Chloromethane	ND ug/kg		9.1	1		03/11/14 22:13	74-87-3	
2-Chlorotoluene	ND ug/kg		4.5	1		03/11/14 22:13	95-49-8	
4-Chlorotoluene	ND ug/kg		4.5	1		03/11/14 22:13	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/kg		4.5	1		03/11/14 22:13	96-12-8	
Dibromochloromethane	ND ug/kg		4.5	1		03/11/14 22:13	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/kg		4.5	1		03/11/14 22:13	106-93-4	
Dibromomethane	ND ug/kg		4.5	1		03/11/14 22:13	74-95-3	
1,2-Dichlorobenzene	ND ug/kg		4.5	1		03/11/14 22:13	95-50-1	
1,3-Dichlorobenzene	ND ug/kg		4.5	1		03/11/14 22:13	541-73-1	
1,4-Dichlorobenzene	ND ug/kg		4.5	1		03/11/14 22:13	106-46-7	
Dichlorodifluoromethane	ND ug/kg		9.1	1		03/11/14 22:13	75-71-8	
1,1-Dichloroethane	ND ug/kg		4.5	1		03/11/14 22:13	75-34-3	
1,2-Dichloroethane	ND ug/kg		4.5	1		03/11/14 22:13	107-06-2	
1,1-Dichloroethene	ND ug/kg		4.5	1		03/11/14 22:13	75-35-4	
cis-1,2-Dichloroethene	ND ug/kg		4.5	1		03/11/14 22:13	156-59-2	
trans-1,2-Dichloroethene	ND ug/kg		4.5	1		03/11/14 22:13	156-60-5	
1,2-Dichloropropane	ND ug/kg		4.5	1		03/11/14 22:13	78-87-5	
1,3-Dichloropropane	ND ug/kg		4.5	1		03/11/14 22:13	142-28-9	
2,2-Dichloropropane	ND ug/kg		4.5	1		03/11/14 22:13	594-20-7	
1,1-Dichloropropene	ND ug/kg		4.5	1		03/11/14 22:13	563-58-6	
cis-1,3-Dichloropropene	ND ug/kg		4.5	1		03/11/14 22:13	10061-01-5	
trans-1,3-Dichloropropene	ND ug/kg		4.5	1		03/11/14 22:13	10061-02-6	
Diisopropyl ether	ND ug/kg		4.5	1		03/11/14 22:13	108-20-3	
Ethylbenzene	ND ug/kg		4.5	1		03/11/14 22:13	100-41-4	
Hexachloro-1,3-butadiene	ND ug/kg		4.5	1		03/11/14 22:13	87-68-3	
2-Hexanone	ND ug/kg		45.5	1		03/11/14 22:13	591-78-6	
Isopropylbenzene (Cumene)	ND ug/kg		4.5	1		03/11/14 22:13	98-82-8	
p-Isopropyltoluene	ND ug/kg		4.5	1		03/11/14 22:13	99-87-6	
Methylene Chloride	ND ug/kg		18.2	1		03/11/14 22:13	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/kg		45.5	1		03/11/14 22:13	108-10-1	
Methyl-tert-butyl ether	ND ug/kg		4.5	1		03/11/14 22:13	1634-04-4	
Naphthalene	ND ug/kg		4.5	1		03/11/14 22:13	91-20-3	
n-Propylbenzene	ND ug/kg		4.5	1		03/11/14 22:13	103-65-1	
Styrene	ND ug/kg		4.5	1		03/11/14 22:13	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/kg		4.5	1		03/11/14 22:13	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/kg		4.5	1		03/11/14 22:13	79-34-5	
Tetrachloroethene	ND ug/kg		4.5	1		03/11/14 22:13	127-18-4	
Toluene	ND ug/kg		4.5	1		03/11/14 22:13	108-88-3	
1,2,3-Trichlorobenzene	ND ug/kg		4.5	1		03/11/14 22:13	87-61-6	
1,2,4-Trichlorobenzene	ND ug/kg		4.5	1		03/11/14 22:13	120-82-1	
1,1,1-Trichloroethane	ND ug/kg		4.5	1		03/11/14 22:13	71-55-6	
1,1,2-Trichloroethane	ND ug/kg		4.5	1		03/11/14 22:13	79-00-5	
Trichloroethene	ND ug/kg		4.5	1		03/11/14 22:13	79-01-6	
Trichlorofluoromethane	ND ug/kg		4.5	1		03/11/14 22:13	75-69-4	
1,2,3-Trichloropropane	ND ug/kg		4.5	1		03/11/14 22:13	96-18-4	
1,2,4-Trimethylbenzene	ND ug/kg		4.5	1		03/11/14 22:13	95-63-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO
Pace Project No.: 92192150

Sample: S13-4 **Lab ID: 92192150005** Collected: 03/04/14 13:25 Received: 03/06/14 10:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics	Analytical Method: EPA 8260							
1,3,5-Trimethylbenzene	ND ug/kg		4.5	1		03/11/14 22:13	108-67-8	
Vinyl acetate	ND ug/kg		45.5	1		03/11/14 22:13	108-05-4	
Vinyl chloride	ND ug/kg		9.1	1		03/11/14 22:13	75-01-4	
Xylene (Total)	ND ug/kg		9.1	1		03/11/14 22:13	1330-20-7	
m&p-Xylene	ND ug/kg		9.1	1		03/11/14 22:13	179601-23-1	
o-Xylene	ND ug/kg		4.5	1		03/11/14 22:13	95-47-6	
Surrogates								
Toluene-d8 (S)	100 %		70-130	1		03/11/14 22:13	2037-26-5	
4-Bromofluorobenzene (S)	96 %		70-130	1		03/11/14 22:13	460-00-4	
1,2-Dichloroethane-d4 (S)	115 %		70-132	1		03/11/14 22:13	17060-07-0	
Percent Moisture	Analytical Method: ASTM D2974-87							
Percent Moisture	7.1 %		0.10	1		03/07/14 15:03		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO
Pace Project No.: 92192150

Sample: S71-1 **Lab ID: 92192150006** Collected: 03/04/14 14:25 Received: 03/06/14 10:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics	Analytical Method: EPA 8260							
1,3,5-Trimethylbenzene	ND ug/kg		4.3	1		03/11/14 22:33	108-67-8	
Vinyl acetate	ND ug/kg		42.5	1		03/11/14 22:33	108-05-4	
Vinyl chloride	ND ug/kg		8.5	1		03/11/14 22:33	75-01-4	
Xylene (Total)	ND ug/kg		8.5	1		03/11/14 22:33	1330-20-7	
m&p-Xylene	ND ug/kg		8.5	1		03/11/14 22:33	179601-23-1	
o-Xylene	ND ug/kg		4.3	1		03/11/14 22:33	95-47-6	
Surrogates								
Toluene-d8 (S)	100 %		70-130	1		03/11/14 22:33	2037-26-5	
4-Bromofluorobenzene (S)	91 %		70-130	1		03/11/14 22:33	460-00-4	
1,2-Dichloroethane-d4 (S)	118 %		70-132	1		03/11/14 22:33	17060-07-0	
Percent Moisture	Analytical Method: ASTM D2974-87							
Percent Moisture	15.7 %		0.10	1		03/07/14 15:03		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

Sample: S71-2 Lab ID: **92192150007** Collected: 03/04/14 14:40 Received: 03/06/14 10:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Microwave		Analytical Method: EPA 8270 Preparation Method: EPA 3546						
Acenaphthene	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	83-32-9	
Acenaphthylene	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	208-96-8	
Aniline	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	62-53-3	
Anthracene	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	120-12-7	
Benzo(a)anthracene	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	56-55-3	
Benzo(a)pyrene	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	50-32-8	
Benzo(b)fluoranthene	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	205-99-2	
Benzo(g,h,i)perylene	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	191-24-2	
Benzo(k)fluoranthene	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	207-08-9	
Benzoic Acid	ND ug/kg		2040	1	03/07/14 11:20	03/14/14 23:13	65-85-0	
Benzyl alcohol	ND ug/kg		816	1	03/07/14 11:20	03/14/14 23:13	100-51-6	
4-Bromophenylphenyl ether	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	101-55-3	
Butylbenzylphthalate	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	85-68-7	
4-Chloro-3-methylphenol	ND ug/kg		816	1	03/07/14 11:20	03/14/14 23:13	59-50-7	
4-Chloroaniline	ND ug/kg		2040	1	03/07/14 11:20	03/14/14 23:13	106-47-8	
bis(2-Chloroethoxy)methane	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	111-91-1	
bis(2-Chloroethyl) ether	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	111-44-4	
bis(2-Chloroisopropyl) ether	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	108-60-1	
2-Chloronaphthalene	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	91-58-7	
2-Chlorophenol	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	95-57-8	
4-Chlorophenylphenyl ether	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	7005-72-3	
Chrysene	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	218-01-9	
Dibenz(a,h)anthracene	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	53-70-3	
Dibenzofuran	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	132-64-9	
1,2-Dichlorobenzene	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	95-50-1	
1,3-Dichlorobenzene	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	541-73-1	
1,4-Dichlorobenzene	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	106-46-7	
3,3'-Dichlorobenzidine	ND ug/kg		2040	1	03/07/14 11:20	03/14/14 23:13	91-94-1	
2,4-Dichlorophenol	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	120-83-2	
Diethylphthalate	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	84-66-2	
2,4-Dimethylphenol	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	105-67-9	
Dimethylphthalate	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	131-11-3	
Di-n-butylphthalate	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	84-74-2	
4,6-Dinitro-2-methylphenol	ND ug/kg		816	1	03/07/14 11:20	03/14/14 23:13	534-52-1	
2,4-Dinitrophenol	ND ug/kg		2040	1	03/07/14 11:20	03/14/14 23:13	51-28-5	
2,4-Dinitrotoluene	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	121-14-2	
2,6-Dinitrotoluene	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	606-20-2	
Di-n-octylphthalate	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	117-84-0	
bis(2-Ethylhexyl)phthalate	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	117-81-7	
Fluoranthene	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	206-44-0	
Fluorene	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	86-73-7	
Hexachloro-1,3-butadiene	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	87-68-3	
Hexachlorobenzene	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	118-74-1	
Hexachlorocyclopentadiene	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	77-47-4	
Hexachloroethane	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	67-72-1	
Indeno(1,2,3-cd)pyrene	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	193-39-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

Sample: S71-2 Lab ID: 92192150007 Collected: 03/04/14 14:40 Received: 03/06/14 10:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Microwave	Analytical Method: EPA 8270 Preparation Method: EPA 3546							
Isophorone	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	78-59-1	
1-Methylnaphthalene	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	90-12-0	
2-Methylnaphthalene	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	91-57-6	
2-Methylphenol(o-Cresol)	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	95-48-7	
3&4-Methylphenol(m&p Cresol)	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13		
Naphthalene	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	91-20-3	
2-Nitroaniline	ND ug/kg		2040	1	03/07/14 11:20	03/14/14 23:13	88-74-4	
3-Nitroaniline	ND ug/kg		2040	1	03/07/14 11:20	03/14/14 23:13	99-09-2	
4-Nitroaniline	ND ug/kg		816	1	03/07/14 11:20	03/14/14 23:13	100-01-6	
Nitrobenzene	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	98-95-3	
2-Nitrophenol	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	88-75-5	
4-Nitrophenol	ND ug/kg		2040	1	03/07/14 11:20	03/14/14 23:13	100-02-7	
N-Nitrosodimethylamine	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	62-75-9	
N-Nitroso-di-n-propylamine	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	621-64-7	
N-Nitrosodiphenylamine	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	86-30-6	
Pentachlorophenol	ND ug/kg		2040	1	03/07/14 11:20	03/14/14 23:13	87-86-5	
Phenanthrone	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	85-01-8	
Phenol	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	108-95-2	
Pyrene	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	129-00-0	
1,2,4-Trichlorobenzene	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	120-82-1	
2,4,5-Trichlorophenol	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	95-95-4	
2,4,6-Trichlorophenol	ND ug/kg		408	1	03/07/14 11:20	03/14/14 23:13	88-06-2	
Surrogates								
Nitrobenzene-d5 (S)	63 %		23-110	1	03/07/14 11:20	03/14/14 23:13	4165-60-0	
2-Fluorobiphenyl (S)	62 %		30-110	1	03/07/14 11:20	03/14/14 23:13	321-60-8	
Terphenyl-d14 (S)	75 %		28-110	1	03/07/14 11:20	03/14/14 23:13	1718-51-0	
Phenol-d6 (S)	39 %		22-110	1	03/07/14 11:20	03/14/14 23:13	13127-88-3	
2-Fluorophenol (S)	38 %		13-110	1	03/07/14 11:20	03/14/14 23:13	367-12-4	
2,4,6-Tribromophenol (S)	41 %		27-110	1	03/07/14 11:20	03/14/14 23:13	118-79-6	
8260/5035A Volatile Organics	Analytical Method: EPA 8260							
Acetone	ND ug/kg		86.9	1		03/11/14 22:53	67-64-1	
Benzene	ND ug/kg		4.3	1		03/11/14 22:53	71-43-2	
Bromobenzene	ND ug/kg		4.3	1		03/11/14 22:53	108-86-1	
Bromochloromethane	ND ug/kg		4.3	1		03/11/14 22:53	74-97-5	
Bromodichloromethane	ND ug/kg		4.3	1		03/11/14 22:53	75-27-4	
Bromoform	ND ug/kg		4.3	1		03/11/14 22:53	75-25-2	
Bromomethane	ND ug/kg		8.7	1		03/11/14 22:53	74-83-9	
2-Butanone (MEK)	ND ug/kg		86.9	1		03/11/14 22:53	78-93-3	
n-Butylbenzene	ND ug/kg		4.3	1		03/11/14 22:53	104-51-8	
sec-Butylbenzene	ND ug/kg		4.3	1		03/11/14 22:53	135-98-8	
tert-Butylbenzene	ND ug/kg		4.3	1		03/11/14 22:53	98-06-6	
Carbon tetrachloride	ND ug/kg		4.3	1		03/11/14 22:53	56-23-5	
Chlorobenzene	ND ug/kg		4.3	1		03/11/14 22:53	108-90-7	
Chloroethane	ND ug/kg		8.7	1		03/11/14 22:53	75-00-3	
Chloroform	ND ug/kg		4.3	1		03/11/14 22:53	67-66-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

Sample: S71-2 Lab ID: **92192150007** Collected: 03/04/14 14:40 Received: 03/06/14 10:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics	Analytical Method: EPA 8260							
Chloromethane	ND ug/kg		8.7	1		03/11/14 22:53	74-87-3	
2-Chlorotoluene	ND ug/kg		4.3	1		03/11/14 22:53	95-49-8	
4-Chlorotoluene	ND ug/kg		4.3	1		03/11/14 22:53	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/kg		4.3	1		03/11/14 22:53	96-12-8	
Dibromochloromethane	ND ug/kg		4.3	1		03/11/14 22:53	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/kg		4.3	1		03/11/14 22:53	106-93-4	
Dibromomethane	ND ug/kg		4.3	1		03/11/14 22:53	74-95-3	
1,2-Dichlorobenzene	ND ug/kg		4.3	1		03/11/14 22:53	95-50-1	
1,3-Dichlorobenzene	ND ug/kg		4.3	1		03/11/14 22:53	541-73-1	
1,4-Dichlorobenzene	ND ug/kg		4.3	1		03/11/14 22:53	106-46-7	
Dichlorodifluoromethane	ND ug/kg		8.7	1		03/11/14 22:53	75-71-8	
1,1-Dichloroethane	ND ug/kg		4.3	1		03/11/14 22:53	75-34-3	
1,2-Dichloroethane	ND ug/kg		4.3	1		03/11/14 22:53	107-06-2	
1,1-Dichloroethene	ND ug/kg		4.3	1		03/11/14 22:53	75-35-4	
cis-1,2-Dichloroethene	ND ug/kg		4.3	1		03/11/14 22:53	156-59-2	
trans-1,2-Dichloroethene	ND ug/kg		4.3	1		03/11/14 22:53	156-60-5	
1,2-Dichloropropane	ND ug/kg		4.3	1		03/11/14 22:53	78-87-5	
1,3-Dichloropropane	ND ug/kg		4.3	1		03/11/14 22:53	142-28-9	
2,2-Dichloropropane	ND ug/kg		4.3	1		03/11/14 22:53	594-20-7	
1,1-Dichloropropene	ND ug/kg		4.3	1		03/11/14 22:53	563-58-6	
cis-1,3-Dichloropropene	ND ug/kg		4.3	1		03/11/14 22:53	10061-01-5	
trans-1,3-Dichloropropene	ND ug/kg		4.3	1		03/11/14 22:53	10061-02-6	
Diisopropyl ether	ND ug/kg		4.3	1		03/11/14 22:53	108-20-3	
Ethylbenzene	ND ug/kg		4.3	1		03/11/14 22:53	100-41-4	
Hexachloro-1,3-butadiene	ND ug/kg		4.3	1		03/11/14 22:53	87-68-3	
2-Hexanone	ND ug/kg		43.4	1		03/11/14 22:53	591-78-6	
Isopropylbenzene (Cumene)	ND ug/kg		4.3	1		03/11/14 22:53	98-82-8	
p-Isopropyltoluene	ND ug/kg		4.3	1		03/11/14 22:53	99-87-6	
Methylene Chloride	ND ug/kg		17.4	1		03/11/14 22:53	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/kg		43.4	1		03/11/14 22:53	108-10-1	
Methyl-tert-butyl ether	ND ug/kg		4.3	1		03/11/14 22:53	1634-04-4	
Naphthalene	ND ug/kg		4.3	1		03/11/14 22:53	91-20-3	
n-Propylbenzene	ND ug/kg		4.3	1		03/11/14 22:53	103-65-1	
Styrene	ND ug/kg		4.3	1		03/11/14 22:53	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/kg		4.3	1		03/11/14 22:53	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/kg		4.3	1		03/11/14 22:53	79-34-5	
Tetrachloroethene	ND ug/kg		4.3	1		03/11/14 22:53	127-18-4	
Toluene	ND ug/kg		4.3	1		03/11/14 22:53	108-88-3	
1,2,3-Trichlorobenzene	ND ug/kg		4.3	1		03/11/14 22:53	87-61-6	
1,2,4-Trichlorobenzene	ND ug/kg		4.3	1		03/11/14 22:53	120-82-1	
1,1,1-Trichloroethane	ND ug/kg		4.3	1		03/11/14 22:53	71-55-6	
1,1,2-Trichloroethane	ND ug/kg		4.3	1		03/11/14 22:53	79-00-5	
Trichloroethene	ND ug/kg		4.3	1		03/11/14 22:53	79-01-6	
Trichlorofluoromethane	ND ug/kg		4.3	1		03/11/14 22:53	75-69-4	
1,2,3-Trichloropropane	ND ug/kg		4.3	1		03/11/14 22:53	96-18-4	
1,2,4-Trimethylbenzene	ND ug/kg		4.3	1		03/11/14 22:53	95-63-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO
Pace Project No.: 92192150

Sample: S71-2 **Lab ID: 92192150007** Collected: 03/04/14 14:40 Received: 03/06/14 10:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics	Analytical Method: EPA 8260							
1,3,5-Trimethylbenzene	ND ug/kg		4.3	1		03/11/14 22:53	108-67-8	
Vinyl acetate	ND ug/kg		43.4	1		03/11/14 22:53	108-05-4	
Vinyl chloride	ND ug/kg		8.7	1		03/11/14 22:53	75-01-4	
Xylene (Total)	ND ug/kg		8.7	1		03/11/14 22:53	1330-20-7	
m&p-Xylene	ND ug/kg		8.7	1		03/11/14 22:53	179601-23-1	
o-Xylene	ND ug/kg		4.3	1		03/11/14 22:53	95-47-6	
Surrogates								
Toluene-d8 (S)	101 %		70-130	1		03/11/14 22:53	2037-26-5	
4-Bromofluorobenzene (S)	91 %		70-130	1		03/11/14 22:53	460-00-4	
1,2-Dichloroethane-d4 (S)	116 %		70-132	1		03/11/14 22:53	17060-07-0	
Percent Moisture	Analytical Method: ASTM D2974-87							
Percent Moisture	19.1 %		0.10	1		03/07/14 15:03		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

Sample: S71-3 **Lab ID: 92192150008** Collected: 03/04/14 14:55 Received: 03/06/14 10:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Microwave	Analytical Method: EPA 8270 Preparation Method: EPA 3546							
Acenaphthene	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	83-32-9	
Acenaphthylene	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	208-96-8	
Aniline	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	62-53-3	
Anthracene	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	120-12-7	
Benzo(a)anthracene	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	56-55-3	
Benzo(a)pyrene	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	50-32-8	
Benzo(b)fluoranthene	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	205-99-2	
Benzo(g,h,i)perylene	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	191-24-2	
Benzo(k)fluoranthene	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	207-08-9	
Benzoic Acid	ND ug/kg		2250	1	03/07/14 11:20	03/14/14 23:40	65-85-0	
Benzyl alcohol	ND ug/kg		901	1	03/07/14 11:20	03/14/14 23:40	100-51-6	
4-Bromophenylphenyl ether	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	101-55-3	
Butylbenzylphthalate	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	85-68-7	
4-Chloro-3-methylphenol	ND ug/kg		901	1	03/07/14 11:20	03/14/14 23:40	59-50-7	
4-Chloroaniline	ND ug/kg		2250	1	03/07/14 11:20	03/14/14 23:40	106-47-8	
bis(2-Chloroethoxy)methane	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	111-91-1	
bis(2-Chloroethyl) ether	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	111-44-4	
bis(2-Chloroisopropyl) ether	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	108-60-1	
2-Chloronaphthalene	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	91-58-7	
2-Chlorophenol	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	95-57-8	
4-Chlorophenylphenyl ether	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	7005-72-3	
Chrysene	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	218-01-9	
Dibenz(a,h)anthracene	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	53-70-3	
Dibenzofuran	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	132-64-9	
1,2-Dichlorobenzene	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	95-50-1	
1,3-Dichlorobenzene	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	541-73-1	
1,4-Dichlorobenzene	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	106-46-7	
3,3'-Dichlorobenzidine	ND ug/kg		2250	1	03/07/14 11:20	03/14/14 23:40	91-94-1	
2,4-Dichlorophenol	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	120-83-2	
Diethylphthalate	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	84-66-2	
2,4-Dimethylphenol	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	105-67-9	
Dimethylphthalate	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	131-11-3	
Di-n-butylphthalate	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	84-74-2	
4,6-Dinitro-2-methylphenol	ND ug/kg		901	1	03/07/14 11:20	03/14/14 23:40	534-52-1	
2,4-Dinitrophenol	ND ug/kg		2250	1	03/07/14 11:20	03/14/14 23:40	51-28-5	
2,4-Dinitrotoluene	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	121-14-2	
2,6-Dinitrotoluene	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	606-20-2	
Di-n-octylphthalate	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	117-84-0	
bis(2-Ethylhexyl)phthalate	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	117-81-7	
Fluoranthene	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	206-44-0	
Fluorene	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	86-73-7	
Hexachloro-1,3-butadiene	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	87-68-3	
Hexachlorobenzene	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	118-74-1	
Hexachlorocyclopentadiene	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	77-47-4	
Hexachloroethane	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	67-72-1	
Indeno(1,2,3-cd)pyrene	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	193-39-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO
 Pace Project No.: 92192150

Sample: S71-3 Lab ID: **92192150008** Collected: 03/04/14 14:55 Received: 03/06/14 10:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Microwave		Analytical Method: EPA 8270 Preparation Method: EPA 3546						
Isophorone	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	78-59-1	
1-Methylnaphthalene	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	90-12-0	
2-Methylnaphthalene	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	91-57-6	
2-Methylphenol(o-Cresol)	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	95-48-7	
3&4-Methylphenol(m&p Cresol)	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40		
Naphthalene	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	91-20-3	
2-Nitroaniline	ND ug/kg		2250	1	03/07/14 11:20	03/14/14 23:40	88-74-4	
3-Nitroaniline	ND ug/kg		2250	1	03/07/14 11:20	03/14/14 23:40	99-09-2	
4-Nitroaniline	ND ug/kg		901	1	03/07/14 11:20	03/14/14 23:40	100-01-6	
Nitrobenzene	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	98-95-3	
2-Nitrophenol	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	88-75-5	
4-Nitrophenol	ND ug/kg		2250	1	03/07/14 11:20	03/14/14 23:40	100-02-7	
N-Nitrosodimethylamine	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	62-75-9	
N-Nitroso-di-n-propylamine	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	621-64-7	
N-Nitrosodiphenylamine	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	86-30-6	
Pentachlorophenol	ND ug/kg		2250	1	03/07/14 11:20	03/14/14 23:40	87-86-5	
Phenanthrene	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	85-01-8	
Phenol	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	108-95-2	
Pyrene	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	129-00-0	
1,2,4-Trichlorobenzene	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	120-82-1	
2,4,5-Trichlorophenol	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	95-95-4	
2,4,6-Trichlorophenol	ND ug/kg		450	1	03/07/14 11:20	03/14/14 23:40	88-06-2	
Surrogates								
Nitrobenzene-d5 (S)	65 %		23-110	1	03/07/14 11:20	03/14/14 23:40	4165-60-0	
2-Fluorobiphenyl (S)	67 %		30-110	1	03/07/14 11:20	03/14/14 23:40	321-60-8	
Terphenyl-d14 (S)	79 %		28-110	1	03/07/14 11:20	03/14/14 23:40	1718-51-0	
Phenol-d6 (S)	64 %		22-110	1	03/07/14 11:20	03/14/14 23:40	13127-88-3	
2-Fluorophenol (S)	67 %		13-110	1	03/07/14 11:20	03/14/14 23:40	367-12-4	
2,4,6-Tribromophenol (S)	65 %		27-110	1	03/07/14 11:20	03/14/14 23:40	118-79-6	
8260/5035A Volatile Organics		Analytical Method: EPA 8260						
Acetone	179 ug/kg		115	1		03/11/14 23:13	67-64-1	A+
Benzene	ND ug/kg		5.8	1		03/11/14 23:13	71-43-2	
Bromobenzene	ND ug/kg		5.8	1		03/11/14 23:13	108-86-1	
Bromoform	ND ug/kg		5.8	1		03/11/14 23:13	74-97-5	
Bromochloromethane	ND ug/kg		5.8	1		03/11/14 23:13	75-27-4	
Bromodichloromethane	ND ug/kg		5.8	1		03/11/14 23:13	75-25-2	
Bromoform	ND ug/kg		5.8	1		03/11/14 23:13	75-25-2	
Bromomethane	ND ug/kg		11.5	1		03/11/14 23:13	74-83-9	
2-Butanone (MEK)	ND ug/kg		115	1		03/11/14 23:13	78-93-3	
n-Butylbenzene	ND ug/kg		5.8	1		03/11/14 23:13	104-51-8	
sec-Butylbenzene	ND ug/kg		5.8	1		03/11/14 23:13	135-98-8	
tert-Butylbenzene	ND ug/kg		5.8	1		03/11/14 23:13	98-06-6	
Carbon tetrachloride	ND ug/kg		5.8	1		03/11/14 23:13	56-23-5	
Chlorobenzene	ND ug/kg		5.8	1		03/11/14 23:13	108-90-7	
Chloroethane	ND ug/kg		11.5	1		03/11/14 23:13	75-00-3	
Chloroform	ND ug/kg		5.8	1		03/11/14 23:13	67-66-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

Sample: S71-3 **Lab ID: 92192150008** Collected: 03/04/14 14:55 Received: 03/06/14 10:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics	Analytical Method: EPA 8260							
Chloromethane	ND ug/kg		11.5	1		03/11/14 23:13	74-87-3	
2-Chlorotoluene	ND ug/kg		5.8	1		03/11/14 23:13	95-49-8	
4-Chlorotoluene	ND ug/kg		5.8	1		03/11/14 23:13	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/kg		5.8	1		03/11/14 23:13	96-12-8	
Dibromochloromethane	ND ug/kg		5.8	1		03/11/14 23:13	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/kg		5.8	1		03/11/14 23:13	106-93-4	
Dibromomethane	ND ug/kg		5.8	1		03/11/14 23:13	74-95-3	
1,2-Dichlorobenzene	ND ug/kg		5.8	1		03/11/14 23:13	95-50-1	
1,3-Dichlorobenzene	ND ug/kg		5.8	1		03/11/14 23:13	541-73-1	
1,4-Dichlorobenzene	ND ug/kg		5.8	1		03/11/14 23:13	106-46-7	
Dichlorodifluoromethane	ND ug/kg		11.5	1		03/11/14 23:13	75-71-8	IO
1,1-Dichloroethane	ND ug/kg		5.8	1		03/11/14 23:13	75-34-3	
1,2-Dichloroethane	ND ug/kg		5.8	1		03/11/14 23:13	107-06-2	
1,1-Dichloroethene	ND ug/kg		5.8	1		03/11/14 23:13	75-35-4	
cis-1,2-Dichloroethene	ND ug/kg		5.8	1		03/11/14 23:13	156-59-2	
trans-1,2-Dichloroethene	ND ug/kg		5.8	1		03/11/14 23:13	156-60-5	
1,2-Dichloropropane	ND ug/kg		5.8	1		03/11/14 23:13	78-87-5	
1,3-Dichloropropane	ND ug/kg		5.8	1		03/11/14 23:13	142-28-9	
2,2-Dichloropropane	ND ug/kg		5.8	1		03/11/14 23:13	594-20-7	
1,1-Dichloropropene	ND ug/kg		5.8	1		03/11/14 23:13	563-58-6	
cis-1,3-Dichloropropene	ND ug/kg		5.8	1		03/11/14 23:13	10061-01-5	
trans-1,3-Dichloropropene	ND ug/kg		5.8	1		03/11/14 23:13	10061-02-6	
Diisopropyl ether	ND ug/kg		5.8	1		03/11/14 23:13	108-20-3	
Ethylbenzene	ND ug/kg		5.8	1		03/11/14 23:13	100-41-4	
Hexachloro-1,3-butadiene	ND ug/kg		5.8	1		03/11/14 23:13	87-68-3	
2-Hexanone	ND ug/kg		57.7	1		03/11/14 23:13	591-78-6	
Isopropylbenzene (Cumene)	ND ug/kg		5.8	1		03/11/14 23:13	98-82-8	
p-Isopropyltoluene	ND ug/kg		5.8	1		03/11/14 23:13	99-87-6	
Methylene Chloride	ND ug/kg		23.1	1		03/11/14 23:13	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/kg		57.7	1		03/11/14 23:13	108-10-1	
Methyl-tert-butyl ether	ND ug/kg		5.8	1		03/11/14 23:13	1634-04-4	
Naphthalene	ND ug/kg		5.8	1		03/11/14 23:13	91-20-3	
n-Propylbenzene	ND ug/kg		5.8	1		03/11/14 23:13	103-65-1	
Styrene	ND ug/kg		5.8	1		03/11/14 23:13	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/kg		5.8	1		03/11/14 23:13	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/kg		5.8	1		03/11/14 23:13	79-34-5	
Tetrachloroethene	ND ug/kg		5.8	1		03/11/14 23:13	127-18-4	
Toluene	ND ug/kg		5.8	1		03/11/14 23:13	108-88-3	
1,2,3-Trichlorobenzene	ND ug/kg		5.8	1		03/11/14 23:13	87-61-6	
1,2,4-Trichlorobenzene	ND ug/kg		5.8	1		03/11/14 23:13	120-82-1	
1,1,1-Trichloroethane	ND ug/kg		5.8	1		03/11/14 23:13	71-55-6	
1,1,2-Trichloroethane	ND ug/kg		5.8	1		03/11/14 23:13	79-00-5	
Trichloroethene	ND ug/kg		5.8	1		03/11/14 23:13	79-01-6	
Trichlorofluoromethane	ND ug/kg		5.8	1		03/11/14 23:13	75-69-4	
1,2,3-Trichloropropane	ND ug/kg		5.8	1		03/11/14 23:13	96-18-4	
1,2,4-Trimethylbenzene	ND ug/kg		5.8	1		03/11/14 23:13	95-63-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO
Pace Project No.: 92192150

Sample: S71-3 Lab ID: **92192150008** Collected: 03/04/14 14:55 Received: 03/06/14 10:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics	Analytical Method: EPA 8260							
1,3,5-Trimethylbenzene	ND ug/kg		5.8	1		03/11/14 23:13	108-67-8	
Vinyl acetate	ND ug/kg		57.7	1		03/11/14 23:13	108-05-4	
Vinyl chloride	ND ug/kg		11.5	1		03/11/14 23:13	75-01-4	
Xylene (Total)	ND ug/kg		11.5	1		03/11/14 23:13	1330-20-7	
m&p-Xylene	ND ug/kg		11.5	1		03/11/14 23:13	179601-23-1	
o-Xylene	ND ug/kg		5.8	1		03/11/14 23:13	95-47-6	
Surrogates								
Toluene-d8 (S)	100 %		70-130	1		03/11/14 23:13	2037-26-5	
4-Bromofluorobenzene (S)	90 %		70-130	1		03/11/14 23:13	460-00-4	
1,2-Dichloroethane-d4 (S)	134 %		70-132	1		03/11/14 23:13	17060-07-0	S2
Percent Moisture	Analytical Method: ASTM D2974-87							
Percent Moisture	26.7 %		0.10	1		03/07/14 15:03		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

Sample: S69-1 **Lab ID: 92192150009** Collected: 03/05/14 10:15 Received: 03/06/14 10:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Microwave		Analytical Method: EPA 8270 Preparation Method: EPA 3546						
Acenaphthene	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	83-32-9	
Acenaphthylene	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	208-96-8	
Aniline	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	62-53-3	
Anthracene	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	120-12-7	
Benzo(a)anthracene	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	56-55-3	
Benzo(a)pyrene	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	50-32-8	
Benzo(b)fluoranthene	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	205-99-2	
Benzo(g,h,i)perylene	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	191-24-2	
Benzo(k)fluoranthene	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	207-08-9	
Benzoic Acid	ND ug/kg		1970	1	03/07/14 11:20	03/15/14 00:09	65-85-0	
Benzyl alcohol	ND ug/kg		788	1	03/07/14 11:20	03/15/14 00:09	100-51-6	
4-Bromophenylphenyl ether	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	101-55-3	
Butylbenzylphthalate	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	85-68-7	
4-Chloro-3-methylphenol	ND ug/kg		788	1	03/07/14 11:20	03/15/14 00:09	59-50-7	
4-Chloroaniline	ND ug/kg		1970	1	03/07/14 11:20	03/15/14 00:09	106-47-8	
bis(2-Chloroethoxy)methane	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	111-91-1	
bis(2-Chloroethyl) ether	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	111-44-4	
bis(2-Chloroisopropyl) ether	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	108-60-1	
2-Chloronaphthalene	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	91-58-7	
2-Chlorophenol	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	95-57-8	
4-Chlorophenylphenyl ether	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	7005-72-3	
Chrysene	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	218-01-9	
Dibenz(a,h)anthracene	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	53-70-3	
Dibenzofuran	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	132-64-9	
1,2-Dichlorobenzene	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	95-50-1	
1,3-Dichlorobenzene	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	541-73-1	
1,4-Dichlorobenzene	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	106-46-7	
3,3'-Dichlorobenzidine	ND ug/kg		1970	1	03/07/14 11:20	03/15/14 00:09	91-94-1	
2,4-Dichlorophenol	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	120-83-2	
Diethylphthalate	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	84-66-2	
2,4-Dimethylphenol	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	105-67-9	
Dimethylphthalate	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	131-11-3	
Di-n-butylphthalate	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	84-74-2	
4,6-Dinitro-2-methylphenol	ND ug/kg		788	1	03/07/14 11:20	03/15/14 00:09	534-52-1	
2,4-Dinitrophenol	ND ug/kg		1970	1	03/07/14 11:20	03/15/14 00:09	51-28-5	
2,4-Dinitrotoluene	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	121-14-2	
2,6-Dinitrotoluene	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	606-20-2	
Di-n-octylphthalate	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	117-84-0	
bis(2-Ethylhexyl)phthalate	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	117-81-7	
Fluoranthene	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	206-44-0	
Fluorene	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	86-73-7	
Hexachloro-1,3-butadiene	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	87-68-3	
Hexachlorobenzene	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	118-74-1	
Hexachlorocyclopentadiene	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	77-47-4	
Hexachloroethane	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	67-72-1	
Indeno(1,2,3-cd)pyrene	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	193-39-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

Sample: S69-1 **Lab ID: 92192150009** Collected: 03/05/14 10:15 Received: 03/06/14 10:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Microwave		Analytical Method: EPA 8270 Preparation Method: EPA 3546						
Isophorone	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	78-59-1	
1-Methylnaphthalene	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	90-12-0	
2-Methylnaphthalene	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	91-57-6	
2-Methylphenol(o-Cresol)	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	95-48-7	
3&4-Methylphenol(m&p Cresol)	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09		
Naphthalene	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	91-20-3	
2-Nitroaniline	ND ug/kg		1970	1	03/07/14 11:20	03/15/14 00:09	88-74-4	
3-Nitroaniline	ND ug/kg		1970	1	03/07/14 11:20	03/15/14 00:09	99-09-2	
4-Nitroaniline	ND ug/kg		788	1	03/07/14 11:20	03/15/14 00:09	100-01-6	
Nitrobenzene	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	98-95-3	
2-Nitrophenol	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	88-75-5	
4-Nitrophenol	ND ug/kg		1970	1	03/07/14 11:20	03/15/14 00:09	100-02-7	
N-Nitrosodimethylamine	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	62-75-9	
N-Nitroso-di-n-propylamine	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	621-64-7	
N-Nitrosodiphenylamine	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	86-30-6	
Pentachlorophenol	ND ug/kg		1970	1	03/07/14 11:20	03/15/14 00:09	87-86-5	
Phenanthrene	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	85-01-8	
Phenol	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	108-95-2	
Pyrene	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	129-00-0	
1,2,4-Trichlorobenzene	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	120-82-1	
2,4,5-Trichlorophenol	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	95-95-4	
2,4,6-Trichlorophenol	ND ug/kg		394	1	03/07/14 11:20	03/15/14 00:09	88-06-2	
Surrogates								
Nitrobenzene-d5 (S)	65 %		23-110	1	03/07/14 11:20	03/15/14 00:09	4165-60-0	
2-Fluorobiphenyl (S)	66 %		30-110	1	03/07/14 11:20	03/15/14 00:09	321-60-8	
Terphenyl-d14 (S)	80 %		28-110	1	03/07/14 11:20	03/15/14 00:09	1718-51-0	
Phenol-d6 (S)	47 %		22-110	1	03/07/14 11:20	03/15/14 00:09	13127-88-3	
2-Fluorophenol (S)	45 %		13-110	1	03/07/14 11:20	03/15/14 00:09	367-12-4	
2,4,6-Tribromophenol (S)	48 %		27-110	1	03/07/14 11:20	03/15/14 00:09	118-79-6	
8260/5035A Volatile Organics		Analytical Method: EPA 8260						
Acetone	ND ug/kg		85.1	1		03/11/14 23:33	67-64-1	
Benzene	ND ug/kg		4.3	1		03/11/14 23:33	71-43-2	
Bromobenzene	ND ug/kg		4.3	1		03/11/14 23:33	108-86-1	
Bromochloromethane	ND ug/kg		4.3	1		03/11/14 23:33	74-97-5	
Bromodichloromethane	ND ug/kg		4.3	1		03/11/14 23:33	75-27-4	
Bromoform	ND ug/kg		4.3	1		03/11/14 23:33	75-25-2	
Bromomethane	ND ug/kg		8.5	1		03/11/14 23:33	74-83-9	
2-Butanone (MEK)	ND ug/kg		85.1	1		03/11/14 23:33	78-93-3	
n-Butylbenzene	ND ug/kg		4.3	1		03/11/14 23:33	104-51-8	
sec-Butylbenzene	ND ug/kg		4.3	1		03/11/14 23:33	135-98-8	
tert-Butylbenzene	ND ug/kg		4.3	1		03/11/14 23:33	98-06-6	
Carbon tetrachloride	ND ug/kg		4.3	1		03/11/14 23:33	56-23-5	
Chlorobenzene	ND ug/kg		4.3	1		03/11/14 23:33	108-90-7	
Chloroethane	ND ug/kg		8.5	1		03/11/14 23:33	75-00-3	
Chloroform	ND ug/kg		4.3	1		03/11/14 23:33	67-66-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

Sample: S69-1 **Lab ID: 92192150009** Collected: 03/05/14 10:15 Received: 03/06/14 10:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics	Analytical Method: EPA 8260							
Chloromethane	ND ug/kg		8.5	1		03/11/14 23:33	74-87-3	
2-Chlorotoluene	ND ug/kg		4.3	1		03/11/14 23:33	95-49-8	
4-Chlorotoluene	ND ug/kg		4.3	1		03/11/14 23:33	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/kg		4.3	1		03/11/14 23:33	96-12-8	
Dibromochloromethane	ND ug/kg		4.3	1		03/11/14 23:33	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/kg		4.3	1		03/11/14 23:33	106-93-4	
Dibromomethane	ND ug/kg		4.3	1		03/11/14 23:33	74-95-3	
1,2-Dichlorobenzene	ND ug/kg		4.3	1		03/11/14 23:33	95-50-1	
1,3-Dichlorobenzene	ND ug/kg		4.3	1		03/11/14 23:33	541-73-1	
1,4-Dichlorobenzene	ND ug/kg		4.3	1		03/11/14 23:33	106-46-7	
Dichlorodifluoromethane	ND ug/kg		8.5	1		03/11/14 23:33	75-71-8	
1,1-Dichloroethane	ND ug/kg		4.3	1		03/11/14 23:33	75-34-3	
1,2-Dichloroethane	ND ug/kg		4.3	1		03/11/14 23:33	107-06-2	
1,1-Dichloroethene	ND ug/kg		4.3	1		03/11/14 23:33	75-35-4	
cis-1,2-Dichloroethene	ND ug/kg		4.3	1		03/11/14 23:33	156-59-2	
trans-1,2-Dichloroethene	ND ug/kg		4.3	1		03/11/14 23:33	156-60-5	
1,2-Dichloropropane	ND ug/kg		4.3	1		03/11/14 23:33	78-87-5	
1,3-Dichloropropane	ND ug/kg		4.3	1		03/11/14 23:33	142-28-9	
2,2-Dichloropropane	ND ug/kg		4.3	1		03/11/14 23:33	594-20-7	
1,1-Dichloropropene	ND ug/kg		4.3	1		03/11/14 23:33	563-58-6	
cis-1,3-Dichloropropene	ND ug/kg		4.3	1		03/11/14 23:33	10061-01-5	
trans-1,3-Dichloropropene	ND ug/kg		4.3	1		03/11/14 23:33	10061-02-6	
Diisopropyl ether	ND ug/kg		4.3	1		03/11/14 23:33	108-20-3	
Ethylbenzene	ND ug/kg		4.3	1		03/11/14 23:33	100-41-4	
Hexachloro-1,3-butadiene	ND ug/kg		4.3	1		03/11/14 23:33	87-68-3	
2-Hexanone	ND ug/kg		42.5	1		03/11/14 23:33	591-78-6	
Isopropylbenzene (Cumene)	ND ug/kg		4.3	1		03/11/14 23:33	98-82-8	
p-Isopropyltoluene	ND ug/kg		4.3	1		03/11/14 23:33	99-87-6	
Methylene Chloride	ND ug/kg		17.0	1		03/11/14 23:33	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/kg		42.5	1		03/11/14 23:33	108-10-1	
Methyl-tert-butyl ether	ND ug/kg		4.3	1		03/11/14 23:33	1634-04-4	
Naphthalene	ND ug/kg		4.3	1		03/11/14 23:33	91-20-3	
n-Propylbenzene	ND ug/kg		4.3	1		03/11/14 23:33	103-65-1	
Styrene	ND ug/kg		4.3	1		03/11/14 23:33	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/kg		4.3	1		03/11/14 23:33	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/kg		4.3	1		03/11/14 23:33	79-34-5	
Tetrachloroethene	ND ug/kg		4.3	1		03/11/14 23:33	127-18-4	
Toluene	ND ug/kg		4.3	1		03/11/14 23:33	108-88-3	
1,2,3-Trichlorobenzene	ND ug/kg		4.3	1		03/11/14 23:33	87-61-6	
1,2,4-Trichlorobenzene	ND ug/kg		4.3	1		03/11/14 23:33	120-82-1	
1,1,1-Trichloroethane	ND ug/kg		4.3	1		03/11/14 23:33	71-55-6	
1,1,2-Trichloroethane	ND ug/kg		4.3	1		03/11/14 23:33	79-00-5	
Trichloroethene	ND ug/kg		4.3	1		03/11/14 23:33	79-01-6	
Trichlorofluoromethane	ND ug/kg		4.3	1		03/11/14 23:33	75-69-4	
1,2,3-Trichloropropane	ND ug/kg		4.3	1		03/11/14 23:33	96-18-4	
1,2,4-Trimethylbenzene	ND ug/kg		4.3	1		03/11/14 23:33	95-63-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO
Pace Project No.: 92192150

Sample: S69-1 **Lab ID: 92192150009** Collected: 03/05/14 10:15 Received: 03/06/14 10:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics	Analytical Method: EPA 8260							
1,3,5-Trimethylbenzene	ND ug/kg		4.3	1		03/11/14 23:33	108-67-8	
Vinyl acetate	ND ug/kg		42.5	1		03/11/14 23:33	108-05-4	
Vinyl chloride	ND ug/kg		8.5	1		03/11/14 23:33	75-01-4	
Xylene (Total)	ND ug/kg		8.5	1		03/11/14 23:33	1330-20-7	
m&p-Xylene	ND ug/kg		8.5	1		03/11/14 23:33	179601-23-1	
o-Xylene	ND ug/kg		4.3	1		03/11/14 23:33	95-47-6	
Surrogates								
Toluene-d8 (S)	101 %		70-130	1		03/11/14 23:33	2037-26-5	
4-Bromofluorobenzene (S)	98 %		70-130	1		03/11/14 23:33	460-00-4	
1,2-Dichloroethane-d4 (S)	115 %		70-132	1		03/11/14 23:33	17060-07-0	
Percent Moisture	Analytical Method: ASTM D2974-87							
Percent Moisture	16.3 %		0.10	1		03/07/14 15:03		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

Sample: MW20-1	Lab ID: 92192150010	Collected: 03/05/14 15:40	Received: 03/06/14 10:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic	Analytical Method: EPA 8270 Preparation Method: EPA 3510							
Acenaphthene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	83-32-9	
Acenaphthylene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	208-96-8	
Aniline	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	62-53-3	
Anthracene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	120-12-7	
Benzo(a)anthracene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	56-55-3	
Benzo(a)pyrene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	50-32-8	
Benzo(b)fluoranthene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	205-99-2	
Benzo(g,h,i)perylene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	191-24-2	
Benzo(k)fluoranthene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	207-08-9	
Benzoic Acid	ND ug/L		50.0	1	03/10/14 14:20	03/13/14 00:48	65-85-0	
Benzyl alcohol	ND ug/L		20.0	1	03/10/14 14:20	03/13/14 00:48	100-51-6	
4-Bromophenylphenyl ether	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	101-55-3	
Butylbenzylphthalate	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	85-68-7	
4-Chloro-3-methylphenol	ND ug/L		20.0	1	03/10/14 14:20	03/13/14 00:48	59-50-7	
4-Chloroaniline	ND ug/L		20.0	1	03/10/14 14:20	03/13/14 00:48	106-47-8	
bis(2-Chloroethoxy)methane	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	111-91-1	
bis(2-Chloroethyl) ether	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	111-44-4	
bis(2-Chloroisopropyl) ether	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	108-60-1	
2-Chloronaphthalene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	91-58-7	
2-Chlorophenol	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	95-57-8	
4-Chlorophenylphenyl ether	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	7005-72-3	
Chrysene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	53-70-3	
Dibenzofuran	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	132-64-9	
1,2-Dichlorobenzene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	95-50-1	
1,3-Dichlorobenzene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	541-73-1	
1,4-Dichlorobenzene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	106-46-7	
3,3'-Dichlorobenzidine	ND ug/L		20.0	1	03/10/14 14:20	03/13/14 00:48	91-94-1	
2,4-Dichlorophenol	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	120-83-2	
Diethylphthalate	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	84-66-2	
2,4-Dimethylphenol	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	105-67-9	
Dimethylphthalate	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	131-11-3	
Di-n-butylphthalate	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	84-74-2	
4,6-Dinitro-2-methylphenol	ND ug/L		20.0	1	03/10/14 14:20	03/13/14 00:48	534-52-1	
2,4-Dinitrophenol	ND ug/L		50.0	1	03/10/14 14:20	03/13/14 00:48	51-28-5	
2,4-Dinitrotoluene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	121-14-2	
2,6-Dinitrotoluene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	606-20-2	
Di-n-octylphthalate	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	117-84-0	
bis(2-Ethylhexyl)phthalate	9.4 ug/L		6.0	1	03/10/14 14:20	03/13/14 00:48	117-81-7	
Fluoranthene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	206-44-0	
Fluorene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	86-73-7	
Hexachloro-1,3-butadiene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	87-68-3	
Hexachlorobenzene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	118-74-1	
Hexachlorocyclopentadiene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	77-47-4	
Hexachloroethane	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	67-72-1	
Indeno(1,2,3-cd)pyrene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	193-39-5	
Isophorone	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	78-59-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

Sample: MW20-1	Lab ID: 92192150010	Collected: 03/05/14 15:40	Received: 03/06/14 10:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic	Analytical Method: EPA 8270 Preparation Method: EPA 3510							
1-Methylnaphthalene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	90-12-0	
2-Methylnaphthalene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	91-57-6	
2-Methylphenol(o-Cresol)	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	95-48-7	
3&4-Methylphenol(m&p Cresol)	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48		
Naphthalene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	91-20-3	
2-Nitroaniline	ND ug/L		50.0	1	03/10/14 14:20	03/13/14 00:48	88-74-4	
3-Nitroaniline	ND ug/L		50.0	1	03/10/14 14:20	03/13/14 00:48	99-09-2	
4-Nitroaniline	ND ug/L		20.0	1	03/10/14 14:20	03/13/14 00:48	100-01-6	
Nitrobenzene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	98-95-3	
2-Nitrophenol	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	88-75-5	
4-Nitrophenol	ND ug/L		50.0	1	03/10/14 14:20	03/13/14 00:48	100-02-7	
N-Nitrosodimethylamine	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	62-75-9	
N-Nitroso-di-n-propylamine	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	621-64-7	
N-Nitrosodiphenylamine	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	86-30-6	
Pentachlorophenol	ND ug/L		25.0	1	03/10/14 14:20	03/13/14 00:48	87-86-5	
Phenanthrone	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	85-01-8	
Phenol	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	108-95-2	
Pyrene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	129-00-0	
1,2,4-Trichlorobenzene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	120-82-1	
2,4,5-Trichlorophenol	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	95-95-4	
2,4,6-Trichlorophenol	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 00:48	88-06-2	
Surrogates								
Nitrobenzene-d5 (S)	40 %		21-110	1	03/10/14 14:20	03/13/14 00:48	4165-60-0	
2-Fluorobiphenyl (S)	48 %		27-110	1	03/10/14 14:20	03/13/14 00:48	321-60-8	
Terphenyl-d14 (S)	65 %		31-107	1	03/10/14 14:20	03/13/14 00:48	1718-51-0	
Phenol-d6 (S)	18 %		10-110	1	03/10/14 14:20	03/13/14 00:48	13127-88-3	
2-Fluorophenol (S)	23 %		12-110	1	03/10/14 14:20	03/13/14 00:48	367-12-4	
2,4,6-Tribromophenol (S)	75 %		27-110	1	03/10/14 14:20	03/13/14 00:48	118-79-6	
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND ug/L		25.0	1		03/11/14 05:19	67-64-1	
Benzene	ND ug/L		5.0	1		03/11/14 05:19	71-43-2	
Bromobenzene	ND ug/L		5.0	1		03/11/14 05:19	108-86-1	
Bromochloromethane	ND ug/L		5.0	1		03/11/14 05:19	74-97-5	
Bromodichloromethane	ND ug/L		5.0	1		03/11/14 05:19	75-27-4	
Bromoform	ND ug/L		5.0	1		03/11/14 05:19	75-25-2	
Bromomethane	ND ug/L		10.0	1		03/11/14 05:19	74-83-9	
2-Butanone (MEK)	ND ug/L		10.0	1		03/11/14 05:19	78-93-3	
tert-Butyl Alcohol	ND ug/L		100	1		03/11/14 05:19	75-65-0	
n-Butylbenzene	ND ug/L		5.0	1		03/11/14 05:19	104-51-8	
sec-Butylbenzene	ND ug/L		5.0	1		03/11/14 05:19	135-98-8	
tert-Butylbenzene	ND ug/L		5.0	1		03/11/14 05:19	98-06-6	
Carbon tetrachloride	ND ug/L		5.0	1		03/11/14 05:19	56-23-5	
Chlorobenzene	ND ug/L		5.0	1		03/11/14 05:19	108-90-7	
Chloroethane	ND ug/L		10.0	1		03/11/14 05:19	75-00-3	
Chloroform	ND ug/L		5.0	1		03/11/14 05:19	67-66-3	
Chloromethane	ND ug/L		5.0	1		03/11/14 05:19	74-87-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

Sample: MW20-1	Lab ID: 92192150010	Collected: 03/05/14 15:40	Received: 03/06/14 10:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
2-Chlorotoluene	ND ug/L		5.0	1		03/11/14 05:19	95-49-8	
4-Chlorotoluene	ND ug/L		5.0	1		03/11/14 05:19	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		5.0	1		03/11/14 05:19	96-12-8	
Dibromochloromethane	ND ug/L		5.0	1		03/11/14 05:19	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		5.0	1		03/11/14 05:19	106-93-4	
Dibromomethane	ND ug/L		5.0	1		03/11/14 05:19	74-95-3	
1,2-Dichlorobenzene	ND ug/L		5.0	1		03/11/14 05:19	95-50-1	
1,3-Dichlorobenzene	ND ug/L		5.0	1		03/11/14 05:19	541-73-1	
1,4-Dichlorobenzene	ND ug/L		5.0	1		03/11/14 05:19	106-46-7	
Dichlorodifluoromethane	ND ug/L		5.0	1		03/11/14 05:19	75-71-8	
1,1-Dichloroethane	ND ug/L		5.0	1		03/11/14 05:19	75-34-3	
1,2-Dichloroethane	ND ug/L		5.0	1		03/11/14 05:19	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		5.0	1		03/11/14 05:19	540-59-0	
1,1-Dichloroethene	ND ug/L		5.0	1		03/11/14 05:19	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		5.0	1		03/11/14 05:19	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		5.0	1		03/11/14 05:19	156-60-5	
1,2-Dichloropropane	ND ug/L		5.0	1		03/11/14 05:19	78-87-5	
1,3-Dichloropropane	ND ug/L		5.0	1		03/11/14 05:19	142-28-9	
2,2-Dichloropropane	ND ug/L		5.0	1		03/11/14 05:19	594-20-7	
1,1-Dichloropropene	ND ug/L		5.0	1		03/11/14 05:19	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		5.0	1		03/11/14 05:19	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		5.0	1		03/11/14 05:19	10061-02-6	
Diisopropyl ether	ND ug/L		5.0	1		03/11/14 05:19	108-20-3	
Ethylbenzene	ND ug/L		5.0	1		03/11/14 05:19	100-41-4	
Hexachloro-1,3-butadiene	ND ug/L		5.0	1		03/11/14 05:19	87-68-3	
2-Hexanone	ND ug/L		10.0	1		03/11/14 05:19	591-78-6	
Isopropylbenzene (Cumene)	ND ug/L		5.0	1		03/11/14 05:19	98-82-8	
p-Isopropyltoluene	ND ug/L		5.0	1		03/11/14 05:19	99-87-6	
Methylene Chloride	ND ug/L		5.0	1		03/11/14 05:19	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/L		10.0	1		03/11/14 05:19	108-10-1	
Methyl-tert-butyl ether	ND ug/L		5.0	1		03/11/14 05:19	1634-04-4	
Naphthalene	ND ug/L		5.0	1		03/11/14 05:19	91-20-3	
n-Propylbenzene	ND ug/L		5.0	1		03/11/14 05:19	103-65-1	
Styrene	ND ug/L		5.0	1		03/11/14 05:19	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		5.0	1		03/11/14 05:19	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		5.0	1		03/11/14 05:19	79-34-5	
Tetrachloroethene	ND ug/L		5.0	1		03/11/14 05:19	127-18-4	
Toluene	ND ug/L		5.0	1		03/11/14 05:19	108-88-3	
1,2,3-Trichlorobenzene	ND ug/L		5.0	1		03/11/14 05:19	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		5.0	1		03/11/14 05:19	120-82-1	
1,1,1-Trichloroethane	ND ug/L		5.0	1		03/11/14 05:19	71-55-6	
1,1,2-Trichloroethane	ND ug/L		5.0	1		03/11/14 05:19	79-00-5	
Trichloroethene	ND ug/L		5.0	1		03/11/14 05:19	79-01-6	
Trichlorofluoromethane	ND ug/L		10.0	1		03/11/14 05:19	75-69-4	
1,2,3-Trichloropropane	ND ug/L		5.0	1		03/11/14 05:19	96-18-4	
1,2,4-Trimethylbenzene	ND ug/L		5.0	1		03/11/14 05:19	95-63-6	
1,3,5-Trimethylbenzene	ND ug/L		5.0	1		03/11/14 05:19	108-67-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

Sample: MW20-1	Lab ID: 92192150010	Collected: 03/05/14 15:40	Received: 03/06/14 10:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Vinyl acetate	ND ug/L		10.0	1		03/11/14 05:19	108-05-4	
Vinyl chloride	ND ug/L		5.0	1		03/11/14 05:19	75-01-4	
m&p-Xylene	ND ug/L		10.0	1		03/11/14 05:19	179601-23-1	
o-Xylene	ND ug/L		5.0	1		03/11/14 05:19	95-47-6	
Surrogates								
4-Bromofluorobenzene (S)	101 %		70-130	1		03/11/14 05:19	460-00-4	
1,2-Dichloroethane-d4 (S)	88 %		70-130	1		03/11/14 05:19	17060-07-0	
Toluene-d8 (S)	99 %		70-130	1		03/11/14 05:19	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

Sample: MW20-3	Lab ID: 92192150011	Collected: 03/05/14 15:25	Received: 03/06/14 10:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic	Analytical Method: EPA 8270 Preparation Method: EPA 3510							
Acenaphthene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	83-32-9	
Acenaphthylene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	208-96-8	
Aniline	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	62-53-3	
Anthracene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	120-12-7	
Benzo(a)anthracene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	56-55-3	
Benzo(a)pyrene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	50-32-8	
Benzo(b)fluoranthene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	205-99-2	
Benzo(g,h,i)perylene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	191-24-2	
Benzo(k)fluoranthene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	207-08-9	
Benzoic Acid	ND ug/L		50.0	1	03/10/14 14:20	03/13/14 01:16	65-85-0	
Benzyl alcohol	ND ug/L		20.0	1	03/10/14 14:20	03/13/14 01:16	100-51-6	
4-Bromophenylphenyl ether	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	101-55-3	
Butylbenzylphthalate	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	85-68-7	
4-Chloro-3-methylphenol	ND ug/L		20.0	1	03/10/14 14:20	03/13/14 01:16	59-50-7	
4-Chloroaniline	ND ug/L		20.0	1	03/10/14 14:20	03/13/14 01:16	106-47-8	
bis(2-Chloroethoxy)methane	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	111-91-1	
bis(2-Chloroethyl) ether	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	111-44-4	
bis(2-Chloroisopropyl) ether	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	108-60-1	
2-Chloronaphthalene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	91-58-7	
2-Chlorophenol	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	95-57-8	
4-Chlorophenylphenyl ether	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	7005-72-3	
Chrysene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	218-01-9	
Dibenz(a,h)anthracene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	53-70-3	
Dibenzofuran	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	132-64-9	
1,2-Dichlorobenzene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	95-50-1	
1,3-Dichlorobenzene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	541-73-1	
1,4-Dichlorobenzene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	106-46-7	
3,3'-Dichlorobenzidine	ND ug/L		20.0	1	03/10/14 14:20	03/13/14 01:16	91-94-1	
2,4-Dichlorophenol	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	120-83-2	
Diethylphthalate	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	84-66-2	
2,4-Dimethylphenol	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	105-67-9	
Dimethylphthalate	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	131-11-3	
Di-n-butylphthalate	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	84-74-2	
4,6-Dinitro-2-methylphenol	ND ug/L		20.0	1	03/10/14 14:20	03/13/14 01:16	534-52-1	
2,4-Dinitrophenol	ND ug/L		50.0	1	03/10/14 14:20	03/13/14 01:16	51-28-5	
2,4-Dinitrotoluene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	121-14-2	
2,6-Dinitrotoluene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	606-20-2	
Di-n-octylphthalate	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	117-84-0	
bis(2-Ethylhexyl)phthalate	ND ug/L		6.0	1	03/10/14 14:20	03/13/14 01:16	117-81-7	
Fluoranthene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	206-44-0	
Fluorene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	86-73-7	
Hexachloro-1,3-butadiene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	87-68-3	
Hexachlorobenzene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	118-74-1	
Hexachlorocyclopentadiene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	77-47-4	
Hexachloroethane	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	67-72-1	
Indeno(1,2,3-cd)pyrene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	193-39-5	
Isophorone	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	78-59-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

Sample: MW20-3	Lab ID: 92192150011	Collected: 03/05/14 15:25	Received: 03/06/14 10:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic	Analytical Method: EPA 8270 Preparation Method: EPA 3510							
1-Methylnaphthalene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	90-12-0	
2-Methylnaphthalene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	91-57-6	
2-Methylphenol(o-Cresol)	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	95-48-7	
3&4-Methylphenol(m&p Cresol)	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16		
Naphthalene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	91-20-3	
2-Nitroaniline	ND ug/L		50.0	1	03/10/14 14:20	03/13/14 01:16	88-74-4	
3-Nitroaniline	ND ug/L		50.0	1	03/10/14 14:20	03/13/14 01:16	99-09-2	
4-Nitroaniline	ND ug/L		20.0	1	03/10/14 14:20	03/13/14 01:16	100-01-6	
Nitrobenzene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	98-95-3	
2-Nitrophenol	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	88-75-5	
4-Nitrophenol	ND ug/L		50.0	1	03/10/14 14:20	03/13/14 01:16	100-02-7	
N-Nitrosodimethylamine	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	62-75-9	
N-Nitroso-di-n-propylamine	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	621-64-7	
N-Nitrosodiphenylamine	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	86-30-6	
Pentachlorophenol	ND ug/L		25.0	1	03/10/14 14:20	03/13/14 01:16	87-86-5	
Phenanthrone	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	85-01-8	
Phenol	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	108-95-2	
Pyrene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	129-00-0	
1,2,4-Trichlorobenzene	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	120-82-1	
2,4,5-Trichlorophenol	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	95-95-4	
2,4,6-Trichlorophenol	ND ug/L		10.0	1	03/10/14 14:20	03/13/14 01:16	88-06-2	
Surrogates								
Nitrobenzene-d5 (S)	70 %		21-110	1	03/10/14 14:20	03/13/14 01:16	4165-60-0	
2-Fluorobiphenyl (S)	71 %		27-110	1	03/10/14 14:20	03/13/14 01:16	321-60-8	
Terphenyl-d14 (S)	90 %		31-107	1	03/10/14 14:20	03/13/14 01:16	1718-51-0	
Phenol-d6 (S)	28 %		10-110	1	03/10/14 14:20	03/13/14 01:16	13127-88-3	
2-Fluorophenol (S)	39 %		12-110	1	03/10/14 14:20	03/13/14 01:16	367-12-4	
2,4,6-Tribromophenol (S)	82 %		27-110	1	03/10/14 14:20	03/13/14 01:16	118-79-6	
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND ug/L		25.0	1		03/17/14 15:30	67-64-1	
Benzene	ND ug/L		5.0	1		03/17/14 15:30	71-43-2	
Bromobenzene	ND ug/L		5.0	1		03/17/14 15:30	108-86-1	
Bromochloromethane	ND ug/L		5.0	1		03/17/14 15:30	74-97-5	
Bromodichloromethane	ND ug/L		5.0	1		03/17/14 15:30	75-27-4	
Bromoform	ND ug/L		5.0	1		03/17/14 15:30	75-25-2	
Bromomethane	ND ug/L		10.0	1		03/17/14 15:30	74-83-9	
2-Butanone (MEK)	ND ug/L		10.0	1		03/17/14 15:30	78-93-3	
tert-Butyl Alcohol	ND ug/L		100	1		03/17/14 15:30	75-65-0	
n-Butylbenzene	ND ug/L		5.0	1		03/17/14 15:30	104-51-8	
sec-Butylbenzene	ND ug/L		5.0	1		03/17/14 15:30	135-98-8	
tert-Butylbenzene	ND ug/L		5.0	1		03/17/14 15:30	98-06-6	
Carbon tetrachloride	ND ug/L		5.0	1		03/17/14 15:30	56-23-5	
Chlorobenzene	ND ug/L		5.0	1		03/17/14 15:30	108-90-7	
Chloroethane	ND ug/L		10.0	1		03/17/14 15:30	75-00-3	
Chloroform	ND ug/L		5.0	1		03/17/14 15:30	67-66-3	
Chloromethane	ND ug/L		5.0	1		03/17/14 15:30	74-87-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

Sample: MW20-3	Lab ID: 92192150011	Collected: 03/05/14 15:25	Received: 03/06/14 10:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
2-Chlorotoluene	ND ug/L		5.0	1		03/17/14 15:30	95-49-8	
4-Chlorotoluene	ND ug/L		5.0	1		03/17/14 15:30	106-43-4	
1,2-Dibromo-3-chloropropane	ND ug/L		5.0	1		03/17/14 15:30	96-12-8	
Dibromochloromethane	ND ug/L		5.0	1		03/17/14 15:30	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		5.0	1		03/17/14 15:30	106-93-4	
Dibromomethane	ND ug/L		5.0	1		03/17/14 15:30	74-95-3	
1,2-Dichlorobenzene	ND ug/L		5.0	1		03/17/14 15:30	95-50-1	
1,3-Dichlorobenzene	ND ug/L		5.0	1		03/17/14 15:30	541-73-1	
1,4-Dichlorobenzene	ND ug/L		5.0	1		03/17/14 15:30	106-46-7	
Dichlorodifluoromethane	ND ug/L		5.0	1		03/17/14 15:30	75-71-8	
1,1-Dichloroethane	ND ug/L		5.0	1		03/17/14 15:30	75-34-3	
1,2-Dichloroethane	ND ug/L		5.0	1		03/17/14 15:30	107-06-2	
1,2-Dichloroethene (Total)	ND ug/L		5.0	1		03/17/14 15:30	540-59-0	
1,1-Dichloroethene	ND ug/L		5.0	1		03/17/14 15:30	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		5.0	1		03/17/14 15:30	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		5.0	1		03/17/14 15:30	156-60-5	
1,2-Dichloropropane	ND ug/L		5.0	1		03/17/14 15:30	78-87-5	
1,3-Dichloropropane	ND ug/L		5.0	1		03/17/14 15:30	142-28-9	
2,2-Dichloropropane	ND ug/L		5.0	1		03/17/14 15:30	594-20-7	
1,1-Dichloropropene	ND ug/L		5.0	1		03/17/14 15:30	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		5.0	1		03/17/14 15:30	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		5.0	1		03/17/14 15:30	10061-02-6	
Diisopropyl ether	ND ug/L		5.0	1		03/17/14 15:30	108-20-3	
Ethylbenzene	ND ug/L		5.0	1		03/17/14 15:30	100-41-4	
Hexachloro-1,3-butadiene	ND ug/L		5.0	1		03/17/14 15:30	87-68-3	
2-Hexanone	ND ug/L		10.0	1		03/17/14 15:30	591-78-6	
Isopropylbenzene (Cumene)	ND ug/L		5.0	1		03/17/14 15:30	98-82-8	
p-Isopropyltoluene	ND ug/L		5.0	1		03/17/14 15:30	99-87-6	
Methylene Chloride	ND ug/L		5.0	1		03/17/14 15:30	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/L		10.0	1		03/17/14 15:30	108-10-1	
Methyl-tert-butyl ether	18.5 ug/L		5.0	1		03/17/14 15:30	1634-04-4	
Naphthalene	ND ug/L		5.0	1		03/17/14 15:30	91-20-3	
n-Propylbenzene	ND ug/L		5.0	1		03/17/14 15:30	103-65-1	
Styrene	ND ug/L		5.0	1		03/17/14 15:30	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		5.0	1		03/17/14 15:30	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		5.0	1		03/17/14 15:30	79-34-5	
Tetrachloroethene	ND ug/L		5.0	1		03/17/14 15:30	127-18-4	
Toluene	ND ug/L		5.0	1		03/17/14 15:30	108-88-3	
1,2,3-Trichlorobenzene	ND ug/L		5.0	1		03/17/14 15:30	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		5.0	1		03/17/14 15:30	120-82-1	
1,1,1-Trichloroethane	ND ug/L		5.0	1		03/17/14 15:30	71-55-6	
1,1,2-Trichloroethane	ND ug/L		5.0	1		03/17/14 15:30	79-00-5	
Trichloroethene	ND ug/L		5.0	1		03/17/14 15:30	79-01-6	
Trichlorofluoromethane	ND ug/L		10.0	1		03/17/14 15:30	75-69-4	
1,2,3-Trichloropropane	ND ug/L		5.0	1		03/17/14 15:30	96-18-4	
1,2,4-Trimethylbenzene	ND ug/L		5.0	1		03/17/14 15:30	95-63-6	
1,3,5-Trimethylbenzene	ND ug/L		5.0	1		03/17/14 15:30	108-67-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

Sample: MW20-3	Lab ID: 92192150011	Collected: 03/05/14 15:25	Received: 03/06/14 10:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Vinyl acetate	ND ug/L		10.0	1		03/17/14 15:30	108-05-4	
Vinyl chloride	ND ug/L		5.0	1		03/17/14 15:30	75-01-4	
m&p-Xylene	ND ug/L		10.0	1		03/17/14 15:30	179601-23-1	
o-Xylene	ND ug/L		5.0	1		03/17/14 15:30	95-47-6	
Surrogates								
4-Bromofluorobenzene (S)	98 %		70-130	1		03/17/14 15:30	460-00-4	
1,2-Dichloroethane-d4 (S)	110 %		70-130	1		03/17/14 15:30	17060-07-0	
Toluene-d8 (S)	100 %		70-130	1		03/17/14 15:30	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

QC Batch:	MSV/26036	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
Associated Lab Samples:	92192150010		

METHOD BLANK: 1153959 Matrix: Water

Associated Lab Samples: 92192150010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	03/11/14 04:01	
1,1,1-Trichloroethane	ug/L	ND	5.0	03/11/14 04:01	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	03/11/14 04:01	
1,1,2-Trichloroethane	ug/L	ND	5.0	03/11/14 04:01	
1,1-Dichloroethane	ug/L	ND	5.0	03/11/14 04:01	
1,1-Dichloroethene	ug/L	ND	5.0	03/11/14 04:01	
1,1-Dichloropropene	ug/L	ND	5.0	03/11/14 04:01	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	03/11/14 04:01	
1,2,3-Trichloropropane	ug/L	ND	5.0	03/11/14 04:01	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	03/11/14 04:01	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	03/11/14 04:01	
1,2-Dibromo-3-chloropropane	ug/L	ND	5.0	03/11/14 04:01	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	03/11/14 04:01	
1,2-Dichlorobenzene	ug/L	ND	5.0	03/11/14 04:01	
1,2-Dichloroethane	ug/L	ND	5.0	03/11/14 04:01	
1,2-Dichloroethene (Total)	ug/L	ND	5.0	03/11/14 04:01	
1,2-Dichloropropane	ug/L	ND	5.0	03/11/14 04:01	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	03/11/14 04:01	
1,3-Dichlorobenzene	ug/L	ND	5.0	03/11/14 04:01	
1,3-Dichloropropane	ug/L	ND	5.0	03/11/14 04:01	
1,4-Dichlorobenzene	ug/L	ND	5.0	03/11/14 04:01	
2,2-Dichloropropane	ug/L	ND	5.0	03/11/14 04:01	
2-Butanone (MEK)	ug/L	ND	10.0	03/11/14 04:01	
2-Chlorotoluene	ug/L	ND	5.0	03/11/14 04:01	
2-Hexanone	ug/L	ND	10.0	03/11/14 04:01	
4-Chlorotoluene	ug/L	ND	5.0	03/11/14 04:01	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	10.0	03/11/14 04:01	
Acetone	ug/L	ND	25.0	03/11/14 04:01	
Benzene	ug/L	ND	5.0	03/11/14 04:01	
Bromobenzene	ug/L	ND	5.0	03/11/14 04:01	
Bromochloromethane	ug/L	ND	5.0	03/11/14 04:01	
Bromodichloromethane	ug/L	ND	5.0	03/11/14 04:01	
Bromoform	ug/L	ND	5.0	03/11/14 04:01	
Bromomethane	ug/L	ND	10.0	03/11/14 04:01	
Carbon tetrachloride	ug/L	ND	5.0	03/11/14 04:01	
Chlorobenzene	ug/L	ND	5.0	03/11/14 04:01	
Chloroethane	ug/L	ND	10.0	03/11/14 04:01	
Chloroform	ug/L	ND	5.0	03/11/14 04:01	
Chloromethane	ug/L	ND	5.0	03/11/14 04:01	
cis-1,2-Dichloroethene	ug/L	ND	5.0	03/11/14 04:01	
cis-1,3-Dichloropropene	ug/L	ND	5.0	03/11/14 04:01	
Dibromochloromethane	ug/L	ND	5.0	03/11/14 04:01	
Dibromomethane	ug/L	ND	5.0	03/11/14 04:01	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

METHOD BLANK: 1153959

Matrix: Water

Associated Lab Samples: 92192150010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dichlorodifluoromethane	ug/L	ND	5.0	03/11/14 04:01	
Diisopropyl ether	ug/L	ND	5.0	03/11/14 04:01	
Ethylbenzene	ug/L	ND	5.0	03/11/14 04:01	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	03/11/14 04:01	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	03/11/14 04:01	
m&p-Xylene	ug/L	ND	10.0	03/11/14 04:01	
Methyl-tert-butyl ether	ug/L	ND	5.0	03/11/14 04:01	
Methylene Chloride	ug/L	ND	5.0	03/11/14 04:01	
n-Butylbenzene	ug/L	ND	5.0	03/11/14 04:01	
n-Propylbenzene	ug/L	ND	5.0	03/11/14 04:01	
Naphthalene	ug/L	ND	5.0	03/11/14 04:01	
o-Xylene	ug/L	ND	5.0	03/11/14 04:01	
p-Isopropyltoluene	ug/L	ND	5.0	03/11/14 04:01	
sec-Butylbenzene	ug/L	ND	5.0	03/11/14 04:01	
Styrene	ug/L	ND	5.0	03/11/14 04:01	
tert-Butyl Alcohol	ug/L	ND	100	03/11/14 04:01	
tert-Butylbenzene	ug/L	ND	5.0	03/11/14 04:01	
Tetrachloroethene	ug/L	ND	5.0	03/11/14 04:01	
Toluene	ug/L	ND	5.0	03/11/14 04:01	
trans-1,2-Dichloroethene	ug/L	ND	5.0	03/11/14 04:01	
trans-1,3-Dichloropropene	ug/L	ND	5.0	03/11/14 04:01	
Trichloroethene	ug/L	ND	5.0	03/11/14 04:01	
Trichlorofluoromethane	ug/L	ND	10.0	03/11/14 04:01	
Vinyl acetate	ug/L	ND	10.0	03/11/14 04:01	
Vinyl chloride	ug/L	ND	5.0	03/11/14 04:01	
1,2-Dichloroethane-d4 (S)	%	91	70-130	03/11/14 04:01	
4-Bromofluorobenzene (S)	%	102	70-130	03/11/14 04:01	
Toluene-d8 (S)	%	99	70-130	03/11/14 04:01	

LABORATORY CONTROL SAMPLE: 1153960

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	51.8	104	70-130	
1,1,1-Trichloroethane	ug/L	50	47.8	96	70-137	
1,1,2,2-Tetrachloroethane	ug/L	50	51.4	103	70-130	
1,1,2-Trichloroethane	ug/L	50	53.3	107	70-130	
1,1-Dichloroethane	ug/L	50	47.4	95	70-137	
1,1-Dichloroethene	ug/L	50	45.3	91	70-138	
1,1-Dichloropropene	ug/L	50	49.3	99	70-130	
1,2,3-Trichlorobenzene	ug/L	50	39.8	80	70-143	
1,2,3-Trichloropropane	ug/L	50	52.9	106	70-130	
1,2,4-Trichlorobenzene	ug/L	50	41.4	83	70-138	
1,2,4-Trimethylbenzene	ug/L	50	50.4	101	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	46.7	93	68-134	
1,2-Dibromoethane (EDB)	ug/L	50	53.6	107	70-130	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

LABORATORY CONTROL SAMPLE: 1153960

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichlorobenzene	ug/L	50	50.5	101	70-130	
1,2-Dichloroethane	ug/L	50	44.9	90	70-133	
1,2-Dichloroethene (Total)	ug/L	100	91.3	91	70-130	
1,2-Dichloropropane	ug/L	50	50.2	100	70-130	
1,3,5-Trimethylbenzene	ug/L	50	51.1	102	70-130	
1,3-Dichlorobenzene	ug/L	50	49.4	99	70-130	
1,3-Dichloropropane	ug/L	50	51.1	102	70-130	
1,4-Dichlorobenzene	ug/L	50	50.0	100	70-130	
2,2-Dichloropropane	ug/L	50	43.9	88	61-142	
2-Butanone (MEK)	ug/L	100	99.8	100	63-150	
2-Chlorotoluene	ug/L	50	48.4	97	70-130	
2-Hexanone	ug/L	100	101	101	70-137	
4-Chlorotoluene	ug/L	50	50.3	101	70-130	
4-Methyl-2-pentanone (MIBK)	ug/L	100	99.8	100	70-134	
Acetone	ug/L	100	90.0	90	68-160	
Benzene	ug/L	50	51.4	103	70-130	
Bromobenzene	ug/L	50	50.6	101	70-130	
Bromochloromethane	ug/L	50	51.4	103	70-135	
Bromodichloromethane	ug/L	50	48.6	97	70-130	
Bromoform	ug/L	50	56.4	113	70-130	
Bromomethane	ug/L	50	41.9	84	63-130	
Carbon tetrachloride	ug/L	50	49.2	98	70-146	
Chlorobenzene	ug/L	50	51.2	102	70-130	
Chloroethane	ug/L	50	44.7	89	60-151	
Chloroform	ug/L	50	47.0	94	70-130	
Chloromethane	ug/L	50	41.5	83	65-133	
cis-1,2-Dichloroethene	ug/L	50	45.7	91	70-134	
cis-1,3-Dichloropropene	ug/L	50	50.0	100	70-130	
Dibromochloromethane	ug/L	50	52.7	105	70-130	
Dibromomethane	ug/L	50	54.1	108	70-130	
Dichlorodifluoromethane	ug/L	50	43.6	87	66-130	
Diisopropyl ether	ug/L	50	47.0	94	70-133	
Ethylbenzene	ug/L	50	49.3	99	70-130	
Hexachloro-1,3-butadiene	ug/L	50	43.9	88	58-151	
Isopropylbenzene (Cumene)	ug/L	50	51.4	103	70-130	
m&p-Xylene	ug/L	100	102	102	70-130	
Methyl-tert-butyl ether	ug/L	50	51.4	103	70-136	
Methylene Chloride	ug/L	50	42.5	85	70-130	
n-Butylbenzene	ug/L	50	48.0	96	70-130	
n-Propylbenzene	ug/L	50	51.3	103	70-130	
Naphthalene	ug/L	50	40.9	82	70-139	
o-Xylene	ug/L	50	50.9	102	70-130	
p-Isopropyltoluene	ug/L	50	50.0	100	70-130	
sec-Butylbenzene	ug/L	50	50.6	101	70-130	
Styrene	ug/L	50	53.4	107	70-130	
tert-Butyl Alcohol	ug/L	500	523	105	69-151	
tert-Butylbenzene	ug/L	50	50.7	101	70-130	
Tetrachloroethene	ug/L	50	51.8	104	70-130	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

LABORATORY CONTROL SAMPLE: 1153960

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Toluene	ug/L	50	50.3	101	70-130	
trans-1,2-Dichloroethene	ug/L	50	45.6	91	70-130	
trans-1,3-Dichloropropene	ug/L	50	50.8	102	70-130	
Trichloroethene	ug/L	50	51.0	102	70-130	
Trichlorofluoromethane	ug/L	50	46.8	94	70-130	
Vinyl acetate	ug/L	100	93.0	93	67-148	
Vinyl chloride	ug/L	50	48.3	97	67-133	
1,2-Dichloroethane-d4 (S)	%			89	70-130	
4-Bromofluorobenzene (S)	%			100	70-130	
Toluene-d8 (S)	%			99	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1154274 1154275

Parameter	Units	92192150010 Result	MS	MSD	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
			Spike Conc.	Spike Conc.							
1,1-Dichloroethene	ug/L	ND	50	50	45.9	48.0	92	96	65-160	4	
Benzene	ug/L	ND	50	50	50.7	53.9	101	108	58-162	6	
Chlorobenzene	ug/L	ND	50	50	50.1	53.5	100	107	70-138	6	
Toluene	ug/L	ND	50	50	47.8	51.6	96	103	65-152	8	
Trichloroethene	ug/L	ND	50	50	53.3	56.8	107	114	70-142	6	
1,2-Dichloroethane-d4 (S)	%						87	88	70-130		
4-Bromofluorobenzene (S)	%						102	102	70-130		
Toluene-d8 (S)	%						98	99	70-130		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

QC Batch:	MSV/26114	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
Associated Lab Samples:	92192150011		

METHOD BLANK: 1158705 Matrix: Water

Associated Lab Samples: 92192150011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	03/17/14 12:20	
1,1,1-Trichloroethane	ug/L	ND	5.0	03/17/14 12:20	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	03/17/14 12:20	
1,1,2-Trichloroethane	ug/L	ND	5.0	03/17/14 12:20	
1,1-Dichloroethane	ug/L	ND	5.0	03/17/14 12:20	
1,1-Dichloroethene	ug/L	ND	5.0	03/17/14 12:20	
1,1-Dichloropropene	ug/L	ND	5.0	03/17/14 12:20	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	03/17/14 12:20	
1,2,3-Trichloropropane	ug/L	ND	5.0	03/17/14 12:20	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	03/17/14 12:20	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	03/17/14 12:20	
1,2-Dibromo-3-chloropropane	ug/L	ND	5.0	03/17/14 12:20	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	03/17/14 12:20	
1,2-Dichlorobenzene	ug/L	ND	5.0	03/17/14 12:20	
1,2-Dichloroethane	ug/L	ND	5.0	03/17/14 12:20	
1,2-Dichloroethylene (Total)	ug/L	ND	5.0	03/17/14 12:20	
1,2-Dichloropropane	ug/L	ND	5.0	03/17/14 12:20	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	03/17/14 12:20	
1,3-Dichlorobenzene	ug/L	ND	5.0	03/17/14 12:20	
1,3-Dichloropropane	ug/L	ND	5.0	03/17/14 12:20	
1,4-Dichlorobenzene	ug/L	ND	5.0	03/17/14 12:20	
2,2-Dichloropropane	ug/L	ND	5.0	03/17/14 12:20	
2-Butanone (MEK)	ug/L	ND	10.0	03/17/14 12:20	
2-Chlorotoluene	ug/L	ND	5.0	03/17/14 12:20	
2-Hexanone	ug/L	ND	10.0	03/17/14 12:20	
4-Chlorotoluene	ug/L	ND	5.0	03/17/14 12:20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	10.0	03/17/14 12:20	
Acetone	ug/L	ND	25.0	03/17/14 12:20	
Benzene	ug/L	ND	5.0	03/17/14 12:20	
Bromobenzene	ug/L	ND	5.0	03/17/14 12:20	
Bromochloromethane	ug/L	ND	5.0	03/17/14 12:20	
Bromodichloromethane	ug/L	ND	5.0	03/17/14 12:20	
Bromoform	ug/L	ND	5.0	03/17/14 12:20	
Bromomethane	ug/L	ND	10.0	03/17/14 12:20	
Carbon tetrachloride	ug/L	ND	5.0	03/17/14 12:20	
Chlorobenzene	ug/L	ND	5.0	03/17/14 12:20	
Chloroethane	ug/L	ND	10.0	03/17/14 12:20	
Chloroform	ug/L	ND	5.0	03/17/14 12:20	
Chloromethane	ug/L	ND	5.0	03/17/14 12:20	
cis-1,2-Dichloroethene	ug/L	ND	5.0	03/17/14 12:20	
cis-1,3-Dichloropropene	ug/L	ND	5.0	03/17/14 12:20	
Dibromochloromethane	ug/L	ND	5.0	03/17/14 12:20	
Dibromomethane	ug/L	ND	5.0	03/17/14 12:20	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

METHOD BLANK: 1158705

Matrix: Water

Associated Lab Samples: 92192150011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dichlorodifluoromethane	ug/L	ND	5.0	03/17/14 12:20	
Diisopropyl ether	ug/L	ND	5.0	03/17/14 12:20	
Ethylbenzene	ug/L	ND	5.0	03/17/14 12:20	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	03/17/14 12:20	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	03/17/14 12:20	
m&p-Xylene	ug/L	ND	10.0	03/17/14 12:20	
Methyl-tert-butyl ether	ug/L	ND	5.0	03/17/14 12:20	
Methylene Chloride	ug/L	ND	5.0	03/17/14 12:20	
n-Butylbenzene	ug/L	ND	5.0	03/17/14 12:20	
n-Propylbenzene	ug/L	ND	5.0	03/17/14 12:20	
Naphthalene	ug/L	ND	5.0	03/17/14 12:20	
o-Xylene	ug/L	ND	5.0	03/17/14 12:20	
p-Isopropyltoluene	ug/L	ND	5.0	03/17/14 12:20	
sec-Butylbenzene	ug/L	ND	5.0	03/17/14 12:20	
Styrene	ug/L	ND	5.0	03/17/14 12:20	
tert-Butyl Alcohol	ug/L	ND	100	03/17/14 12:20	
tert-Butylbenzene	ug/L	ND	5.0	03/17/14 12:20	
Tetrachloroethene	ug/L	ND	5.0	03/17/14 12:20	
Toluene	ug/L	ND	5.0	03/17/14 12:20	
trans-1,2-Dichloroethene	ug/L	ND	5.0	03/17/14 12:20	
trans-1,3-Dichloropropene	ug/L	ND	5.0	03/17/14 12:20	
Trichloroethene	ug/L	ND	5.0	03/17/14 12:20	
Trichlorofluoromethane	ug/L	ND	10.0	03/17/14 12:20	
Vinyl acetate	ug/L	ND	10.0	03/17/14 12:20	
Vinyl chloride	ug/L	ND	5.0	03/17/14 12:20	
1,2-Dichloroethane-d4 (S)	%	108	70-130	03/17/14 12:20	
4-Bromofluorobenzene (S)	%	98	70-130	03/17/14 12:20	
Toluene-d8 (S)	%	100	70-130	03/17/14 12:20	

LABORATORY CONTROL SAMPLE: 1158706

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	50.2	100	70-130	
1,1,1-Trichloroethane	ug/L	50	50.3	101	70-137	
1,1,2,2-Tetrachloroethane	ug/L	50	50.9	102	70-130	
1,1,2-Trichloroethane	ug/L	50	51.6	103	70-130	
1,1-Dichloroethane	ug/L	50	49.1	98	70-137	
1,1-Dichloroethene	ug/L	50	48.7	97	70-138	
1,1-Dichloropropene	ug/L	50	52.3	105	70-130	
1,2,3-Trichlorobenzene	ug/L	50	52.3	105	70-143	
1,2,3-Trichloropropane	ug/L	50	49.4	99	70-130	
1,2,4-Trichlorobenzene	ug/L	50	51.5	103	70-138	
1,2,4-Trimethylbenzene	ug/L	50	54.3	109	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	54.7	109	68-134	
1,2-Dibromoethane (EDB)	ug/L	50	48.4	97	70-130	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

LABORATORY CONTROL SAMPLE: 1158706

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichlorobenzene	ug/L	50	51.5	103	70-130	
1,2-Dichloroethane	ug/L	50	49.7	99	70-133	
1,2-Dichloroethene (Total)	ug/L	100	96.1	96	70-130	
1,2-Dichloropropane	ug/L	50	49.5	99	70-130	
1,3,5-Trimethylbenzene	ug/L	50	51.3	103	70-130	
1,3-Dichlorobenzene	ug/L	50	50.5	101	70-130	
1,3-Dichloropropane	ug/L	50	49.3	99	70-130	
1,4-Dichlorobenzene	ug/L	50	50.5	101	70-130	
2,2-Dichloropropane	ug/L	50	53.6	107	61-142	
2-Butanone (MEK)	ug/L	100	104	104	63-150	
2-Chlorotoluene	ug/L	50	49.9	100	70-130	
2-Hexanone	ug/L	100	101	101	70-137	
4-Chlorotoluene	ug/L	50	51.6	103	70-130	
4-Methyl-2-pentanone (MIBK)	ug/L	100	103	103	70-134	
Acetone	ug/L	100	93.5	93	68-160	
Benzene	ug/L	50	49.0	98	70-130	
Bromobenzene	ug/L	50	51.9	104	70-130	
Bromochloromethane	ug/L	50	46.2	92	70-135	
Bromodichloromethane	ug/L	50	50.5	101	70-130	
Bromoform	ug/L	50	51.7	103	70-130	
Bromomethane	ug/L	50	53.7	107	63-130	
Carbon tetrachloride	ug/L	50	50.6	101	70-146	
Chlorobenzene	ug/L	50	47.6	95	70-130	
Chloroethane	ug/L	50	39.6	79	60-151	
Chloroform	ug/L	50	50.1	100	70-130	
Chloromethane	ug/L	50	50.5	101	65-133	
cis-1,2-Dichloroethene	ug/L	50	48.5	97	70-134	
cis-1,3-Dichloropropene	ug/L	50	51.0	102	70-130	
Dibromochloromethane	ug/L	50	51.8	104	70-130	
Dibromomethane	ug/L	50	50.3	101	70-130	
Dichlorodifluoromethane	ug/L	50	63.2	126	66-130 F3	
Diisopropyl ether	ug/L	50	52.3	105	70-133	
Ethylbenzene	ug/L	50	47.5	95	70-130	
Hexachloro-1,3-butadiene	ug/L	50	53.9	108	58-151	
Isopropylbenzene (Cumene)	ug/L	50	49.8	100	70-130	
m&p-Xylene	ug/L	100	98.3	98	70-130	
Methyl-tert-butyl ether	ug/L	50	52.8	106	70-136	
Methylene Chloride	ug/L	50	47.6	95	70-130	
n-Butylbenzene	ug/L	50	53.0	106	70-130	
n-Propylbenzene	ug/L	50	52.5	105	70-130	
Naphthalene	ug/L	50	53.7	107	70-139	
o-Xylene	ug/L	50	49.3	99	70-130	
p-Isopropyltoluene	ug/L	50	54.7	109	70-130	
sec-Butylbenzene	ug/L	50	52.6	105	70-130	
Styrene	ug/L	50	50.1	100	70-130	
tert-Butyl Alcohol	ug/L	500	562	112	69-151	
tert-Butylbenzene	ug/L	50	53.5	107	70-130	
Tetrachloroethene	ug/L	50	49.6	99	70-130	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS:39999.1.1 JACKSON CO
Pace Project No.: 92192150

LABORATORY CONTROL SAMPLE: 1158706

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Toluene	ug/L	50	49.2	98	70-130	
trans-1,2-Dichloroethene	ug/L	50	47.6	95	70-130	
trans-1,3-Dichloropropene	ug/L	50	51.8	104	70-130	
Trichloroethene	ug/L	50	47.4	95	70-130	
Trichlorofluoromethane	ug/L	50	51.3	103	70-130	
Vinyl acetate	ug/L	100	143	143	67-148 F3	
Vinyl chloride	ug/L	50	57.6	115	67-133	
1,2-Dichloroethane-d4 (S)	%			110	70-130	
4-Bromofluorobenzene (S)	%			96	70-130	
Toluene-d8 (S)	%			99	70-130	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

QC Batch: MSV/26042

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV 5035A Volatile Organics

Associated Lab Samples: 92192150001, 92192150002, 92192150003, 92192150004, 92192150005, 92192150006, 92192150007,
92192150008, 92192150009

METHOD BLANK: 1154359

Matrix: Solid

Associated Lab Samples: 92192150001, 92192150002, 92192150003, 92192150004, 92192150005, 92192150006, 92192150007,
92192150008, 92192150009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	ND	4.7	03/11/14 17:36	
1,1,1-Trichloroethane	ug/kg	ND	4.7	03/11/14 17:36	
1,1,2,2-Tetrachloroethane	ug/kg	ND	4.7	03/11/14 17:36	
1,1,2-Trichloroethane	ug/kg	ND	4.7	03/11/14 17:36	
1,1-Dichloroethane	ug/kg	ND	4.7	03/11/14 17:36	
1,1-Dichloroethene	ug/kg	ND	4.7	03/11/14 17:36	
1,1-Dichloropropene	ug/kg	ND	4.7	03/11/14 17:36	
1,2,3-Trichlorobenzene	ug/kg	ND	4.7	03/11/14 17:36	
1,2,3-Trichloropropane	ug/kg	ND	4.7	03/11/14 17:36	
1,2,4-Trichlorobenzene	ug/kg	ND	4.7	03/11/14 17:36	
1,2,4-Trimethylbenzene	ug/kg	ND	4.7	03/11/14 17:36	
1,2-Dibromo-3-chloropropane	ug/kg	ND	4.7	03/11/14 17:36	
1,2-Dibromoethane (EDB)	ug/kg	ND	4.7	03/11/14 17:36	
1,2-Dichlorobenzene	ug/kg	ND	4.7	03/11/14 17:36	
1,2-Dichloroethane	ug/kg	ND	4.7	03/11/14 17:36	
1,2-Dichloropropane	ug/kg	ND	4.7	03/11/14 17:36	
1,3,5-Trimethylbenzene	ug/kg	ND	4.7	03/11/14 17:36	
1,3-Dichlorobenzene	ug/kg	ND	4.7	03/11/14 17:36	
1,3-Dichloropropane	ug/kg	ND	4.7	03/11/14 17:36	
1,4-Dichlorobenzene	ug/kg	ND	4.7	03/11/14 17:36	
2,2-Dichloropropane	ug/kg	ND	4.7	03/11/14 17:36	
2-Butanone (MEK)	ug/kg	ND	94.9	03/11/14 17:36	
2-Chlorotoluene	ug/kg	ND	4.7	03/11/14 17:36	
2-Hexanone	ug/kg	ND	47.4	03/11/14 17:36	
4-Chlorotoluene	ug/kg	ND	4.7	03/11/14 17:36	
4-Methyl-2-pentanone (MIBK)	ug/kg	ND	47.4	03/11/14 17:36	
Acetone	ug/kg	ND	94.9	03/11/14 17:36	
Benzene	ug/kg	ND	4.7	03/11/14 17:36	
Bromobenzene	ug/kg	ND	4.7	03/11/14 17:36	
Bromochloromethane	ug/kg	ND	4.7	03/11/14 17:36	
Bromodichloromethane	ug/kg	ND	4.7	03/11/14 17:36	
Bromoform	ug/kg	ND	4.7	03/11/14 17:36	
Bromomethane	ug/kg	ND	9.5	03/11/14 17:36	
Carbon tetrachloride	ug/kg	ND	4.7	03/11/14 17:36	
Chlorobenzene	ug/kg	ND	4.7	03/11/14 17:36	
Chloroethane	ug/kg	ND	9.5	03/11/14 17:36	
Chloroform	ug/kg	ND	4.7	03/11/14 17:36	
Chloromethane	ug/kg	ND	9.5	03/11/14 17:36	
cis-1,2-Dichloroethene	ug/kg	ND	4.7	03/11/14 17:36	
cis-1,3-Dichloropropene	ug/kg	ND	4.7	03/11/14 17:36	
Dibromochloromethane	ug/kg	ND	4.7	03/11/14 17:36	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

METHOD BLANK: 1154359 Matrix: Solid

Associated Lab Samples: 92192150001, 92192150002, 92192150003, 92192150004, 92192150005, 92192150006, 92192150007,
92192150008, 92192150009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/kg	ND	4.7	03/11/14 17:36	
Dichlorodifluoromethane	ug/kg	ND	9.5	03/11/14 17:36	
Diisopropyl ether	ug/kg	ND	4.7	03/11/14 17:36	
Ethylbenzene	ug/kg	ND	4.7	03/11/14 17:36	
Hexachloro-1,3-butadiene	ug/kg	ND	4.7	03/11/14 17:36	
Isopropylbenzene (Cumene)	ug/kg	ND	4.7	03/11/14 17:36	
m&p-Xylene	ug/kg	ND	9.5	03/11/14 17:36	
Methyl-tert-butyl ether	ug/kg	ND	4.7	03/11/14 17:36	
Methylene Chloride	ug/kg	ND	19.0	03/11/14 17:36	
n-Butylbenzene	ug/kg	ND	4.7	03/11/14 17:36	
n-Propylbenzene	ug/kg	ND	4.7	03/11/14 17:36	
Naphthalene	ug/kg	ND	4.7	03/11/14 17:36	
o-Xylene	ug/kg	ND	4.7	03/11/14 17:36	
p-Isopropyltoluene	ug/kg	ND	4.7	03/11/14 17:36	
sec-Butylbenzene	ug/kg	ND	4.7	03/11/14 17:36	
Styrene	ug/kg	ND	4.7	03/11/14 17:36	
tert-Butylbenzene	ug/kg	ND	4.7	03/11/14 17:36	
Tetrachloroethene	ug/kg	ND	4.7	03/11/14 17:36	
Toluene	ug/kg	ND	4.7	03/11/14 17:36	
trans-1,2-Dichloroethene	ug/kg	ND	4.7	03/11/14 17:36	
trans-1,3-Dichloropropene	ug/kg	ND	4.7	03/11/14 17:36	
Trichloroethene	ug/kg	ND	4.7	03/11/14 17:36	
Trichlorofluoromethane	ug/kg	ND	4.7	03/11/14 17:36	
Vinyl acetate	ug/kg	ND	47.4	03/11/14 17:36	
Vinyl chloride	ug/kg	ND	9.5	03/11/14 17:36	
Xylene (Total)	ug/kg	ND	9.5	03/11/14 17:36	
1,2-Dichloroethane-d4 (S)	%	123	70-132	03/11/14 17:36	
4-Bromofluorobenzene (S)	%	95	70-130	03/11/14 17:36	
Toluene-d8 (S)	%	98	70-130	03/11/14 17:36	

LABORATORY CONTROL SAMPLE: 1154360

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	50.6	52.8	104	70-131	
1,1,1-Trichloroethane	ug/kg	50.6	49.2	97	70-141	
1,1,2,2-Tetrachloroethane	ug/kg	50.6	55.6	110	70-130	
1,1,2-Trichloroethane	ug/kg	50.6	52.3	103	70-132	
1,1-Dichloroethane	ug/kg	50.6	50.9	101	70-143	
1,1-Dichloroethene	ug/kg	50.6	50.7	100	70-137	
1,1-Dichloropropene	ug/kg	50.6	53.1	105	70-135	
1,2,3-Trichlorobenzene	ug/kg	50.6	52.7	104	69-153	
1,2,3-Trichloropropane	ug/kg	50.6	54.1	107	70-130	
1,2,4-Trichlorobenzene	ug/kg	50.6	52.2	103	55-171	
1,2,4-Trimethylbenzene	ug/kg	50.6	52.6	104	70-149	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

LABORATORY CONTROL SAMPLE: 1154360

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dibromo-3-chloropropane	ug/kg	50.6	57.7	114	68-141	
1,2-Dibromoethane (EDB)	ug/kg	50.6	55.7	110	70-130	
1,2-Dichlorobenzene	ug/kg	50.6	54.0	107	70-140	
1,2-Dichloroethane	ug/kg	50.6	56.5	112	70-137	
1,2-Dichloropropane	ug/kg	50.6	51.2	101	70-133	
1,3,5-Trimethylbenzene	ug/kg	50.6	52.2	103	70-143	
1,3-Dichlorobenzene	ug/kg	50.6	50.4	100	70-144	
1,3-Dichloropropane	ug/kg	50.6	56.1	111	70-132	
1,4-Dichlorobenzene	ug/kg	50.6	52.5	104	70-142	
2,2-Dichloropropane	ug/kg	50.6	52.5	104	68-152	
2-Butanone (MEK)	ug/kg	101	131	130	70-149	
2-Chlorotoluene	ug/kg	50.6	53.1	105	70-141	
2-Hexanone	ug/kg	101	123	122	70-149	
4-Chlorotoluene	ug/kg	50.6	53.2	105	70-149	
4-Methyl-2-pentanone (MIBK)	ug/kg	101	120	119	70-153	
Acetone	ug/kg	101	131	129	70-157	
Benzene	ug/kg	50.6	50.0	99	70-130	
Bromobenzene	ug/kg	50.6	56.1	111	70-141	
Bromochloromethane	ug/kg	50.6	52.0	103	70-149	
Bromodichloromethane	ug/kg	50.6	49.6	98	70-130	
Bromoform	ug/kg	50.6	53.6	106	70-131	
Bromomethane	ug/kg	50.6	49.1	97	64-136	
Carbon tetrachloride	ug/kg	50.6	47.1	93	70-154	
Chlorobenzene	ug/kg	50.6	52.4	104	70-135	
Chloroethane	ug/kg	50.6	54.4	108	68-151	
Chloroform	ug/kg	50.6	51.2	101	70-130	
Chloromethane	ug/kg	50.6	57.0	113	70-132	
cis-1,2-Dichloroethene	ug/kg	50.6	55.2	109	70-140	
cis-1,3-Dichloropropene	ug/kg	50.6	49.6	98	70-137	
Dibromochloromethane	ug/kg	50.6	52.2	103	70-130	
Dibromomethane	ug/kg	50.6	54.0	107	70-136	
Dichlorodifluoromethane	ug/kg	50.6	49.0	97	36-148	
Diisopropyl ether	ug/kg	50.6	54.4	108	70-139	
Ethylbenzene	ug/kg	50.6	52.2	103	70-137	
Hexachloro-1,3-butadiene	ug/kg	50.6	48.1	95	70-145	
Isopropylbenzene (Cumene)	ug/kg	50.6	52.3	103	70-141	
m&p-Xylene	ug/kg	101	106	104	70-140	
Methyl-tert-butyl ether	ug/kg	50.6	53.2	105	45-150	
Methylene Chloride	ug/kg	50.6	67.4	133	70-133	
n-Butylbenzene	ug/kg	50.6	53.5	106	65-155	
n-Propylbenzene	ug/kg	50.6	55.0	109	70-148	
Naphthalene	ug/kg	50.6	59.9	118	70-148	
o-Xylene	ug/kg	50.6	52.3	103	70-141	
p-Isopropyltoluene	ug/kg	50.6	51.4	101	70-148	
sec-Butylbenzene	ug/kg	50.6	54.1	107	70-145	
Styrene	ug/kg	50.6	52.4	104	70-138	
tert-Butylbenzene	ug/kg	50.6	55.6	110	70-143	
Tetrachloroethene	ug/kg	50.6	49.6	98	70-140	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

LABORATORY CONTROL SAMPLE: 1154360

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Toluene	ug/kg	50.6	49.1	97	70-130	
trans-1,2-Dichloroethene	ug/kg	50.6	48.3	95	70-136	
trans-1,3-Dichloropropene	ug/kg	50.6	52.0	103	70-138	
Trichloroethene	ug/kg	50.6	47.0	93	70-132	
Trichlorofluoromethane	ug/kg	50.6	51.0	101	69-134	
Vinyl acetate	ug/kg	101	115	114	24-161	
Vinyl chloride	ug/kg	50.6	52.4	104	55-140	
Xylene (Total)	ug/kg	152	158	104	70-141	
1,2-Dichloroethane-d4 (S)	%			117	70-132	
4-Bromofluorobenzene (S)	%			96	70-130	
Toluene-d8 (S)	%			97	70-130	

MATRIX SPIKE SAMPLE: 1155223

Parameter	Units	92192150009 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	ug/kg	ND	51	52.9	104	49-180	
Benzene	ug/kg	ND	51	52.0	102	50-166	
Chlorobenzene	ug/kg	ND	51	57.2	112	43-169	
Toluene	ug/kg	ND	51	50.6	99	52-163	
Trichloroethene	ug/kg	ND	51	52.1	102	49-167	
1,2-Dichloroethane-d4 (S)	%				111	70-132	
4-Bromofluorobenzene (S)	%				97	70-130	
Toluene-d8 (S)	%				99	70-130	

SAMPLE DUPLICATE: 1155222

Parameter	Units	92192150008 Result	Dup Result	RPD	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	ND	ND		
1,1,1-Trichloroethane	ug/kg	ND	ND		
1,1,2,2-Tetrachloroethane	ug/kg	ND	ND		
1,1,2-Trichloroethane	ug/kg	ND	ND		
1,1-Dichloroethane	ug/kg	ND	ND		
1,1-Dichloroethene	ug/kg	ND	ND		
1,1-Dichloropropene	ug/kg	ND	ND		
1,2,3-Trichlorobenzene	ug/kg	ND	ND		
1,2,3-Trichloropropane	ug/kg	ND	ND		
1,2,4-Trichlorobenzene	ug/kg	ND	ND		
1,2,4-Trimethylbenzene	ug/kg	ND	ND		
1,2-Dibromo-3-chloropropane	ug/kg	ND	ND		
1,2-Dibromoethane (EDB)	ug/kg	ND	ND		
1,2-Dichlorobenzene	ug/kg	ND	ND		
1,2-Dichloroethane	ug/kg	ND	ND		
1,2-Dichloropropane	ug/kg	ND	ND		
1,3,5-Trimethylbenzene	ug/kg	ND	ND		
1,3-Dichlorobenzene	ug/kg	ND	ND		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS:39999.1.1 JACKSON CO
Pace Project No.: 92192150

SAMPLE DUPLICATE: 1155222

Parameter	Units	92192150008 Result	Dup Result	RPD	Qualifiers
1,3-Dichloropropane	ug/kg	ND	ND		
1,4-Dichlorobenzene	ug/kg	ND	ND		
2,2-Dichloropropane	ug/kg	ND	ND		
2-Butanone (MEK)	ug/kg	ND	ND		
2-Chlorotoluene	ug/kg	ND	ND		
2-Hexanone	ug/kg	ND	ND		
4-Chlorotoluene	ug/kg	ND	ND		
4-Methyl-2-pentanone (MIBK)	ug/kg	ND	ND		
Acetone	ug/kg	179	29.7J		
Benzene	ug/kg	ND	ND		
Bromobenzene	ug/kg	ND	ND		
Bromochloromethane	ug/kg	ND	ND		
Bromodichloromethane	ug/kg	ND	ND		
Bromoform	ug/kg	ND	ND		
Bromomethane	ug/kg	ND	ND		
Carbon tetrachloride	ug/kg	ND	ND		
Chlorobenzene	ug/kg	ND	ND		
Chloroethane	ug/kg	ND	ND		
Chloroform	ug/kg	ND	ND		
Chloromethane	ug/kg	ND	ND		
cis-1,2-Dichloroethene	ug/kg	ND	ND		
cis-1,3-Dichloropropene	ug/kg	ND	ND		
Dibromochloromethane	ug/kg	ND	ND		
Dibromomethane	ug/kg	ND	ND		
Dichlorodifluoromethane	ug/kg	ND	ND		
Diisopropyl ether	ug/kg	ND	ND		
Ethylbenzene	ug/kg	ND	ND		
Hexachloro-1,3-butadiene	ug/kg	ND	ND		
Isopropylbenzene (Cumene)	ug/kg	ND	ND		
m&p-Xylene	ug/kg	ND	ND		
Methyl-tert-butyl ether	ug/kg	ND	ND		
Methylene Chloride	ug/kg	ND	ND		
n-Butylbenzene	ug/kg	ND	ND		
n-Propylbenzene	ug/kg	ND	ND		
Naphthalene	ug/kg	ND	ND		
o-Xylene	ug/kg	ND	ND		
p-Isopropyltoluene	ug/kg	ND	ND		
sec-Butylbenzene	ug/kg	ND	ND		
Styrene	ug/kg	ND	ND		
tert-Butylbenzene	ug/kg	ND	ND		
Tetrachloroethene	ug/kg	ND	ND		
Toluene	ug/kg	ND	ND		
trans-1,2-Dichloroethene	ug/kg	ND	ND		
trans-1,3-Dichloropropene	ug/kg	ND	ND		
Trichloroethene	ug/kg	ND	ND		
Trichlorofluoromethane	ug/kg	ND	ND		
Vinyl acetate	ug/kg	ND	ND		
Vinyl chloride	ug/kg	ND	ND		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

SAMPLE DUPLICATE: 1155222

Parameter	Units	92192150008	Dup Result	RPD	Qualifiers
Xylene (Total)	ug/kg	ND	ND		
1,2-Dichloroethane-d4 (S)	%	134	102	30	
4-Bromofluorobenzene (S)	%	90	97	4	
Toluene-d8 (S)	%	100	102	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

QC Batch: OEXT/26348

Analysis Method: EPA 8270

QC Batch Method: EPA 3546

Analysis Description: 8270 Solid MSSV Microwave

Associated Lab Samples: 92192150001, 92192150002, 92192150003, 92192150004, 92192150005, 92192150006, 92192150007,
92192150008, 92192150009

METHOD BLANK: 1152478

Matrix: Solid

Associated Lab Samples: 92192150001, 92192150002, 92192150003, 92192150004, 92192150005, 92192150006, 92192150007,
92192150008, 92192150009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	ug/kg	ND	330	03/12/14 18:35	
1,2-Dichlorobenzene	ug/kg	ND	330	03/12/14 18:35	
1,3-Dichlorobenzene	ug/kg	ND	330	03/12/14 18:35	
1,4-Dichlorobenzene	ug/kg	ND	330	03/12/14 18:35	
1-Methylnaphthalene	ug/kg	ND	330	03/12/14 18:35	
2,4,5-Trichlorophenol	ug/kg	ND	330	03/12/14 18:35	
2,4,6-Trichlorophenol	ug/kg	ND	330	03/12/14 18:35	
2,4-Dichlorophenol	ug/kg	ND	330	03/12/14 18:35	
2,4-Dimethylphenol	ug/kg	ND	330	03/12/14 18:35	
2,4-Dinitrophenol	ug/kg	ND	1650	03/12/14 18:35	
2,4-Dinitrotoluene	ug/kg	ND	330	03/12/14 18:35	
2,6-Dinitrotoluene	ug/kg	ND	330	03/12/14 18:35	
2-Chloronaphthalene	ug/kg	ND	330	03/12/14 18:35	
2-Chlorophenol	ug/kg	ND	330	03/12/14 18:35	
2-Methylnaphthalene	ug/kg	ND	330	03/12/14 18:35	
2-Methylphenol(o-Cresol)	ug/kg	ND	330	03/12/14 18:35	
2-Nitroaniline	ug/kg	ND	1650	03/12/14 18:35	
2-Nitrophenol	ug/kg	ND	330	03/12/14 18:35	
3&4-Methylphenol(m&p Cresol)	ug/kg	ND	330	03/12/14 18:35	
3,3'-Dichlorobenzidine	ug/kg	ND	1650	03/12/14 18:35	
3-Nitroaniline	ug/kg	ND	1650	03/12/14 18:35	
4,6-Dinitro-2-methylphenol	ug/kg	ND	660	03/12/14 18:35	
4-Bromophenylphenyl ether	ug/kg	ND	330	03/12/14 18:35	
4-Chloro-3-methylphenol	ug/kg	ND	660	03/12/14 18:35	
4-Chloroaniline	ug/kg	ND	1650	03/12/14 18:35	
4-Chlorophenylphenyl ether	ug/kg	ND	330	03/12/14 18:35	
4-Nitroaniline	ug/kg	ND	660	03/12/14 18:35	
4-Nitrophenol	ug/kg	ND	1650	03/12/14 18:35	
Acenaphthene	ug/kg	ND	330	03/12/14 18:35	
Acenaphthylene	ug/kg	ND	330	03/12/14 18:35	
Aniline	ug/kg	ND	330	03/12/14 18:35	
Anthracene	ug/kg	ND	330	03/12/14 18:35	
Benzo(a)anthracene	ug/kg	ND	330	03/12/14 18:35	
Benzo(a)pyrene	ug/kg	ND	330	03/12/14 18:35	
Benzo(b)fluoranthene	ug/kg	ND	330	03/12/14 18:35	
Benzo(g,h,i)perylene	ug/kg	ND	330	03/12/14 18:35	
Benzo(k)fluoranthene	ug/kg	ND	330	03/12/14 18:35	
Benzoic Acid	ug/kg	ND	1650	03/12/14 18:35	
Benzyl alcohol	ug/kg	ND	660	03/12/14 18:35	
bis(2-Chloroethoxy)methane	ug/kg	ND	330	03/12/14 18:35	
bis(2-Chloroethyl) ether	ug/kg	ND	330	03/12/14 18:35	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

METHOD BLANK: 1152478

Matrix: Solid

Associated Lab Samples: 92192150001, 92192150002, 92192150003, 92192150004, 92192150005, 92192150006, 92192150007,
92192150008, 92192150009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
bis(2-Chloroisopropyl) ether	ug/kg	ND	330	03/12/14 18:35	
bis(2-Ethylhexyl)phthalate	ug/kg	ND	330	03/12/14 18:35	
Butylbenzylphthalate	ug/kg	ND	330	03/12/14 18:35	
Chrysene	ug/kg	ND	330	03/12/14 18:35	
Di-n-butylphthalate	ug/kg	ND	330	03/12/14 18:35	
Di-n-octylphthalate	ug/kg	ND	330	03/12/14 18:35	
Dibenz(a,h)anthracene	ug/kg	ND	330	03/12/14 18:35	
Dibenzofuran	ug/kg	ND	330	03/12/14 18:35	
Diethylphthalate	ug/kg	ND	330	03/12/14 18:35	
Dimethylphthalate	ug/kg	ND	330	03/12/14 18:35	
Fluoranthene	ug/kg	ND	330	03/12/14 18:35	
Fluorene	ug/kg	ND	330	03/12/14 18:35	
Hexachloro-1,3-butadiene	ug/kg	ND	330	03/12/14 18:35	
Hexachlorobenzene	ug/kg	ND	330	03/12/14 18:35	
Hexachlorocyclopentadiene	ug/kg	ND	330	03/12/14 18:35	
Hexachloroethane	ug/kg	ND	330	03/12/14 18:35	
Indeno(1,2,3-cd)pyrene	ug/kg	ND	330	03/12/14 18:35	
Isophorone	ug/kg	ND	330	03/12/14 18:35	
N-Nitroso-di-n-propylamine	ug/kg	ND	330	03/12/14 18:35	
N-Nitrosodimethylamine	ug/kg	ND	330	03/12/14 18:35	
N-Nitrosodiphenylamine	ug/kg	ND	330	03/12/14 18:35	
Naphthalene	ug/kg	ND	330	03/12/14 18:35	
Nitrobenzene	ug/kg	ND	330	03/12/14 18:35	
Pentachlorophenol	ug/kg	ND	1650	03/12/14 18:35	
Phenanthrene	ug/kg	ND	330	03/12/14 18:35	
Phenol	ug/kg	ND	330	03/12/14 18:35	
Pyrene	ug/kg	ND	330	03/12/14 18:35	
2,4,6-Tribromophenol (S)	%	86	27-110	03/12/14 18:35	
2-Fluorobiphenyl (S)	%	72	30-110	03/12/14 18:35	
2-Fluorophenol (S)	%	73	13-110	03/12/14 18:35	
Nitrobenzene-d5 (S)	%	76	23-110	03/12/14 18:35	
Phenol-d6 (S)	%	83	22-110	03/12/14 18:35	
Terphenyl-d14 (S)	%	86	28-110	03/12/14 18:35	

LABORATORY CONTROL SAMPLE: 1152479

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	ug/kg	1670	1280	77	39-101	
1,2-Dichlorobenzene	ug/kg	1670	1320	79	36-110	
1,3-Dichlorobenzene	ug/kg	1670	1260	76	35-110	
1,4-Dichlorobenzene	ug/kg	1670	1340	80	35-110	
1-Methylnaphthalene	ug/kg	1670	1300	78	45-105	
2,4,5-Trichlorophenol	ug/kg	1670	1430	86	48-109	
2,4,6-Trichlorophenol	ug/kg	1670	1290	78	45-111	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

LABORATORY CONTROL SAMPLE: 1152479

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dichlorophenol	ug/kg	1670	1380	83	51-116	
2,4-Dimethylphenol	ug/kg	1670	1370	82	42-103	
2,4-Dinitrophenol	ug/kg	8330	6700	80	28-103	
2,4-Dinitrotoluene	ug/kg	1670	1470	88	46-114	
2,6-Dinitrotoluene	ug/kg	1670	1420	85	48-112	
2-Chloronaphthalene	ug/kg	1670	1300	78	44-105	
2-Chlorophenol	ug/kg	1670	1460	88	36-110	
2-Methylnaphthalene	ug/kg	1670	1330	80	39-112	
2-Methylphenol(o-Cresol)	ug/kg	1670	1550	93	39-101	
2-Nitroaniline	ug/kg	3330	3530	106	44-111	
2-Nitrophenol	ug/kg	1670	1360	82	41-100	
3&4-Methylphenol(m&p Cresol)	ug/kg	1670	1640	99	43-103	
3,3'-Dichlorobenzidine	ug/kg	3330	2680	80	10-150	
3-Nitroaniline	ug/kg	3330	3040	91	35-110	
4,6-Dinitro-2-methylphenol	ug/kg	3330	2890	87	38-118	
4-Bromophenylphenyl ether	ug/kg	1670	1340	81	47-115	
4-Chloro-3-methylphenol	ug/kg	3330	3080	92	43-127	
4-Chloroaniline	ug/kg	3330	2880	86	34-109	
4-Chlorophenylphenyl ether	ug/kg	1670	1330	80	44-115	
4-Nitroaniline	ug/kg	3330	3240	97	37-111	
4-Nitrophenol	ug/kg	8330	8150	98	21-152	
Acenaphthene	ug/kg	1670	1330	80	38-117	
Acenaphthylene	ug/kg	1670	1360	82	46-107	
Aniline	ug/kg	1670	1300	78	29-110	
Anthracene	ug/kg	1670	1420	85	50-110	
Benzo(a)anthracene	ug/kg	1670	1350	81	47-116	
Benzo(a)pyrene	ug/kg	1670	1450	87	47-106	
Benzo(b)fluoranthene	ug/kg	1670	1380	83	47-109	
Benzo(g,h,i)perylene	ug/kg	1670	1430	86	39-115	
Benzo(k)fluoranthene	ug/kg	1670	1250	75	45-117	
Benzoic Acid	ug/kg	8330	5510	66	16-110	
Benzyl alcohol	ug/kg	3330	3170	95	38-105	
bis(2-Chloroethoxy)methane	ug/kg	1670	1340	80	39-110	
bis(2-Chloroethyl) ether	ug/kg	1670	1360	82	19-119	
bis(2-Chloroisopropyl) ether	ug/kg	1670	1480	89	21-110	
bis(2-Ethylhexyl)phthalate	ug/kg	1670	1420	85	35-116	
Butylbenzylphthalate	ug/kg	1670	1400	84	38-110	
Chrysene	ug/kg	1670	1390	83	49-110	
Di-n-butylphthalate	ug/kg	1670	1420	85	43-109	
Di-n-octylphthalate	ug/kg	1670	1520	91	37-109	
Dibenz(a,h)anthracene	ug/kg	1670	1560	94	43-116	
Dibenzofuran	ug/kg	1670	1440	86	45-106	
Diethylphthalate	ug/kg	1670	1400	84	41-114	
Dimethylphthalate	ug/kg	1670	1370	82	43-110	
Fluoranthene	ug/kg	1670	1450	87	50-114	
Fluorene	ug/kg	1670	1430	86	46-114	
Hexachloro-1,3-butadiene	ug/kg	1670	1250	75	28-111	
Hexachlorobenzene	ug/kg	1670	1430	86	46-120	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

LABORATORY CONTROL SAMPLE: 1152479

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Hexachlorocyclopentadiene	ug/kg	1670	1140	68	18-119	
Hexachloroethane	ug/kg	1670	1310	79	33-110	
Indeno(1,2,3-cd)pyrene	ug/kg	1670	1510	91	42-115	
Isophorone	ug/kg	1670	1510	90	44-109	
N-Nitroso-di-n-propylamine	ug/kg	1670	1350	81	43-104	
N-Nitrosodimethylamine	ug/kg	1670	1210	73	29-110	
N-Nitrosodiphenylamine	ug/kg	1670	1190	71	48-113	
Naphthalene	ug/kg	1670	1310	79	41-110	
Nitrobenzene	ug/kg	1670	1340	81	38-110	
Pentachlorophenol	ug/kg	3330	2650	80	32-128	
Phenanthrene	ug/kg	1670	1380	83	50-110	
Phenol	ug/kg	1670	1600	96	28-106	
Pyrene	ug/kg	1670	1400	84	45-114	
2,4,6-Tribromophenol (S)	%			101	27-110	
2-Fluorobiphenyl (S)	%			81	30-110	
2-Fluorophenol (S)	%			84	13-110	
Nitrobenzene-d5 (S)	%			80	23-110	
Phenol-d6 (S)	%			91	22-110	
Terphenyl-d14 (S)	%			91	28-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1152480 1152481

Parameter	Units	92192310003 Result	MS	MSD	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
			Spike Conc.	Spike Conc.							
1,2,4-Trichlorobenzene	ug/kg	ND	2010	2010	1230	1400	61	70	18-119	13	
1,2-Dichlorobenzene	ug/kg	ND	2010	2010	1210	1390	61	69	50-110	13	
1,3-Dichlorobenzene	ug/kg	ND	2010	2010	1180	1360	59	68	27-110	15	
1,4-Dichlorobenzene	ug/kg	ND	2010	2010	1210	1410	60	70	28-110	15	
1-Methylnaphthalene	ug/kg	ND	2010	2010	1230	1400	61	70	24-116	13	
2,4,5-Trichlorophenol	ug/kg	ND	2010	2010	1320	1500	66	75	28-110	13	
2,4,6-Trichlorophenol	ug/kg	ND	2010	2010	1200	1410	60	70	17-117	16	
2,4-Dichlorophenol	ug/kg	ND	2010	2010	1260	1480	63	74	21-128	16	
2,4-Dimethylphenol	ug/kg	ND	2010	2010	1220	1430	61	71	10-120	16	
2,4-Dinitrophenol	ug/kg	ND	10000	10000	5520	5520	55	55	10-107	0	
2,4-Dinitrotoluene	ug/kg	ND	2010	2010	1600	1670	80	83	36-109	4	
2,6-Dinitrotoluene	ug/kg	ND	2010	2010	1560	1660	78	83	32-110	7	
2-Chloronaphthalene	ug/kg	ND	2010	2010	1120	1360	56	68	30-107	19	
2-Chlorophenol	ug/kg	ND	2010	2010	1300	1480	65	74	14-106	13	
2-Methylnaphthalene	ug/kg	ND	2010	2010	1270	1410	63	70	10-135	11	
2-Methylphenol(o-Cresol)	ug/kg	ND	2010	2010	1230	1460	61	73	10-124	17	
2-Nitroaniline	ug/kg	ND	4010	4010	3010	3240	75	81	26-116	7	
2-Nitrophenol	ug/kg	ND	2010	2010	1320	1540	66	77	28-103	15	
3&4-Methylphenol(m&p Cresol)	ug/kg	ND	2010	2010	1290	1470	64	73	10-109	13	
3,3'-Dichlorobenzidine	ug/kg	ND	4010	4010	2770	2940	69	73	10-150	6	
3-Nitroaniline	ug/kg	ND	4010	4010	3130	3240	78	81	22-110	4	
4,6-Dinitro-2-methylphenol	ug/kg	ND	4010	4010	2840	3100	71	77	13-121	8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

Parameter	Units	92192310003		MS Spike		MSD Spike		MS		MSD		% Rec Limits	RPD	Qual	
				Conc.		Conc.		Result	MSD	% Rec	Result	% Rec			
		Result	Conc.												
4-Bromophenylphenyl ether	ug/kg	ND	2010	2010	1260	1400	63	70	31-109	10					
4-Chloro-3-methylphenol	ug/kg	ND	4010	4010	2980	3210	74	80	13-128	7					
4-Chloroaniline	ug/kg	ND	4010	4010	2570	2850	64	71	18-102	10					
4-Chlorophenylphenyl ether	ug/kg	ND	2010	2010	1300	1390	65	69	29-112	7					
4-Nitroaniline	ug/kg	ND	4010	4010	3410	3560	85	89	16-111	4					
4-Nitrophenol	ug/kg	ND	10000	10000	6870	7430	69	74	14-135	8					
Acenaphthene	ug/kg	ND	2010	2010	1190	1360	59	68	26-114	14					
Acenaphthylene	ug/kg	ND	2010	2010	1230	1410	61	70	32-108	14					
Aniline	ug/kg	ND	2010	2010	995	1120	50	56	10-107	12					
Anthracene	ug/kg	ND	2010	2010	1380	1490	69	74	32-111	7					
Benzo(a)anthracene	ug/kg	ND	2010	2010	1360	1450	68	72	25-117	6					
Benzo(a)pyrene	ug/kg	ND	2010	2010	1440	1530	72	76	25-106	6					
Benzo(b)fluoranthene	ug/kg	ND	2010	2010	1350	1460	67	73	24-110	8					
Benzo(g,h,i)perylene	ug/kg	ND	2010	2010	1330	1460	66	73	19-112	9					
Benzo(k)fluoranthene	ug/kg	ND	2010	2010	1330	1400	66	70	24-114	5					
Benzoic Acid	ug/kg	ND	10000	10000	371J	469J	4	5	10-110	M1					
Benzyl alcohol	ug/kg	ND	4010	4010	2700	3070	67	76	24-106	13					
bis(2-Chloroethoxy)methane	ug/kg	ND	2010	2010	1100	1280	55	64	13-119	15					
bis(2-Chloroethyl) ether	ug/kg	ND	2010	2010	1110	1320	56	66	10-134	17					
bis(2-Chloroisopropyl) ether	ug/kg	ND	2010	2010	1030	1200	51	60	10-113	16					
bis(2-Ethylhexyl)phthalate	ug/kg	ND	2010	2010	1380	1420	69	71	10-125	3					
Butylbenzylphthalate	ug/kg	ND	2010	2010	1380	1460	69	73	18-110	5					
Chrysene	ug/kg	ND	2010	2010	1390	1480	69	74	30-110	6					
Di-n-butylphthalate	ug/kg	ND	2010	2010	1330	1410	66	70	19-112	6					
Di-n-octylphthalate	ug/kg	ND	2010	2010	1280	1260	64	63	17-105	1					
Dibenz(a,h)anthracene	ug/kg	ND	2010	2010	1360	1500	68	75	23-111	10					
Dibenzofuran	ug/kg	ND	2010	2010	1350	1530	67	76	35-103	12					
Diethylphthalate	ug/kg	ND	2010	2010	1350	1430	67	71	27-113	6					
Dimethylphthalate	ug/kg	ND	2010	2010	1350	1450	67	72	26-111	7					
Fluoranthene	ug/kg	ND	2010	2010	1450	1530	72	76	33-109	5					
Fluorene	ug/kg	ND	2010	2010	1380	1490	69	74	32-113	7					
Hexachloro-1,3-butadiene	ug/kg	ND	2010	2010	1170	1400	59	70	16-116	18					
Hexachlorobenzene	ug/kg	ND	2010	2010	1310	1450	65	72	27-120	10					
Hexachlorocyclopentadiene	ug/kg	ND	2010	2010	1120	1390	56	69	10-108	22					
Hexachloroethane	ug/kg	ND	2010	2010	1130	1340	56	67	10-117	17					
Indeno(1,2,3-cd)pyrene	ug/kg	ND	2010	2010	1400	1540	70	77	10-122	10					
Isophorone	ug/kg	ND	2010	2010	1250	1420	63	71	28-114	13					
N-Nitroso-di-n-propylamine	ug/kg	ND	2010	2010	1040	1160	52	58	27-113	10					
N-Nitrosodimethylamine	ug/kg	ND	2010	2010	924	1090	46	54	10-109	16					
N-Nitrosodiphenylamine	ug/kg	ND	2010	2010	1080	1230	54	61	10-128	13					
Naphthalene	ug/kg	ND	2010	2010	1230	1390	61	70	25-110	13					
Nitrobenzene	ug/kg	ND	2010	2010	1170	1360	58	68	18-114	15					
Pentachlorophenol	ug/kg	ND	4010	4010	2780	2980	69	74	10-122	7					
Phenanthrene	ug/kg	ND	2010	2010	1330	1430	66	71	30-114	7					
Phenol	ug/kg	ND	2010	2010	1330	1510	67	75	11-102	12					
Pyrene	ug/kg	ND	2010	2010	1370	1470	68	74	25-116	7					
2,4,6-Tribromophenol (S)	%						74	83	27-110						

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:			1152480		1152481						
Parameter	Units	Result	MS	MSD	MS	MSD	MS	MSD	% Rec	RPD	Qual
			Spike Conc.	Spike Conc.				% Rec	Result		
2-Fluorobiphenyl (S)	%						55	67	30-110		
2-Fluorophenol (S)	%						59	70	13-110		
Nitrobenzene-d5 (S)	%						58	67	23-110		
Phenol-d6 (S)	%						61	71	22-110		
Terphenyl-d14 (S)	%						71	76	28-110		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

QC Batch:	OEXT/26382	Analysis Method:	EPA 8270
QC Batch Method:	EPA 3510	Analysis Description:	8270 Water MSSV
Associated Lab Samples: 92192150010, 92192150011			

METHOD BLANK: 1153672 Matrix: Water

Associated Lab Samples: 92192150010, 92192150011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	ug/L	ND	10.0	03/12/14 16:25	
1,2-Dichlorobenzene	ug/L	ND	10.0	03/12/14 16:25	
1,3-Dichlorobenzene	ug/L	ND	10.0	03/12/14 16:25	
1,4-Dichlorobenzene	ug/L	ND	10.0	03/12/14 16:25	
1-Methylnaphthalene	ug/L	ND	10.0	03/12/14 16:25	
2,4,5-Trichlorophenol	ug/L	ND	10.0	03/12/14 16:25	
2,4,6-Trichlorophenol	ug/L	ND	10.0	03/12/14 16:25	
2,4-Dichlorophenol	ug/L	ND	10.0	03/12/14 16:25	
2,4-Dimethylphenol	ug/L	ND	10.0	03/12/14 16:25	
2,4-Dinitrophenol	ug/L	ND	50.0	03/12/14 16:25	
2,4-Dinitrotoluene	ug/L	ND	10.0	03/12/14 16:25	
2,6-Dinitrotoluene	ug/L	ND	10.0	03/12/14 16:25	
2-Chloronaphthalene	ug/L	ND	10.0	03/12/14 16:25	
2-Chlorophenol	ug/L	ND	10.0	03/12/14 16:25	
2-Methylnaphthalene	ug/L	ND	10.0	03/12/14 16:25	
2-Methylphenol(o-Cresol)	ug/L	ND	10.0	03/12/14 16:25	
2-Nitroaniline	ug/L	ND	50.0	03/12/14 16:25	
2-Nitrophenol	ug/L	ND	10.0	03/12/14 16:25	
3&4-Methylphenol(m&p Cresol)	ug/L	ND	10.0	03/12/14 16:25	
3,3'-Dichlorobenzidine	ug/L	ND	20.0	03/12/14 16:25	
3-Nitroaniline	ug/L	ND	50.0	03/12/14 16:25	
4,6-Dinitro-2-methylphenol	ug/L	ND	20.0	03/12/14 16:25	
4-Bromophenylphenyl ether	ug/L	ND	10.0	03/12/14 16:25	
4-Chloro-3-methylphenol	ug/L	ND	20.0	03/12/14 16:25	
4-Chloroaniline	ug/L	ND	20.0	03/12/14 16:25	
4-Chlorophenylphenyl ether	ug/L	ND	10.0	03/12/14 16:25	
4-Nitroaniline	ug/L	ND	20.0	03/12/14 16:25	
4-Nitrophenol	ug/L	ND	50.0	03/12/14 16:25	
Acenaphthene	ug/L	ND	10.0	03/12/14 16:25	
Acenaphthylene	ug/L	ND	10.0	03/12/14 16:25	
Aniline	ug/L	ND	10.0	03/12/14 16:25	
Anthracene	ug/L	ND	10.0	03/12/14 16:25	
Benzo(a)anthracene	ug/L	ND	10.0	03/12/14 16:25	
Benzo(a)pyrene	ug/L	ND	10.0	03/12/14 16:25	
Benzo(b)fluoranthene	ug/L	ND	10.0	03/12/14 16:25	
Benzo(g,h,i)perylene	ug/L	ND	10.0	03/12/14 16:25	
Benzo(k)fluoranthene	ug/L	ND	10.0	03/12/14 16:25	
Benzoic Acid	ug/L	ND	50.0	03/12/14 16:25	
Benzyl alcohol	ug/L	ND	20.0	03/12/14 16:25	
bis(2-Chloroethoxy)methane	ug/L	ND	10.0	03/12/14 16:25	
bis(2-Chloroethyl) ether	ug/L	ND	10.0	03/12/14 16:25	
bis(2-Chloroisopropyl) ether	ug/L	ND	10.0	03/12/14 16:25	
bis(2-Ethylhexyl)phthalate	ug/L	ND	6.0	03/12/14 16:25	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

METHOD BLANK: 1153672

Matrix: Water

Associated Lab Samples: 92192150010, 92192150011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Butylbenzylphthalate	ug/L	ND	10.0	03/12/14 16:25	
Chrysene	ug/L	ND	10.0	03/12/14 16:25	
Di-n-butylphthalate	ug/L	ND	10.0	03/12/14 16:25	
Di-n-octylphthalate	ug/L	ND	10.0	03/12/14 16:25	
Dibenz(a,h)anthracene	ug/L	ND	10.0	03/12/14 16:25	
Dibenzofuran	ug/L	ND	10.0	03/12/14 16:25	
Diethylphthalate	ug/L	ND	10.0	03/12/14 16:25	
Dimethylphthalate	ug/L	ND	10.0	03/12/14 16:25	
Fluoranthene	ug/L	ND	10.0	03/12/14 16:25	
Fluorene	ug/L	ND	10.0	03/12/14 16:25	
Hexachloro-1,3-butadiene	ug/L	ND	10.0	03/12/14 16:25	
Hexachlorobenzene	ug/L	ND	10.0	03/12/14 16:25	
Hexachlorocyclopentadiene	ug/L	ND	10.0	03/12/14 16:25	
Hexachloroethane	ug/L	ND	10.0	03/12/14 16:25	
Indeno(1,2,3-cd)pyrene	ug/L	ND	10.0	03/12/14 16:25	
Isophorone	ug/L	ND	10.0	03/12/14 16:25	
N-Nitroso-di-n-propylamine	ug/L	ND	10.0	03/12/14 16:25	
N-Nitrosodimethylamine	ug/L	ND	10.0	03/12/14 16:25	
N-Nitrosodiphenylamine	ug/L	ND	10.0	03/12/14 16:25	
Naphthalene	ug/L	ND	10.0	03/12/14 16:25	
Nitrobenzene	ug/L	ND	10.0	03/12/14 16:25	
Pentachlorophenol	ug/L	ND	25.0	03/12/14 16:25	
Phenanthrene	ug/L	ND	10.0	03/12/14 16:25	
Phenol	ug/L	ND	10.0	03/12/14 16:25	
Pyrene	ug/L	ND	10.0	03/12/14 16:25	
2,4,6-Tribromophenol (S)	%	74	27-110	03/12/14 16:25	
2-Fluorobiphenyl (S)	%	77	27-110	03/12/14 16:25	
2-Fluorophenol (S)	%	41	12-110	03/12/14 16:25	
Nitrobenzene-d5 (S)	%	74	21-110	03/12/14 16:25	
Phenol-d6 (S)	%	27	10-110	03/12/14 16:25	
Terphenyl-d14 (S)	%	101	31-107	03/12/14 16:25	

LABORATORY CONTROL SAMPLE: 1153673

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	ug/L	50	29.3	59	10-110	
1,2-Dichlorobenzene	ug/L	50	35.6	71	10-110	
1,3-Dichlorobenzene	ug/L	50	34.0	68	10-110	
1,4-Dichlorobenzene	ug/L	50	35.5	71	10-110	
1-Methylnaphthalene	ug/L	50	31.4	63	21-110	
2,4,5-Trichlorophenol	ug/L	50	44.7	89	23-116	
2,4,6-Trichlorophenol	ug/L	50	41.5	83	21-114	
2,4-Dichlorophenol	ug/L	50	33.5	67	22-120	
2,4-Dimethylphenol	ug/L	50	31.6	63	15-109	
2,4-Dinitrophenol	ug/L	250	244	98	10-103	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

LABORATORY CONTROL SAMPLE: 1153673

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dinitrotoluene	ug/L	50	51.4	103	24-119	
2,6-Dinitrotoluene	ug/L	50	52.8	106	25-116	
2-Chloronaphthalene	ug/L	50	42.3	85	18-110	
2-Chlorophenol	ug/L	50	38.2	76	10-104	
2-Methylnaphthalene	ug/L	50	31.9	64	16-110	
2-Methylphenol(o-Cresol)	ug/L	50	33.2	66	13-110	
2-Nitroaniline	ug/L	100	95.5	96	20-117	
2-Nitrophenol	ug/L	50	37.3	75	16-108	
3&4-Methylphenol(m&p Cresol)	ug/L	50	30.7	61	14-110	
3,3'-Dichlorobenzidine	ug/L	100	99.4	99	13-131	
3-Nitroaniline	ug/L	100	99.4	99	15-117	
4,6-Dinitro-2-methylphenol	ug/L	100	93.7	94	13-119	
4-Bromophenylphenyl ether	ug/L	50	39.7	79	23-120	
4-Chloro-3-methylphenol	ug/L	100	71.6	72	21-119	
4-Chloroaniline	ug/L	100	65.1	65	10-122	
4-Chlorophenylphenyl ether	ug/L	50	41.9	84	22-112	
4-Nitroaniline	ug/L	100	110	110	14-118	
4-Nitrophenol	ug/L	250	104	42	10-110	
Acenaphthene	ug/L	50	38.8	78	20-105	
Acenaphthylene	ug/L	50	40.6	81	23-106	
Aniline	ug/L	50	28.6	57	10-110	
Anthracene	ug/L	50	42.6	85	25-120	
Benzo(a)anthracene	ug/L	50	44.6	89	21-128	
Benzo(a)pyrene	ug/L	50	47.4	95	25-116	
Benzo(b)fluoranthene	ug/L	50	49.5	99	23-117	
Benzo(g,h,i)perylene	ug/L	50	45.3	91	17-128	
Benzo(k)fluoranthene	ug/L	50	41.0	82	25-127	
Benzoic Acid	ug/L	250	65.3	26	10-110	
Benzyl alcohol	ug/L	100	75.8	76	10-101	
bis(2-Chloroethoxy)methane	ug/L	50	38.1	76	19-107	
bis(2-Chloroethyl) ether	ug/L	50	37.0	74	10-108	
bis(2-Chloroisopropyl) ether	ug/L	50	34.5	69	10-108	
bis(2-Ethylhexyl)phthalate	ug/L	50	49.0	98	16-123	
Butylbenzylphthalate	ug/L	50	50.7	101	20-118	
Chrysene	ug/L	50	43.6	87	24-125	
Di-n-butylphthalate	ug/L	50	45.3	91	23-115	
Di-n-octylphthalate	ug/L	50	45.8	92	20-115	
Dibenz(a,h)anthracene	ug/L	50	46.9	94	18-131	
Dibenzofuran	ug/L	50	44.1	88	23-106	
Diethylphthalate	ug/L	50	42.3	85	24-115	
Dimethylphthalate	ug/L	50	41.9	84	22-113	
Fluoranthene	ug/L	50	47.5	95	24-125	
Fluorene	ug/L	50	43.8	88	24-114	
Hexachloro-1,3-butadiene	ug/L	50	28.8	58	10-110	
Hexachlorobenzene	ug/L	50	41.5	83	22-127	
Hexachlorocyclopentadiene	ug/L	50	42.8	86	10-110	
Hexachloroethane	ug/L	50	37.9	76	10-110	
Indeno(1,2,3-cd)pyrene	ug/L	50	48.1	96	18-130	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS:39999.1.1 JACKSON CO
Pace Project No.: 92192150

LABORATORY CONTROL SAMPLE: 1153673

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Isophorone	ug/L	50	34.0	68	23-114	
N-Nitroso-di-n-propylamine	ug/L	50	35.6	71	21-114	
N-Nitrosodimethylamine	ug/L	50	21.3	43	10-110	
N-Nitrosodiphenylamine	ug/L	50	33.4	67	24-123	
Naphthalene	ug/L	50	31.5	63	14-110	
Nitrobenzene	ug/L	50	31.8	64	16-106	
Pentachlorophenol	ug/L	100	95.7	96	10-123	
Phenanthrene	ug/L	50	41.3	83	25-119	
Phenol	ug/L	50	21.5	43	10-110	
Pyrene	ug/L	50	43.7	87	22-127	
2,4,6-Tribromophenol (S)	%			96	27-110	
2-Fluorobiphenyl (S)	%			77	27-110	
2-Fluorophenol (S)	%			47	12-110	
Nitrobenzene-d5 (S)	%			65	21-110	
Phenol-d6 (S)	%			35	10-110	
Terphenyl-d14 (S)	%			91	31-107	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: WBS:39999.1.1 JACKSON CO
 Pace Project No.: 92192150

QC Batch:	PMST/6325	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
Associated Lab Samples:	92192150001, 92192150002, 92192150003, 92192150004, 92192150005, 92192150006, 92192150007, 92192150008, 92192150009		

SAMPLE DUPLICATE: 1152377

Parameter	Units	92191704005 Result	Dup Result	RPD	Qualifiers
Percent Moisture	%	70.0	71.2	2	

SAMPLE DUPLICATE: 1152378

Parameter	Units	92192299004 Result	Dup Result	RPD	Qualifiers
Percent Moisture	%	12.7	10.6	18	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: WBS:39999.1.1 JACKSON CO

Pace Project No.: 92192150

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PRL - Pace Reporting Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Acid preservation may not be appropriate for 2-Chloroethylvinyl ether, Styrene, and Vinyl chloride.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-C Pace Analytical Services - Charlotte

ANALYTE QUALIFIERS

A+ The reaction of the soil preservative, sodium bisulfate, is known to react with humic acid in soils to produce ketones. Based upon method blank results, the laboratory feels the ketones in this sample are a result of that reaction.

F3 The recovery of the second source standard used to verify the initial calibration curve for this analyte is outside the laboratory's control limits. The result is estimated.

IO The internal standard response was outside the laboratory acceptance limits confirmed by reanalysis. The results reported are from the most QC compliant analysis.

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

S2 Surrogate recovery outside laboratory control limits due to matrix interferences (confirmed by similar results from sample re-analysis).

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: WBS:39999.1.1 JACKSON CO
Pace Project No.: 92192150

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
92192150001	S13-1	EPA 3546	OEXT/26348	EPA 8270	MSSV/8858
92192150002	S13-3	EPA 3546	OEXT/26348	EPA 8270	MSSV/8858
92192150003	S13-5	EPA 3546	OEXT/26348	EPA 8270	MSSV/8858
92192150004	S13-2	EPA 3546	OEXT/26348	EPA 8270	MSSV/8858
92192150005	S13-4	EPA 3546	OEXT/26348	EPA 8270	MSSV/8858
92192150006	S71-1	EPA 3546	OEXT/26348	EPA 8270	MSSV/8858
92192150007	S71-2	EPA 3546	OEXT/26348	EPA 8270	MSSV/8858
92192150008	S71-3	EPA 3546	OEXT/26348	EPA 8270	MSSV/8858
92192150009	S69-1	EPA 3546	OEXT/26348	EPA 8270	MSSV/8858
92192150010	MW20-1	EPA 3510	OEXT/26382	EPA 8270	MSSV/8862
92192150011	MW20-3	EPA 3510	OEXT/26382	EPA 8270	MSSV/8862
92192150010	MW20-1	EPA 8260	MSV/26036		
92192150011	MW20-3	EPA 8260	MSV/26114		
92192150001	S13-1	EPA 8260	MSV/26042		
92192150002	S13-3	EPA 8260	MSV/26042		
92192150003	S13-5	EPA 8260	MSV/26042		
92192150004	S13-2	EPA 8260	MSV/26042		
92192150005	S13-4	EPA 8260	MSV/26042		
92192150006	S71-1	EPA 8260	MSV/26042		
92192150007	S71-2	EPA 8260	MSV/26042		
92192150008	S71-3	EPA 8260	MSV/26042		
92192150009	S69-1	EPA 8260	MSV/26042		
92192150001	S13-1	ASTM D2974-87	PMST/6325		
92192150002	S13-3	ASTM D2974-87	PMST/6325		
92192150003	S13-5	ASTM D2974-87	PMST/6325		
92192150004	S13-2	ASTM D2974-87	PMST/6325		
92192150005	S13-4	ASTM D2974-87	PMST/6325		
92192150006	S71-1	ASTM D2974-87	PMST/6325		
92192150007	S71-2	ASTM D2974-87	PMST/6325		
92192150008	S71-3	ASTM D2974-87	PMST/6325		
92192150009	S69-1	ASTM D2974-87	PMST/6325		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Client Name: GELWhere Received: Huntersville Asheville Eden RaleighCourier (Circle): Fed Ex UPS USPS Client Commercial Pace Other _____Custody Seal on Cooler/Box Present: yes no Seals intact: yes noPacking Material: Bubble Wrap Bubble Bags None Other _____Circle Thermometer Used: IR Gun #3-130265963 Type of Ice: Wet Blue None Samples on ice, cooling process has begun
IR Gun #2-80344039Temp Correction Factor: Add / Subtract 0.0 CCorrected Cooler Temp.: 7.3 C Biological Tissue is Frozen: Yes No N/A

Temp should be above freezing to 6°C

Date and Initials of person examining
contents: RB 3/6/14

Comments:

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	11.
Sample Labels match COC:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix:	<u>SL/WT</u>	
All containers needing preservation have been checked.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
exceptions: VOA, coliform, TOC, O&G, WI-DRO (water)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Samples checked for dechlorination:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	14.
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	15.
Trip Blank Present:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	16.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

SCURF Review:	<u>AMB</u>	Date: <u>3-6-14</u>
SRF Review:	<u>AMB</u>	Date: <u>3-6-14</u>

Place label here

OR

Handwrite project number
(if no label available)

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

92192150



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:		Page: _____ of _____																																																																																																																																																																																																																																							
Company: GEL Address: PO Box 14262 RTP, NC 27707 Email To: ade@gel.com Phone: (919) 323-5828 Fax: (919) 323-5828 Requested Due Date/TAT:		Report To: Andrew Eyer Copy To: Purchase Order No.: TID# R-A753-WBS#39999.1.i Project Name: Jackson Co. PSA Project Number: NCDTO1513		Attention: TID# R-A753-WBS#39999.1.i Company Name: NC DOT Address: Pace Quote Reference: Pace Project Manager: Pace Profile #: 5996-213		REGULATORY AGENCY <input type="checkbox"/> NPDES <input type="checkbox"/> GROUND WATER <input type="checkbox"/> DRINKING WATER <input type="checkbox"/> UST <input type="checkbox"/> RCRA <input checked="" type="checkbox"/> OTHER Site Location: _____ STATE: NC																																																																																																																																																																																																																																							
<table border="1"> <thead> <tr> <th colspan="2">Section D Required Client Information</th> <th colspan="4">COLLECTED</th> <th colspan="2">Preservatives</th> <th colspan="2">Requested Analysis Filtered (Y/N)</th> </tr> <tr> <th rowspan="2">ITEM #</th> <th rowspan="2">SAMPLE ID (A-Z, 0-9 / -) Sample IDs MUST BE UNIQUE</th> <th rowspan="2">Matrix Codes MATRIX / CODE <small>(Non valid codes to left)</small></th> <th rowspan="2">MATRIX CODE <small>(G=GRAB C=COMP)</small></th> <th colspan="2">COMPOSITE START</th> <th colspan="2">COMPOSITE END/GRAB</th> <th rowspan="2">Y/N</th> <th rowspan="2">Analysis Test</th> </tr> <tr> <th>DATE</th> <th>TIME</th> <th>DATE</th> <th>TIME</th> <th>SAMPLE TEMP AT COLLECTION</th> <th># OF CONTAINERS</th> </tr> </thead> <tbody> <tr><td>1</td><td>S13-1</td><td>SL G</td><td></td><td>3-4-14</td><td>10:40</td><td>5</td><td>2</td><td></td><td></td></tr> <tr><td>2</td><td>S13-3</td><td>SL G</td><td></td><td></td><td>11:34</td><td>5</td><td>2</td><td></td><td></td></tr> <tr><td>3</td><td>S13-5</td><td>SL G</td><td></td><td></td><td>11:57</td><td>5</td><td>2</td><td></td><td></td></tr> <tr><td>4</td><td>S13-2</td><td>SL G</td><td></td><td></td><td>13:05</td><td>5</td><td>2</td><td></td><td></td></tr> <tr><td>5</td><td>S13-4</td><td>SL G</td><td></td><td></td><td>13:25</td><td>5</td><td>2</td><td></td><td></td></tr> <tr><td>6</td><td>S71-1</td><td>SL G</td><td></td><td></td><td>14:25</td><td>5</td><td>2</td><td></td><td></td></tr> <tr><td>7</td><td>S71-2</td><td>SL G</td><td></td><td></td><td>14:40</td><td>5</td><td>2</td><td></td><td></td></tr> <tr><td>8</td><td>S71-3</td><td>SL G</td><td></td><td></td><td>14:55</td><td>5</td><td>2</td><td></td><td></td></tr> <tr><td>9</td><td>SG9-1</td><td>SL G</td><td></td><td>3-5-14</td><td>10:15</td><td>5</td><td>2</td><td></td><td></td></tr> <tr><td>10</td><td>MW20-1</td><td>WT G</td><td></td><td></td><td>15:40</td><td>5</td><td>2</td><td></td><td></td></tr> <tr><td>11</td><td>MW20-3</td><td>WT G</td><td></td><td></td><td>15:25</td><td>5</td><td>2</td><td></td><td></td></tr> <tr><td>12</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr> <td colspan="2">ADDITIONAL COMMENTS</td> <td colspan="2">RELINQUISHED BY / AFFILIATION</td> <td>DATE</td> <td>TIME</td> <td>ACCEPTED BY / AFFILIATION</td> <td>DATE</td> <td>TIME</td> <td colspan="2">SAMPLE CONDITIONS</td> </tr> <tr> <td colspan="2"> </td> <td colspan="2"> Relinquished by / affiliation: Andrew Eyer / gel </td> <td>3/6/14</td> <td>1030</td> <td>Accepted by / affiliation: Mt-Dor Blarw</td> <td>3/6/14</td> <td>10:30</td> <td>3.3</td> <td>Y</td> <td>N</td> <td>Y</td> </tr> <tr> <td colspan="2">ORIGINAL</td> <td colspan="8">SAMPLER NAME AND SIGNATURE</td> <td colspan="2"></td> </tr> <tr> <td colspan="2"></td> <td colspan="8"> PRINT Name of Sampler: _____ Signature of Sampler: _____ </td> <td colspan="2"> DATE Signed (MM/DD/YY): _____ </td> </tr> <tr> <td colspan="2"></td> <td colspan="8"></td> <td colspan="2"> Sampled in C: _____ Delivered on time (Y/N): _____ </td> </tr> <tr> <td colspan="2"></td> <td colspan="8"></td> <td colspan="2"> Completely sealed Container (Y/N): _____ </td> </tr> <tr> <td colspan="2"></td> <td colspan="8"></td> <td colspan="2"> Samples intact (Y/N): _____ </td> </tr> </tbody> </table>								Section D Required Client Information		COLLECTED				Preservatives		Requested Analysis Filtered (Y/N)		ITEM #	SAMPLE ID (A-Z, 0-9 / -) Sample IDs MUST BE UNIQUE	Matrix Codes MATRIX / CODE <small>(Non valid codes to left)</small>	MATRIX CODE <small>(G=GRAB C=COMP)</small>	COMPOSITE START		COMPOSITE END/GRAB		Y/N	Analysis Test	DATE	TIME	DATE	TIME	SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	1	S13-1	SL G		3-4-14	10:40	5	2			2	S13-3	SL G			11:34	5	2			3	S13-5	SL G			11:57	5	2			4	S13-2	SL G			13:05	5	2			5	S13-4	SL G			13:25	5	2			6	S71-1	SL G			14:25	5	2			7	S71-2	SL G			14:40	5	2			8	S71-3	SL G			14:55	5	2			9	SG9-1	SL G		3-5-14	10:15	5	2			10	MW20-1	WT G			15:40	5	2			11	MW20-3	WT G			15:25	5	2			12										ADDITIONAL COMMENTS		RELINQUISHED BY / AFFILIATION		DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS				Relinquished by / affiliation: Andrew Eyer / gel		3/6/14	1030	Accepted by / affiliation: Mt-Dor Blarw	3/6/14	10:30	3.3	Y	N	Y	ORIGINAL		SAMPLER NAME AND SIGNATURE												PRINT Name of Sampler: _____ Signature of Sampler: _____								DATE Signed (MM/DD/YY): _____												Sampled in C: _____ Delivered on time (Y/N): _____												Completely sealed Container (Y/N): _____												Samples intact (Y/N): _____	
Section D Required Client Information		COLLECTED				Preservatives		Requested Analysis Filtered (Y/N)																																																																																																																																																																																																																																					
ITEM #	SAMPLE ID (A-Z, 0-9 / -) Sample IDs MUST BE UNIQUE	Matrix Codes MATRIX / CODE <small>(Non valid codes to left)</small>	MATRIX CODE <small>(G=GRAB C=COMP)</small>	COMPOSITE START		COMPOSITE END/GRAB		Y/N	Analysis Test																																																																																																																																																																																																																																				
				DATE	TIME	DATE	TIME			SAMPLE TEMP AT COLLECTION	# OF CONTAINERS																																																																																																																																																																																																																																		
1	S13-1	SL G		3-4-14	10:40	5	2																																																																																																																																																																																																																																						
2	S13-3	SL G			11:34	5	2																																																																																																																																																																																																																																						
3	S13-5	SL G			11:57	5	2																																																																																																																																																																																																																																						
4	S13-2	SL G			13:05	5	2																																																																																																																																																																																																																																						
5	S13-4	SL G			13:25	5	2																																																																																																																																																																																																																																						
6	S71-1	SL G			14:25	5	2																																																																																																																																																																																																																																						
7	S71-2	SL G			14:40	5	2																																																																																																																																																																																																																																						
8	S71-3	SL G			14:55	5	2																																																																																																																																																																																																																																						
9	SG9-1	SL G		3-5-14	10:15	5	2																																																																																																																																																																																																																																						
10	MW20-1	WT G			15:40	5	2																																																																																																																																																																																																																																						
11	MW20-3	WT G			15:25	5	2																																																																																																																																																																																																																																						
12																																																																																																																																																																																																																																													
ADDITIONAL COMMENTS		RELINQUISHED BY / AFFILIATION		DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS																																																																																																																																																																																																																																				
		Relinquished by / affiliation: Andrew Eyer / gel		3/6/14	1030	Accepted by / affiliation: Mt-Dor Blarw	3/6/14	10:30	3.3	Y	N	Y																																																																																																																																																																																																																																	
ORIGINAL		SAMPLER NAME AND SIGNATURE																																																																																																																																																																																																																																											
		PRINT Name of Sampler: _____ Signature of Sampler: _____								DATE Signed (MM/DD/YY): _____																																																																																																																																																																																																																																			
										Sampled in C: _____ Delivered on time (Y/N): _____																																																																																																																																																																																																																																			
										Completely sealed Container (Y/N): _____																																																																																																																																																																																																																																			
										Samples intact (Y/N): _____																																																																																																																																																																																																																																			