



**TYPICAL SECTION NO. 1**

MAP 1  
 SR 1002 (DUNN RD.)  
 MP 1.830 – MP 4.361

MAP 2  
 SR 1409 (OLD SALEMBURG RD.)  
 MP 0.000 – MP 2.138  
 NO PAVING BRIDGE NO.  
 325, 326 & 327

PAVEMENT SCHEDULE	
C1	PROP. APPROX. 1½" DEPTH ASPHALT CONCRETE SURFACE COURSE, TYPE SF9.5A, AT AN AVERAGE RATE OF 165 LBS. PER SQ.YD.
E1	PROP. APPROX. 4" DEPTH ASPHALT CONCRETE BASE COURSE, TYPE B25.0B, AT AN AVERAGE RATE OF 456 LBS. PER SQ.YD.
T	EARTH MATERIAL (SHOULDER RECONSTRUCTION)
U	EXISTING PAVEMENT

PAVEMENT EDGE SLOPES ARE 1:1, EXCEPT FINAL SURFACE COURSE. SEE SHOULDER WEDGE DETAIL.

SEE STD. DRAWING 1205.01, SHEET 2 OF 2, TABLE 1 FOR EDGE LINE OFFSETS.

21-OCT-2016 08:01  
 S:\Division\Resurfacing\Resurfacing Data\2017  
 Resurfacing\Sampson\_Co\B4814\_Widen & Resurf SR 1002 & 1409\B4814\_Rdy\_tsh.dgn  
 \$\$\$SRNAME\$\$\$