


NOTES: ANY DEVIATION FROM OPTIONS GIVEN WILL REQUIRE PRIOR APPROVAL BY ENGINEER.

ADDITIONAL EROSION CONTROL DEVICES MAY NEED TO BE INSTALLED AS DIRECTED BY THE ENGINEER.

NOTE: PLACE TEMPORARY ROCK SEDIMENT DAMS TYPE - B AND TEMPORARY ROCK SILT CHECKS TYPE - A AT DRAINAGE OUTLETS.


NOTE: PERIMETER EROSION CONTROL MEASURES SHALL BE INSTALLED DURING CLEARING AND GRUBBING PHASE.

PROJECT REFERENCE NO.	SHEET NO.
U-4910A	EC-04/CONST.04
RW SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER



CLEARING AND GRUBBING EROSION CONTROL FOR CONSTRUCTION SHEET 04

BEGIN TIP PROJECT U-4910A  
BEGIN CONSTRUCTION  
-L- PC STA. 113+53.14



MATCHLINE -L- STA. 118+50 SEE PLAN SHEET 5

N1 25° 57' 27.2" E



②  
PDG/INLAND CONCORD VENTURE  
DB 8108 PG 184

④  
BONDS REAL ESTATE  
LPP A NC LLP  
DB 3785 PG 677

③  
AGREE CONCORD LLC  
DB 9374 PG 240

★ EXISTING SIGNAL  
FOR -L- PROFILE SEE SHEET 8