

LOCATION SKETCH

INFORMATION INDICATED ON THE LOCATION SKETCH SHALL BE CONSIDERED GENERAL INFORMATION ONLY. THE CONTRACTOR SHALL CONFIRM, THROUGH OTHER SOURCES, SPECIFIC INFORMATION REGARDING BRIDGES, ROADWAYS, UTILITIES, THE SURROUNDING AREA, AND ANY OTHER ASPECTS THAT MAY BE NECESSARY TO PERFORM AND COMPLETE THE PROJECT.

DRAWN BY :	R.L.PUTEK	DATE : 05/16
CHECKED BY :	S. WANCE	DATE :06/16

+

+

 EXISTING DIMENSIONS AND BRIDGE CONDITION ARE FROM THE REST INFORMATION SHOWN ON THE PLANS AND NOTIFY THE ENGINEER IF ACTUAL DIMENSIONS AND CONDITIONS UTFOR. IJI SI THE CONTRACTOR'S RESPONSIBILITY TO FOLLOW ALL STATE AND FEDERAL AFETY REQUIREMENTS. FOR OVERLAY OF BRIDGE WITH LATEX MODIFIED CONCRETE-VERY EARLY STRENGTH, SEE SPECIAL PROVISIONS. IHE CONTRACTOR SHALL PROVODE A METHOD OF HANDLING UNEXPECTED BLOW THROUGH OF THE DECK. FOR OVERLAY OF BRIDGE WITH LATEX MODIFIED CONCRETE-VERY EARLY STRENGTH, SEE SPECIAL PROVISIONS. EVESTING SHOLE DECK, HYDRO-DEMOLITION OF BRIDGE DECK, AND CLASS II SUBPACE PREPARATION, SEE OVERLAY SURFACE PREPARATION SPECIAL PROVISION. EXISTING JOINTS AND DECK DRAINS SHALL BE SEALED PRIOR TO BEGINNING REPAIR OF BRIDGE DECK. FOR CONTROL OF TRAFFIC AND LIMITS ON PHASING OF CONSTRUCTION, SEE TRANSPORTATION MANAGEMENT PLANS. LONGTUDINAL CONSTRUCTION JOINTS OF OVERLAYS SHALL BE LOCATED ALONG THE CENTERLINE OR EDGE OF TRAVEL LAMES. FOR CONTRUCTON, DECKS, SEE OVERLAY SURFACE PREPARATION SPECIAL PROVISION. IHE CONTRACTOR MUST CULCULT, TREAT AND DISPOSE OF RUN-OFF WARE FROM THE HYDRO-DEMOLITION MERS, SEE SPECIAL PROVISIONS. FOR GOUT FOR STRUCTURES, SEE OVERLAY SURFACE PREPARATION SPECIAL PROVISION. FOR GUBMITTAL OF WORKING DRAWINGS, SEE SPECIAL PROVISIONS. FOR CLARE SAFETY, SEE SPECIAL PROVISIONS. FOR CLARENG AND FRANKINGS OF BRIDGE SEE PLAINTING EXISTING STRUCTURE SPECIAL PROVISION. FOR POLLUTION CONTROL, SEE SPECIAL PROVISIONS. FOR POLLUTION CONTROL, SEE SPECIAL PROVISIONS. FOR ROLLEAWING AND REPAINTING OF BRIDGE SEE PLAINTING EXISTING STRUCTURE SPECIAL PROVISION. FOR POLLUTION CONTROL, SEE SPECIAL PROVISIONS. FOR POLLUTION CONTROL, SEE SPECIAL PROVISIONS. FOR POLLUTION CONTROL, SEE SPECIAL PROVISIONS. FOR FOLSENCHA
<text><text><text><text><text><text><text><text><text></text></text></text></text></text></text></text></text></text>
<text><text><text><text><text><text><text><text><text></text></text></text></text></text></text></text></text></text>
OF THE DECK. FOR SCARIFYING BRIDGE DECK, HYDRO-DEMOLITION OF BRIDGE DECK, AND CLASS II SURFACE PREPARATION. SEE OVERLAY SURFACE PREPARATION SPECIAL PROVIDENTION AND DECK DRAINS SHALL BE SEALED PRIOR TO BEGINNING REPAR FOR CONTROL OF TRAFFIC AND LIMITS ON PHASING OF CONSTRUCTION, SEE CONTRUITION ALCONSTRUCTION JOINTS OF OVERLAYS SHALL BE LOCATED ALONG THE CENTERLINE OR EDGE OF TRAVEL LANES. DURING CONSTRUCTION, BERNS OR APPROPRIATE MEASURES TO CONTROL RUN-OFF SHALL BE LOCATED ALONG THE CENTERLINE OR EDGE OF TRAVEL LANES. FOR PAINTING CONTAINMENT, SEE PAINTING EXISTING STRUCTURE SPECIAL PROVISION. FOR COLOTED ALONG THE CENTERLINE OR EDGE OF TRAVEL LANES. FOR PAINTING CONTRUCTION, BERNS OR APPROPRIATE MEASURES TO CONTROL RUN-OFF SHALL BE LOCATED ALONG THE CENTERLINE OR EDGE OF TRAVEL LANES. FOR PAINTING CONTAINMENT, SEE PAINTING EXISTING STRUCTURE PROVISION. FOR SUBMITTAL OF WORKING DRAWINGS, SEE SPECIAL PROVISIONS. FOR SUBMITTAL OF WORKING DRAWINGS, SEE SPECIAL PROVISIONS. FOR GOUT FOR STRUCTURES, SEE SPECIAL PROVISIONS. FOR CLEANING AND REPAINTING OF BRIDGE, SEE PAINTING EXISTING STRUCTURE SPECIAL FOR POLLUTION CONTROL, SEE PAINTING EXISTING STRUCTURE SPECIAL PROVISION. FOR POLLUTION CONTROL, SEE PAINTING EXISTING STRUCTURE SPECIAL PROVISION. FOR EPOXY RESIN INJECTION, SEE SPECIAL PROVISIONS. FOR EPOXY RESIN INJECTION, SEE SPECIAL PROVISIONS. FOR EPOXY RESIN INJECTION, SEE SPECIAL PROVISIONS. FOR EPOXY RESIN INJECTION, SEE SPECIAL PROVISIONS.
CLASS II SURFACE PREPARATION, SEE OVERLAY SURFACE PREPARATION SPECIAL EXISTING JOINTS AND DECK DRAINS SHALL BE SEALED PRIOR TO BEGINNING REPAR OF BRIDGE DECKS. FOR CONTROL OF TRAFFIC AND LIMITS ON OVERLAYS SHALL BE LOCATED ALONG THE CENTERLINE OR EDEC OF TRAVEL LANES. DUFING CONSTRUCTION JOINTS OF OVERLAYS SHALL BE LOCATED ALONG THE CENTERLINE OR EDEC OF TRAVEL LANES. DUFING CONSTRUCTION, BERMS OR APPROPRIATE MEASURES TO CONTROL RUN-OFF SHALL BE LOCATED ALONG THE CENTERLINE OR EDEC OF TRAVEL LANES. FOR PAINTING CONTAINMENT, SEE PAINTING EXISTING STRUCTURE SPECIAL PROVISION. FOR SUBMITTAL OF WORKING DRAWINGS, SEE SPECIAL PROVISIONS. FOR SUBMITTAL OF WORKING DRAWINGS, SEE SPECIAL PROVISIONS. FOR FALSEWORK AND FORMWORK, SEE SPECIAL PROVISIONS. FOR GROUT FOR STRUCTURES, SEE SPECIAL PROVISIONS. FOR CRAINE SAFETY, SEE SPECIAL PROVISIONS. FOR CRAINE AAFETY, SEE SPECIAL PROVISIONS. FOR POLLUTION CONTROL, SEE PAINTING EXISTING STRUCTURE SPECIAL PROVISION. FOR SUBJOINC AND REPAINTING OF BRIDGE, SEE PAINTING EXISTING STRUCTURE SPECIAL FOR SHOTCRETE REPAIRS, SEE SPECIAL PROVISIONS. FOR SHOTCRETE REPAIRS, SEE SPECIAL PROVISIONS. FOR POLLUTION CONTROL, SEE PAINTING EXISTING STRUCTURE SPECIAL PROVISION. FOR SHOTCRETE REPAIRS, SEE SPECIAL PROVISIONS. FOR EPOXY RESIN INJECTION, SEE SPECIAL PROVISIONS. FOR POXY RESIN INJECTION, SEE SPECIAL PROVISIONS.
OF BRIDGE DECKS. FOR CONTROL OF TRAFFIC AND LIMITS ON PHASING OF CONSTRUCTION, SEE TRANSPORTATION MANAGEMENT PLANS. LONGITUDINAL CONSTRUCTION JOINTS OF OVERLAYS SHALL BE LOCATED ALONG THE CENTERLINE OR EDGE OF TRAVEL LANES. DURING CONSTRUCTION, BERMS OR APPROPRIATE MEASURES TO CONTROL RUN-OFF SHALL BE LOCATED ALONG THE CENTERLINE OR EDGE OF TRAVEL LANES. FOR PAINTING CONTAINMENT, SEE PAINTING EXISTING STRUCTURE SPECIAL PROVISION. THE CONTACTOR MUST COLLECT, TREAT AND DISPOSE OF RUN-OFF WATER FROM THE MYDRO-DEMOLITION PROCESS, SEE OVERLAY SURFACE PREPARATION SPECIAL PROVISION. FOR SUBMITTAL OF WORKING DRAWINGS, SEE SPECIAL PROVISIONS. FOR FALSEWORK AND FORMWORK, SEE SPECIAL PROVISIONS. FOR GROUT FOR STRUCTURES, SEE SPECIAL PROVISIONS. FOR CRANE SAFETY, SEE SPECIAL PROVISIONS. FOR CLEANING AND REPAINTING OF BRIDGE, SEE PAINTING EXISTING STRUCTURE SPECIAL PROVISION. FOR POLLUTION CONTROL, SEE PAINTING EXISTING STRUCTURE SPECIAL PROVISION. FOR POLLUTION CONTROL, SEE SPECIAL PROVISIONS. FOR EPOXY RESIN INJECTION, SEE SPECIAL PROVISIONS. FOR POXY RESIN INJECTION, SEE SPECIAL PROVISIONS. PROJECT NO. <u>1-5892</u>
TRANSPORTATION MANAGEMENT PLANS. LONGITUDINAL CONSTRUCTION JOINTS OF OVERLAYS SHALL BE LOCATED ALONG THE CENTERLINE OR EDGE OF TRAVEL LANES. DURING CONSTRUCTION, BERMS OR APPROPRIATE MEASURES TO CONTROL RUN-OFF SHALL BE LOCATED ALONG THE CENTERLINE OR EDGE OF TRAVEL LANES. FOR PAINTING CONTAINMENT, SEE PAINTING EXISTING STRUCTURE SPECIAL PROVISION. THE CONTRACTOR MUST COLLECT IREAT AND DISPOSE OF RUN-OFF WATER FROM THE HYDRO-DEMOLITION PROCESS, SEE OVERLAY SURFACE PREPARATION SPECIAL PROVISION. FOR SUBMITTAL OF WORKING DRAWINGS, SEE SPECIAL PROVISIONS. FOR FALSEWORK AND FORWWORK, SEE SPECIAL PROVISIONS. FOR GROUT FOR STRUCTURES, SEE SPECIAL PROVISIONS. FOR CLEANING AND REPAINTING OF BRIDGE, SEE PAINTING EXISTING STRUCTURE SPECIAL PROVISION. FOR POLLUTION CONTROL, SEE PAINTING EXISTING STRUCTURE SPECIAL FOR SHOTCRETE REPAIRS, SEE SPECIAL PROVISIONS. FOR EPOXY RESIN INJECTION, SEE SPECIAL PROVISIONS. FOR EPOXY RESIN INJECTION, SEE SPECIAL PROVISIONS. FOR POLLUTION, SEE SPECIAL PROVISIONS. FOR POXY RESIN INJECTION, SEE SPECIAL PROVISIONS. FOR POXY RESIN INJECTION, SEE SPECIAL PROVISIONS. FOR POXY RESIN INJECTION, SEE SPECIAL PROVISIONS.
LONGITUDINAL CONSTRUCTION JOINTS OF OVERLAYS SHALL BE LOCATED ALONG THE CENTERLINE OR EDGE OF TRAVEL LANES. JUING CONSTRUCTION, BERMS OR APPORPIATE MEASURES TO CONTROL RUN-OFF SHALL BE LOCATED ALONG THE CENTERLINE OR EDGE OF TRAVEL LANES. FOR PAINTING CONTAINMENT, SEE PAINTING EXISTING STRUCTURE SPECIAL PROVISION. HE CONTRACTOR MUST COLLECT, TREAT AND DISPOSE OF RUN-OFF WATER FROM THE HYDRO-DEMOLITION PROCESS, SEE OVERLAY SURFACE PREPARATION SPECIAL PROVISION. FOR USUBMITTAL OF WORKING DRAWINGS, SEE SPECIAL PROVISIONS. FOR GROUT FOR STRUCTURES, SEE SPECIAL PROVISIONS. FOR GROUT FOR STRUCTURES, SEE SPECIAL PROVISIONS. FOR CLEANING AND REPAINTING OF BRIDGE, SEE PAINTING EXISTING STRUCTURE SPECIAL PROVISION. FOR POLLUTION CONTROL, SEE PAINTING EXISTING STRUCTURE SPECIAL FOR POLLUTION CONTROL, SEE SPECIAL PROVISIONS. FOR EPOXY RESIN INJECTION, SEE SPECIAL PROVISIONS. FOR EPOXY RESIN INJECTION, SEE SPECIAL PROVISIONS.
DURING CONSTRUCTION, BERMS OR APPROPRIATE MEASURES TO CONTROL RUN-OFF SHALL BE LOCATED ALONG THE CENTERLINE OR EDGE OF TRAVEL LANES. FOR PAINTING CONTAINMENT, SEE PAINTING EXISTING STRUCTURE SPECIAL PROVISION. THE CONTRACTOR MUST COLLECT. TREAT AND DISPOSE OF RUN-OFF WATER FROM THE MYDRO-DEWOLITION PROCESS, SEE OVERLAY SURFACE PREPARATION SPECIAL PROVISION. FOR SUBMITTAL OF WORKING DRAWINGS, SEE SPECIAL PROVISIONS. FOR FALSEWORK AND FORMWORK, SEE SPECIAL PROVISIONS. FOR GROUT FOR STRUCTURES, SEE SPECIAL PROVISIONS. FOR CRANE SAFETY, SEE SPECIAL PROVISIONS. FOR CLEANING AND REPAINTING OF BRIDGE, SEE PAINTING EXISTING STRUCTURE SPECIAL PROVISION. FOR POLLUTION CONTROL, SEE PAINTING EXISTING STRUCTURE SPECIAL FOR SHOTCRETE REPAIRS, SEE SPECIAL PROVISIONS. FOR EPOXY RESIN INJECTION, SEE SPECIAL PROVISIONS. FOR EPOXY RESIN INJECTION, SEE SPECIAL PROVISIONS.
FOR PAINTING CONTAINMENT, SEE PAINTING EXISTING STRUCTURE SPECIAL PROVISION. THE CONTRACTOR MUST COLLECT, TREAT AND DISPOSE OF RUN-OFF WATER FROM THE HYDRO-DEMOLITION PROCESS, SEE OVERLAY SURFACE PREPARATION SPECIAL PROVISION. FOR SUBMITTAL OF WORKING DRAWINGS, SEE SPECIAL PROVISIONS. FOR FALSEWORK AND FORMWORK, SEE SPECIAL PROVISIONS. FOR GROUT FOR STRUCTURES, SEE SPECIAL PROVISIONS. FOR CLEANING AND REPAINTING OF BRIDGE, SEE PAINTING EXISTING STRUCTURE SPECIAL FOR CLEANING AND REPAINTING OF BRIDGE, SEE PAINTING EXISTING STRUCTURE SPECIAL FOR POLLUTION CONTROL, SEE PAINTING EXISTING STRUCTURE SPECIAL PROVISION. FOR FOLLUTION CONTROL, SEE PAINTING EXISTING STRUCTURE SPECIAL PROVISION. FOR EPOXY RESIN INJECTION, SEE SPECIAL PROVISIONS. FOR EPOXY RESIN INJECTION, SEE SPECIAL PROVISIONS. PROJECT NO. <u>1-5892</u>
THE CONTRACTOR MUST COLLECT, TREAT AND DISPOSE OF RUN-OFF WATER FROM THE HYDRO-DEMOLITION PROCESS, SEE OVERLAY SURFACE PREPARATION SPECIAL PROVISION. FOR SUBMITTAL OF WORKING DRAWINGS, SEE SPECIAL PROVISIONS. FOR FALSEWORK AND FORMWORK, SEE SPECIAL PROVISIONS. FOR GROUT FOR STRUCTURES, SEE SPECIAL PROVISIONS. FOR CRANE SAFETY, SEE SPECIAL PROVISIONS. FOR CLEANING AND REPAINTING OF BRIDGE, SEE PAINTING EXISTING STRUCTURE SPECIAL PROVISION. FOR POLLUTION CONTROL, SEE PAINTING EXISTING STRUCTURE SPECIAL PROVISION. FOR POLLUTION CONTROL, SEE PAINTING EXISTING STRUCTURE SPECIAL PROVISION. FOR EPOXY RESIN INJECTION, SEE SPECIAL PROVISIONS. FOR EPOXY RESIN INJECTION, SEE SPECIAL PROVISIONS. THE POXY RESIN INJECTION, SEE SPECIAL PROVISIONS. SOME SPECIAL PROVISIONS. FOR EPOXY RESIN INJECTION, SEE SPECIAL PROVISIONS. THE POXY RESIN INJECTION, SEE SPECIAL PROVISIONS.
FOR SUBMITTAL OF WORKING DRAWINGS, SEE SPECIAL PROVISIONS. FOR FALSEWORK AND FORMWORK, SEE SPECIAL PROVISIONS. FOR GROUT FOR STRUCTURES, SEE SPECIAL PROVISIONS. FOR CRANE SAFETY, SEE SPECIAL PROVISIONS. FOR CLEANING AND REPAINTING OF BRIDGE, SEE PAINTING EXISTING STRUCTURE SPECIAL FOR POLLUTION CONTROL, SEE PAINTING EXISTING STRUCTURE SPECIAL PROVISION. FOR SHOTCRETE REPAIRS, SEE SPECIAL PROVISIONS. FOR EPOXY RESIN INJECTION, SEE SPECIAL PROVISIONS.
FOR FALSEWORK AND FORMWORK, SEE SPECIAL PROVISIONS. FOR GROUT FOR STRUCTURES, SEE SPECIAL PROVISIONS. FOR CRANE SAFETY, SEE SPECIAL PROVISIONS. FOR CLEANING AND REPAINTING OF BRIDGE, SEE PAINTING EXISTING STRUCTURE SPECIAL FOR SOLUTION CONTROL, SEE PAINTING EXISTING STRUCTURE SPECIAL PROVISION. FOR SHOTCRETE REPAIRS, SEE SPECIAL PROVISIONS. FOR EPOXY RESIN INJECTION, SEE SPECIAL PROVISIONS.
FOR GROUT FOR STRUCTURES, SEE SPECIAL PROVISIONS. FOR CRANE SAFETY, SEE SPECIAL PROVISIONS. FOR CLEANING AND REPAINTING OF BRIDGE, SEE PAINTING EXISTING STRUCTURE SPECIAL FOR POLLUTION CONTROL, SEE PAINTING EXISTING STRUCTURE SPECIAL PROVISION. FOR SHOTCRETE REPAIRS, SEE SPECIAL PROVISIONS. FOR EPOXY RESIN INJECTION, SEE SPECIAL PROVISIONS.
FOR CRANE SAFETY, SEE SPECIAL PROVISIONS. FOR CLEANING AND REPAINTING OF BRIDGE, SEE PAINTING EXISTING STRUCTURE SPECIAL FOR POLLUTION CONTROL, SEE PAINTING EXISTING STRUCTURE SPECIAL PROVISION. FOR SHOTCRETE REPAIRS, SEE SPECIAL PROVISIONS. FOR EPOXY RESIN INJECTION, SEE SPECIAL PROVISIONS. PROJECT NO. <u>1-5892</u>
FOR CLEANING AND REPAINTING OF BRIDGE, SEE PAINTING EXISTING STRUCTURE SPECIAL PROVISION. FOR POLLUTION CONTROL, SEE PAINTING EXISTING STRUCTURE SPECIAL PROVISION. FOR SHOTCRETE REPAIRS, SEE SPECIAL PROVISIONS. FOR EPOXY RESIN INJECTION, SEE SPECIAL PROVISIONS. PROJECT NO. <u>1-5892</u>
FOR POLLUTION CONTROL, SEE PAINTING EXISTING STRUCTURE SPECIAL PROVISION. FOR SHOTCRETE REPAIRS, SEE SPECIAL PROVISIONS. FOR EPOXY RESIN INJECTION, SEE SPECIAL PROVISIONS.
FOR SHOTCRETE REPAIRS, SEE SPECIAL PROVISIONS. FOR EPOXY RESIN INJECTION, SEE SPECIAL PROVISIONS.
PROJECT NO. <u>1-5892</u>
DocuSigned by: SHEET 2 OF 2
JOWN HAMMALLON STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION TRESPONDENTIAL
ALLEY MALELY
GENERAL DRAWING
FOR BRIDGE ON I-26 WBL OVER NC 197
1/21/2017
REVISIONS SHEET NO. DOCUMENT NOT CONSTREED NO. BY: DATE: NO. BY: DATE: S-3
DOCUMENT NOT CONSIDERED TO DATE: NO. BIT DATE: NO. BIT DATE: TOTAL FINAL UNLESS ALL 1 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5