

FOR UNDERSIDE OF DECK AND DIAPHRAGM REPAIRS, SEE "OVERHANG, DIAPHRAGM AND BRIDGE RAIL REPAIR DETAILS" SHEET.

* CLASS II SURFACE PREPARATION, CLASS III SURFACE PREPARATION AND CONCRETE FOR DECK REPAIR ARE NOT ANTICIPATED. TOKEN PAY ITEMS ARE INDICATED FOR PRICING PURPOSES IN CASE UNANTICIPATED CLASS II OR CLASS III AREAS ARE ENCOUNTERED.

♦ QUANTITY HAS BEEN INCREASED DUE TO THE POTENTIAL FOR FURTHER DETERIORATION SINCE THE FIELD INSPECTION BY STRUCTURES MANAGEMENT UNIT.

AS-BUILT REPAIR QUANTITY TABLE				
TOP OF DECK REPAIRS				
	ESTIMATE		ACTUAL	
SCARIFYING BRIDGE DECK	160 SY			
HYDRO-DEMOLITION OF BRIDGE DECK	160 SY			
CLASS II SURFACE PREPARATION	15.0 SY *			
CLASS III SURFACE PREPARATION	0.5 SY *			
BRIDGE JOINT DEMOLITION	25 . 3 SF			
CONCRETE FOR DECK REPAIR	3.0 CF *			
CONCRETE REPAIRS (TOP OF CURB)	3.2 CF			
UNDERSIDE OF DECK REPAIRS				
SHOTCRETE REPAIRS	ESTIMATE		ACTUAL	
	AREA SF	VOLUME CF	AREA SF	VOLUME CF
UNDERSIDE OF DECK	0.0	0.0		
OVERHANG DIAPHRAGMS	0.0	0.0		
UNDERSIDE OF OVERHANG	21.0	13.2♦		
INTERIOR DIAPHRAGMS	6.9	4.3 ♦		
	ESTIMATE		ACTUAL	
UNDERSIDE EPOXY RESIN INJECTION	0.0 LF			

VALUES IN CHARTS REPRESENT ESTIMATED UNDERSIDE OF DECK REPAIR TOTALS AFTER REMOVAL OF UNSOUND CONCRETE, MINIMUM OF 1" BEHIND REBAR AND MINIMUM 2" CLEAR TO SAWCUT. SEE REPAIR DETAILS.

APPROX. CLASS II AREA

APPROX.CLASS III AREA

BRIDGE JOINT DEMOLITION

UNDERSIDE REPAIR DIAPHRAGM REPAIR

TEST LOCATION

ERI EPOXY RESIN INJECTION

I-5892 PROJECT NO. __ BUNCOMBE COUNTY

422 BRIDGE NO.

-DocuSigned by: SHEET 3 OF 3 John doublannacconte SEGOLESO4EC SEAL 32492

> ·SUCINEER YANNA

1/21/2017

STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION

PLAN OF SPANS SPAN C

REVISIONS SHEET NO DATE: S-32 DOCUMENT NOT CONSIDERE FINAL UNLESS ALL SIGNATURES COMPLETED

21-JAN-2017 14:06 R:\Structures\FinalDrawings\Buncombe 422\100422_SD_PS.dgn

_ DATE : __05/16

DATE : __10/16

CL BRIGHT

DRAWN BY : CHECKED BY :